



**NOTE: FAILURE TO SUBMIT PROPOSAL RESPONSES ON OR PRIOR TO THE 1:00 CUTOFF TIME, OR WITHOUT THE REQUIRED SEALED BID FORMAT, OR WITHOUT THE REQUIRED FORM-A SIGNATURE MAY RESULT IN RESPONSE BEING DEEMED AS NON-COMPLIANT.**

**LABELING OF RESPONSE PACKAGE**

**IMPORTANT:**

You must affix an identifying label to the outside of your Sealed Response Package to ensure proper identification and log-in at HGACBuy offices on receipt. HGACBuy is not responsible for any response that might be lost or misdirected due to improper or unclear labeling. Your label should look as follows and should be affixed conspicuously to the package.



Responses by e-mail or fax will not be acceptable. Hard copies, as described herein, plus appropriate electronic media are required.

**NOTICE REGARDING NATIONWIDE SALES POTENTIAL**

HGACBuy is conducting this procurement with the objective of establishing one or more blanket type contracts for use by our Members. Because our Members are located not only in Texas, but throughout the country, we strongly urge you to participate in the process at the corporate level. Even if you do not sell direct, your dealer network may still service customers while you handle the administrative functions of providing quotes, accepting purchase orders, and collecting payments. If this is not feasible, H-GAC can still work with you to subsequently assign your contract to your dealers as necessary to service customers.

Whatever approach you choose to take, there is considerable potential sales value because HGACBuy is being used not only in the State of Texas, but NATIONWIDE. This means that HGACBuy contractors will have a special advantage available to them in promoting sales to government agencies throughout the country - the ability to sell products without the need for the buyer to duplicate the competitive bidding process and expend the associated staff time and taxpayer dollars. We believe an HGACBuy contract would enhance your competitive position in the government marketplace, and are eager to work with you to promote the best interests of our participating local governments and qualifying non-profit organizations.

We look forward to your participation in our process. Please contact the HGACBuy staff member listed on the cover of this Invitation for additional information.



**SECTION-A**  
**GENERAL TERMS & CONDITIONS**  
**FOR BIDS AND PROPOSALS**

**INVITATION No. RH08-18**  
**DESCRIPTION: Refuse Handling Equipment**

**TABLE OF CONTENTS**

1.	INTRODUCTION .....	2
2.	DEFINITIONS, ABBREVIATIONS & ACRONYMS .....	2
3.	NON-BINDING ORAL COMMENTS .....	4
4.	STRUCTURE OF RESPONSE .....	4
5.	BASIC REQUIREMENTS & CONDITIONS .....	4
6.	OFFEROR'S AUTHORIZED SIGNATORY .....	5
7.	SURETY FOR INSURANCE .....	5
8.	CONFIDENTIAL / PROPRIETARY MATERIALS .....	6
9.	REFERENCES .....	6
10.	INSURANCE .....	6
11.	OFFEROR CERTIFICATIONS .....	6
12.	HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION .....	7
13.	NON-RESIDENT RECIPROCAL SALES ACT .....	7
14.	TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING .....	8
15.	INTENT AND SCOPE OF SPECIFICATIONS .....	8
16.	REQUIREMENTS APPLICABLE TO PHYSICAL GOODS .....	8
17.	PRODUCT CODES .....	8
18.	SPECIFIC DESCRIPTIVE REFERENCES .....	9
19.	MANUALS .....	9
20.	STANDARD FEATURES & OPTIONS .....	9
21.	WARRANTIES, SALES & SERVICE .....	10
22.	H-GAC ORDER PROCESSING CHARGE .....	10
23.	PRE-PAYMENTS AND DISCOUNTS .....	10
24.	INSPECTION / TESTING .....	11
25.	PRODUCT DELIVERY .....	11
26.	OFFERED PRODUCT ITEM VARIANCES .....	11
27.	REQUIREMENTS FOR SUBMISSION OF A RESPONSE .....	11
28.	CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS .....	13
29.	INCONSISTENT INFORMATION .....	13
30.	REJECTION OF RESPONSES .....	13
31.	WITHDRAWAL OR MODIFICATION OF RESPONSES .....	14
32.	RESPONSE EVALUATION .....	14
33.	ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD .....	14
34.	AWARD OF CONTRACT .....	14
35.	PRO-FORMA CONTRACT .....	14
36.	CONTRACT TERM .....	15
37.	PERFORMANCE & PAYMENT BOND .....	15

38.	CHANGE ORDERS.....	15
39.	DUPLICATION OF TERMS OR STATEMENTS.....	15
40.	PUBLICITY .....	15
41.	TAXES .....	15
42.	DRUG FREE WORKPLACE .....	15
43.	PRODUCT NOTICES & MAILINGS .....	15
44.	HANDLING OF ORDERS & PAYMENTS.....	15
45.	PRICE CHANGES.....	16
46.	CONTRACT ITEM CHANGES .....	17
47.	FORCE MAJEURE.....	17
48.	PERFORMANCE UNDER CONTRACT .....	17
49.	IMPLEMENTATION OF INTERNET BASED E-COMMERCE .....	18
50.	CONTRACTOR ORIENTATION/TRAINING.....	18
51.	LEGAL & CONTRACTUAL REMEDIES .....	18
52.	NATIONWIDE SALES OPPORTUNITIES.....	19

## 1. INTRODUCTION

The Houston-Galveston Area Council (**H-GAC**) is a "Government-to-Government" procurement service for States, State Agencies, Local Governments, Districts, Authorities, and qualifying Not-for-Profit Corporations (**End Users**). End Users become **Members** of the **H-GAC** Cooperative Purchasing Program (**HGACBuy**) by executing an Interlocal Contract, which is free of cost and evergreen unless cancelled. **HGACBuy**, acting on behalf of **Members**, is soliciting competitive offerings for the furnishing of products and/or services, as described elsewhere, which MAY be purchased by **Members** during the contract term. **Members** using the Program issue purchase orders directly to **HGACBuy** contractors.

## 2. DEFINITIONS, ABBREVIATIONS & ACRONYMS

The following definitions, abbreviations and acronyms may be found in these specifications, and shall be interpreted herein as specified below.

### Definitions and Abbreviations:

**Acceptance.** Acceptance takes place when the **End User** agrees with the **Contractor** that the terms and conditions of the contract have been met and verified. Acceptance is not the same as Receipt, and can only occur after intact shipping, inspection by **End User**, and any onsite testing that has been stipulated as part of the order

**Aggregate/Single Occurrence.** The term "*aggregate*" in insurance terms is the sum of all claims against a specific policy for a specific loss incident. The term "*single occurrence*" differentiates between multiple claims and single claims against a specific policy. The inherent value of a policy's aggregate value is less important to an **End User** than is the value of a single claim as stated under "*single occurrence*."

**Approved.** Acceptable to the "authority having jurisdiction."

**ARO.** "After Receipt of Order". Used in conjunction with a defined time period (usually days or weeks) to establish the delivery or lead time pursuant to any individual purchase transaction. In the case of orders for bodies which will be mounted on a customer furnished cab/chassis, the term ARO shall be construed to mean "After Receipt Of Cab/Chassis".

**Authority Having Jurisdiction.** The authority shall be either **H-GAC** or the relevant **End User** based on the requirements as stated in each specification item. Unless specifically stated, the authority shall be **H-GAC**.

**Bidder.** Any entity that submits a competitive bid to this Invitation. (See also "**Offeror**")

**Change Order.** Request by an **End User** for a change in the composition of an already submitted purchase order, for example to change quantity ordered, add or delete items, etc.

**Contract.** Specifically, a contract between **H-GAC** and a successful **Offeror** which is executed based on an award made pursuant this Invitation.

**Contract Pricing Worksheet.** The standard **H-GAC** form to be used by **Contractor** in preparing a quotation to an End User, upon which End User's purchase order will be based. **Contractor** may use another quotation form provided it contains required information, and only if approved by **H-GAC**.

**Contractor.** The contracted business entity responsible for fulfilling a contract executed pursuant to this Invitation.

**Dealer/Distributor.** A duly authorized and/or franchised business entity which sells and services a manufacturer's product in a specified marketing area.

**Defect.** A discontinuity in a part or a failure to function that interferes with the service or reliability for which the part was intended.

**Electronic Media.** As used herein, means computer based media such as 100mb Zip Disk, CDROM, e-mail, e-mail attachment, file downloaded from the web, etc.

**End User.** (See "**Participant**" and "**Member**")

**Listed.** Equipment or materials included in a list published by an organization, acceptable to the "Authority Having Jurisdiction" and concerned with product evaluation, that conducts periodic inspection of production of listed equipment or materials and whose listing states either that the equipment or materials meet appropriate standards or has been tested and found suitable for use in a specified manner. NOTE: The means for identifying listed equipment may vary for each organization concerned with product evaluation, some of which do not recognize equipment as listed unless it is also labeled. The "authority having jurisdiction" should utilize the system employed by the listing organization to identify a listed product.

**Manufacturer.** The person or persons, company firm, corporation, partnership, or other organization responsible for taking raw materials or components and making a finished product.

**May.** A term indicating a permissive use or an acceptable alternative to a specified requirement.

**Member.** An authorized Participant in the Program. (See "**Participant**" and "**End User**")

**Motor Vehicle.** The meaning of this term shall be based on the legal definition ascribed to it by the laws and/or regulations of the state in which any specific sale made pursuant to a Contract takes place.

**Must.** A term indicating a mandatory requirement.

**Offer or Offering.** Any product or service offered in reply to this Invitation.

**Offeror.** Any entity that submits a competitive bid or proposal in response to this Invitation. Bidder or Proposer.

**Participant.** Generally, any qualifying governmental or non-profit entity which has executed an Interlocal Contract for cooperative purchasing services with **H-GAC**.

**Product Liability Insurance.** Failure of Components and/or assembled equipment resulting in personal injury, disability or death and/or property damage is covered under the product liability insurance provisions.

**Product or Product Item.** Any of the specific goods, materials, equipment or service(s) specified in this Invitation. This term encompasses the base line item itself, and any and all accessories, options, modifications, ancillary services, assembly, testing, etc. that may be included in the delivered Product.

**Proposer.** Any entity that submits a competitive proposal in response to this Invitation. (See also "**Offeror**")

**Purchaser.** The **End User** having responsibility for the specification, requisition, ordering and acceptance of the Product or Service. (See also "**End User**")

**Purchasing Authority.** The agency that has sole responsibility and authority for negotiating, placing and, if necessary, modifying any solicitation, purchase order, or other award issued by a governing body [**H-GAC**].

**Quotation.** See "Contract Pricing Worksheet".

**Receipt.** Receipt takes place when a Product or Service is delivered to an **End User** and a document is executed that establishes that the Product is now in the possession of the **End User** or that the Service has been completed. Receipt DOES NOT connote or imply Acceptance.

**Response.** All or part of any offering submitted in response to this Invitation.

**Shall.** A term indicating a mandatory requirement or action.

**Should.** A term indicating a recommended or advised response to a specified requirement.

**Vendor.** A manufacturer's representative or dealer authorized to make sales and supply parts and service.

#### **Acronyms:**

**ANSI** = **A**merican **N**ational **S**tandards **I**nstitute

**ASTM** = **A**merican **S**ociety for **T**esting and **M**aterials

**ASME** = **A**merican **S**ociety of **M**echanical **E**ngineers

**CFR** = U.S. **C**ode of **F**ederal **R**egulations

**DOJ** = U.S. **D**epartment **O**f **J**ustice

**DOT** = U.S. **D**epartment **O**f **T**ransportation

EPA = U.S. Environmental Protection Agency  
FAA = Federal Aviation Administration  
FMVSS = U.S. Federal Motor Vehicle Safety Standards  
H-GAC = Houston-Galveston Area Council of Governments  
IEEE = Institute of Electrical and Electronics Engineers  
MVD = Motor Vehicle Division of Texas Department of Transportation  
NFPA = National Fire Protection Association  
NHTSA = National Highway Traffic Safety Administration  
NIOSH = National Institute For Occupational Safety And Health  
NIST = National Institute of Standards and Technology  
NTEA = National Truck Equipment Association  
OSHA = U.S. Occupational Safety and Health Administration  
RRC = Railroad Commission of Texas  
SAE = Society of Automotive Engineers  
TBPC = Texas Building and Procurement Commission (formerly GSC)  
TxDOT = Texas Department Of Transportation  
UL = Underwriter's Laboratories Inc.  
VTCS = Vernon's Texas Civil Statutes

---

### 3. NON-BINDING ORAL COMMENTS

No oral comment, utterance or response made by any employee, member, or agent of **H-GAC** or any Member of the Cooperative Purchasing Program shall be considered factual or binding with regard to this Invitation, or any contract awarded as a result of this Invitation. Valid and binding terms, conditions, provisions, changes or clarifications, or requests thereof, shall **ONLY** be communicated written form.

---

### 4. STRUCTURE OF RESPONSE

Depending on the Product or Service, market structures and sales practices can differ substantially. For example, dealers may sell into any market or may be restricted to certain territories, manufacturers may sell direct or may be limited by law to selling thru independent dealerships, etc. **H-GAC**'s objective is to ensure that **End Users**, no matter where located, can buy contracted products/services and receive quality and timely service and support, while at the same time allowing for the most appropriate and effective response to this Invitation. Therefore, responses to this Invitation will be accepted in conformance with the following scenarios and requirements:

#### **A. Single Respondent Acting Alone Or As "Lead" For A Group:**

**Offeror** shall complete and sign a **Form A** and, if contracted, shall be solely responsible for all contractual requirements including administration, processing of purchase orders and handling of payments for transactions which may involve other dealers who actually deliver the products or services.

#### **B. Multiple Respondents Acting Jointly:**

A single Response shall be submitted, and each party to the Response shall complete and sign a separate **Form A** to be included in the single Response. If the Response is successful each party shall sign a separate contract with **H-GAC** and shall be responsible for compliance with all terms and conditions. Only those which have executed a written contract with **H-GAC** may process purchase orders and payments.

**In any event, Offeror may be a party to one, and only one, response.**

---

### 5. BASIC REQUIREMENTS & CONDITIONS

- a. The final requirements and specifications contained herein may be different, perhaps materially, from those in the "Invitation To Attend Pre-Bid / Pre-Proposal Conference", if any. It is **Offeror**'s sole responsibility to thoroughly examine and review all documentation associated with this Invitation, including any Addendums, and to insure that any response submitted complies in every respect with all requirements.
- b. Any Addendum to this Invitation which may be required prior to the Response due date will be delivered to those prospective Offerors of record who have previously obtained a copy of this Invitation from **H-GAC**. Prospective Offerors shall be responsible for obtaining all documents relating to submission of a Response.
- c. **Offeror** shall thoroughly examine any drawings, specifications, schedules, instructions and any other documents, supplied as a part of this Invitation, and is solely responsible for understanding and compliance.

- d. **H-GAC** shall not be liable for **Offeror's** incomplete documentation, or for any costs associated with preparation and submission of any Response hereto. Additionally, all components of any Response become the property of **H-GAC**, and shall be considered to be in the public domain.
- e. **Offeror** shall make all investigations necessary to become thoroughly informed regarding any plan and/or infrastructure that may be required to support delivery of any Product or Service covered by this Invitation. No plea of ignorance by **Offeror** stemming from failure to investigate conditions that may now or hereafter exist, shall be accepted as a basis for varying **H-GAC's** requirements, or **Offeror's/Contractor's** obligations or entitlements.
- f. Requests for changes to the requirements or specifications herein must be in writing (e-mail, fax, letter) and must be received by **H-GAC** no later than fifteen (15) calendar days prior to the Response Due Date. **H-GAC** will review such requests, but may or may not make changes at its sole discretion. Changes, if any, will only be made by written Addendum sent to addressees of record. In any event, it is **Offeror's** sole responsibility to insure that any and all Addendums which may have been issued have been received and addressed.
- g. By submission of a response, **Offeror** expressly understands and agrees that all terms and conditions herein will be part of any subsequent contract that is executed pursuant to this Invitation.
- h. **Offeror** is advised that all **H-GAC** contracts are subject to the legal requirements established in any applicable Local, State or Federal statute.
- i. **Offeror/Contractor** must be in compliance with all licensing, permitting, registration and other applicable legal or regulatory requirements imposed by any governmental authority having jurisdiction. It is **Offeror/Contractor's** responsibility to insure that this requirement is met, and to supply to **H-GAC** upon request, copies of any license, permit or other documentation bearing on such compliance.
- j. Unless otherwise established elsewhere in this Invitation, NO minimum purchase quantities or spending levels are provided or guaranteed by **H-GAC** or any **End User**.
- k. This Invitation is not meant to restrict competition, but rather is intended to allow for a wide range of responses.
- l. Responses which are 'qualified' with conditional clauses or alterations of or exceptions to any of the terms and conditions in this Invitation may be deemed non-compliant at **H-GAC's** sole discretion.
- m. The term '**Offeror**', or derivative thereof, shall become synonymous with '**Contractor**' for any successful **Offeror** recommended for a contract pursuant to this Invitation.
- n. **H-GAC** reserves the right to:
- Reject any and all offers received in response to this Invitation.
  - Reject any part of an offer received in response to this Invitation.
  - Determine the correct price and/or terminology in the event of any discrepancies in any response.
  - Accept a response from, and enter into agreement with, other than the lowest price **Offeror**.
  - Accept responses and award contracts to as many or as few **Offerors** as **H-GAC** may select.
  - Amend, waive, modify, or withdraw (in part or in whole) this Invitation, or any requirements herein.
  - Hold discussions with **Offerors**, although award may be made without discussion.
  - Request an **Offeror** to give a presentation of the Response at a time and place scheduled by **H-GAC**.
  - Exercise any of these rights at any time without liability to any **Offeror**.
- o. **H-GAC** reserves the right to determine that conditions exist which prevent the public opening of responses on the date and at the time advertised, and to reschedule the public opening for a future date and time. Responses received by **H-GAC** by the original deadline will be secured unopened until the rescheduled opening date and time, and those having timely submitted such responses will be notified.

---

## 6. OFFEROR'S AUTHORIZED SIGNATORY

The signatory shall be authorized to sign and contractually bind **Offeror**, and shall sign any and all Response documentation requiring a signature.

---

## 7. SURETY FOR INSURANCE

**Contractor** shall be responsible for using a surety company properly licensed by any and all states in which Contractor will do business with Participants. The surety company shall not expose itself to any loss on any one risk in an amount exceeding ten percent (10%) of its surplus to policy holders, provided any risk or portion of any risk shall have been reinsured, and such reinsurance shall be deducted in determining the limitation of risk applicable to **H-GAC's** insurance requirements.

---

## 8. CONFIDENTIAL / PROPRIETARY MATERIALS

All documentation submitted as part of **Offeror's** response to this Invitation will be considered to be in the public domain and may be made available to Members and others, after contract award, upon properly submitted request. If **Offeror** submits documents marked "confidential" or "proprietary", the Response may be deemed non-compliant.

---

## 9. REFERENCES

- a. **Offeror** shall list the names of at least five government agencies within the continental United States which have purchased from **Offeror** products or services similar to those covered by this Invitation, within the last two years. **H-GAC** reserves the right to determine if such products or services are appropriately similar.
- b. **Offeror** may provide reference information in whatever format desired, but each should include the following specific information:
  - Agency name
  - Contact person name
  - Address
  - Phone & Fax numbers
  - Description of product(s) or service(s) and date sold
- c. Other information, including criticism however learned, may be used by **H-GAC** in evaluation of responses.

---

## 10. INSURANCE

- a. Unless otherwise stipulated in Section B, **Offeror/Contractor** must have the following insurance and coverage minimums:

**General liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit.

**Product liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B – Product Specific of this Invitation.

**Property Damage or Destruction** insurance is required for coverage of **End User** owned equipment while in **Contractor's** possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as part of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.
- b. Insurance coverage shall be in effect for the length of any contract made pursuant to this Invitation, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Offeror/Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Offeror/Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.
- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

---

## 11. OFFEROR CERTIFICATIONS

**Offeror, by submission of a Response hereto, makes the following certifications under penalty of perjury and possible contract termination if any of these certifications are found to be false.**

### Non-Collusive Response

- a. The prices in the Response have been arrived at independently without collusion, consultation, communication, or agreement for the purpose of restricting competition, as to any matter relating to such prices with any other **Offeror** or potential competitor.



- b. The prices which have been quoted in the Response (unless otherwise required by law), have not been knowingly disclosed by **Offeror** and will not be knowingly disclosed by **Offeror** prior to the public response opening, either directly or indirectly, to any other **Offeror** or competitor.
- c. No attempt has been made or will be made by **Offeror** to induce any other person, partnership or corporation to submit or not to submit a response for the purpose of restricting competition.

#### **Non-Biased Specifications**

This Invitation contains no requirements considered to be unduly biased in favor of **Offeror** or any other **Offerors** that may be competing for this procurement.

#### **No Financial Interest or Other Conflict**

- a. No **H-GAC** officer, employee, Board of Directors member or member of any **H-GAC** board or commission, nor family member of any such person, has a financial interest, direct or indirect, in **Offeror** or in any contract **Offeror** might enter into with **H-GAC**.
- b. No economic or employment opportunity, gift, loan, gratuity, special discount, trip, favor or service has been, or will be, offered or given to any officer, employee, Board of Directors member, or member of any **H-GAC** board or commission, nor to any family member of any such person.

#### **Debarment and Suspension Status**

- a. **Offeror** is not currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any government agency, nor is **Offeror** an agent of any person or entity that is currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transaction by any government agency.
- b. **Offeror** has not within a three year period preceding this Invitation been convicted of or had a civil suit judgement rendered against **Offeror** for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain or performing a public transaction or contract under a public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statement, or receiving stolen property.
- c. **Offeror** is not presently indicted for or otherwise criminally or civilly charged by a government entity (federal, state, or local) with commission of any of the offenses enumerated above.
- d. Offeror has not, within a three year period preceding this Invitation, had any government (federal, state, or local) transactions terminated for cause or default.

#### **Insurance Coverages**

**Offeror** has and will maintain insurance coverage in accordance with the requirements of this Invitation.

#### **Licensing & Permits**

**Offeror(s)** has (have) all licenses and/or permits, required by any and all governmental entities having jurisdiction, to legally sell the products/services offered.

---

### **12. HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION**

- a. To satisfy Texas' statutory requirements [Government Code, Chapter 2161, Subchapter D], **H-GAC** requires all **Offerors** to supply information in any bid/proposal response listing (1) the total number of subcontracts and (2) the total number of HUB contracts applicable to the Products or Services offered in the response. Local governments often require this information for their own reporting requirements prior to placing orders through the **H-GAC** Cooperative Purchasing Program.
- b. **Offeror** must complete **Form B** and include subcontracts with HUB's that provide any materials or services related to sales that may be made thru **H-GAC's** Cooperative Purchasing Program.

---

### **13. NON-RESIDENT RECIPROCAL SALES ACT**

As required by Texas Civil Statutes in the award of contracts, an offeror which is not a Texas resident business must determine if its state of residence prohibits award of government contracts to Texas resident offerors without penalty. If **Offeror's** resident state DOES penalize Texas offerors, **Offeror** must provide this information along with a copy of its applicable resident state's statute in the Response.

---

#### 14. TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING

Sales of motor vehicles in the State of Texas are subject to the Texas Motor Vehicle Commission Code. If this Invitation includes any motor vehicle to be sold in the State of Texas, **Offeror** certifies by submission of a response hereto that all required Texas Motor Vehicle Commission licenses are in place and current, and that copies of all such licenses **have been submitted with the Response**. Further, it shall be **Contractor's** responsibility to keep current all required Texas Motor Vehicle Commission licensing during the term of the contract, and to furnish license copies at any time on request by **H-GAC**. If **Contractor** does not maintain current licensing, **H-GAC** reserves the right to immediately terminate the contract.

**NOTE:** In accordance with the Texas Motor Vehicle Commission Code, contracts for motor vehicles to be sold within the state of Texas may be made **ONLY** with properly licensed Texas Motor Vehicle Dealers. Therefore, to be considered for a contract covering Texas End Users, the Response must include a **Form A** from a licensed Texas Motor Vehicle Dealer

---

#### 15. INTENT AND SCOPE OF SPECIFICATIONS

- a. The intent of the specifications herein is to provide **Offeror** with sufficient information concerning the Products/Services to be contracted such that **Offeror** can prepare and submit an acceptable Response.
- b. The specifications may be detailed or general in nature with regard to any particular Product/Service. Where not otherwise specified, details of construction, materials, or the way in which services will be provided, are left to the discretion of the **Offeror**, provided only that any offering shall conform, as a minimum, to best Industry standards and practices and to what is currently being sold in the marketplace.
- c. Responses shall be considered only from **Offerors** that have established good reputations in their markets, and who furnish satisfactory evidence of ability to supply the Products/Services specified herein.
- d. **Offeror** shall show proof of ability to provide to **End Users** prompt and competent service, including parts if applicable, for all Products/Services covered by this Invitation, by proper completion of a Service Organization Document as described elsewhere herein.

---

#### 16. REQUIREMENTS APPLICABLE TO PHYSICAL GOODS

In the case of physical goods (e.g. equipment, material, supplies, as opposed to services), all Products offered must, unless otherwise stipulated in Section B:

- a. Be new, unused, and not refurbished.
- b. Not be a prototype insofar as the general design, operation and performance. This requirement is NOT meant to preclude **Offeror** from offering new models or configurations which incorporate improvements in a current design or add functionality, but which in such new model or configuration may be new to the marketplace.
- c. Include any and all accessories which may or may not be specifically mentioned herein, but which are normally furnished or which are necessary to make a delivered Product ready for its intended use. Such accessories shall be assembled, installed and adjusted such that the Product is ready for continuous operation at time of delivery.
- d. Have assemblies, sub-assemblies and component parts that are standard and interchangeable throughout the entire quantity of a particular Product as may be purchased simultaneously by any individual **End User**.
  - a. Be designed and constructed using current industry accepted engineering and safety practices, and materials.
  - b. Be available for inspection at any time prior to or after procurement.

---

#### 17. PRODUCT CODES

Unless otherwise addressed in Section B of this Invitation, the following requirements shall apply:

- a. Each Product/Service offered shall be uniquely identified using an **H-GAC** Product Code, which shall be determined as described in Section B of this Invitation. **Offeror** shall offer **ONLY ONE** Product for any particular Product Code. For example, **Offeror** may wish to submit a bid for Product Code ABC and may have another offering that also meets the requirements for ABC. **Offeror** **MAY NOT** submit two offerings for ABC. The alternate offering that also meets the requirements for ABC must be offered as an option "upgrade/downgrade" to ABC on **Form E**.
- b. Pricing for optional upgrades or downgrades to base bid items should be quoted as an "adder" or "deduct" amount as appropriate, to be applied to the offered price of the base Product Item listed on **Form D**.
- c. Base bid items and their associated HGACBuy Product Codes are included in the Section B and/or on **Form D**.

- d. Selection of Product Codes for which to submit an offer is at **Offeror**'s sole discretion.

---

## 18. SPECIFIC DESCRIPTIVE REFERENCES

Except for Base Product Items listed on Form D, any reference to a specific catalog, data sheet, form, brochure, model name or number, etc. used herein to describe an item such as an option or accessory is only descriptive and is not to be considered restrictive unless otherwise noted. Such references are normally used only to indicate a type, general description, level of quality and/or required performance standards.

---

## 19. MANUALS

Unless otherwise specified or superceded herein, each Product delivered under an **H-GAC** contract, and if applicable any options thereto, shall be supplied with at least one (1) copy of a safety and operating manual. The cost of any such manuals must be included in the base price for any Product Item offered hereunder. If more detailed and technically orientated parts and maintenance manuals are available for a Product or option, at a cost, they shall be offered as options on the *FORM* designated herein for such options, or elsewhere in the Response as may be directed herein.

---

## 20. STANDARD FEATURES & OPTIONS

The following requirements are applicable primarily to physical goods.

### Standard Features

- a. The stated minimum requirements for all Products listed herein include what **H-GAC** considers to be "standard" features. Even though such features might normally be offered as options rather than as standard, they are nonetheless considered to be standard in this Invitation, and must be included in the base price for any Product offered. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.
- b. If it is unclear in the Response that an **H-GAC** standard feature is included in the base price, it will be assumed that such is the case. If awarded a contract **Offeror** will be expected to sell the Product with all **H-GAC** specified standard features included in the base price.
- c. Any feature or accessory normally offered by manufacturer as "standard" shall be considered a standard feature and shall be included in the base price of any offering, even though not specifically listed as a requirement in **H-GAC**'s specifications. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.

### Options - General

- a. Options are considered to be any features or accessories, other than **H-GAC**'s and Manufacturer's "standard" features or accessories.
- b. Options should be offered on the *FORMS* designated for quoting options. Each option should be listed and described on a separate line, and should include any Manufacturer's/Dealer's code number. If no Manufacturer's/Dealer's code number exists, **Offeror** should create one.
- c. Prices for all offered options shall be assumed to include any installation or mounting required to make it a fully functional component of the Product, unless otherwise stated in **Offeror's** response.

### Required Options

- a. Product specifications in this Invitation may include **H-GAC** "Required Options". If so, **Offeror** must quote a price for ALL such options, and, if there is an **H-GAC** Option Code provided in this Invitation for such options, it MUST be used as part of the description.
- b. For any specific "Required Option", **Offeror** may quote an equivalent so long as its design and performance are as good as, or better than, the specified option item. Responses which do not include pricing for Required Options may be considered non-compliant.

### Other Options

- a. "Suggested" or "Other" options may be listed for any particular Product in this Invitation, and **Offeror** is encouraged to quote pricing for such options. The extent of offered options in any response may be taken into consideration as part of the award criteria, at **H-GAC**'s sole discretion.

- b. **Offeror** is encouraged to include options for non-equipment items that may be applicable to a sale, such as: Extended Warranties, Maintenance Agreements, Buy-back or Trade-In Agreements, Out-of-state Delivery Charges, Quantity or Special Discounts, Extended Training Classes, etc.

### **Published & Unpublished Options**

- a. H-GAC Cooperative Purchasing Program (Program) contracts are awarded through a public competitive bid or proposal (RFP) process. Further to that process, Program policy considers an 'option' listed and priced in a bid or RFP Response: (1) To be a "**Published Option**"; (2) To be part of any awarded contract; and (3) To be available for purchase by Program members separately and independently from associated base line items. However, since Published Options may have not been subjected to the same scrutiny as the associated base line items, it cannot be concluded they were directly competed. Therefore, pursuant to Local Government Code 252.021(a), purchase of a published option costing more than \$50,000 shall not be allowed. Furthermore, **H-GAC** reserves the right at its sole discretion to disallow purchase of any Published Option through the Program if deemed contrary to the intent of the law.
- b. Any option that has not been listed and priced in the Response is considered to be an "**Unpublished Option**". Unpublished Options may be sold, but only in connection with the sale of a base Product Item, and only insofar as the total cost of all Unpublished Options remains below twenty five percent (25%) of the total summed cost of the base Product(s) plus any Published Options.
- c. No Published or Unpublished Option may be sold which essentially converts a Product such that it competes with a Product Item awarded to another contractor.

---

## **21. WARRANTIES, SALES & SERVICE**

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Offeror must be a properly franchised dealer authorized to sell and service, including warranty service, all products offered and sold in response to the bid invitation or under any **H-GAC** contract.
- b. **Offeror** shall provide detailed Parts and Labor Warranty information with the Response. If **Offeror** submits a warranty with the Response which does not meet the minimum requirements herein, **Offeror** agrees by submission of a Response that such warranty shall be considered to be amended to meet those minimums.
- c. Warranties shall be manufacturer's standard and shall be inclusive of any other warranty requirements which may be stipulated elsewhere herein.
- d. Any warranties offered by a dealer shall be in addition to the manufacturer's standard warranty, and shall not be a substitute for such. **Offeror's** base price for any Product shall be inclusive of the standard warranty.
- e. Complete warranty information will be supplied to **End User** with each Product sold.
- a. Warranties need not apply to normal maintenance service or adjustments, or to any product reasonably shown to have been repaired or altered in any way so as to affect its stability, or to any product which has been subject to misuse, negligence, or accident.
- f. **Offeror/Contractor** is encouraged to offer extended warranties as an option.
- g. Neither **H-GAC** nor **End User** assume any warranty or liability on **Contractor's** behalf unless made or assumed in writing, initiated by **Contractor**, and agreed to in writing by **H-GAC** or the **End User** respectively.
- h. **Contractor** shall be responsible for the execution and effectiveness of all product warranty, and shall be the sole source for solution to problems arising from warranty claims. **Contractor** agrees to respond directly to correct warranty claims and to ensure reconciliation of warranty claims that have been assigned to a third party.

---

## **22. H-GAC ORDER PROCESSING CHARGE**

**H-GAC** will levy an Order Processing Charge on **Contractor** for each sale done thru the **H-GAC** contract, with the exception of orders for motor vehicles. Any bid pricing submitted will be considered to include the Charge. The amount of the applicable charge shall be per the most current **H-GAC** schedule. For motor vehicle orders, the Processing Charge shall be levied on and paid by the **End User**.

---

## **23. PRE-PAYMENTS AND DISCOUNTS**

- a. Progress, pre-payment and special discounts of any kind may be offered and detailed in the Response. Such discounts shall be clearly explained, but shall not be a determining factor in awarding contracts except in the case of tie offerings.
- b. Quantity discounts applicable to similar Products sold to one or more **End User** Departments may be offered. Determination as to product similarity shall rest solely with **Contractor**.
- c. For specific purchases, any proposed quantity, pre-payment or special discounts shall be clearly shown on the Contract Pricing Worksheet.

---

## 24. INSPECTION / TESTING

All Products sold pursuant to this Invitation shall be subject to inspection/testing by or at the direction of **H-GAC** and/or the ordering **End User**, either at the delivery destination or the place of manufacture. In the event a Product fails to meet or exceed all requirements of this Invitation, and unless otherwise agreed in advance, the cost of any inspection and/or testing, shall be borne by the **Contractor**.

---

## 25. PRODUCT DELIVERY

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Title to goods, and responsibility and liability for loss and/or damage in shipping pass to **End User** at the delivery destination after receipt and acceptance have taken place. Cost of shipping/delivery shall be paid by **End User** unless otherwise agreed to by **Contractor**. If **Contractor** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination, Freight Prepaid". If **End User** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination – Freight Collect".
- b. The details for the application and calculation of shipping and delivery charges must be stated in the Response on **Form E**. Any freight, shipping or delivery charged to **End User** will be prepaid and added to the invoice, and will be clearly shown on any Contract Pricing Worksheet or other quote presented to the **End User**.
- c. The estimated delivery time after receipt of order (ARO), inclusive of Saturdays, Sundays and holidays, for all Products offered must be stated in the Response. Actual delivery for any particular order must be confirmed with **End User** at time of order placement, and must be stated clearly on the Contract Pricing Worksheet.
- d. **Contractor** shall be responsible for delivery and Acceptance according to the requirements of the Contract and the Purchase Order.
- e. Contractor shall advise **End User** prior to making any shipment/delivery, and shall make such shipment/delivery in accordance with **End User's** requirements, providing only that such arrangements do not contravene any requirement of the **H-GAC** contract unless agreed to by **Contractor**.
- f. The execution of all required tests, certifications and/or licensing, and costs thereof, shall be the responsibility of **Contractor**. Upon request by **End User** or **H-GAC**, **Contractor** shall provide any documentation or certification related to such tests, certifications or licensing.

---

## 26. OFFERED PRODUCT ITEM VARIANCES

Any variance in the specifications or performance of Products offered pursuant to this Invitation shall be acceptable to **H-GAC** only insofar as it MEETS or EXCEEDS the specifications and requirements of this Invitation.

---

## 27. REQUIREMENTS FOR SUBMISSION OF A RESPONSE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Responses shall be submitted in two complete printed sets including an Original and one (1) Copy in separate "hard side" three-ring binders. The outer spine of each binder shall be labeled showing this Invitation No., **Offeror** Name, and either "Original" or "Copy", as applicable. The Original printed response will be considered to be the binding Response in case of any conflicts between printed copies and electronic copies. Except for required forms, **H-GAC** Invitation documents should not be included in the Response.
- b. The Original and the Copy shall be submitted complete, except that the Electronic Media should be submitted only with the Copy.
- c. All required **H-GAC FORMS** and documents shall be properly completed, without exception or **Offeror's Response may be deemed non-compliant**. **Offeror** may not modify the format of any **H-GAC FORM** in any way. **Offeror** may photocopy or print blank **FORMS** as needed. Information submitted on the printed copies of the **FORMS** may not be handwritten except for signatures and initials. It is **Offeror's** responsibility to insure that printed **FORMS** are clear and legible. Handwritten and illegible entries may be rejected. **Offeror's** printed, stamped or typed name shall appear on every **FORM** submitted in the Response.
- d. The entire response submission shall also be submitted on electronic media, including all required **H-GAC FORMS**. **Offeror** is strongly advised to make and work with copies of the original electronic **FORMS**. The originals can then be used to make additional electronic or printed copies of the blank **FORMS**. Signatures are not required on the electronic **FORMS**.
- e. The Response shall include ample written evidence, in the form of technical specifications, cut/tear sheets, brochures, pictures, drawings, etc., to demonstrate that all specifications herein have been met and/or exceeded.

- f. The Response shall include, in any format desired, an overview of the **Service Organization** which will support Products sold under any **H-GAC** contract. The overview must include facility locations, phone numbers and Service Manager names, as well as the following:
- The procedure to be used by an **End User** requiring repairs.
  - Typical turn-around time on repairs.
  - Service Department days and hours of operation.
  - Number of qualified / factory trained service personnel normally on hand.
  - Description of the parts inventory on hand.
  - Training services, facilities and personnel available.
- g. Responses shall be enclosed in a sealed package(s) addressed to the Houston-Galveston Area Council, Cooperative Purchasing. The following information shall be stated on the exterior of the package(s):
- Name and address of **Offeror**.
  - Date and hour of public response opening.
  - Bid/Proposal Invitation number.
  - The statement: "**SEALED BID/PROPOSAL, DO NOT OPEN IN MAIL ROOM**".
- H-GAC** shall not be responsible for any Response not properly labeled.
- h. Submission of a COMPLETE Response by telegraphic or electronic transmission is not acceptable. However, Responses may be modified by telegraphic or electronic notice if such notice is received prior to the deadline for submission.
- i. Samples, when required, shall be submitted within the time specified and at no expense to **H-GAC**. If not destroyed or consumed during testing, samples will be returned upon request at **Offeror's** expense.
- j. **Offeror** shall provide firm contract pricing for all Products and Options being offered.
- k. If applicable, responses shall include copies of all current licensing which may be required by the Texas Motor Vehicle Division for execution of sales pursuant to any contract with **H-GAC**.
- l. Due to the complexity of responses and to aid in evaluation, the Response should contain **ALL** required information in tabbed sections as detailed below. Omission of any required *FORM* or information will be sufficient grounds for **H-GAC** to consider your response to be non-compliant.
- m. **First Section:**
- **Form(s) A – Offeror Identification & Signatory:** Identifies the offering party(ies), and should be completed by each party to the Response. If awarded, a contract will be executed with each.
  - **Form B – Historically Underutilized Business Enterprises:** Used to collect information about disadvantaged and minority suppliers and subcontractors, and to commit **Offeror** to working with Participants toward their program goals.
  - **Form C – Response Checklist:** Certification, and also an aid, to insure that all required information has been included in your Response.
  - References, formatted as described elsewhere herein.
  - Service Organization Document, formatted as described elsewhere herein.
- Second Section:**
- **Form D – Offered Items Pricing:** For Bids, contains the list of the Product Items covered by this Invitation. Select the items offered and fill in the price for each. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)
  - **Form E – Published Options:** Used to list and price all offered options. List, each on a separate line, all upgrades, downgrades, optional equipment, features, accessories and services which you desire to sell thru the **H-GAC** contract, if awarded. Published catalogs/price sheets may be listed, along with the discount structure that will apply. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)
  - **Form W-9 – Request for Taxpayer Identification Number and Certification:** Should be completed by each party to the response.
- Third Section:**
- Technical Specifications, Product Brochures, Tear Sheets, Cut Sheets, Strippers, etc. which clearly list and show all the standard features and capabilities of each Product Item offered on **Form D**.

- Warranty Documentation, as described elsewhere herein, for all items offered.

**Fourth Section:**

- Copies of any applicable Texas MVD Licenses.
  - Electronic Media, containing the complete response including all required *FORMS*, stored in a pouch or an envelope such that it will not fall out of the binder. (Required in 'Copy' only, not in 'Original'.)
  - **Form CIQ – Conflict Of Interest Questionnaire:** Chapter 176 of the Texas Local Government Code requires vendors and consultants contracting or seeking to contract with **H-GAC** to file a Conflict of Interest Questionnaire (CIQ) if they have an employment or other business relationship with an **H-GAC** officer or an officer's close family member. The required questionnaire is located at the Texas Ethics Commission website: [http://www.ethics.state.tx.us/whatsnew/conflict\\_forms.htm](http://www.ethics.state.tx.us/whatsnew/conflict_forms.htm). It is Bidder's responsibility to download the form and furnish a completed copy with the Response, if it is applicable.
- n. By submittal of Response, **Offeror** certifies to the best of its knowledge that all information is true and correct.

---

**28. CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS**

- a. If **Offeror** is in doubt as to the meaning of any item in this Invitation, a written request for clarification may be submitted to **H-GAC** up to fifteen (15) calendar days prior to the deadline for response submission. **H-GAC** shall not be responsible for late delivery. Requests may be transmitted by FAX or e-mail to the assigned Specification Specialist, and should clearly reference this Invitation number and the specific page and paragraph in question. If there are multiple questions, they should be stated separately and numbered.
- b. Any interpretation of Invitation documents, if made, will be by written Addendum duly issued. A copy of such Addendum will be mailed or delivered to each person officially on record as having been sent a copy of this Invitation. **H-GAC** will not be responsible for any other explanation or interpretation of the Invitation documents made or given prior to the award of the contract.
- c. Any objections to the Invitation documents must be filed in writing with **H-GAC** on or before fifteen (15) calendar days prior to the deadline for submission of responses.
- d. Prospective offerors are advised that, after a draft specification has been issued, the Pre-Bid/Proposal Conference is the primary forum through which comments and suggestions may be offered for consideration by **H-GAC** prior to issuance of the final invitation and specifications.
- e. All best efforts have been made to insure that the product/service descriptions and associated specification information in Sections B & C are correct, and adequate time has been given to prospective Offerors to point out mistakes. However, if an error remains and is caught by Offeror before the scheduled bid/proposal opening, Offeror shall make note of the required correction in the Response, and shall also notify **H-GAC** prior to the opening of responses.

---

**29. INCONSISTENT INFORMATION**

**H-GAC** review of responses supplied on **H-GAC FORMS** is a significant part of the evaluation process. **Offeror** shall state clearly all information required on the *FORMS*. **Offeror's** information supplied on the *FORMS* shall take precedence in the event any standard "boilerplate" type language included in **Offeror's** response is inconsistent with the information supplied by **Offeror** on the **H-GAC FORMS**. In all cases, information on **H-GAC's** printed *FORMS* supplied as part of **Offeror's** response shall take precedence over information supplied on electronic media.

---

**30. REJECTION OF RESPONSES**

- a. **H-GAC** may reject a response if:
- **Offeror** misstates or conceals any material fact in the Response, or if,
  - **Offeror** does not strictly conform to law or the requirements of this Invitation.
- b. **H-GAC** may reject any and all responses, and may reject any part of a response.
- c. **H-GAC, at its sole discretion**, may also waive any formalities or irregularities in any response, or ask for corrected information except for pricing.
- d. **The following occurrences require disqualification of the bid/proposals:**
- Unsigned or unauthorized signatures on bids/proposals;
  - Bids received after the date and time for opening
  - Bids where prices are conditional on award of another bid or are subject to unlimited escalation

- e. **H-GAC** may refuse to award a contract to or enter into a transaction with an apparent low bidder if that bidder is indebted to **H-GAC**.

---

### 31. WITHDRAWAL OR MODIFICATION OF RESPONSES

Once received by **H-GAC**, responses may be modified or withdrawn prior to the submission deadline only if the request to do so is in writing submitted by **Offeror's** authorized representative. Responses and requests for modification received after the submission deadline will not be accepted. Requests for response withdrawal received after the submission deadline will be accepted if the request to do so is in writing submitted by **Offeror's** authorized representative.

---

### 32. RESPONSE EVALUATION

#### For Bid Responses:

- a. Section B will state whether the contract will be awarded to the lowest responsible bidder or to the bidder who provides goods or services at the best value for **H-GAC** and its participants.
- b. If the contract will be awarded based on best value, Section B will state any relevant criteria which **H-GAC** will consider.
- c. For each offered Product Item, **H-GAC** may use the offered price, prices for Required Options, and the prices of selected common Published Options to determine the lowest responsible offer.
- d. Failure of **Offeror** to submit pricing for frequently purchased options and any **H-GAC** required options may cause response to be considered non-compliant at **H-GAC's** sole discretion.

#### For Proposal Responses:

- e. **H-GAC** will evaluate proposals as detailed in Section B.
- f. By submission of a Response Offeror indicates acceptance of the evaluation technique, and recognizes and accepts that **H-GAC** may at its sole discretion make subjective judgments during the evaluation process.

---

### 33. ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD

In the event of conflict between this document and any references or documents cited herein, this document shall take precedence prior to contract award.

---

### 34. AWARD OF CONTRACT

- a. **H-GAC** reserves the right to accept or reject any Product Item or option offered. Additionally, all options included in Offeror's response and accepted by **H-GAC** are understood to be included in any contract.
- b. **H-GAC** shall award contract(s) for line items or groups of line items, at its sole discretion.
- c. With authority granted by the **H-GAC** Board of Directors, a written contract shall be presented to the successful **Offeror(s)** and shall be subject to acceptance by the successful **Offeror(s)** within forty-five (45) calendar days after presentation by **H-GAC**. If a contract is not executed within forty-five (45) calendar days, **H-GAC** may rescind the contract offer and award a contract to the next **Offeror** in order of rank as determined by **H-GAC**.
- d. Delivery time and prompt payment discounts, including time allowed for payment, may be considered in tie-breaking of offers which are judged by **H-GAC** to be equal in all other criteria.
- e. The contract shall include the following documents in the stated order of precedence:
  - 1st** The contract document signed by **H-GAC** and **Offeror**.
  - 2nd** This Invitation and all specifications referenced herein.
  - 3rd** **Offeror's** response to this Invitation.

---

### 35. PRO-FORMA CONTRACT

This Invitation includes a Pro-Forma (sample) Contract which successful offerors will be expected to sign. The actual final contract will be the same or nearly the same as the Pro-Forma. NOTE: Successful Offerors MAY NOT process any purchase orders until the contract documents have been executed and returned to **H-GAC**.



---

### 36. CONTRACT TERM

The contract shall be in effect throughout the period stated elsewhere in the contract documents, and thereafter until such time as any outstanding orders against the contract have been fulfilled. The contract may be extended if deemed by **H-GAC** to be in the best interests of the Program, and subject to mutual agreement of the parties.

---

### 37. PERFORMANCE & PAYMENT BOND

**H-GAC's** contractual requirements DO NOT include a Performance & Payment Bond (PPB), and offered pricing should reflect this cost saving. However, **Contractor** must be prepared to offer a PPB to cover any specific order if so requested by **End User**. **Contractor** shall quote a price to **End User** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **End User's** purchase order.

---

### 38. CHANGE ORDERS

**End Users** shall have the right to make additions by addenda for the purpose of clarification or inclusion of additional specifications, qualifications, conditions, etc. Any such addenda shall be made in writing and agreed upon by **Contractor** and the **End User** agency prior to issuance of any Change Order. A copy of any such Change Order shall be furnished by **Contractor** to **H-GAC**.

---

### 39. DUPLICATION OF TERMS OR STATEMENTS

Where statements or terms are duplicated or are extremely similar, **H-GAC** and the **End User** reserve the right to use the statement or term most favorable to **H-GAC** and/or the **End User**.

---

### 40. PUBLICITY

**H-GAC** encourages contractors to "market" the Program, and can provide some information and artwork to be used in published promotional materials. However, any publicity or published material released by **Contractor** referencing the contract, whether in the form of a press release, brochure, photographic coverage, or verbal announcement, shall be issued only with prior review and approval by **H-GAC**.

---

### 41. TAXES

**H-GAC** and **End User** participants are either units of government or qualified non-profit agencies, and are generally exempt from Federal and State sales, excise or use taxes. **Offeror** shall not include any such taxes in the Response. Further, it shall be the responsibility of **Contractor** to determine the applicability of any taxes to a particular order and act accordingly. Exemption certificates will be provided upon request.

---

### 42. DRUG FREE WORKPLACE

**Contractor** shall provide notice to its employees and sub-contractors, as required under the Drug-Free Workplace Act of 1988. A copy of **Contractor's** Drug-Free Workplace policy shall, on request, be furnished to any **End User**.

---

### 43. PRODUCT NOTICES & MAILINGS

**H-GAC** is NOT the owner of Products sold pursuant to this Invitation, but acts only in the capacity of purchasing agent. In that regard, **Contractor** accepts sole responsibility for insuring that notices and mailings, such as Safety Alerts, Safety Recall Notices and Customer Surveys, are sent directly to the **End User** of record.

---

### 44. HANDLING OF ORDERS & PAYMENTS

In general, orders and payments will be handled as described below. More specific instructions and information regarding handling of purchase orders and the Order Processing Charge may be provided after contract award. Established procedures may be changed at any time by **H-GAC** as may be dictated by efficient business practice. The particulars of any sale, e.g. specific products, pricing, delivery, warranty, etc., will be in strict accordance with the terms and conditions of this Invitation and the specific contract awarded to **Contractor**. Beyond that:

- a. For any particular procurement to be made under the provisions of an **H-GAC** contract, **End User** and **Contractor** will discuss requirements and agree as to what will be provided.
- b. **Contractor** will prepare a Contract Pricing Worksheet and provide it to **End User**. The Worksheet will list everything being purchased including the base bid item(s), all published and unpublished options and the delivery date. All pricing shall be per the current contract.

- c. **End User** will send a purchase document to **Contractor**, which **Contractor** will send **H-GAC** together with the Contract Pricing Worksheet. **NOTE: Contractor** agrees not to offer, agree to or accept from End User any terms or conditions that conflict with or contravene those in **Contractor's H-GAC** contract, except for pricing discounts.
- d. **H-GAC** will prepare an "Order Confirmation" and send it to **End User** and to **Contractor**. The Order Confirmation verifies that **Contractor** has a valid **H-GAC** contract and that the order is in compliance with the requirements of the **H-GAC** Cooperative Purchasing Program. **Contractor** will not ship any goods before receipt of both **End User's** purchase document and **H-GAC's** Order Confirmation.
- e. On notification that **Contractor** has received an order, **H-GAC** will invoice **Contractor** for the applicable Order Processing Charge. **NOTE: The Order Processing Charge is charged to Contractor, EXCEPT in the case of motor vehicles.** For all sales of motor vehicles the Order Processing Charge is levied on the **End User**, collected by **Contractor**, and remitted to **H-GAC** by Contractor.
- f. **Contractor** will deliver products/services ordered, and will invoice **End User** for products/services accepted by **End User**. (See other Sub-Section herein dealing with Product Delivery.) **Contractor** will not invoice before shipment has been made.
- g. **End User** will pay **Contractor** for those products and/or services ordered which have been received and accepted. Under no circumstances shall any check be made payable to a representative or agent. Should a representative or agent submit an invoice to **End User** for any cost related to a purchase order issued to **Contractor** for products/services covered by an **H-GAC** contract, such invoice shall be forwarded to **Contractor** and **Contractor** will take action to correct the error.
- h. Upon delivery of any product/service by **Contractor** and acceptance by **End User**, **Contractor** shall remit to **H-GAC** the full amount of the applicable Order Processing Charge in accordance with the payment terms established in the **H-GAC** contract. Note, the Order Processing Charge is due whether or not **Contractor** has ever received an invoice from **H-GAC**. Sales executed based on the particulars of **Contractor's H-GAC** contract, without payment of the Order Processing Charge, may constitute fraud.

---

#### 45. PRICE CHANGES

- a. Any permanent increase or decrease in offered pricing for a base contract item or published option is considered to be a price change. Temporary increases in pricing by whatever name (e.g. 'surcharge', 'adjustment', 'equalization charge', 'compliance charge', 'recovery charge', etc.), are also considered to be price changes.
- b. Except in the case of contracted published catalogs and price sheets, prices for Base Bid Items and Published Options are expected to be held firm for a minimum of 90 days from the date an awarded Offeror signs the H-GAC contract. Thereafter, changes will be considered if accompanied by justifying documentation satisfactory to H-GAC. For published catalogs and price sheets which are on an H-GAC contract, requests to amend the contract to reflect any new published catalog or price sheet may be submitted whenever the manufacturer publishes the new document. Any such request must include the new catalog or price sheet.
- c. If **Contractor** routinely offers discounted contract pricing, **H-GAC** may request **Contractor** to accept amended contract pricing equivalent to the routinely discounted pricing.
- d. No price change will be allowed unless it has been reviewed and approved by **H-GAC** in writing. **Contractor** must have received **H-GAC's** written approval of any change prior to charging the new price or using it in any quotation prepared for an End User.
- e. Price change requests must be submitted to **H-GAC** in writing and must be received by **H-GAC** at least thirty (30) calendar days prior to the requested effective date of the change, and must state the time period for which the requested pricing will remain firm.
- f. Price change requests shall include **H-GAC Forms D** and **E**, or whatever documentation was used to submit pricing in the original Response hereto, showing all affected items with current contract price, requested price, and percentage change shown clearly for each. This documentation should be submitted in MSExcel format to facilitate analysis and updating of the website.
- g. Price change requests **MUST** be supported with substantive documentation (e.g. manufacturer's price increase notices, copies of invoices from suppliers, etc.) showing that **Contractor's actual costs** have increased. The Producer Price Index (PPI) may be used as partial justification, subject to approval by **H-GAC**, but no price increase based solely on an increase in the PPI will be allowed.
- h. All Products shall, at time of sale, be equipped as may be required under any then current applicable local, state, and federal government requirements. If, during the course of any contract, changes are made to such government requirements which cause a manufacturer's costs of production to increase, **Contractor** may

increase Product pricing to the extent of **Contractor's** actual cost increase. The increase must be substantiated with support documentation acceptable to **H-GAC** prior to taking effect. Modifications to a Product required to comply with such requirements which become effective after the date of any sale shall be the responsibility of the **End-User**.

- i. In cases involving contract extensions exceeding sixty-one (61) days beyond the stated expiration date of the contract, **Contractor** may request a price change based on the same conditions as stated above. However the thirty (30) day prior notice is waived and **H-GAC** will consider the request immediately on receipt.
- j. **H-GAC** reserves the right to accept or reject any price change request. Acceptance, if granted, will be in writing and the approved changes will become part of the contract.

---

#### 46. CONTRACT ITEM CHANGES

- a. If a manufacturer discontinues a contracted item, that item will automatically be considered to be deleted from the contract with no penalty to Contractor. However, **H-GAC** may at its sole discretion elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- b. If a manufacturer makes any change in a contracted item which does not affect the contract price, Contractor shall advise **H-GAC** of the details. If the 'new' item is equal to or better than the originally contracted item, the 'new' item shall be approved as a replacement. Otherwise **H-GAC** may allow or reject the change, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion. If the change is rejected there will be no penalty to Contractor.
- c. If a manufacturer makes any kind of change in a contracted item which affects the contract price, Contractor shall advise **H-GAC** of the details. **H-GAC** may allow or reject the change at its sole discretion. If the change is rejected there will be no penalty to Contractor. However, **H-GAC** may elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- d. In the case of specifically identified catalogs or price sheets which have been contracted as base bid items or as published options, routine published changes to products and pricing shall be automatically incorporated into the contract. However, **Contractor** must still provide thirty (30) calendar days written notice and an explanation of the changes to products and pricing. **H-GAC** will respond with written approval.

---

#### 47. FORCE MAJEURE

If either party shall be wholly or partially prevented from the performance of any contractual obligation or duty by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident., order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of Force Majeure shall rest solely with **H-GAC**.

---

#### 48. PERFORMANCE UNDER CONTRACT

**H-GAC** is committed to insuring that **Contractor** provides effective and efficient service to all Participants in the Cooperative Purchasing Program, and expects that certain Performance Conditions must be met. Failure to meet these conditions may result in contract termination. In that regard, **Contractor shall:**

- a. Appoint a dedicated representative to be the contact person and focal point for all matters relating to End User quotations and orders. The representative shall have: A toll free phone number with voice mail; A fax number; A working e-mail address; and A postal address.
- b. Insure that the representative timely monitors all communication modes listed above, and promptly responds to communications from **End Users** and **H-GAC** in any of these modes. Phone calls will be promptly returned, in any event not later than the next business day. Acceptable failure will be due only to Force Majeure.
- c. Maintain sufficient qualified staff to promptly process all communications from **H-GAC** or **End Users**, and to efficiently, effectively and accurately service all requirements of the contract.
- d. As may be requested by **H-GAC**, replace any staff members who are not providing the service and expertise deemed necessary by **H-GAC** for acceptable support of **End Users**.
- e. Properly prepare and provide to **End User** a Contract Pricing Worksheet, or a quotation in other format as approved by **H-GAC**, for each and every order that is to be executed.
- f. Furnish, on request of **H-GAC**, reasonable data, forms and graphic material to be used in brochures or other print media, or on **H-GAC's** website.

- g. Allow access to **H-GAC** authorized personnel for inspection of operating facilities, and auditing of purchase orders during the contract period, and for a period extending thru the completion of any outstanding orders. Site inspection may be arranged not less than ten (10) calendar days prior, shall include the names of all participants, and shall be at no expense to **Contractor**.
- h. **Reporting Requirements:**
- **Contractor** agrees to submit written quarterly reports to **H-GAC** detailing all transactions during the previous three month period. Such reports shall include, but are not limited to the following:
    - **End User** name
    - Product/Service purchased, including Product Code if applicable
    - End User Purchase Order Number
    - Purchase Order Date
    - Product/Service dollar amount
    - **HGACBuy** Order Processing Charge amount
    - Reports must be provided to **H-GAC** in MSExcel or other acceptable electronic format, and are due by the 30<sup>th</sup> day of the month following the applicable quarter being reported.
- i. Should **Contractor** default in providing Products or Services as required by this Invitation and the contract, recourse may be exercised thru cancellation of the contract and other legal remedies as may be appropriate.

#### 49. IMPLEMENTATION OF INTERNET BASED E-COMMERCE

**H-GAC** Cooperative Purchasing has adopted E-Commerce as part of its business model and maintains an internet website at [www.HGACBuy.org](http://www.HGACBuy.org). At any point in time, various information and process functions may be implemented and made operational thru the website, including but not limited to items such as:

##### Information Items

- Contract information
- Procurement schedules
- Response requirements & specifications
- Product and option item catalog listings
- **End User & Contractor** information

##### Functions

- **End User** product inquiries
- Product configuration and price quotes
- Purchase Orders and Confirmations
- Shipping/Delivery notices
- Invoice generation
- Payment remittances, etc.

All **H-GAC Contractors**, as a condition of contract, will be required to work with **H-GAC** and it's E-Commerce provider(s) to maximize use of E-Commerce within the context of **H-GAC** Cooperative Purchasing business. **Offeror** is encouraged to refer to **H-GAC**'s Cooperative Purchasing web site where additional information can be found. If you have any questions, please contact **H-GAC** for assistance.

#### 50. CONTRACTOR ORIENTATION/TRAINING

**H-GAC** believes that **Contractor's** familiarity with the operational policies and requirements of the Cooperative Purchasing Program is a key factor in achieving **End User** satisfaction. In that regard, the Contact Person listed on **Form A**, or an alternate, shall be required to participate in an **H-GAC** vendor orientation/training as soon as possible after contract award. In addition, any other of Contractor's staff who will be involved in any way with the HGACBuy Program should participate in orientation. The orientation may be presented as a teleconference or webinar, or may be held in **H-GAC's** offices as may be determined by **H-GAC** and Contractor to be the most efficient and effective form of delivery.

#### 51. LEGAL & CONTRACTUAL REMEDIES

##### RESOLUTION OF PROTESTED SOLICITATIONS AND AWARDS

##### Procedure

Any actual or prospective **Offeror** or **Contractor** who is aggrieved in connection with a purchase transaction may file a grievance. The grievance may be filed at any phase of the procurement. In order for an above mentioned party to enter the grievance process, a written complaint must be sent to the Office Services Manger of **H-GAC** by certified mail which identifies the following:

1. Name, mailing address and business phone number of the complainant.
2. Appropriate identification of the procurement being questioned.
3. A precise statement of reasons for the protest.

4. Supporting exhibits evidence or documents to substantiate any claims.

The grievance must be based on an alleged violation of **H-GAC**'s Procurement Procedures, a violation of State or Federal law (if applicable), or a violation of applicable grant or contract agreements to which **H-GAC** is a party. Failure to receive a procurement award from **H-GAC** in and of itself does not constitute valid grievance. Upon receipt of grievance, the Office Services Manager will initiate the informal resolution process.

#### **Expedited Resolution**

The Procurement Officer or Departmental Manager responsible for the solicitation shall contact the complainant and all interested parties and attempt to resolve the allegations informally within ten (10) working days from date of complaint. If the allegations are successfully resolved by mutual agreement, documentation will be forwarded to the Office Service Manager of the resolution with specifics on each point addressed in the original complaint.

If the Procurement Officer or Departmental Manager is not successful in resolving the allegations, the complaint along with the comments will be forwarded to the Office Service Manager immediately. The Office Service Manager will review all documentation. All interested parties will be given written notice of the date, time, and place of the hearing and an opportunity to present evidence. A written decision will be issued within five (5) working days after the hearing along with notice of appeal rights.

#### **Appeals**

The complainant may appeal the Office Service Manager's decision by submitting a written appeal, within five (5) working days, to the Executive Director of **H-GAC**. The Executive Director, upon receipt of a written notice of appeal, shall contact the complainant and schedule a hearing within ten (10) working days. The Executive Director of **H-GAC** has the option of appointing a Hearing Officer to preside over the hearing. If appointed, the Hearing Officer shall conduct a hearing and forward a summary and recommended resolution to the Executive Director.

The decision reached by the Executive Director or his designee shall be final and conclusive. This decision will be forwarded to the complainant in writing within thirty (30) working days.

The **Contractor** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a Court of competent jurisdiction.

#### **RESOLUTION OF CONTRACT DISPUTES**

Upon breach or default, **H-GAC** shall give the **Contractor** written notice of default. If the default is not remedied, within a reasonable specified time from date of notification, to the satisfaction and approval of **H-GAC**, default will be declared.

Upon breach of contract or default, **H-GAC** may exercise any and all of its rights afforded by law, including but not limited to those referenced in the General Contract Provisions.

#### **SOLICITATIONS OR AWARDS IN VIOLATION OF THE LAW**

Contracts awarded in violation of the competitive process or otherwise in violation of the law are voidable by **H-GAC**.

---

#### **52. NATIONWIDE SALES OPPORTUNITIES**

**HGACBuy** provides purchasing services to local governments qualifying non-profits throughout the nation, and desires to make established contracts available to them wherever and whenever practicable. Therefore, once a contract is awarded, **Contractor** is expected to expand the scope of its marketing effort to include sales to **End Users** in all areas of the United States, and/or to assign any **H-GAC** contract to another contractor(s) as deemed appropriate by **H-GAC** in the interest of its End Users.

- **Contractor** may sell through **HGACBuy** anywhere subject to compliance with applicable laws and regulations. If the market structure in which **Contractor** operates requires a contract assignment for any particular sale, **H-GAC** will expect **Contractor** to assign the contract to a Manufacturer or to another Dealer(s). Such assignment must be approved by **H-GAC**.
- **Contractor**'s differential costs (e.g. transportation & delivery charges) and allowances (e.g. manufacturer's sales incentives) related to any sale may be charged to buyer.

**End of Section-A General Terms and Conditions**

## SECTION-B: PRODUCT SPECIFIC REQUIREMENTS

### For REFUSE HANDLING EQUIPMENT

#### 1.0 INTRODUCTION

This specification establishes describes new model, non-refurbished refuse equipment which may be purchased by H-GAC Members through the H-GAC Cooperative Purchasing Program, *HGACBuy*. All equipment shall be bid and supplied in compliance with federal emission and safety standards in effect at the time of bid. H-GAC supply contracts awarded relative to this Invitation will cover a two (2) year period (commencing on or about August 1, 2018). If an H-GAC Contractor realizes price increases during this contract, a contract price change may be requested, per this specification's Section-A (Terms & Conditions section) guidelines). **H-GAC expects Offeror (as confirmed by a response to this Invitation) to have the capability and willingness to serve any H-GAC member, directly, or indirectly (through an arrangement with (or H-GAC contractual "assignment" to) another dealer or the manufacturer (i.e. in the case of a Contractor being a dealer)).** As noted in Section-A, a vendor under this contract may petition H-GAC for an assignment (e.g. to a third party such as another dealer in another sales territory), whereby, if they are agreeable to the terms & conditions and contract pricing, the third party may then be added onto the contract as an additional, independent vendor, capable of quotations, installation, receiving of end user payments, and the remittance of the purchase order processing charge.

The Houston-Galveston Area Council (H-GAC) is a government regional planning commission, part of a larger Texas *Council of Governments*. Included within H-GAC is the *HGACBuy* program, which issues bid invitations and makes awards on behalf of our local government Members (municipalities, counties, K-12 schools, universities, et cetera), within and beyond Texas. This specification package describes various categories and specific models of refuse handling equipment. Equipment must meet or exceed all minimum requirements called for in this final bid invitation. The basic product categories covered by this Invitation are:

#### 2.0 DEFINITIONS AND ABBREVIATIONS

**Base Unit:** Line items listed on Form-D, conforming to minimum configurations set forth in this Invitation.

**Cab-Chassis:** exposed frame truck chassis, complete with basic cab, drive train, chassis, and safety components, ready for road use (without refuse body).

**Offeror:** Bidder responding to Invitation with formal equipment pricing (vendor)

**H-GAC:** Houston-Galveston Area Council; a regional planning commission, which includes a cooperative purchasing program, *HGACBuy*, whose members purchase various types of equipment off pre-bid supply contracts.

**Invitation:** HGAC invitation to bid, including bid specification and other related H-GAC documents.

**Members:** Local government agencies participating in the *HGACBuy* program, who may elect to purchase equipment and services through H-GAC from contracted manufacturers and/or distributors.

**Product Code:** Line item code designating the Base Unit equipment.

**Response:** Offeror's formal bid response to this Invitation.

**Unpublished Options:** (Ref. Section-A) Options not priced in the originally submitted formal bid response. Unpublished options are restricted to 25% of the total of the Base Unit equipment and Published Options.

#### 3.0 TRAINING & MANUALS

At a minimum, one (1) copy of an owner's manual, covering safety, operation, and maintenance, shall be provided to end user at time of delivery. Where normally available, a factory authorized representative shall be made available to H-GAC Members for training conducted at the Member's location. The cost this onsite training shall be addressed on Form-E. If Offeror chooses to include this in the price of its Form-D Base Unit pricing (i.e. normally included in pricing), then this training must still be listed on Form-E, but noted as "Included in Base Unit pricing".

#### 4.0 BASIC CATEGORIES

This bid invitation is divided into nine basic equipment categories. When submitting a bid response, the contractor may choose to submit pricing to any of the categories listed and any of the individual model line items under these categories, on Form-D. No changes or additions may be made to the listings on Form-D except for the pricing.

Basic equipment categories included in this bid Invitation are as follows:

A: Collection Bodies: Front Loading  
 B: Collection Bodies: Rear Loading  
 C: Collection Bodies: Side Loading  
 D: Collection Bodies: Recycler  
 E: Bulk Waste Grapples

F: Hoists: Tilt Frame Roll-Off/Hook/Cable  
 G: Steel Containers: Roll-Off, Front/Rear/Side Load  
 H: Compactors, Balers  
 I: Miscellaneous Equipment

## 5.0 BASE UNIT PRICING AND PRODUCT CODES

- 5.1 Where a Section-A requirement differs from a requirement in this section, Offeror shall consider the Section-B requirement as superseding the Section-A.
- 5.2 Unless shown on Form-D, each priced Form-D Base Unit models shall be priced to include all standard manufacturer components. Form-D pricing shall represent turn-key machines, operational upon delivery. Other than underlying chassis on commercial chassis configurations, each priced Base Unit model shall not require any additional, compulsory equipment to render it a functioning, legally-equipped machine (except for the chassis on commercial chassis designs), meeting H-GAC minimums established for each base configuration. By submission of a response, Offeror certifies that offered pricing is as good as or better than pricing typically extended to local government customers by Offeror.
- 5.3 Offeror shall include in bid response, in both printed and electronic formats, detailed quote sheets / specifications for each Form-D Base Unit, reflecting the components and performance associated with the Form-D Base Unit bid pricing (as well as any complete model upgrade option priced on Form-E). These quote sheets shall be submitted in an isolated format, separate from other bid docs (i.e. not merged in a **single PDF**).
- Additionally, HGAC forms must be submitted in their original Excel, multi-worksheet format, not in a PDF version.
- 5.4 Base Unit items are designated by a 4-character alphanumeric Product Code. Once Offeror determines which specific line items to bid, it shall quote an H-GAC price on the appropriate line on Form-D. When pricing options to the Base Units, on Form-E, Offeror shall reference specific applicable Product Codes.
- 5.5 **H-GAC ORDER PROCESSING CHARGE:** As described in Section-A (sub-section 22), for each purchase order processed under an awarded contract, H-GAC will directly invoice contractor a 1.5% Order Processing Charge, applicable to the price of all equipment and services (including installation, et cetera) that are submitted in contractor's solicitation response. During the contract, this charge is calculated from awarded bid pricing before any additional point of purchase discounts are potentially applied. It is Offeror's responsibility to take this charge into account in the pricing offered in response to this Invitation (i.e. building this fee into the costs of the Base Unit models and options)
- 5.6 Base Unit prices shall be exclusive of freight. Shipping cost to the final H-GAC member location (and from dealer inventory to body converter and from convertor to end user, et cetera) shall be recognized at the time of each individual HGAC purchase order, unique to each end user's delivery location and should not be included in Form-D pricing. Unless otherwise specified, by Offeror on Form-E, freight will be assumed by H-GAC and H-GAC Members to be calculated per carrier invoice.
- 5.7 Equipment sold through this contract shall be covered under the standard manufacture warranties, or better. As per Section-A, Offeror shall include detailed parts and labor warranty information with bid response, in both printed and digital formats.

- 5.8 Any refuse handling bodies bid that contain diesel engines shall be priced as compliant to all applicable federal safety and emissions requirements, including the EPA Code of Federal Regulations (CFR) Title 40 iterations and amendments. Additionally, Offeror shall note in Response where applicable voluntary standards are met (U.S. Consumer Product Safety Commission (USCPSC); National Electrical Manufacturers Association (NEMA); etc.). As applicable, such engines bid under this Invitation shall be priced to meet required EPA tiered thresholds requirements that pertain to the specific engines' power ranges at the time of bid submittal. **Offeror shall include separate notation in bid response verifying compliance.**

## 6.0 OPTIONS

- 6.1 For each Base Unit line item priced, Offeror shall include a comprehensive list of manufacturer options on Form-E. Failure to include pricing on a thorough list of options may result in Offeror's response being deemed non-compliant, or ranked lower in the scoring process. Each option priced shall reference the associated H-GAC Product Code and a unique manufacture option code and a brief, but detailed description.
- 6.2 Components found on a Form-D Base Unit body shall not be listed on Form-E except when referring to a deduct/adder option, in which case Offeror shall note that on the Form-E option description.
- 6.3 Complete model upgrades/downgrades may be included on Form-E, referencing the Form-D Base Unit model from which it is based, priced as the differential deduct/adder from the Form-D price.
- 6.4 Unless otherwise noted on Form-E, options submitted with bid response will assumed to be inclusive of standard installation. Where not, Offeror shall note in response and where possible, include a fee for installation.

## 7.0 COMMERCIAL CAB-CHASSIS

For equipment designed for installation on a commercial cab-chassis, Offeror shall price the base unit on Form-D, exclusive of any cab-chassis, but inclusive of the cost of standard chassis mounting on a Contractor or customer-supplied chassis, with the body, as priced on Form-D, ready to operate without any additional, compulsory fees or components. The exception to this would be where a customer supplies a chassis that is not normally associated with or readily compatible with a specific body and additional mounting equipment is needed. For such scenarios, Contractor will still be subject to H-GAC's 25% purchase order ceiling on any related "unpublished options" (not priced in Offeror's original bid submittal).

## 8.0 AWARDS

For each specific Form-D line item, H-GAC will recommend awards to a single lowest responsible Offeror providing the best value. A minimum threshold score of **70 points** for each Offeror will be required before a contract may be offered

- **Pricing**  
For each line item, a review of Offerors' submitted bid prices (Form-D) will be conducted. **Providing that pricing elements are satisfied, such as Form-E, electronic copies, et cetera**, the Offeror with the lowest Form-D pricing will receive a maximum score of 70 points. For line items with multiple Offerors, the Offeror with the lowest pricing will score a 70, the next lowest, 69, et cetera. Where a single respondent prices a given line item, a Pricing score of 70 will be assigned to said line item
- **Past Performance**  
An evaluation will be conducted of the Offeror's previous contract performance as an HGACBuy Contractor based on the performance measured listed below. Maximum score is 25 points. Those with no history will garner the maximum 25 points for this scoring component.



- **Marketing Plan (Form-H)**

H-GAC expects proposer to have the capability and willingness to serve any H-GAC Member across the nation, and to promote this contract to the best of its ability. Consistent with this, Proposer’s Marketing Plan should acknowledge this, with a description of the resources that will most likely be employed in serving H-GAC Members and in promoting this contract (e.g. staff appointed to manage the contract, possible revised processes for purchase orders, staff training relating to this contract, sales call or mail-out campaigns, web page highlights of HGAC contract, trade show promotion (e.g. HGAC brochures), et cetera). Maximum score is 5 points.

<b>Performance Measures</b>
Timely response to request for information and/or request for quotes/pricing (Sec A, 48b)
Accurate preparation of Contract Pricing Worksheet(s) (Sec A 48e)
Timely delivery of product or services (as quoted at time of order placement) (Sec A, 25c)
Quality of products/service (Sec A, 25d, 44f)
Timely and accurate submission of Contractor’s Activity Report (Sec A, 48h)
Timely payment of order processing charge (Sec A, 44g, 44h)

<b>Evaluation Criteria Scoring Table</b>	<b>Maximum Points</b>
Pricing	70
Performance Measures	25
Marketing Plan	5

In the event of a tie, H-GAC reserves the right to utilize additional factors in compiling a tie breaker, which may include an offeror’s sales history with H-GAC, number and location of branches, depth and breadth of priced options, et cetera.

**NOTE:** For joint bids (i.e. a single response from multiple dealers and/or the manufacturer), each Form-A submitted in the Offeror’s response will be scored per the above criteria and an overall average will be taken of all Form A’s submitted to determine the Performance Measures score for each submission.

**9.0 COMMITMENT**

Offeror is required to make some basic commitments to insure the overall success of this program. By submission of a response, offeror agrees to the following:

- **Corporate/Sales Commitment**

A commitment that HGACBuy has the support of senior management and that HGACBuy will be the primary government contracting vehicle when offering services/products awarded from this solicitation to eligible end users nationwide. A further commitment to aggressively market the program, both independently as well in partnership with HGACBuy.

- **HUB Participation**

It is H-GAC’s goal to have Historically Underutilized Business Enterprise (HUB) participation in providing services under a contract. If Offeror(s) intends to employ subcontractors in providing services/products related to this solicitation, Offeror(s) shall make and demonstrate a good faith effort to include HUB participation under a contract. Offeror(s) good faith effort shall include, but is not limited to the following affirmative steps (Ref. 2CFR 200.321 as a guide):

- 1) Assuring that small and minority businesses and women’s business enterprises are solicited whenever they are potential sources;

- 2) Dividing total requirements, when economically feasible, into smaller task or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;
- 3) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;
- 4) Using the services and assistance, as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce;

NOTE: The term HUB as used in this solicitation is understood to encompass all programs/business enterprises such as Small Disadvantaged Business (SDB), Disadvantage Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Women Owned Business Enterprise (WBE) and Disabled Veteran Business Enterprise (DVBE).

#### **10.0 MANUFACTURERS**

In the interest of best serving our End Users across the country, H-GAC encourages manufacturers to participate in this bid process directly or jointly with one or more dealers (or, at a minimum, to encourage dealers to participate). In that regard, the following clarifications are provided for the two acceptable approaches of manufacturer-involved bid responses that are covered in Section-A.

(1) Manufacturer-Direct: The manufacturer is the Bidder and completes Form-A. Upon a contract award, the manufacturer will be the party responsible for payments, for remitting H-GAC Order Processing Charges, and for quarterly sales activity reporting to H-GAC. However, the manufacturer may utilize its dealers for handling sales quotes and product make-ready / delivery.

(2) Joint Bid: The manufacturer and dealer(s) bid together, with each party completing and signing a Form-A, which should be included in a single bid response. Upon a bid award, each will sign a separate H-GAC contract, and may handle sales, orders, plus H-GAC fee remittance and reporting, separately and independently. The manufacturer or contracted dealer(s) may subsequently "assign" their contracts to other dealers as necessary to achieve service to all HGACBuy End Users no matter their location.

**\*\*\* End of Section-B \*\*\***



## SECTION C - H-GAC FORMS

(Rev 03/21/2017)

### For Use In Responding To Competitive Bid And Proposal Invitations

Invitation No.: RH08-18

Title: Refuse Handling Equipment

This Section contains the following H-GAC Forms (Reference the separate worksheets within this document)

FORM	DESCRIPTION
Form-A	Offeror Identification and Authorized Signatory
Form-B	Historically Underutilized Business Enterprises
Form-C	Response Checklist
Form-D	Offered Items Pricing
Form-E	Published Options
Form-H	Marketing Plan
Form W-9	Request for Taxpayer Identification Number and Certification
Form CIQ	Conflict of Interest Questionnaire
Form 1295	Certificate of Interested Parties
HB 89	Prohibition on Contracts with Companies Boycotting Israel

These Forms are hereby made available in electronic format. They should be copied to Offeror's computer for completion and/or printout as required. The Forms **may not** be changed or altered in any way, except as may be specified on the Forms.

**ALL** completed Forms must also be submitted electronically on electronic media (DVD, CDROM, flash/thumb drive), excepting of course for signatures. The printed "Original" of the response will be considered as the official copy in case of any discrepancy between the electronic version and the printed Original.

**FORM-A: OFFEROR IDENTIFICATION & AUTHORIZED SIGNATORY**  
(DO NOT handwritten this Form. Information must be typed in.)

Invitation No.: RH08-18

Invitation Title: Refuse Handling Equipment

Offeror Company:

Trucks, Medium and Heavy & Truck Bodies

Offeror Status:  Manufacturer  Dealer/Distributor  Other

Response Type(1):  Single Offeror Acting Alone Or As Lead  Multiple Offerors Acting Jointly

Contract Signatory(2):

Title:

Mailing Address(3):

Street/PO Box

City

State & Zip

Physical Address:

Street

City

State & Zip

Phone:

Fax:

Email Address:

Federal Tax ID No.:

Web Page URL:

- (1) If Joint Offering, all parties must submit a signed Form A. A contract will be offered to each.
- (2) Person who will sign final contract documents if an award is made.
- (3) Address to which final contract documents would be sent for signature.

**Member Contact Information**

Contact Person (4):

Title:

Mailing Address:

Street/PO Box

City

State & Zip

Physical Address:

Street

City

State & Zip

Toll Free Phone:

Fax:

Email Address:

- (4) Person who End Users will contact for product information and to get pricing quotes.

**The Signatory below, on behalf of Offeror:**

- Acknowledges having thoroughly reviewed the Invitation;
- Attests to having the authority to sign this response and commit Offeror to honor all requirements;
- Makes, under penalty of perjury, all required Offeror Certifications as detailed in General Terms;
- Certifies that all information provided in this Response is true and correct.

Signature:

Title:

Printed Name:

Date:

**Title:** Refuse Handling Equipment**Offeror:**

Trucks, Medium and Heavy &amp; Truck Bodies

**HUB Status Of Offeror** Offeror is a HUB, as detailed below. Offeror is not a HUB.Designation(s):  HUB  DBE  MBE  WBE  Other

\*Certifying/Listing Authority(s):

**\* Note:** The terms "Certified" and "Listed" as used in conjunction with HUB programs relate to the process of HUB qualification review. Jurisdictions usually require that companies claiming HUB status be reviewed and confirmed as meeting certain minimum requirements to claim that status, and that the review and confirmation process be carried out by certain designated entities.

Members of HGACBuy are subject to various requirements relative to purchasing goods and services from Historically Underutilized Business Enterprises (HUBs)(See Note 1). These requirements are promulgated by federal and state governmental authorities, and include measureable criteria such as "percentage of total dollars spent directed to HUBs", "number of HUB contractors used", "HUB subcontractors employed by primary contractors", etc. These requirements are generally formalized in goal oriented programs.

Offeror agrees to work with and assist HGACBuy members in meeting HUB targets and goals, as may be required by any rules, processes or programs they might have in place. Such assistance may include such things as compliance with reporting requirements, provision of documentation, consideration of Certified/Listed subcontractors, provision of documented evidence that an active participatory role for a HUB entity was considered in a procurement transaction, etc.

Accepted and Agreed By (Name):

Title:

Date:

**Subcontracts**

On a separate sheet, list any subcontractors that would be employed in providing products or services related to this solicitation. Include the following information for each subcontractor:

a. Company Name

b. Address

c. Phone number

d. Applicable HUB designation/certification (DBE, MBE, etc.)

e. Type of work subcontractor has been certified to perform as a HUB. Firm must be certified in a North American Industry Classification System (NAISC) code applicable to the kind of work the firm would perform on the contract.

 Subcontractor List attached. No Subcontractors will be used.

**Title:** Refuse Handling Equipment

**Offeror:** \_\_\_\_\_

This Form is provided to help insure that all required response elements have been completed and included. Offeror's signatory shall review each item below, and certify by initialing in the space to the right.

**This Response Includes: Trucks, Medium and Heavy & Truck Bodies**

1	An "Original" <b>complete</b> copy of all documents, plus one "Copy", each in a separate hard-sided 3-ring binder
2	A copy of the <b>complete</b> submission (all documents and Forms), including all required H-GAC forms, in <b>electronic format</b> (e.g. flash drive) (Per Section-A, subsection 27.d), with HGAC forms in original Excel
3	A comprehensive list of applicable priced options on Form-E
4	Printed <b>and</b> electronic media copies of detailed quote sheets for each model bid form the bid brand's formal dealer quotation sytem. This is <u>not</u> satisfied by brochures or other similar items.
5	An <b>originally signed</b> Form-A from all entities who are party to this submission and who should be offered a contract if this submission is successful
6	The required list of <b>References</b>
7	Details of " <b>Service Organization</b> ", including locations, hours, personnel and parts/service availability. (Applies to hard goods only)
8	Complete <b>Warranty Documentation</b> for all products offered
9	<b>W9 Form</b> , completed and signed
10	<b>CIQ Form</b> , completed and signed. The form and instructions for its use can be found at: <a href="https://www.ethics.state.tx.us/filinginfo/conflict_forms.htm">https://www.ethics.state.tx.us/filinginfo/conflict_forms.htm</a> .
11	<b>1295 Form</b> , completed and signed. The form and instructions for its use can be found at: <a href="https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm">https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm</a> .
12	<b>HB 89 Form</b> , completed and signed

**FORM-D: OFFERED ITEMS PRICING**

**Invitation No. RH08-18, Refuse Handling Equipment**

**INSTRUCTIONS: Fill in unshaded areas. Shaded cells are for H-GAC use only.**

**Note:** Offeror shall not modify this form in any way other than inputting company name(s) and pricing. All products listed below are to be considered as Base Units for purposes of this Invitation and any subsequent contract. Unless otherwise noted herein, this equipment shall include standard factory equipment. Offeror shall determine which models to bid and fill in the H-GAC bid price in the appropriate cell. Additionally, Offeror shall bid a comprehensive list of manufacturer options on Form-E. Unless shown otherwise on this or any other H-GAC specification document, all models and systems shall be priced herein to include the manufacturer standard components and be functional as priced (less chassis on commercial chassis-mounted designs). **NOTE: All refuse bodies designed for mounting on commercial cab-chassis shall be priced on this form as inclusive of mounting costs, but exclusive of cab-chassis. By submittal of pricing on this form, Offeror attests to this.** For each line item priced below, Offeror shall include, with bid response, a specific quote sheet, or similar document, detailing the standard components, dimensions, and capabilities of the Base Unit priced. Offeror shall refer to Section-B for more details.

Offeror: \_\_\_\_\_

Contract	Vendor (for joint bids, insert the company names of all parties)	Product Code	Description	HGAC Price, in Whole Dollars	Unit of Measure	Restrictions	Keywords	Catalog Link
<b>A: Front-Loading Bodies</b>								
RH08-18		AA01	<b>Amrep:</b> AMHFL-21: HX450FL Series, 38-Yd, Hoist to Dump Front Loader		Per Unit			
RH08-18		AA02	<b>Amrep:</b> AMHFLPO-21: HX450FL Series, 38-Yd, Full Eject Front Loader		Per Unit			
RH08-18		AA03	<b>Amrep:</b> AMHFL-22: HX450FL Series, 40-Yd, Hoist to Dump Front Loader		Per Unit			
RH08-18		AA04	<b>Amrep:</b> AMHFLPO-22: HX450FL Series, 40-Yd, Full Eject Front Loader		Per Unit			
RH08-18		AB01	<b>Bridgeport:</b> PC-40: Frontier Light Duty front Loader; 40-Yard		Per Unit			
RH08-18		AB02	<b>Bridgeport:</b> PC-45: Frontier Light Duty front Loader; 45-Yard		Per Unit			
RH08-18		AB03	<b>Bridgeport:</b> AC-40: Frontier Heavy Duty front Loader; 40-Yard		Per Unit			
RH08-18		AB04	<b>Bridgeport:</b> AC-45: Frontier Heavy Duty front Loader; 45-Yard		Per Unit			
RH08-18		AC01	<b>DaDee Manufacturing:</b> Mantis Automated Front Loader: 40-Yd, Full Eject, Three Axle Chassis		Per Unit			
RH08-18		AC02	<b>DaDee Manufacturing:</b> Mantis Automated Front Loader: 40-Yd, Full Eject - CNG Saddle Mount, Four Axle Chassis Design		Per Unit			
RH08-18		AD01	<b>E-Z Pack:</b> Hercules Front Loader Series: 35-Yd, High Compaction		Per Unit			
RH08-18		AD02	<b>E-Z Pack:</b> Hercules Front Loader Series: 37-Yd, High Compaction		Per Unit			
RH08-18		AD03	<b>E-Z Pack:</b> Hercules Front Loader Series: 40-Yd, High Compaction		Per Unit			
RH08-18		AD04	<b>E-Z Pack:</b> Hercules Front Loader Series: 44-Yd, High Compaction		Per Unit			
RH08-18		AE01	<b>Heil:</b> Half/Pack 20-Yd: Full Eject, High Compaction Front Loader		Per Unit			
RH08-18		AE02	<b>Heil:</b> Half/Pack 23-Yd: Full Eject, High Compaction Front Loader		Per Unit			
RH08-18		AE03	<b>Heil:</b> Half/Pack 28-Yd: Full Eject, High Compaction Front Loader		Per Unit			
RH08-18		AE04	<b>Heil:</b> Half/Pack 32-Yd: Full Eject, High Compaction Front Loader		Per Unit			
RH08-18		AE05	<b>Heil:</b> Half/Pack Freedom 20-Yd: Full Eject, Light Weight Front Loader		Per Unit			
RH08-18		AE06	<b>Heil:</b> Half/Pack Freedom 23-Yd: Full Eject, Light Weight Front Loader		Per Unit			
RH08-18		AE07	<b>Heil:</b> Half/Pack Freedom 28-Yd: Full Eject, Light Weight Front Loader		Per Unit			
RH08-18		AE08	<b>Heil:</b> Half/pack Sierra 28-Yd: Full Eject, Light Weight Front Loader		Per Unit			
RH08-18		AE09	<b>Heil:</b> Half/Pack Sierra Odyssey 28-Yd: Full Eject, Light Weight Front Loader		Per Unit			
RH08-18		AE10	<b>Heil:</b> Freedom Odyssey Half/Pack 20-Yd: Full Eject, High Compaction Automated Front Loader		Per Unit			
RH08-18		AE11	<b>Heil:</b> Freedom Odyssey Half/Pack 23-Yd: Full Eject, High Compaction Automated Front Loader		Per Unit			
RH08-18		AE12	<b>Heil:</b> Freedom Odyssey Half/Pack 28-Yd: Full Eject, High Compaction Automated Front Loader		Per Unit			
RH08-18		AE13	<b>Heil:</b> Half/Pack Factor 20-Yd: Full Eject, AFL High Compaction Front Loader		Per Unit			
RH08-18		AE14	<b>Heil:</b> Half/Pack Factor 23-Yd: Full Eject, AFL High Compaction Front Loader		Per Unit			
RH08-18		AE15	<b>Heil:</b> Half/Pack Factor 28-Yd: Full Eject, AFL High Compaction Front Loader		Per Unit			
RH08-18		AE16	<b>Heil:</b> Half/Pack Factor Sierra 28-Yd: Full Eject, AFL Light Weight Front Loader		Per Unit			
RH08-18		AE17	<b>Heil:</b> Half/Pack Factor Freedom 20-Yd: Full Eject, AFL Light Weight Front Loader		Per Unit			
RH08-18		AE18	<b>Heil:</b> Half/Pack Factor Freedom 23-Yd: Full Eject, AFL Light Weight Front Loader		Per Unit			
RH08-18		AE19	<b>Heil:</b> Half/Pack Factor Freedom 28-Yd: Full Eject, AFL Light Weight Front Loader		Per Unit			
RH08-18		AE20	<b>Heil:</b> Odyssey Half/Pack 20-Yd: Full Eject, High Compaction Automated Front Loader		Per Unit			
RH08-18		AE21	<b>Heil:</b> Odyssey Half/Pack 23-Yd: Full Eject, High Compaction Automated Front Loader		Per Unit			
RH08-18		AE22	<b>Heil:</b> Odyssey Half/Pack 28-Yd: Full Eject, High Compaction Automated Front Loader		Per Unit			
RH08-18		AE23	<b>Heil:</b> Odyssey Half/Pack 32-Yd: Full Eject, High Compaction Automated Front Loader		Per Unit			

RH08-18		AE24	<b>Heil:</b> Odyssey Half/Pack Freedom 20-Yd: Full Eject, Light Weight AFL	Per Unit			
RH08-18		AE25	<b>Heil:</b> Odyssey Half/Pack Freedom 23-Yd: Full Eject, Light Weight AFL	Per Unit			
RH08-18		AE26	<b>Heil:</b> Odyssey Half/Pack Freedom 28-Yd: Full Eject, Light Weight AFL	Per Unit			
RH08-18		AF01	<b>Kann:</b> CC31 CoCollector Series, 31-Yd: Refuse-Recycler, Two Compartment Front Loader, Tandem Axle Configuration, 197"-210" WB Applications	Per Unit			
RH08-18		AF02	<b>Kann:</b> CC35 (V2) CoCollector Series, 35-Yd: Refuse-Recycler, Two Compartment Front Loader, Tandem Axle Configuration, 197"-210" WB Applications	Per Unit			
RH08-18		AF03	<b>Kann:</b> KE-26 Route King Series, 26-Yd Front Loader, Single Axle Configuration	Per Unit			
RH08-18		AF04	<b>Kann:</b> KE-36 Route King Series, 36-Yd Front Loader, Tandem Axle Configuration	Per Unit			
RH08-18		AF05	<b>Kann:</b> KE-41 Route King Series, 41-Yd Front Loader, Tandem Axle Configuration	Per Unit			
RH08-18		AG01	<b>McNeilus:</b> Contender Series 36-Yd, Mid Weight, Full Eject Front Loader	Per Unit			
RH08-18		AG02	<b>McNeilus:</b> Contender Series 40-Yd, Mid Weight, Full Eject Front Loader	Per Unit			
RH08-18		AG03	<b>McNeilus:</b> Contender Series 43-Yd, Mid Weight, Full Eject Front Loader	Per Unit			
RH08-18		AG04	<b>McNeilus:</b> Atlantic Series 3629: 24-Yd Heavy Duty, Full Eject Front Loader	Per Unit			
RH08-18		AG05	<b>McNeilus:</b> Atlantic Series 4029: 28-Yd Heavy Duty Full Eject Front Loader	Per Unit			
RH08-18		AG06	<b>McNeilus:</b> Atlantic Series 4329: 31-Yd Heavy Duty Full Eject Front Loader	Per Unit			
RH08-18		AG07	<b>McNeilus:</b> Atlantic Series 4529: 33-Yd Heavy Duty Full Eject Front Loader	Per Unit			
RH08-18		AG08	<b>McNeilus:</b> Meridian Series 4078: 40-Yd Mid Weight Full Eject Front Loader	Per Unit			
RH08-18		AH01	<b>New Way:</b> Mammoth Series 34: 34-Yd Heavy Duty Front Loader	Per Unit			
RH08-18		AH02	<b>New Way:</b> Mammoth Series 40: 40-Yd Heavy Duty Front Loader	Per Unit			
RH08-18		AH03	<b>New Way:</b> Mammoth Series 43: 43-Yd Heavy Duty Front Loader	Per Unit			
RH08-18		AH04	<b>New Way:</b> Western Series 34FL: 34-Yd Light Body, High Compaction Front Loader	Per Unit			
RH08-18		AH05	<b>New Way:</b> Western Series 40FL: 40-Yd Light Body, High Compaction Front Loader	Per Unit			
RH08-18		AH06	<b>New Way:</b> Western Series 43FL: 43-Yd Light Body, High Compaction Front Loader				
RH08-18		AI01	<b>Pak-Mor:</b> FPE830C: 30-Yd Heavy Duty Front Loader	Per Unit			
RH08-18		AI02	<b>Pak-Mor:</b> FPE835C: 35-Yd Heavy Duty Front Loader	Per Unit			
RH08-18		AI03	<b>Pak-Mor:</b> FPE840C: 40-Yd Heavy Duty Front Loader	Per Unit			
RH08-18		AJ01	<b>Wayne (Curbtender):</b> Titanium Lightweight Series, 28-Yd Front Loader; conventional and COE chassis-mountable	Per Unit			
RH08-18		AJ02	<b>Wayne (Curbtender):</b> Titanium Lightweight Series, 33-Yd Front Loader; conventional and COE chassis-mountable	Per Unit			
RH08-18		AJ03	<b>Wayne (Curbtender):</b> Titanium Lightweight Series, 40-Yd Front Loader; conventional and COE chassis-mountable	Per Unit			
RH08-18		AJ04	<b>Wayne (Curbtender):</b> Titan Series 40-Yd Commercial Front Loader, Full Eject, High Compaction	Per Unit			
RH08-18		AJ05	<b>Wayne (Curbtender):</b> Titan Series 44-Yd Commercial Front Loader, Full Eject, High Compaction	Per Unit			
RH08-18		AK01	<b>Wittke:</b> Featherweight Series, 34-Yd Front loader	Per Unit			
RH08-18		AK02	<b>Wittke:</b> Featherweight Series, 36-Yd Front loader	Per Unit			
RH08-18		AK03	<b>Wittke:</b> Featherweight Series, 38-Yd Front loader	Per Unit			
RH08-18		AK04	<b>Wittke:</b> Featherweight Series, 40-Yd Front loader	Per Unit			
RH08-18		AK05	<b>Wittke:</b> Featherweight Series, 42-Yd Front loader	Per Unit			
RH08-18		AK06	<b>Wittke:</b> Featherweight Series, 44-Yd Front loader	Per Unit			
RH08-18		AK07	<b>Wittke:</b> Starlight Series 32-Yd Front Loader	Per Unit			
RH08-18		AK08	<b>Wittke:</b> Starlight Series 34-Yd Front Loader	Per Unit			
RH08-18		AK09	<b>Wittke:</b> Starlight Series 36-Yd Front Loader	Per Unit			
RH08-18		AK10	<b>Wittke:</b> Starlight Series 40-Yd Front Loader	Per Unit			
RH08-18		AK11	<b>Wittke:</b> Starlight Series 40-Yd Front Loader, Long Body	Per Unit			
RH08-18		AK12	<b>Wittke:</b> Starlight Series 42-Yd Front Loader	Per Unit			
RH08-18		AK13	<b>Wittke:</b> Starlight Series 44-Yd Front Loader	Per Unit			
RH08-18		AK14	<b>Wittke:</b> SuperDuty Series 38-Yd: Heavy Duty Front Loader	Per Unit			
RH08-18		AK15	<b>Wittke:</b> SuperDuty Series 40-Yd: Heavy Duty Front Loader, Long Body	Per Unit			
RH08-18		AK16	<b>Wittke:</b> SuperDuty Series 40-Yd: Heavy Duty Front Loader	Per Unit			
RH08-18		AK17	<b>Wittke:</b> SuperDuty Series 42-Yd: Heavy Duty Front Loader	Per Unit			
RH08-18		AK18	<b>Wittke:</b> SuperDuty Series 44-Yd: Heavy Duty Front Loader	Per Unit			

**B: Rear-Loading Bodies**

RH08-18		BA01	<b>E-Z Pack:</b> Apollo A-300C: 18-Yd, Mid-Range Rear Loader	Per Unit			
RH08-18		BA02	<b>E-Z Pack:</b> Apollo A-300C: 20-Yd, Mid-Range Rear Loader	Per Unit			
RH08-18		BA03	<b>E-Z Pack:</b> Apollo A-300C: 25-Yd, Mid-Range Rear Loader	Per Unit			
RH08-18		BA04	<b>E-Z Pack:</b> Goliath G-300C: 18-Yd, High Compaction Rear Loader	Per Unit			
RH08-18		BA05	<b>E-Z Pack:</b> Goliath G-300C: 20-Yd, High Compaction Rear Loader	Per Unit			
RH08-18		BA06	<b>E-Z Pack:</b> Goliath G-300C: 25-Yd, High Compaction Rear Loader	Per Unit			
RH08-18		BA07	<b>E-Z Pack:</b> Goliath G-300C: 31-Yd, High Compaction Rear Loader	Per Unit			
RH08-18		BA08	<b>E-Z Pack:</b> Goliath G-400: 20-Yd, Heavy Duty, High Compaction Rear Loader	Per Unit			
RH08-18		BA09	<b>E-Z Pack:</b> Goliath G-400: 25-Yd, Heavy Duty, High Compaction Rear Loader	Per Unit			
RH08-18		BA10	<b>E-Z Pack:</b> Goliath G-400: 31-Yd, Heavy Duty, High Compaction Rear Loader	Per Unit			



RH08-18	BB01	Heil: Mini Rear Loader 9-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB02	Heil: Mini Rear Loader 11-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB03	Heil: Mini Rear Loader 13-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB04	Heil: PT-1000 Series 13-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BB05	Heil: PT-1000 Series 16-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BB06	Heil: PT-1000 Series 18-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BB07	Heil: PT-1000 Series 20-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BB08	Heil: PT-1000 Series 25-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BB09	Heil: Formula 5000 Series 18-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB10	Heil: Formula 5000 Series 20-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB11	Heil: Formula 5000 Series 25-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB12	Heil: Formula 5000 Series 27-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB13	Heil: Formula 5000 Series 32-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB14	Heil: PT Commercial Series 25-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB15	Heil: PT Commercial Series 27-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB16	Heil: PT Commercial Series 32-Yd: High Compact Rear Loader	Per Unit			
RH08-18	BB17	Heil: PT Commercial Plus 25-Yd: High Compact Tag Axle Rear Loader	Per Unit			
RH08-18	BB18	Heil: PT Commercial Plus 27-Yd: High Compact Tag Axle Rear Loader	Per Unit			
RH08-18	BB19	Heil: PT Commercial Plus 32-Yd: High Compact Tag Axle Rear Loader	Per Unit			
RH08-18	BC01	Kann: RL2-8 Pack Master, 8-Yd Split Rear Loader	Per Unit			
RH08-18	BC02	Kann: RL2-12 Pack Master, 12-Yd Split Rear Loader	Per Unit			
RH08-18	BC03	Kann: RL2-16 Pack Master, 16-Yd Split Rear Loader	Per Unit			
RH08-18	BC04	Kann: RL2-20 Pack Master, 20-Yd Split Rear Loader	Per Unit			
RH08-18	BC05	Kann: RL2-25 Pack Master, 25-Yd Split Rear Loader	Per Unit			
RH08-18	BD01	Leach: 2RIII Series, 20-Yd, High Compact Commercial Rear Loader	Per Unit			
RH08-18	BD02	Leach: 2RIII Series, 25-Yd, High Compact Commercial Rear Loader	Per Unit			
RH08-18	BD03	Leach: 2RIII Series, 29-Yd, High Compact Commercial Rear Loader	Per Unit			
RH08-18	BD04	Leach: 2RIII Series, 32-Yd, High Compact Commercial Rear Loader	Per Unit			
RH08-18	BD05	Leach: Alpha III Series, 14-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BD06	Leach: Alpha III Series, 16-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BD07	Leach: Alpha III Series, 18-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BD08	Leach: Alpha III Series, 20-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BD09	Leach: Alpha III Series, 25-Yd: Mid Compact Rear Loader	Per Unit			
RH08-18	BD10	Leach: Alpha III Series, 29-Yd Mid Compaction Rear Loader	Per Unit			
RH08-18	BD11	Leach: Alpha III Series, 32-Yd Mid Compaction Rear Loader	Per Unit			
RH08-18	BD12	Leach: Mini, 8-Yd Mid Compaction Rear Loader	Per Unit			
RH08-18	BD13	Leach: Mini, 10-Yd Mid Compaction Rear Loader	Per Unit			
RH08-18	BD14	Leach: Split Body Rear Loader 25-yd	Per Unit			
RH08-18	BD15	Leach: Split Body Rear Loader 32-yd	Per Unit			
RH08-18	BE01	Loadmaster: Elite, High Compaction Rear Loader, 6-Yd	Per Unit			
RH08-18	BE02	Loadmaster: Elite, High Compaction Rear Loader, 8-Yd	Per Unit			
RH08-18	BE03	Loadmaster: Elite, High Compaction Rear Loader, 10-Yd	Per Unit			
RH08-18	BE04	Loadmaster: Elite, High Compaction Rear Loader, 11-Yd	Per Unit			
RH08-18	BE05	Loadmaster: Legacy, Mid Compaction Rear Loader, 11-Yd	Per Unit			
RH08-18	BE06	Loadmaster: Legacy, Mid Compaction Rear Loader, 13-Yd	Per Unit			
RH08-18	BE07	Loadmaster: Legacy S, Mid Compaction Rear Loader, 16-Yd	Per Unit			
RH08-18	BE08	Loadmaster: Legacy S, Mid Compaction Rear Loader, 18-Yd	Per Unit			
RH08-18	BE09	Loadmaster: Legacy S, Mid Compaction Rear Loader, 20-Yd	Per Unit			
RH08-18	BE10	Loadmaster: Legacy S, Mid Compaction Rear Loader, 25-Yd	Per Unit			
RH08-18	BE11	Loadmaster: Excel S, High Compaction Rear Loader, 20-Yd	Per Unit			
RH08-18	BE12	Loadmaster: Excel S, High Compaction Rear Loader, 25-Yd	Per Unit			
RH08-18	BE13	Loadmaster: Excel S, High Compaction Rear Loader, 27-Yd	Per Unit			
RH08-18	BE14	Loadmaster: Excel S, High Compaction Rear Loader, 31-Yd	Per Unit			
RH08-18	BE15	Loadmaster: Excel S, High Compaction Rear Loader, 33-Yd	Per Unit			
RH08-18	BE16	Loadmaster: LM 425, High Compaction Rear Loader, 25-Yd	Per Unit			
RH08-18	BE17	Loadmaster: LM 425 Demolition, Demolition Material Rear Loader, 25-Yd	Per Unit			
RH08-18	BE18	Loadmaster: LM 431, High Compaction Rear Loader, 31-Yd	Per Unit			
RH08-18	BF01	McNeilus: Standard Rear Loader, 17-YD	Per Unit			
RH08-18	BF02	McNeilus: Standard Rear Loader, 20-Yd	Per Unit			
RH08-18	BF03	McNeilus: Standard Rear Loader, 25-Yd	Per Unit			
RH08-18	BF04	McNeilus: Standard Rear Loader, 32-Yd	Per Unit			
RH08-18	BF05	McNeilus: Heavy Duty Rear Loader, 20-Yd	Per Unit			
RH08-18	BF06	McNeilus: Heavy Duty Rear Loader, 25-Yd	Per Unit			
RH08-18	BF07	McNeilus: XC Rear Loader, 25-Yd	Per Unit			
RH08-18	BF08	McNeilus: XC Rear Loader, 32-Yd	Per Unit			

RH08-18		BF09	McNeilus: Tail Gate Tag Axle Rear Loader, 25-Yd		Per Unit			
RH08-18		BF10	McNeilus: Tail Gate Tag Axle Rear Loader, 32-Yd		Per Unit			
RH08-18		BF11	McNeilus: Split Body (40/60) Rear Loader, 25-Yd		Per Unit			
RH08-18		BF12	McNeilus: Split Body (40/60) Rear Loader, 32-Yd		Per Unit			
RH08-18		BG01	New Way: Diamondback Series 6RL: 6-Yd Compact Rear Loader		Per Unit			
RH08-18		BG02	New Way: Diamondback Series 6HC RL: 6-Yd, Compact Rear Loader, High Compaction		Per Unit			
RH08-18		BG03	New Way: Diamondback Series 8RL: 8-Yd, Compact Rear Loader		Per Unit			
RH08-18		BG04	New Way: Diamondback Series 8HC RL: 8-Yd, Compact Rear Loader, High Compaction		Per Unit			
RH08-18		BG05	New Way: Cobra Series 9RL: 9-Yd, Mid Compaction Rear Loader		Per Unit			
RH08-18		BG06	New Way: Cobra Series 11RL: 11-Yd, Mid Compaction Rear Loader		Per Unit			
RH08-18		BG07	New Way: Cobra Series 13RL: 13-Yd, Mid Compaction Rear Loader		Per Unit			
RH08-18		BG08	New Way: Cobra Series 16RL: 16-Yd, Mid Compaction Rear Loader		Per Unit			
RH08-18		BG09	New Way: Cobra Series 18RL: 18-Yd, Mid Compaction Rear Loader		Per Unit			
RH08-18		BG10	New Way: Cobra Series 20RL: 20-Yd, Mid Compaction Rear Loader		Per Unit			
RH08-18		BG11	New Way: Cobra Series 25RL: 25-Yd, Mid Compaction Rear Loader		Per Unit			
RH08-18		BG12	New Way: Cobra Magnum Series: 20RL, High Compaction Rear Loader		Per Unit			
RH08-18		BG13	New Way: Cobra Magnum Series: 25RL, High Compaction Rear Loader		Per Unit			
RH08-18		BG14	New Way: Cobra Magnum Series: 27RL, High Compaction Rear Loader		Per Unit			
RH08-18		BG15	New Way: Cobra Magnum Series: 32RL, High Compaction Rear Loader		Per Unit			
RH08-18		BG16	New Way: King Cobra Series: 20RL, Ultra High Compaction Rear Loader		Per Unit			
RH08-18		BG17	New Way: King Cobra Series: 25RL, Ultra High Compaction Rear Loader		Per Unit			
RH08-18		BG18	New Way: King Cobra Series: 27RL, Ultra High Compaction Rear Loader		Per Unit			
RH08-18		BG19	New Way: King Cobra Series: 32RL, Ultra High Compaction Rear Loader		Per Unit			
RH08-18		BG20	New Way: Viper Series 11RL: 11-Yd, Mid Compaction, Lightweight Rear Loader		Per Unit			
RH08-18		BG21	New Way: Viper Series 13RL: 13-Yd, Mid Compaction, Lightweight Rear Loader		Per Unit			
RH08-18		BG22	New Way: Viper Series 16RL: 16-Yd, Mid Compaction, Lightweight Rear Loader		Per Unit			
RH08-18		BG23	New Way: Viper Series 18RL: 18-Yd, Mid Compaction, Lightweight Rear Loader		Per Unit			
RH08-18		BG24	New Way: Viper Series 20RL: 20-Yd, Mid Compaction, Lightweight Rear Loader		Per Unit			
RH08-18		BG25	New Way: Viper Series 25RL: 25-Yd, Mid Compaction, Lightweight Rear Loader		Per Unit			
RH08-18		BH01	Pak-Mor: RBS106: 6-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH02	Pak-Mor: RBS108: 8-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH03	Pak-Mor: RBS110: 10-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH04	Pak-Mor: R112B: 12-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH05	Pak-Mor: R112C: 12-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH06	Pak-Mor: R114B: 14-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH07	Pak-Mor: R114C: 14-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH08	Pak-Mor: R116B: 16-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH09	Pak-Mor: R116C: 16-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH10	Pak-Mor: R118B: 18-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH11	Pak-Mor: R118C: 18-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH12	Pak-Mor: R120B: 20-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH13	Pak-Mor: R120C: 20-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH14	Pak-Mor: R125B: 25-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH15	Pak-Mor: R125C: 25-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH16	Pak-Mor: R130B: 30-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH17	Pak-Mor: RLP112B: 12-Yd, Residential Low Profile, Mid Compaction Rear Loader		Per Unit			
RH08-18		BH18	Pak-Mor: RLP112C: 12-Yd, Residential Low Profile, Rear Loader, Curve Shell		Per Unit			
RH08-18		BH19	Pak-Mor: RLP114B: 14-Yd, Residential Low Profile, Mid Compaction Rear Loader		Per Unit			
RH08-18		BH20	Pak-Mor: RLP114C: 14-Yd, Residential Low Profile, Rear Loader, Curve Shell		Per Unit			
RH08-18		BH21	Pak-Mor: RC116B: 16-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH22	Pak-Mor: RC116C: 16-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH23	Pak-Mor: RC118B: 18-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH24	Pak-Mor: RC118C: 18-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH25	Pak-Mor: RC120B: 20-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH26	Pak-Mor: RC120C: 20-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH27	Pak-Mor: RC125B: 25-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH28	Pak-Mor: RC125C: 25-Yd, Residential Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH29	Pak-Mor: RC130B: 30-Yd, Residential Mid Compaction Rear Loader		Per Unit			
RH08-18		BH30	Pak-Mor: R216B: 16-Yd, Commercial Mid Compaction Rear Loader		Per Unit			
RH08-18		BH31	Pak-Mor: R216C: 16-Yd, Commercial Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH32	Pak-Mor: R218B: 18-Yd, Commercial Mid Compaction Rear Loader		Per Unit			
RH08-18		BH33	Pak-Mor: R218C: 18-Yd, Commercial Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH34	Pak-Mor: R220B: 20-Yd, Commercial Mid Compaction Rear Loader		Per Unit			
RH08-18		BH35	Pak-Mor: R220C: 20-Yd, Commercial Mid Compaction Rear Loader, Curve Shell		Per Unit			
RH08-18		BH36	Pak-Mor: R225B: 25-Yd, Commercial Mid Compaction Rear Loader		Per Unit			

RH08-18		BH37	<b>Pak-Mor:</b> R225C: 25-Yd, Commercial Mid Compaction Rear Loader, Curve Shell	Per Unit			
RH08-18		BH38	<b>Pak-Mor:</b> R230B: 30-Yd, Commercial Mid Compaction Rear Loader	Per Unit			
RH08-18		BH39	<b>Pak-Mor:</b> RHC218B: 18-Yd, Commercial High Compaction Rear Loader	Per Unit			
RH08-18		BH40	<b>Pak-Mor:</b> RHC218C: 18-Yd, Commercial High Compaction Rear Loader, Curve Shell	Per Unit			
RH08-18		BH41	<b>Pak-Mor:</b> RHC220B: 20-Yd, Commercial High Compaction Rear Loader	Per Unit			
RH08-18		BH42	<b>Pak-Mor:</b> RHC220C: 20-Yd, Commercial High Compaction Rear Loader, Curve Shell	Per Unit			
RH08-18		BH43	<b>Pak-Mor:</b> RHC225B: 25-Yd, Commercial High Compaction Rear Loader	Per Unit			
RH08-18		BH44	<b>Pak-Mor:</b> RHC225C: 25-Yd, Commercial High Compaction Rear Loader, Curve Shell	Per Unit			
RH08-18		BH45	<b>Pak-Mor:</b> RHC230B: 30-Yd, Commercial High Compaction Rear Loader	Per Unit			
RH08-18		BH46	<b>Pak-Mor:</b> R320B: 20-Yd, Commercial High Compaction Rear Loader	Per Unit			
RH08-18		BH47	<b>Pak-Mor:</b> R320C: 20-Yd, Commercial High Compaction Rear Loader, Curve Shell	Per Unit			
RH08-18		BH48	<b>Pak-Mor:</b> R325B: 25-Yd, Commercial High Compaction Rear Loader	Per Unit			
RH08-18		BH49	<b>Pak-Mor:</b> R325C: 25-Yd, Commercial High Compaction Rear Loader, Curve Shell	Per Unit			
RH08-18		BH50	<b>Pak-Mor:</b> R330B: 30-Yd, Commercial High Compaction Rear Loader	Per Unit			
RH08-18		BI01	<b>Wayne (Curbtender):</b> Quantum Series 6-Yd Narrow Body, Mid-Compaction Rear Loader	Per Unit			
RH08-18		BI02	<b>Wayne (Curbtender):</b> Quantum Series 8-Yd Narrow Body, Mid-Compaction Rear Loader	Per Unit			
RH08-18		BI03	<b>Wayne (Curbtender):</b> Quantum Series 10-Yd Narrow Body, Mid-Compaction Rear Loader	Per Unit			
RH08-18		BI04	<b>Wayne (Curbtender):</b> Fury Series 16-Yd Mid-Compaction Rear Loader	Per Unit			
RH08-18		BI05	<b>Wayne (Curbtender):</b> Fury Series 18-Yd Mid-Compaction Rear Loader	Per Unit			
RH08-18		BI06	<b>Wayne (Curbtender):</b> Fury Series 20-Yd Mid-Compaction Rear Loader	Per Unit			
RH08-18		BI07	<b>Wayne (Curbtender):</b> Fury Series 25-Yd Mid-Compaction Rear Loader	Per Unit			
RH08-18		BI08	<b>Wayne (Curbtender):</b> Phoenix Series 20-Yd High-Compaction Rear Loader	Per Unit			
RH08-18		BI09	<b>Wayne (Curbtender):</b> Phoenix Series 25-Yd High-Compaction Rear Loader	Per Unit			
RH08-18		BI10	<b>Wayne (Curbtender):</b> Phoenix Series 32-Yd High-Compaction Rear Loader	Per Unit			
<b>C: Side-Loading Bodies</b>							
RH08-18		CA01	<b>Amrep:</b> AMHASLTPO-14: HX450ASL Series, 20-Yd, Zero Radius, Tilt to Dump Automated Side Loader	Per Unit			
RH08-18		CA02	<b>Amrep:</b> AMHASLTPO-18: HX450ASL, 24-Yd, Zero Radius, Full Eject Automated Side Loader	Per Unit			
RH08-18		CB01	<b>Bridgeport:</b> Ranger SA-2, Dual Arm Semi-Automated Side Loader, 12-Yd	Per Unit			
RH08-18		CB02	<b>Bridgeport:</b> Ranger SA-2, Dual Arm Semi-Automated Side Loader, 14-Yd	Per Unit			
RH08-18		CB03	<b>Bridgeport:</b> Ranger Automated Side Loader, 23-Yd	Per Unit			
RH08-18		CB04	<b>Bridgeport:</b> Ranger Automated Side Loader, 27-Yd	Per Unit			
RH08-18		CB05	<b>Bridgeport:</b> Ranger Automated Side Loader, 31-Yd	Per Unit			
RH08-18		CB06	<b>Bridgeport:</b> Ranger Automated Side Loader, 33-Yd	Per Unit			
RH08-18		CB07	<b>Bridgeport:</b> Ranger Automated Side Loader, 35-Yd	Per Unit			
RH08-18		CB08	<b>Bridgeport:</b> Ranger Automated Side Loader, 37-Yd	Per Unit			
RH08-18		CB09	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 14-Yd	Per Unit			
RH08-18		CB10	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 22-Yd	Per Unit			
RH08-18		CB11	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 28-Yd	Per Unit			
RH08-18		CB12	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 32-Yd	Per Unit			
RH08-18		CB13	<b>Bridgeport:</b> Ranger Off-Road Automated Side Loader; 23-Yd, All Wheel Drive Chassis Applications	Per Unit			
RH08-18		CB14	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 28-YD	Per Unit			
RH08-18		CB15	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 30-YD	Per Unit			
RH08-18		CB16	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 32-YD	Per Unit			
RH08-18		CB17	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 34-YD	Per Unit			
RH08-18		CB18	<b>Bridgeport</b> Ranger Drop Frame Semi-Automated Side Loader, 32-YD	Per Unit			
RH08-18		CB19	<b>Bridgeport</b> Ranger Drop Frame Semi-Automated Side Loader, 34-YD	Per Unit			
RH08-18		CC01	<b>E-Z Pack:</b> Hercules Automated Side Loader, 23-Yd	Per Unit			
RH08-18		CC02	<b>E-Z Pack:</b> Hercules Automated Side Loader, 25-Yd	Per Unit			
RH08-18		CC03	<b>E-Z Pack:</b> Hercules Automated Side Loader, 27-Yd	Per Unit			
RH08-18		CC04	<b>E-Z Pack:</b> Hercules Automated Side Loader, 30-Yd	Per Unit			
RH08-18		CD01	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 20-Yd, Single Axle Chassis Design	Per Unit			
RH08-18		CD02	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 23-Yd, Single Axle Chassis Design	Per Unit			
RH08-18		CD03	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 24-Yd, Tandem Axle Chassis Design	Per Unit			
RH08-18		CD04	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 27-Yd, Tandem Axle Chassis Design	Per Unit			
RH08-18		CD05	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 29-Yd - Tandem Axle Chassis Design	Per Unit			
RH08-18		CD06	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 31-Yd, Tandem Axle Chassis Design	Per Unit			
RH08-18		CD07	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 33-Yd, Tandem Axle Chassis Design	Per Unit			
RH08-18		CD08	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 26-Yd, CNG Roof Mount, Three Axle Chassis Design	Per Unit			
RH08-18		CD09	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 32-Yd, CNG Roof Mount (Overall Height 12'-5") -Three Axle Chassis Design	Per Unit			

RH08-18	CD10	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: Full Eject: 28-Yd, CNG Roof Mount - Four Axle Chassis Design	Per Unit			
RH08-18	CD11	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: Full Eject: 28-Yd, Diesel - Four Axle Chassis Design	Per Unit			
RH08-18	CD12	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: Full Eject: 31-Yd, CNG Roof Mount - Four Axle Chassis Design	Per Unit			
RH08-18	CD13	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: Full Eject: 31-Yd, Diesel - Four Axle Chassis Design	Per Unit			
RH08-18	CE01	<b>GS Products:</b> MP8113: 13-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 2-axle configuration.	Per Unit			
RH08-18	CE02	<b>GS Products:</b> MP8116: 16-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 2-axle configuration.	Per Unit			
RH08-18	CE03	<b>GS Products:</b> MP8120X: 23-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject; Dual Bucket; 2-axle configuration.	Per Unit			
RH08-18	CE04	<b>GS Products:</b> MP8127: 27-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 3-axle configuration.	Per Unit			
RH08-18	CE05	<b>GS Products:</b> MP8129: 29-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 3-axle configuration.	Per Unit			
RH08-18	CE06	<b>GS Products:</b> MP8131: 31-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 3-axle configuration.	Per Unit			
RH08-18	CE07	<b>GS Products:</b> MP8133: 33-Yd., Multi-Purpose Bucket Style Side Loader; Full Eject, Dual bucket, 3-axle configuration.	Per Unit			
RH08-18	CE08	<b>GS Products:</b> MP8135: 35-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket; 4-Axle Configuration.	Per Unit			
RH08-18	CE09	<b>GS Products:</b> MP8137: 37-Yd., Multi-Purpose bucket style side loader; full eject; Dual bucket; 4-axle configuration.	Per Unit			
RH08-18	CE10	<b>GS Products:</b> CS8120XA: 23-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 2-axle configuration	Per Unit			
RH08-18	CE11	<b>GS Products:</b> CS8127A: 27-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE12	<b>GS Products:</b> CS8129A: 29-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE13	<b>GS Products:</b> CS8131A: 31-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE14	<b>GS Products:</b> CS8133A: 33-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE15	<b>GS Products:</b> CS8135A: 35-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 4-axle configuration	Per Unit			
RH08-18	CE16	<b>GS Products:</b> CS8137A: 37-Yd, CollecStar Automated Side Loader, Plastic Containers Applications, Full Eject; 4-axle configuration	Per Unit			
RH08-18	CE17	<b>GS Products:</b> CS9120XA: 23-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 2-axle configuration	Per Unit			
RH08-18	CE18	<b>GS Products:</b> CS9127A: 27-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE19	<b>GS Products:</b> CS9129A: 29-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE20	<b>GS Products:</b> CS9131A: 31-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE21	<b>GS Products:</b> CS9133A: 33-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE22	<b>GS Products:</b> CS9135A: 35-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 4-axle configuration	Per Unit			
RH08-18	CE23	<b>GS Products:</b> CS9137A: 37-Yd, CollecStar Automated Side Loader, Plastic Containers Applications, Full Eject; 4-axle configuration	Per Unit			
RH08-18	CE24	<b>GS Products:</b> TC8120X: 23-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hook Applications, Steel or Plastic Containers, Full Eject; 2-axle	Per Unit			
RH08-18	CE25	<b>GS Products:</b> TC8127: 27-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hook Applications, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE26	<b>GS Products:</b> TC8129: 29-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hook Application, Steel or Plastic Containers, Full Eject, 3-axle configuration	Per Unit			
RH08-18	CE27	<b>GS Products:</b> TC8131: 31-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE28	<b>GS Products:</b> TC8133: 33-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			

RH08-18	CE29	<b>GS Products:</b> CL8120X: 23-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE30	<b>GS Products:</b> CL8127: 27-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE31	<b>GS Products:</b> CL8129: 29-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE32	<b>GS Products:</b> CL8131: 31-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE33	<b>GS Products:</b> CL8133: 33-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	Per Unit			
RH08-18	CE34	<b>GS Products:</b> CL8135: 35-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 4-axle configuration	Per Unit			
RH08-18	CE35	<b>GS Products:</b> CL8137: 37-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 4-axle configuration	Per Unit			
RH08-18	CE36	<b>GS Products:</b> SB8220X: 24-Yd Split Body, Multi-Purpose Bucket Style Side Loader; Full Eject, Single bucket, 3-axle configuration.	Per Unit			
RH08-18	CE37	<b>GS Products:</b> SB8228: 28-Yd Split Body, Multi-Purpose Bucket Style Side Loader; Full Eject, Single bucket, 3-axle configuration.	Per Unit			
RH08-18	CE38	<b>GS Products:</b> SB8232: 32-Yd Split Body, Multi-Purpose Bucket Style Side Loader; Full Eject, Single bucket, 3-axle configuration.	Per Unit			
RH08-18	CE39	<b>GS Products:</b> CS-SB9220XA: 24-Yd ; Split Body, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration.	Per Unit			
RH08-18	CE40	<b>GS Products:</b> CS-SB9228: 28-Yd Split Body, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration.	Per Unit			
RH08-18	CE41	<b>GS Products:</b> CS-SB9232A: 32-Yd Split Body, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration.	Per Unit			
RH08-18	CF01	<b>Heil:</b> Rapid Rail Series 16-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF02	<b>Heil:</b> Rapid Rail Series 20-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF03	<b>Heil:</b> Rapid Rail Series 22-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF04	<b>Heil:</b> Rapid Rail Series 24-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF05	<b>Heil:</b> Rapid Rail Series 26-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF06	<b>Heil:</b> Rapid Rail Series 30-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF07	<b>Heil:</b> Rapid Rail Series 32-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF08	<b>Heil:</b> Liberty 16-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF09	<b>Heil:</b> Liberty 20-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF10	<b>Heil:</b> Liberty 22-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF11	<b>Heil:</b> Liberty 24-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF12	<b>Heil:</b> Liberty 26-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF13	<b>Heil:</b> Liberty 30-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF14	<b>Heil:</b> Liberty 32-Yd: Mid Compact Auto Side Loader	Per Unit			
RH08-18	CF15	<b>Heil:</b> DuraPack Python 22-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF16	<b>Heil:</b> DuraPack Python 24-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF17	<b>Heil:</b> DuraPack Python 26-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF18	<b>Heil:</b> DuraPack Python 28-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF19	<b>Heil:</b> DuraPack Python 33-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF20	<b>Heil:</b> DuraPack Rapid Rail 22-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF21	<b>Heil:</b> DuraPack Rapid Rail 24-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF22	<b>Heil:</b> DuraPack Rapid Rail 26-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF23	<b>Heil:</b> DuraPack Rapid Rail 28-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF24	<b>Heil:</b> DuraPack Rapid Rail 33-Yd: High compaction Auto Side Loader	Per Unit			
RH08-18	CF25	<b>Heil:</b> MultiPack 24-Yd: Automated Side Loader / Rear loader	Per Unit			
RH08-18	CG01	<b>Kann:</b> Curb Master Series, SLEC 20-Yd: Commercial Side-Loader, Eject Unloading, Square Top	Per Unit			
RH08-18	CG02	<b>Kann:</b> Curb Master Series, SLEC 27-Yd: Commercial Side-Loader, Eject Unloading, Round	Per Unit			
RH08-18	CG03	<b>Kann:</b> Curb Master Series, SLEC 31-Yd: Commercial Side-Loader, Eject Unloading, Square Top	Per Unit			
RH08-18	CG04	<b>Kann:</b> Curb Master Series, SLEC 29-Yd: Commercial Side-Loader, Eject Unloading, Round Top	Per Unit			
RH08-18	CG05	<b>Kann:</b> Curb Master Series, SLEA Automated Side Loader, 20-Yd	Per Unit			
RH08-18	CG06	<b>Kann:</b> Curb Master Series, SLEA Automated Side Loader, 28-Yd	Per Unit			
RH08-18	CG07	<b>Kann:</b> Curb Master Series, MSLE Mini Side Loader, 10-Yd, Full Eject	Per Unit			
RH08-18	CG08	<b>Kann:</b> Curb Master Series, SDD /Side Dump Dock Truck, 3-Container, Side Loader; Bin Configuration: 8.0, 8.0, 10.2 Yd (26.2 Yd Total); Side and Rear Load Capability (Ground and Dock	Per Unit			
RH08-18	CH01	<b>Labrie:</b> Minimax 10-Yd Manual (Bidder shall price Semi / Helping Hand Arm Side Loader with	Per Unit			
RH08-18	CH02	<b>Labrie:</b> Minimax 12-Yd Manual (Bidder shall price Semi / Helping Hand Arm Side Loader with	Per Unit			
RH08-18	CH03	<b>Labrie:</b> Minimax 14-Yd Manual (Bidder shall price Semi / Helping Hand Arm Side Loader with	Per Unit			
RH08-18	CH04	<b>Labrie:</b> AlleyGator 20-Yd Automated Side Loader	Per Unit			

RH08-18		CH05	<b>Labrie:</b> AlleyGator 23-Yd Automated Side Loader		Per Unit			
RH08-18		CH06	<b>Labrie:</b> AlleyGator 27 Yd Automated Side Loader		Per Unit			
RH08-18		CH07	<b>Labrie:</b> Alleygator 30-Yd Automated Side Loader		Per Unit			
RH08-18		CH08	<b>Labrie:</b> AlleyGator 33-Yd Automated Side Loader		Per Unit			
RH08-18		CH09	<b>Labrie:</b> Sprinter Low Profile 24-Yd Commercial Side Loader		Per Unit			
RH08-18		CH10	<b>Labrie:</b> Sprinter Low Profile 26-Yd Commercial Side Loader		Per Unit			
RH08-18		CH11	<b>Labrie:</b> Sprinter Low Profile 28-Yd Commercial Side Loader		Per Unit			
RH08-18		CH12	<b>Labrie:</b> Sprinter Low Profile 30-Yd Commercial Side Loader		Per Unit			
RH08-18		CH13	<b>Labrie:</b> Sprinter High Profile 27-Yd Commercial side loader		Per Unit			
RH08-18		CH14	<b>Labrie:</b> Sprinter High Profile 30-Yd Commercial side loader		Per Unit			
RH08-18		CH15	<b>Labrie:</b> Sprinter High Profile 32-Yd Commercial side loader		Per Unit			
RH08-18		CH16	<b>Labrie:</b> Sprinter High Profile 35-Yd Commercial side loader		Per Unit			
RH08-18		CH17	<b>Labrie:</b> Impac Round Body 20-Yd Commercial Side Loader		Per Unit			
RH08-18		CH18	<b>Labrie:</b> Impac Round Body 25-Yd Commercial Side Loader		Per Unit			
RH08-18		CH19	<b>Labrie:</b> Impac Round Body 30-Yd Commercial Side Loader		Per Unit			
RH08-18		CH20	<b>Labrie:</b> Impac Round Body 33-Yd Commercial Side Loader		Per Unit			
RH08-18		CH21	<b>Labrie:</b> Automizer Right Hand Series 20-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 2-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH22	<b>Labrie:</b> Automizer Right Hand Series 22-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 2-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH23	<b>Labrie:</b> Automizer Right Hand Series 24- yd Straight Frame Automated Side Loader		Per Unit			
RH08-18		CH24	<b>Labrie:</b> Automizer Right Hand Series 27-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach 3-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH25	<b>Labrie:</b> Automizer Right Hand Series 29-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH26	<b>Labrie:</b> Automizer Right Hand Series 31-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH27	<b>Labrie:</b> Automizer Right Hand Series, 33-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options pricing: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH28	<b>Labrie:</b> Automizer Right Hand Series, 35-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options pricing: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH29	<b>Labrie:</b> Automizer Right Hand Series, 37-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options pricing: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)		Per Unit			
RH08-18		CH30	<b>Labrie:</b> AGR Series Right Hand Arm 20-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH31	<b>Labrie:</b> AGR Series Right Hand Arm 22-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH32	<b>Labrie:</b> AGR Series Right Hand Arm 27-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH33	<b>Labrie:</b> AGR Series Right Hand Arm 29-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH34	<b>Labrie:</b> AGR Series Right Hand Arm 31-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH35	<b>Labrie:</b> AGR Series Right Hand Arm 33-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH36	<b>Labrie:</b> AGR Series Right Hand Arm 35-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH37	<b>Labrie:</b> AGR Series Right Hand Arm 37-Yd Straight Frame Side Loader		Per Unit			
RH08-18		CH38	<b>Labrie:</b> Expert Series 15-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration		Per Unit			
RH08-18		CH39	<b>Labrie:</b> Expert Series 17-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration		Per Unit			
RH08-18		CH40	<b>Labrie:</b> Expert Series 20-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration		Per Unit			
RH08-18		CH41	<b>Labrie:</b> Expert Series 22-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration		Per Unit			
RH08-18		CH42	<b>Labrie:</b> Expert Series 24-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration		Per Unit			
RH08-18		CH43	<b>Labrie:</b> Expert Series 31-Yd Flat Tailgate, Drop-Frame, Semi-Auto/Auto Side Loader, 3-Axle Configuration		Per Unit			
RH08-18		CH44	<b>Labrie:</b> Expert Series 31-Yd Drop-Frame Semi-Auto/Auto Side Loader, 3-Axle Configuration		Per Unit			
RH08-18		CH45	<b>Labrie:</b> Expert Series 27-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle configuration		Per Unit			
RH08-18		CH46	<b>Labrie:</b> Expert Series 29-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration		Per Unit			
RH08-18		CH47	<b>Labrie:</b> Expert Series 31-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration		Per Unit			
RH08-18		CH48	<b>Labrie:</b> Expert Series 33-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration		Per Unit			
RH08-18		CH49	<b>Labrie:</b> Expert Series 35Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration		Per Unit			
RH08-18		CH50	<b>Labrie:</b> Expert Series 37-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration		Per Unit			
RH08-18		CH51	<b>Labrie:</b> Expert Comingle Series 17-Yd, Drop-Frame Semi-AutoSide Loader, 2-Axle Configuration		Per Unit			
RH08-18		CH52	<b>Labrie:</b> Expert Comingle Series 22-Yd, Drop-Frame Semi-AutoSide Loader, 2-Axle Configuration		Per Unit			

RH08-18		CH53	<b>Labrie:</b> Expert Comingle Series 24-Yd, Drop-Frame Semi-Auto Side Loader, 2-Axle Configuration	Per Unit				
RH08-18		CH54	<b>Labrie:</b> Expert Comingle Series 29-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle Configuration	Per Unit				
RH08-18		CH55	<b>Labrie:</b> Expert -Comingle Series 31-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle configuration	Per Unit				
RH08-18		CH56	<b>Labrie:</b> Expert -Comingle Series 33-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle configuration	Per Unit				
RH08-18		CH57	<b>Labrie:</b> Expert -Comingle Series 35-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle	Per Unit				
RH08-18		CH58	<b>Labrie:</b> Expert -Comingle Series 37-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle	Per Unit				
RH08-18		CI01	<b>Loadmaster:</b> Eclipse Automated Side Loader; 16-Yd	Per Unit				
RH08-18		CI02	<b>Loadmaster:</b> Eclipse Automated Side Loader; 20-Yd	Per Unit				
RH08-18		CI03	<b>Loadmaster:</b> Eclipse Automated Side Loader; 25-Yd	Per Unit				
RH08-18		CI04	<b>Loadmaster:</b> Eclipse Automated Side Loader; 28-Yd	Per Unit				
RH08-18		CI05	<b>Loadmaster:</b> Eclipse Automated Side Loader; 31-Yd	Per Unit				
RH08-18		CI06	<b>Loadmaster:</b> Eclipse Automated Side Loader; 34-Yd	Per Unit				
RH08-18		CJ01	<b>McNeilus:</b> 20-Yd, Manual Automated Side Loader (Drop Frame)	Per Unit				
RH08-18		CJ02	<b>McNeilus:</b> 22-Yd, Manual Automated Side Loader (Drop Frame)	Per Unit				
RH08-18		CJ03	<b>McNeilus:</b> 26-Yd, Manual Automated Side Loader (Drop Frame)	Per Unit				
RH08-18		CJ04	<b>McNeilus:</b> 28-Yd, Manual Automated Side Loader (Drop Frame)	Per Unit				
RH08-18		CJ05	<b>McNeilus:</b> 31-Yd, Manual Automated Side Loader (Drop Frame)	Per Unit				
RH08-18		CJ06	<b>McNeilus:</b> 20-Yd Manual Side Loader, Drop Frame, No Arm, Tipper Only	Per Unit				
RH08-18		CJ07	<b>McNeilus:</b> 22-Yd Manual Side Loader, Drop Frame, No Arm, Tipper Only	Per Unit				
RH08-18		CJ08	<b>McNeilus:</b> 26-Yd Manual Side Loader, Drop Frame, No Arm, Tipper Only	Per Unit				
RH08-18		CJ09	<b>McNeilus:</b> 28-Yd Manual Side Loader, Drop Frame, No Arm, Tipper Only	Per Unit				
RH08-18		CJ10	<b>McNeilus:</b> 31-Yd Manual Side Loader, Drop Frame, No Arm, Tipper Only	Per Unit				
RH08-18		CJ11	<b>McNeilus:</b> Auto Reach 20 Yd Automated Side Loader	Per Unit				
RH08-18		CJ12	<b>McNeilus:</b> Auto Reach 22 Yd Automated Side Loader	Per Unit				
RH08-18		CJ13	<b>McNeilus:</b> Auto Reach 24 Yd Automated Side Loader	Per Unit				
RH08-18		CJ14	<b>McNeilus:</b> Auto Reach 26 Yd Automated Side Loader	Per Unit				
RH08-18		CJ15	<b>McNeilus:</b> Auto Reach 28 Yd Automated Side Loader	Per Unit				
RH08-18		CJ16	<b>McNeilus:</b> Auto Reach 31 Yd Automated Side Loader	Per Unit				
RH08-18		CJ17	<b>McNeilus:</b> ZR 20 Yd Automated Side Loader	Per Unit				
RH08-18		CJ18	<b>McNeilus:</b> ZR 22 Yd Automated Side Loader	Per Unit				
RH08-18		CJ19	<b>McNeilus:</b> ZR 24 Yd Automated Side Loader	Per Unit				
RH08-18		CJ20	<b>McNeilus:</b> ZR 26 Yd Automated Side Loader	Per Unit				
RH08-18		CJ21	<b>McNeilus:</b> ZR 28 Yd Automated Side Loader	Per Unit				
RH08-18		CJ22	<b>McNeilus:</b> ZR 31 Yd Automated Side Loader	Per Unit				
RH08-18		CK01	<b>New Way:</b> Mamba HB600, 6-Yd High Compaction Side Loader, Fixed Body Configuration	Per Unit				
RH08-18		CK02	<b>New Way:</b> Mamba HB600, 6-Yd High Compaction Side Loader, Satellite Temporary Transfer Loader Configuration	Per Unit				
RH08-18		CK03	<b>New Way:</b> Mamba HB800, 8-Yd High Compaction Side Loader, Fixed Body	Per Unit				
RH08-18		CK04	<b>New Way:</b> Mamba HB800, 8-Yd High Compaction Side Loader, Satellite Temporary Transfer Loader Configuration	Per Unit				
RH08-18		CK05	<b>New Way:</b> Mamba HB1000, 10-Yd High Compaction Side Loader, Fixed Body Configuration	Per Unit				
RH08-18		CK06	<b>New Way:</b> Mamba HB1000, 10-Yd High Compaction Side Loader, Satellite Temporary Transfer Loader Configuration	Per Unit				
RH08-18		CK07	<b>New Way:</b> Sidewinder XTR, 20-Yd High Compaction Automated Side Loader	Per Unit				
RH08-18		CK08	<b>New Way:</b> Sidewinder XTR, 22-Yd High Compaction Automated Side Loader	Per Unit				
RH08-18		CK09	<b>New Way:</b> Sidewinder XTR, 24-Yd High Compaction Automated Side Loader	Per Unit				
RH08-18		CK10	<b>New Way:</b> Sidewinder XTR 29-Yd High Compaction Automated Side Loader	Per Unit				
RH08-18		CK11	<b>New Way:</b> Sidewinder XTR 31-Yd High Compaction Automated Side Loader	Per Unit				
RH08-18		CK12	<b>New Way:</b> Sidewinder XTR 33 -Yd High Compaction Automated Side Loader	Per Unit				
RH08-18		CK13	<b>New Way:</b> Model 14 CU YD Roto Pac Automated Side Loader	Per Unit				
RH08-18		CK14	<b>New Way:</b> Model 20 CU YD Roto Pac Automated Side Loader	Per Unit				
RH08-18		CK15	<b>New Way:</b> Model 25 CU YD Roto Pac Automated Side Loader	Per Unit				
RH08-18		CK16	<b>New Way:</b> Model 27 CU YD Roto Pac Automated Side Loader	Per Unit				
RH08-18		CL01	<b>Pak-Mor:</b> HLR24: 24-Yd, Mid Compaction Commercial Side Loader	Per Unit				
RH08-18		CL02	<b>Pak-Mor:</b> HLR29: 29-Yd, Mid Compaction Commercial Side Loader	Per Unit				
RH08-18		CL03	<b>Pak-Mor:</b> HLR33: 33-Yd, Mid Compaction Commercial Side Loader	Per Unit				
RH08-18		CM01	<b>Wayne (Curbtender):</b> Powerpack Series: 16-Yd Automated Side Loader	Per Unit				
RH08-18		CM02	<b>Wayne (Curbtender):</b> Powerpack Series: 20-Yd Automated Side Loader	Per Unit				
RH08-18		CM03	<b>Wayne (Curbtender):</b> Powerpack Series: 24-Yd Automated Side Loader	Per Unit				
RH08-18		CM04	<b>Wayne (Curbtender):</b> Powerpack Series: 27-Yd Automated Side Loader	Per Unit				
RH08-18		CM05	<b>Wayne (Curbtender):</b> Powerpack Series: 31-Yd Automated Side Loader	Per Unit				
RH08-18		CM06	<b>Wayne (Curbtender):</b> Autocat Series 10 -Yd Mid-Sized Automated Side Loader	Per Unit				
RH08-18		CM07	<b>Wayne (Curbtender):</b> Autocat Series 12 -Yd Mid-Sized Automated Side Loader	Per Unit				
RH08-18		CM08	<b>Wayne (Curbtender):</b> Autocat Series 14 -Yd Mid-Sized Automated Side Loader	Per Unit				
RH08-18		CM09	<b>Wayne (Curbtender):</b> Autocat Series 18 -Yd Mid-Sized Automated Side Loader	Per Unit				

**D: Recycling Bodies**

RH08-18		DA01	<b>Bridgeport:</b> Ranger One Stop ASL, Automated Side Loader, 35-Yd; 50/50 Configuration;		Per Unit			
RH08-18		DA02	<b>Bridgeport:</b> Ranger One Stop ASL, Automated Side Loader, 35-Yd; 60/40 Configuration;		Per Unit			
RH08-18		DB01	<b>DaDee Manufacturing:</b> Scorpion Automated Side Loader: 35-Yd, Recycle Body Only - Four Axle Chassis Design		Per Unit			
RH08-18		DC01	<b>GS Products:</b> GS5035: 35-Yd, Dual Side, Top Loading Recycling Body; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC02	<b>GS Products:</b> GS5038S: 38-Yd, Single Side, Top Loading Recycling Body; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC03	<b>GS Products:</b> GS5038D: 38-Yd, Dual Side, Top Loading Recycling Body; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC04	<b>GS Products:</b> GS5042S: 42-Yd, Single Side, Top Loading Recycling Body; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC05	<b>GS Products:</b> GS5735D: 35-Yd, Dual Side, Top Loading Recycling Body; hydraulic body divider; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC06	<b>GS Products:</b> GS5738S: 38-Yd, Single Side, Top Loading Recycling Body with hydraulic body divider; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC07	<b>GS Products:</b> GS5738D: 38-Yd, Dual Side, Top Loading Recycling Body; hydraulic body divider; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC08	<b>GS Products:</b> GS5742S: 42-Yd, Single Side, Top Loading Recycling Body; hydraulic body divider; 2-compartment; 2-axle configuration.		Per Unit			
RH08-18		DC09	<b>GS Products:</b> GS5744D: 44-Yd, Dual Side, Top Loading Recycling Body; hydraulic body divider; 2-compartment; 3-axle configuration.		Per Unit			
RH08-18		DC10	<b>GS Products:</b> GS5750S: 50-Yd, Single Side, Top Loading Recycling Body; hydraulic body divider; 2-compartment; 3-axle configuration.		Per Unit			
RH08-18		DD01	<b>Heil: Formula 4060:</b> 25-yd, Split Body, Dual Compartment, 40-60 Rear Loader-Recycler		Per Unit			
RH08-18		DE01	<b>Kann:</b> Curb Sorter Series, Trough Loader: 4-Container Trough Side Dump Recycler; Bin Configuration: 5 Yd, 7 Yd, 8 Yd, 8.7 Yd (28.7 Yd total) (Offeror Shall include with Form-E options: differential pricing for additional capacities in the 4-bin configuration, as well as 2 and 3-section bin configurations, and cardboard and plastic compactor upgrades)		Per Unit			
RH08-18		DE02	<b>Kann:</b> Curb Sorter Series, Side Dump: 5-Container Manual Load Side Dump Recycler; Curb and Street Side Loading; Bin Configuration: 4 Yd, 4.2 Yd, 6.5 Yd, 6.5 Yd, 7.6 Yd (28.8 Yd total) (Offeror Shall include with Form-E options: differential pricing for additional capacities in the 5-bin configuration, as well as 2 and 3-section bin configurations, and cardboard and plastic compactor upgrades)		Per Unit			
RH08-18		DE03	<b>Kann:</b> Curb Sorter Series, Up and Over Full Length Trough Recycler; 35-Yd Single Side; 2-Yd Tailgate (Offeror Shall include with Form-E options: differential pricing for 4-Yd tailgate versions)		Per Unit			
RH08-18		DE04	<b>Kann:</b> Curb Sorter Series, Up and Over Full Length Trough Recycler; 35-Yd Dual Side; 2-Yd Tailgate (Offeror Shall include with Form-E options: differential pricing for 4-Yd tailgate versions)		Per Unit			
RH08-18		DE05	<b>Kann:</b> Curb Sorter Series, Versahaul: Hardtop Manual Loading, Curb and Street; Hopper: 20' (Offeror Shall include with Form-E options: differential pricing for as well as cardboard and plastic compactor versions, as well as open top versions)		Per Unit			
RH08-18		DF01	<b>Labrie:</b> Top Select 1000 Series: 35-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration		Per Unit			
RH08-18		DF02	<b>Labrie:</b> Top Select 1000 Series: 42-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration		Per Unit			
RH08-18		DF03	<b>Labrie:</b> Top Select 1000 Series: 44-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration		Per Unit			
RH08-18		DF04	<b>Labrie:</b> Top Select 1000 Series: 48-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration		Per Unit			
RH08-18		DF05	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 31-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 2-Axle Configuration		Per Unit			
RH08-18		DF06	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 38-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 2-Axle Configuration		Per Unit			
RH08-18		DF07	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 39-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 3-Axle Configuration		Per Unit			
RH08-18		DF08	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 42-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 3-Axle Configuration		Per Unit			
RH08-18		DF09	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 46-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 3-Axle Configuration		Per Unit			
RH08-18		DG01	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, Moveable Partition, 20-Yd		Per Unit			
RH08-18		DG02	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, Moveable Partition, 25-Yd		Per Unit			
RH08-18		DG03	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, Moveable Partition, 27-Yd		Per Unit			
RH08-18		DG04	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, Moveable Partition, 33-Yd		Per Unit			



RH08-18		DG05	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, Moveable Partition, 16-Yd	Per Unit			
RH08-18		DG06	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, Moveable Partition, 18-Yd	Per Unit			
RH08-18		DG07	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, Moveable Partition, 20-Yd	Per Unit			
RH08-18		DG08	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, Moveable Partition, 25-Yd	Per Unit			
RH08-18		DH01	<b>Pak-Mor:</b> RDG120B: 6-Yd/11-Yd Dual Chamber Rear Loader Recycler Body	Per Unit			
RH08-18		DH02	<b>Pak-Mor:</b> RDG125B: 9-Yd/14-Yd Dual Chamber Rear Loader Recycler Body	Per Unit			
RH08-18		DH03	<b>Pak-Mor:</b> RDG130B: 11-Yd/16-Yd Dual Chamber Rear Loader Recycler Body	Per Unit			
<b>E: Bulk Waste Grapples</b>							
RH08-18		EA01	<b>Epsilon (Palfinger):</b> Model M13A71: Solid Waste/Tree Service Grapple: 23'5" Fixed Boom; 9650-lb Lift Capacity @ 10' / 4520-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame	Per Unit			
RH08-18		EA02	<b>Epsilon (Palfinger):</b> Model M13A80: Solid Waste/Tree Service Grapple: 26'5" Telescoping Boom; 9260-lb Lift Capacity @ 10' / 4410-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	Per Unit			
RH08-18		EA03	<b>Epsilon (Palfinger):</b> Model M13A88: Solid Waste/Tree Service Grapple: 28'10" Fixed Boom; 9350-lb Lift Capacity @ 10' / 4500-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame	Per Unit			
RH08-18		EA04	<b>Epsilon (Palfinger):</b> Model M13A89: Solid Waste / Tree Service Grapple 29'3 Telescoping Boom; 8990-lb Lift Capacity @ 10' / 4320-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	Per Unit			
RH08-18		EA05	<b>Epsilon (Palfinger):</b> Model M13A98: Solid Waste / Tree Service Grapple: 32'0" Telescoping Boom: 9150-lb Lift Capacity @ 10' / 4360-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	Per Unit			
RH08-18		EA06	<b>Epsilon (Palfinger):</b> Model M100L72: Solid Waste / Tree Service Grapple: 23' 6" boom; 7330-lb Lift Capacity @ 10' / 3590-lb Lift Capacity @ 20'; Dual stand up controls; Out & Down Outriggers	Per Unit			
RH08-18		EA07	<b>Epsilon (Palfinger):</b> Model M100L80: Solid Waste / Tree Service Grapple: 26' 2" boom; 7000-lb Lift Capacity @ 10' / 2750-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA08	<b>Epsilon (Palfinger):</b> Model M110L80: Solid Waste / Tree Service Grapple: 26' 2" boom; 7810-lb Lift Capacity @ 10' / 3010-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA09	<b>Epsilon (Palfinger):</b> Model M110L98: Solid Waste / Tree Service Grapple: 31' 9" boom; 7460-lb Lift Capacity @ 10' / 2340-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA10	<b>Epsilon (Palfinger):</b> Model M110Z78: Solid Waste / Tree Service Grapple: 25' 6" boom; 7290-lb Lift Capacity @ 10' / 2850-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA11	<b>Epsilon (Palfinger):</b> Model M110Z84TI: Solid Waste / Tree Service Grapple: 27' 8" boom; 7270-lb Lift Capacity @ 10' / 2720-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA12	<b>Epsilon (Palfinger):</b> Model M110Z96: Solid Waste / Tree Service Grapple: 31' 4" boom; 7000-lb Lift Capacity @ 10' / 2160-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA13	<b>Epsilon (Palfinger):</b> Model Q150L80: Solid Waste / Tree Service Grapple: 26' 1" boom; 10200-lb Lift Capacity @ 10' / 3970-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA14	<b>Epsilon (Palfinger):</b> Model Q150L97: Solid Waste / Tree Service Grapple: 31' 8" boom; 9830-lb Lift Capacity @ 10' / 3160-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA15	<b>Epsilon (Palfinger):</b> Model Q150Z79: Solid Waste / Tree Service Grapple: 25' 11" boom; 10400-lb Lift Capacity @ 10' / 4130-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA16	<b>Epsilon (Palfinger):</b> Model Q150Z84TI: Solid Waste / Tree Service Grapple: 27' 8" boom; 10100-lb Lift Capacity @ 10' / 3590-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EA17	<b>Epsilon (Palfinger):</b> Model Q150Z96: Solid Waste / Tree Service Grapple: 31' 6" boom; 10100-lb Lift Capacity @ 10' / 3180-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	Per Unit			
RH08-18		EB01	<b>Lemco:</b> Model 7000: 20'6" BOOM, 550 degree swing; max lift capacity: 7000-lb				
RH08-18		EC01	<b>Pac-Mac:</b> KBF-2: 20-Yd Bulk Trash Grapple Loader Body	Per Unit			
RH08-18		EC02	<b>Pac-Mac:</b> KBF-18H: 25-Yd Bulk Trash Grapple Loader Body	Per Unit			
RH08-18		EC03	<b>Pac-Mac:</b> KBF-20H: 24-Yd Bulk Trash Grapple Loader Body	Per Unit			
RH08-18		EC04	<b>Pac-Mac:</b> KBF-20H: 25-Yd Bulk Trash Grapple Loader Body	Per Unit			
RH08-18		EC05	<b>Pac-Mac:</b> KBF-20H: 30-Yd Bulk Trash Grapple Loader Body	Per Unit			
RH08-18		EC06	<b>Pac-Mac:</b> KBF-20H-RO-CN Bulk Trash Grapple Loader Roll-Off Application	Per Unit			

RH08-18		EC07	<b>Pac-Mac:</b> KBF-222A: Bulk Trash Grapple; 22-Ft, Forward Chassis-Mounted Fixed Boom (Side Retrieval)	Per Unit			
RH08-18		EC08	<b>Pac-Mac:</b> KBF-225A: Bulk Trash Grapple; 25-Ft	Per Unit			
RH08-18		EC09	<b>Pac-Mac:</b> SKBR-20H-F: Bulk Trash Grapple Loader For Shuttle Applications With Trailer; 20-Ft; Rear Chassis-Mounted Fixed Boom (Side Retrieval)	Per Unit			
RH08-18		EC10	<b>Pac-Mac:</b> SKBR-222H-R: Bulk Trash Grapple Loader For Shuttle Applications With Trailer; 22-Ft, Fixed Boom Rear Chassis-Mounted Fixed Boom (Side Retrieval)	Per Unit			
RH08-18		ED01	<b>Palfinger/American Hawk:</b> Model 1150TL Bulk Waste Crane: Stand-Up Operation Trash Grapple Crane Unit; Work platform; 70,000 ft-lb. capacity; A-Outriggers; 18-22 ft. Telescopic Boom; 48 in. Grapple w/ continuous rotation	Per Unit			
RH08-18		ED02	<b>Palfinger/American Hawk</b> Bulk Waste Crane: Model 1150TL: Top seat operation; 70,000 ft-lb. capacity; A-Outriggers; 18-22 ft. Telescopic Boom; 48 in. Grapple w/ continuous rotation; Folding Top Seat w/ Controls.	Per Unit			
RH08-18		EE01	<b>Petersen:</b> AL-1 Atlas Bulk Trash Grapple: load capacity: 9,435-lb; 21' boom with 4' extension; fully proportional pilot hydraulic joystick controls, with foot pedal swing; 40-yd Hardox dump body	Per Unit			
RH08-18		EE02	<b>Petersen:</b> AL-2 Atlas Bulk Waste Grapple: load capacity: 8500-lb, 22' fixed boom, dual walk-thru mechanical joysticks; 36-yd Hardox dump body	Per Unit			
RH08-18		EE03	<b>Petersen:</b> RS-3: Rear Steer Bulk Trash Grapple; separate haul truck applications; 20-ft telescoping, rear chassis-mounted boom; enclosed cab, with joystick and driving controls; 1725-lb lift capacity @ full extension over side / 8420-lb @ full extension over rear, on outriggers; suspension locks	Per Unit			
RH08-18		EE04	<b>Petersen: RL-3:</b> Bulk Trash Grapple; attached trailer/separate haul truck applications; 20-ft telescoping rear chassis-mounted boom; 1800-lb lift capacity @ full extension over side / 7100-lb @ 10-ft over rear; dual walk-thru mechanical controls	Per Unit			
RH08-18		EE05	<b>Petersen:</b> TL-3 24-Yd: Bulk Trash Grapple Loader Body; 20-ft telescoping, mid chassis-mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; 23-ton scissor hoist; dual walk-thru mechanical controls	Per Unit			
RH08-18		EE06	<b>Petersen:</b> TL-3 30-Yd: Bulk Trash Grapple Loader Body; 20-ft telescoping, mid chassis-mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; 23-ton scissor hoist; dual walk-thru mechanical controls	Per Unit			
RH08-18		EE07	<b>Petersen:</b> DL-3 40-Yd: High Volume Bulk Trash Grapple Loader Body; 20-ft telescoping, mid chassis-mounted boom; 3200-lb lift capacity @ full extension/7100-lb @ 10-ft; gravity dump; stationary top-mount mechanical joystick controls; 34-ton telescoping hoist	Per Unit			
RH08-18		EE08	<b>Petersen:</b> DL-3 45-Yd: High Volume Bulk Trash Grapple Loader Body; 20-ft telescoping, mid chassis-mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; stationary top mount mechanical joystick controls; 34-ton telescopic hoist	Per Unit			
RH08-18		EE09	<b>Petersen:</b> HL-3: 24-Yd Skid Mounted Bulk Trash Grapple Loader Body; existing hooklift truck mounting applications; 20-ft telescoping boom; forward hopper-body mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; telescopic hoist; dual walk-thru mechanical controls	Per Unit			
RH08-18		EE10	<b>Petersen:</b> PL-3: 24-Yd Skid Mounted Bulk Trash Grapple Loader Body; rolloff truck mounting applications; 20-ft telescoping forward hopper body-mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; gravity dump using rolloff hoist; dual-walk thru mechanical controls	Per Unit			
RH08-18		EE11	<b>Petersen:</b> BL-3: Bulk Trash Grapple; Existing Rolloff Container Applications; 20-ft telescoping, mid-chassis mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; dual walk-thru mechanical controls	Per Unit			

**F: Hoists: Roll-Off Container Cable Hoists, Hook Hoists**

RH08-18		FA01	<b>Amrep:</b> AMRO-H-22/24: 60,000 lb. Capacity Roll-Off Hoist (Bidder shall include with Form-E options pricing: upgrades for Rail Type, Stinger, Tarping options, etc.)	Per Unit			
RH08-18		FB01	<b>Galfab (Wastebuilt):</b> Model AL160-2000 Tandem Axle Hook Hoist: 60000# Capacity, 61 3/4" Hook Height, 19'-24' Container Lengths	Per Unit			
RH08-18		FB02	<b>Galfab (Wastebuilt):</b> Model SR 2240 Roll-Off Pup Trailer: 40000# GVWR, Up to 22' containers, Roll-Off Pup Trailer	Per Unit			
RH08-18		FB03	<b>Galfab (Wastebuilt):</b> Model TR 2450 Roll-Off Pup Trailer: 50000# GVWR, Up to 24' containers, Roll-Off Pup Trailer	Per Unit			
RH08-18		FB04	<b>Galfab (Wastebuilt):</b> Model HH 50174 S074.5 Roll-Off Hoist: 50000# Capacity, Dead Lift, 47-Degree Dump	Per Unit			
RH08-18		FB05	<b>Galfab (Wastebuilt):</b> Model OR-60174 T121 Roll-Off Hoist: 60000# Capacity, Outside Rail, 48-Degree Dump	Per Unit			
RH08-18		FB06	<b>Galfab (Wastebuilt):</b> Model IO 60174 S074.5 Roll-Off Hoist: 60000# Capacity, Inside/Outside Rail, 47-Degree Dump	Per Unit			
RH08-18		FB07	<b>Galfab (Wastebuilt):</b> Model EX 60174 S074.5 Roll-Off Hoist: 60000# Capacity, Extendable Tail, 48-Degree Dump	Per Unit			
RH08-18		FB08	<b>Galfab (Wastebuilt):</b> Model OX 60174 S074.5 Roll-Off Hoist: 60000# Capacity, Short Extendable Tail, 48-Degree Dump	Per Unit			

RH08-18		FB09	<b>Galfab (Wastebuilt):</b> Model AF60174S069 Roll-Off Hoist: 60000# Capacity, Heavy Duty Above Frame Hoist, 50-Degree Dump	Per Unit			
RH08-18		FB10	<b>Galfab (Wastebuilt):</b> Model NEX 60174 T121 Roll-Off Hoist: 60000# Capacity, Heavy Duty Extendable Tail, 48-Degree Dump	Per Unit			
RH08-18		FB11	<b>Galfab (Wastebuilt):</b> Model OR-75174 T121 Roll-Off Hoist: 75000# Capacity, Outside Rail, 48-Degree Dump	Per Unit			
RH08-18		FB12	<b>Galfab (Wastebuilt):</b> Model NOR 75174 T121 Roll-Off Hoist: 75000# Capacity, Heavy Duty Outside Rail, 48-Degree Dump	Per Unit			
RH08-18		FC01	<b>Galbreath:</b> U5-OR-174 cable hoist: 60,000# capacity; container capacity: 22'	Per Unit			
RH08-18		FD01	<b>Palfinger/American Roll-Off:</b> Model #ACC-80 Front Container Carrier: 8,000 lb. Capacity (2 -10 Cu. Yd.); Tubular Frame & Subframe; Bolt on 1 1/2" x 48" Heated Forks; Inside & Outside Controls; Fenders (60" minimum CA; GVWR -16,000 to 24,000 lb.)	Per Unit			
RH08-18		FD02	<b>Palfinger/American Roll-Off:</b> Model HAS-100-84-36 Hooklift: 10,000 lb. capacity, 36 1/4" Hook Height, Single Pivot, Low Dump, Dual Lift Cylinders, Inside/Outside Controls, Sliding Jib, Bumper, LED Lights, Fenders ( 10' to 12' Container Lengths ; 84" CA Required )	Per Unit			
RH08-18		FD03	<b>Palfinger/American Roll-Off:</b> Model ART-12-14-108 hoist: 12,000 lb. Capacity (10 to 14 ft. Containers) , Single Axle , 108" CA , Outside Rail , Subframe Mount , Frt. Container Locks , Outside Controls , Rear Bumper , Rear Manual Hold Down Winches, Integral Rear Roller, LED	Per Unit			
RH08-18		FD04	<b>Palfinger/American Roll-Off:</b> Model HAD-129-84-36 Hooklift: 12,000 lb. capacity, 36 1/4" Hook Height, Dual Pivot, High Dump, Dual Lift Cylinders, Inside/Outside Controls, Floating/Sliding, Jib, Bumper, LED Lights, Fenders ( 10' to 12' Container Lengths; 84" CA Required )	Per Unit			
RH08-18		FD05	<b>Palfinger/American Roll-Off:</b> Model T-12-S Hooklift: 12,000 lb. Capacity, 36 1/4" Hook Height, Single Jib Cylinder , Safety Latch on Jib Hook, Dual Lift Cylinders with Dual Counterbalance valves, Inside Controls, LED Lights, Fenders ( 10' to 12' Container Length; 084" CA Required )	Per Unit			
RH08-18		FD06	<b>Palfinger/American Roll-Off:</b> Model HAS-150-108-36 Hooklift: 15,000 lb. capacity, 36 1/4" Hook Height, Single Pivot, Low Dump, Dual Lift Cylinders, Inside/Outside Controls, Sliding Jib, Bumper, LED Lights, Fenders ( 12' to 14' Container Lengths; 108" to 120" CA required )	Per Unit			
RH08-18		FD07	<b>Palfinger/American Roll-Off:</b> Model HAD-185-120-36 Hooklift: 18,500 lb. Capacity, 36 1/4" Hook Height, Dual Pivot, High Dump, Dual Lift Cylinders, Inside/Outside Controls, Floating/Sliding Jib, Bumper, LED Lights, Fenders ( 12' to 14' Container Lengths; 108" to 120" CA	Per Unit			
RH08-18		FD08	<b>Palfinger/American Roll-Off:</b> Model HAD-185-120-54 Hooklift: 18,500 lb. Capacity, 54" Hook Height, Dual Pivot, High Dump, Dual Lift Cylinders, Inside/Outside Controls, Floating/Sliding Jib, Bumper, LED Lights, Fenders ( 12' to 14' Container Lengths; 108" to 120" CA Required )	Per Unit			
RH08-18		FD09	<b>Palfinger/American Roll-Off:</b> Model ART-20-16-120 hoist: 20,000 lb. Capacity ( 12 to 16 ft Containers) , Single Axle , 120" CA , Outside Rail , Subframe Mount , Frt. Container Locks , Outside Controls , Rear Bumper , Rear Manual Hold Down Winches , Integral Rear Roller , LED	Per Unit			
RH08-18		FD10	<b>Palfinger/American Roll-Off:</b> Model HAS-200-130-54 Hooklift: 20,000 lb. capacity, 54" Hook Height, Single Pivot, Low Dump, Dual Lift Cylinders, Inside/Outside Controls, Sliding Jib, Bumper, LED Lights, Fenders ( 14' to 16' Container Lengths; 120" to 130" CA Required )	Per Unit			
RH08-18		FD11	<b>Palfinger/American Roll-Off:</b> Model HAD-200-120-54 Hooklift: 20,000 lb. Capacity, 54" Hook Height, Dual Pivot, High Dump, Dual Lift Cylinders, Inside/Outside Controls, Floating/Sliding Jib, Bumper, LED Lights, Fenders ( 12' to 14' Container Lengths; 108" to 120" CA Required )	Per Unit			
RH08-18		FD12	<b>Palfinger/American Roll-Off:</b> Model T-24-S Hooklift: 24,000 lb. Capacity, 54" Hook Height, Single Jib Cylinder , Dual Lift Cylinders with Dual Counterbalance valves, Inside Controls, LED Lights, Fenders ( 11' to 14' Container Lengths; 110" to 120" CA Required )	Per Unit			
RH08-18		FD13	<b>Palfinger/American Roll-Off:</b> Model HAD-250-140-54 Hooklift: 25,000 lb. Capacity, 54" Hook Height, Dual Pivot, High Dump, Dual Lift Cylinders, Inside/Outside Controls, Floating/Sliding Jib, Bumper, LED Lights, Fenders ( 14' to 16' Container Lengths; 130" to 140" CA Required )	Per Unit			
RH08-18		FD14	<b>Palfinger/American Roll-Off:</b> Model ART-30-22 hoist: 30,000 lb. Capacity , Outside Rail , Subframe Mount , Frt. Container Locks , Outside Controls , ICC Bumper , Rear Hold Down Winches , Integral Rear Roller , LED Lights , Fenders	Per Unit			
RH08-18		FD15	<b>Palfinger/American Roll-Off:</b> Model HAD-300-140-61 Hooklift: 30,000 lb. Capacity, 61" Hook Height, Dual Pivot, High Dump, Dual Lift Cylinders, Inside/Outside Controls, Floating/Sliding Jib, Bumper, LED Lights, Fenders ( 14' to 16' Container Lengths; 130" to 140 " CT Required )	Per Unit			
RH08-18		FD16	<b>Palfinger/American Roll-Off:</b> Model T 50 Hooklift: 50,000 lb. Capacity, 54"/61-3/4" Hook Height, Dual Pivot, High Dump, Dual Lift Cylinders, Inside Controls, Formed "Z" Main Rail , Bumper, LED Lights, Fenders ( 16' to 22' Container Lengths; 185" to 195" CA Required)	Per Unit			
RH08-18		FD17	<b>Palfinger/American Roll-Off:</b> Model ARB-60-22 hoist: 60,000 lb. Capacity, Outside Rail, Subframe mount, Automatic Frt. Container Locks, Auto Folding ICC Bumper, Outside Controls, Rear Manual Hold Down Winches & Integral Rear Roller, LED Lights, Fenders	Per Unit			
RH08-18		FD18	<b>Palfinger/American Roll-Off:</b> Model ARD-60-22 hoist: 60,000 lb. Capacity, Outside Rail, <u>No Subframe Mount</u> , Automatic Frt. Container Locks, Auto Folding ICC Bumper, Outside Controls, Rear Manual Hold Down Winches & Integral Rear Roller, LED Lights, Fenders	Per Unit			

RH08-18		FD19	<b>Palfinger/American Roll-Off:</b> Model ART-60-22 hoist: 60,000 lb. Capacity , Outside Rail ,Subframe Mount , Automatic frt. Container Locks , Auto Folding ICC Bumper , Outside Controls , Rear Manual Hold Down Winches , Integral Rear Roller , LED Lights, Fenders	Per Unit			
RH08-18		FD20	<b>Palfinger/American Roll-Off:</b> Model ARD-75-22 hoist: 75,000 lb. Capacity, Outside Rail, No Subframe mount, Automatic Frt. Container Locks, Auto Folding ICC Bumper, Outside Controls, Rear Manual Hold Down Winches & Integral Rear Roller, LED Lights, Fenders	Per Unit			
RH08-18		FD21	<b>Palfinger/American Roll-Off:</b> Model ARH-75-22 hoist: 75,000 lb. Capacity, Outside Rail, Subframe mount, Automatic Frt. Container Locks, Auto Folding ICC Bumper, Outside Controls, Rear Manual Hold Down Winches & Integral Rear Roller, LED Lights, Fenders	Per Unit			
RH08-18		FE01	<b>Roll Offs USA:</b> Model HO6022 Roll Off Hoist: 60,000# Capacity, Outside Rail,50 Degree Dump	Per Unit			
RH08-18		FE02	<b>Roll Offs USA:</b> Model HO7522 Roll Off Hoist: 75,000# Capacity, Outside Rail,50 Degree Dump	Per Unit			
RH08-18		FF01	<b>Swaploader:</b> Model SL-180 Hooklift: 18,000# capacity	Per Unit			
RH08-18		FF02	<b>Swaploader:</b> Model SL-2418 Hook lift: 24,000# capacity	Per Unit			
RH08-18		FF03	<b>Swaploader:</b> Model SL-330 Hooklift hoist: 33,000# capacity	Per Unit			
RH08-18		FF04	<b>Swaploader:</b> Model SL-412 Hooklift hoist: 40,000# capacity	Per Unit			
RH08-18		FF05	<b>Swaploader:</b> Model SL-545 Hooklift hoist: 54,000# capacity	Per Unit			
RH08-18		FF06	<b>Swaploader:</b> Model SL-650 Hoklift hoist: 65,000# capacit	Per Unit			
<b>G: Steel Containers: Roll-Off, Side/Front/Rear-Load</b>							
RH08-18		GA01	<b>Galfab (Wastebuilt):</b> Model 10, 10-Yd Open top Roll-Off	Per Unit			
RH08-18		GA02	<b>Galfab (Wastebuilt):</b> Model 12, 12-Yd Open top Roll-Off	Per Unit			
RH08-18		GA03	<b>Galfab (Wastebuilt):</b> Model 15, 15-Yd Open top Roll-Off	Per Unit			
RH08-18		GA04	<b>Galfab (Wastebuilt):</b> Model 20, 20-Yd Open top Roll-Off	Per Unit			
RH08-18		GA05	<b>Galfab (Wastebuilt):</b> Model 30, 30-Yd Open top Roll-Off	Per Unit			
RH08-18		GA06	<b>Galfab (Wastebuilt):</b> Model 40, 40-Yd Open top Roll-Off	Per Unit			
RH08-18		GA07	<b>Galfab (Wastebuilt):</b> Model 50, 50-Yd Open top Roll-Off	Per Unit			
RH08-18		GA08	<b>Galfab (Wastebuilt):</b> Model 20, 20-Yd Roll-Off, Water Tight, Gasketed Sealed Door	Per Unit			
RH08-18		GA09	<b>Galfab (Wastebuilt):</b> Model 25, 25-Yd Roll-Off, Water Tight, Gasketed Sealed Door	Per Unit			
RH08-18		GA10	<b>Galfab (Wastebuilt):</b> Model 30, 30-Yd Roll-Off, Water Tight, Gasketed Sealed Door	Per Unit			
RH08-18		GA11	<b>Galfab (Wastebuilt):</b> Model CWBOX-3: 3-Yd Concrete Washout Box, Water Tight, Gasketed Sealed Door	Per Unit			
RH08-18		GA12	<b>Galfab (Wastebuilt):</b> Model CWBOX-4: 4-Yd Concrete Washout Box, Water Tight, Gasketed Sealed Door	Per Unit			
RH08-18		GA13	<b>Galfab (Wastebuilt):</b> Model OPB 2290: 40-Yd Octagon Compaction Receiver	Per Unit			
RH08-18		GA14	<b>Galfab (Wastebuilt):</b> Model PB 2290: 40-Yd Rectangular Compaction Receiver	Per Unit			
RH08-18		GA15	<b>Galfab (Wastebuilt):</b> Model MP22OR: Machinery Platform, Flatbed Roll Off	Per Unit			
RH08-18		GA16	<b>Galfab (Wastebuilt):</b> Model RCA 1642: 20-Yd Recycle Roll-Off Box, 2 Sliding Doors Per Side	Per Unit			
RH08-18		GA17	<b>Galfab (Wastebuilt):</b> Model RCA 1842: 24-Yard Recycle Roll-Off Box, 2 Sliding Doors Per Side	Per Unit			
RH08-18		GA18	<b>Galfab (Wastebuilt):</b> Model RCA 2042: 28 Yard Recycle Roll-Off Box, 3 Sliding Doors Per Side	Per Unit			
RH08-18		GA19	<b>Galfab (Wastebuilt):</b> Model RCA 2242: 30-Yd Recycle Roll-Off Box, 3 Sliding Doors Per Side	Per Unit			
RH08-18		GA20	<b>Galfab (Wastebuilt):</b> Model FL1: 1-Yd Capacity Frontload; Plastic lids	Per Unit			
RH08-18		GA21	<b>Galfab (Wastebuilt):</b> Model FL1.5: 1.5-Yd Capacity Frontload; Plastic lids	Per Unit			
RH08-18		GA22	<b>Galfab (Wastebuilt):</b> Model FL2: 2-Yd Capacity Frontload; Plastic lids	Per Unit			
RH08-18		GA23	<b>Galfab (Wastebuilt):</b> Model FL3: 3-Yd Capacity Frontload; Plastic lids	Per Unit			
RH08-18		GA24	<b>Galfab (Wastebuilt):</b> Model FL4: 4-Yd Capacity Frontload; Plastic lids	Per Unit			
RH08-18		GA25	<b>Galfab (Wastebuilt):</b> Model FL6: 6-Yd Capacity Slant Frontload; Plastic lids	Per Unit			
RH08-18		GA26	<b>Galfab (Wastebuilt):</b> Model FL6 FT: 6-Yd Capacity Flat Top Frontload; Plastic lids	Per Unit			
RH08-18		GA27	<b>Galfab (Wastebuilt):</b> Model FL8: 8-Yd Capacity Slant Frontload; Plastic lids	Per Unit			
RH08-18		GA28	<b>Galfab (Wastebuilt):</b> Model FL8 FT: 8-Yd Capacity Flat Top Frontload; Plastic lids	Per Unit			
RH08-18		GA29	<b>Galfab (Wastebuilt):</b> Model FL10 FT: 10Yd Capacity Flat Top Frontload; Plastic lids	Per Unit			
RH08-18		GA30	<b>Galfab (Wastebuilt):</b> Model RL1: 1-Yd Capacity Rearload; plastic lids, set of 4 casters	Per Unit			
RH08-18		GA31	<b>Galfab (Wastebuilt):</b> Model RL1.5: 1.5-Yd Capacity Rearload; Plastic lids, set of 4 casters	Per Unit			
RH08-18		GA32	<b>Galfab (Wastebuilt):</b> Model RL2: 2-Yd Capacity Rearload; Plastic lids, set of 4 casters	Per Unit			
RH08-18		GA33	<b>Galfab (Wastebuilt):</b> Model RL3: 3-Yd Capacity Rearload; Plastic lids, set of 4 casters	Per Unit			
RH08-18		GA34	<b>Galfab (Wastebuilt):</b> Model RL4: 4-Yd Capacity Rearload; Plastic lids	Per Unit			
RH08-18		GA35	<b>Galfab (Wastebuilt):</b> Model RL6: 6-Yd Capacity Rearload; Plastic lids	Per Unit			
RH08-18		GA36	<b>Galfab (Wastebuilt):</b> Model RL8: 8-Yd Capacity Rearload; Plastic lids	Per Unit			
RH08-18		GA37	<b>Galfab (Wastebuilt):</b> Model 1.5SL: 1.5-Yd Side Load Container w/ 2 pc lid	Per Unit			
RH08-18		GA38	<b>Galfab (Wastebuilt):</b> Model 2SL: 2-Yd Side Load Container w/ 2 pc	Per Unit			
RH08-18		GA39	<b>Galfab (Wastebuilt):</b> Model 3SL: 3-Yd Side Load Container w/ 2 pc	Per Unit			
RH08-18		GA40	<b>Galfab (Wastebuilt):</b> Model 4SL: 4-Yd Side Load Container w/ 2 pc lid	Per Unit			
RH08-18		GA41	<b>Galfab (Wastebuilt):</b> Apartment/Stationary Mini Compactor Container: 2-Yard, Frontload	Per Unit			
RH08-18		GA42	<b>Galfab (Wastebuilt):</b> Apartment/Stationary Mini Compactor Container: 3-Yard Frontload	Per Unit			
RH08-18		GA43	<b>Galfab (Wastebuilt):</b> Apartment/Stationary Mini Compactor Container: 2-Yard Rearload	Per Unit			
RH08-18		GA44	<b>Galfab (Wastebuilt):</b> Apartment/Stationary Mini Compactor Container: 3-Yard Rearload	Per Unit			

RH08-18		GA45	<b>Galfab (Wastebuilt):</b> Model LD0.5: 1/2 Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	Per Unit			
RH08-18		GA46	<b>Galfab (Wastebuilt):</b> Model LD1.0: 1-Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	Per Unit			
RH08-18		GA47	<b>Galfab (Wastebuilt):</b> Model LD1.5: 1 1/2 Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	Per Unit			
RH08-18		GA48	<b>Galfab (Wastebuilt):</b> Model LD2.0: 2-Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	Per Unit			
RH08-18		GA49	<b>Galfab (Wastebuilt):</b> Model LD2.5: 2 1/2 Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	Per Unit			
RH08-18		GA50	<b>Galfab (Wastebuilt):</b> Model LD3.0: 3-Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	Per Unit			
RH08-18		GA51	<b>Galfab (Wastebuilt):</b> Model HD4.0: 4-Yd Rock-N-Dumper Self-Dumping Hopper, Heavy Duty	Per Unit			
RH08-18		GA52	<b>Galfab (Wastebuilt):</b> Model HD5.0: 5-Yd Rock-N-Dumper Self-Dumping Hopper, Heavy Duty	Per Unit			
RH08-18		GB01	<b>Roll Off USA:</b> Model ROC-10, 10-Yd Rectangle Roll Off	Per Unit			
RH08-18		GB02	<b>Roll Off USA:</b> Model ROC-12, 12-Yd Rectangle Roll Off	Per Unit			
RH08-18		GB03	<b>Roll Off USA:</b> Model ROC-15, 15-Yd Rectangle Roll Off	Per Unit			
RH08-18		GB04	<b>Roll Off USA:</b> Model ROC-20, 20-Yd Rectangle Roll Off	Per Unit			
RH08-18		GB05	<b>Roll Off USA:</b> Model ROC-30, 30-Yd Rectangle Roll Off	Per Unit			
RH08-18		GB06	<b>Roll Off USA:</b> Model ROC-40, 40-Yd Rectangle Roll Off	Per Unit			
RH08-18		GB07	<b>Roll Offs USA:</b> Model BT-10, 10-Yd Bath Tub Style Roll Off	Per Unit			
RH08-18		GB08	<b>Roll Offs USA:</b> Model BT-12, 12-Yd Bath Tub Style Roll Off	Per Unit			
RH08-18		GB09	<b>Roll Offs USA:</b> Model BT-15, 15-Yd Bath Tub Style Roll Off	Per Unit			
RH08-18		GB10	<b>Roll Offs USA:</b> Model BT-20, 20-Yd Bath Tub Style Roll Off	Per Unit			
RH08-18		GB11	<b>Roll Offs USA:</b> Model BT-30, 30-Yd Bath Tub Style Roll Off	Per Unit			
RH08-18		GB12	<b>Roll Offs USA:</b> Model BT-40, 40-Yd Bath Tub Style Roll Off	Per Unit			
RH08-18		GB13	<b>Roll Off USA:</b> Model FEL-2, 2-Yd Capacity, Front Load, Plastic Lids	Per Unit			
RH08-18		GB14	<b>Roll Off USA:</b> Model FEL-3, 3-Yd Capacity, Front Load, Plastic Lids	Per Unit			
RH08-18		GB15	<b>Roll Off USA:</b> Model FEL-4, 4-Yd Capacity, Front Load, Plastic Lids	Per Unit			
RH08-18		GB16	<b>Roll Off USA:</b> Model FEL-6, 6-Yd Capacity, Front Load, Plastic Lids	Per Unit			
RH08-18		GB17	<b>Roll Off USA:</b> Model FEL-8, 8-Yd Capacity, Front Load, Plastic Lids	Per Unit			
RH08-18		GB18	<b>Roll Off USA:</b> Model FEL-10, 10-Yd Capacity, Front Load, Plastic Lids	Per Unit			
RH08-18		GB19	<b>Roll Offs USA:</b> Model REL-2, 2-Yd Capacity, Rear Load, Plastic Lids	Per Unit			
RH08-18		GB20	<b>Roll Offs USA:</b> Model REL-3, 3-Yd Capacity, Rear Load, Plastic Lids	Per Unit			
RH08-18		GB21	<b>Roll Offs USA:</b> Model REL-4, 4-Yd Capacity, Rear Load, Plastic Lids	Per Unit			
RH08-18		GB22	<b>Roll Offs USA:</b> Model REL-6, 6-Yd Capacity, Rear Load, Plastic Lids	Per Unit			
RH08-18		GB23	<b>Roll Offs USA:</b> Model REL-8, 8-Yd Capacity, Rear Load, Plastic Lids	Per Unit			
RH08-18		GB24	<b>Roll Offs USA:</b> Model SL-1.5, 1 1/2-Yd Capacity, Side Load, Plastic Lids, Pak Mor or Emco Style	Per Unit			
RH08-18		GB25	<b>Roll Offs USA:</b> Model SL-2, 2-Yd Capacity, Side Load, Plastic Lids, Pak Mor or Emco Style	Per Unit			
RH08-18		GB26	<b>Roll Offs USA:</b> Model SL-3, 3-Yd Capacity, Side Load, Plastic Lids, Pak Mor or Emco Style	Per Unit			
RH08-18		GB27	<b>Roll Offs USA:</b> Model SL-4, 4-Yd Capacity, Side Load, Plastic Lids, Pak Mor or Emco Style	Per Unit			
RH08-18		GC01	<b>Wastequip:</b> 10 Yard Rectangular ROC Std Duty	Per Unit			
RH08-18		GC02	<b>Wastequip:</b> (154439) 20 Yard Rectangular ROC Std Duty, 22' Long	Per Unit			
RH08-18		GC03	<b>Wastequip:</b> (154293) 20 Yard Rectangular ROC Heavy Duty, 22' Long	Per Unit			
RH08-18		GC04	<b>Wastequip:</b> (154159) 20 Yard Rectangular ROC XHD, 22' Long	Per Unit			
RH08-18		GC05	<b>Wastequip:</b> (134029) 30 Yard Rectangular ROC Std Duty, 22' Long	Per Unit			
RH08-18		GC06	<b>Wastequip:</b> (154234) 30 Yard Rectangular ROC Heavy Duty, 22' Long	Per Unit			
RH08-18		GC07	<b>Wastequip:</b> (154241) 30 Yard Rectangular ROC XHD, 22' Long	Per Unit			
RH08-18		GC08	<b>Wastequip:</b> (155254) 40 Yard Rectangular ROC Std Duty, 22' Long	Per Unit			
RH08-18		GC09	<b>Wastequip:</b> (154693) 40 Yard Rectangular ROC Heavy Duty, 22' Long	Per Unit			
RH08-18		GC10	<b>Wastequip:</b> (154248) 40 Yard Rectangular ROC XHD, 22' Long	Per Unit			
RH08-18		GC11	<b>Wastequip:</b> (159897T) 20 Yard Bath tub ROC Std Duty, 22' Long	Per Unit			
RH08-18		GC12	<b>Wastequip:</b> (163340) 20 Yard Bath tub ROC Heavy Duty, 22' Long	Per Unit			
RH08-18		GC13	<b>Wastequip:</b> (159899T) 30 Yard Bath tub ROC Std Duty, 22' Long	Per Unit			
RH08-18		GC14	<b>Wastequip:</b> (163361) 30 Yard Bath tub ROC Heavy Duty, 22' Long	Per Unit			
RH08-18		GC15	<b>Wastequip:</b> (159901T) 40 Yard Bath tub ROC Std Duty, 22' Long	Per Unit			
RH08-18		GC16	<b>Wastequip:</b> (163375) 40 Yard Bath tub ROC Heavy Duty, 22' Long	Per Unit			
RH08-18		GC17	<b>Wastequip:</b> (167411) 40 Yard Octagon Compactor Receiver, with 4 wheels Standard	Per Unit			
RH08-18		GC18	<b>Wastequip:</b> (184989) 42 Cubic Yard Standard Duty Rectangle Receiver Container	Per Unit			
RH08-18		GC19	<b>Wastequip:</b> (125541) 2 Yard Front Load Slant Nestable with 2Pc. Poly Lids	Per Unit			
RH08-18		GC20	<b>Wastequip:</b> (129197) 2 Yard Front Load Slant Nestable Heavy Duty with 2Pc. Poly Lids	Per Unit			
RH08-18		GC21	<b>Wastequip:</b> (125543) 3 Yard Front Load Slant Nestable with 2Pc. Poly Lids	Per Unit			
RH08-18		GC22	<b>Wastequip:</b> (129199) 3 Yard Front Load Slant Nestable Heavy Duty with 2Pc. Poly Lids	Per Unit			
RH08-18		GC23	<b>Wastequip:</b> (125544NE) 4 Yard Front Load Slant Nestable with 2Pc. Poly Lids	Per Unit			
RH08-18		GC24	<b>Wastequip:</b> (129200) 4 Yard Front Load Slant Nestable Heavy Duty with 2Pc. Poly Lids	Per Unit			
RH08-18		GC25	<b>Wastequip:</b> (125536) 6 Yard Front Load Flat 2-Door with 2Pc. Poly Lids	Per Unit			
RH08-18		GC26	<b>Wastequip:</b> (129192) 6 Yard Front Load Flat Heavy Duty - 2 Door with 2Pc. Poly Lids	Per Unit			
RH08-18		GC27	<b>Wastequip:</b> (125537) 8 Yard Front Load Flat 2-Door with 2Pc. Poly Lids	Per Unit			
RH08-18		GC28	<b>Wastequip:</b> (129193) 8 Yard Front Load Flat heavy Duty - 2 Door with 2Pc. Poly Lids	Per Unit			
RH08-18		GC29	<b>Wastequip:</b> (32203) 10 Yard Front Load Flat 2-Door	Per Unit			
RH08-18		GC30	<b>Wastequip:</b> (125540) 2 Yard Front Load Flat Nestable with 2Pc. Poly Lids	Per Unit			

RH08-18		GC31	Wastequip: (129187) 2 Yard Front Load Flat Heavy Duty with 2Pc. Poly Lids		Per Unit			
RH08-18		GC32	Wastequip: (125542) 3 Yard Front Load Flat Nestable with 2Pc. Poly Lids		Per Unit			
RH08-18		GC33	Wastequip: (129198) 3 Yard Front Load Flat Nestable Heavy Duty with 2Pc. Poly Lids		Per Unit			
RH08-18		GC34	Wastequip: (125533) 4 Yard Front Load Flat with 2Pc. Poly Lids		Per Unit			
RH08-18		GC35	Wastequip: (129189) 4 Yard Front Load Flat Heavy Duty with 2Pc. Poly Lids		Per Unit			
RH08-18		GC36	Wastequip: (125534) 6 Yard Front Load Slant WQ with 2Pc. Poly Lids		Per Unit			
RH08-18		GC37	Wastequip: (129190NE) 6 Yard Front Load Slant Heavy Duty with 2Pc. Poly Lids		Per Unit			
RH08-18		GC38	Wastequip: (125535) 8 Yard Front Load Slant with 2Pc. Poly Lids		Per Unit			
RH08-18		GC39	Wastequip: (129191NE) 8 Yard Front Load Slant Heavy Duty with 2Pc. Poly Lids		Per Unit			
RH08-18		GC40	Wastequip: 1.5 Yd side loader container: 2pc Poly Lids		Per Unit			
RH08-18		GC41	Wastequip: (2-1136) 2 CY Side Load Container w/ 2 pc lid installed		Per Unit			
RH08-18		GC42	Wastequip: (2-1137) 3 CY Side Load Container w/ 2 pc lid installed		Per Unit			
RH08-18		GC43	Wastequip: (2-1139) 4 CY Side Load Container w/ 2 pc lid installed		Per Unit			
RH08-18		GC44	Wastequip: (2-1140) 4 CY Side Load Container Low Profile w/ 3 pc lid		Per Unit			
RH08-18		GC45	Wastequip: (SLPAKM) Packmor Lift System for Side Load Containers		Per Unit			
RH08-18		GC46	Wastequip: (SLEMCO) EMCO Lift System for Side Load Containers		Per Unit			
RH08-18		GC47	Wastequip: (SLLID3) 3 Piece lid System for 2-4 CY Side Load Containers		Per Unit			
RH08-18		GC48	Wastequip: T-1: 1-Yd rear loader container, 2 casters and poly lids		Per Unit			
RH08-18		GC49	Wastequip: T-11/2: 1.5 Yd rear loader container, with casters and poly lids		Per Unit			
RH08-18		GC50	Wastequip: T-2R: 2-Yd rear loader container, with casters and poly lids		Per Unit			
RH08-18		GC51	Wastequip: T-2S: 2-Yd rear loader container, sloped with caster and poly lids		Per Unit			
RH08-18		GC52	Wastequip: T-3: 2-Yd rear loader container, with casters and poly lids		Per Unit			
RH08-18		GC53	Wastequip: T-4S: 4-Yd rear loader container, with casters and poly lids		Per Unit			
RH08-18		GC54	Wastequip: T-4: 4-Yd rear loader container: no casters and poly lids		Per Unit			
RH08-18		GC55	Wastequip: T-6: 6-Yd rear loader container: with poly lids		Per Unit			
RH08-18		GC56	Wastequip: T-8: 8-Yd rear loader container: with poly lids		Per Unit			

**H: Compactors / Balers**

RH08-18		HA01	Galbreath: 350HD Stationary Compactor: 3.5-Yd Loading Chamber		Per Unit			
RH08-18		HA02	Galbreath: 350HDT Stationary Compactor: 3.5-Yd Loading Chamber		Per Unit			
RH08-18		HA03	Galbreath: 450 Stationary Compactor: 4.5-Yd Loading Chamber		Per Unit			
RH08-18		HA04	Galbreath: 450HD Stationary Compactor: 4.5-Yd Loading Chamber		Per Unit			
RH08-18		HA05	Galbreath: 450HDT Stationary Compactor: 4.5-Yd Loading Chamber		Per Unit			
RH08-18		HA06	Galbreath: 550HDTN Stationary Compactor: 5-Yd Loading Chamber		Per Unit			
RH08-18		HA07	Galbreath: APC426: Pre-Crusher: 4-Yd		Per Unit			
RH08-18		HA08	Galbreath: APC526: Pre-Crusher: 5-Yd		Per Unit			
RH08-18		HA09	Galbreath: Packman PM6FS: 6-Yd Cylinder, Self-Contained Front-Loading Compactor; 0.83 Yd Loading Chamber		Per Unit			
RH08-18		HA10	Galbreath: Packman PM6R: 6-Yd Cylinder, Self-Contained Rear-Loading Compactor; 0.83 Yd Loading Chamber		Per Unit			
RH08-18		HB01	Galfab (Wastebuilt): Model VB-6030: 30x60 Vertical Baler		Per Unit			
RH08-18		HB02	Galfab (Wastebuilt): Model OSC-1690: 23-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB03	Galfab (Wastebuilt): Model OSC-1890: 27-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB04	Galfab (Wastebuilt): Model OSC-2090: 31-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB05	Galfab (Wastebuilt): Model OSC-2290: 35-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB06	Galfab (Wastebuilt): Model OSC-2490: 39-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB07	Galfab (Wastebuilt): Model 160: 15-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB08	Galfab (Wastebuilt): Model 160: 20-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB09	Galfab (Wastebuilt): Model 160: 25-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB10	Galfab (Wastebuilt): Model 160: 30-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB11	Galfab (Wastebuilt): Model 160: 35-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB12	Galfab (Wastebuilt): Model 260: 15-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB13	Galfab (Wastebuilt): Model 260: 20-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB14	Galfab (Wastebuilt): Model 260: 25-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB15	Galfab (Wastebuilt): Model 260: 30-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB16	Galfab (Wastebuilt): Model 260: 35-Yd Self-Contained Compactor		Per Unit			
RH08-18		HB17	Galfab (Wastebuilt): Model GF2: 2-Yd Stubby Stationary Compactor		Per Unit			
RH08-18		HB18	Galfab (Wastebuilt): Model 200: 2-Yd Stationary Compactor		Per Unit			
RH08-18		HB19	Galfab (Wastebuilt): Model 300: 3-Yd Stationary Compactor		Per Unit			
RH08-18		HB20	Galfab (Wastebuilt): Model 400: 4-Yd Stationary Compactor		Per Unit			
RH08-18		HB21	Galfab (Wastebuilt): Model 500: 5-Yd Stationary Compactor		Per Unit			
RH08-18		HB22	Galfab (Wastebuilt): Model GF6F: 6-Yd Frontload Compactor		Per Unit			
RH08-18		HB23	Galfab (Wastebuilt): Model GF6R: 6 Yard Rearload Compactor		Per Unit			
RH08-18		HB24	Galfab (Wastebuilt): Model Mini-200: Apartment/Stationary Compactor		Per Unit			

RH08-18		HC01	<b>JV Mfg / Cram-A-Lot:</b> VB-42-SR: Vertical baler 28"W x 24"L x 42"H Bale Size; 23" x 42" Feed Opening; 59,370# pressure; 5 hp	Per Unit			
RH08-18		HC02	<b>JV Mfg / Cram-A-Lot:</b> VB-60-B: Vertical baler; 60"W x 30"L x 48"H Bale Size; 24" x 60" Feed Opening; 59,370# pressure; 10 hp	Per Unit			
RH08-18		HC03	<b>JV Mfg / Cram-A-Lot:</b> VB-72-H: Vertical baler; 72"W x 30"L x 48"H Bale Size; 24" x 72" Feed Opening; 59,370# pressure; 15 hp	Per Unit			
RH08-18		HC04	<b>JV Mfg / Cram-A-Lot:</b> HE-60-M: Wide mouth horizontal baler; 60"W x 30"L x 48"H Bale Size; 35.625" x 56" Feed Opening; 140,800# pressure; 20 hp	Per Unit			
RH08-18		HC05	<b>JV Mfg / Cram-A-Lot:</b> HX-60: Closed end horizontal baler; 60"W x 30"L x 40"H Bale Size; 42" x 30" Feed Opening; 119,300# pressure; 25 hp	Per Unit			
RH08-18		HC06	<b>JV Mfg / Cram-A-Lot:</b> HX-72-W: Closed end horizontal baler; 72"W x 48"L x 48"H Bale Size; 70.375" x 48" Feed Opening; 119,300# pressure; 30 hp	Per Unit			
RH08-18		HC07	<b>JV Mfg / Cram-A-Lot:</b> H2R-60: Closed end auto-tie baler; 60"W x 30"L x 40"H Bale Size; 57.5" x 48" Feed Chamber; 190,755# pressure; 25 hp	Per Unit			
RH08-18		HC08	<b>JV Mfg / Cram-A-Lot:</b> CC-02: Stationary compactor; 2-Yd Loading Chamber; 56,600-67,900 Lb Ram Force; 39-7/16"L x 58"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC09	<b>JV Mfg / Cram-A-Lot:</b> CO-03: Stationary compactor; 3-Yd Loading Chamber; 76,970-92,360 Lb Ram Force; 62"L x 58 1/2"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC10	<b>JV Mfg / Cram-A-Lot:</b> CO-04: Stationary compactor; 4-Yd Loading Chamber; 56,550-67,960 Lb Ram Force; 60 3/16"L x 57"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC11	<b>JV Mfg / Cram-A-Lot:</b> CO-05: Stationary compactor; 5-Yd Loading Chamber; 76,970-92,360 Lb Ram Force; 93"L x 56"W Clear top opening; 20 hp	Per Unit			
RH08-18		HC12	<b>JV Mfg / Cram-A-Lot:</b> CO-07: Stationary compactor; 7-Yd Loading Chamber; 104,600-127,235 Lb Ram Force; 93"L x 56"W Clear top opening; 30 hp	Per Unit			
RH08-18		HC13	<b>JV Mfg / Cram-A-Lot:</b> PH-03: Pre-Crusher Compactor; 3-Yd Loading Chamber; 77,000-92,400 Lb Ram Force; 61"L x 57"W Clear top opening; 15 hp	Per Unit			
RH08-18		HC14	<b>JV Mfg / Cram-A-Lot:</b> RO-30: Octagonal Compactor Receiver: 30-Yd Container	Per Unit			
RH08-18		HC15	<b>JV Mfg / Cram-A-Lot:</b> RO-40: Octagonal Compactor Receiver: 40-Yd Container	Per Unit			
RH08-18		HC16	<b>JV Mfg / Cram-A-Lot:</b> SC-02-20: Self-contained compactor; 2-Yd Loading Chamber; 24,500-29,500 Lb Ram Force; 20 cu. yd container capacity; 36"L x 58"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC17	<b>JV Mfg / Cram-A-Lot:</b> SC-T2-20: Self-contained compactor; 2-Yd Loading Chamber; 40,600-48-800 Lb Ram Force; 20 cu. yd container capacity; 31"L x 48"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC18	<b>JV Mfg / Cram-A-Lot:</b> SC-02-30: Self-contained compactor; 2-Yd Loading Chamber; 39,200-47,100 Lb Ram Force; 30 cu. yd container capacity; 36"L x 58"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC19	<b>JV Mfg / Cram-A-Lot:</b> SC-T2-30: Self-contained compactor; 2-Yd Loading Chamber; 40,600-48-800 Lb Ram Force; 30 cu. yd container capacity; 31"L x 48"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC20	<b>JV Mfg / Cram-A-Lot:</b> SC-02-34: Self-contained compactor; 2-Yd Loading Chamber; 39,200-47,100 Lb Ram Force; 34 cu. yd container capacity; 36"L x 58"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC21	<b>JV Mfg / Cram-A-Lot:</b> SC-T2-34: Self-contained compactor; 2-Yd Loading Chamber; 40,600-48-800 Lb Ram Force; 34 cu. yd container capacity; 31"L x 48"W Clear top opening; 10 hp	Per Unit			
RH08-18		HC22	<b>JV Mfg / Cram-A-Lot:</b> CV-04-FL-FF: Vertical compactor; 4-Yd Loading Chamber; 30,200 Lb Ram Force; front / rear load	Per Unit			
RH08-18		HC23	<b>JV Mfg / Cram-A-Lot:</b> CV-06-FL-FF: Vertical compactor; 6-Yd Loading Chamber; 30,200 Lb Ram Force; front / rear load	Per Unit			
RH08-18		HC24	<b>JV Mfg / Cram-A-Lot:</b> XP-6Y-FL: portable compactor; 6-yd loading chamber; 19,500 lb ram force; top load	Per Unit			
RH08-18		HC25	<b>JV Mfg / Cram-A-Lot:</b> CA-.5: Apartment compactor; 1/2-yd loading chamber; 13,850-17,600 lb ram force; 23.5"H X 31"W Clear top opening	Per Unit			
RH08-18		HC26	<b>JV Mfg / Cram-A-Lot:</b> CA-2R-F: Apartment Container; 2-Yd Loading Chamber	Per Unit			
RH08-18		HC27	<b>JV Mfg / Cram-A-Lot:</b> CA-3R-F: Apartment Container; 3-Yd Loading Chamber	Per Unit			
RH08-18		HD01	<b>Marathon:</b> TIEger Open End Auto Tie Baler: WS150-60, 100 Hp Bale Size - Approximately 42" High x 42" Wide x 72" Long (73.5 cubic feet) Ram Face Pressure: 92 psi (Offeror shall include with Form-E options: differential upgrade/downgrade pricing on other WS series configurations)	Per Unit			
RH08-18		HD02	<b>Marathon:</b> TIEger Open End Auto Tie Baler: EWS240-84, 100 Hp Bale Size - Approximately 42" High x 48" Wide x 72" Long (84 cubic feet) Ram Face Pressure: 120 psi (Offeror shall include with Form-E options: differential upgrade/downgrade pricing on other EWS series configurations)	Per Unit			
RH08-18		HD03	<b>Marathon:</b> Gemini 3560 Baler: Manual Operation; moderate duty, closed-end horizontal design; 30"H x 48"L x 60"W Bale Size	Per Unit			
RH08-18		HD04	<b>Marathon:</b> Gemini Extreme Baler: Manual Operation; moderate duty, closed-end horizontal design; Hardened Steel Tongue and Groove Floor; Adjustable Roll Bar and shear blade; 30"H x 48"L x 60"W Bale Size	Per Unit			
RH08-18		HD05	<b>Marathon:</b> CE-503042-720: Closed End Horizontal Baler; 48"H x 60"L x 30"W Bale Size; 50" x 30" Feed Chamber; 96,000# Pressure	Per Unit			
RH08-18		HD06	<b>Marathon:</b> CE-503042-830: Closed End Horizontal Baler; 48"H x 60"L x 30"W Bale Size; 50" x 30" Feed Chamber; 125,000# Pressure	Per Unit			

RH08-18		HD07	<b>Marathon:</b> CE-504242-830: Closed End Horizontal Baler; 48"H x 60"L x 30"W Bale Size; 50" x 42" Feed Chamber; 125,000# Pressure	Per Unit			
RH08-18		HD08	<b>Marathon:</b> CE-504842-830: Closed End Horizontal Baler; 48"H x 60"L x 30"W Bale Size; 50" x 48" Feed Chamber; 125,000# Pressure	Per Unit			
RH08-18		HD09	<b>Marathon:</b> CE-604242-830: Closed End Horizontal Baler; 48"H x 60"L x 30"W Bale Size; 60" x 39" Feed Chamber; 125,000# Pressure	Per Unit			
RH08-18		HD10	<b>Marathon:</b> CE-604842-830: Closed End Horizontal Baler; 48"H x 60"L x 30"W Bale Size; 60" x 45" Feed Chamber; 125,000# Pressure	Per Unit			
RH08-18		HD11	<b>Marathon:</b> Side Eject Baler: 30"H x 42"L x 72"W Bale Size; 70,700 # Pressure	Per Unit			
RH08-18		HD12	<b>Marathon:</b> Stealth Baler: Manual-Tie Horizontal design; 46"x 60" Feed Opening; 42" x 48" x 60" Bale Size	Per Unit			
RH08-18		HD13	<b>Marathon:</b> V-4830HD: High Density Vertical Baler; 42"H x 24"L x 48"W Bale Size; 62,200 # Pressure	Per Unit			
RH08-18		HD14	<b>Marathon:</b> Materials Recover Facility (MRF) / Recycling Center: <u>very low volume configuration</u> ; includes: infeed conveyor (36" width), manual sort line conveyor (30" width), 20' length ( <b>railing, platform, and stairs not included. Offeror shall address pricing on these variables on Form-E, and include pricing on the associated, required site assessment and material composition analysis for these variables; Offeror shall also included a detailed description of this priced equipment with bid</b> )	Per Unit			
RH08-18		HD15	<b>Marathon:</b> Materials Recover Facility (MRF) / Recycling Center: <u>low volume configuration</u> ; includes: infeed conveyor, manual sort line conveyor, 6 bunkers (8'W X 8'D X 10'H), 90' OAL ( <b>railing, platform, and stairs not included. Offeror shall address pricing on these variables on Form-E, and include pricing on the associated, required site assessment and material composition analysis for these variables; Offeror shall also included a detailed component description of this priced equipment with bid</b> )	Per Unit			
RH08-18		HD16	<b>Marathon:</b> Materials Recover Facility / Recycling Center: <u>medium volume configuration</u> ; includes: infeed conveyor; single large sort conveyor, single small trash out conveyor, 10' X 10' bunker walls, 20 chutes (24") ( <b>railing, platform, and stairs not included. Offeror shall address pricing on these variables on Form-E, and include pricing on the associated, required site assessment and material composition analysis for these variables; Offeror shall also included a detailed component description of this priced equipment with bid</b> )	Per Unit			
RH08-18		HD17	<b>Marathon:</b> Materials Recover Facility / Recycling Center: <u>automated sort, high volume configuration</u> ; includes: infeed conveyor, single large sort conveyor, single small trash out conveyor, 10' x 10' bunker walls, 20 Chutes (24"), 2 set of stairs, 2 side platform with handrails & toe plates, eddy current magnet, plus OCC (cardboard) and debris screen ( <b>Offeror shall address pricing on these variables on Form-E, and include pricing on the associated, required site assessment and material composition analysis for these variables; Offeror shall also included a detailed component description of this priced equipment with bid</b> )	Per Unit			
RH08-18		HD18	<b>Marathon:</b> Materials Recover Facility / Recycling Center: <u>high volume configuration</u> ; 10 TPH (tons per hour); sort line feed conveyor; includes: baler (no options for glass recovery), manual recovery of ONP (office news paper) <b>Offeror shall address pricing on these variables on Form-E, and include pricing on the associated, required site assessment and material composition analysis for these variables; Offeror shall also included a detailed component description of this priced equipment with bid</b> )	Per Unit			
RH08-18		HD19	<b>Marathon:</b> Materials Recover Facility / Recycling Center: <u>fully automated, very high volume configuration</u> ; 15 TPH (tons per hour); includes: baler and glass recovery; automated recovery of ONP (office news paper) ( <b>railing, platform, and stairs not included. Offeror shall address pricing on these variables on Form-E, and include pricing on the associated, required site assessment and material composition analysis for these variables; Offeror shall also included a detailed component description of this priced equipment with bid</b> )	Per Unit			
RH08-18		HE01	<b>Roll Offs USA:</b> Model SC-10, Self Contained Compactor, 10-Yd Capacity	Per Unit			
RH08-18		HE02	<b>Roll Offs USA:</b> Model SC-20, Self Contained Compactor, 20-Yd Capacity	Per Unit			
RH08-18		HE03	<b>Roll Offs USA:</b> Model SC-25, Self Contained Compactor, 25-Yd Capacity	Per Unit			
RH08-18		HE04	<b>Roll Offs USA:</b> Model SC-30, Self Contained Compactor, 30-Yd Capacity	Per Unit			
RH08-18		HE05	<b>Roll Offs USA:</b> Model SC-35, Self Contained Compactor, 35-Yd Capacity	Per Unit			
RH08-18		HE06	<b>Roll Offs USA:</b> Model ST-2, Stationary Compactor, 2-Yd Capacity	Per Unit			
RH08-18		HE07	<b>Roll Offs USA:</b> Model ST-3, Stationary Compactor, 3-Yd Capacity	Per Unit			
RH08-18		HE08	<b>Roll Offs USA:</b> Model ST-4, Stationary Compactor, 4-Yd Capacity	Per Unit			
RH08-18		HE09	<b>Roll Offs USA:</b> Model ST-6, Stationary Compactor, 6-Yd Capacity	Per Unit			
RH08-18		HF01	<b>Wastequip:</b> 245HD: Stationary Compactor; 2-Yd Loading Chamber; 48,000-56,500 Lb Ram Force	Per Unit			
RH08-18		HF02	<b>Wastequip:</b> 245XHD: Stationary Compactor; 2-Yd Loading Chamber; 59,300-67,800 Lb Ram	Per Unit			
RH08-18		HF03	<b>Wastequip:</b> 265X: Stationary Compactor, 2-YD Loading Chamber; 50,405-62,666 Lb Ram Force	Per Unit			
RH08-18		HF04	<b>Wastequip:</b> 345HD: Stationary Compactor, 3-YD Loading Chamber; 48,000-56,500 Lb Ram Force	Per Unit			
RH08-18		HF05	<b>Wastequip:</b> 265IP-16, 16 Yd Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			



RH08-18	HF06	<b>Wastequip:</b> 265IP-20, 20 -Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF07	<b>Wastequip:</b> 265IP-25: 25-Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF08	<b>Wastequip:</b> 265IP-30: 30-Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF09	<b>Wastequip:</b> 265IP-35: 35-Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF10	<b>Wastequip:</b> 265XP-20: 20-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF11	<b>Wastequip:</b> 265XP-25: 25-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF12	<b>Wastequip:</b> 265XP-30: 30-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF13	<b>Wastequip:</b> 265XP-35: 35-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF14	<b>Wastequip:</b> 265XP-38: 38-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	Per Unit			
RH08-18	HF15	<b>Wastequip:</b> 345HD: Stationary Compactor; 3-Yd Loading Chamber	Per Unit			
RH08-18	HF16	<b>Wastequip:</b> 365XSEE: 25-F Super Energy Efficient 25-YD Twin Cylinder, Self Contained Rectangular Roll-Off Compactor; 4-Yd Loading Chamber	Per Unit			
RH08-18	HF17	<b>Wastequip:</b> 365XSEE: 30-F Super Energy Efficient 30-YD Twin Cylinder, Self Contained Rectangular Roll-Off Compactor; 4-Yd Loading Chamber	Per Unit			
RH08-18	HF18	<b>Wastequip:</b> 365XSEE: 35-F Super Energy Efficient 35-YD Twin Cylinder, Self Contained Rectangular Roll-Off Compactor; 4-Yd Loading Chamber	Per Unit			
RH08-18	HF19	<b>Wastequip:</b> 395XHD-7: Stationary Compactor; 3.5 Yd Loading Chamber	Per Unit			
RH08-18	HF20	<b>Wastequip:</b> 445HD: Stationary Compactor; 4-Yd Loading Chamber	Per Unit			
RH08-18	HF21	<b>Wastequip:</b> 445XHD-PC: Stationary Compactor Pre-Crusher; 4-Yd Loading Chamber	Per Unit			
RH08-18	HF22	<b>Wastequip:</b> 645XHD-D: Stationary Compactor; 6-Yd Loading Chamber, Twin Cylinder	Per Unit			
RH08-18	HF23	<b>Wastequip:</b> 645XHD-7: Stationary Compactor; 6-Yd Loading Chamber, 7" Cylinder	Per Unit			
RH08-18	HF24	<b>Wastequip:</b> 645XHD: Stationary Compactor Pre-Crusher; 6-Yd Loading Chamber	Per Unit			
RH08-18	HF25	<b>Wastequip:</b> 1000HD: Stationary Compactor; 10-Yd Loading Chamber	Per Unit			
RH08-18	HF26	<b>Wastequip:</b> Accupak D600: 6-Yd Cylinder Front Load Compactor	Per Unit			
RH08-18	HF27	<b>Wastequip:</b> Accupak D800: 8-Yd Cylinder Front Load Compactor	Per Unit			
RH08-18	HF28	<b>Wastequip:</b> C33XAPT-Apartment Compactor; Compaction Force: 16,880 lbs	Per Unit			
RH08-18	HF29	<b>Wastequip:</b> 6030HD Vertical Baler: Bale Size: 60" x 30" x 48"; up to 1,000 lb bales; Dimensions: 96"H x 80"W x 42"D	Per Unit			

**I: Miscellaneous**

RH08-18	IA01	<b>BeachTech:</b> 3000: tow-behind sifter beach cleaning machine; hopper: 8 cu. yd.; screen width 8'; rear grooming width: 9'2"; screen depth: up to 8"; hydraulically operated (100 hp or greater PTO, 1000 rpm PTO tractor, CAT II, 3-pt hitch); automatic 61" (5'1") hydraulic dump	Per Unit			
RH08-18	IA02	<b>BeachTech:</b> 2500: tow-behind sifter beach cleaning machine; hopper: 3.6 cu. yd.; screen width 8'; rear grooming width 9'2"; screen depth up to 10"; hydraulically operated (95 hp or greater at PTO, 540 PTO tractor, Cat. II, 3 point hitch); automatic 102" (8'6") hydraulic dump used by 2 port auxiliary hydraulics	Per Unit			
RH08-18	IA03	<b>BeachTech:</b> 2000: tow-behind sifter beach cleaning machine; hopper: 2.1 cu. yd.; screen width 6'; rear grooming width: 8'2"; screen depth: up to 6"; hydraulically operated (70 hp or great at PTO, 540 PTO tractor, Cat II, 3-pt hitch); automatic 102" (8'6") hydraulic dump used by 4 port auxiliary hydraulics	Per Unit			
RH08-18	IA04	<b>BeachTech:</b> Sweeepy Hydro: walk-behind beach cleaning machine; hopper: 1.5 cu ft.; screen width 3'5"; grooming width: 3'11"; screen depth up to 3"; self contained hydrostatic drive; 9.1 hp Subaru gas engine	Per Unit			
RH08-18	IB01	<b>Cherrington:</b> 440XL: tow-behind sifter, on and off beach applications; hopper: 0.5 cu. yd., screen width: 4'; rear grooming width: 5'4"; screen depth: up to 4"; hydraulically operated (via 35-45 hp, 540 PTO tractor, Cat II, 3-pt hitch); automatic 60" hydraulic dump	Per Unit			
RH08-18	IB02	<b>Cherrington:</b> 800: tow-behind sifter, on and off beach applications; hopper: 0.25 cu. yd; screen width: 3'; rear grooming width: 4'2"; screen depth: up to 3"; hydraulically operated via tow tractor or UTV/ATV; manual ground level dump	Per Unit			
RH08-18	IB03	<b>Cherrington:</b> 950: wireless remote controlled tow-behind sifter, on and off beach applications; hopper: 0.25 cu. yd; screen width: 3'; rear grooming width: 4'2"; screen depth: up to 3"; hydraulically operated via an 11-hp Honda gas engine; manual ground level dump; zero turn radius	Per Unit			
RH08-18	IB04	<b>Cherrington:</b> 3000: ride-on, self-propelled sifter, on and off beach applications; hopper: 0.33 cu. yd.; screen width: 3'; rear grooming width: 5'; screen depth: up to 4"; hydraulically operated via a 24-hp Kubota diesel engine; automatic 60" hydraulic dump	Per Unit			

RH08-18		IB05	<b>Cherrington:</b> 4600XL: tow-behind sifter, on and off beach applications ; hopper: 2 cu. yd.; screen width: 6'; rear grooming width: 9'2"; screen depth: up to 6"; hydraulically operated (via 65-85 hp, 540 PTO tractor, Cat II, 3-pt hitch); automatic 102" (8'6") hydraulic dump	Per Unit			
RH08-18		IB06	<b>Cherrington:</b> 5500: ride-on, self-propelled sifter, on and off beach applications; hopper: 2.1 cu. yd.; screen width: 5'; rear grooming width: 9'2"; screen depth: up to 6"; hydraulically operated via a 74-hp Tier 4F Deutz diesel engine; automatic 102" (8'6") hydraulic dump; zero turn radius; air conditioned cab; night time lighting	Per Unit			
RH08-18		IC01	<b>HBarber:</b> Litter Picker Model LP-1: litter removal machine; tow-behind design; multi-surface litter removal applications; hopper: 4 cu. yd., hydraulically operated, 8'-7" inch dump height	Per Unit			
RH08-18		IC02	<b>HBarber:</b> Road Rake 200: road/paved surface litter removal machine; large debris removal applications; tow-behind design; hopper: 4 cu. yd., hydraulically operated via 19 hp diesel motor 8' 7" dump height	Per Unit			
RH08-18		IC03	<b>HBarber:</b> Road Rake 200 T: road/paved surface litter removal machine; large debris removal applications; tow-behind design (via truck with hydraulic PTO); hopper: 4 cu. yd., 8' 7" inch dump height	Per Unit			
RH08-18		IC04	<b>HBarber:</b> Surf Rake 400: beach cleaning equipment; tow-behind design; cleaning width: 6'; cleaning depth: 6"; hopper: 1 cu. yd.; hydraulically operated via tractor; ground dump	Per Unit			
RH08-18		IC05	<b>HBarber:</b> Surf Rake 400 HD: heavier duty beach cleaning equipment; tow-behind design; cleanign path: 6"; cleaning depth: 6"; hopper: 2 cu. yd.; hydraulically operated via tractor; 9' dump height	Per Unit			
RH08-18		IC06	<b>HBarber:</b> Surf Rake 600 HD: heavy duty, high capacity beach cleaning equipment; tow-behind design; cleaning width: 7'; cleaning depth: 6"; hopper: 3 cu. yd.; hydraulically operated via tractor; 9' dump height	Per Unit			
RH08-18		IC07	<b>HBarber:</b> Sand Man: beach cleaning equipment; walk-behind design; mechanical drive via 5.5 hp Honda gas engine; cleaning width: 33"; cleaning depth: 4"; inclusive of three screen sizes	Per Unit			
RH08-18		IC08	<b>HBarber:</b> Sand Man TT: compact beach cleaning equipmetn; 3-point hitch; cleaning width: 45"; cleaning depth: 4.5"; hydraulically operated via tractor; ground dump; inclusive of two screens	Per Unit			
RH08-18		IC09	<b>HBarber:</b> Dual Litter Picker Model LP-1D: litter removal machine; tow-behind design; multi-surface litter removal applications; hopper: 8 cu. yd.(4 cu. yd. each), hydraulically operated, 8'-7" inch dump height	Per Unit			
RH08-18		IC10	<b>HBarber:</b> RADIUS: beach/sand cleaning equipment; walk-behind design; mechanical drive via 5.5 hp Honda gas engine; cleaning width: 30"; cleaning depth: 4"; includes two screen sizes	Per Unit			
RH08-18		ID01	<b>Komptech:</b> Ballistor 6300: mobile or stationary ballistic separator; up to 130 yd <sup>3</sup> throughput. The Ballistor Separates 2D, 3D, and fine fractions from the waste stream while distributing each fraction evenly onto a discharge belt.	Per Unit			
RH08-18		ID02	<b>Komptech:</b> Crambo 5000: Track-mounted refuse shredder; wood and green waste applications; final particle filtering (inclusive of seven screens); auxiliary engine: Cat C13 diesel; adjustable volume rate; 9'2" output chute; output: up to 65 tons /hr; inclusive of complete trailer (Offeror shall include on Form-E pricing: differential, upgrade pricing for hook lift and tracked versions)	Per Unit			
RH08-18		ID03	<b>Komptech:</b> Cribus 5000: Mobile, electric trammel (drum) screen; commercial applications; Perkins 1104D-44T diesel generator: 80 Hp; hopper: 7.9 yd <sup>3</sup> ; 360 yd <sup>3</sup> /h throughput; screening area: 538 ft <sup>2</sup>	Per Unit			
RH08-18		ID04	<b>Komptech:</b> Hurrikan S: Mobile wind sifter designed to remove lightweight plastic fractions from dense material; suction blowers: 2 @ 15kW, 1 @ 7.5kW pressure; Perkins 1104D-44T diesel generator: 80 Hp; 80 yd <sup>3</sup> throughput; max discharge height: 8'8".	Per Unit			
RH08-18		ID05	<b>Komptech:</b> Hurrifex: Stone and lightweight material separator; Perkins 1104D diesel generator 80 Hp; 80 yd <sup>3</sup> throughput; discharge height: 12'	Per Unit			
		ID06	<b>Komptech:</b> Nemus 2700: Trailer-mounted trommel (drum) style refuse screener; 6.5 cu. yard hopper; 323 sq. feet screening area; auxiliary engine: Perkins 1103C diesel generator; discharge height: 11' 8"; output: up to 220 cu. yds / hr; inclusive of complete trailer	Per Unit			
RH08-18		ID07	<b>Komptech:</b> Multistar L3: Trailer-mounted refuse screener; material separator; 4 fractions per single operation; hopper: 9 cu. yard, with magnet separation; wind sifting and rolling fractions; screen sizes: coarse to fine; auxiliary engine: Perkins 1104D diesel generator; discharge height: 11' 6"; output: up to 235 cu. yds / hr; inclusive of complete trailer	Per Unit			
RH08-18		ID08	<b>Komptech:</b> Stonefex: Mobile stone separator unit. light and heavy fraction applications; Perkins Hybrid 3554/1800 Engine: 40 HP; 130yd <sup>3</sup> throughput; pressure blower: 7.5 kW; suction blower:	Per Unit			
RH08-18		ID09	<b>Komptech:</b> Terminator 5000 S: Low-speed, high-torque, single shaft shredder; engine: 446 Hp Cat C13; 80 t/h; max discharge height: 13'6".	Per Unit			
RH08-18		ID10	<b>Komptech:</b> Topturn X60: mobile, driver-cab configured refuse plough; windrow refuse output; telescoping frame; hydrostatic drive; auxiliary engine: Cat C9 diesel; performance: 4,580 yd/h max throughput	Per Unit			



**Offeror:**

Instructions: Reference Section-B, subsection 9.0

## **W-9**

**Respondent should reference the W-9 form included in this solicitation package. It is a writeable form and should be completed and submitted with response in both printed and digital formats.**

## **CIQ**

**Respondent should reference the CIQ/Conflict of Interest Questionnaire form included in this solicitation package. It should be completed and submitted with response in both printed and digital formats.**

1295

**Respondent should reference the Texas Ethics Commission document highlighted in this solicitation package ("Certificate of Interested Parties - Form 1295"). This State of Texas document is found online and must be completed in associated with this solicitation. TEC site:**

**[https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm)**

## **HB 89**

### **Prohibition on Contracts with Companies Boycotting Israel**

The 85<sup>th</sup> Texas Legislature approved new legislation, effective Sept. 1, 2017, which amends Texas Local Government Code Section 1. Subtitle F, Title 10, Government Code by adding Chapter 2270 which states that a governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it:

- 1) does not boycott Israel; and
- 2) will not boycott Israel during the term of the contract

**Respondent should reference the *HB 89* form included in this solicitation package. It should be completed and submitted with response in both printed and digital formats.**



**This is a sample of the contract that will be sent to you for execution IF you are recommended for a contract award. Do NOT complete and return with your Response.**

A CONTRACT BETWEEN HOUSTON-GALVESTON AREA COUNCIL, Houston, Texas AND \_\_\_\_\_

This Contract is made and entered into by the **Houston-Galveston Area Council of Governments**, hereinafter referred to as **H-GAC**, having its principal place of business at 3555 Timmons Lane, Suite 100, Houston, Texas 77027, AND, \_\_\_\_\_ hereinafter referred to as the **CONTRACTOR**, having its principal place of business at \_\_\_\_\_.

#### **ARTICLE 1: SCOPE OF SERVICES**

The parties have entered into a \_\_\_\_\_ Contract to become effective as of \_\_\_\_\_, and to continue through \_\_\_\_\_ (the "**Contract**"), subject to extension upon mutual agreement of the **CONTRACTOR** and **H-GAC**. **H-GAC** enters into the Contract as Agent for participating governmental agencies, each hereinafter referred to as **END USER**, for the purchase of \_\_\_\_\_ offered by the **CONTRACTOR**. The **CONTRACTOR** agrees to sell \_\_\_\_\_ through the **H-GAC** Contract to **END USERS**.

#### **ARTICLE 2: THE COMPLETE AGREEMENT**

The Contract shall consist of the documents identified below in order of precedence:

1. The text of this Contract form, including but not limited to, Attachment A
2. General Terms and Conditions
3. Bid Specifications No: \_\_\_\_\_, including any relevant suffixes
4. **CONTRACTOR's** Response to Bid No: \_\_\_\_\_, including but not limited to, prices and options offered

All of which are either attached hereto or incorporated by reference and hereby made a part of this Contract, and shall constitute the complete agreement between the parties hereto. This Contract supersedes any and all oral or written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Contract cannot be modified without the written consent of both parties.

#### **ARTICLE 3: LEGAL AUTHORITY**

**CONTRACTOR** and **H-GAC** warrant and represent to each other that they have adequate legal counsel and authority to enter into this Contract. The governing bodies, where applicable, have authorized the signatory officials to enter into this Contract and bind the parties to the terms of this Contract and any subsequent amendments thereto.

#### **ARTICLE 4: APPLICABLE LAWS**

The parties agree to conduct all activities under this Contract in accordance with all applicable rules, regulations, directives, issuances, ordinances, and laws in effect or promulgated during the term of this Contract.

#### **ARTICLE 5: INDEPENDENT CONTRACTOR**

The execution of this Contract and the rendering of services prescribed by this Contract do not change the independent status of **H-GAC** or **CONTRACTOR**. No provision of this Contract or act of **H-GAC** in performance of this Contract shall be construed as making **CONTRACTOR** the agent, servant or employee of **H-GAC**, the State of Texas or the United States Government. Employees of **CONTRACTOR** are subject to the exclusive control and supervision of **CONTRACTOR**. **CONTRACTOR** is solely responsible for employee payrolls and claims arising therefrom.

#### **ARTICLE 6: END USER AGREEMENTS**

**H-GAC** acknowledges that the **END USER** may choose to enter into an End User Agreement with the **CONTRACTOR** through this Contract and that the term of said Agreement may exceed the term of the **H-GAC** Contract. However this acknowledgement is not to be construed as **H-GAC's** endorsement or approval of the End User Agreement terms and conditions. **CONTRACTOR** agrees not to offer to, agree to or accept from **END USER** any terms or conditions that conflict with or contravene those in **CONTRACTOR's** **H-GAC** contract. Further, termination of this Contract for any reason shall not result in the termination of the underlying End User Agreements entered into between **CONTRACTOR** and any **END USER** which shall, in each instance, continue pursuant to their stated terms and duration. The only effect of termination of this Contract is that **CONTRACTOR** will no longer be able to enter into any new End User Agreements with **END USERS** pursuant to this Contract. Applicable **H-GAC** order processing charges will be due and payable to **H-GAC** on

any End User Agreements surviving termination of this Contract between **H-GAC** and **CONTRACTOR** .

**ARTICLE 7: SUBCONTRACTS & ASSIGNMENTS**

**CONTRACTOR** agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Contract or any right, title, obligation or interest it may have therein to any third party without prior written notice to **H-GAC**. **H-GAC** reserves the right to accept or reject any such change. **CONTRACTOR** shall continue to remain responsible for all performance under this Contract regardless of any subcontract or assignment. **H-GAC** shall be liable solely to **CONTRACTOR** and not to any of its Subcontractors or Assignees.

**ARTICLE 8: EXAMINATION AND RETENTION OF CONTRACTOR'S RECORDS**

**CONTRACTOR** shall maintain during the course of its work, complete and accurate records of items that are chargeable to **END USER** under this Contract. **H-GAC**, through its staff or its designated public accounting firm, the State of Texas, or the United States Government shall have the right at any reasonable time to inspect copy and audit those records on or off the premises of **CONTRACTOR**. Failure to provide access to records may be cause for termination of this Contract. **CONTRACTOR** shall maintain all records pertinent to this Contract for a period of not less than five (5) calendar years from the date of acceptance of the final contract closeout and until any outstanding litigation, audit or claim has been resolved. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. **CONTRACTOR** further agrees to include in all subcontracts under this Contract, a provision to the effect that the subcontractor agrees that **H-GAC'S** duly authorized representatives, shall, until the expiration of five (5) calendar years after final payment under the subcontract or until all audit findings have been resolved, have access to, and the right to examine and copy any directly pertinent books, documents, papers, invoices and records of such subcontractor involving any transaction relating to the subcontract.

**ARTICLE 9: REPORTING REQUIREMENTS**

**CONTRACTOR** agrees to submit reports or other documentation in accordance with the General Terms and Conditions of the Bid Specifications. If **CONTRACTOR** fails to submit to **H-GAC** in a timely and satisfactory manner any such report or documentation, or otherwise fails to satisfactorily render performance hereunder, such failure may be considered cause for termination of this Contract.

**ARTICLE 10: MOST FAVORED CUSTOMER CLAUSE**

If **CONTRACTOR**, at any time during this Contract , routinely enters into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to **H-GAC** on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to **H-GAC**, **CONTRACTOR** shall notify **H-GAC** within ten (10) business days thereafter of that offering and this Contract shall be deemed to be automatically amended effective retroactively to the effective date of the most favorable contract, wherein **CONTRACTOR** shall provide the same prices, warranties, benefits, or terms to **H-GAC** and its **END USER**. **H-GAC** shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If **CONTRACTOR** is of the opinion that any apparently more favorable price, warranty, benefit, or term charged and/or offered a customer during the term of this Contract is not in fact most favored treatment, **CONTRACTOR** shall within ten (10) business days notify **H-GAC** in writing, setting forth the detailed reasons **CONTRACTOR** believes aforesaid offer which has been deemed to be a most favored treatment, is not in fact most favored treatment. **H-GAC**, after due consideration of such written explanation, may decline to accept such explanation and thereupon this Contract between **H-GAC** and **CONTRACTOR** shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties, benefits, or terms to **H-GAC**.

The Parties accept the following definition of routine: A prescribed, detailed course of action to be followed regularly; a standard procedure. *EXCEPTION: This clause shall not be applicable to prices and price adjustments offered by a bidder, or contractor, which are not within bidder's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.*

**ARTICLE 11: SEVERABILITY**

All parties agree that should any provision of this Contract be determined to be invalid or unenforceable, such determination shall not affect any other term of this Contract, which shall continue in full force and effect.

**ARTICLE 12: DISPUTES**

Any and all disputes concerning questions of fact or of law arising under this Contract, which are not disposed of by agreement, shall be decided by the Executive Director of **H-GAC** or his designee, who shall reduce his decision to writing and provide notice thereof to **CONTRACTOR**. The decision of the Executive Director or his designee shall be final and conclusive unless,

within thirty (30) days from the date of receipt of such notice, **CONTRACTOR** requests a rehearing from the Executive Director of **H-GAC**. In connection with any rehearing under this Article, **CONTRACTOR** shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. **CONTRACTOR** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, **CONTRACTOR** shall proceed diligently with the performance of this Contract and in accordance with **H-GAC'S** final decision.

**ARTICLE 13: LIMITATION OF CONTRACTOR'S LIABILITY**

Except as specified in any separate writing between the **CONTRACTOR** and an **END USER**, **CONTRACTOR'S** total liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify **H-GAC** described in Article 14, is limited to the price of the particular products/services sold hereunder, and **CONTRACTOR** agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will **CONTRACTOR** be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. **CONTRACTOR** understands and agrees that it shall be liable to repay and shall repay upon demand to **END USER** any amounts determined by **H-GAC**, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Contract.

**ARTICLE 14: LIMIT OF H-GAC'S LIABILITY AND INDEMNIFICATION OF H-GAC**

**H-GAC'S** liability under this Contract, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will **H-GAC** be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless **H-GAC**, its board members, officers, agents, officials, employees, and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgments, and liens arising as a result of **CONTRACTOR'S** negligent act or omission under this Contract. **CONTRACTOR** shall notify **H-GAC** of the threat of lawsuit or of any actual suit filed against **CONTRACTOR** relating to this Contract.

**ARTICLE 15: TERMINATION FOR CAUSE**

**H-GAC** may terminate this Contract for cause based upon the failure of **CONTRACTOR** to comply with the terms and/or conditions of the Contract; provided that **H-GAC** shall give **CONTRACTOR** written notice specifying **CONTRACTOR'S** failure. If within thirty (30) days after receipt of such notice, **CONTRACTOR** shall not have either corrected such failure, or thereafter proceeded diligently to complete such correction, then **H-GAC** may, at its option, place **CONTRACTOR** in default and the Contract shall terminate on the date specified in such notice. **CONTRACTOR** shall pay to **H-GAC** any order processing charges due from **CONTRACTOR** on that portion of the Contract actually performed by **CONTRACTOR** and for which compensation was received by **CONTRACTOR**.

**ARTICLE 16: TERMINATION FOR CONVENIENCE**

Either **H-GAC** or **CONTRACTOR** may cancel or terminate this Contract at any time by giving thirty (30) days written notice to the other. **CONTRACTOR** may be entitled to payment from **END USER** for services actually performed; to the extent said services are satisfactory to **END USER**. **CONTRACTOR** shall pay to **H-GAC** any order processing charges due from **CONTRACTOR** on that portion of the Contract actually performed by **CONTRACTOR** and for which compensation is received by **CONTRACTOR**.

**ARTICLE 17: CIVIL AND CRIMINAL PROVISIONS AND SANCTIONS**

**CONTRACTOR** agrees that it will perform under this Contract in conformance with safeguards against fraud and abuse as set forth by **H-GAC**, the State of Texas, and the acts and regulations of any funding entity. **CONTRACTOR** agrees to notify **H-GAC** of any suspected fraud, abuse or other criminal activity related to this Contract through filing of a written report promptly after it becomes aware of such activity.

**ARTICLE 18: GOVERNING LAW & VENUE**

This Contract shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with this Contract shall lie exclusively in Harris County, Texas. Disputes between **END USER** and **CONTRACTOR** are to be resolved in accord with the law and venue rules of the state of purchase. **CONTRACTOR** shall immediately notify **H-GAC** of such disputes.

**ARTICLE 19: PAYMENT OF H-GAC ORDER PROCESSING CHARGE**

**CONTRACTOR** agrees to sell its products to **END USERS** based on the pricing and other terms of this Contract, including, but not limited to, the payment of the applicable **H-GAC** order processing charge. On notification from an **END USER** that an order has been placed with **CONTRACTOR**, **H-GAC** will invoice **CONTRACTOR** for the applicable order processing charge. Upon delivery of any product/service by **CONTRACTOR** and acceptance by **END USER**, **CONTRACTOR** shall, within thirty (30) calendar days or ten (10) business days after receipt of payment, whichever is less, pay **H-GAC** the full amount of the applicable order processing charge, whether or not **CONTRACTOR** has received an invoice from **H-GAC**. For sales made by **CONTRACTOR** based on this contract, including sales to entities without Interlocal Contracts, **CONTRACTOR** shall pay the applicable order processing charges to **H-GAC**. Further, **CONTRACTOR** agrees to encourage entities who are not members of **H-GAC's** Cooperative Purchasing Program to execute an **H-GAC** Interlocal Contract. **H-GAC** reserves the right to take appropriate actions including, but not limited to, contract termination if **CONTRACTOR** fails to promptly remit **H-GAC's** order processing charge. In no event shall **H-GAC** have any liability to **CONTRACTOR** for any goods or services an **END USER** procures from **CONTRACTOR**.

**ARTICLE 20: LIQUIDATED DAMAGES**

Any liquidated damages terms will be determined between **CONTRACTOR** and **END USER** at the time **END USER's** purchase order is placed.

**ARTICLE 21: PERFORMANCE BONDS FOR INDIVIDUAL ORDERS**

Except as described below for fire apparatus, **CONTRACTOR** agrees to provide a Performance Bond at the request of **END USER** within ten (10) days of receipt of **END USER's** purchase order.

It shall be standard procedure for every order received for fire apparatus that a Performance Bond in the amount of the order be provided to the **END USER**. Failure of **CONTRACTOR** to provide such performance bond within ten (10) days of receipt of **END USER's** order may constitute a total breach of contract and shall be cause for cancellation of the order at **END USER's** sole discretion. **END USER** may choose to delete the requirement for a Performance Bond at **END USER's** sole discretion. If the bond requirement is waived, **END USER** shall be entitled to a price reduction commensurate with the cost that would have been incurred by **CONTRACTOR** for the bond.

**ARTICLE 22: CHANGE OF CONTRACTOR STATUS**

**CONTRACTOR** shall immediately notify **H-GAC**, in writing, of ANY change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name, and shall also advise whether or not this Contract shall be affected in any way by such change. **H-GAC** shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Contract.

**ARTICLE 23: LICENSING REQUIRED BY TEXAS MOTOR VEHICLE BOARD [IF APPLICABLE]**

**CONTRACTOR** will for the duration of this Contract maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Contract period, any **CONTRACTOR'S** license is not renewed, or is denied or revoked, **CONTRACTOR shall** be deemed to be in default of this Contract unless the Motor Vehicle Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to **H-GAC** upon request.

IN WITNESS WHEREOF, the parties have caused this Contract to be executed by their duly authorized representatives.

Signed for **Houston-Galveston Area Council**, Houston, Texas: \_\_\_\_\_  
Jack Steele, Executive Director

Attest for **Houston-Galveston Area Council**, Houston, Texas: \_\_\_\_\_  
Deidre Vick, Director of Public Services  
Date: \_\_\_\_\_, 20\_\_

Signed for \_\_\_\_\_

Printed Name & Title: \_\_\_\_\_ Date: \_\_\_\_\_, 20\_\_

Attest for \_\_\_\_\_

Printed Name & Title: \_\_\_\_\_ Date: \_\_\_\_\_, 20\_\_

## Request for Taxpayer Identification Number and Certification

**Give Form to the  
 requester. Do not  
 send to the IRS.**

Print or type See Specific Instructions on page 2.	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.	
	2 Business name/disregarded entity name, if different from above	
	3 Check appropriate box for federal tax classification; check only <b>one</b> of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ <b>Note.</b> For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. <input type="checkbox"/> Other (see instructions) ▶ _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____ <small>(Applies to accounts maintained outside the U.S.)</small>
	5 Address (number, street, and apt. or suite no.)	Requester's name and address (optional)
	6 City, state, and ZIP code	
	7 List account number(s) here (optional)	

### Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

<b>Social security number</b>																						
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> </tr> </table>																						
<b>OR</b>																						
<b>Employer identification number</b>																						
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> </tr> </table>																						

**Note.** If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

### Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

**Certification instructions.** You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

<b>Sign Here</b>	Signature of U.S. person ▶	Date ▶
------------------	----------------------------	--------

### General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

**Future developments.** Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at [www.irs.gov/fw9](http://www.irs.gov/fw9).

### Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

*If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.*

By signing the filled-out form, you:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
2. Certify that you are not subject to backup withholding, or
3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

# CONFLICT OF INTEREST QUESTIONNAIRE

For vendor doing business with local governmental entity

## FORM CIQ

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Local Government Code.

A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.

### OFFICE USE ONLY

Date Received

**1** Name of vendor who has a business relationship with local governmental entity.

**2**  Check this box if you are filing an update to a previously filed questionnaire. (The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date on which you became aware that the originally filed questionnaire was incomplete or inaccurate.)

**3** Name of local government officer about whom the information is being disclosed.

\_\_\_\_\_  
Name of Officer

**4** Describe each employment or other business relationship with the local government officer, or a family member of the officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with the local government officer. Complete subparts A and B for each employment or business relationship described. Attach additional pages to this Form CIQ as necessary.

A. Is the local government officer or a family member of the officer receiving or likely to receive taxable income, other than investment income, from the vendor?

Yes       No

B. Is the vendor receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer or a family member of the officer AND the taxable income is not received from the local governmental entity?

Yes       No

**5** Describe each employment or business relationship that the vendor named in Section 1 maintains with a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership interest of one percent or more.

**6**  Check this box if the vendor has given the local government officer or a family member of the officer one or more gifts as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a-1).

**7**

\_\_\_\_\_  
Signature of vendor doing business with the governmental entity

\_\_\_\_\_  
Date

## **CONFLICT OF INTEREST QUESTIONNAIRE**

### **For vendor doing business with local governmental entity**

A complete copy of Chapter 176 of the Local Government Code may be found at <http://www.statutes.legis.state.tx.us/Docs/LG/htm/LG.176.htm>. For easy reference, below are some of the sections cited on this form.

**Local Government Code § 176.001(1-a):** "Business relationship" means a connection between two or more parties based on commercial activity of one of the parties. The term does not include a connection based on:

- (A) a transaction that is subject to rate or fee regulation by a federal, state, or local governmental entity or an agency of a federal, state, or local governmental entity;
- (B) a transaction conducted at a price and subject to terms available to the public; or
- (C) a purchase or lease of goods or services from a person that is chartered by a state or federal agency and that is subject to regular examination by, and reporting to, that agency.

**Local Government Code § 176.003(a)(2)(A) and (B):**

(a) A local government officer shall file a conflicts disclosure statement with respect to a vendor if:

\*\*\*

(2) the vendor:

(A) has an employment or other business relationship with the local government officer or a family member of the officer that results in the officer or family member receiving taxable income, other than investment income, that exceeds \$2,500 during the 12-month period preceding the date that the officer becomes aware that

- (i) a contract between the local governmental entity and vendor has been executed;
- or
- (ii) the local governmental entity is considering entering into a contract with the vendor;

(B) has given to the local government officer or a family member of the officer one or more gifts that have an aggregate value of more than \$100 in the 12-month period preceding the date the officer becomes aware that:

- (i) a contract between the local governmental entity and vendor has been executed; or
- (ii) the local governmental entity is considering entering into a contract with the vendor.

**Local Government Code § 176.006(a) and (a-1)**

(a) A vendor shall file a completed conflict of interest questionnaire if the vendor has a business relationship with a local governmental entity and:

- (1) has an employment or other business relationship with a local government officer of that local governmental entity, or a family member of the officer, described by Section 176.003(a)(2)(A);
- (2) has given a local government officer of that local governmental entity, or a family member of the officer, one or more gifts with the aggregate value specified by Section 176.003(a)(2)(B), excluding any gift described by Section 176.003(a-1); or
- (3) has a family relationship with a local government officer of that local governmental entity.

(a-1) The completed conflict of interest questionnaire must be filed with the appropriate records administrator not later than the seventh business day after the later of:

(1) the date that the vendor:

- (A) begins discussions or negotiations to enter into a contract with the local governmental entity; or
- (B) submits to the local governmental entity an application, response to a request for proposals or bids, correspondence, or another writing related to a potential contract with the local governmental entity; or

(2) the date the vendor becomes aware:

- (A) of an employment or other business relationship with a local government officer, or a family member of the officer, described by Subsection (a);
- (B) that the vendor has given one or more gifts described by Subsection (a); or
- (C) of a family relationship with a local government officer.

## **CERTIFICATE OF INTERESTED PARTIES – FORM 1295**

**Certificate of Interested Parties (Form 1295 – must be filled out electronically with the Texas Ethics Commission’s online filing application, printed out, signed, notarized, and attached to proposal in the response - Section TAB A)**

H-GAC is required to comply with House Bill 1295, which amended the Texas Government Code by adding Section 2252.908, Disclosure of Interested Parties. Section 2252.908 prohibits H-GAC from entering into a contract resulting from this RFP with a business entity unless the business entity submits a Disclosure of Interested Parties (Form 1295) to H-GAC at the time business entity submits the signed contract. The Texas Ethics Commission has adopted rules requiring the business entity to file Form 1295 electronically with the Texas Ethics Commission. The following **definitions** apply:

- (1) **“Business Entity”** means an entity recognized by law through which business is conducted, including a sole proprietorship, partnership, or corporation. TEX. GOV’T CODE § 2252.908(1).
- (2) **“Interested Party”** means a person:
  - a) who has a controlling interest in a business entity with whom H-GAC contracts; or
  - b) who actively participates in facilitating the contract or negotiating the terms of the contract, including a broker, intermediary, adviser, or attorney for the business entity. TEX. GOV’T CODE § 2252.908(3).
- (3) **“Controlling interest”** means:
  - a) an ownership interest or participating interest in a business entity by virtue of units, percentage, shares, stock, or otherwise that exceeds 10 percent;
  - b) membership on the board of directors or other governing body of a business entity of which the board or other governing body is composed of not more than 10 members; or
  - c) service as an officer of a business entity that has four or fewer officers, or service as one of the four officers most highly compensated by a business entity that has more than four officers. *Subsection (c) does not apply to an officer of a publicly held business entity or its wholly owned subsidiaries.* TEX. ETHICS COMM. RULE 46.3(c).
- (4) **“Intermediary”** means a person who actively participates in the facilitation of the contract or negotiating the contract, including a broker, adviser, attorney, or representative of or agent for the business entity who:
  - a) receives compensation from the business entity for the person’s participation;
  - b) communicates directly with the governmental entity or state agency on behalf of the business entity regarding the contract; and
  - c) is not an employee of the business entity. TEX. ETHICS COMM. RULE 46.3(e).

### **As a “business entity,” all vendors must:**

- (1) **complete Form 1295 electronically** with the Texas Ethics Commission using the online filing application, which can be found at [https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm)
  - **All vendors must complete Form 1295, even if no interested parties exist**
  - In Section 2, insert “Houston-Galveston Area Council”
  - In Section 3, insert the H-GAC RFP # for this proposal
- (2) **print a copy of the completed form** (make sure that it has a computer-generated certification number in the “Office Use Only” box)
- (3) have an authorized agent of the business entity **sign the form**
- (4) **notarize the form**
- (5) **submit** the completed, signed, notarized Form 1295, with the certification of filing, by **attaching the form to your proposal in Section TAB A**



H-GAC must acknowledge the receipt of the filed Form 1295 by notifying the Texas Ethics Commission of the receipt of the filed Form 1295 no later than the 30<sup>th</sup> day after receipt by H-GAC. After H-GAC acknowledges the Form 1295, the Texas Ethics Commission will post the completed Form 1295 to its website with seven business days after receiving notice from H-GAC.

# CERTIFICATE OF INTERESTED PARTIES

**FORM 1295**

Complete Nos. 1 - 4 and 6 if there are interested parties.  
 Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

**OFFICE USE ONLY**

**1 Name of business entity filing form, and the city, state and country of the business entity's place of business.**

**2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.**

**3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.**

4 Name of Interested Party	City, State, Country (place of business)	Nature of Interest (check applicable)	
		Controlling	Intermediary

**5 Check only if there is NO Interested Party.**

**6 AFFIDAVIT** I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

\_\_\_\_\_  
 Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said \_\_\_\_\_, this the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_, to certify which, witness my hand and seal of office.

\_\_\_\_\_  
 Signature of officer administering oath      Printed name of officer administering oath      Title of officer administering oath

**ADD ADDITIONAL PAGES AS NECESSARY**

# House Bill 89 Verification Form

## Prohibition on Contracts with Companies Boycotting Israel

The 85<sup>th</sup> Texas Legislature approved new legislation, effective Sept. 1, 2017, which amends Texas Local Government Code Section 1. Subtitle F, Title 10, Government Code by adding Chapter 2270 which states that a governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it:

- 1) does not boycott Israel; and
- 2) will not boycott Israel during the term of the contract

Pursuant to Section 2270.001, Texas Government Code:

1. "Boycott Israel" means refusing to deal with, terminating business activities with, or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations specifically with Israel, or with a person or entity doing business in Israel or in an Israeli-controlled territory, but does not include an action made for ordinary business purposes; and
2. "Company" means a for-profit sole proprietorship, organization, association, corporation, partnership, joint venture, limited partnership, limited liability partnership, or any limited liability company, including a wholly owned subsidiary, majority-owned subsidiary, parent company or affiliate of those entities or business associations that exist to make a profit.

---

I, (authorized official) \_\_\_\_\_, do hereby depose and verify the truthfulness and accuracy of the contents of the statements submitted on this certification under the provisions of Subtitle F, Title 10, Government Code Chapter 2270 and that the company named below:

- 1) does not boycott Israel currently; and
- 2) will not boycott Israel during the term of the contract; and
- 3) is not currently listed on the State of Texas Comptroller's Companies that Boycott Israel List located at <https://comptroller.texas.gov/purchasing/publications/divestment.php>

---

Company Name

---

Signature of Authorized Official

---

Title of Authorized Official

---

Date