



**COOPERATIVE PURCHASING PROGRAM**  
 Houston-Galveston Area Council of Governments  
 3555 Timmons, Suite 120, Houston, TX 77027  
 Phone: 800-926-0234 Fax: 713-993-4548  
[www.hgacbuy.org](http://www.hgacbuy.org)

INVITATION TO SUBMIT COMPETITIVE:	<input checked="" type="checkbox"/> <b>BIDS</b>	<input type="checkbox"/> <b>PROPOSALS</b>
INVITATION NO.: <b>RH08-20</b>	ISSUE DATE: <b>February 13, 2020</b>	
CATEGORY: <b>REFUSE HANDLING EQUIPMENT</b>		

**PURPOSE OF THIS INVITATION**

The Cooperative Purchasing Program (HGACBuy) of the Houston-Galveston Area Council of Governments is soliciting offerings for the furnishing of products/services as described herein. These products/services may be purchased by any of more than 8000 local government members, districts, and agencies in 49 states.

Responses must be submitted in an original and one (1) copy, and shall be subject to the terms, conditions, requirements and specifications detailed in the documents comprising this Invitation. Responses are scheduled to be opened publicly at H-GAC offices on the date indicated. For Bid Invitations, responses will be available for public review until 4:00 p.m. CT that day, and on subsequent days by appointment only. Any Responses submitted later than 1:00 p.m. on the due date will be returned unopened to the bidder/proposer.

**PROCUREMENT SCHEDULE & DETAILS**

<b>DRAFT SPECIFICATION / INVITATION:</b>	January 7, 2020
<b>PRE-BID/PROPOSAL CONFERENCE:</b>	January 23, 2020 @ 9:00 a.m. CT; Conference Room B, 2nd floor
<b>FINAL SPECIFICATION / INVITATION:</b>	February 13, 2020
<b>BID/PROPOSAL RESPONSES DUE:</b>	<b>March 12, 2020 @ 1:00 p.m. CT; H-GAC Clock</b>
<b>PUBLIC RESPONSE OPENING:</b>	March 12, 2020 @ 2:00 p.m. CT; H-GAC Clock
<b>RECOMMENDATIONS TO BOARD:</b>	May 19, 2020
<b>CONTRACT START DATE &amp; TERM:</b>	August 1, 2020 – July 31, 2022 (2 years)
The documents comprising this Invitation are available via web download at: <a href="https://www.hgacbuy.org/bids/">https://www.hgacbuy.org/bids/</a>	
For assistance regarding this Invitation, please contact: Name: <b>Neal Witty</b> Phone: 713-499-6693 E-mail: <a href="mailto:neal.witty@h-gac.com">neal.witty@h-gac.com</a>	


**CONTENTS OF THIS INVITATION**

- SECTION-A:** General Terms & Conditions
- SECTION-B:** Product/Service Specific Requirements & Specifications
- SECTION-C:** HGACBuy *Forms*
- SECTION-D:** Pro-Forma (Sample) Contract
- FORMS:** W-9, CIQ, 1295, HB89, CIF

## **LABELING OF SEALED RESPONSE PACKAGE**

### **IMPORTANT:**

**You must affix an identifying label to the outside of your sealed response package to ensure proper identification and log-in at HGACBuy offices on receipt. HGACBuy is not responsible for any response that might be lost or misdirected due to improper or unclear labeling. Your label should look as follows and should be affixed conspicuously to the package.**



**Responses by E-mail or FAX will not be acceptable. Two hard copies (plus the electronic media described herein) are required.**

### **NOTICE REGARDING NATIONWIDE SALES POTENTIAL**

HGACBuy is conducting this procurement with the objective of establishing one or more blanket type contracts for use by our Members. Because our Members are located not only in Texas, but throughout the country, we strongly urge you to participate in the process at the corporate level. If you do not sell direct, your dealer network may still service customers while you handle the administrative functions of providing quotes, accepting purchase orders, and collecting payments. If this is not feasible, we will work with you to subsequently assign your contract to your dealers as necessary to service customers.

Whatever approach you choose to take, there is considerable potential sales value because HGACBuy is being used not only in the State of Texas, but NATIONWIDE. This means that HGACBuy contractors will have a special advantage available to them in promoting sales to government agencies throughout the country... the ability to sell products without the need for the buyer to duplicate the competitive bidding process and expend the associated staff time and taxpayer dollars. We believe an HGACBuy contract would enhance your competitive position in the government marketplace and are eager to work with you to promote the best interests of our participating local governments and qualifying non-profit organizations.

We look forward to your participation in our process. Please contact the HGACBuy staff member listed on the cover of this Invitation for additional information.



**SECTION-A**  
**GENERAL TERMS & CONDITIONS**  
**FOR BIDS AND PROPOSALS**

**INVITATION NO. RH08-20**  
**DESCRIPTION: Refuse Handling Equipment**

**TABLE OF CONTENTS**

1.	INTRODUCTION .....	2
2.	DEFINITIONS, ABBREVIATIONS & ACRONYMS .....	2
3.	NON-BINDING ORAL COMMENTS .....	4
4.	STRUCTURE OF RESPONSE .....	4
5.	BASIC REQUIREMENTS & CONDITIONS.....	4
6.	OFFEROR'S AUTHORIZED SIGNATORY .....	6
7.	SURETY FOR INSURANCE .....	6
8.	CONFIDENTIAL / PROPRIETARY MATERIALS .....	6
9.	REFERENCES .....	6
10.	INSURANCE .....	6
11.	OFFEROR CERTIFICATIONS.....	7
12.	HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION .....	7
13.	NON-RESIDENT RECIPROCAL SALES ACT .....	8
14.	TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING.....	8
15.	INTENT AND SCOPE OF SPECIFICATIONS .....	8
16.	REQUIREMENTS APPLICABLE TO PHYSICAL GOODS .....	8
17.	PRODUCT CODES .....	9
18.	SPECIFIC DESCRIPTIVE REFERENCES.....	9
19.	MANUALS .....	9
20.	STANDARD FEATURES & OPTIONS .....	9
21.	WARRANTIES, SALES & SERVICE .....	10
22.	H-GAC ORDER PROCESSING CHARGE .....	11
23.	PRE-PAYMENTS AND DISCOUNTS .....	11
24.	INSPECTION / TESTING .....	11
25.	PRODUCT DELIVERY.....	11
26.	OFFERED PRODUCT ITEM VARIANCES .....	11
27.	REQUIREMENTS FOR SUBMISSION OF A RESPONSE.....	11
28.	CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS .....	13
29.	INCONSISTENT INFORMATION.....	14
30.	REJECTION OF RESPONSES.....	14
31.	WITHDRAWAL OR MODIFICATION OF RESPONSES .....	14
32.	RESPONSE EVALUATION .....	14
33.	ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD .....	15
34.	AWARD OF CONTRACT .....	15
35.	PRO-FORMA CONTRACT .....	15

36.	CONTRACT TERM .....	15
37.	PERFORMANCE & PAYMENT BOND .....	15
38.	CHANGE ORDERS.....	15
39.	DUPLICATION OF TERMS OR STATEMENTS.....	15
40.	PUBLICITY .....	15
41.	TAXES.....	16
42.	DRUG FREE WORKPLACE .....	16
43.	PRODUCT NOTICES & MAILINGS .....	16
44.	HANDLING OF ORDERS & PAYMENTS.....	16
45.	PRICE CHANGES.....	17
46.	CONTRACT ITEM CHANGES.....	17
47.	FORCE MAJEURE.....	18
48.	PERFORMANCE UNDER CONTRACT .....	18
49.	CONTRACTOR ORIENTATION/TRAINING.....	18
50.	LEGAL & CONTRACTUAL REMEDIES .....	19
51.	NATIONWIDE SALES OPPORTUNITIES.....	20

---

**1. INTRODUCTION**

The Houston-Galveston Area Council (**H-GAC**) is a "Government-to-Government" procurement service for States, State Agencies, Local Governments, Districts, Authorities, and qualifying Not-for-Profit Corporations (**End Users**). End Users become **Members** of the **H-GAC** Cooperative Purchasing Program (**HGACBuy**) by executing an Interlocal Contract, which is free of cost and evergreen unless cancelled. **HGACBuy**, acting on behalf of **Members**, is soliciting competitive offerings for the furnishing of products and/or services, as described elsewhere, which MAY be purchased by **Members** during the contract term. **Members** using the Program issue purchase orders directly to **HGACBuy** contractors.

---

**2. DEFINITIONS, ABBREVIATIONS & ACRONYMS**

The following definitions, abbreviations and acronyms may be found in these specifications, and shall be interpreted herein as specified below.

**Definitions and Abbreviations:**

**Acceptance.** Acceptance takes place when the **End User** agrees with the **Contractor** that the terms and conditions of the contract have been met and verified. Acceptance is not the same as Receipt, and can only occur after intact shipping, inspection by **End User**, and any onsite testing that has been stipulated as part of the order

**Aggregate/Single Occurrence.** The term "*aggregate*" in insurance terms is the sum of all claims against a specific policy for a specific loss incident. The term "*single occurrence*" differentiates between multiple claims and single claims against a specific policy. The inherent value of a policy's aggregate value is less important to an **End User** than is the value of a single claim as stated under "*single occurrence*."

**Approved.** Acceptable to the "authority having jurisdiction."

**ARO.** "After Receipt of Order". Used in conjunction with a defined time period (usually days or weeks) to establish the delivery or lead time pursuant to any individual purchase transaction. In the case of orders for bodies which will be mounted on a customer furnished cab/chassis, the term ARO shall be construed to mean "After Receipt of Cab/Chassis".

**Authority Having Jurisdiction.** The authority shall be either **H-GAC** or the relevant **End User** based on the requirements as stated in each specification item. Unless specifically stated, the authority shall be **H-GAC**.

**Bidder.** Any entity that submits a competitive bid to this Invitation. (See also "**Offeror**")

**Change Order.** Request by an **End User** for a change in the composition of an already submitted purchase order, for example to change quantity ordered, add or delete items, etc.

**Contract.** Specifically, a contract between **H-GAC** and a successful **Offeror** which is executed based on an award made pursuant this Invitation.

**Contract Pricing Worksheet.** The standard **H-GAC** form to be used by **Contractor** in preparing a quotation to an End User, upon which End User's purchase order will be based. **Contractor** may use another quotation form provided it contains required information, and only if approved by **H-GAC**.

**Contractor.** The contracted business entity responsible for fulfilling a contract executed pursuant to this Invitation.

**Dealer/Distributor.** A duly authorized and/or franchised business entity which sells and services a manufacturer's product in a specified marketing area.

**Defect.** A discontinuity in a part or a failure to function that interferes with the service or reliability for which the part was intended.

**Electronic Media.** As used herein, means computer based media such as 100mb Zip Disk, CDROM, e-mail, e-mail attachment, file downloaded from the web, etc.

**End User.** (See "**Participant**" and "**Member**")

**Listed.** Equipment or materials included in a list published by an organization, acceptable to the "Authority Having Jurisdiction" and concerned with product evaluation, that conducts periodic inspection of production of listed equipment or materials and whose listing states either that the equipment or materials meet appropriate standards or has been tested and found suitable for use in a specified manner. NOTE: The means for identifying listed equipment may vary for each organization concerned with product evaluation, some of which do not recognize equipment as listed unless it is also labeled. The "authority having jurisdiction" should utilize the system employed by the listing organization to identify a listed product.

**Manufacturer.** The person or persons, company firm, corporation, partnership, or other organization responsible for taking raw materials or components and making a finished product.

**May.** A term indicating a permissive use or an acceptable alternative to a specified requirement.

**Member.** An authorized Participant in the Program. (See "**Participant**" and "**End User**")

**Motor Vehicle.** The meaning of this term shall be based on the legal definition ascribed to it by the laws and/or regulations of the state in which any specific sale made pursuant to a Contract takes place.

**Must.** A term indicating a mandatory requirement.

**Offer or Offering.** Any product or service offered in reply to this Invitation.

**Offeror.** Any entity that submits a competitive bid or proposal in response to this Invitation. Bidder or Proposer.

**Participant.** Generally, any qualifying governmental or non-profit entity which has executed an Interlocal Contract for cooperative purchasing services with **H-GAC**.

**Product Liability Insurance.** Failure of Components and/or assembled equipment resulting in personal injury, disability or death and/or property damage is covered under the product liability insurance provisions.

**Product or Product Item.** Any of the specific goods, materials, equipment or service(s) specified in this Invitation. This term encompasses the base line item itself, and any and all accessories, options, modifications, ancillary services, assembly, testing, etc. that may be included in the delivered Product.

**Proposer.** Any entity that submits a competitive proposal in response to this Invitation. (See also "**Offeror**")

**Purchaser.** The **End User** having responsibility for the specification, requisition, ordering and acceptance of the Product or Service. (See also "**End User**")

**Purchasing Authority.** The agency that has sole responsibility and authority for negotiating, placing and, if necessary, modifying any solicitation, purchase order, or other award issued by a governing body [**H-GAC**].

**Quotation.** See "Contract Pricing Worksheet".

**Receipt.** Receipt takes place when a Product or Service is delivered to an **End User** and a document is executed that establishes that the Product is now in the possession of the **End User** or that the Service has been completed. Receipt DOES NOT connote or imply Acceptance.

**Response.** All or part of any offering submitted in response to this Invitation.

**Shall.** A term indicating a mandatory requirement or action.

**Should.** A term indicating a recommended or advised response to a specified requirement.

**Vendor.** A manufacturer's representative or dealer authorized to make sales and supply parts and service.

#### **Acronyms:**

**ANSI** = **A**merican **N**ational **S**tandards **I**nstitute

**ASTM** = **A**merican **S**ociety for **T**esting and **M**aterials

ASME = American Society of Mechanical Engineers  
CFR = U.S. Code of Federal Regulations  
DOJ = U.S. Deartment Of Justice  
DOT = U.S. Deartment Of Transportation  
EPA = U.S. Environmental Protection Agency  
FAA = Federal Aviation Administration  
FMVSS = U.S. Federal Motor Vehicle Safety Standards  
H-GAC = Houston-Galveston Area Council of Governments  
IEEE = Institute of Electrical and Electronics Engineers  
MVD = Motor Vehicle Division of Texas Department of Transportation  
NFPA = National Fire Protection Association  
NHTSA = National Highway Traffic Safety Admistration  
NIOSH = National Institute For Occupational Safety And Health  
NIST = National Institute of Standards and Technology  
NTEA = National Truck Equipment Association  
OSHA = U.S. Occupational Safety and Health Admistration  
RRC = Railroad Commission of Texas  
SAE = Society of Automotive Engineers  
TBPC = Texas Building and Procurement Commission (formerly GSC)  
TxDOT = Texas Deartment Of Transportation  
UL = Underwriter's Laboratories Inc.  
VTCS = Vernon's Texas Civil Statutes

---

### 3. NON-BINDING ORAL COMMENTS

No oral comment, utterance or response made by any employee, member, or agent of **H-GAC** or any Member of the Cooperative Purchasing Program shall be considered factual or binding with regard to this Invitation, or any contract awarded as a result of this Invitation. Valid and binding terms, conditions, provisions, changes or clarifications, or requests thereof, shall **ONLY** be communicated written form.

---

### 4. STRUCTURE OF RESPONSE

Depending on the Product or Service, market structures and sales practices can differ substantially. For example, dealers may sell into any market or may be restricted to certain territories, manufacturers may sell direct or may be limited by law to selling thru independent dealerships, etc. **H-GAC's** objective is to ensure that **End Users**, no matter where located, can buy contracted products/services and receive quality and timely service and support, while at the same time allowing for the most appropriate and effective response to this Invitation. Therefore, responses to this Invitation will be accepted in conformance with the following scenarios and requirements:

**A. Single Respondent Acting Alone Or As "Lead" For A Group:**

**Offeror** shall complete and sign a **Form A** and, if contracted, shall be solely responsible for all contractual requirements including administration, processing of purchase orders and handling of payments for transactions which may involve other dealers who actually deliver the products or services.

**B. Multiple Respondents Acting Jointly:**

A single Response shall be submitted, and each party to the Response shall complete and sign a separate **Form A** to be included in the single Response. If the Response is successful each party shall sign a separate contract with **H-GAC** and shall be responsible for compliance with all terms and conditions. Only those which have executed a written contract with **H-GAC** may process purchase orders and payments.

**In any event, Offeror may be a party to one, and only one, response.**

---

### 5. BASIC REQUIREMENTS & CONDITIONS

- a. The final requirements and specifications contained herein may be different, perhaps materially, from those in the "Invitation To Attend Pre-Bid / Pre-Proposal Conference", if any. It is **Offeror's** sole responsibility to

thoroughly examine and review all documentation associated with this Invitation, including any Addendums, to ensure that any response submitted complies in every respect with all requirements.

- b. Any Addendum to this Invitation which may be required prior to the Response due date will be delivered to those prospective Offerors of record who have previously obtained a copy of this Invitation from **H-GAC**. Prospective Offerors shall be responsible for obtaining all documents relating to submission of a Response.
- c. **Offeror** shall thoroughly examine any drawings, specifications, schedules, instructions and any other documents, supplied as a part of this Invitation, and is solely responsible for understanding and compliance.
- d. **H-GAC** shall not be liable for **Offeror's** incomplete documentation, or for any costs associated with preparation and submission of any Response hereto. Additionally, all components of any Response become the property of **H-GAC**, **and shall be considered to be in the public domain**.
- e. **Offeror** shall make all investigations necessary to become thoroughly informed regarding any plan and/or infrastructure that may be required to support delivery of any Product or Service covered by this Invitation. No plea of ignorance by **Offeror** stemming from failure to investigate conditions that may now or hereafter exist, shall be accepted as a basis for varying **H-GAC's** requirements, or **Offeror's/Contractor's** obligations or entitlements.
- f. Requests for changes to the requirements or specifications herein must be in writing (e-mail, fax, letter) and must be received by **H-GAC** no later than fifteen (15) calendar days prior to the Response Due Date. **H-GAC** will review such requests, but may or may not make changes at its sole discretion. Changes, if any, will only be made by written Addendum sent to addressees of record. In any event, it is **Offeror's** sole responsibility to insure that any and all Addendums which may have been issued have been received and addressed.
- g. By submission of a response, **Offeror** expressly understands and agrees that all terms and conditions herein will be part of any subsequent contract that is executed pursuant to this Invitation.
- h. **Offeror** is advised that all **H-GAC** contracts are subject to the legal requirements established in any applicable Local, State or Federal statute.
- i. **Offeror/Contractor** must be in compliance with all licensing, permitting, registration and other applicable legal or regulatory requirements imposed by any governmental authority having jurisdiction. It is **Offeror/Contractor's** responsibility to insure that this requirement is met, and to supply to **H-GAC** upon request, copies of any license, permit or other documentation bearing on such compliance.
- j. Unless otherwise established elsewhere in this Invitation, NO minimum purchase quantities or spending levels are provided or guaranteed by **H-GAC** or any **End User**.
- k. This Invitation is not meant to restrict competition, but rather is intended to allow for a wide range of responses.
- l. Responses which are 'qualified' with conditional clauses or alterations of or exceptions to any of the terms and conditions in this Invitation may be deemed non-compliant at **H-GAC's** sole discretion.
- m. The term '**Offeror**', or derivative thereof, shall become synonymous with '**Contractor**' for any successful **Offeror** recommended for a contract pursuant to this Invitation.
- n. **H-GAC** reserves the right to:
  - Reject any and all offers received in response to this Invitation.
  - Reject any part of an offer received in response to this Invitation.
  - Determine the correct price and/or terminology in the event of any discrepancies in any response.
  - Accept a response from, and enter into agreement with, other than the lowest price **Offeror**.
  - Accept responses and award contracts to as many or as few **Offerors** as **H-GAC** may select.
  - Amend, waive, modify, or withdraw (in part or in whole) this Invitation, or any requirements herein.
  - Hold discussions with **Offerors**, although award may be made without discussion.
  - Request an **Offeror** to give a presentation of the Response at a time and place scheduled by **H-GAC**.
  - Exercise any of these rights at any time without liability to any **Offeror**.
- o. **H-GAC** reserves the right to determine that conditions exist which prevent the public opening of responses on the date and at the time advertised, and to reschedule the public opening for a future date and time. Responses received by **H-GAC** by the original deadline will be secured unopened until the rescheduled opening date and time, and those having timely submitted such responses will be notified.

---

## 6. OFFEROR'S AUTHORIZED SIGNATORY

The signatory shall be authorized to sign and contractually bind **Offeror**, and shall sign any and all Response documentation requiring a signature.

---

## 7. SURETY FOR INSURANCE

**Contractor** shall be responsible for using a surety company properly licensed by any and all states in which Contractor will do business with Participants. The surety company shall not expose itself to any loss on any one risk in an amount exceeding ten percent (10%) of its surplus to policy holders, provided any risk or portion of any risk shall have been reinsured, and such reinsurance shall be deducted in determining the limitation of risk applicable to **H-GAC's** insurance requirements.

---

## 8. CONFIDENTIAL / PROPRIETARY MATERIALS

All documentation submitted as part of **Offeror's** response to this Invitation will be considered to be in the public domain and may be made available to Members and others, after contract award, upon properly submitted request. If **Offeror** submits documents marked "confidential" or "proprietary", the Response may be deemed non-compliant.

---

## 9. REFERENCES

- a. **Offeror** shall list the names of at least five government agencies within the continental United States which have purchased from **Offeror** products or services similar to those covered by this Invitation, within the last two years. **H-GAC** reserves the right to determine if such products or services are appropriately similar.
- b. **Offeror** may provide reference information in whatever format desired, but each should include the following specific information:
  - Agency name
  - Contact person name
  - Address
  - Phone & Fax numbers
  - Description of product(s) or service(s) and date sold
- c. Other information, including criticism however learned, may be used by **H-GAC** in evaluation of responses.

---

## 10. INSURANCE

- a. Unless otherwise stipulated in Section B, **Offeror/Contractor** must have the following insurance and coverage minimums:
  - General liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit.
  - Product liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B – Product Specific of this Invitation.
  - Property Damage or Destruction** insurance is required for coverage of **End User** owned equipment while in **Contractor's** possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as part of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.
- b. Insurance coverage shall be in effect for the length of any contract made pursuant to this Invitation, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Offeror/Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Offeror/Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.



- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

---

## **11. OFFEROR CERTIFICATIONS**

**Offeror, by submission of a Response hereto, makes the following certifications under penalty of perjury and possible contract termination if any of these certifications are found to be false.**

### **Non-Collusive Response**

- a. The prices in the Response have been arrived at independently without collusion, consultation, communication, or agreement for the purpose of restricting competition, as to any matter relating to such prices with any other **Offeror** or potential competitor.
- b. The prices which have been quoted in the Response (unless otherwise required by law), have not been knowingly disclosed by **Offeror** and will not be knowingly disclosed by **Offeror** prior to the public response opening, either directly or indirectly, to any other **Offeror** or competitor.
- c. No attempt has been made or will be made by **Offeror** to induce any other person, partnership or corporation to submit or not to submit a response for the purpose of restricting competition.

### **Non-Biased Specifications**

This Invitation contains no requirements considered to be unduly biased in favor of **Offeror** or any other **Offerors** that may be competing for this procurement.

### **No Financial Interest or Other Conflict**

- a. No **H-GAC** officer, employee, Board of Directors member or member of any **H-GAC** board or commission, nor family member of any such person, has a financial interest, direct or indirect, in **Offeror** or in any contract **Offeror** might enter into with **H-GAC**.
- b. No economic or employment opportunity, gift, loan, gratuity, special discount, trip, favor or service has been, or will be, offered or given to any officer, employee, Board of Directors member, or member of any **H-GAC** board or commission, nor to any family member of any such person.

### **Debarment and Suspension Status**

- a. **Offeror** is not currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any government agency, nor is **Offeror** an agent of any person or entity that is currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transaction by any government agency.
- b. **Offeror** has not within a three year period preceding this Invitation been convicted of or had a civil suit judgement rendered against **Offeror** for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain or performing a public transaction or contract under a public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statement, or receiving stolen property.
- c. **Offeror** is not presently indicted for or otherwise criminally or civilly charged by a government entity (federal, state, or local) with commission of any of the offenses enumerated above.
- d. Offeror has not, within a three-year period preceding this Invitation, had any government (federal, state, or local) transactions terminated for cause or default.

### **Insurance Coverages**

**Offeror** has and will maintain insurance coverage in accordance with the requirements of this Invitation.

### **Licensing & Permits**

**Offeror(s)** has (have) all licenses and/or permits, required by any and all governmental entities having jurisdiction, to legally sell the products/services offered.

---

## **12. HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION**

- a. To satisfy Texas' statutory requirements [Government Code, Chapter 2161, Subchapter D], **H-GAC** requires all **Offerors** to supply information in any bid/proposal response listing (1) the total number of subcontracts and (2) the total number of HUB contracts applicable to the Products or Services offered in the response. Local

governments often require this information for their own reporting requirements prior to placing orders through the **H-GAC** Cooperative Purchasing Program.

- b. **Offeror** must complete **Form B** and include subcontracts with HUB's that provide any materials or services related to sales that may be made thru **H-GAC's** Cooperative Purchasing Program.

---

### 13. NON-RESIDENT RECIPROCAL SALES ACT

As required by Texas Civil Statutes in the award of contracts, an offeror which is not a Texas resident business must determine if its state of residence prohibits award of government contracts to Texas resident offerors without penalty. If **Offeror's** resident state DOES penalize Texas offerors, **Offeror** must provide this information along with a copy of its applicable resident state's statute in the Response.

---

### 14. TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING

Sales of motor vehicles in the State of Texas are subject to the Texas Motor Vehicle Commission Code. If this Invitation includes any motor vehicle to be sold in the State of Texas, **Offeror** certifies by submission of a response hereto that all required Texas Motor Vehicle Commission licenses are in place and current, and that copies of all such licenses **have been submitted with the Response**. Further, it shall be **Contractor's** responsibility to keep current all required Texas Motor Vehicle Commission licensing during the term of the contract, and to furnish license copies at any time on request by **H-GAC**. If **Contractor** does not maintain current licensing, **H-GAC** reserves the right to immediately terminate the contract.

**NOTE:** In accordance with the Texas Motor Vehicle Commission Code, contracts for motor vehicles to be sold within the state of Texas may be made **ONLY** with properly licensed Texas Motor Vehicle Dealers. Therefore, to be considered for a contract covering Texas End Users, the Response must include a **Form A** from a licensed Texas Motor Vehicle Dealer

---

### 15. INTENT AND SCOPE OF SPECIFICATIONS

- a. The intent of the specifications herein is to provide **Offeror** with sufficient information concerning the Products/Services to be contracted such that **Offeror** can prepare and submit an acceptable Response.
- b. The specifications may be detailed or general in nature with regard to any particular Product/Service. Where not otherwise specified, details of construction, materials, or the way in which services will be provided, are left to the discretion of the **Offeror**, provided only that any offering shall conform, as a minimum, to best Industry standards and practices and to what is currently being sold in the marketplace.
- c. Responses shall be considered only from **Offerors** that have established good reputations in their markets, and who furnish satisfactory evidence of ability to supply the Products/Services specified herein.
- d. **Offeror** shall show proof of ability to provide to **End Users** prompt and competent service, including parts if applicable, for all Products/Services covered by this Invitation, by proper completion of a Service Organization Document as described elsewhere herein.

---

### 16. REQUIREMENTS APPLICABLE TO PHYSICAL GOODS

In the case of physical goods (e.g. equipment, material, supplies, as opposed to services), all Products offered must, unless otherwise stipulated in Section B:

- a. Be new, unused, and not refurbished.
- b. Not be a prototype insofar as the general design, operation and performance. This requirement is NOT meant to preclude **Offeror** from offering new models or configurations which incorporate improvements in a current design or add functionality, but which in such new model or configuration may be new to the marketplace.
- c. Include any and all accessories which may or may not be specifically mentioned herein, but which are normally furnished or which are necessary to make a delivered Product ready for its intended use. Such accessories shall be assembled, installed and adjusted such that the Product is ready for continuous operation at time of delivery.
- d. Have assemblies, sub-assemblies and component parts that are standard and interchangeable throughout the entire quantity of a particular Product as may be purchased simultaneously by any individual **End User**.
- a. Be designed and constructed using current industry accepted engineering and safety practices, and materials.

- b. Be available for inspection at any time prior to or after procurement.

---

## 17. PRODUCT CODES

Unless otherwise addressed in Section B of this Invitation, the following requirements shall apply:

- a. Each Product/Service offered shall be uniquely identified using an **H-GAC** Product Code, which shall be determined as described in Section B of this Invitation. **Offeror** shall offer ONLY ONE Product for any particular Product Code. For example, **Offeror** may wish to submit a bid for Product Code ABC and may have another offering that also meets the requirements for ABC. **Offeror** MAY NOT submit two offerings for ABC. The alternate offering that also meets the requirements for ABC must be offered as an option "upgrade/downgrade" to ABC on **Form E**.
- b. Pricing for optional upgrades or downgrades to base bid items should be quoted as an "adder" or "deduct" amount as appropriate, to be applied to the offered price of the base Product Item listed on **Form D**.
- c. Base bid items and their associated HGACBuy Product Codes are included in the Section B and/or on **Form D**.
- d. Selection of Product Codes for which to submit an offer is at **Offeror**'s sole discretion.

---

## 18. SPECIFIC DESCRIPTIVE REFERENCES

Except for Base Product Items listed on **Form D**, any reference to a specific catalog, data sheet, form, brochure, model name or number, etc. used herein to describe an item such as an option or accessory is only descriptive and is not to be considered restrictive unless otherwise noted. Such references are normally used only to indicate a type, general description, level of quality and/or required performance standards.

---

## 19. MANUALS

Unless otherwise specified or superceded herein, each Product delivered under an **H-GAC** contract, and if applicable any options thereto, shall be supplied with at least one (1) copy of a safety and operating manual. The cost of any such manuals must be included in the base price for any Product Item offered hereunder. If more detailed and technically orientated parts and maintenance manuals are available for a Product or option, at a cost, they shall be offered as options on the *FORM* designated herein for such options, or elsewhere in the Response as may be directed herein.

---

## 20. STANDARD FEATURES & OPTIONS

The following requirements are applicable primarily to physical goods.

### Standard Features

- a. The stated minimum requirements for all Products listed herein include what **H-GAC** considers to be "standard" features. Even though such features might normally be offered as options rather than as standard, they are nonetheless considered to be standard in this Invitation, and must be included in the base price for any Product offered. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.
- b. If it is unclear in the Response that an **H-GAC** standard feature is included in the base price, it will be assumed that such is the case. If awarded a contract **Offeror** will be expected to sell the Product with all **H-GAC** specified standard features included in the base price.
- c. Any feature or accessory normally offered by manufacturer as "standard" shall be considered a standard feature and shall be included in the base price of any offering, even though not specifically listed as a requirement in **H-GAC**'s specifications. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.

### Options - General

- a. Options are considered to be any features or accessories, other than **H-GAC**'s and Manufacturer's "standard" features or accessories.
- b. Options should be offered on the *FORMS* designated for quoting options. Each option should be listed and described on a separate line, and should include any Manufacturer's/Dealer's code number. If no Manufacturer's/Dealer's code number exists, **Offeror** should create one.

- c. Prices for all offered options shall be assumed to include any installation or mounting required to make it a fully functional component of the Product, unless otherwise stated in **Offeror's** response.

#### **Required Options**

- a. Product specifications in this Invitation may include **H-GAC** "Required Options". If so, **Offeror** must quote a price for ALL such options, and, if there is an **H-GAC** Option Code provided in this Invitation for such options, it MUST be used as part of the description.
- b. For any specific "Required Option", **Offeror** may quote an equivalent so long as its design and performance are as good as, or better than, the specified option item. Responses which do not include pricing for Required Options may be considered non-compliant.

#### **Other Options**

- a. "Suggested" or "Other" options may be listed for any particular Product in this Invitation, and **Offeror** is encouraged to quote pricing for such options. The extent of offered options in any response may be taken into consideration as part of the award criteria, at **H-GAC's** sole discretion.
- b. **Offeror** is encouraged to include options for non-equipment items that may be applicable to a sale, such as: Extended Warranties, Maintenance Agreements, Buy-back or Trade-In Agreements, Out-of-state Delivery Charges, Quantity or Special Discounts, Extended Training Classes, etc.

#### **Published & Unpublished Options**

- a. H-GAC Cooperative Purchasing Program (Program) contracts are awarded through a public competitive bid or proposal (RFP) process. Further to that process, Program policy considers an 'option' listed and priced in a bid or RFP Response: (1) To be a "**Published Option**"; (2) To be part of any awarded contract; and (3) To be available for purchase by Program members separately and independently from associated base line items. However, since Published Options may have not been subjected to the same scrutiny as the associated base line items, it cannot be concluded they were directly competed. Therefore, pursuant to Local Government Code 252.021(a), purchase of a published option costing more than \$50,000 shall not be allowed. Furthermore, **H-GAC** reserves the right at its sole discretion to disallow purchase of any Published Option through the Program if deemed contrary to the intent of the law.
- b. Any option that has not been listed and priced in the Response is considered to be an "**Unpublished Option**". Unpublished Options may be sold, but only in connection with the sale of a base Product Item, and only insofar as the total cost of all Unpublished Options remains below twenty five percent (25%) of the total summed cost of the base Product(s) plus any Published Options.
- c. No Published or Unpublished Option may be sold which essentially converts a Product such that it competes with a Product Item awarded to another contractor.

---

## **21. WARRANTIES, SALES & SERVICE**

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Offeror must be a properly franchised dealer authorized to sell and service, including warranty service, all products offered and sold in response to the bid invitation or under any **H-GAC** contract.
- b. **Offeror** shall provide detailed Parts and Labor Warranty information with the Response. If **Offeror** submits a warranty with the Response which does not meet the minimum requirements herein, **Offeror** agrees by submission of a Response that such warranty shall be considered to be amended to meet those minimums.
- c. Warranties shall be manufacturer's standard and shall be inclusive of any other warranty requirements which may be stipulated elsewhere herein.
- d. Any warranties offered by a dealer shall be in addition to the manufacturer's standard warranty and shall not be a substitute for such. **Offeror's** base price for any Product shall be inclusive of the standard warranty.
- e. Complete warranty information will be supplied to **End User** with each Product sold.
- a. Warranties need not apply to normal maintenance service or adjustments, or to any product reasonably shown to have been repaired or altered in any way so as to affect its stability, or to any product which has been subject to misuse, negligence, or accident.
- f. **Offeror/Contractor** is encouraged to offer extended warranties as an option.
- g. Neither **H-GAC** nor **End User** assume any warranty or liability on **Contractor's** behalf unless made or assumed in writing, initiated by **Contractor**, and agreed to in writing by **H-GAC** or the **End User** respectively.
- h. **Contractor** shall be responsible for the execution and effectiveness of all product warranty and shall be the sole source for solution to problems arising from warranty claims. **Contractor** agrees to respond directly to correct warranty claims and to ensure reconciliation of warranty claims that have been assigned to a third party.

---

## 22. H-GAC ORDER PROCESSING CHARGE

H-GAC will levy an Order Processing Charge on **Contractor** for each sale done thru the H-GAC contract, with the exception of orders for motor vehicles. Any bid pricing submitted will be considered to include the Charge. The amount of the applicable charge shall be per the most current H-GAC schedule. For motor vehicle orders, the Processing Charge shall be levied on and paid by the **End User**.

---

## 23. PRE-PAYMENTS AND DISCOUNTS

- a. Progress, pre-payment and special discounts of any kind may be offered and detailed in the Response. Such discounts shall be clearly explained but shall not be a determining factor in awarding contracts except in the case of tie offerings.
- b. Quantity discounts applicable to similar Products sold to one or more **End User** Departments may be offered. Determination as to product similarity shall rest solely with **Contractor**.
- c. For specific purchases, any proposed quantity, pre-payment or special discounts shall be clearly shown on the Contract Pricing Worksheet.

---

## 24. INSPECTION / TESTING

All Products sold pursuant to this Invitation shall be subject to inspection/testing by or at the direction of H-GAC and/or the ordering **End User**, either at the delivery destination or the place of manufacture. In the event a Product fails to meet or exceed all requirements of this Invitation, and unless otherwise agreed in advance, the cost of any inspection and/or testing, shall be borne by the **Contractor**.

---

## 25. PRODUCT DELIVERY

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Title to goods, and responsibility and liability for loss and/or damage in shipping pass to **End User** at the delivery destination after receipt and acceptance have taken place. Cost of shipping/delivery shall be paid by **End User** unless otherwise agreed to by **Contractor**. If **Contractor** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination, Freight Prepaid". If **End User** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination – Freight Collect".
- b. The details for the application and calculation of shipping and delivery charges must be stated in the Response on **Form E**. Any freight, shipping or delivery charged to **End User** will be prepaid and added to the invoice and will be clearly shown on any Contract Pricing Worksheet or other quote presented to the **End User**.
- c. The estimated delivery time after receipt of order (ARO), inclusive of Saturdays, Sundays and holidays, for all Products offered must be stated in the Response. Actual delivery for any particular order must be confirmed with **End User** at time of order placement and must be stated clearly on the Contract Pricing Worksheet.
- d. **Contractor** shall be responsible for delivery and Acceptance according to the requirements of the Contract and the Purchase Order.
- e. **Contractor** shall advise **End User** prior to making any shipment/delivery and shall make such shipment/delivery in accordance with **End User's** requirements, providing only that such arrangements do not contravene any requirement of the H-GAC contract unless agreed to by **Contractor**.
- f. The execution of all required tests, certifications and/or licensing, and costs thereof, shall be the responsibility of **Contractor**. Upon request by **End User** or H-GAC, **Contractor** shall provide any documentation or certification related to such tests, certifications or licensing.

---

## 26. OFFERED PRODUCT ITEM VARIANCES

Any variance in the specifications or performance of Products offered pursuant to this Invitation shall be acceptable to H-GAC only insofar as it MEETS or EXCEEDS the specifications and requirements of this Invitation.

---

## 27. REQUIREMENTS FOR SUBMISSION OF A RESPONSE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Responses shall be submitted in two complete printed sets including an Original and one (1) Copy in separate "hard side" three-ring binders. The outer spine of each binder shall be labeled showing this Invitation No., **Offeror** Name, and either "Original" or "Copy", as applicable. The Original printed response will be

considered to be the binding Response in case of any conflicts between printed copies and electronic copies. Except for required forms, **H-GAC** Invitation documents should not be included in the Response.

- b. The Original and the Copy shall be submitted complete, except that the Electronic Media should be submitted only with the Copy.
- c. All required **H-GAC FORMS** and documents shall be properly completed, without exception or **Offeror's** Response may be deemed non-compliant. **Offeror** may not modify the format of any **H-GAC FORM** in any way. **Offeror** may photocopy or print blank **FORMS** as needed. Information submitted on the printed copies of the **FORMS** may not be handwritten except for signatures and initials. It is **Offeror's** responsibility to ensure that printed **FORMS** are clear and legible. Handwritten and illegible entries may be rejected. **Offeror's** printed, stamped or typed name shall appear on every **FORM** submitted in the Response.
- d. **The entire response submission** shall also be submitted on electronic media, including all required **H-GAC FORMS**. **Offeror** is strongly advised to make and work with copies of the original electronic **FORMS**. The originals can then be used to make additional electronic or printed copies of the blank **FORMS**. Signatures are not required on the electronic **FORMS**.
- e. The Response shall include ample written evidence, in the form of technical specifications, cut/tear sheets, brochures, pictures, drawings, etc., to demonstrate that all specifications herein have been met and/or exceeded.
- f. The Response shall include, in any format desired, an overview of the **Service Organization** which will support Products sold under any **H-GAC** contract. The overview must include facility locations, phone numbers and Service Manager names, as well as the following:
  - The procedure to be used by an **End User** requiring repairs.
  - Typical turn-around time on repairs.
  - Service Department days and hours of operation.
  - Number of qualified / factory trained service personnel normally on hand.
  - Description of the parts inventory on hand.
  - Training services, facilities and personnel available.
- g. Responses shall be enclosed in a sealed package(s) addressed to the Houston-Galveston Area Council, Cooperative Purchasing. The following information shall be stated on the exterior of the package(s):
  - Name and address of **Offeror**.
  - Date and hour of public response opening.
  - Bid/Proposal Invitation number.
  - The statement: "**SEALED BID/PROPOSAL, DO NOT OPEN IN MAIL ROOM**".**H-GAC** shall not be responsible for any Response not properly labeled.
- h. Submission of a COMPLETE Response by telegraphic or electronic transmission is not acceptable. However, Responses may be modified by telegraphic or electronic notice if such notice is received prior to the deadline for submission.
- i. Samples, when required, shall be submitted within the time specified and at no expense to **H-GAC**. If not destroyed or consumed during testing, samples will be returned upon request at **Offeror's** expense.
- j. **Offeror** shall provide firm contract pricing for all Products and Options being offered.
- k. If applicable, responses shall include copies of all current licensing which may be required by the Texas Motor Vehicle Division for execution of sales pursuant to any contract with **H-GAC**.
- l. Due to the complexity of responses and to aid in evaluation, the Response should contain **ALL** required information in tabbed sections as detailed below. Omission of any required **FORM** or information will be sufficient grounds for **H-GAC** to consider your response to be non-compliant.
- m. **First Section:**
  - **Form(s)-A – Offeror Identification & Signatory:** Identifies the offering party(ies), and should be completed by each party to the Response. If awarded, a contract will be executed with each.
  - **Form-B – Historically Underutilized Business Enterprises:** Used to collect information about disadvantaged and minority suppliers and subcontractors, and to commit **Offeror** to working with Participants toward their program goals.
  - **Form-C – Response Checklist:** Certification, and also an aid, to insure that all required information has been included in your Response.

- **Form W-9 – Request for Taxpayer Identification Number and Certification:** Should be completed by each party to the response.
- **Form CIQ – Conflict Of Interest Questionnaire:** Chapter 176 of the Texas Local Government Code requires vendors and consultants contracting or seeking to contract with **H-GAC** to file a Conflict of Interest Questionnaire (CIQ) if they have an employment or other business relationship with an **H-GAC** officer or an officer's close family member. The required questionnaire is located at the Texas Ethics Commission website: [http://www.ethics.state.tx.us/whatsnew/conflict\\_forms.htm](http://www.ethics.state.tx.us/whatsnew/conflict_forms.htm). It is Bidder's responsibility to download the form and furnish a completed copy with the Response.
- **Form 1295 – Certificate of Interested Parties –** Must be filled out electronically with the Texas Ethics Commission's online filing application, printed out, signed and provided from each entity that has submitted a Form A for this submission.
- **House Bill HB 89 Verification Form –** completed and signed and provided from each entity that has submitted a Form A for this submission.
- **References,** formatted as described elsewhere herein.
- **Service Organization Document,** formatted as described elsewhere herein.

**Second Section:**

- **Form D – Offered Items Pricing:** For Bids, contains the list of the Product Items covered by this Invitation. Select the items offered and fill in the price for each. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)
- **Form E – Published Options:** Used to list and price all offered options. List, each on a separate line, all upgrades, downgrades, optional equipment, features, accessories and services which you desire to sell thru the **H-GAC** contract, if awarded. Published catalogs/price sheets may be listed, along with the discount structure that will apply. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)

**Third Section:**

- Technical Specifications, Product Brochures, Tear Sheets, Cut Sheets, Strippers, etc. which clearly list and show all the standard features and capabilities of each Product Item offered on Form D.
- Warranty Documentation, as described elsewhere herein, for all items offered.

**Fourth Section:**

- Copies of any applicable Texas MVD Licenses.
  - Electronic Media, containing the complete response including all required *FORMS*, stored in a pouch or an envelope such that it will not fall out of the binder. (Required in 'Copy' only, not in 'Original'.)
- n. By submittal of Response, **Offeror** certifies to the best of its knowledge that all information is true and correct.

---

**28. CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS**

- If **Offeror** is in doubt as to the meaning of any item in this Invitation, a written request for clarification may be submitted to **H-GAC** up to fifteen (15) calendar days prior to the deadline for response submission. **H-GAC** shall not be responsible for late delivery. Requests may be transmitted by FAX or e-mail to the assigned Specification Specialist and should clearly reference this Invitation number and the specific page and paragraph in question. If there are multiple questions, they should be stated separately and numbered.
- Any interpretation of Invitation documents, if made, will be by written Addendum duly issued. A copy of such Addendum will be mailed or delivered to each person officially on record as having been sent a copy of this Invitation. **H-GAC** will not be responsible for any other explanation or interpretation of the Invitation documents made or given prior to the award of the contract.
- Any objections to the Invitation documents must be filed in writing with **H-GAC** on or before fifteen (15) calendar days prior to the deadline for submission of responses.
- Prospective offerors are advised that, after a draft specification has been issued, the Pre-Bid/Proposal Conference is the primary forum through which comments and suggestions may be offered for consideration by **H-GAC** prior to issuance of the final invitation and specifications.

- e. All best efforts have been made to ensure that the product/service descriptions and associated specification information in Sections B & C are correct, and adequate time has been given to prospective Offerors to point out mistakes. However, if an error remains and is caught by Offeror before the scheduled bid/proposal opening, Offeror shall make note of the required correction in the Response and shall also notify **H-GAC** prior to the opening of responses.

---

## 29. INCONSISTENT INFORMATION

**H-GAC** review of responses supplied on **H-GAC FORMS** is a significant part of the evaluation process. **Offeror** shall state clearly all information required on the **FORMS**. **Offeror's** information supplied on the **FORMS** shall take precedence in the event any standard “boilerplate” type language included in **Offeror's** response is inconsistent with the information supplied by **Offeror** on the **H-GAC FORMS**. In all cases, information on **H-GAC's** printed **FORMS** supplied as part of **Offeror's** response shall take precedence over information supplied on electronic media.

---

## 30. REJECTION OF RESPONSES

- a. **H-GAC** may reject a response if:
- **Offeror** misstates or conceals any material fact in the Response, or if,
  - **Offeror** does not strictly conform to law or the requirements of this Invitation.
- b. **H-GAC** may reject any and all responses and may reject any part of a response.
- c. **H-GAC, at its sole discretion,** may also waive any formalities or irregularities in any response, or ask for corrected information except for pricing.
- d. **The following occurrences require disqualification of the bid/proposals:**
- Unsigned or unauthorized signatures on bids/proposals;
  - Bids received after the date and time for opening
  - Bids where prices are conditional on award of another bid or are subject to unlimited escalation
- e. **H-GAC** may refuse to award a contract to or enter into a transaction with an apparent low bidder if that bidder is indebted to **H-GAC**.

---

## 31. WITHDRAWAL OR MODIFICATION OF RESPONSES

Once received by **H-GAC**, responses may be modified or withdrawn prior to the submission deadline only if the request to do so is in writing submitted by **Offeror's** authorized representative. Responses and requests for modification received after the submission deadline will not be accepted. Requests for response withdrawal received after the submission deadline will be accepted if the request to do so is in writing submitted by **Offeror's** authorized representative.

---

## 32. RESPONSE EVALUATION

### For Bid Responses:

- a. Section B will state whether the contract will be awarded to the lowest responsible bidder or to the bidder who provides goods or services at the best value for **H-GAC** and its participants.
- b. If the contract will be awarded based on best value, Section B will state any relevant criteria which **H-GAC** will consider.
- c. For each offered Product Item, **H-GAC** may use the offered price, prices for Required Options, and the prices of selected common Published Options to determine the lowest responsible offer.
- d. Failure of **Offeror** to submit pricing for frequently purchased options and any **H-GAC** required options may cause response to be considered non-compliant at **H-GAC's** sole discretion.

### For Proposal Responses:

- e. **H-GAC** will evaluate proposals as detailed in Section B.
- f. By submission of a Response Offeror indicates acceptance of the evaluation technique and recognizes and accepts that **H-GAC** may at its sole discretion make subjective judgments during the evaluation process.



---

### 33. ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD

In the event of conflict between this document and any references or documents cited herein, this document shall take precedence prior to contract award.

---

### 34. AWARD OF CONTRACT

- a. **H-GAC** reserves the right to accept or reject any Product Item or option offered. Additionally, all options included in Offeror's response and accepted by **H-GAC** are understood to be included in any contract.
- b. **H-GAC** shall award contract(s) for line items or groups of line items, at its sole discretion.
- c. With authority granted by the **H-GAC** Board of Directors, a written contract shall be presented to the successful **Offeror(s)** and shall be subject to acceptance by the successful **Offeror(s)** within forty-five (45) calendar days after presentation by **H-GAC**. If a contract is not executed within forty-five (45) calendar days, **H-GAC** may rescind the contract offer and award a contract to the next **Offeror** in order of rank as determined by **H-GAC**.
- d. Delivery time and prompt payment discounts, including time allowed for payment, may be considered in tie-breaking of offers which are judged by **H-GAC** to be equal in all other criteria.
- e. The contract shall include the following documents in the stated order of precedence:
  - 1st The contract document signed by **H-GAC** and **Offeror**.
  - 2nd This Invitation and all specifications referenced herein.
  - 3rd **Offeror's** response to this Invitation.

---

### 35. PRO-FORMA CONTRACT

This Invitation includes a Pro-Forma (sample) Contract which successful offerors will be expected to sign. The actual final contract will be the same or nearly the same as the Pro-Forma. NOTE: Successful Offerors MAY NOT process any purchase orders until the contract documents have been executed and returned to **H-GAC**.

---

### 36. CONTRACT TERM

The contract shall be in effect throughout the period stated elsewhere in the contract documents, and thereafter until such time as any outstanding orders against the contract have been fulfilled. The contract may be extended if deemed by **H-GAC** to be in the best interests of the Program, and subject to mutual agreement of the parties.

---

### 37. PERFORMANCE & PAYMENT BOND

**H-GAC's** contractual requirements DO NOT include a Performance & Payment Bond (PPB) and offered pricing should reflect this cost saving. However, **Contractor** must be prepared to offer a PPB to cover any specific order if so requested by **End User**. **Contractor** shall quote a price to **End User** for provision of any requested PPB and agrees to furnish the PPB within ten business (10) days of receipt of **End User's** purchase order.

---

### 38. CHANGE ORDERS

**End Users** shall have the right to make additions by addenda for the purpose of clarification or inclusion of additional specifications, qualifications, conditions, etc. Any such addenda shall be made in writing and agreed upon by **Contractor** and the **End User** agency prior to issuance of any Change Order. A copy of any such Change Order shall be furnished by **Contractor** to **H-GAC**.

---

### 39. DUPLICATION OF TERMS OR STATEMENTS

Where statements or terms are duplicated or are extremely similar, **H-GAC** and the **End User** reserve the right to use the statement or term most favorable to **H-GAC** and/or the **End User**.

---

### 40. PUBLICITY

**H-GAC** encourages contractors to "market" the Program and can provide some information and artwork to be used in published promotional materials. However, any publicity or published material released by **Contractor** referencing the contract, whether in the form of a press release, brochure, photographic coverage, or verbal announcement, shall be issued only with prior review and approval by **H-GAC**.

---

#### 41. TAXES

**HGAC** and **End User** participants are either units of government or qualified non-profit agencies, and are generally exempt from Federal and State sales, excise or use taxes. **Offeror** shall not include any such taxes in the Response. Further, it shall be the responsibility of **Contractor** to determine the applicability of any taxes to a particular order and act accordingly. Exemption certificates will be provided upon request.

---

#### 42. DRUG FREE WORKPLACE

**Contractor** shall provide notice to its employees and sub-contractors, as required under the Drug-Free Workplace Act of 1988. A copy of **Contractor's** Drug-Free Workplace policy shall, on request, be furnished to any **End User**.

---

#### 43. PRODUCT NOTICES & MAILINGS

**H-GAC** is NOT the owner of Products sold pursuant to this Invitation but acts only in the capacity of purchasing agent. In that regard, **Contractor** accepts sole responsibility for insuring that notices and mailings, such as Safety Alerts, Safety Recall Notices and Customer Surveys, are sent directly to the **End User** of record.

---

#### 44. HANDLING OF ORDERS & PAYMENTS

In general, orders and payments will be handled as described below. More specific instructions and information regarding handling of purchase orders and the Order Processing Charge may be provided after contract award. Established procedures may be changed at any time by **H-GAC** as may be dictated by efficient business practice. The particulars of any sale, e.g. specific products, pricing, delivery, warranty, etc., will be in strict accordance with the terms and conditions of this Invitation and the specific contract awarded to **Contractor**. Beyond that:

- a. For any particular procurement to be made under the provisions of an **H-GAC** contract, **End User** and **Contractor** will discuss requirements and agree as to what will be provided.
- b. **Contractor** will prepare a Contract Pricing Worksheet and provide it to **End User**. The Worksheet will list everything being purchased including the base bid item(s), all published and unpublished options and the delivery date. All pricing shall be per the current contract.
- c. **End User** will send a purchase document to **Contractor**, which **Contractor** will send **H-GAC** together with the Contract Pricing Worksheet. **NOTE: Contractor** agrees not to offer, agree to or accept from **End User** any terms or conditions that conflict with or contravene those in **Contractor's** **H-GAC** contract, except for pricing discounts.
- d. **H-GAC** will prepare an "Order Confirmation" and send it to **End User** and to **Contractor**. The Order Confirmation verifies that **Contractor** has a valid **H-GAC** contract and that the order is in compliance with the requirements of the **H-GAC** Cooperative Purchasing Program. **Contractor** will not ship any goods before receipt of both **End User's** purchase document and **H-GAC's** Order Confirmation.
- e. On notification that **Contractor** has received an order, **H-GAC** will invoice **Contractor** for the applicable Order Processing Charge. **NOTE: The Order Processing Charge is charged to Contractor, EXCEPT in the case of motor vehicles.** For all sales of motor vehicles, the Order Processing Charge is levied on the **End User**, collected by **Contractor**, and remitted to **H-GAC** by **Contractor**.
- f. **Contractor** will deliver products/services ordered and will invoice **End User** for products/services accepted by **End User**. (See other Sub-Section herein dealing with Product Delivery.) **Contractor** will not invoice before shipment has been made.
- g. **End User** will pay **Contractor** for those products and/or services ordered which have been received and accepted. Under no circumstances shall any check be made payable to a representative or agent. Should a representative or agent submit an invoice to **End User** for any cost related to a purchase order issued to **Contractor** for products/services covered by an **H-GAC** contract, such invoice shall be forwarded to **Contractor** and **Contractor** will take action to correct the error.
- h. Upon delivery of any product/service by **Contractor** and acceptance by **End User**, **Contractor** shall remit to **H-GAC** the full amount of the applicable Order Processing Charge in accordance with the payment terms established in the **H-GAC** contract. Note, the Order Processing Charge is due whether or not **Contractor** has ever received an invoice from **H-GAC**. Sales executed based on the particulars of **Contractor's** **H-GAC** contract, without payment of the Order Processing Charge, may constitute fraud.

---

#### 45. PRICE CHANGES

- a. Any permanent increase or decrease in offered pricing for a base contract item or published option is considered to be a price change. Temporary increases in pricing by whatever name (e.g. 'surcharge', 'adjustment', 'equalization charge', 'compliance charge', 'recovery charge', etc.), are also considered to be price changes.
- b. Except in the case of contracted published catalogs and price sheets, prices for Base Bid Items and Published Options are expected to be held firm for a minimum of 90 days from the date an awarded Offeror signs the H-GAC contract. Thereafter, changes will be considered if accompanied by justifying documentation satisfactory to H-GAC. For published catalogs and price sheets which are on an H-GAC contract, requests to amend the contract to reflect any new published catalog or price sheet may be submitted whenever the manufacturer publishes the new document. Any such request must include the new catalog or price sheet.
- c. If **Contractor** routinely offers discounted contract pricing, **H-GAC** may request **Contractor** to accept amended contract pricing equivalent to the routinely discounted pricing.
- d. No price change will be allowed unless it has been reviewed and approved by **H-GAC** in writing. **Contractor** must have received **H-GAC's** written approval of any change prior to charging the new price or using it in any quotation prepared for an End User.
- e. Price change requests must be submitted to **H-GAC** in writing and must be received by **H-GAC** at least thirty (30) calendar days prior to the requested effective date of the change and must state the time period for which the requested pricing will remain firm.
- f. Price change requests shall include **H-GAC Forms D** and **E**, or whatever documentation was used to submit pricing in the original Response hereto, showing all affected items with current contract price, requested price, and percentage change shown clearly for each. This documentation should be submitted in MSExcel format to facilitate analysis and updating of the website.
- g. Price change requests **MUST** be supported with substantive documentation (e.g. manufacturer's price increase notices, copies of invoices from suppliers, etc.) showing that **Contractor's actual costs** have increased. The Producer Price Index (PPI) may be used as partial justification, subject to approval by **H-GAC**, but no price increase based solely on an increase in the PPI will be allowed.
- h. All Products shall, at time of sale, be equipped as may be required under any then current applicable local, state, and federal government requirements. If, during the course of any contract, changes are made to such government requirements which cause a manufacturer's costs of production to increase, **Contractor** may increase Product pricing to the extent of **Contractor's** actual cost increase. The increase must be substantiated with support documentation acceptable to **H-GAC** prior to taking effect. Modifications to a Product required to comply with such requirements which become effective after the date of any sale shall be the responsibility of the **End-User**.
- i. In cases involving contract extensions exceeding sixty-one (61) days beyond the stated expiration date of the contract, **Contractor** may request a price change based on the same conditions as stated above. However the thirty (30) day prior notice is waived and **H-GAC** will consider the request immediately on receipt.
- j. H-GAC reserves the right to accept or reject any price change request. Acceptance, if granted, will be in writing and the approved changes will become part of the contract.

---

#### 46. CONTRACT ITEM CHANGES

- a. If a manufacturer discontinues a contracted item, that item will automatically be considered to be deleted from the contract with no penalty to Contractor. However, **H-GAC** may at its sole discretion elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- b. If a manufacturer makes any change in a contracted item which does not affect the contract price, Contractor shall advise **H-GAC** of the details. If the 'new' item is equal to or better than the originally contracted item, the 'new' item shall be approved as a replacement. Otherwise **H-GAC** may allow or reject the change, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion. If the change is rejected there will be no penalty to Contractor.
- c. If a manufacturer makes any kind of change in a contracted item which affects the contract price, Contractor shall advise **H-GAC** of the details. **H-GAC** may allow or reject the change at its sole discretion. If the change is rejected there will be no penalty to Contractor. However, **H-GAC** may elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.

- d. In the case of specifically identified catalogs or price sheets which have been contracted as base bid items or as published options, routine published changes to products and pricing shall be automatically incorporated into the contract. However, **Contractor** must still provide thirty (30) calendar days written notice and an explanation of the changes to products and pricing. **H-GAC** will respond with written approval.

---

#### 47. FORCE MAJEURE

If either party shall be wholly or partially prevented from the performance of any contractual obligation or duty by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident., order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of Force Majeure shall rest solely with **H-GAC**.

---

#### 48. PERFORMANCE UNDER CONTRACT

**H-GAC** is committed to insuring that **Contractor** provides effective and efficient service to all Participants in the Cooperative Purchasing Program and expects that certain Performance Conditions must be met. Failure to meet these conditions may result in contract termination. In that regard, **Contractor shall:**

- a. Appoint a dedicated representative to be the contact person and focal point for all matters relating to End User quotations and orders. The representative shall have: A toll free phone number with voice mail; A fax number; A working e-mail address; and A postal address.
- b. Insure that the representative timely monitors all communication modes listed above, and promptly responds to communications from **End Users** and **H-GAC** in any of these modes. Phone calls will be promptly returned, in any event not later than the next business day. Acceptable failure will be due only to Force Majeure.
- c. Maintain sufficient qualified staff to promptly process all communications from **H-GAC** or **End Users**, and to efficiently, effectively and accurately service all requirements of the contract.
- d. As may be requested by **H-GAC**, replace any staff members who are not providing the service and expertise deemed necessary by **H-GAC** for acceptable support of **End Users**.
- e. Properly prepare and provide to **End User** a Contract Pricing Worksheet, or a quotation in other format as approved by **H-GAC**, for each and every order that is to be executed.
- f. Furnish, on request of **H-GAC**, reasonable data, forms and graphic material to be used in brochures or other print media, or on **H-GAC**'s website.
- g. Allow access to **H-GAC** authorized personnel for inspection of operating facilities, and auditing of purchase orders during the contract period, and for a period extending thru the completion of any outstanding orders. Site inspection may be arranged not less than ten (10) calendar days prior, shall include the names of all participants, and shall be at no expense to **Contractor**.
- h. **Reporting Requirements:**
  - **Contractor** agrees to submit written quarterly reports to **H-GAC** detailing all transactions during the previous three-month period. Such reports shall include, but are not limited to the following:
    - **End User** name
    - Product/Service purchased, including Product Code if applicable
    - End User Purchase Order Number
    - Purchase Order Date
    - Product/Service dollar amount
    - **HGACBuy** Order Processing Charge amount
    - Reports must be provided to **H-GAC** in MSExcel or other acceptable electronic format and are due by the 30<sup>th</sup> day of the month following the applicable quarter being reported.
- i. Should **Contractor** default in providing Products or Services as required by this Invitation and the contract, recourse may be exercised thru cancellation of the contract and other legal remedies as may be appropriate.

---

#### 49. CONTRACTOR ORIENTATION/TRAINING

**H-GAC** believes that **Contractor's** familiarity with the operational policies and requirements of the Cooperative Purchasing Program is a key factor in achieving **End User** satisfaction. In that regard, the Contact Person listed on **Form A**, or an alternate, shall be required to participate in an **H-GAC** vendor orientation/training as soon as possible after contract award. In addition, any other of Contractor's staff who will be involved in any way with the

HGACBuy Program should participate in orientation. The orientation may be presented as a teleconference or webinar or may be held in **H-GAC**'s offices as may be determined by **H-GAC** and Contractor to be the most efficient and effective form of delivery.

---

## **50. LEGAL & CONTRACTUAL REMEDIES**

### **RESOLUTION OF PROTESTED SOLICITATIONS AND AWARDS**

#### **Procedure**

Any actual or prospective **Offeror** or **Contractor** who is aggrieved in connection with a purchase transaction may file a grievance. The grievance may be filed at any phase of the procurement. In order for an above-mentioned party to enter the grievance process, a written complaint must be sent to the Chief Operations Officer (COO) of **H-GAC** by certified mail which identifies the following:

1. Name, mailing address and business phone number of the complainant.
2. Appropriate identification of the procurement being questioned.
3. A precise statement of reasons for the protest.
4. Supporting exhibits evidence or documents to substantiate any claims.

The grievance must be based on an alleged violation of **H-GAC**'s Procurement Procedures, a violation of State or Federal law (if applicable), or a violation of applicable grant or contract agreements to which **H-GAC** is a party. Failure to receive a procurement award from **H-GAC** in and of itself does not constitute valid grievance. Upon receipt of grievance, the Chief Operations Officer will initiate the informal resolution process.

#### **Expedited Resolution**

The Procurement Officer or Departmental Director responsible for the solicitation shall contact the complainant and all interested parties and attempt to resolve the allegations informally within ten (10) working days from date of complaint. If the allegations are successfully resolved by mutual agreement, documentation will be forwarded to the Chief Operations Officer of the resolution with specifics on each point addressed in the original complaint.

If the Procurement Officer or Departmental Director is not successful in resolving the allegations, the complaint along with the comments will be forwarded to the Chief Operations Officer immediately. The Chief Operations Officer will review all documentation. All interested parties will be given written notice of the date, time, and place of the hearing and an opportunity to present evidence. A written decision will be issued within five (5) working days after the hearing along with notice of appeal rights.

#### **Appeals**

The complainant may appeal the Chief Operations Officer's decision by submitting a written appeal, within five (5) working days, to the Executive Director of **H-GAC**. The Executive Director, upon receipt of a written notice of appeal, shall contact the complainant and schedule a hearing within ten (10) working days. The Executive Director of **H-GAC** has the option of appointing a Hearing Officer to preside over the hearing. If appointed, the Hearing Officer shall conduct a hearing and forward a summary and recommended resolution to the Executive Director.

The decision reached by the Executive Director or his designee shall be final and conclusive. This decision will be forwarded to the complainant in writing within thirty (30) working days.

The **Contractor** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a Court of competent jurisdiction.

### **RESOLUTION OF CONTRACT DISPUTES**

Upon breach or default, **H-GAC** shall give the **Contractor** written notice of default. If the default is not remedied, within a reasonable specified time from date of notification, to the satisfaction and approval of **H-GAC**, default will be declared.

Upon breach of contract or default, **H-GAC** may exercise any and all of its rights afforded by law, including but not limited to those referenced in the General Contract Provisions.

### **SOLICITATIONS OR AWARDS IN VIOLATION OF THE LAW**

Contracts awarded in violation of the competitive process or otherwise in violation of the law are voidable by **H-GAC**.

---

**51. NATIONWIDE SALES OPPORTUNITIES**

**HGACBuy** provides purchasing services to local governments qualifying non-profits throughout the nation, and desires to make established contracts available to them wherever and whenever practicable. Therefore, once a contract is awarded, **Contractor** is expected to expand the scope of its marketing effort to include sales to **End Users** in all areas of the United States, and/or to assign any **H-GAC** contract to another contractor(s) as deemed appropriate by **H-GAC** in the interest of its End Users.

- **Contractor** may sell through **HGACBuy** anywhere subject to compliance with applicable laws and regulations. If the market structure in which **Contractor** operates requires a contract assignment for any particular sale, **H-GAC** will expect **Contractor** to assign the contract to a Manufacturer or to another Dealer(s). Such assignment must be approved by **H-GAC**.
- **Contractor**'s differential costs (e.g. transportation & delivery charges) and allowances (e.g. manufacturer's sales incentives) related to any sale may be charged to buyer.

<p style="text-align: center;"><b>End of Section A General Terms &amp; Conditions</b></p>
---

## SECTION-B: PRODUCT SPECIFIC REQUIREMENTS

### For REFUSE HANDLING EQUIPMENT

#### 1.0 INTRODUCTION

This specification describes new model, non-refurbished refuse equipment which may be purchased by H-GAC Members through the H-GAC Cooperative Purchasing Program, *HGACBuy*. All equipment shall be bid and supplied in compliance with federal emission and safety standards in effect at the time of bid. H-GAC supply contracts awarded relative to this Invitation will cover a two (2) year period (commencing on or about August 1, 2020). If an H-GAC Contractor realizes price increases during this contract, a contract price change may be requested, per this specification's Section-A (Terms & Conditions section) guidelines. **H-GAC expects Offeror (as confirmed by a response to this Invitation) to have the capability and willingness to serve any H-GAC member, directly, or indirectly (through an arrangement with (or H-GAC contractual "assignment" to) another dealer or the manufacturer (i.e. in the case of a Contractor being a dealer)).** As noted in Section-A, a vendor under this contract may petition H-GAC for an assignment (e.g. to a third party such as another dealer in another sales territory), whereby, if they are agreeable to the terms & conditions and contract pricing, the third party may then be added onto the contract as an additional, independent vendor, capable of quotations, installation, receiving of end user payments, and the remittance of the purchase order processing charge.

The Houston-Galveston Area Council (H-GAC) is a government regional planning commission, part of a larger Texas *Council of Governments*. Included within H-GAC is the *HGACBuy* program, which issues bid invitations and makes awards on behalf of our local government Members (municipalities, counties, K-12 schools, universities, et cetera), within and beyond Texas. This specification package describes various categories and specific models of refuse handling equipment. Equipment must meet or exceed all minimum requirements called for in this final bid invitation. The basic product categories covered by this Invitation are:

#### 2.0 DEFINITIONS AND ABBREVIATIONS

**Base Unit:** Line items listed on Form-D, conforming to minimum configurations set forth in this Invitation.

**Cab-Chassis:** exposed frame truck chassis, complete with basic cab, drive train, chassis, and safety components, ready for road use (without refuse body).

**Offeror:** Bidder responding to Invitation with formal equipment pricing (vendor)

**H-GAC:** Houston-Galveston Area Council; a regional planning commission, which includes a cooperative purchasing program, *HGACBuy*, whose members purchase various types of equipment off pre-bid supply contracts.

**Invitation:** HGAC invitation to bid, including bid specification and other related H-GAC documents.

**Members:** Local government agencies participating in the *HGACBuy* program, who may elect to purchase equipment and services through H-GAC from contracted manufacturers and/or distributors.

**Product Code:** Line item code designating the Base Unit equipment.

**Response:** Offeror's formal bid response to this Invitation.

**Unpublished Options:** (Ref. Section-A) Options not priced in the originally submitted formal bid response. Unpublished options are restricted to 25% of the total of the Base Unit equipment and Published Options.

#### 3.0 TRAINING & MANUALS

At a minimum, one (1) copy of an owner's manual, covering safety, operation, and maintenance, shall be provided to end user at time of delivery. Where normally available, a factory authorized representative shall be made available to H-GAC Members for training conducted at the Member's location. The cost this onsite training shall be addressed on Form-E. If Offeror chooses to include this in the price of its Form-D Base Unit pricing (i.e. normally included in pricing), then this training must still be listed on Form-E but noted as "Included in Base Unit pricing".

#### 4.0 BASIC CATEGORIES

This bid invitation is divided into nine basic equipment categories. When submitting a bid response, the contractor may choose to submit pricing to any of the categories listed and any of the individual model line items under these categories, on Form-D. No changes or additions may be made to the listings on Form-D except for the pricing.

Basic equipment categories included in this bid Invitation are as follows:

A: Collection Bodies: Front Loading  
 B: Collection Bodies: Rear Loading  
 C: Collection Bodies: Side Loading  
 D: Collection Bodies: Recycler  
 E: Bulk Waste Grapples

F: Hoists: Tilt Frame Roll-Off/Hook/Cable  
 G: Steel Containers: Roll-Off, Front/Rear/Side Load  
 H: Compactors, Balers  
 I: Miscellaneous Equipment

## 5.0 BASE UNIT PRICING AND PRODUCT CODES

- 5.1 Where a Section-A requirement differs from a requirement in this section, Offeror shall consider the Section-B requirement as superseding the Section-A.
- 5.2 Unless shown on Form-D, each priced Form-D Base Unit models shall be priced to include all standard manufacturer components. Form-D pricing shall represent turn-key machines, operational upon delivery. Other than underlying chassis on commercial chassis configurations, each priced Base Unit model shall not require any additional, compulsory equipment to render it a functioning, legally equipped machine (except for the chassis on commercial chassis designs), meeting H-GAC minimums established for each base configuration. By submission of a response, Offeror certifies that offered pricing is as good as or better than pricing typically extended to local government customers by Offeror.
- 5.3 Offeror shall include in bid response, in both printed and electronic formats, detailed quote sheets / specifications for each Form-D Base Unit, reflecting the components and performance associated with the Form-D Base Unit bid pricing (as well as any complete model upgrade option priced on Form-E). These quote sheets shall be submitted in an isolated format, separate from other bid docs (i.e. not merged in a **single PDF**).
- Additionally, HGAC forms must be submitted in their original Excel, multi-worksheet format, not in a PDF version.
- 5.4 Base Unit items are designated by a 4-character alphanumeric Product Code. Once Offeror determines which specific line items to bid, it shall quote an H-GAC price on the appropriate line on Form-D. When pricing options to the Base Units, on Form-E, Offeror shall reference specific applicable Product Codes.
- 5.5 **H-GAC ORDER PROCESSING CHARGE:** As described in Section-A (sub-section 22), for each purchase order processed under an awarded contract, H-GAC will directly invoice contractor a 1.5% Order Processing Charge, applicable to the price of all equipment and services (including installation, et cetera) that are submitted in contractor's solicitation response. During the contract, this charge is calculated from awarded bid pricing before any additional point of purchase discounts are potentially applied. It is Offeror's responsibility to take this charge into account in the pricing offered in response to this Invitation (i.e. building this fee into the costs of the Base Unit models and options)
- 5.6 Base Unit prices shall be exclusive of freight. Shipping cost to the final H-GAC member location (and from dealer inventory to body converter and from convertor to end user, et cetera) shall be recognized at the time of each individual HGAC purchase order, unique to each end user's delivery location and should not be included in Form-D pricing. Unless otherwise specified, by Offeror on Form-E, freight will be assumed by H-GAC and H-GAC Members to be calculated per carrier invoice.
- 5.7 Equipment sold through this contract shall be covered under the standard manufacture warranties, or better. As per Section-A, Offeror shall include detailed parts and labor warranty information with bid response, in both printed and digital formats.



- 5.8 Any refuse handling bodies bid that contain diesel engines shall be priced as compliant to all applicable federal safety and emissions requirements, including the EPA Code of Federal Regulations (CFR) Title 40 iterations and amendments. Additionally, Offeror shall note in Response where applicable voluntary standards are met (U.S. Consumer Product Safety Commission (USCPSC); National Electrical Manufacturers Association (NEMA); etc.). As applicable, such engines bid under this Invitation shall be priced to meet required EPA tiered thresholds requirements that pertain to the specific engines' power ranges at the time of bid submittal. **Offeror shall include separate notation in bid response verifying compliance.**

## 6.0 OPTIONS

- 6.1 For each Base Unit line item priced, Offeror shall include a comprehensive list of manufacturer options on Form-E. Failure to include pricing on a thorough list of options may result in Offeror's response being deemed non-compliant or ranked lower in the scoring process. Each option priced shall reference the associated H-GAC Product Code and a unique manufacture option code and a brief, but detailed description.
- 6.2 Components found on a Form-D Base Unit body shall not be listed on Form-E except when referring to a deduct/adder option, in which case Offeror shall note that on the Form-E option description.
- 6.3 Complete model upgrades/downgrades may be included on Form-E, referencing the Form-D Base Unit model from which it is based, priced as the differential deduct/adder from the Form-D price.
- 6.4 Unless otherwise noted on Form-E, options submitted with bid response will assumed to be inclusive of standard installation. Where not, Offeror shall note in response and where possible, include a fee for installation.

## 7.0 COMMERCIAL CAB-CHASSIS

- 7.1 For equipment designed for installation on a commercial cab-chassis, Offeror shall price the Base Unit on Form-D, as the body only, inclusive of the cost of standard chassis mounting on one of the following cab-chassis: (1) customer-supplied, or (2) separate H-GAC truck contract supplied (e.g. H-GAC's Medium and Heavy Trucks). The body, as priced on Form-D, shall be ready to operate without any additional, compulsory fees or components. If Offeror fails to include such costs in its base units pricing H-GAC purchase orders will still reflect this as included.
- 7.2 Any options pricing related to chassis-mounting (such as a price/hour or set price on custom mounting work, for unforeseen/custom mounting issues) should be priced on Form-E.
- 7.3 Contractor will be expected to work with H-GAC's contracted truck chassis dealers, who an H-GAC Member may use to supply the cab-chassis (e.g. H-GAC's Medium & Heavy Trucks contract).
- 7.4 For H-GAC purchase orders, the commercial truck / conversion regulations, and sales thereof, for any given applicable state will apply.

## 8.0 AWARDS

For each specific Form-D line item, H-GAC will recommend awards to the contractor with the highest overall score providing the best value.

- **Scoring Component: Pricing**

For each line item, a review of Offerors' submitted bid prices will be conducted. Where pricing elements are satisfied (including a thorough and accurate Form-E, electronic copies, et cetera), each Offeror will be ranked first, second, third, et cetera, based upon product pricing levels. The Form-D Base Unit bid price will be weighted to 90%

of the total score. Each rank will then be adjusted against the weighed multiplier to arrive at this pricing subsection score. HGAC reserves the right to utilize this pricing component to adjust for an Offeror's shortcomings (inadequate Form-E pricing, et cetera), whereby, the individual offeror's rank may be adjusted accordingly.

- **Scoring Component: Past Performance**

An evaluation will be conducted of the Offeror's previous sales performance as an HGACBuy Contractor. This is weighted at a maximum 10% of the total score. If an Offeror is a current vendor and has sales, they will receive the full 10%, and for no sales, 0%. First-time bids will receive the maximum 10% for this scoring component. Each Offeror's rank will be adjusted against the 10% / 0% index to arrive at this Past Performance subsection score

For each line item, an offeror will receive a final score, comprised of the score for their Pricing and Past Performance scores.

In the event of a tie, H-GAC reserves the right to utilize additional factors in compiling a tie breaker, which may include an offeror's specific H-GAC member sales data, number and location of branches, depth and breadth of priced options, a vendor's reporting and fee remittance history with HGAC, vendor history with respect to HGAC members, et cetera.

NOTE: For joint bids (e.g. a single response from multiple dealers), each party will be scored per the above criteria and an overall average will be taken of all Form-A's submitted to determine the overall score for each joint bid submission.

Requests for debriefing must be in writing, addressed to [neal.witty@h-gac.com](mailto:neal.witty@h-gac.com) within five (5) days after Board approval. H-GAC reserves the right to not conduct debriefings made after that time. This procedure is not available to parties that did not participate in solicitation or had non-responsive (failing to follow solicitation requirements), non-timely (late), or otherwise rejected proposals/bids.

## 9.0 MARKETING & SUPPORT PLAN (FORM-H)

H-GAC expects proposer to have the capability and willingness to serve any H-GAC Member across the nation, and to promote this contract to the best of its ability. Consistent with this, proposer should acknowledge this, with a description of the resources that will most likely be employed (1) in promoting this contract (e.g. sales calls, mail-out campaigns, et cetera, and (2) in serving H GAC Members (e.g. staff appointed to manage the contract, possible revised processes for purchase orders, staff training relating to this contract). Reference the H-GAC Forms Packet for Form-H.

## 10.0 COMMITMENT

Offeror is required to make some basic commitments to ensure the overall success of this program. By submission of a response, Offeror agrees to the following:

- Corporate/Sales Commitment

A commitment that HGACBuy has the support of senior management and that HGACBuy will be the primary government contracting vehicle when offering services/products awarded from this solicitation to eligible end users nationwide. A further commitment to aggressively market the program, both independently as well in partnership with HGACBuy.

- HUB Participation

It is H GAC's goal to have Historically Underutilized Business Enterprise (HUB) participation in providing services under a contract. If Offeror(s) intends to employ subcontractors in providing services/products related to this solicitation, Offeror(s) shall make and demonstrate a good faith effort to include HUB participation under a contract. Offeror(s) good faith effort shall include, but is not limited to the following affirmative steps (Ref. 2CFR 200.321 as a guide):

- 1) Assuring that small and minority businesses and women's business enterprises are solicited whenever they are potential sources;
- 2) Dividing total requirements, when economically feasible, into smaller task or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;

- 3) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;
- 4) Using the services and assistance, as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce

NOTE: The term HUB as used in this solicitation is understood to encompass all programs/business enterprises such as Small Disadvantaged Business (SDB), Disadvantage Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Women Owned Business Enterprise (WBE) and Disabled Veteran Business Enterprise (DVBE).

**\*\*\* End of Section-B \*\*\***



## SECTION-C: H-GAC FORMS

### For Use In Responding To Competitive Bid And Proposal Invitations

Invitation No.:	RH08-20
Title:	Refuse Handling Equipment

This document contains the following (required) H-GAC forms:

FORM	DESCRIPTION
<b>Form-A</b>	Offeror Identification and Authorized Signatory
<b>Form-B</b>	Historically Underutilized Business Enterprises
<b>Form-C</b>	Response Checklist
<b>Form-D</b>	Offered Items Pricing
<b>Form-E</b>	Published Options
<b>Form-H</b>	Marketing & Support Plan
<b>Form W-9</b>	Request for Taxpayer Identification Number and Certification
<b>Form CIQ</b>	Conflict of Interest Questionnaire
<b>Form 1295</b>	Certificate of Interested Parties
<b>Form HB 89</b>	HB Verification Form
<b>C.I.F.</b>	Contractor Information Form

**Offeror shall use the tabbed Excel version of these forms (no PDF)**

These forms are hereby made available in electronic format. They should be copied to Offeror's computer for completion and/or printed out, as required. The forms **may not** be changed or altered in any way, except as may be specified on the form.

**ALL** completed forms must also be submitted on electronic media (**flash/thumb drive**), excepting of course for signatures. The printed "Original" of the response will be considered as the official copy in case of any discrepancy between the electronic version and the printed Original.

**FORM-A: OFFEROR IDENTIFICATION & AUTHORIZED SIGNATORY**  
**(DO NOT handwritten this Form. Information must be typed in.)**

Invitation No.: RH08-20

Invitation Title: Refuse Handling Equipment

Offeror Company:

Trucks, Medium and Heavy & Truck Bodies

Offeror Status:  Manufacturer  Dealer/Distributor  Other

Response Type(1):  Single Offeror Acting Alone Or As Lead  Multiple Offerors Acting Jointly

Contract Signatory(2):

Title:

Mailing Address(3):

Street/PO Box

City

State & Zip

Physical Address:

Street

City

State & Zip

Phone:

Fax:

Email Address:

Federal Tax ID No.:

Web Page URL:

- (1) If Joint Offering, all parties must submit a signed Form A. A contract will be offered to each.
- (2) Person who will sign final contract documents if an award is made.
- (3) Address to which final contract documents would be sent for signature.

**Member Contact Information**

Contact Person (4):

Title:

Mailing Address:

Street/PO Box

City

State & Zip

Physical Address:

Street

City

State & Zip

Toll Free Phone:

Fax:

Email Address:

- (4) Person who End Users will contact for product information and to get pricing quotes.

**The Signatory below, on behalf of Offeror:**

- Acknowledges having thoroughly reviewed the Invitation;
- Attests to having the authority to sign this response and commit Offeror to honor all requirements;
- Makes, under penalty of perjury, all required Offeror Certifications as detailed in General Terms;
- Certifies that all information provided in this Response is true and correct.

Signature:

Title:

Printed Name:

Date:

**Title:** Refuse Handling Equipment**Offeror:** \_\_\_\_\_

Trucks, Medium and Heavy &amp; Truck Bodies

**HUB Status Of Offeror** Offeror is a HUB, as detailed below. Offeror is not a HUB.

Designation(s):

 HUB DBE MBE WBE Other

\*Certifying/Listing Authority(s):

**\* Note:** The terms "Certified" and "Listed" as used in conjunction with HUB programs relate to the process of HUB qualification review. Jurisdictions usually require that companies claiming HUB status be reviewed and confirmed as meeting certain minimum requirements to claim that status, and that the review and confirmation process be carried out by certain designated entities.

Members of HGACBuy are subject to various requirements relative to purchasing goods and services from Historically Underutilized Business Enterprises (HUBs)(See Note 1). These requirements are promulgated by federal and state governmental authorities, and include measureable criteria such as "percentage of total dollars spent directed to HUBs", "number of HUB contractors used", "HUB subcontractors employed by primary contractors", etc. These requirements are generally formalized in goal oriented programs.

Offeror agrees to work with and assist HGACBuy members in meeting HUB targets and goals, as may be required by any rules, processes or programs they might have in place. Such assistance may include such things as compliance with reporting requirements, provision of documentation, consideration of Certified/Listed subcontractors, provision of documented evidence that an active participatory role for a HUB entity was considered in a procurement transaction, etc.

Accepted and Agreed By (Name):

Title:

Date:

**Subcontracts**

On a separate sheet, list any subcontractors that would be employed in providing products or services related to this solicitation. Include the following information for each subcontractor:

a. Company Name

b. Address

c. Phone number

d. Applicable HUB designation/certification (DBE, MBE, etc.)

e. Type of work subcontractor has been certified to perform as a HUB. Firm must be certified in a North American Industry Classification System (NAISC) code applicable to the kind of work the firm would perform on the contract.

 Subcontractor List attached. No Subcontractors will be used.

**FORM C - RESPONSE CHECKLIST**Procurement No.: **RH08-20**

Title: \_\_\_\_\_

Offeror: \_\_\_\_\_

This form is provided to help insure that all required response elements have been completed and included, or certified as being available upon request. **Responses that do not comply with all requirements may be considered non-compliant.**

**This Response shall include:**

1	An "Original" <b>complete</b> copy of all documents, plus one "Copy", each in a separate hard-sided 3-ring binder.
2	A copy of the <b>complete</b> submission, including all required H-GAC forms, in <b>electronic format</b> (e.g. CD, DVD, flash drive) (Per Section-A, subsection 27.d). <b>The HGAC forms document shall be unaltered except for the prompted data fields (name, pricing, etc.) and submitted in its original Excel format only (no PDF). Offeror shall not split the Forms document into its respective worksheets, but kept as a single document.</b>
3	A comprehensive list of applicable priced options on Form-E
4	Detailed specifications / cut sheets for each model bid, reflecting the standard components as priced on Form-D
5	An <b>originally signed</b> Form-A from all entities who are party to this submission and who should be offered a contract if this submission is successful.
6	The required list of References.
7	Details of "Service Organization", including locations, hours, personnel and parts/service availability
8	Complete Warranty Documentation for all products offered.
9	Completed Form-H
10	W-9 Form, completed and signed for each party to the bid.
11	CIQ Form, completed and signed for each party to the bid. The form and instructions for its use can be found at: <a href="https://www.ethics.state.tx.us/filinginfo/conflict_forms.htm">https://www.ethics.state.tx.us/filinginfo/conflict_forms.htm</a> .
12	1295 Form, completed, signed for each party to the bid. The form and instructions for its use can be found at: <a href="https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm">https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm</a> .
13	HB 89 Form for each party to the bid, completed and signed.
14	Contractor Information Form for each party to the bid, completed and signed.

**FORM-D: OFFERED ITEMS PRICING**

**Invitation No. RH08-20: Refuse Handling Equipment**

**Note:** Offeror shall not modify this form in any way other than inputting company name(s) and pricing. All products listed below are to be considered as Base Units for purposes of this Invitation and any subsequent contract. Unless otherwise noted herein, this equipment shall include standard factory equipment. Offeror shall determine which models to bid and fill in the H-GAC bid price in the appropriate cell. Additionally, Offeror shall bid a comprehensive list of manufacturer options on Form-E. Unless shown otherwise on this or any other H-GAC specification document, all models and systems shall be priced herein to include the manufacturer standard components and be functional as priced (less chassis on commercial chassis-mounted designs). **NOTE: All refuse bodies designed for mounting on commercial cab-chassis shall be priced on this form as inclusive of mounting costs, but exclusive of cab-chassis. By submittal of pricing on this form, Offeror attests to this. For each line item priced below, Offeror shall include, with bid response, a specific quote sheet, or similar document, detailing the standard components, dimensions, and capabilities of the Base Unit priced. Offeror shall refer to Section-B for more details.**

**Offeror:**

\_\_\_\_\_

**For joint bids, insert the company names of all parties (use attachment if needed)**

Product Code	Description	HGAC Price, in Whole Dollars
<b>A: Front-Loading Bodies</b>		
RH0820A01	<b>Amrep:</b> AMHFL-21 / HX450FL, 38-Yd, Hoist-to-Dump Front Loader	
RH0820A02	<b>Amrep:</b> AMHFLPO-21 / HX450FL, 38-Yd, Full-Eject Front Loader	
RH0820A03	<b>Amrep:</b> AMHFL-22: HX450FL, 40-Yd, Hoist-to-Dump Front Loader	
RH0820A04	<b>Amrep:</b> AMHFLPO-22 / HX450FL, 40-Yd, Full-Eject Front Loader	
RH0820A05	<b>Bridgeport:</b> PC-40: Frontier Light Duty front Loader; 40-Yard	
RH0820A06	<b>Bridgeport:</b> PC-45: Frontier Light Duty front Loader; 45-Yard	
RH0820A07	<b>Bridgeport:</b> AC-40: Frontier Heavy Duty front Loader; 40-Yard	
RH0820A08	<b>Bridgeport:</b> AC-45: Frontier Heavy Duty front Loader; 45-Yard	
RH0820A09	<b>Curbtender:</b> Titanium Lightweight Series, 27-Yd Front Loader; COE chassis	
RH0820A10	<b>Curbtender:</b> Titanium Lightweight Series, 32-Yd Front Loader; COE chassis	
RH0820A11	<b>Curbtender:</b> Titanium Lightweight Series, 40-Yd Front Loader; COE chassis	
RH0820A12	<b>Curbtender:</b> Titan Series 40-Yd Commercial Front Loader, Full Eject, High Compaction	
RH0820A13	<b>Curbtender:</b> Titan Series 44-Yd Commercial Front Loader, Full Eject, High Compaction	
RH0820A14	<b>E-Z Pack:</b> Hercules Front Loader Series: 35-Yd, High Compaction	
RH0820A15	<b>E-Z Pack:</b> Hercules Front Loader Series: 37-Yd, High Compaction	
RH0820A16	<b>E-Z Pack:</b> Hercules Front Loader Series: 40-Yd, High Compaction	



RH0820A17	<b>E-Z Pack:</b> Hercules Front Loader Series: 44-Yd, High Compaction	
RH0820A18	<b>Heil:</b> Half/Pack 20-Yd: Full Eject, High Compaction Front Loader	
RH0820A19	<b>Heil:</b> Half/Pack 23-Yd: Full Eject, High Compaction Front Loader	
RH0820A20	<b>Heil:</b> Half/Pack 28-Yd: Full Eject, High Compaction Front Loader	
RH0820A21	<b>Heil:</b> Half/Pack 32-Yd: Full Eject, High Compaction Front Loader	
RH0820A22	<b>Heil:</b> Half/Pack Freedom 20-Yd: Full Eject, Light Weight Front Loader	
RH0820A23	<b>Heil:</b> Half/Pack Freedom 23-Yd: Full Eject, Light Weight Front Loader	
RH0820A24	<b>Heil:</b> Half/Pack Freedom 28-Yd: Full Eject, Light Weight Front Loader	
RH0820A25	<b>Heil:</b> Half/pack Sierra 28-Yd: Full Eject, Light Weight Front Loader	
RH0820A26	<b>Heil:</b> Half/Pack Sierra Odyssey 28-Yd: Full Eject, Light Weight Front Loader	
RH0820A27	<b>Heil:</b> Freedom Odyssey Half/Pack 20-Yd: Full Eject, High Compaction Automated Front Loader	
RH0820A28	<b>Heil:</b> Freedom Odyssey Half/Pack 23-Yd: Full Eject, High Compaction Automated Front Loader	
RH0820A29	<b>Heil:</b> Freedom Odyssey Half/Pack 28-Yd: Full Eject, High Compaction Automated Front Loader	
RH0820A30	<b>Heil:</b> Half/Pack Factor 20-Yd: Full Eject, AFL High Compaction Front Loader	
RH0820A31	<b>Heil:</b> Half/Pack Factor 23-Yd: Full Eject, AFL High Compaction Front Loader	
RH0820A32	<b>Heil:</b> Half/Pack Factor 28-Yd: Full Eject, AFL High Compaction Front Loader	
RH0820A33	<b>Heil:</b> Half/Pack Factor Sierra 28-Yd: Full Eject, AFL Light Weight Front Loader	
RH0820A34	<b>Heil:</b> Half/Pack Factor Freedom 20-Yd: Full Eject, AFL Light Weight Front Loader	
RH0820A35	<b>Heil:</b> Half/Pack Factor Freedom 23-Yd: Full Eject, AFL Light Weight Front Loader	
RH0820A36	<b>Heil:</b> Half/Pack Factor Freedom 28-Yd: Full Eject, AFL Light Weight Front Loader	
RH0820A37	<b>Heil:</b> Odyssey Half/Pack 20-Yd: Full Eject, High Compaction Automated Front Loader	
RH0820A38	<b>Heil:</b> Odyssey Half/Pack 23-Yd: Full Eject, High Compaction Automated Front Loader	
RH0820A39	<b>Heil:</b> Odyssey Half/Pack 28-Yd: Full Eject, High Compaction Automated Front Loader	
RH0820A40	<b>Heil:</b> Odyssey Half/Pack 32-Yd: Full Eject, High Compaction Automated Front Loader	
RH0820A41	<b>Heil:</b> Half/Pack 20-YD LowRider Residential: Full Eject, High Compaction Automated Front Loader	
RH0820A42	<b>Heil:</b> Half/Pack 23-YD LowRider Residential: Full Eject, High Compaction Automated Front Loader	
RH0820A43	<b>Heil:</b> Half/Pack 28-YD LowRider Residential: Full Eject, High Compaction Automated Front Loader	
RH0820A44	<b>Heil:</b> Odyssey Half/Pack Freedom 20-Yd: Full Eject, Light Weight AFL	
RH0820A45	<b>Heil:</b> Odyssey Half/Pack Freedom 23-Yd: Full Eject, Light Weight AFL	
RH0820A46	<b>Heil:</b> Odyssey Half/Pack Freedom 28-Yd: Full Eject, Light Weight AFL	
RH0820A47	<b>Kann:</b> CC31 CoCollector Series, 31-Yd: Refuse-Recycler, Two Compartment Front Loader, Tandem Axle Configuration, 197-210" WB Applications	
RH0820A48	<b>Kann:</b> CC35 (V2) CoCollector Series, 35-Yd: Refuse-Recycler, Two Compartment Front Loader, Tandem Axle Configuration, 197"-210" WB Applications	
RH0820A49	<b>Kann:</b> KE-26 Route King Series, 26-Yd Front Loader; Single Axle Design	
RH0820A50	<b>Kann:</b> KE-36 Route King Series, 36-Yd Front Loader; Tandem Axle Design	
RH0820A51	<b>Kann:</b> KE-41 Route King Series, 41-Yd Front Loader; Tandem Axle Design	
RH0820A52	<b>McNeilus:</b> Contender Series 36-Yd, Mid Weight, Full Eject Front Loader	

RH0820A53	<b>McNeilus:</b> Contender Series 40-Yd, Mid Weight, Full Eject Front Loader	
RH0820A54	<b>McNeilus:</b> Contender Series 43-Yd, Mid Weight, Full Eject Front Loader	
RH0820A55	<b>McNeilus:</b> Atlantic Series 3629: 24-Yd Heavy Duty, Full Eject Front Loader	
RH0820A56	<b>McNeilus:</b> Atlantic Series 4029: 28-Yd Heavy Duty Full Eject Front Loader	
RH0820A57	<b>McNeilus:</b> Atlantic Series 4329: 31-Yd Heavy Duty Full Eject Front Loader	
RH0820A58	<b>McNeilus:</b> Atlantic Series 4529: 33-Yd Heavy Duty Full Eject Front Loader	
RH0820A59	<b>McNeilus:</b> Meridian Series 3278: 32-Yd Mid Weight Full Eject Front Loader	
RH0820A60	<b>McNeilus:</b> Meridian Series 3678: 36-Yd Mid Weight Full Eject Front Loader	
RH0820A61	<b>McNeilus:</b> Meridian Series 4078: 40-Yd Mid Weight Full Eject Front Loader	
RH0820A62	<b>McNeilus:</b> Meridian Series 4378: 43-Yd Mid Weight Full Eject Front Loader	
RH0820A63	<b>New Way:</b> Mammoth Series 34: 34-Yd Heavy Duty Front Loader	
RH0820A64	<b>New Way:</b> Mammoth Series 40: 40-Yd Heavy Duty Front Loader	
RH0820A65	<b>New Way:</b> Mammoth Series 43: 43-Yd Heavy Duty Front Loader	
RH0820A66	<b>New Way:</b> Western Series 34FL: 34-Yd Light Body, High Compaction Front Loader	
RH0820A67	<b>New Way:</b> Western Series 40FL: 40-Yd Light Body, High Compaction Front Loader	
RH0820A68	<b>New Way:</b> Western Series 43FL: 43-Yd Light Body, High Compaction Front Loader	
RH0820A69	<b>Pak-Mor:</b> FPE830C: 30-Yd Heavy Duty Front Loader	
RH0820A70	<b>Pak-Mor:</b> FPE835C: 35-Yd Heavy Duty Front Loader	
RH0820A71	<b>Pak-Mor:</b> FPE840C: 40-Yd Heavy Duty Front Loader	
RH0820A72	<b>Wittke:</b> Featherweight Series, 30-Yd Front loader	
RH0820A73	<b>Wittke:</b> Featherweight Series, 32-Yd Front loader	
RH0820A74	<b>Wittke:</b> Featherweight Series, 34-Yd Front loader	
RH0820A75	<b>Wittke:</b> Featherweight Series, 36-Yd Front loader	
RH0820A76	<b>Wittke:</b> Featherweight Series, 38-Yd Front loader	
RH0820A77	<b>Wittke:</b> Featherweight Series, 40-Yd Front loader	
RH0820A78	<b>Wittke:</b> Featherweight Series, 42-Yd Front loader	
RH0820A79	<b>Wittke:</b> Featherweight Series, 44-Yd Front loader	
RH0820A80	<b>Wittke:</b> Starlight Series 30-Yd Front Loader	
RH0820A81	<b>Wittke:</b> Starlight Series 32-Yd Front Loader	
RH0820A82	<b>Wittke:</b> Starlight Series 34-Yd Front Loader	
RH0820A83	<b>Wittke:</b> Starlight Series 36-Yd Front Loader	
RH0820A84	<b>Wittke:</b> Starlight Series 40-Yd Front Loader	
RH0820A85	<b>Wittke:</b> Starlight Series 40-Yd Front Loader, Long Body	
RH0820A86	<b>Wittke:</b> Starlight Series 42-Yd Front Loader	
RH0820A87	<b>Wittke:</b> Starlight Series 44-Yd Front Loader	
RH0820A88	<b>Wittke:</b> SuperDuty Series 34-Yd: Heavy Duty Front Loader	
RH0820A89	<b>Wittke:</b> SuperDuty Series 36-Yd: Heavy Duty Front Loader	
RH0820A90	<b>Wittke:</b> SuperDuty Series 38-Yd: Heavy Duty Front Loader	

RH0820A91	<b>Wittke:</b> SuperDuty Series 40-Yd: Heavy Duty Front Loader, Long Body	
RH0820A92	<b>Wittke:</b> SuperDuty Series 40-Yd: Heavy Duty Front Loader	
RH0820A93	<b>Wittke:</b> SuperDuty Series 42-Yd: Heavy Duty Front Loader	
RH0820A94	<b>Wittke:</b> SuperDuty Series 44-Yd: Heavy Duty Front Loader	
<b>B: Rear-Loading Bodies</b>		
RH0820B01	<b>Curbtender:</b> Quantum Series 6-Yd Narrow Body Rear Loader	
RH0820B02	<b>Curbtender:</b> Quantum Series 8-Yd Narrow Body Rear Loader	
RH0820B03	<b>Curbtender:</b> Quantum Series 10-Yd Narrow Body Rear Loader	
RH0820B04	<b>Curbtender:</b> Quantum MD Series 11-Yd Body Rear Loader	
RH0820B05	<b>Curbtender:</b> Quantum MD Series 13-Yd Rear Loader	
RH0820B06	<b>Curbtender:</b> Quantum XL Series 16-Yd Rear Loader	
RH0820B07	<b>Curbtender:</b> Quantum XL Series 20-Yd Rear Loader	
RH0820B08	<b>Curbtender:</b> Fury Series 20-Yd High Compaction Rear Loader	
RH0820B09	<b>Curbtender:</b> Fury Series 25-Yd High Compaction Rear Loader	
RH0820B10	<b>Curbtender:</b> Phoenix Series 25-Yd Severe Duty Commercial Rear Loader	
RH0820B11	<b>Curbtender:</b> Phoenix Series 32-Yd Severe Duty Commercial Rear Loader	
RH0820B12	<b>E-Z Pack:</b> Apollo A-300C: 18-Yd, Mid-Range Rear Loader	
RH0820B13	<b>E-Z Pack:</b> Apollo A-300C: 20-Yd, Mid-Range Rear Loader	
RH0820B14	<b>E-Z Pack:</b> Apollo A-300C: 25-Yd, Mid-Range Rear Loader	
RH0820B15	<b>E-Z Pack:</b> Goliath G-300C: 18-Yd, High Compaction Rear Loader	
RH0820B16	<b>E-Z Pack:</b> Goliath G-300C: 20-Yd, High Compaction Rear Loader	
RH0820B17	<b>E-Z Pack:</b> Goliath G-300C: 25-Yd, High Compaction Rear Loader	
RH0820B18	<b>E-Z Pack:</b> Goliath G-300C: 31-Yd, High Compaction Rear Loader	
RH0820B19	<b>E-Z Pack:</b> Goliath G-400: 20-Yd, Heavy Duty, High Compaction Rear Loader	
RH0820B20	<b>E-Z Pack:</b> Goliath G-400: 25-Yd, Heavy Duty, High Compaction Rear Loader	
RH0820B21	<b>E-Z Pack:</b> Goliath G-400: 31-Yd, Heavy Duty, High Compaction Rear Loader	
RH0820B22	<b>G&amp;H:</b> R9020-02 20 Yd: Dual Compartment, Split Body Rear Loading	
RH0820B23	<b>G&amp;H:</b> R9025-02 25 Yd: Dual Compartment, Split Body Rear Loading	
RH0820B24	<b>G&amp;H:</b> R9030-02 30 Yd: Dual Compartment, Split Body Rear Loading	
RH0820B25	<b>Heil:</b> Mini Rear Loader 9-Yd: High Compact Rear Loader	
RH0820B26	<b>Heil:</b> Mini Rear Loader 11-Yd: High Compact Rear Loader	
RH0820B27	<b>Heil:</b> Mini Rear Loader 13-Yd: High Compact Rear Loader	
RH0820B28	<b>Heil:</b> PT-1000 Series 13-Yd: Mid Compact Rear Loader	
RH0820B29	<b>Heil:</b> PT-1000 Series 16-Yd: Mid Compact Rear Loader	
RH0820B30	<b>Heil:</b> PT-1000 Series 18-Yd: Mid Compact Rear Loader	
RH0820B31	<b>Heil:</b> PT-1000 Series 20-Yd: Mid Compact Rear Loader	
RH0820B32	<b>Heil:</b> PT-1000 Series 25-Yd: Mid Compact Rear Loader	
RH0820B33	<b>Heil:</b> Formula 5000 Series 18-Yd: High Compact Rear Loader	

RH0820B34	<b>Heil:</b> Formula 5000 Series 20-Yd: High Compact Rear Loader	
RH0820B35	<b>Heil:</b> Formula 5000 Series 25-Yd: High Compact Rear Loader	
RH0820B36	<b>Heil:</b> Formula 5000 Series 27-Yd: High Compact Rear Loader	
RH0820B37	<b>Heil:</b> Formula 5000 Series 32-Yd: High Compact Rear Loader	
RH0820B38	<b>Heil:</b> PT Commercial Series 25-Yd: High Compact Rear Loader	
RH0820B39	<b>Heil:</b> PT Commercial Series 27-Yd: High Compact Rear Loader	
RH0820B40	<b>Heil:</b> PT Commercial Series 32-Yd: High Compact Rear Loader	
RH0820B41	<b>Heil:</b> PT Commercial Plus 25-Yd: High Compact Tag Axle Rear Loader	
RH0820B42	<b>Heil:</b> PT Commercial Plus 27-Yd: High Compact Tag Axle Rear Loader	
RH0820B43	<b>Heil:</b> PT Commercial Plus 32-Yd: High Compact Tag Axle Rear Loader	
RH0820B44	<b>Kann:</b> RL2-8 Pack Master, 8-Yd Split Rear Loader	
RH0820B45	<b>Kann:</b> RL2-12 Pack Master, 12-Yd Split Rear Loader	
RH0820B46	<b>Kann:</b> RL2-16 Pack Master, 16-Yd Split Rear Loader	
RH0820B47	<b>Kann:</b> RL2-20 Pack Master, 20-Yd Split Rear Loader	
RH0820B48	<b>Kann:</b> RL2-25 Pack Master, 25-Yd Split Rear Loader	
RH0820B49	<b>Leach:</b> 2RII Series, 25-Yd, Commercial Rear Loader	
RH0820B50	<b>Leach:</b> 2RII Series, 31-Yd, Commercial Rear Loader	
RH0820B51	<b>Leach:</b> 2RII Series, 25-Yd, Heavy Commercial Demolition Rear Loader	
RH0820B52	<b>Leach:</b> 2RII Series, 31-Yd, Heavy Commercial Demolition Rear Loader	
RH0820B53	<b>Leach:</b> 2RIII Series, 20-Yd, Residential Rear Loader	
RH0820B54	<b>Leach:</b> 2RIII Series, 25-Yd, Residential Rear Loader	
RH0820B55	<b>Leach:</b> 2RIII Series, 29-Yd, Residential Rear Loader	
RH0820B56	<b>Leach:</b> 2RIII Series, 32-Yd, Residential Rear Loader	
RH0820B57	<b>Leach:</b> 2RIII Series, 20-Yd, Commercial Rear Loader	
RH0820B58	<b>Leach:</b> 2RIII Series, 25-Yd, Commercial Rear Loader	
RH0820B59	<b>Leach:</b> 2RIII Series, 29-Yd, Commercial Rear Loader	
RH0820B60	<b>Leach:</b> 2RIII Series, 32-Yd, Commercial Rear Loader	
RH0820B61	<b>Leach:</b> 2RIII Series, 25-Yd, Heavy Commercial Demolition Rear Loader	
RH0820B62	<b>Leach:</b> 2RIII Series, 29-Yd, Heavy Commercial Demolition Rear Loader	
RH0820B63	<b>Leach:</b> 2RIII Series, 32-Yd, Heavy Commercial Demolition Rear Loader	
RH0820B64	<b>Leach:</b> Alpha III Series, 14-Yd: Residential Rear Loader	
RH0820B65	<b>Leach:</b> Alpha III Series, 16-Yd: Residential Rear Loader	
RH0820B66	<b>Leach:</b> Alpha III Series, 18-Yd: Residential Rear Loader	
RH0820B67	<b>Leach:</b> Alpha III Series, 20-Yd: Residential Rear Loader	
RH0820B68	<b>Leach:</b> Alpha III Series, 25-Yd: Residential Rear Loader	
RH0820B69	<b>Leach:</b> Alpha III Series, 29-Yd: Residential Rear Loader	
RH0820B70	<b>Leach:</b> Alpha III Series, 32-Yd: Residential Rear Loader	
RH0820B71	<b>Leach:</b> Alpha III Series, 14-Yd: Light Commercial Rear Loader	

RH0820B72	<b>Leach:</b> Alpha III Series, 16-Yd: Light Commercial Rear Loader	
RH0820B73	<b>Leach:</b> Alpha III Series, 18-Yd: Light Commercial Rear Loader	
RH0820B74	<b>Leach:</b> Alpha III Series, 20-Yd: Light Commercial Rear Loader	
RH0820B75	<b>Leach:</b> Alpha III Series, 25-Yd: Light Commercial Rear Loader	
RH0820B76	<b>Leach:</b> Alpha III Series, 29-Yd: Light Commercial Rear Loader	
RH0820B77	<b>Leach:</b> Alpha III Series, 32-Yd: Light Commercial Rear Loader	
RH0820B78	<b>Leach:</b> Mini, 8-Yd Mid Compaction Rear Loader	
RH0820B79	<b>Leach:</b> Mini, 10.5 -Yd Mid Compaction Rear Loader	
RH0820B80	<b>Leach:</b> Mini, 13 -Yd Mid Compaction Rear Loader	
RH0820B81	<b>Leach:</b> Mini, 17 -Yd Mid Compaction Rear Loader	
RH0820B82	<b>Leach:</b> Split Body Rear Loader 20-yd	
RH0820B83	<b>Leach:</b> Split Body Rear Loader 25-yd	
RH0820B84	<b>Leach:</b> Split Body Rear Loader 29-yd	
RH0820B85	<b>Leach:</b> Split Body Rear Loader 32-yd	
RH0820B86	<b>Loadmaster:</b> Elite, High Compaction Rear Loader, 6-Yd	
RH0820B87	<b>Loadmaster:</b> Elite, High Compaction Rear Loader, 8-Yd	
RH0820B88	<b>Loadmaster:</b> Elite, High Compaction Rear Loader, 10-Yd	
RH0820B89	<b>Loadmaster:</b> Elite, High Compaction Rear Loader, 11-Yd	
RH0820B90	<b>Loadmaster:</b> Legacy, Mid Compaction Rear Loader, 11-Yd	
RH0820B91	<b>Loadmaster:</b> Legacy, Mid Compaction Rear Loader, 13-Yd	
RH0820B92	<b>Loadmaster:</b> Legacy S, Mid Compaction Rear Loader, 16-Yd	
RH0820B93	<b>Loadmaster:</b> Legacy S, Mid Compaction Rear Loader, 18-Yd	
RH0820B94	<b>Loadmaster:</b> Legacy S, Mid Compaction Rear Loader, 20-Yd	
RH0820B95	<b>Loadmaster:</b> Legacy S, Mid Compaction Rear Loader, 25-Yd	
RH0820B96	<b>Loadmaster:</b> Excel S, High Compaction Rear Loader, 20-Yd	
RH0820B97	<b>Loadmaster:</b> Excel S, High Compaction Rear Loader, 25-Yd	
RH0820B98	<b>Loadmaster:</b> Excel S, High Compaction Rear Loader, 27-Yd	
RH0820B99	<b>Loadmaster:</b> Excel S, High Compaction Rear Loader, 31-Yd	
RH0820B100	<b>Loadmaster:</b> Excel S, High Compaction Rear Loader, 33-Yd	
RH0820B101	<b>Loadmaster:</b> LM 425, High Compaction Rear Loader, 25-Yd	
RH0820B102	<b>Loadmaster:</b> LM 425 Demolition, Demolition Material Rear Loader, 25-Yd	
RH0820B103	<b>Loadmaster:</b> LM 431, High Compaction Rear Loader, 31-Yd	
RH0820B104	<b>McNeilus:</b> Standard Rear Loader, 17-Yd	
RH0820B105	<b>McNeilus:</b> Standard Rear Loader, 20-Yd	
RH0820B106	<b>McNeilus:</b> Standard Rear Loader, 25-Yd	
RH0820B107	<b>McNeilus:</b> Standard Rear Loader, 28-Yd	
RH0820B108	<b>McNeilus:</b> Standard Rear Loader, 32-Yd	
RH0820B109	<b>McNeilus:</b> Heavy Duty Rear Loader, 20-Yd	

RH0820B110	<b>McNeilus:</b> Heavy Duty Rear Loader, 25-Yd	
RH0820B111	<b>McNeilus:</b> Heavy Duty Rear Loader, 28-Yd	
RH0820B112	<b>McNeilus:</b> Heavy Duty Rear Loader, 32-Yd	
RH0820B113	<b>McNeilus:</b> Heavy Duty Rear Loader, 20-Yd, 3.5 yd. Tailgate	
RH0820B114	<b>McNeilus:</b> Heavy Duty Rear Loader, 25-Yd, 3.5 yd. Tailgate	
RH0820B115	<b>McNeilus:</b> Heavy Duty Rear Loader, 28-Yd, 3.5 yd. Tailgate	
RH0820B116	<b>McNeilus:</b> Heavy Duty Rear Loader, 32-Yd, 3.5 yd. Tailgate	
RH0820B117	<b>McNeilus:</b> XC Rear Loader, 25-Yd	
RH0820B118	<b>McNeilus:</b> XC Rear Loader, 28-Yd	
RH0820B119	<b>McNeilus:</b> XC Rear Loader, 32-Yd	
RH0820B120	<b>McNeilus:</b> Tail Gate Tag Axle Rear Loader, 25-Yd	
RH0820B121	<b>McNeilus:</b> Tail Gate Tag Axle Rear Loader, 28-Yd	
RH0820B122	<b>McNeilus:</b> Tail Gate Tag Axle Rear Loader, 32-Yd	
RH0820B123	<b>McNeilus:</b> Split Body (40/60) Rear Loader, 25-Yd	
RH0820B124	<b>McNeilus:</b> Split Body (40/60) Rear Loader, 32-Yd	
RH0820B125	<b>New Way:</b> Diamondback Series 6RL: 6-Yd Compact Rear Loader	
RH0820B126	<b>New Way:</b> Diamondback Series 6HC RL: 6-Yd, Compact Rear Loader, High Compaction	
RH0820B127	<b>New Way:</b> Diamondback Series 8RL: 8-Yd, Compact Rear Loader	
RH0820B128	<b>New Way:</b> Diamondback Series 8HC RL: 8-Yd, Compact Rear Loader, High Compaction	
RH0820B129	<b>New Way:</b> Cobra Series 9RL: 9-Yd. Mid Compaction Rear Loader	
RH0820B130	<b>New Way:</b> Cobra Series 11RL: 11-Yd, Mid Compaction Rear Loader	
RH0820B131	<b>New Way:</b> Cobra Series 13RL: 13-Yd, Mid Compaction Rear Loader	
RH0820B132	<b>New Way:</b> Cobra Series 16RL: 16-Yd, Mid Compaction Rear Loader	
RH0820B133	<b>New Way:</b> Cobra Series 18RL: 18-Yd, Mid Compaction Rear Loader	
RH0820B134	<b>New Way:</b> Cobra Series 20RL: 20-Yd, Mid Compaction Rear Loader	
RH0820B135	<b>New Way:</b> Cobra Series 25RL: 25-Yd, Mid Compaction Rear Loader	
RH0820B136	<b>New Way:</b> Cobra High Compaction 25RL, 25-Yd High Compaction Rear Loader	
RH0820B137	<b>New Way:</b> Cobra Magnum Series: 20RL, High Compaction Rear Loader	
RH0820B138	<b>New Way:</b> Cobra Magnum Series: 25RL, High Compaction Rear Loader	
RH0820B139	<b>New Way:</b> Cobra Magnum Series: 27RL, High Compaction Rear Loader	
RH0820B140	<b>New Way:</b> Cobra Magnum Series: 32RL, High Compaction Rear Loader	
RH0820B141	<b>New Way:</b> King Cobra Series: 20RL, Ultra High Compaction Rear Loader	
RH0820B142	<b>New Way:</b> King Cobra Series: 25RL, Ultra High Compaction Rear Loader	
RH0820B143	<b>New Way:</b> King Cobra Series: 27RL, Ultra High Compaction Rear Loader	
RH0820B144	<b>New Way:</b> King Cobra Series: 32RL, Ultra High Compaction Rear Loader	
RH0820B145	<b>New Way:</b> Viper Series 11RL: 11-Yd, Mid Compaction, Lightweight Rear Loader	
RH0820B146	<b>New Way:</b> Viper Series 13RL: 13-Yd, Mid Compaction, Lightweight Rear Loader	
RH0820B147	<b>New Way:</b> Viper Series 16RL: 16-Yd, Mid Compaction, Lightweight Rear Loader	

RH0820B148	<b>New Way:</b> Viper Series 18RL: 18-Yd, Mid Compaction, Lightweight Rear Loader	
RH0820B149	<b>New Way:</b> Viper Series 20RL: 20-Yd, Mid Compaction, Lightweight Rear Loader	
RH0820B150	<b>Pac-Mac:</b> RL-6: 6-Yd, High Compaction Rear Loader	
RH0820B151	<b>Pac-Mac:</b> RL-8: 8-Yd, High Compaction Rear Loader	
RH0820B152	<b>Pac-Mac:</b> RL-10: 10-Yd, High Compaction Rear Loader	
RH0820B153	<b>Pac-Mac:</b> RLM-11: 11-Yd, High Compaction Rear Loader	
RH0820B154	<b>Pac-Mac:</b> RLM-13: 13-Yd, High Compaction Rear Loader	
RH0820B155	<b>Pac-Mac:</b> RLM-16: 16-Yd, High Compaction Rear Loader	
RH0820B156	<b>Pac-Mac:</b> RLX-20: 20-Yd, High Compaction Rear Loader (1000 Lb/Yd compaction; 5” packing cylinders)	
RH0820B157	<b>Pac-Mac:</b> RLX -20 Brutal: 20-Yd, High Compaction Rear Loader (1100 Lb/Yd compaction; 5.5” packing cylinders)	
RH0820B158	<b>Pac-Mac:</b> RLX-25: 25-Yd, High Compaction Rear Loader (1000 Lb/Yd compaction; 5” packing cylinders)	
RH0820B159	<b>Pac-Mac:</b> RLX -25 Brutal: 25-Yd, High Compaction Rear Loader (1100 Lb/Yd compaction; 5.5” packing cylinders)	
RH0820B160	<b>Pak-Mor:</b> RBS108: 8-Yd, Residential Mid Compaction Rear Loader	
RH0820B161	<b>Pak-Mor:</b> RBS110: 10-Yd, Residential Mid Compaction Rear Loader	
RH0820B162	<b>Pak-Mor:</b> R112B: 12-Yd, Residential Mid Compaction Rear Loader	
RH0820B163	<b>Pak-Mor:</b> R112C: 12-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B164	<b>Pak-Mor:</b> R114B: 14-Yd, Residential Mid Compaction Rear Loader	
RH0820B165	<b>Pak-Mor:</b> R114C: 14-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B166	<b>Pak-Mor:</b> R116B: 16-Yd, Residential Mid Compaction Rear Loader	
RH0820B167	<b>Pak-Mor:</b> R116C: 16-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B168	<b>Pak-Mor:</b> R118B: 18-Yd, Residential Mid Compaction Rear Loader	
RH0820B169	<b>Pak-Mor:</b> R118C: 18-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B170	<b>Pak-Mor:</b> R120B: 20-Yd, Residential Mid Compaction Rear Loader	
RH0820B171	<b>Pak-Mor:</b> R120C: 20-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B172	<b>Pak-Mor:</b> R125B: 25-Yd, Residential Mid Compaction Rear Loader	
RH0820B173	<b>Pak-Mor:</b> R125C: 25-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B174	<b>Pak-Mor:</b> R130B: 30-Yd, Residential Mid Compaction Rear Loader	
RH0820B175	<b>Pak-Mor:</b> RLP112B: 12-Yd, Residential Low Profile, Mid Compaction Rear Loader	
RH0820B176	<b>Pak-Mor:</b> RLP112C: 12-Yd, Residential Low Profile, Rear Loader, Curve Shell	
RH0820B177	<b>Pak-Mor:</b> RLP114B: 14-Yd, Residential Low Profile, Mid Compaction Rear Loader	
RH0820B178	<b>Pak-Mor:</b> RLP114C: 14-Yd, Residential Low Profile, Rear Loader, Curve Shell	
RH0820B179	<b>Pak-Mor:</b> RC116B: 16-Yd, Residential Mid Compaction Rear Loader	
RH0820B180	<b>Pak-Mor:</b> RC116C: 16-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B181	<b>Pak-Mor:</b> RC118B: 18-Yd, Residential Mid Compaction Rear Loader	

RH0820B182	<b>Pak-Mor:</b> RC118C: 18-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B183	<b>Pak-Mor:</b> RC120B: 20-Yd, Residential Mid Compaction Rear Loader	
RH0820B184	<b>Pak-Mor:</b> RC120C: 20-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B185	<b>Pak-Mor:</b> RC125B: 25-Yd, Residential Mid Compaction Rear Loader	
RH0820B186	<b>Pak-Mor:</b> RC125C: 25-Yd, Residential Mid Compaction Rear Loader, Curve Shell	
RH0820B187	<b>Pak-Mor:</b> RC130B: 30-Yd, Residential Mid Compaction Rear Loader	
RH0820B188	<b>Pak-Mor:</b> R216B: 16-Yd, Commercial Mid Compaction Rear Loader	
RH0820B189	<b>Pak-Mor:</b> R216C: 16-Yd, Commercial Mid Compaction Rear Loader, Curve Shell	
RH0820B190	<b>Pak-Mor:</b> R218B: 18-Yd, Commercial Mid Compaction Rear Loader	
RH0820B191	<b>Pak-Mor:</b> R218C: 18-Yd, Commercial Mid Compaction Rear Loader, Curve Shell	
RH0820B192	<b>Pak-Mor:</b> R220B: 20-Yd, Commercial Mid Compaction Rear Loader	
RH0820B193	<b>Pak-Mor:</b> R220C: 20-Yd, Commercial Mid Compaction Rear Loader, Curve Shell	
RH0820B194	<b>Pak-Mor:</b> R225B: 25-Yd, Commercial Mid Compaction Rear Loader	
RH0820B195	<b>Pak-Mor:</b> R225C: 25-Yd, Commercial Mid Compaction Rear Loader, Curve Shell	
RH0820B196	<b>Pak-Mor:</b> R230B: 30-Yd, Commercial Mid Compaction Rear Loader	
RH0820B197	<b>Pak-Mor:</b> RHC218B: 18-Yd, Commercial High Compaction Rear Loader	
RH0820B198	<b>Pak-Mor:</b> RHC218C: 18-Yd, Commercial High Compaction Rear Loader, Curve Shell	
RH0820B199	<b>Pak-Mor:</b> RHC220B: 20-Yd, Commercial High Compaction Rear Loader	
RH0820B200	<b>Pak-Mor:</b> RHC220C: 20-Yd, Commercial High Compaction Rear Loader, Curve Shell	
RH0820B201	<b>Pak-Mor:</b> RHC225B: 25-Yd, Commercial High Compaction Rear Loader	
RH0820B202	<b>Pak-Mor:</b> RHC225C: 25-Yd, Commercial High Compaction Rear Loader, Curve Shell	
RH0820B203	<b>Pak-Mor:</b> RHC230B: 30-Yd, Commercial High Compaction Rear Loader	
RH0820B204	<b>Pak-Mor:</b> R320B: 20-Yd, Commercial High Compaction Rear Loader	
RH0820B205	<b>Pak-Mor:</b> R320C: 20-Yd, Commercial High Compaction Rear Loader, Curve Shell	
RH0820B206	<b>Pak-Mor:</b> R325B: 25-Yd, Commercial High Compaction Rear Loader	
RH0820B207	<b>Pak-Mor:</b> R325C: 25-Yd, Commercial High Compaction Rear Loader, Curve Shell	
RH0820B208	<b>Pak-Mor:</b> R330B: 30-Yd, Commercial High Compaction Rear Loader	
<b>C: Side-Loading Bodies</b>		
RH0820C01	<b>Amrep:</b> AMHASLT-16 / HX450ASL, 24-Yd, Zero Radius, Hoist-to-Dump Automated Side Loader	
RH0820C02	<b>Amrep:</b> AMHASLTPO-16 / HX450ASL, 24-Yd, Zero Radius, Full-Eject Automated Side Loader	
RH0820C03	<b>Amrep:</b> AMHASLT-19 / HX450ASL, 36-Yd, Zero Radius, Hoist-to-Dump Automated Side Loader	
RH0820C04	<b>Amrep:</b> AMHASLTPO-19 / HX450ASL, 36-Yd, Zero Radius, Full-Eject Automated Side Loader	
RH0820C05	<b>Amrep:</b> AMHASLTPO-21 / HX450ASL, 38-Yd, Zero Radius, Full-Eject Automated Side Loader	
RH0820C06	<b>Bridgeport:</b> Ranger SA-2, Dual Arm Semi-Automated Side Loader, 12-Yd	
RH0820C07	<b>Bridgeport:</b> Ranger SA-2, Dual Arm Semi-Automated Side Loader, 14-Yd	
RH0820C08	<b>Bridgeport:</b> Ranger Automated Side Loader, 23-Yd	
RH0820C09	<b>Bridgeport:</b> Ranger Automated Side Loader, 27-Yd	
RH0820C10	<b>Bridgeport:</b> Ranger Automated Side Loader, 31-Yd	



RH0820C11	<b>Bridgeport:</b> Ranger Automated Side Loader, 33-Yd	
RH0820C12	<b>Bridgeport:</b> Ranger Automated Side Loader, 35-Yd	
RH0820C13	<b>Bridgeport:</b> Ranger Automated Side Loader, 37-Yd	
RH0820C14	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 14-Yd	
RH0820C15	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 22-Yd	
RH0820C16	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 28-Yd	
RH0820C17	<b>Bridgeport:</b> Ranger Confined Space Collector (CSC) Automated Side Loader, 32-Yd	
RH0820C18	<b>Bridgeport:</b> Ranger Off-Road Automated Side Loader; 23-Yd, All Wheel Drive Chassis Applications	
RH0820C19	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 28-YD	
RH0820C20	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 30-YD	
RH0820C21	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 32-YD	
RH0820C22	<b>Bridgeport</b> Ranger Drop Frame Automated Side Loader, 34-YD	
RH0820C23	<b>Bridgeport</b> Ranger Drop Frame Semi-Automated Side Loader, 32-YD	
RH0820C24	<b>Bridgeport</b> Ranger Drop Frame Semi-Automated Side Loader, 34-YD	
RH0820C25	<b>Curbtender:</b> Pup Series: 6-Yd Manual Side Loader, Truck-Mount	
RH0820C26	<b>Curbtender:</b> Pup Series: 6-Yd Manual Side Loader, Trailer-Mount (complete, inclusive of standard trailer)	
RH0820C27	<b>Curbtender:</b> Pup Series: 7-Yd Manual Side Loader, Truck-Mount	
RH0820C28	<b>Curbtender:</b> Pup Series: 7-Yd Manual Side Loader, Trailer-Mount (complete, inclusive of standard trailer)	
RH0820C29	<b>Curbtender:</b> Tomcat Series: 6-Yd Manual Side Loader	
RH0820C30	<b>Curbtender:</b> Tomcat Series: 8-Yd Manual Side Loader	
RH0820C31	<b>Curbtender:</b> Tomcat Series: 12-Yd Manual Side Loader	
RH0820C32	<b>Curbtender:</b> Tomcat Series: 14-Yd Manual Side Loader	
RH0820C33	<b>Curbtender:</b> Tomcat SB Series: Split Body, 8-Yd Manual Side Loader	
RH0820C34	<b>Curbtender:</b> Tomcat SB Series: Split Body, 10-Yd Manual Side Loader	
RH0820C35	<b>Curbtender:</b> Tomcat SB Series: Split Body, 12-Yd Manual Side Loader	
RH0820C36	<b>Curbtender:</b> Tomcat SB Series: Split Body, 14-Yd Manual Side Loader	
RH0820C37	<b>Curbtender:</b> Tomcat SB Series: Split Body, 16-Yd Manual Side Loader	
RH0820C38	<b>Curbtender:</b> Tomcat SB Series: Split Body, 18-Yd Manual Side Loader	
RH0820C39	<b>Curbtender:</b> Tomcat ST Series: Satellite Dump Body, 6-Yd Manual Side Loader	
RH0820C40	<b>Curbtender:</b> Tomcat ST Series: Satellite Dump Body, 10-Yd Manual Side Loader	
RH0820C41	<b>Curbtender:</b> Autocat Series 12-Yd Mid-Sized Automated Side Loader	
RH0820C42	<b>Curbtender:</b> Autocat Series 14-Yd Mid-Sized Automated Side Loader	
RH0820C43	<b>Curbtender:</b> HammerPak Series 20-Yd Light Weight Automated Side Loader, Extended Reach	
RH0820C44	<b>Curbtender:</b> HammerPak Series 24-Yd Light Weight Automated Side Loader, Extended Reach	
RH0820C45	<b>Curbtender:</b> HammerPak Series 27-Yd Light Weight Automated Side Loader, Extended Reach	
RH0820C46	<b>Curbtender:</b> PowerPak Series: 20-Yd Automated Side Loader	
RH0820C47	<b>Curbtender:</b> PowerPak Series: 23-Yd Automated Side Loader	

RH0820C48	<b>Curbtender:</b> PowerPak Series: 24-Yd Automated Side Loader	
RH0820C49	<b>Curbtender:</b> PowerPak Series: 27-Yd Automated Side Loader	
RH0820C50	<b>Curbtender:</b> PowerPak Series: 28-Yd Automated Side Loader	
RH0820C51	<b>Curbtender:</b> PowerPak Series: 31-Yd Automated Side Loader	
RH0820C52	<b>E-Z Pack:</b> Hercules Automated Side Loader, 23-Yd	
RH0820C53	<b>E-Z Pack:</b> Hercules Automated Side Loader, 25-Yd	
RH0820C54	<b>E-Z Pack:</b> Hercules Automated Side Loader, 27-Yd	
RH0820C55	<b>E-Z Pack:</b> Hercules Automated Side Loader, 30-Yd	
RH0820C56	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH20D3, Single Axle Chassis Design	
RH0820C57	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH23D6, Single Axle Chassis Design	
RH0820C58	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH27D6, Tandem Axle Chassis Design	
RH0820C59	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH29D3, Tandem Axle Chassis Design	
RH0820C60	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH31D6, Tandem Axle Chassis Design	
RH0820C61	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH33D6, Tandem Axle Chassis Design	
RH0820C62	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH26C3, CNG Roof Mount, (Overall Height 12'-5") Three Axle Chassis Design	
RH0820C63	<b>G&amp;H:</b> Scorpion Automated Side Loader: Model GH32C6, CNG Roof Mount, (Overall Height 12'-5") Three Axle Chassis Design	
RH0820C64	<b>G&amp;H:</b> Scorpion Automated Loader: 32-Yd, Tri Axle Chassis Design, CNG Roof-Mount	
RH0820C65	<b>GS Products:</b> MP8113: 13-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 2-axle configuration.	
RH0820C66	<b>GS Products:</b> MP8116: 16-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 2-axle configuration.	
RH0820C67	<b>GS Products:</b> MP8120X: 23-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject; Dual Bucket; 2-axle configuration.	
RH0820C68	<b>GS Products:</b> MP8127: 27-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 3-axle configuration.	
RH0820C69	<b>GS Products:</b> MP8129: 29-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 3-axle configuration.	
RH0820C70	<b>GS Products:</b> MP8131: 31-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket, 3-axle configuration.	
RH0820C71	<b>GS Products:</b> MP8133: 33-Yd., Multi-Purpose Bucket Style Side Loader; Full Eject, Dual bucket, 3-axle configuration.	
RH0820C72	<b>GS Products:</b> MP8135: 35-Yd., Multi-Purpose Bucket Style Side Loader, Full Eject, Dual Bucket; 4-axle configuration.	
RH0820C73	<b>GS Products:</b> MP8137: 37-Yd., Multi-Purpose bucket style side loader; full eject; Dual bucket; 4-axle configuration.	

RH0820C74	<b>GS Products:</b> CS8120XA: 23-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 2-axle configuration	
RH0820C75	<b>GS Products:</b> CS8127A: 27-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C76	<b>GS Products:</b> CS8129A: 29-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C77	<b>GS Products:</b> CS8131A: 31-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C78	<b>GS Products:</b> CS8133A: 33-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C79	<b>GS Products:</b> CS8135A: 35-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 4-axle configuration	
RH0820C80	<b>GS Products:</b> CS8137A: 37-Yd, CollecStar Automated Side Loader, Plastic Containers Applications, Full Eject; 4-axle configuration	
RH0820C81	<b>GS Products:</b> CS9120XA: 23-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 2-axle configuration	
RH0820C82	<b>GS Products:</b> CS9127A: 27-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C83	<b>GS Products:</b> CS9129A: 29-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C84	<b>GS Products:</b> CS9131A: 31-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C85	<b>GS Products:</b> CS9133A: 33-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration	
RH0820C86	<b>GS Products:</b> CS9135A: 35-Yd, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 4-axle configuration	
RH0820C87	<b>GS Products:</b> CS9137A: 37-Yd, CollecStar Automated Side Loader, Plastic Containers Applications, Full Eject; 4-axle configuration	
RH0820C88	<b>GS Products:</b> TC8120X: 23-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hook Applications, Steel or Plastic Containers, Full Eject; 2-axle configuration	
RH0820C89	<b>GS Products:</b> TC8127: 27-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hook Applications, Steel or Plastic Containers, Full Eject; 3-axle configuration	
RH0820C90	<b>GS Products:</b> TC8129: 29-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hook Application, Steel or Plastic Containers, Full Eject, 3-axle configuration	
RH0820C91	<b>GS Products:</b> TC8131: 31-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	
RH0820C92	<b>GS Products:</b> TC8133: 33-Yd Town & Country Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	

RH0820C93	<b>GS Products:</b> CL8120X: 23-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	
RH0820C94	<b>GS Products:</b> CL8127: 27-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	
RH0820C95	<b>GS Products:</b> CL8129: 29-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	
RH0820C96	<b>GS Products:</b> CL8131: 31-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	
RH0820C97	<b>GS Products:</b> CL8133: 33-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 3-axle configuration	
RH0820C98	<b>GS Products:</b> CL8135: 35-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 4-axle configuration	
RH0820C99	<b>GS Products:</b> CL8137: 37-Yd Automated Side Loader, Emco/Pak-Mor/TruxMore Style Hooks, Steel or Plastic Containers, Full Eject; 4-axle configuration	
RH0820C100	<b>GS Products:</b> SB8220X: 24-Yd Split Body, Multi-Purpose Bucket Style Side Loader; Full Eject, Single bucket, 3-axle configuration.	
RH0820C101	<b>GS Products:</b> SB8228: 28-Yd Split Body, Multi-Purpose Bucket Style Side Loader; Full Eject, Single bucket, 3-axle configuration.	
RH0820C102	<b>GS Products:</b> SB8232: 32-Yd Split Body, Multi-Purpose Bucket Style Side Loader; Full Eject, Single bucket, 3-axle configuration.	
RH0820C103	<b>GS Products:</b> CS-SB9220XA: 24-Yd ; Split Body, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration.	
RH0820C104	<b>GS Products:</b> CS-SB9228: 28-Yd Split Body, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration.	
RH0820C105	<b>GS Products:</b> CS-SB9232A: 32-Yd Split Body, CollecStar Automated Side Loader, Plastic Container Applications, Full Eject; 3-axle configuration.	
RH0820C106	<b>Heil:</b> Rapid Rail Series 16-Yd: Mid Compact Auto Side Loader	
RH0820C107	<b>Heil:</b> Rapid Rail Series 20-Yd: Mid Compact Auto Side Loader	
RH0820C108	<b>Heil:</b> Rapid Rail Series 22-Yd: Mid Compact Auto Side Loader	
RH0820C109	<b>Heil:</b> Rapid Rail Series 24-Yd: Mid Compact Auto Side Loader	
RH0820C110	<b>Heil:</b> Rapid Rail Series 26-Yd: Mid Compact Auto Side Loader	
RH0820C111	<b>Heil:</b> Rapid Rail Series 30-Yd: Mid Compact Auto Side Loader	
RH0820C112	<b>Heil:</b> Rapid Rail Series 32-Yd: Mid Compact Auto Side Loader	
RH0820C113	<b>Heil:</b> Liberty 16-Yd: Mid Compact Auto Side Loader	
RH0820C114	<b>Heil:</b> Liberty 20-Yd: Mid Compact Auto Side Loader	
RH0820C115	<b>Heil:</b> Liberty 22-Yd: Mid Compact Auto Side Loader	
RH0820C116	<b>Heil:</b> Liberty 24-Yd: Mid Compact Auto Side Loader	
RH0820C117	<b>Heil:</b> Liberty 26-Yd: Mid Compact Auto Side Loader	

RH0820C118	<b>Heil:</b> Liberty 30-Yd: Mid Compact Auto Side Loader	
RH0820C119	<b>Heil:</b> Liberty 32-Yd: Mid Compact Auto Side Loader	
RH0820C120	<b>Heil:</b> DuraPack Python 22-Yd: High compaction Auto Side Loader	
RH0820C121	<b>Heil:</b> DuraPack Python 24-Yd: High compaction Auto Side Loader	
RH0820C122	<b>Heil:</b> DuraPack Python 26-Yd: High compaction Auto Side Loader	
RH0820C123	<b>Heil:</b> DuraPack Python 28-Yd: High compaction Auto Side Loader	
RH0820C124	<b>Heil:</b> DuraPack Python 33-Yd: High compaction Auto Side Loader	
RH0820C125	<b>Heil:</b> DuraPack Rapid Rail 22-Yd: High compaction Auto Side Loader	
RH0820C126	<b>Heil:</b> DuraPack Rapid Rail 24-Yd: High compaction Auto Side Loader	
RH0820C127	<b>Heil:</b> DuraPack Rapid Rail 26-Yd: High compaction Auto Side Loader	
RH0820C128	<b>Heil:</b> DuraPack Rapid Rail 28-Yd: High compaction Auto Side Loader	
RH0820C129	<b>Heil:</b> DuraPack Rapid Rail 33-Yd: High compaction Auto Side Loader	
RH0820C130	<b>Heil:</b> DuraPack Commander 24-Yd: High compaction Auto Side Loader	
RH0820C131	<b>Heil:</b> DuraPack Commander 28-Yd: High compaction Auto Side Loader	
RH0820C132	<b>Heil:</b> DuraPack Commander 33-Yd: High compaction Auto Side Loader	
RH0820C133	<b>Heil:</b> MultiPack 24-Yd: Automated Side Loader / Rear loader	
RH0820C134	<b>Kann:</b> Curb Master Series, SLEA Automated Side Loader, 20-Yd	
RH0820C135	<b>Kann:</b> Curb Master Series, SLEA Automated Side Loader, 28-Yd	
RH0820C136	<b>Kann:</b> Curb Master Series, MSLE Mini Side Loader, 10-Yd, Full Eject	
RH0820C137	<b>Kann:</b> Curb Sorter Series, 21-Yd Commercial Side Loader, Tree Hugger	
RH0820C138	<b>Kann:</b> Curb Master Series, 31-Yd Commercial Side Loader, Square Top	
RH0820C139	<b>Kann:</b> Curbmaster SLEC 27-Yd: Commercial Side-Loader, Tree Hugger	
RH0820C140	<b>Kann:</b> Curbmaster SLEC 29-Yd: Commercial Side-Loader, Tree Hugger	
RH0820C141	<b>Kann:</b> Curbmaster SLEC 27-Yd: Commercial Side-Loader, Full Blade, Tree Hugger	
RH0820C142	<b>Kann:</b> Curbmaster SLEC 29-Yd: Commercial Side-Loader, Full Blade, Tree Hugger	
RH0820C143	<b>Labrie:</b> Minimax Series 10-Yd Manual	
RH0820C144	<b>Labrie:</b> Minimax Series 12-Yd Manual	
RH0820C145	<b>Labrie:</b> Minimax Series 14-Yd Manual	
RH0820C146	<b>Labrie:</b> Minimax Series 10-Yd Automated	
RH0820C147	<b>Labrie:</b> Minimax Series 12-Yd Automated	
RH0820C148	<b>Labrie:</b> Minimax Series 14-Yd Automated	
RH0820C149	<b>Labrie:</b> AlleyGator 20-Yd Automated Side Loader	
RH0820C150	<b>Labrie:</b> AlleyGator 23-Yd Automated Side Loader	
RH0820C151	<b>Labrie:</b> AlleyGator 27 Yd Automated Side Loader	
RH0820C152	<b>Labrie:</b> Alleygator 30-Yd Automated Side Loader	
RH0820C153	<b>Labrie:</b> Sprinter Low Profile 24-Yd Commercial Side Loader - Low Profile Body	
RH0820C154	<b>Labrie:</b> Sprinter Low Profile 26-Yd Commercial Side Loader - Low Profile Body	
RH0820C155	<b>Labrie:</b> Sprinter Low Profile 28-Yd Commercial Side Loader - Low Profile Body	

RH0820C156	<b>Labrie:</b> Sprinter Low Profile 30-Yd Commercial Side Loader - Low Profile Body	
RH0820C157	<b>Labrie:</b> Sprinter High Profile 27-Yd Commercial side loader - High Profile Body	
RH0820C158	<b>Labrie:</b> Sprinter High Profile 30-Yd Commercial side loader - High Profile Body	
RH0820C159	<b>Labrie:</b> Sprinter High Profile 32-Yd Commercial side loader - High Profile Body	
RH0820C160	<b>Labrie:</b> Sprinter High Profile 35-Yd Commercial side loader - High Profile Body	
RH0820C161	<b>Labrie:</b> Automizer Right Hand Series 20-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 2-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C162	<b>Labrie:</b> Automizer Right Hand Series 22-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 2-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C163	<b>Labrie:</b> Automizer Right Hand Series 24-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 2-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C164	<b>Labrie:</b> Automizer Right Hand Series 27-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach 3-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C165	<b>Labrie:</b> Automizer Right Hand Series 29-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C166	<b>Labrie:</b> Automizer Right Hand Series 31-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C167	<b>Labrie:</b> Automizer Right Hand Series, 33-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options pricing: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C168	<b>Labrie:</b> Automizer Right Hand Series, 35-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options pricing: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C169	<b>Labrie:</b> Automizer Right Hand Series, 37-Yd: Straight-Frame Automated Side Loader, 144" zero swing arm reach, 3-Axle Configuration (Bidder shall include with Form-E options pricing: upgrade pricing for Co-Mingle 50-50 and 60-40 split body versions)	
RH0820C170	<b>Labrie:</b> AGR Series Right Hand Arm 20-Yd Straight Frame Side Loader	
RH0820C171	<b>Labrie:</b> AGR Series Right Hand Arm 22-Yd Straight Frame Side Loader	
RH0820C172	<b>Labrie:</b> AGR Series Right Hand Arm 27-Yd Straight Frame Side Loader	
RH0820C173	<b>Labrie:</b> AGR Series Right Hand Arm 29-Yd Straight Frame Side Loader	
RH0820C174	<b>Labrie:</b> AGR Series Right Hand Arm 31-Yd Straight Frame Side Loader	

RH0820C175	<b>Labrie:</b> AGR Series Right Hand Arm 33-Yd Straight Frame Side Loader	
RH0820C176	<b>Labrie:</b> AGR Series Right Hand Arm 35-Yd Straight Frame Side Loader	
RH0820C177	<b>Labrie:</b> AGR Series Right Hand Arm 37-Yd Straight Frame Side Loader	
RH0820C178	<b>Labrie:</b> Expert Series 15-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration	
RH0820C179	<b>Labrie:</b> Expert Series 17-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration	
RH0820C180	<b>Labrie:</b> Expert Series 20-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration	
RH0820C181	<b>Labrie:</b> Expert Series 22-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration	
RH0820C182	<b>Labrie:</b> Expert Series 24-Yd Drop-Frame Semi-Auto/Auto Side Loader, 2-Axle Configuration	
RH0820C183	<b>Labrie:</b> Expert Series 31-Yd Flat Tailgate, Drop-Frame, Semi-Auto/Auto Side Loader, 3-Axle Configuration	
RH0820C184	<b>Labrie:</b> Expert Series 31-Yd Drop-Frame Semi-Auto/Auto Side Loader, 3-Axle Configuration	
RH0820C185	<b>Labrie:</b> Expert Series 27-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle configuration	
RH0820C186	<b>Labrie:</b> Expert Series 29-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration	
RH0820C187	<b>Labrie:</b> Expert Series 31-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration	
RH0820C188	<b>Labrie:</b> Expert Series 33-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration	
RH0820C189	<b>Labrie:</b> Expert Series 35Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration	
RH0820C190	<b>Labrie:</b> Expert Series 37-Yd Drop-Frame Side Loader, dual automated arm, 3-Axle Configuration	
RH0820C191	<b>Labrie:</b> Expert Comingle Series 17-Yd, Drop-Frame Semi-AutoSide Loader, 2-Axle Configuration	
RH0820C192	<b>Labrie:</b> Expert Comingle Series 22-Yd, Drop-Frame Semi-AutoSide Loader, 2-Axle Configuration	
RH0820C193	<b>Labrie:</b> Expert Comingle Series 24-Yd, Drop-Frame Semi-AutoSide Loader, 2-Axle Configuration	
RH0820C194	<b>Labrie:</b> Expert Comingle Series 29-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle Configuration	
RH0820C195	<b>Labrie:</b> Expert -Comingle Series 31-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle configuration	
RH0820C196	<b>Labrie:</b> Expert -Comingle Series 33-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle configuration	
RH0820C197	<b>Labrie:</b> Expert -Comingle Series 35-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle Configuration	
RH0820C198	<b>Labrie:</b> Expert -Comingle Series 37-Yd, Drop-Frame Semi-Auto Side Loader, 3-Axle Configuration	
RH0820C199	<b>Loadmaster:</b> Eclipse Automated Side Loader; 16-Yd	
RH0820C200	<b>Loadmaster:</b> Eclipse Automated Side Loader; 21-Yd	
RH0820C201	<b>Loadmaster:</b> Eclipse Automated Side Loader; 25-Yd	
RH0820C202	<b>Loadmaster:</b> Eclipse Automated Side Loader; 28-Yd	
RH0820C203	<b>Loadmaster:</b> Eclipse Automated Side Loader; 31-Yd	
RH0820C204	<b>Loadmaster:</b> Eclipse Automated Side Loader; 34-Yd	
RH0820C205	<b>McNeilus:</b> 20-Yd, Manual Automated Side Loader (Drop Frame)	
RH0820C206	<b>McNeilus:</b> 22-Yd, Manual Automated Side Loader (Drop Frame)	
RH0820C207	<b>McNeilus:</b> 26-Yd, Manual Automated Side Loader (Drop Frame)	
RH0820C208	<b>McNeilus:</b> 28-Yd, Manual Automated Side Loader (Drop Frame)	
RH0820C209	<b>McNeilus:</b> 31-Yd, Manual Automated Side Loader (Drop Frame)	
RH0820C210	<b>McNeilus:</b> 20-Yd Manual Side Loader, Drop Frame, No Arm	
RH0820C211	<b>McNeilus:</b> 22-Yd Manual Side Loader, Drop Frame, No Arm	
RH0820C212	<b>McNeilus:</b> 26-Yd Manual Side Loader, Drop Frame, No Arm	

RH0820C213	<b>McNeilus:</b> 28-Yd Manual Side Loader, Drop Frame, No Arm	
RH0820C214	<b>McNeilus:</b> 31-Yd Manual Side Loader, Drop Frame, No Arm	
RH0820C215	<b>McNeilus:</b> Auto Reach 22 Yd Automated Side Loader	
RH0820C216	<b>McNeilus:</b> Auto Reach 24 Yd Automated Side Loader	
RH0820C217	<b>McNeilus:</b> Auto Reach 26 Yd Automated Side Loader	
RH0820C218	<b>McNeilus:</b> Auto Reach 27 Yd Automated Side Loader	
RH0820C219	<b>McNeilus:</b> Auto Reach 28 Yd Automated Side Loader	
RH0820C220	<b>McNeilus:</b> Auto Reach 31 Yd Automated Side Loader	
RH0820C221	<b>McNeilus:</b> ZR 22 Yd Automated Side Loader	
RH0820C222	<b>McNeilus:</b> ZR 24 Yd Automated Side Loader	
RH0820C223	<b>McNeilus:</b> ZR 26 Yd Automated Side Loader	
RH0820C224	<b>McNeilus:</b> ZR 27 Yd Automated Side Loader	
RH0820C225	<b>McNeilus:</b> ZR 28 Yd Automated Side Loader	
RH0820C226	<b>McNeilus:</b> ZR 31 Yd Automated Side Loader	
RH0820C227	<b>New Way:</b> Mamba HB600, 6-Yd High Compaction Side Loader, Fixed Body Configuration	
RH0820C228	<b>New Way:</b> Mamba HB600, 6-Yd High Compaction Side Loader, Satellite Temporary Transfer Loader Configuration	
RH0820C229	<b>New Way:</b> Mamba HB800, 8-Yd High Compaction Side Loader, Fixed Body	
RH0820C230	<b>New Way:</b> Mamba HB800, 8-Yd High Compaction Side Loader, Satellite Temporary Transfer Loader Configuration	
RH0820C231	<b>New Way:</b> Mamba HB1000, 10-Yd High Compaction Side Loader, Fixed Body Configuration	
RH0820C232	<b>New Way:</b> Mamba HB1000, 10-Yd High Compaction Side Loader, Satellite Temporary Transfer Loader Configuration	
RH0820C233	<b>New Way:</b> Sidewinder XTR, 20-Yd High Compaction Automated Side Loader	
RH0820C234	<b>New Way:</b> Sidewinder XTR, 22-Yd High Compaction Automated Side Loader	
RH0820C235	<b>New Way:</b> Sidewinder XTR, 24-Yd High Compaction Automated Side Loader	
RH0820C236	<b>New Way:</b> Sidewinder XTR 29-Yd High Compaction Automated Side Loader	
RH0820C237	<b>New Way:</b> Sidewinder XTR 31-Yd High Compaction Automated Side Loader	
RH0820C238	<b>New Way:</b> Sidewinder XTR 33 -Yd High Compaction Automated Side Loader	
RH0820C239	<b>New Way:</b> Model 14 CU YD Roto Pac Automated Side Loader	
RH0820C240	<b>New Way:</b> Model 20 CU YD Roto Pac Automated Side Loader	
RH0820C241	<b>New Way:</b> Model 25 CU YD Roto Pac Automated Side Loader	
RH0820C242	<b>New Way:</b> Model 27 CU YD Roto Pac Automated Side Loader	
RH0820C243	<b>Pak-Mor:</b> HLR24: 24-Yd, Mid Compaction Commercial Side Loader	
RH0820C244	<b>Pak-Mor:</b> HLR29: 29-Yd, Mid Compaction Commercial Side Loader	
RH0820C245	<b>Pak-Mor:</b> HLR33: 33-Yd, Mid Compaction Commercial Side Loader	
<b>D: Recycling Bodies</b>		
RH0820D01	<b>Bridgeport:</b> Ranger One Stop ASL, Automated Side Loader, 35-Yd; 50/50 Configuration;	



RH0820D02	<b>Bridgeport:</b> Ranger One Stop ASL, Automated Side Loader, 35-Yd; 60/40 Configuration;	
RH0820D03	<b>G&amp;H:</b> R9020-02: 20-Yd., Dual Compartment, Split Body Rear Loading Recycler	
RH0820D04	<b>G&amp;H:</b> R9025-02: 25-Yd, Dual Compartment, Split Body Rear Loading Recycler	
RH0820D05	<b>G&amp;H:</b> R9030-02: 30-Yd, Dual Compartment, Split Body Rear Loading Recycler	
RH0820D06	<b>Heil: Formula 4060:</b> 25-yd, Split Body, Dual Compartment, 40-60 Rear Loader-Recycler	
RH0820D07	<b>Kann:</b> Curb Sorter Series, Trough Loader: 4-Container Trough Side Dump Recycler; Bin Configuration: 5 Yd, 7 Yd, 8 Yd, 8.7 Yd (28.7 Yd total) (Offeror Shall include with Form-E options: differential pricing for additional capacities in the 4-bin configuration, as well as 2 and 3-section bin configurations, and cardboard and plastic compactor upgrades)	
RH0820D08	<b>Kann:</b> Curb Sorter Series, Side Dump: 5-Container Manual Load Side Dump Recycler; Curb and Street Side Loading; Bin Configuration: 4 Yd, 4.2 Yd, 6.5 Yd, 6.5 Yd, 7.6 Yd (28.8 Yd total) (Offeror Shall include with Form-E options: differential pricing for additional capacities in the 5-bin configuration, as well as 2 and 3-section bin configurations, and cardboard and plastic compactor upgrades)	
RH0820D09	<b>Kann:</b> Curb Sorter Series, Up and Over Full Length Trough Recycler; 35-Yd Single Side	
RH0820D10	<b>Kann:</b> Curb Sorter Series, Up and Over Full Length Trough Recycler; 35-Yd Dual Side	
RH0820D11	<b>Kann:</b> Curb Sorter Series, Versahaul: Hardtop Manual Loading, Curb and Street; Hopper: 20' (Offeror Shall include with Form-E options: differential pricing for as well as cardboard and plastic compactor versions, as well as open top verions)	
RH0820D12	<b>Labrie:</b> Top Select 1000 Series: 34-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration	
RH0820D13	<b>Labrie:</b> Top Select 1000 Series: 42-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration	
RH0820D14	<b>Labrie:</b> Top Select 1000 Series: 45-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration	
RH0820D15	<b>Labrie:</b> Top Select 1000 Series: 48-Yd, 7-Compartment Recycler, Single Bucket, Stationary Partition, 2-Axle Configuration	
RH0820D16	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 30-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 2-Axle Configuration	
RH0820D17	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 38-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 2-Axle Configuration	
RH0820D18	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 39-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 3-Axle Configuration	
RH0820D19	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 42-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 3-Axle Configuration	
RH0820D20	<b>Labrie:</b> Top Select 2000 - Maximum Partition: 46-Yd, 2-Compartment Recycler, Moveable Partition, Dual Buckets, 3-Axle Configuration	
RH0820D21	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, 20-Yd	
RH0820D22	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, 25-Yd	

RH0820D23	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, 27-Yd	
RH0820D24	<b>Loadmaster:</b> Enviromaster Split Body Single Tailgate Recycler, 33-Yd	
RH0820D25	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, 16-Yd	
RH0820D26	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, 18-Yd	
RH0820D27	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, 20-Yd	
RH0820D28	<b>Loadmaster:</b> Enviromaster DT Split Body Dual Tailgate Recycler, 25-Yd	
RH0820D29	<b>Pak-Mor:</b> RDG120B: 6-Yd/11-Yd Dual Chamber Rear Loader Recycler Body	
RH0820D30	<b>Pak-Mor:</b> RDG125B: 9-Yd/14-Yd Dual Chamber Rear Loader Recycler Body	
RH0820D31	<b>Pak-Mor:</b> RDG130B: 11-Yd/16-Yd Dual Chamber Rear Loader Recycler Body	
<b><i>E: Bulk Waste Grapples</i></b>		
RH0820E01	<b>Builtrite:</b> TM88: Heavy Duty, Truck Mounted Material Handler, 22' Boom, A-Style Outriggers	
RH0820E02	<b>Epsilon (Palfinger):</b> Model M13A71: Solid Waste/Tree Service Grapple: 23'5" Fixed Boom; 9650-lb Lift Capacity @ 10' / 4520-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	
RH0820E03	<b>Epsilon (Palfinger):</b> Model M13A80: Solid Waste/Tree Service Grapple: 26'5" Telescoping Boom; 9260-lb Lift Capacity @ 10' / 4410-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	
RH0820E04	<b>Epsilon (Palfinger):</b> Model M13A88: Solid Waste/Tree Service Grapple: 28'10" Fixed Boom; 9350-lb Lift Capacity @ 10' / 4500-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	
RH0820E05	<b>Epsilon (Palfinger):</b> Model M13A89: Solid Waste / Tree Service Grapple 29'3 Telescoping Boom; 8990-lb Lift Capacity @ 10' / 4320-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	
RH0820E06	<b>Epsilon (Palfinger):</b> Model M13A98: Solid Waste / Tree Service Grapple: 32'0" Telescoping Boom: 9150-lb Lift Capacity @ 10' / 4360-lb Lift Capacity @ 20': Elevated Operator Station: A-Frame Outriggers	
RH0820E07	<b>Epsilon (Palfinger):</b> Model M100L72: Solid Waste / Tree Service Grapple: 23' 6" boom; 7330-lb Lift Capacity @ 10' / 3590-lb Lift Capacity @ 20'; Dual stand up controls; Out & Down Outriggers	
RH0820E08	<b>Epsilon (Palfinger):</b> Model M100L80: Solid Waste / Tree Service Grapple: 26' 2" boom; 7000-lb Lift Capacity @ 10' / 2750-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E09	<b>Epsilon (Palfinger):</b> Model M110L80: Solid Waste / Tree Service Grapple: 26' 2" boom; 7810-lb Lift Capacity @ 10' / 3010-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E10	<b>Epsilon (Palfinger):</b> Model M110L98: Solid Waste / Tree Service Grapple: 31' 9" boom; 7460-lb Lift Capacity @ 10' / 2340-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E11	<b>Epsilon (Palfinger):</b> Model M110Z78: Solid Waste / Tree Service Grapple: 25' 6" boom; 7290-lb Lift Capacity @ 10' / 2850-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E12	<b>Epsilon (Palfinger):</b> Model M110Z84TI: Solid Waste / Tree Service Grapple: 27' 8" boom; 7270-lb Lift Capacity @ 10' / 2720-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	

RH0820E13	<b>Epsilon (Palfinger):</b> Model M110Z96: Solid Waste / Tree Service Grapple: 31' 4" boom; 7000-lb Lift Capacity @ 10' / 2160-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E14	<b>Epsilon (Palfinger):</b> Model Q150L80: Solid Waste / Tree Service Grapple: 26' 1" boom; 10200-lb Lift Capacity @ 10' / 3970-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E15	<b>Epsilon (Palfinger):</b> Model Q150L97: Solid Waste / Tree Service Grapple: 31' 8" boom; 9830-lb Lift Capacity @ 10' / 3160-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E16	<b>Epsilon (Palfinger):</b> Model Q150Z79: Solid Waste / Tree Service Grapple: 25' 11" boom; 10400-lb Lift Capacity @ 10' / 4130-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E17	<b>Epsilon (Palfinger):</b> Model Q150Z84TI: Solid Waste / Tree Service Grapple: 27' 8" boom; 10100-lb Lift Capacity @ 10' / 3590-lb Lift Capacity @ 25'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E18	<b>Epsilon (Palfinger):</b> Model Q150Z96: Solid Waste / Tree Service Grapple: 31' 6" boom; 10100-lb Lift Capacity @ 10' / 3180-lb Lift Capacity @ 30'; Elevated, Boom-Mounted Operator Station; Out & Down Outriggers	
RH0820E19	<b>Pac-Mac:</b> KBF-20H: 24-Yd Bulk Trash Grapple Loader Body; 20-Ft,(16' fixed boom, 4' extend) Forward Chassis-Mounted Fixed Boom (Side Retrieval); 3000-Lb Lift Capacity @ Full Extension; Gravity Dump; H-Style Outriggers	
RH0820E20	<b>Pac-Mac:</b> KBF-20H: 30-Yd Bulk Trash Grapple Loader Body; 22-Ft,(18' fixed boom, 4' extend) Forward Chassis-Mounted Fixed Boom (Side Retrieval); 2500-Lb Lift Capacity @ Full Extension; Gravity Dump; H-Style Outriggers	
RH0820E21	<b>Pac-Mac:</b> KBF-222A: Bulk Trash Grapple; 22-Ft, Forward Chassis-Mounted Fixed Boom (Side Retrieval); 2500-Lb Lift Capacity @ Full Extension; A-Style outriggers	
RH0820E22	<b>Palfinger/American Hawk:</b> Model 1150TL Bulk Waste Crane: Stand-Up Operation Trash Grapple Crane Unit; Work platform; 70,000 ft-lb. capacity; A-Outriggers; 18-22 ft. Telescopic Boom; 48 in. Grapple w/ continuous rotation	
RH0820E23	<b>Palfinger/American Hawk</b> Bulk Waste Crane: Model 1150TL: top seat operation; 70,000 ft-lb. capacity; A-outriggers; 18-22 ft. telescopic boom; 48 in. grapple w/ continuous rotation; Folding top seat w/ controls.	
RH0820E24	<b>Petersen:</b> AL-1 Bulk Trash Grapple : load capacity: 9,435-lb; 21' boom with 4' extension; fully proportional pilot hydraulic joystick controls, with foot pedal swing	
RH0820E25	<b>Petersen:</b> AL-2, Atlas Bulk Waste Grapple: load capacity: 8500-lb, 22' fixed boom, dual walk-thru mechanical joysticks	
RH0820E26	<b>Petersen:</b> RS-3, Rear Steer Bulk Trash Grapple; separate haul truck applications; 20-ft telescoping, rear chassis-mounted boom; enclosed cab, with joystick and driving controls; 1725-lb lift capacity @ full extension over side / 8420-lb @ full extension over rear, on outriggers; suspension locks	

RH0820E27	<b>Petersen:</b> RL-3: Bulk Trash Grapple; attached trailer/separate haul truck applications; 20-ft telescoping rear chassis-mounted boom; 1800-lb lift capacity @ full extension over side / 7100-lb @ 10-ft over rear; dual walk-thru mechanical controls	
RH0820E28	<b>Petersen:</b> TL-3 Bulk Trash Grapple Loader; 20-ft telescoping, 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; dual walk-thru mechanical controls	
RH0820E29	<b>Petersen:</b> DL-3 40-Yd: High Volume Bulk Trash Grapple Loader Body; 20-ft telescoping, mid chassis-mounted boom; 3200-lb lift capacity @ full extension/7100-lb @ 10-ft; gravity dump; stationary top-mount mechanical joystick controls; 34-ton telescoping hoist	
RH0820E30	<b>Petersen:</b> DL-3 High Volume Bulk Trash Grapple Loader; 20-ft telescoping; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; stationary top mount mechanical joystick controls	
RH0820E31	<b>Petersen:</b> HL-3: 24-Yd Skid Mounted Bulk Trash Grapple Loader Body; existing hooklift truck mounting applications; 20-ft telescoping boom; forward hopper-body mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; telescopic hoist; dual walk-thru mechanical controls	
RH0820E32	<b>Petersen:</b> PL-3: 24-Yd Skid Mounted Bulk Trash Grapple Loader Body; rolloff truck mounting applications; 20-ft telescoping forward hopper body-mounted boom; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; gravity dump using rolloff hoist; dual-walk thru mechanical controls	
RH0820E33	<b>Petersen:</b> BL-3: Bulk Trash Grapple; frame mount in front of rolloff hoist application; 20-ft telescoping; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; dual walk-thru mechanical controls	
RH0820E34	<b>Petersen:</b> TR3 Bulk Trash Grapple Loader for use with Route Assistant Semi-Automated Side Loading Body; 20-ft telescoping; 3200-lb lift capacity @ full extension / 7100-lb @ 10-ft; dual walk-thru mechanical controls	
RH0820E35	<b>Petersen:</b> CP-3 Bulk Container Grapple Loader and Body: 20-ft telescoping, mid chassis-mounted boom; 3200-lb lift capacity @ full extension / 7,100-lb @ 10-ft; Patented Crab Attachment for handling commercial front load containers	
RH0820E36	<b>Petersen:</b> 2445MHX-DB Haul Body: 45 cubic yard capacity Dumping Hardox body for use as a haul truck with the Rear Steer System of Loader.	
<b><i>F: Hoists: Roll-Off Container Cable Hoists, Hook Hoists</i></b>		
RH0820F01	<b>Amrep:</b> AMRO-H-22/24: 60,000 lb. Capacity Roll-Off Hoist (Bidder shall include with Form-E options pricing: upgrades for Rail Type, Stinger, Tarping options, etc.)	
RH0820F02	<b>G&amp;H:</b> Model 1210: 10,000 Lb. Capacity Roll-Off Hoist, 4" Reeving & Lift Cylinders, with 14-ft Hoist	
RH0820F03	<b>G&amp;H:</b> Model 1220: 20,000 Lb. Capacity Roll-Off Hoist, 5" Reeving & Lift Cylinders, with 16-ft Hoist	
RH0820F04	<b>G&amp;H:</b> Model 1230: 30,000 Lb. Capacity Roll-Off Hoist, 5" Reeving & Lift Cylinders, with 18-ft Hoist	
RH0820F05	<b>G&amp;H:</b> Model 1560: 60,000 lb. Capacity Roll-Off Hoist, with 6" Reeving & Lift Cylinders, Standard 22-ft Hoist	
RH0820F06	<b>G&amp;H:</b> Model 1575: 75,000 lb. Capacity Roll-Off Hoist, with 7" Reeving & Lift Cylinders, Standard 22-ft Hoist	
RH0820F07	<b>G&amp;H:</b> Model 1580: 80,000 lb. Capacity Roll-Off Hoist, with 8" Reeving & Lift Cylinders	
RH0820F08	<b>G&amp;H:</b> Model 8000: Container Carrier: 8,000 lb. Capacity: 2 - 10-Yd containers; cab controls	

RH0820F09	<b>G&amp;H:</b> Model 8000R: Container Carrier: 6,000 lb. Capacity: 2 - 10-Yd containers; cab controls	
RH0820F10	<b>G&amp;H:</b> Model 8000SR: Container Carrier Slide: 6,000 lb Capacity: 2 - 10-Yd containers; cab controls	
RH0820F11	<b>Galbreath:</b> Classic Series, Model U-EX-156: 30000# Capacity Extendable Tail Cable Hoist, 54-Degree Dump	
RH0820F12	<b>Galbreath:</b> Classic Series, Model U5-EX-174: 60000# Capacity Extendable Tail Cable Hoist, 47-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length)	
RH0820F13	<b>Galbreath:</b> Classic Series, Model U3-OR-156: 30000# Capacity Outside Rail Cable Hoist, 51-Degree Dump	
RH0820F14	<b>Galbreath:</b> Classic Series, Model U5-OR-174: 60000# Capacity Outside Rail Cable Hoist, 47-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length)	
RH0820F15	<b>Galbreath:</b> Classic Series, Model U75-OR-174: 75000# Capacity Outside Rail Cable Hoist, 47-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length)	
RH0820F16	<b>Galbreath:</b> Classic Series, Model U3-IO-156: 30000# Capacity Inside-Outside Rail Cable Hoist, 51-Degree Dump	
RH0820F17	<b>Galbreath:</b> Classic Series, Model U5-IO-174: 60000# Capacity Inside-Outside Rail Cable Hoist, 47-Degree Dump (Offeror shall include with Form-E options pricing: upgrades for longer length configurations)	
RH0820F18	<b>Galbreath:</b> Classic Series, Model U75-IO-174: 75000# Capacity Inside-Outside Rail Cable Hoist, 47-Degree Dump (Offeror shall include with Form-E options pricing: upgrades for longer length configurations)	
RH0820F19	<b>Galbreath:</b> Model U13-HK-120: Medium Duty Hook Loader Hoist, 13000# Capacity, 12-14' Container Capability, 147" Length, 48-Degree Dump (14' containers), 120" Min CTA	
RH0820F20	<b>Galbreath:</b> Model U13-HK-132: Medium Duty Hook Loader Hoist, 13000# Capacity, 14-16' Container Capability, 171" Length, 40-Degree Dump (16' containers), 132" Min CTA	
RH0820F21	<b>Galbreath:</b> Model U20-DPHK-120: Medium Duty Double Pivot Hook Hoist, 20,000# capacity, 10'-14' container capacity, 130" length, 61 degree dump (12' container), 120 min clear CA or CT	
RH0820F22	<b>Galbreath:</b> Model U4/U5-DPHK-176: Heavy Duty Double Pivot Hook Hoist, 20,000# capacity, 16'-20' container capacity, 213" length, 58 degree dump (18' container), 176 min clear CA or CT	
RH0820F23	<b>Galbreath:</b> Model U20-HK-120: Medium Duty Hook Loader Hoist, 20000# Capacity, 12-14' Container Capability, 147" Length, 46-Degree Dump (14' containers), 120" Min CTA	
RH0820F24	<b>Galbreath:</b> Model U3-DPHK-176: Medium Duty Double Pivot Hook Hoist, 30,000# capacity, 14'-18' container capacity, 204" length, 57 degree dump (16' container), 176 min clear CA (SRA truck design)	
RH0820F25	<b>Galbreath:</b> Model U30-HK-138: Heavy Duty Hook Loader Hoist, 30000# Capacity, 14-16' Container Capability, 170" Length, 59-Degree Dump (16' containers), 138" Min CTA	
RH0820F26	<b>Galbreath:</b> Model A5-EX-250: Cable Loader Extendable Tail Trailer Hoist, 60000# Capacity, 24-30' Container Capability, 338" Length, 50-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length configurations)	

RH0820F27	<b>Galbreath:</b> Model A5-OR-250: Cable Loader Outside Rail Trailer Hoist, 60000# Capacity, 24-30' Container Capability, 338" Length, 50-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length configurations)	
RH0820F28	<b>Galbreath:</b> Model A5-IO-250: Cable Loader Inside-Outside Rail Trailer Hoist, 60000# Capacity, 24-30' Container Capability, 338" Length, 50-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length configurations)	
RH0820F29	<b>Galbreath:</b> AF Series, Model AF-OR-174: 60000# Capacity Outside Rail Cable Hoist, 47-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length configurations)	
RH0820F30	<b>Galbreath:</b> AF Series, Model AF-IO-174: 60000# Capacity Inside-Outside Rail Cable Hoist, 47-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length configurations)	
RH0820F31	<b>Galbreath:</b> AF Series, Model AF-EX-174: 60000# Capacity Extendable Tail -Outside Rail Cable Hoist, 47-Degree Dump (Bidder shall include with Form-E options pricing: upgrades for longer length configurations)	
RH0820F32	<b>Galfab:</b> Model AL160-2000: Tandem Axle Hook Hoist: 60000# Capacity, 61 3/4" Hook Height, 19'-24' Container Lengths	
RH0820F33	<b>Galfab:</b> Model SR 2240: Roll-Off Pup Trailer: 40000# GVWR, Up to 22' containers, Roll-Off Pup Trailer	
RH0820F34	<b>Galfab:</b> Model TR 2450: Roll-Off Pup Trailer: 50000# GVWR, Up to 24' containers, Roll-Off Pup Trailer	
RH0820F35	<b>Galfab:</b> Model HH50174S072: Roll-Off Hoist: 50000# Capacity, Dead Lift, 47-Degree Dump	
RH0820F36	<b>Galfab:</b> Model OR60174T121: Roll-Off Hoist: 60000# Capacity, Outside Rail, 48-Degree Dump	
RH0820F37	<b>Galfab:</b> Model IO60174S072: Roll-Off Hoist: 60000# Capacity, Inside/Outside Rail, 47-Degree Dump	
RH0820F38	<b>Galfab:</b> Model EX60174S072: Roll-Off Hoist: 60000# Capacity, Extendable Tail, 48-Degree Dump	
RH0820F39	<b>Galfab:</b> Model OX60174S072: Roll-Off Hoist: 60000# Capacity, Short Extendable Tail, 48-Degree Dump	
RH0820F40	<b>Galfab:</b> Model AFOR60174S069: Roll-Off Hoist: 60000# Capacity, Heavy Duty Above Frame Hoist, 50-Degree Dump	
RH0820F41	<b>Galfab:</b> Model NEX60174T121: Roll-Off Hoist: 60000# Capacity, Heavy Duty Extendable Tail, 48-Degree Dump	
RH0820F42	<b>Galfab:</b> Model OR75174T121: Roll-Off Hoist: 75000# Capacity, Outside Rail, 48-Degree Dump	
RH0820F43	<b>Galfab:</b> Model NOR75174T121: Roll-Off Hoist: 75000# Capacity, Heavy Duty Outside Rail, 48-Degree Dump	
RH0820F44	<b>Palfinger/American Roll-Off:</b> Model #ACC-80 Front Container Carrier: 8,000 lb. capacity (2 -10 cu. yd.); tubular frame and subframe; bolt-on 1 1/2" x 48" heated forks; inside and outside controls; fenders (60" minimum CA; GVWR 16,000 to 24,000 lb. )	
RH0820F45	<b>Palfinger/American Roll-Off:</b> Model HAS-100-84-36 Hooklift: 10,000 lb. capacity, 36 1/4" hook height, angle pivot, low dump, dual-lift cylinders; inside and outside controls; sliding jib; rear bumper; LED lights; fenders (10' to 12' container lengths ; 84" CA required )	
RH0820F46	<b>Palfinger/American Roll-Off:</b> Model ART-12-14-108 Hoist: 12,000 lb. capacity (10 to 14 ft. containers single axle 108" CA; outside rail, subframe-mount; container locks; outside controls; rear bumper; rear manual hold down winches; integral rear roller, LED lights; fenders	

RH0820F47	<b>Palfinger/American Roll-Off:</b> Model HAD-130-84-36 Hooklift: 12,000 lb. capacity, 36 1/4" hook height; dual pivot, high dump; dual lift cylinders; inside and outside controls; floating/sliding jib; rear bumper; LED lights; fenders (10' to 12' container lengths; 84" CA required)	
RH0820F48	<b>Palfinger/American Roll-Off:</b> Model T-12-S Hooklift: 12,000 lb. capacity; 36 1/4" hook height; single jib cylinder; dual lift cylinders with dual counterbalance valves; inside controls; LED lights; fenders (10' to 12' container length; 84" CA required)	
RH0820F49	<b>Palfinger/American Roll-Off:</b> Model HAS-150-108-36 Hooklift: 15,000 lb. capacity; 36 1/4" hook height; single pivot, low dump, dual lift cylinders; inside and outside controls; sliding jib; rear bumper, LED lights; fenders (12' to 14' container lengths; 108" to 120" CA required )	
RH0820F50	<b>Palfinger/American Roll-Off:</b> Model HAD-185-120-36 Hoolkift: 18,500 lb. capacity, 36 1/4" hook height; dual pivot, high dump, dual lift cylinders; inside and outside controls; floating/sliding jib; rear bumper; LED lights; fenders (12' to 14' container lengths; 108" to 120" CA required )	
RH0820F51	<b>Palfinger/American Roll-Off:</b> Model HAD-185-120-54 Hoolkift: 18,500 lb. capacity, 54" hook height; dual pivot, high dump, dual lift cylinders; inside and outside controls; floating/sliding jib; rear bumper; LED lights; fenders (12' to 14' container lengths; 108" to 120" CA required )	
RH0820F52	<b>Palfinger/American Roll-Off:</b> Model ART-20-16-120 hoist: 20,000 lb. capacity; single axle, outside rail; subframe mount; container locks; outside controls; rear bumper; rear manual hold down winches; integral rear roller; LED lights; fenders ( 12' to 16' container lengths; 120" CA required)	
RH0820F53	<b>Palfinger/American Roll-Off:</b> Model HAS-200-130-54 Hooklift: 20,000 lb. capacity; 54" hook height; single pivot, low dump, dual lift cylinders; inside and outside controls; sliding jib; bumper; LED lights; fenders (14' to 16' container lengths; 120" to 130" CA required )	
RH0820F54	<b>Palfinger/American Roll-Off:</b> Model HAD-200-120-54 Hoolkift: 20,000 lb. capacity; 54" hook height; dual pivot, high dump, dual lift cylinders; inside and outside controls; floating/sliding jib; bumper, LED lights; fenders (12' to 14' container lengths; 108" to 120" CA required )	
RH0820F55	<b>Palfinger/American Roll-Off:</b> Model T-29 S Hooklift: 24,000 lb. capacity; 54" hook height; single jib cylinder; dual lift cylinders with dual counterbalance valves; inside controls; LED lights; fenders (11' to 14' container lengths; 110" to 120" CA required )	
RH0820F56	<b>Palfinger/American Roll-Off:</b> Model HAD-250-140-54 Hoolkift: 25,000 lb. capacity; 54" hook height; dual pivot, high dump, dual lift cylinders; inside and outside controls; floating/sliding jib; rear bumper; LED lights; fenders (14' to 16' container lengths; 130" to 140" CA required )	
RH0820F57	<b>Palfinger/American Roll-Off:</b> Model ART-30-22 Hoist: 30,000 lb. capacity; outside rail; subframe mount; container locks; outside controllrs; rear bumper; rear hold down winches; integral rear roller; LED lights; fenders	
RH0820F58	<b>Palfinger/American Roll-Off:</b> Model HAD-300-140-61 Hoolkift: 30,000 lb. capacity, 61" hook height; dual pivot, high dump, dual lift cylinders; inside and outside ontrols; floating/sliding jib; rear bumper; LED lights; fenders (14' to 16' container lengths; 130" to 140 " CA required )	

RH0820F59	<b>Palfinger/American Roll-Off:</b> Model T50 Hooklift: 50,000 lb. capacity; 54"- 61 3/4" hook height; dual pivot, high dump, dual lift cylinders; inside controls; formed "Z" main rail; rear bumper; LED lights; fenders (16' to 22' container lengths; 185" to 195" CA required)	
RH0820F60	<b>Palfinger/American Roll-Off:</b> Model ARB-60-22 Hoist: 60,000 lb. capacity; outside rail, subframe mount; automatic container locks; auto Folding ICC bumper; outside controls; rear manual hold down winches & integral rear roller; LED lights; fenders	
RH0820F61	<b>Palfinger/American Roll-Off:</b> Model ARD-60-22 Hoist: 60,000 lb. capacity; outside rail, no subframe mount; automatic container locks; auto folding ICC bumper; outside controls; rear manual hold down winches & integral rear roller; LED lights, fenders	
RH0820F62	<b>Palfinger/American Roll-Off:</b> Model ART-60-22 Hoist: 60,000 lb. capacity; outside rail, subframe mount; automatic container locks; auto folding ICC bumper; outside controls; rear manual hold down winches; integral	
RH0820F63	<b>Palfinger/American Roll-Off:</b> Model ARD-75-22 hoist: 75,000 lb. capacity; outside rail; no subframe mount; automatic container locks; auto folding ICC bumper; outside controls; rear manual hold down winches and integral rear roller; LED lights, fenders	
RH0820F64	<b>Palfinger/American Roll-Off:</b> Model ARH-75-22 Hoist: 75,000 lb. capacity; outside rail, subframe mount; automatic container locks; auto folding ICC bumper; outside controls; rear manual hold down winches and integral rear roller; LED lights; fenders	
RH0820F65	<b>Roll Offs USA:</b> Model HO6022 Roll Off Hoist: 60,000# Capacity, Outside Rail,50 Degree Dump	
RH0820F66	<b>Roll Offs USA:</b> Model HO7522 Roll Off Hoist: 75,000# Capacity, Outside Rail,50 Degree Dump	
RH0820F67	<b>Swaploader:</b> Model SL-180 Hooklift: 18,000# capacity; 35.625" hook height; 14' – 18' bodies, CA 120" to 138", dual 5.25" double acting lift cylinders, sliding jib with 2.5" double acting cylinder, slide thru body locks, 15 gallon reservoir tank, hydraulic two (2) section manual valve, in cab manual control levers, 84" cables.	
RH0820F68	<b>Swaploader:</b> Model SL-2418 Hook lift: 24,000# dump capacity, 53.88" hook height, 10' – 13' bodies, CA 84" to 96", 5.5" double acting lift cylinders, sliding jib with 4" double acting cylinder, slide thru body locks, 25 gallon reservoir tank, hydraulic two (2) section manual valve, in cab manual control levers, 84" cables	
RH0820F69	<b>Swaploader:</b> Model SL-330 Hooklift hoist: 33,000# capacity, 61.75" hook height, 14' – 18' bodies, CA 142" to 156", dual 5.5" double acting lift cylinders, sliding jib with 4" double acting cylinder, slide thru body locks, 30 gallon reservoir tank, hydraulic two (2) section manual valve, in cab manual control levers, 96" cables	
RH0820F70	<b>Swaploader:</b> Model SL-412 Hooklift hoist: 40,000# capacity, 61.75" hook height, 12' – 15' bodies, CT 102" to 114", dual 6" double acting lift cylinders, sliding jib with 4" double acting cylinder, slide thru body locks, 30 gallon reservoir tank, hydraulic two (2) section manual valve, in cab manual control levers, 96" cables	



RH0820F71	<b>Swaploader:</b> Model SL-518 Hooklift hoist: 54,000# capacity, 61.75" hook height, 17' – 12' bodies, CT 165" to 174", dual 7" double acting lift cylinders, sliding jib with 5" double acting cylinder, slide thru body locks, 30 gallon reservoir tank, hydraulic two (2) section manual valve, in cab manual control levers, 96" cables	
RH0820F72	<b>Swaploader:</b> Model SL-650 Hoklift hoist: 65,000# capacity, 61.75" hook height, 20'– 24' bodies, CT 172" to 190", dual 7.5" double acting lift cylinders, sliding jib with 4.5" double acting cylinder, slide thru body locks, 30 gallon reservoir tank, hydraulic two (2) section manual valve, in cab manual control levers, 96" cables	
<b><i>G: Steel Containers: Roll-Off, Side/Front/Rear-Load</i></b>		
RH0820G01	<b>Galfab:</b> Model 10, 10-Yd Open top Roll-Off	
RH0820G02	<b>Galfab:</b> Model 12, 12-Yd Open top Roll-Off	
RH0820G03	<b>Galfab:</b> Model 15, 15-Yd Open top Roll-Off	
RH0820G04	<b>Galfab:</b> Model 20, 20-Yd Open top Roll-Off	
RH0820G05	<b>Galfab:</b> Model 30, 30-Yd Open top Roll-Off	
RH0820G06	<b>Galfab:</b> Model 40, 40-Yd Open top Roll-Off	
RH0820G07	<b>Galfab:</b> Model 50, 50-Yd Open top Roll-Off	
RH0820G08	<b>Galfab:</b> Model 20, 20-Yd Roll-Off, Water Tight, Gasketed Sealed Door	
RH0820G09	<b>Galfab:</b> Model 25, 25-Yd Roll-Off, Water Tight, Gasketed Sealed Door	
RH0820G10	<b>Galfab:</b> Model 30, 30-Yd Roll-Off, Water Tight, Gasketed Sealed Door	
RH0820G11	<b>Galfab:</b> Model CWBOX-3: 3-Yd Concrete Washout Box, Water Tight, Gasketed Sealed Door	
RH0820G12	<b>Galfab:</b> Model CWBOX-4: 4-Yd Concrete Washout Box, Water Tight, Gasketed Sealed Door	
RH0820G13	<b>Galfab:</b> Model OPB 2290: 40-Yd Octagon Compaction Receiver	
RH0820G14	<b>Galfab:</b> Model PB 2290: 40-Yd Rectangular Compaction Receiver	
RH0820G15	<b>Galfab:</b> Model MP22OR: Machinery Platform, Flatbed Roll Off	
RH0820G16	<b>Galfab:</b> Model RCA 1642: 20-Yd Recycle Roll-Off Box, 2 Sliding Doors Per Side	
RH0820G17	<b>Galfab:</b> Model RCA 1842: 24-Yard Recycle Roll-Off Box, 2 Sliding Doors Per Side	
RH0820G18	<b>Galfab:</b> Model RCA 2042: 28 Yard Recycle Roll-Off Box, 3 Sliding Doors Per Side	
RH0820G19	<b>Galfab:</b> Model RCA 2242: 30-Yd Recycle Roll-Off Box, 3 Sliding Doors Per Side	
RH0820G20	<b>Galfab:</b> Model FL1: 1-Yd Capacity Frontload; Plastic lids	
RH0820G21	<b>Galfab:</b> Model FL1.5: 1.5-Yd Capacity Frontload; Plastic lids	
RH0820G22	<b>Galfab:</b> Model FL2: 2-Yd Capacity Frontload; Plastic lids	
RH0820G23	<b>Galfab:</b> Model FL3: 3-Yd Capacity Frontload; Plastic lids	
RH0820G24	<b>Galfab:</b> Model FL4: 4-Yd Capacity Frontload; Plastic lids	
RH0820G25	<b>Galfab:</b> Model FL6: 6-Yd Capacity Slant Frontload: Plastic lids	
RH0820G26	<b>Galfab:</b> Model FL6 FT: 6-Yd Capacity Flat Top Frontload; Plastic lids	
RH0820G27	<b>Galfab:</b> Model FL8: 8-Yd Capacity Slant Frontload; Plastic lids	
RH0820G28	<b>Galfab:</b> Model FL8 FT: 8-Yd Capacity Flat Top Frontload; Plastic lids	
RH0820G29	<b>Galfab:</b> Model FL10 FT: 10Yd Capacity Flat Top Frontload; Plastic lids	

RH0820G30	<b>Galfab:</b> Model RL1: 1-Yd Capacity Rearload; plastic lids, set of 4 casters	
RH0820G31	<b>Galfab:</b> Model RL1.5: 1.5-Yd Capacity Rearload; Plastic lids, set of 4 casters	
RH0820G32	<b>Galfab:</b> Model RL2: 2-Yd Capacity Rearload; Plastic lids, set of 4 casters	
RH0820G33	<b>Galfab:</b> Model RL3: 3-Yd Capacity Rearload; Plastic lids, set of 4 casters	
RH0820G34	<b>Galfab:</b> Model RL4: 4-Yd Capacity Rearload; Plastic lids	
RH0820G35	<b>Galfab:</b> Model RL6: 6-Yd Capacity Rearload; Plastic lids	
RH0820G36	<b>Galfab:</b> Model RL8: 8-Yd Capacity Rearload; Plastic lids	
RH0820G37	<b>Galfab:</b> Model 1.5SL: 1.5-Yd Side Load Container w/ 2 Pc Lid	
RH0820G38	<b>Galfab:</b> Model 2SL: 2-Yd Side Load Container w/ 2 Pc Lid	
RH0820G39	<b>Galfab:</b> Model 3SL: 3-Yd Side Load Container w/ 2 Pc Lid	
RH0820G40	<b>Galfab:</b> Model 4SL: 4-Yd Side Load Container w/ 2 Pc Lid Lid	
RH0820G41	<b>Galfab:</b> Apartment/Stationary Mini Compactor Container: 2-Yd, front load	
RH0820G42	<b>Galfab:</b> Apartment/Stationary Mini Compactor Container: 3-Yd front load	
RH0820G43	<b>Galfab:</b> Apartment/Stationary Mini Compactor Container: 2-Yd rear load	
RH0820G44	<b>Galfab:</b> Apartment/Stationary Mini Compactor Container: 3-Yd rear load	
RH0820G45	<b>Galfab:</b> Model LD0.5: 1/2 Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	
RH0820G46	<b>Galfab:</b> Model LD1.0: 1-Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	
RH0820G47	<b>Galfab:</b> Model LD1.5: 1 1/2 Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	
RH0820G48	<b>Galfab:</b> Model LD2.0: 2-Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	
RH0820G49	<b>Galfab:</b> Model LD2.5: 2 1/2 Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	
RH0820G50	<b>Galfab:</b> Model LD3.0: 3-Yd Rock-N-Dumper Self-Dumping Hopper, Light Duty	
RH0820G51	<b>Galfab:</b> Model HD4.0: 4-Yd Rock-N-Dumper Self-Dumping Hopper, Heavy Duty	
RH0820G52	<b>Galfab:</b> Model HD5.0: 5-Yd Rock-N-Dumper Self-Dumping Hopper, Heavy Duty	
RH0820G53	<b>Roll Off USA:</b> Model ROC-10, 10-Yd Rectangle Roll Off	
RH0820G54	<b>Roll Off USA:</b> Model ROC-12, 12-Yd Rectangle Roll Off	
RH0820G55	<b>Roll Off USA:</b> Model ROC-15, 15-Yd Rectangle Roll Off	
RH0820G56	<b>Roll Off USA:</b> Model ROC-20, 20-Yd Rectangle Roll Off	
RH0820G57	<b>Roll Off USA:</b> Model ROC-30, 30-Yd Rectangle Roll Off	
RH0820G58	<b>Roll Off USA:</b> Model ROC-40, 40-Yd Rectangle Roll Off	
RH0820G59	<b>Roll Offs USA:</b> Model BT-10, 10-Yd Bath Tub Style Roll Off	
RH0820G60	<b>Roll Offs USA:</b> Model BT-12, 12-Yd Bath Tub Style Roll Off	
RH0820G61	<b>Roll Offs USA:</b> Model BT-15, 15-Yd Bath Tub Style Roll Off	
RH0820G62	<b>Roll Offs USA:</b> Model BT-20, 20-Yd Bath Tub Style Roll Off	
RH0820G63	<b>Roll Offs USA:</b> Model BT-30, 30-Yd Bath Tub Style Roll Off	
RH0820G64	<b>Roll Offs USA:</b> Model BT-40, 40-Yd Bath Tub Style Roll Off	
RH0820G65	<b>Roll Offs USA:</b> Model RECYC, 30-Yd Peaked Roof Recycle Roll Off	
RH0820G66	<b>Roll Offs USA:</b> Model CONW, 9.3 Yd Concrete Washout Roll Off	
RH0820G67	<b>Roll Offs USA:</b> Model OCTRECSTD, 40-Yd Std Duty Octagon Receiver	

RH0820G68	<b>Roll Offs USA:</b> Model RECTREC, 42-Yd HD Rectangle Receiver	
RH0820G69	<b>Roll Off USA:</b> Model FEL-2, 2-Yd Capacity, Front Load, Plastic Lids	
RH0820G70	<b>Roll Off USA:</b> Model FEL-3, 3-Yd Capacity, Front Load, Plastic Lids	
RH0820G71	<b>Roll Off USA:</b> Model FEL-4, 4-Yd Capacity, Front Load, Plastic Lids	
RH0820G72	<b>Roll Off USA:</b> Model FEL-6, 6-Yd Capacity, Front Load, Plastic Lids	
RH0820G73	<b>Roll Off USA:</b> Model FEL-8, 8-Yd Capacity, Front Load, Plastic Lids	
RH0820G74	<b>Roll Off USA:</b> Model FEL-10, 10-Yd Capacity, Front Load, Plastic Lids	
RH0820G75	<b>Roll Offs USA:</b> Model REL-2, 2-Yd Capacity, Rear Load, Plastic Lids	
RH0820G76	<b>Roll Offs USA:</b> Model REL-3, 3-Yd Capacity, Rear Load, Plastic Lids	
RH0820G77	<b>Roll Offs USA:</b> Model REL-4, 4-Yd Capacity, Rear Load, Plastic Lids	
RH0820G78	<b>Roll Offs USA:</b> Model REL-6, 6-Yd Capacity, Rear Load, Plastic Lids	
RH0820G79	<b>Roll Offs USA:</b> Model REL-8, 8-Yd Capacity, Rear Load, Plastic Lids	
RH0820G80	<b>Roll Offs USA:</b> Model SL-1.5, 1 1/2-Yd Capacity, Side Load, Plastic Lids, Emco Style	
RH0820G81	<b>Roll Offs USA:</b> Model SL-2, 2-Yd Capacity, Side Load, Plastic Lids, Emco Style	
RH0820G82	<b>Roll Offs USA:</b> Model SL-3, 3-Yd Capacity, Side Load, Plastic Lids, Emco Style	
RH0820G83	<b>Roll Offs USA:</b> Model SL-4, 4-Yd Capacity, Side Load, Plastic Lids, Emco Style	
RH0820G84	<b>Wastequip:</b> 10 Yard Rectangular ROC Std Duty	
RH0820G85	<b>Wastequip:</b> (154439) 20 Yard Rectangular ROC Std Duty, 22' Long	
RH0820G86	<b>Wastequip:</b> (154293) 20 Yard Rectangular ROC Heavy Duty, 22' Long	
RH0820G87	<b>Wastequip:</b> (154159) 20 Yard Rectangular ROC XHD, 22' Long	
RH0820G88	<b>Wastequip:</b> (134029) 30 Yard Rectangular ROC Std Duty, 22' Long	
RH0820G89	<b>Wastequip:</b> (154234) 30 Yard Rectangular ROC Heavy Duty, 22' Long	
RH0820G90	<b>Wastequip:</b> (154241) 30 Yard Rectangular ROC XHD, 22' Long	
RH0820G91	<b>Wastequip:</b> (155254) 40 Yard Rectangular ROC Std Duty, 22' Long	
RH0820G92	<b>Wastequip:</b> (154693) 40 Yard Rectangular ROC Heavy Duty, 22' Long	
RH0820G93	<b>Wastequip:</b> (154248) 40 Yard Rectangular ROC XHD, 22' Long	
RH0820G94	<b>Wastequip:</b> (159897T) 20 Yard Bathtub ROC Std Duty, 22' Long	
RH0820G95	<b>Wastequip:</b> (163340) 20 Yard Bathtub ROC Heavy Duty, 22' Long	
RH0820G96	<b>Wastequip:</b> (159899T) 30 Yard Bathtub ROC Std Duty, 22' Long	
RH0820G97	<b>Wastequip:</b> (163361) 30 Yard Bathtub ROC Heavy Duty, 22' Long	
RH0820G98	<b>Wastequip:</b> (159901T) 40 Yard Bathtub ROC Std Duty, 22' Long	
RH0820G99	<b>Wastequip:</b> (163375) 40 Yard Bathtub ROC Heavy Duty, 22' Long	
RH0820G100	<b>Wastequip:</b> (167411) 40 Yard Octagon Compactor Receiver, with 4 Wheels	
RH0820G101	<b>Wastequip:</b> (184989) 42 Cubic Yard Standard Duty Rectangle Receiver Container	
RH0820G102	<b>Wastequip:</b> (125541) 2 Yard Front Load Slant Nestable with 2 Pc. Poly Lids	
RH0820G103	<b>Wastequip:</b> (129197) 2 Yard Front Load Slant Nestable Heavy Duty with 2 Pc. Poly Lids	
RH0820G104	<b>Wastequip:</b> (125543) 3 Yard Front Load Slant Nestable with 2Pc. Poly Lids	
RH0820G105	<b>Wastequip:</b> (129199) 3 Yard Front Load Slant Nestable Heavy Duty with 2 Pc. Poly Lids	

RH0820G106	<b>Wastequip:</b> (125544NE) 4 Yard Front Load Slant Nestable with 2Pc. Poly Lids	
RH0820G107	<b>Wastequip:</b> (129200) 4 Yard Front Load Slant Nestable Heavy Duty with 2 Pc. Poly Lids	
RH0820G108	<b>Wastequip:</b> (125536) 6 Yard Front Load Flat 2-Door with 2Pc. Poly Lids	
RH0820G109	<b>Wastequip:</b> (129192) 6 Yard Front Load Flat Heavy Duty - 2 Door with 2 Pc. Poly Lids	
RH0820G110	<b>Wastequip:</b> (125537) 8 Yard Front Load Flat 2-Door with 2Pc. Poly Lids	
RH0820G111	<b>Wastequip:</b> (129193) 8 Yard Front Load Flat heavy Duty - 2 Door with 2 Pc. Poly Lids	
RH0820G112	<b>Wastequip:</b> (32203) 10 Yard Front Load Flat 2-Door	
RH0820G113	<b>Wastequip:</b> (125540) 2 Yard Front Load Flat Nestable with 2 Pc. Poly Lids	
RH0820G114	<b>Wastequip:</b> (129187) 2 Yard Front Load Flat Heavy Duty with 2 Pc. Poly Lids	
RH0820G115	<b>Wastequip:</b> (125542) 3 Yard Front Load Flat Nestable with 2 Pc. Poly Lids	
RH0820G116	<b>Wastequip:</b> (129198) 3 Yard Front Load Flat Nestable Heavy Duty with 2 Pc. Poly Lids	
RH0820G117	<b>Wastequip:</b> (125533) 4 Yard Front Load Flat with 2 Pc. Poly Lids	
RH0820G118	<b>Wastequip:</b> (129189) 4 Yard Front Load Flat Heavy Duty with 2 Pc. Poly Lids	
RH0820G119	<b>Wastequip:</b> (125534) 6 Yard Front Load Slant WQ with 2 Pc. Poly Lids	
RH0820G120	<b>Wastequip:</b> (129190NE) 6 Yard Front Load Slant Heavy Duty with 2 Pc. Poly Lids	
RH0820G121	<b>Wastequip:</b> (125535) 8 Yard Front Load Slant with 2 Pc. Poly Lids	
RH0820G122	<b>Wastequip:</b> (129191NE) 8 Yard Front Load Slant Heavy Duty with 2Pc. Poly Lids	
RH0820G123	<b>Wastequip:</b> 1.5 Yd side loader container: 2pc Poly Lids	
RH0820G124	<b>Wastequip:</b> (2-1136) 2 CY Side Load Container w/ 2 Pc Lid	
RH0820G125	<b>Wastequip:</b> (2-1137) 3 CY Side Load Container w/ 2 Pc Lid	
RH0820G126	<b>Wastequip:</b> (2-1139) 4 CY Side Load Container w/ 2 Pc Lid	
RH0820G127	<b>Wastequip:</b> (2-1140) 4 CY Side Load Container Low Profile w/ 3 Pc Lid	
RH0820G128	<b>Wastequip:</b> (SLPAKM) Packmor Lift System for Side Load Containers	
RH0820G129	<b>Wastequip:</b> (SLEMCO) EMCO Lift System for Side Load Containers	
RH0820G130	<b>Wastequip:</b> (SLLID3) 3 Piece Lid System for 2-4 Cy Side Load Containers	
RH0820G131	<b>Wastequip:</b> T-1: 1-Yd Rear Loader Container; 2 casters and poly lids	
RH0820G132	<b>Wastequip:</b> T-11/2: 1.5 Yd Rear Loader Container; casters and poly lids	
RH0820G133	<b>Wastequip:</b> T-2R: 2-Yd Rear Loader Container; casters and poly lids	
RH0820G134	<b>Wastequip:</b> T-2S: 2-Yd Rear Loader Container, sloped with caster and poly lids	
RH0820G135	<b>Wastequip:</b> T-3: 2-Yd Rear Loader Container; casters and poly lids	
RH0820G136	<b>Wastequip:</b> T-4S: 4-Yd Rear Loader Container; casters and poly lids	
RH0820G137	<b>Wastequip:</b> T-4: 4-Yd Rear Loader Container; no casters and poly lids	
RH0820G138	<b>Wastequip:</b> T-6: 6-Yd Rear Loader Container; poly lids	
RH0820G139	<b>Wastequip:</b> T-8: 8-Yd Rear Loader Container; poly lids	
<b>H: Compactors / Balers</b>		
RH0820H01	<b>Galbreath:</b> 350HD Stationary Compactor: 3.5-Yd Loading Chamber	
RH0820H02	<b>Galbreath:</b> 350HDT Stationary Compactor: 3.5-Yd Loading Chamber	
RH0820H03	<b>Galbreath:</b> 450 Stationary Compactor: 4.5-Yd Loading Chamber	

RH0820H04	<b>Galbreath:</b> 450HD Stationary Compactor: 4.5-Yd Loading Chamber	
RH0820H05	<b>Galbreath:</b> 450HDT Stationary Compactor: 4.5-Yd Loading Chamber	
RH0820H06	<b>Galbreath:</b> 550HDTN Stationary Compactor: 5-Yd Loading Chamber	
RH0820H07	<b>Galbreath:</b> APC426: Pre-Crusher: 4-Yd	
RH0820H08	<b>Galbreath:</b> APC526: Pre-Crusher: 5-Yd	
RH0820H09	<b>Galbreath:</b> Packman PM6FS: 6-Yd Cylinder, Self-Contained Front-Loading Compactor; 0.83 Yd Loading Chamber	
RH0820H10	<b>Galbreath:</b> Packman PM6R: 6-Yd Cylinder, Self-Contained Rear-Loading Compactor; 0.83 Yd Loading Chamber	
RH0820H11	<b>Galfab:</b> Model VB-6030: 30x60 Vertical Baler	
RH0820H12	<b>Galfab:</b> Model OSC-1690: 23-Yd Self-Contained Compactor	
RH0820H13	<b>Galfab:</b> Model OSC-1890: 27-Yd Self-Contained Compactor	
RH0820H14	<b>Galfab:</b> Model OSC-2090: 31-Yd Self-Contained Compactor	
RH0820H15	<b>Galfab:</b> Model OSC-2290: 35-Yd Self-Contained Compactor	
RH0820H16	<b>Galfab:</b> Model OSC-2490: 39-Yd Self-Contained Compactor	
RH0820H17	<b>Galfab:</b> Model 160: 15-Yd Self-Contained Compactor	
RH0820H18	<b>Galfab:</b> Model 160: 20-Yd Self-Contained Compactor	
RH0820H19	<b>Galfab:</b> Model 160: 25-Yd Self-Contained Compactor	
RH0820H20	<b>Galfab:</b> Model 160: 30-Yd Self-Contained Compactor	
RH0820H21	<b>Galfab:</b> Model 160: 35-Yd Self-Contained Compactor	
RH0820H22	<b>Galfab:</b> Model 260: 15-Yd Self-Contained Compactor	
RH0820H23	<b>Galfab:</b> Model 260: 20-Yd Self-Contained Compactor	
RH0820H24	<b>Galfab:</b> Model 260: 25-Yd Self-Contained Compactor	
RH0820H25	<b>Galfab:</b> Model 260: 30-Yd Self-Contained Compactor	
RH0820H26	<b>Galfab:</b> Model 260: 35-Yd Self-Contained Compactor	
RH0820H27	<b>Galfab:</b> Model GF2: 2-Yd Stubby Stationary Compactor	
RH0820H28	<b>Galfab:</b> Model 200: 2-Yd Stationary Compactor	
RH0820H29	<b>Galfab:</b> Model 300: 3-Yd Stationary Compactor	
RH0820H30	<b>Galfab:</b> Model 400: 4-Yd Stationary Compactor	
RH0820H31	<b>Galfab:</b> Model 500: 5-Yd Stationary Compactor	
RH0820H32	<b>Galfab:</b> Model GF6F: 6-Yd Frontload Compactor	
RH0820H33	<b>Galfab:</b> Model GF6R: 6 Yard Rearload Compactor	
RH0820H34	<b>Galfab:</b> Model Mini-200: Apartment/Stationary Compactor	
RH0820H35	<b>Harmony:</b> M30HD: Vertical Baler; 24"W x 30"L x 30"H Bale Size; 17" x 29" Feed Opening; 41,350# pressure; 2 Hp; 37-second cycle time	
RH0820H36	<b>Harmony:</b> M42BC: Vertical Stockroom Baler; 27"W x 42"L x 30"H Bale Size; 20" x 42" Feed Opening; 25,134# pressure; 2 Hp; 11-second cycle time	

RH0820H37	<b>Harmony:</b> M42HD: Vertical Baler; 27"W x 42"L x 30"H Bale Size; 19" x 42" Feed Opening; 41,350# pressure; 2 Hp; 37-second cycle time	
RH0820H38	<b>Harmony:</b> M60STD: Vertical Baler; 30"W x 60"L x 51"H Bale Size; 24" x 60" Feed Opening; 56,550# pressure; 10 Hp; 52-second cycle time	
RH0820H39	<b>Harmony:</b> M60MD: Vertical Baler; 30"W x 60"L x 30"H Bale Size; 24" x 60" Feed Opening; 57,805# pressure; 5 Hp; 33-second cycle time	
RH0820H40	<b>Harmony:</b> M60CB: Vertical Cardboard Baler; 30"W x 60"L x 51"H Bale Size; 24" x 60" Feed Opening; 50,900# pressure; 5 Hp; 45-second Cycle Time	
RH0820H41	<b>Harmony:</b> M72HD: High Density Vertical Baler; 40"W x 72"L x 40"H Bale Size; 24" x 72" Feed Opening; 92,360# pressure; 20 Hp; 29-second cycle time	
RH0820H42	<b>Harmony:</b> T60XDRC Automatic Baling System: 36"W x 60"L x 48"H Bale Size; 25" x 60" x 56" Feed Opening; 235,620# pressure; 20 Hp; 30-second cycle time	
RH0820H43	<b>Harmony:</b> Power Packer Compactor, P4FL: 4-Yd Capacity; 38" x 27" Loading Chamber; 25,450# Ram Force; 20-second cycle time; wet or dry applications; Dimensions: 62" x 80" x 91"	
RH0820H44	<b>Harmony:</b> Power Packer Compactor, P6FL: 6-Yd Capacity; 38" x 27" Loading Chamber; 25,450# Ram Force; 20-second cycle time; wet or dry applications; Dimensions: 62" x 80" x 103"	
RH0820H45	<b>Harmony:</b> Power Packer Compactor, P6RL: 6-Yd Capacity; 38" x 27" Loading Chamber; 25,450# Ram Force; 20-second cycle time; wet or dry applications; Dimensions: 62" x 78" x 143"	
RH0820H46	<b>Harmony:</b> C100 Stationary Compactor, 1-Yd Capacity; 48" x 37" Loading Chamber; 28,274# Ram Force; 36-second cycle time; Dimensions: 47" x 52" x 70"	
RH0820H47	<b>Harmony:</b> C200 Stationary Compactor, 2-Yd Capacity; 60" x 42" Loading Chamber; 35,343# Ram Force; 38-second cycle time; Dimensions: 49" x 55" x 130"	
RH0820H48	<b>Harmony:</b> C300 Stationary Compactor, 3-Yd Capacity; 60" x 60" Loading Chamber; 56,548# Ram Force; 74-second cycle time; Dimensions: 49" x 55"	
RH0820H49	<b>JV Mfg / Cram-A-Lot:</b> VB-42-SR: Vertical baler 28"W x 24"L x 42"H Bale Size; 23" x 42" Feed Opening; 59,370# pressure; 5-hp	
RH0820H50	<b>JV Mfg / Cram-A-Lot:</b> VB-60-B: Vertical baler; 60"W x 30"L x 48"H Bale Size; 24" x 60" Feed Opening; 59,370# pressure; 10-Hp	
RH0820H51	<b>JV Mfg / Cram-A-Lot:</b> VB-72-H: Vertical baler: 72"W x 30"L x 48"H Bale Size; 24" x 72" Feed Opening; 59,370# pressure; 15-Hp	
RH0820H52	<b>JV Mfg / Cram-A-Lot:</b> HE-60-M: Wide mouth horizontal baler; 60"W x 30"L x 48"H Bale Size; 35.625" x 56" Feed Opening; 140,800# pressure; 20-Hp	
RH0820H53	<b>JV Mfg / Cram-A-Lot:</b> HX-60: Closed end horizontal baler; 60"W x 30"L x 40"H Bale Size; 42" x 30" Feed Opening; 119,300# pressure; 25-Hp	
RH0820H54	<b>JV Mfg / Cram-A-Lot:</b> HX-72-W: Closed end horizontal baler; 72"W x 48"L x 48"H Bale Size; 70.375" x 48" Feed Opening; 119,300# pressure; 30-Hp	
RH0820H55	<b>JV Mfg / Cram-A-Lot:</b> H2R-60: Closed end auto-tie baler; 60"W x 30"L x 40"H Bale Size; 57.5" x 48" Feed Chamber; 190,755# pressure; 25-Hp	

RH0820H56	<b>JV Mfg / Cram-A-Lot: CC-02:</b> Stationary compactor; 2-Yd Loading Chamber; 56,600-67,900 Lb Ram Force; 39-7/16"L x 58"W Clear top opening; 10-Hp	
RH0820H57	<b>JV Mfg / Cram-A-Lot: CO-03:</b> Stationary compactor; 3-Yd Loading Chamber; 76,970-92,360 Lb Ram Force; 62"L x 58 1/2"W Clear top opening; 10-Hp	
RH0820H58	<b>JV Mfg / Cram-A-Lot: CO-04:</b> Stationary compactor; 4-Yd Loading Chamber; 56,550-67,960 Lb Ram Force; 60 3/16"L x 57"W Clear top opening; 10-Hp	
RH0820H59	<b>JV Mfg / Cram-A-Lot: CO-05:</b> Stationary compactor; 5-Yd Loading Chamber; 76,970-92,360 Lb Ram Force; 93"L x 56"W Clear top opening; 20-Hp	
RH0820H60	<b>JV Mfg / Cram-A-Lot: CO-07:</b> Stationary compactor; 7-Yd Loading Chamber; 104,600-127,235 Lb Ram Force; 93"L x 56"W Clear top opening; 30-Hp	
RH0820H61	<b>JV Mfg / Cram-A-Lot: PH-03:</b> Pre-Crusher Compactor; 3-Yd Loading Chamber; 77,000-92,400 Lb Ram Force; 61"L x 57"W Clear top opening; 15-Hp	
RH0820H62	<b>JV Mfg / Cram-A-Lot: RO-30:</b> Octagonal Compactor Receiver: 30-Yd Container	
RH0820H63	<b>JV Mfg / Cram-A-Lot: RO-40:</b> Octagonal Compactor Receiver: 40-Yd Container	
RH0820H64	<b>JV Mfg / Cram-A-Lot: SC-02-20:</b> Self-contained compactor; 2-Yd Loading Chamber; 24,500-29,500 Lb Ram Force; 20 cu. yd container capacity; 36"L x 58"W Clear top opening; 10-Hp	
RH0820H65	<b>JV Mfg / Cram-A-Lot: SC-T2-20:</b> Self-contained compactor; 2-Yd Loading Chamber; 40,600-48-800 Lb Ram Force; 20 cu. yd container capacity; 31"L x 48"W Clear top opening; 10-Hp	
RH0820H66	<b>JV Mfg / Cram-A-Lot: SC-02-30:</b> Self-contained compactor; 2-Yd Loading Chamber; 39,200-47,100 Lb Ram Force; 30 cu. yd container capacity; 36"L x 58"W Clear top opening; 10-Hp	
RH0820H67	<b>JV Mfg / Cram-A-Lot: SC-T2-30:</b> Self-contained compactor; 2-Yd Loading Chamber; 40,600-48-800 Lb Ram Force; 30 cu. yd container capacity; 31"L x 48"W Clear top opening; 10-Hp	
RH0820H68	<b>JV Mfg / Cram-A-Lot: SC-02-34:</b> Self-contained compactor; 2-Yd Loading Chamber; 39,200-47,100 Lb Ram Force; 34 cu. yd container capacity; 36"L x 58"W Clear top opening; 10-Hp	
RH0820H69	<b>JV Mfg / Cram-A-Lot: SC-T2-34:</b> Self-contained compactor; 2-Yd Loading Chamber; 40,600-48-800 Lb Ram Force; 34 cu. yd container capacity; 31"L x 48"W Clear top opening; 10-Hp	
RH0820H70	<b>JV Mfg / Cram-A-Lot: CV-04-FL-FF:</b> Vertical compactor; 4-Yd Loading Chamber; 30,200 Lb Ram Force; front / rear load; 3-Hp	
RH0820H71	<b>JV Mfg / Cram-A-Lot: CV-06-FL-FF:</b> Vertical compactor; 6-Yd Loading Chamber; 30,200 Lb Ram Force; front / rear load; 3-Hp	
RH0820H72	<b>JV Mfg / Cram-A-Lot: XP-6Y-FL:</b> portable compactor; 6-yd loading chamber; 19,500 lb ram force; top load; 3-	
RH0820H73	<b>JV Mfg / Cram-A-Lot: CA-.5:</b> Apartment compactor; 1/2-yd loading chamber; 13,850-17,600 lb ram force; 23.5"H X 31"W clear top opening; 3-Hp	
RH0820H74	<b>JV Mfg / Cram-A-Lot: CA-2R-F:</b> Apartment Container; 2-Yd Loading Chamber;	
RH0820H75	<b>JV Mfg / Cram-A-Lot: CA-3R-F:</b> Apartment Container; 3-Yd Loading Chamber;	
RH0820H76	<b>K-Pac:</b> KP2HT-20: self-contained compactor; 20-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	

RH0820H77	<b>K-Pac:</b> KP2HT22LP221: self-contained compactor; 22-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H78	<b>K-Pac:</b> KP2HT-25: self-contained compactor; 25-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H79	<b>K-Pac:</b> KP2HT29LP291: self-contained compactor; 29-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H80	<b>K-Pac:</b> KP2HT-30: self-contained compactor; 30-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H81	<b>K-Pac:</b> KP2HT-35: self-contained compactor; 35-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H82	<b>K-Pac:</b> KP1SC-10: self-contained compactor; 10-yd capacity; 1 cu. yd loading chamber; 45,100 lb. ram force; 44" loading height	
RH0820H83	<b>K-Pac:</b> KP1SC-15: self-contained compactor; 15-yd capacity; 1 cu. yd loading chamber; 45,100 lb. ram force; 44" loading height	
RH0820H84	<b>K-Pac:</b> KP1SC-20: self-contained compactor; 20-yd capacity; 1 cu. yd loading chamber; 45,100 lb. ram force; 44" loading height	
RH0820H85	<b>K-Pac:</b> KP1SC-25: self-contained compactor; 25-yd capacity; 1 cu. yd loading chamber; 45,100 lb. ram force; 44" loading height	
RH0820H86	<b>K-Pac:</b> KP1SC-28: self-contained compactor; 17-yd capacity; 1 cu. yd loading chamber; 45,100 lb. ram force; 44" loading height	
RH0820H87	<b>K-Pac:</b> KP1SC-30: self-contained compactor; 30-yd capacity; 1 cu. yd loading chamber; 45,100 lb. ram force; 44" loading height	
RH0820H88	<b>K-Pac:</b> KP2SC20: self-contained compactor; 20-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H89	<b>K-Pac:</b> KP2SC25: self-contained compactor; 25-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H90	<b>K-Pac:</b> KP2SC30: self-contained compactor; 30-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H91	<b>K-Pac:</b> KP2SC35: self-contained compactor; 35-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H92	<b>K-Pac:</b> KP2SC20L20: self-contained compactor; reduced hopper height; 20-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H93	<b>K-Pac:</b> KP2SC20L30: self-contained compactor; reduced hopper height; 30-yd capacity; 2 cu. yd loading chamber; 45,700 lb. ram force; 46" loading height	
RH0820H94	<b>K-Pac:</b> KP6R: self-contained compactor; 6-yd capacity; 1 cu. yd loading chamber; 24,700 lb. ram force; 40" loading height; rear load	



RH0820H95	<b>K-Pac:</b> KP6F: self-contained compactor, 6-yd capacity, 1 cu yd loading chamber, 24,700 lb. ram force; 40" loading height, front loader	
RH0820H96	<b>Roll Offs USA:</b> Model SC-10, Self Contained Compactor, 10-Yd Capacity	
RH0820H97	<b>Roll Offs USA:</b> Model SC-20, Self Contained Compactor, 20-Yd Capacity	
RH0820H98	<b>Roll Offs USA:</b> Model SC-25, Self Contained Compactor, 25-Yd Capacity	
RH0820H99	<b>Roll Offs USA:</b> Model SC-30, Self Contained Compactor, 30-Yd Capacity	
RH0820H100	<b>Roll Offs USA:</b> Model SC-35, Self Contained Compactor, 35-Yd Capacity	
RH0820H101	<b>Roll Offs USA:</b> Model ST-2, Stationary Compactor, 2-Yd Capacity	
RH0820H102	<b>Roll Offs USA:</b> Model ST-3, Stationary Compactor, 3-Yd Capacity	
RH0820H103	<b>Roll Offs USA:</b> Model ST-4, Stationary Compactor, 4-Yd Capacity	
RH0820H104	<b>Roll Offs USA:</b> Model ST-6, Stationary Compactor, 6-Yd Capacity	
RH0820H105	<b>Sierra:</b> REB-X1: two-ram stationary baler; capacity: 12,000 cf/hr; charge box displacement: 50 cf; shear force: 143 tons; reservoir capacity: 500 gallons; 75 hp electric motor	
RH0820H106	<b>Sierra:</b> REB-X2: two-ram stationary baler; capacity: 25,714 cf/hr; charge box displacement: 100 cf; shear force: 254 tons; reservoir capacity: 900 gallons; twin 75 hp electric motors	
RH0820H107	<b>Sierra:</b> REB-X Press: two-ram portable (trailered) baler; capacity: 12,000 cf/hr; charge box displacement: 50 cf; shear force: 143 tons; reservoir capacity: 400 gallons; 1000 kW diesel generator (Offeror shall include trailer in the base unit baler price )	
RH0820H108	<b>Sierra:</b> GF 60.86 (electric): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 18.7 ft; maximum lift capacity: 1 ton; 30 hp electric motor	
RH0820H109	<b>Sierra:</b> GF 60.86 (diesel): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 18.7 ft; maximum lift capacity: 1 ton; 60 hp diesel motor	
RH0820H110	<b>Sierra:</b> GF 75.105 (electric): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 23.3 ft; maximum lift capacity: 1.6 tons; 40 hp electric motor	
RH0820H111	<b>Sierra:</b> GF 75.105 (diesel): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 23.3 ft; maximum lift capacity: 1.6 tons; 80 hp diesel motor	
RH0820H112	<b>Sierra:</b> GF 80.105 (electric): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 26.2 ft; maximum lift capacity: 1.8 tons; 40 hp electric motor	
RH0820H113	<b>Sierra:</b> GF 80.105 (diesel): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 26.2 ft; maximum lift capacity: 1.8 tons; 80 hp diesel motor	

RH0820H114	<b>Sierra:</b> GF 145.145 (electric): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 47.5 ft; maximum lift capacity: 3.5 tons; 2 @ 100 hp electric motors	
RH0820H115	<b>Sierra:</b> GF 145.145 (diesel): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 47.5 ft; maximum lift capacity: 3.5 tons; 240 hp diesel motors	
RH0820H116	<b>Sierra:</b> GF 160.146 (electric): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 53 ft; maximum lift capacity: 4.5 tons; 2 @ 100 hp electric motor	
RH0820H117	<b>Sierra:</b> GF 160.146 (diesel): stationary material handler grapples; applications: recycling centers or similar large refuse processing scenarios; maximum lifting height: 53 ft; maximum lift capacity: 4.5 tons; 240 hp diesel motor	
RH0820H118	<b>Wastequip:</b> 245IPHD: Stationary Compactor; 2-Yd Loading Chamber; 59,300-67,800 Lb Ram Force	
RH0820H119	<b>Wastequip:</b> 345IP: Stationary Compactor, 3-YD Loading Chamber; 48,000-56,500 Lb Ram Force	
RH0820H120	<b>Wastequip:</b> 265IP-16, 16 Yd Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H121	<b>Wastequip:</b> 265IP-20, 20 -Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H122	<b>Wastequip:</b> 265IP-25: 25-Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H123	<b>Wastequip:</b> 265IP-30: 30-Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H124	<b>Wastequip:</b> 265IP-35: 35-Yd Cylinder, Self Contained Rectangular Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H125	<b>Wastequip:</b> 265XP-20: 20-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H126	<b>Wastequip:</b> 265XP-25: 25-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H127	<b>Wastequip:</b> 265XP-30: 30-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H128	<b>Wastequip:</b> 265XP-35: 35-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H129	<b>Wastequip:</b> 265XP-38: 38-Yd, Self Contained Octagonal Roll-Off Compactor; 2-Yd Loading Chamber	
RH0820H130	<b>Wastequip:</b> 365XSEE: 25-F Super Energy Efficient 25-YD Twin Cylinder, Self Contained Rectangular Roll-Off Compactor; 4-Yd Loading Chamber	
RH0820H131	<b>Wastequip:</b> 365XSEE: 30-F Super Energy Efficient 30-YD Twin Cylinder, Self Contained Rectangular Roll-Off Compactor; 4-Yd Loading Chamber	
RH0820H132	<b>Wastequip:</b> 365XSEE: 35-F Super Energy Efficient 35-YD Twin Cylinder, Self Contained Rectangular Roll-Off Compactor; 4-Yd Loading Chamber	
RH0820H133	<b>Wastequip:</b> 395XHD-7: Stationary Compactor; 3.5 Yd Loading Chamber	
RH0820H134	<b>Wastequip:</b> 445HD: Stationary Compactor; 4-Yd Loading Chamber	
RH0820H135	<b>Wastequip:</b> 445XHD-PC: Stationary Compactor Pre-Crusher; 4-Yd Loading Chamber	
RH0820H136	<b>Wastequip:</b> 645XHD-D: Stationary Compactor; 6-Yd Loading Chamber, Twin Cylinder	

RH0820H137	<b>Wastequip:</b> 645XHD-7: Stationary Compactor; 6-Yd Loading Chamber, 7" Cylinder	
RH0820H138	<b>Wastequip:</b> Accupak D600: 6-Yd Cylinder Front Load Compactor	
RH0820H139	<b>Wastequip:</b> Accupak D800: 8-Yd Cylinder Front Load Compactor	
RH0820H140	<b>Wastequip:</b> C33XAPT-Apartment Compactor: Compaction Force: 16,880 lbs	
RH0820H141	<b>Wastequip:</b> 6030HDB Vertical Baler: Bale Size: 60" x 30" x 48"; up to 1,000 lb bales; Dimensions: 96"H x 80"W x 42"D	
<b>I: Miscellaneous</b>		
RH0820I01	<b>BeachTech:</b> 2000: tow-behind sifter beach cleaning machine; hopper: 2.1 cu. yd.; screen width 6'; rear grooming width: 8'2"; screen depth: up to 6"; hydraulically operated (70 hp or great at PTO, 540 PTO tractor, Cat II, 3-pt hitch); automatic 102" (8'6") hydraulic dump used by 4 port auxiliary hydraulics	
RH0820I02	<b>BeachTech:</b> 2500: tow-behind sifter beach cleaning machine; hopper: 3.6 cu. yd; screen width 8'; rear grooming width 9'2"; screen depth up to 10"; hydraulically operated (95 hp or greater at PTO, 540 PTO tractor, Cat. II, 3 point hitch); automatic 108" (9') hydraulic dump used by 2 port auxiliary hydraulics	
RH0820I03	<b>BeachTech:</b> 3000: tow-behind sifter beach cleaning machine; hopper: 8 cu. yd.; screen width 8'; rear grooming width: 9'2"; screen depth: up to 8"; hydraulically operated (100 hp or greater PTO, 1000 rpm PTO tractor, CAT II, 3-pt hitch); automatic 61" (5'1") hydraulic dump	
RH0820I04	<b>BeachTech:</b> Sweepy Hydro: walk-behind beach cleaning machine; hopper: 1.5 cu ft.; screen width 3'5"; grooming width: 3'11"; screen depth up to 3"; self contained hydrostatic drive; 9.1 hp Subaru gas engine	
RH0820I05	<b>BeachTech:</b> 440XL: tow-behind sifter, on and off beach applications; hopper: 0.5 cu. yd., screen width: 4'; rear grooming width: 5'4"; screen depth: up to 4"; hydraulically operated (via 35-45 hp, 540 PTO tractor, Cat II, 3-pt hitch); automatic 0"- 60" hydraulic dump	
RH0820I06	<b>BeachTech:</b> 4500XL: tow-behind sifter, on and off beach applications ; hopper: 2 cu. yd.; screen width: 5'; rear grooming width: 9'2"; screen depth: up to 6"; hydraulically operated (via 45-70 hp, 540 PTO tractor, Cat I or II, 3-pt hitch); automatic 0" - 102" (8'6") hydraulic dump	
RH0820I07	<b>BeachTech:</b> 5500: ride-on, self-propelled sifter, on and off beach applications; hopper: 2.1 cu. yd.; screen width: 5'; rear grooming width: 9'2"; screen depth: up to 6"; hydraulically operated via a 74-hp Tier 4F Deutz diesel engine; automatic 0"- 102" (8'6") hydraulic dump; zero turn radius; air conditioned cab; night time lighting	
RH0820I08	<b>Cherrington:</b> 3000: ride-on, self-propelled sifter, on and off beach applications; hopper: 0.33 cu. yd.; screen width: 3'; rear grooming width: 5'; screen depth: up to 4"; hydraulically operated via a 24-hp Kubota diesel engine; automatic 60" hydraulic dump	
RH0820I09	<b>HBarber:</b> Litter Picker Model LP-1: litter removal machine; tow-behind design; multi-surface litter removal applications; hopper: 4 cu. yd., hydraulically operated, 8'-7" dump height	
RH0820I10	<b>HBarber:</b> Road Rake 200: road/paved surface litter removal machine; large debris removal applications; tow-behind design; hopper: 4 cu. yd., hydraulically operated via 19 hp diesel motor 8' 7" dump height	
RH0820I11	<b>HBarber:</b> Road Rake 200 T: road/paved surface litter removal machine; large debris removal applications; tow-behind design (via truck with hydraulic PTO); hopper: 4 cu. yd., 8' 7" dump height	

RH0820I12	<b>HBarber:</b> Surf Rake 400: beach cleaning equipment; tow-behind design; cleaning width: 6'; cleaning depth: 6"; hopper: 1 cu. yd.; hydraulically operated via tractor; ground dump	
RH0820I13	<b>HBarber:</b> Surf Rake 400 HD: heavier duty beach cleaning equipment; tow-behind design; cleaning path: 6"; cleaning depth: 6"; hopper: 2 cu. yd.; hydraulically operated via tractor; 9' dump height	
RH0820I14	<b>HBarber:</b> Surf Rake 600 HD: heavy duty, high capacity beach cleaning equipment; tow-behind design; cleaning width: 7'; cleaning depth: 6"; hopper: 3 cu. yd.; hydraulically operated via tractor; 9' dump height	
RH0820I15	<b>HBarber:</b> Sand Man: beach cleaning equipment; walk-behind design; mechanical drive via 5.5 hp Honda gas engine; cleaning width: 33"; cleaning depth: 4"; inclusive of three screen sizes	
RH0820I16	<b>HBarber:</b> Sand Man TT: compact beach cleaning equipmetn; 3-point hitch; cleaning width: 45"; cleaning depth: 4.5"; hydraulically operated via tractor; ground dump; inclusive of two screens	
RH0820I17	<b>HBarber:</b> Dual Litter Picker Model LP-1D: litter removal machine; tow-behind design; multi-surface litter removal applications; hopper: 8 cu. yd.(4 cu. yd. each), hydraulically operated, 8'-7" inch dump height	
RH0820I18	<b>HBarber:</b> RADIUS: beach/sand cleaning equipment; walk-behind design; mechanical drive via 5.5 hp Honda gas engine; cleaning width: 30"; cleaning depth: 4"; includes two screen sizes	
RH0820I19	<b>Industrial Vacuum:</b> Hurricane 300; trailer-mounted industrial vacuum; engine: Tier 4 diesel, 25 hp; vacuum: 850 cfm; steel engine shroud; 13-gallon fuel tank; 3-stage filtration	
RH0820I20	<b>Industrial Vacuum:</b> Hurricane 400; trailer-mounted industrial vacuum; engine: Kubota Tier 4 diesel, 74 hp; vacuum: 1300 cfm; steel engine shroud; 50-gallon fuel tank; 3-stage filtration	
RH0820I21	<b>Industrial Vacuum:</b> Hurricane 500; trailer-mounted industrial vacuum; engine: Deere Tier 4 diesel, 173 hp; vacuum: 2350 cfm; steel engine shroud; 100-gallon fuel tank; 3-stage filtration	
RH0820I22	<b>Industrial Vacuum:</b> Hurricane 500-G10; trailer-mounted industrial vacuum; engine: Ford 10-cylinder gas, 180 hp; vacuum: 2350 cfm; steel engine shroud; 100-gallon fuel tank; 3-stage filtration	
RH0820I23	<b>Industrial Vacuum:</b> Hurricane 600; trailer-mounted industrial vacuum; engine: Deere Tier 4 diesel, 156 hp; vacuum: 3660 cfm; steel engine shroud; 100-gallon fuel tank; 3-stage filtration; tandem 7000# axles	
RH0820I24	<b>Industrial Vacuum:</b> Hurricane 600-G10; trailer-mounted industrial vacuum; engine: Ford 10-cylinder gas, 180 hp; vacuum: 3660 cfm; steel engine shroud; 100-gallon fuel tank; 3-stage filtration; tandem 7000# axles	
RH0820I25	<b>Industrial Vacuum:</b> Hurricane 755; trailer-mounted industrial vacuum; engine: Deere Tier 4 diesel, 225 hp; vacuum: 3660 cfm; steel engine shroud; 100-gallon fuel tank; 3-stage filtration; tandem 8000# axles	
RH0820I26	<b>Industrial Vacuum:</b> Hurricane 828; trailer-mounted industrial vacuum; engine: Deere Tier 4 diesel, 325 hp; vacuum: 5660 cfm; steel engine shroud; 100-gallon fuel tank; 3-stage filtration; tri-8000# axles	
RH0820I27	<b>Industrial Vacuum:</b> FiltAire 6DC; trailer-mounted dust collector; engine: Kohler Tier 4 diesel, 24 hp; vacuum: 6000 cfm; steel engine shroud; 38-gallon fuel tank	
RH0820I28	<b>Industrial Vacuum:</b> FiltAire 12DC; trailer-mounted dust collector; engine: Kohler Tier 4 diesel, 48 hp; vacuum: 12000 cfm; steel engine shroud; 60-gallon fuel tank	
RH0820I29	<b>Industrial Vacuum:</b> FiltAire 20DC; trailer-mounted dust collector; engine: Kohler Tier 4 diesel, 65 hp; vacuum: 20000 cfm; steel engine shroud; 60-gallon fuel tank	
RH0820I30	<b>Industrial Vacuum:</b> FiltAire 30DC; trailer-mounted dust collector; engine: Deere Tier 3 diesel, 156 hp; vacuum: 30000 cfm; steel engine shroud; 120-gallon fuel tank	

RH0820I31	<b>Industrial Vacuum:</b> FiltAire 45DC; trailer-mounted dust collector; engine: Deere Tier 3 diesel, 173 hp; vacuum:450000 cfm; steel engine shroud; 120-gallon fuel tank	
RH0820I32	<b>Screen Machine Industries:</b> 4043T Portable Impact Crusher: track-mount; crusher feed inlet: 43"x28"; engine: Volvo D11 355 HP Tier IV Final diesel; conveyor: 42"; loading operation: 2-6 Yd loader	
RH0820I33	<b>Screen Machine Industries:</b> 5256T Portable Impact Crusher: rack-mount; crusher feed inlet: 56"x38"; engine: CAT ACERT C13 475 Hp Tier IV Final diesel; conveyor: 54"; loading operation: 2-8 Yd loader	
RH0820I34	<b>Screen Machine Industries:</b> JHT Recirculating Impact Crusher: track-mount; crusher feed inlet: 45"x26"; engine: Volvo D11 355 Hp Tier IV Final diesel; conveyor: 42"; loading operation: 2-6 Yd loader	
RH0820I35	<b>Screen Machine Industries:</b> Spyder 622TH Screening Plant: track-mount; engine: CAT C4.4TA 140 Hp Tier III diesel; screener: triple deck; conveyors: 36"; remote control operation	
RH0820I36	<b>Screen Machine Industries:</b> Spyder 516T Screening Plant: track-mount; engine: CAT C4.4TA 100 Hp Tier IV diesel; screener: double deck; conveyors (oversize/mid/fine): 48"/24"/36"; remote control operation	
RH0820I37	<b>Screen Machine Industries:</b> Spyder 516TS Screening Plant: track-mount; engine: Yanmar 74 Hp Tier IV Final diesel; screener: double deck; conveyors (oversize/mid/fine): 24"/24"/42"; remote control operation	
RH0820I38	<b>Screen Machine Industries:</b> Spyder 514TS3 Screening Plant: Track-mount; engine: Yanmar 74 Hp Tier IV Final diesel; screener: triple deck; conveyors: 42"; remote control operation	
RH0820I39	<b>Screen Machine Industries:</b> Scalper 107T Portable Screening Plant: track-mount; engine: Yanmar 74 Hp Tier IV Final diesel; screener: dual shaker screen; conveyors: 42"; remote control operation	
RH0820I40	<b>Screen Machine Industries:</b> Scalper 107D Portable Screening Plant: track-mount; engine: Yanmar 25 Hp Tier IV Final diesel; screener: dual deck; remote control operation	
RH0820I41	<b>Screen Machine Industries:</b> Scalper 77C Portable Screening Plant: track-mount; engine: Yanmar 48 Hp Tier IV Final diesel; screener: dual deck; remote control operation	
RH0820I42	<b>Screen Machine Industries:</b> 612W Portable Trommel Screen: track-mount; rotary screen design; engine: Yanmar 74 Hp diesel engine, current tier flex; hopper: 4.5 Yd; conveyors: 24" and 36" remote control operation; applications: topsoil, compost and green waste	



**Offeror:**

Instructions: Reference Section-B

--	--

## W-9

**Respondent should reference the W-9 form included in this solicitation package. It is a writeable form and should be completed and submitted with response in both printed and electronic formats.**

**On joint bids, a W-9 form is required for each party to the bid.**



## CIQ

Respondent should reference the CIQ/Conflict of Interest Questionnaire form included in this solicitation package. **It is required and should be completed (even in the absence of a conflict of interest)**, with name of your company, name of signatory, and signature - submitted with response in both printed and electronic formats.

On joint bids, a CIQ form is required for each party to the bid.

## **1295**

**Respondent should reference the Texas Ethics Commission document highlighted in this solicitation package ("Certificate of Interested Parties - Form 1295"). This State of Texas document is found online and must be completed in associated with this solicitation, submitted in both printed and electronic formats.**

**TEC site:**

**[https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm)**

**On joint bids, a 1295 form is required for each party to the bid.**

## **HB 89**

### **Prohibition on Contracts with Companies Boycotting Israel**

The 85<sup>th</sup> Texas Legislature approved new legislation, effective Sept. 1, 2017, which amends Texas Local Government Code Section 1. Subtitle F, Title 10, Government Code by adding Chapter 2270 which states that a governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it:

- (1) does not boycott Israel; and
- (2) will not boycott Israel during the term of the contract

**Respondent should reference the *HB 89* form included in this solicitation package. It should be completed and submitted with response in both printed and electronic formats.**

**On joint bids, an HB89 form is required for each party to the bid.**

**Contractor Information Form**

**Respondent shall complete the enclosed H-GAC document, "Contractor Information Form", and include in response in both printed and electronic formats, and included with the other required forms.**

**On joint bids, a CIF form is required for each party to the bid.**

# H-GAC

Houston-Galveston Area Council  
P.O. Box 22777 · 3555 Timmons · Houston, Texas 77227-2777

---

Cooperative Agreement -

## SPECIAL PROVISIONS

Incorporated by attachment, as part of the whole agreement, H-GAC and the Contractor do, hereby agree to the Special Provisions as follows:

### **ARTICLE 1: BIDS/PROPOSALS INCORPORATED**

In addition to the whole Agreement, the following documents listed in order of priority are incorporated into the Agreement by reference: Bid/Proposal Specifications and Contractor's Response to the Bid/Proposal.

### **ARTICLE 2: END USER AGREEMENTS ("EUA")**

**H-GAC** acknowledges that the **END USER** may choose to enter into an End User Agreement ("EUA") with the **Contractor** through this Agreement, and that the term of the EUA may exceed the term of the current **H-GAC** Agreement. **H-GAC's** acknowledgement is not an endorsement or approval of the End User Agreement's terms and conditions. **Contractor** agrees not to offer, agree to or accept from the **END USER**, any terms or conditions that conflict with those in **Contractor's** Agreement with **H-GAC**. **Contractor** affirms that termination of its Agreement with **H-GAC** for any reason shall not result in the termination of any underlying EUA, which shall in each instance, continue pursuant to the EUA's stated terms and duration. Pursuant to the terms of this Agreement, termination of this Agreement will disallow the **Contractor** from entering into any new EUA with **END USERS**. Applicable **H-GAC** order processing charges will be due and payable to **H-GAC** on any EUAs, surviving termination of this Agreement between **H-GAC** and **Contractor**.

### **ARTICLE 3: MOST FAVORED CUSTOMER CLAUSE**

**Contractor** shall provide its most favorable pricing and terms to **H-GAC**. If at any time during this Agreement, **Contractor** develops a regularly followed standard procedure of entering into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to **H-GAC** on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to **H-GAC**, **Contractor** shall notify **H-GAC** within ten (10) business days thereafter, and this Agreement shall be deemed to be automatically retroactively amended, to the effective date of **Contractor's** most favorable past agreement with another entity. **Contractor** shall provide the same prices, warranties, benefits, or terms to **H-GAC** and its **END USER** as provided in its most favorable past agreement. **H-GAC** shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If **Contractor** claims that a more favorable price, warranty, benefit, or term that was charged or offered to another entity during the term of this Agreement, does not constitute more favorable treatment, than **Contractor** shall, within ten (10) business days, notify **H-GAC** in writing, setting forth the detailed reasons **Contractor** believes the aforesaid offer is not in fact most favored treatment. **H-GAC**, after due consideration of **Contractor's** written explanation, may decline to accept such explanation and thereupon this Agreement between **H-GAC** and **Contractor** shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties,

benefits, or terms to H-GAC and the END USER.

***EXCEPTION:** This clause shall not be applicable to prices and price adjustments offered by a bidder, Proposer or contractor, which are not within bidder's/proposer's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.*

#### **ARTICLE 4: PARTY LIABILITY**

Contractor's total liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to the price of the particular products/services sold hereunder. Contractor agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. Contractor accepts liability to repay, and shall repay upon demand to END USER, any amounts determined by H-GAC, its independent auditors, or any state or federal agency, to have been paid in violation of the terms of this Agreement.

#### **ARTICLE 5: GOVERNING LAW & VENUE**

Contractor and H-GAC agree that Contractor will make every reasonable effort to resolve disputes the **END USER** in accord with the law and venue rules of the state of purchase. **Contractor** shall immediately notify **H-GAC** of such disputes.

#### **ARTICLE 6: SALES AND ORDER PROCESSING CHARGE**

**Contractor** shall sell its products to **END USERS** based on the pricing and terms of this Agreement. **H-GAC** will invoice **Contractor** for the applicable order processing charge when H-GAC receives notification of an END USER order. **Contractor shall remit to H-GAC** the full amount of the applicable order processing charge, after delivery of any product or service and subsequent END USER acceptance. Payment of the Order Processing Charge shall be remitted from Contractor to H-GAC, within thirty (30) calendar days or ten (10) business days after receipt of an END USER's payment, whichever comes first, notwithstanding Contractor's receipt of invoice. For sales made by **Contractor** based on this Agreement, including sales to entities without Interlocal Agreements, **Contractor** shall pay the applicable order processing charges to **H-GAC**. Further, **Contractor** agrees to encourage entities who are not members of H-GAC's Cooperative Purchasing Program to execute an **H-GAC** Interlocal Agreement. **H-GAC** reserves the right to take appropriate actions including, but not limited to, Agreement termination if **Contractor** fails to promptly remit the appropriate order processing charge to H-GAC. In no event shall **H-GAC** have any liability to **Contractor** for any goods or services an **END USER** procures from **Contractor**. At all times, **Contractor** shall remain liable to pay to **H-GAC** any order processing charges on any portion of the Agreement actually performed, and for which compensation was received by **Contractor**.

#### **ARTICLE 7: LIQUIDATED DAMAGES**

Contractor and H-GAC agree that Contractor shall cooperate with the END USER at the time an END USER purchase order is placed, to determine terms for any liquidated damages.

#### **ARTICLE 8: INSURANCE**

Unless otherwise stipulated in Section B of the Bid/Proposal Specifications, **Contractor** must have the following insurance and coverage minimums:

- a. **General liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General

Aggregate limit of at least two times the Single Occurrence limit.

**Product liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B of the Bid/Proposal Specifications.

**Property Damage or Destruction** insurance is required for coverage of **End User** owned equipment while in **Contractor's** possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as art of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.

- b. Insurance coverage shall be in effect for the length of any contract made pursuant to the Bid/Proposal, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.
- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

SAMPLE

#### **ARTICLE 9: PERFORMANCE AND PAYMENT BONDS FOR INDIVIDUAL ORDERS**

**H-GAC's** contractual requirements DO NOT include a Performance & Payment Bond (PPB); therefore, Contractor shall offer pricing that reflects this cost savings. **Contractor** shall remain prepared to offer a PPB to cover any order if so requested by the **END USER**. **Contractor** shall quote a price to **END USER** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **END USER's** purchase order.

#### **ARTICLE 10: CHANGE OF STATUS**

**Contractor** shall immediately notify **H-GAC**, in writing, of **ANY** change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name. Contractor shall offer written guidance to advise H-GAC if this Agreement shall be affected in any way by such change. **H-GAC** shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Agreement.

#### **ARTICLE 11: TEXAS MOTOR VEHICLE BOARD LICENSING**

All that deal in motor vehicles shall maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Agreement term, any required **Contractor** license is denied, revoked, or not renewed, **Contractor** shall be in default of this Agreement, unless the Texas Motor Vehicle

Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to **H-GAC** upon request.

SAMPLE



# H-GAC

Houston-Galveston Area Council  
P.O. Box 22777 · 3555 Timmons · Houston, Texas 77227-2777

---

## Cooperative Agreement -

### GENERAL PROVISIONS

This Agreement is made and entered into, by and between the Houston-Galveston Area Council hereinafter referred to as H-GAC having its principal place of business at 3555 Timmons Lane, Suite 120, Houston, Texas 77027 and \_\_\_\_\_, hereinafter referred to as the Contractor, having its principal place of business at \_\_\_\_\_.

WITNESSETH:

WHEREAS, H-GAC hereby engages the Contractor to perform certain services in accordance with the specifications of the Agreement; and

WHEREAS, the Contractor has agreed to perform such services in accordance with the specifications of the Agreement;

NOW, THEREFORE, H-GAC and the Contractor do hereby agree as follows:

#### **ARTICLE 1: LEGAL AUTHORITY**

The Contractor warrants and assures H-GAC that it possesses adequate legal authority to enter into this Agreement. The Contractor's governing body, where applicable, has authorized the signatory official(s) to enter into this Agreement and bind the Contractor to the terms of this Agreement and any subsequent amendments hereto.

#### **ARTICLE 2: APPLICABLE LAWS**

The Contractor agrees to conduct all activities under this Agreement in accordance with all applicable rules, regulations, directives, standards, ordinances, and laws, in effect or promulgated during the term of this Agreement, including without limitation, workers' compensation laws, minimum and maximum salary and wage statutes and regulations, and licensing laws and regulations. When required, the Contractor shall furnish H-GAC with satisfactory proof of its compliance therewith.

#### **ARTICLE 3: INDEPENDENT CONTRACTOR**

The execution of this Agreement and the rendering of services prescribed by this Agreement do not change the independent status of H-GAC or the Contractor. No provision of this Agreement or act of H-GAC in performance of the Agreement shall be construed as making the Contractor the agent, servant or employee of H-GAC, the State of Texas or the United States Government. Employees of the Contractor are subject to the exclusive control and supervision of the Contractor. The Contractor is solely responsible for employee related disputes and discrepancies, including employee payrolls and any claims arising therefrom.

#### **ARTICLE 4: WHOLE AGREEMENT**

The General Provisions, Special Provisions, and Attachments, as provided herein, constitute the complete Agreement ("Agreement") between the parties hereto, and supersede any and all oral and written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Agreement cannot be modified without written consent of the parties.

#### **ARTICLE 5: SCOPE OF SERVICES**

The services to be performed by the Contractor are outlined in an Attachment to this Agreement.

**ARTICLE 6: PERFORMANCE PERIOD**

This Agreement shall be performed during the period which begins \_\_\_\_\_ and ends \_\_\_\_\_. All services under this Agreement must be rendered within this performance period, unless directly specified under a written change or extension provisioned under Article 15, which shall be fully executed by both parties to this Agreement.

**ARTICLE 7: PAYMENT OR FUNDING**

Payment provisions under this Agreement are outlined in the Special Provisions.

**ARTICLE 8: REPORTING REQUIREMENTS**

If the Contractor fails to submit to H-GAC in a timely and satisfactory manner any report required by this Agreement, or otherwise fails to satisfactorily render performances hereunder, H-GAC may terminate this agreement with notice as identified in Article 16 of these General Provisions. H-GAC has final determination of the adequacy of performance and reporting by Contractor. Termination of this agreement for failure to perform may affect Contractor's ability to participate in future opportunities with H-GAC. The Contractor's failure to timely submit any report may also be considered cause for termination of this Agreement.

Any additional reporting requirements shall be set forth in the Special Provisions of this Agreement.

**ARTICLE 9: INSURANCE**

Contractor shall maintain insurance coverage for work performed or services rendered under this Agreement as outlined and defined in the attached Special Provisions.

**ARTICLE 10: SUBCONTRACTS and ASSIGNMENTS**

Except as may be set forth in the Special Provisions, the Contractor agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Agreement or any right, title, obligation or interest it may have therein to any third party without prior written approval of H-GAC. The Contractor acknowledges that H-GAC is not liable to any subcontractor or assignee of the Contractor. The Contractor shall ensure that the performance rendered under all subcontracts shall result in compliance with all the terms and provisions of this Agreement as if the performance rendered was rendered by the Contractor. Contractor shall give all required notices, and comply with all laws and regulations applicable to furnishing and performance of the work. Except where otherwise expressly required by applicable law or regulation, H-GAC shall not be responsible for monitoring Contractor's compliance, or that of Contractor's subcontractors, with any laws or regulations.

**ARTICLE 11: AUDIT**

Notwithstanding any other audit requirement, H-GAC reserves the right to conduct or cause to be conducted an independent audit of any transaction under this Agreement, such audit may be performed by the H-GAC local government audit staff, a certified public accountant firm, or other auditors designated by H-GAC and will be conducted in accordance with applicable professional standards and practices. The Contractor understands and agrees that the Contractor shall be liable to the H-GAC for any findings that result in monetary obligations to H-GAC.

**ARTICLE 12: EXAMINATION OF RECORDS**

The Contractor shall maintain during the course of the work complete and accurate records of all of the Contractor's costs and documentation of items which are chargeable to H-GAC under this Agreement. H-GAC, through its staff or designated public accounting firm, the State of Texas, and United States Government, shall have the right at any reasonable time to inspect, copy and audit those records on or

off the premises by authorized representatives of its own or any public accounting firm selected by H-GAC. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. Failure to provide access to records may be cause for termination of the Agreement. The records to be thus maintained and retained by the Contractor shall include (without limitation): (1) personnel and payroll records, including social security numbers and labor classifications, accounting for total time distribution of the Contractor's employees working full or part time on the work, as well as cancelled payroll checks, signed receipts for payroll payments in cash, or other evidence of disbursement of payroll payments; (2) invoices for purchases, receiving and issuing documents, and all other unit inventory records for the Contractor's stocks or capital items; and (3) paid invoices and cancelled checks for materials purchased and for subcontractors' and any other third parties' charges.

The Contractor further agrees that the examination of records outlined in this article shall be included in all subcontractor or third-party agreements.

#### **ARTICLE 13: RETENTION OF RECORDS**

The Contractor and its subcontractors shall maintain all records pertinent to this Agreement, and all other financial, statistical, property, participant records, and supporting documentation for a period of no less than seven (7) years from the later of the date of acceptance of the final payment or until all audit findings have been resolved. If any litigation, claim, negotiation, audit or other action involving the records has been started before the expiration of the retention period, the records shall be retained until completion of the action and resolution of all issues which arise from it, or until the end of the seven (7) years, whichever is later, and until any outstanding litigation, audit, or claim has been fully resolved.

#### **ARTICLE 14: CHANGES AND AMENDMENTS**

- A. Any alterations, additions, or deletions to the terms of this Agreement, which are required by changes in federal or state law or by regulations, are automatically incorporated without written amendment hereto, and shall become effective on the date designated by such law or by regulation.
- B. To ensure the legal and effective performance of this Agreement, both parties agree that any amendment that affects the performance under this Agreement must be mutually agreed upon and that all such amendments must be in writing. After a period of no less than 30 days subsequent to written notice, unless sooner implementation is required by law, such amendments shall have the effect of qualifying the terms of this Agreement and shall be binding upon the parties as if written herein.

#### **ARTICLE 15: TERMINATION PROCEDURES**

The Contractor acknowledges that this Agreement may be terminated for Convenience or Default.

- A. *Convenience*  
H-GAC may terminate this Agreement at any time, in whole or in part, with or without cause, whenever H-GAC determines that for any reason such termination is in the best interest of H-GAC, by providing written notice by certified mail to the Contractor. Upon receipt of notice of termination, all services hereunder of the Contractor and its employees and subcontractors shall cease to the extent specified in the notice of termination.

The Contractor may cancel or terminate this Agreement upon submission of thirty (30) days written notice, presented to H-GAC via certified mail. The Contractor may not give notice of cancellation after it has received notice of default from H-GAC.

- B. *Default*

H-GAC may, by written notice of default to the Contractor, terminate the whole or any part of the Agreement, in any one of the following circumstances:

- (1) If the Contractor fails to perform the services herein specified within the time specified herein or any extension thereof; or
- (2) If the Contractor fails to perform any of the other provisions of this Agreement for any reason whatsoever, or so fails to make progress or otherwise violates the Agreements that completion of services herein specified within the Agreement term is significantly endangered, and in either of these two instances does not cure such failure within a period often (10) days (or such longer period of time as may be authorized by H-GAC in writing) after receiving written notice by certified mail of default from H-GAC.

#### **ARTICLE 16: SEVERABILITY**

H-GAC and Contractor agree that should any provision of this Agreement be determined to be invalid or unenforceable, such determination shall not affect any other term of this Agreement, which shall continue in full force and effect.

#### **ARTICLE 17: FORCE MAJEURE**

To the extent that either party to this Agreement shall be wholly or partially prevented from the performance of any obligation or duty placed on such party by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident, order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of force majeure shall rest solely with H-GAC.

#### **ARTICLE 18: CONFLICT OF INTEREST**

No officer, member or employee of the Contractor or subcontractor, no member of the governing body of the Contractor, and no other public officials of the Contractor who exercise any functions or responsibilities in the review or Contractor approval of this Agreement, shall participate in any decision relating to this Agreement which affects his or her personal interest, or shall have any personal or pecuniary interest, direct or indirect, in this Agreement.

#### **ARTICLE 19: FEDERAL COMPLIANCE**

Contractor agrees to comply with all federal statutes relating to nondiscrimination, labor standards, and environmental compliance. Additionally, for work to be performed under the Agreement or subcontract thereof, including procurement of materials or leases of equipment, Contractor shall notify each potential subcontractor or supplier of the Contractor's federal compliance obligations. These may include, but are not limited to: (a) Title VI of the Civil Rights Act of 1964 (P.L. 88-352) which prohibits discrimination on the basis of race, color or national origin; (b) Title IX of the Education Amendments of 1972, as amended (20 U.S.C. §§ 1681-1683, and 1685-1686), which prohibits discrimination on the basis of sex; (c) the Fair Labor Standards Act of 1938 (29 USC 676 et. seq.), (d) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. § 794), which prohibits discrimination on the basis of handicaps and the Americans with Disabilities Act of 1990; (e) the Age Discrimination in Employment Act of 1967 (29 USC 621 et. seq.) and the Age Discrimination Act of 1974, as amended (42 U.S.C. §§ 6101-6107), which prohibits discrimination on the basis of age; (f) the Drug Abuse Office and Treatment Act of 1972 (P.L. 92-255), as amended, relating to nondiscrimination on the basis of drug abuse; (g) the Comprehensive Alcohol Abuse and Alcoholism Prevention, Treatment and Rehabilitation Act of 1970 (P.L. 91-616), as amended, relating to the nondiscrimination on the basis of alcohol abuse or alcoholism; (h) §§ 523 and 527 of the Public Health Service Act of 1912 (42 U.S.C. 290 dd-3 and 290 ee-3), as amended, relating to confidentiality of alcohol and drug abuse patient records; (i) Title VIII of the Civil Rights Act of 1968 (42 U.S.C. § 3601 et seq.), as amended, relating to nondiscrimination in the sale, rental or financing of housing; (j) any other nondiscrimination provisions in any specific statute(s)

applicable to any Federal funding for this Agreement; (k) the requirements of any other nondiscrimination statute(s) which may apply to this Agreement; (l) applicable provisions of the Clean Air Act (42 U.S.C. §7401 et seq.), the Federal Water Pollution Control Act, as amended (33 U.S.C. §1251 et seq.), Section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and the Environmental Protection Agency regulations at 40 CFR Part 15; (m) applicable provisions of the Davis- Bacon Act (40 U.S.C. 276a - 276a-7), the Copeland Act (40 U.S.C. 276c), and the Contract Work Hours and Safety Standards Act (40 U.S.C. 327-332), as set forth in Department of Labor Regulations at 20 CFR 5.5a; (n) the mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (P.L. 94-163).

**ARTICLE 20: CRIMINAL PROVISIONS AND SANCTIONS**

The Contractor agrees to perform the Agreement in conformance with safeguards against fraud and abuse as set forth by the H-GAC, the State of Texas, and the acts and regulations of any related state or federal agency. The Contractor agrees to promptly notify H-GAC of any actual or suspected fraud, abuse, or other criminal activity through the filing of a written report within twenty-four (24) hours of knowledge thereof. Contractor shall notify H-GAC of any accident or incident requiring medical attention arising from its activities under this Agreement within twenty-four (24) hours of such occurrence. Theft or willful damage to property on loan to the Contractor from H-GAC, if any, shall be reported to local law enforcement agencies and H-GAC within two (2) hours of discovery of any such act.

The Contractor further agrees to cooperate fully with H-GAC, local law enforcement agencies, the State of Texas, the Federal Bureau of Investigation and any other duly authorized investigative unit, in carrying out a full investigation of all such incidents.

The Contractor shall notify H-GAC of the threat of lawsuit or of any actual suit filed against the Contractor pertaining to this Agreement or which would adversely affect the Contractor's ability to perform services under this Agreement.

**ARTICLE 21: INDEMNIFICATION AND RECOVERY**

H-GAC's liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will H-GAC be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless H-GAC, its board members, officers, agents, officials, employees and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgements, and liens arising as a result of Contractor's negligent act or omission under this Agreement. Contractor shall notify H-GAC of the threat of lawsuit or of any actual suit filed against Contractor relating to this Agreement.

**ARTICLE 22: LIMITATION OF CONTRACTOR'S LIABILITY**

Except as specified in any separate writing between the Contractor and an END USER, Contractor's total liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify H-GAC, is limited to the price of the particular products/services sold hereunder, and Contractor agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will Contractor be liable for any loss of use, loss of time, inconvenience, commercial loss, loss of profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor understands and agrees that it shall be liable to repay and shall repay upon demand to



END USER any amounts determined by H-GAC, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Agreement.

**ARTICLE 23: TITLES NOT RESTRICTIVE**

The titles assigned to the various Articles of this Agreement are for convenience only. Titles shall not be considered restrictive of the subject matter of any Article, or part of this Agreement.

**ARTICLE 24: JOINT WORK PRODUCT**

This Agreement is the joint work product of H-GAC and the Contractor. This Agreement has been negotiated by H-GAC and the Contractor and their respective counsel and shall be fairly interpreted in accordance with its terms and, in the event of any ambiguities, no inferences shall be drawn against any party.

**ARTICLE 25: DISPUTES**

All disputes concerning questions of fact or of law arising under this Agreement, which are not addressed within the Whole Agreement as defined pursuant to Article 4 hereof, shall be decided by the Executive Director of H-GAC or his designee, who shall reduce his decision to writing and provide notice thereof to the Contractor. The decision of the Executive Director or his designee shall be final and conclusive unless, within thirty (30) days from the date of receipt of such notice, the Contractor requests a rehearing from the Executive Director of H-GAC. In connection with any rehearing under this Article, the Contractor shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. The Contractor may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, the Contractor shall proceed diligently with the performance of the Agreement and in accordance with H-GAC's final decision.

**ARTICLE 26: CHOICE OF LAW: VENUE**

This Agreement shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with the Agreement shall lie exclusively in Harris County, Texas. Disputes between END USER and Contractor are to be resolved in accordance with the law and venue rules of the state of purchase. Contractor shall immediately notify H-GAC of such disputes.

**ARTICLE 27: ORDER OF PRIORITY**

In the case of any conflict between or within this Agreement, the following order of priority shall be utilized: 1) General Provisions, 2) Special Provisions, 3) Scope of Work, and, 4) Other Attachments.

**SIGNATURES:**

H-GAC and the Contractor have read, agreed, and executed the whole Agreement as of the date first written above, as accepted by:

\_\_\_\_\_

Signature

Name

Title

Date

**H-GAC**

Signature

Name    Chuck Wemple

Title    Executive Director

Date

SAMPLE





# CONFLICT OF INTEREST QUESTIONNAIRE

For vendor doing business with local governmental entity

## FORM CIQ

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Local Government Code.

A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.

### OFFICE USE ONLY

Date Received

**1** Name of vendor who has a business relationship with local governmental entity.

**2**  Check this box if you are filing an update to a previously filed questionnaire. (The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date on which you became aware that the originally filed questionnaire was incomplete or inaccurate.)

**3** Name of local government officer about whom the information is being disclosed.

\_\_\_\_\_  
Name of Officer

**4** Describe each employment or other business relationship with the local government officer, or a family member of the officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with the local government officer. Complete subparts A and B for each employment or business relationship described. Attach additional pages to this Form CIQ as necessary.

A. Is the local government officer or a family member of the officer receiving or likely to receive taxable income, other than investment income, from the vendor?

Yes       No

B. Is the vendor receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer or a family member of the officer AND the taxable income is not received from the local governmental entity?

Yes       No

**5** Describe each employment or business relationship that the vendor named in Section 1 maintains with a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership interest of one percent or more.

**6**  Check this box if the vendor has given the local government officer or a family member of the officer one or more gifts as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a-1).

**7**

\_\_\_\_\_  
Signature of vendor doing business with the governmental entity

\_\_\_\_\_  
Date

## **CONFLICT OF INTEREST QUESTIONNAIRE**

### **For vendor doing business with local governmental entity**

A complete copy of Chapter 176 of the Local Government Code may be found at <http://www.statutes.legis.state.tx.us/Docs/LG/htm/LG.176.htm>. For easy reference, below are some of the sections cited on this form.

**Local Government Code § 176.001(1-a):** "Business relationship" means a connection between two or more parties based on commercial activity of one of the parties. The term does not include a connection based on:

- (A) a transaction that is subject to rate or fee regulation by a federal, state, or local governmental entity or an agency of a federal, state, or local governmental entity;
- (B) a transaction conducted at a price and subject to terms available to the public; or
- (C) a purchase or lease of goods or services from a person that is chartered by a state or federal agency and that is subject to regular examination by, and reporting to, that agency.

**Local Government Code § 176.003(a)(2)(A) and (B):**

(a) A local government officer shall file a conflicts disclosure statement with respect to a vendor if:

\*\*\*

(2) the vendor:

(A) has an employment or other business relationship with the local government officer or a family member of the officer that results in the officer or family member receiving taxable income, other than investment income, that exceeds \$2,500 during the 12-month period preceding the date that the officer becomes aware that

- (i) a contract between the local governmental entity and vendor has been executed;
- or
- (ii) the local governmental entity is considering entering into a contract with the vendor;

(B) has given to the local government officer or a family member of the officer one or more gifts that have an aggregate value of more than \$100 in the 12-month period preceding the date the officer becomes aware that:

- (i) a contract between the local governmental entity and vendor has been executed; or
- (ii) the local governmental entity is considering entering into a contract with the vendor.

**Local Government Code § 176.006(a) and (a-1)**

(a) A vendor shall file a completed conflict of interest questionnaire if the vendor has a business relationship with a local governmental entity and:

- (1) has an employment or other business relationship with a local government officer of that local governmental entity, or a family member of the officer, described by Section 176.003(a)(2)(A);
- (2) has given a local government officer of that local governmental entity, or a family member of the officer, one or more gifts with the aggregate value specified by Section 176.003(a)(2)(B), excluding any gift described by Section 176.003(a-1); or
- (3) has a family relationship with a local government officer of that local governmental entity.

(a-1) The completed conflict of interest questionnaire must be filed with the appropriate records administrator not later than the seventh business day after the later of:

(1) the date that the vendor:

- (A) begins discussions or negotiations to enter into a contract with the local governmental entity; or
- (B) submits to the local governmental entity an application, response to a request for proposals or bids, correspondence, or another writing related to a potential contract with the local governmental entity; or

(2) the date the vendor becomes aware:

- (A) of an employment or other business relationship with a local government officer, or a family member of the officer, described by Subsection (a);
- (B) that the vendor has given one or more gifts described by Subsection (a); or
- (C) of a family relationship with a local government officer.

## CERTIFICATE OF INTERESTED PARTIES – FORM 1295

**Certificate of Interested Parties (Form 1295 – must be filled out electronically with the Texas Ethics Commission’s online filing application, printed out, signed, notarized, and attached to proposal in the response - Section TAB A)**

H-GAC is required to comply with House Bill 1295, which amended the Texas Government Code by adding Section 2252.908, Disclosure of Interested Parties. Section 2252.908 prohibits H-GAC from entering into a contract resulting from this RFP with a business entity unless the business entity submits a Disclosure of Interested Parties (Form 1295) to H-GAC at the time business entity submits the signed contract. The Texas Ethics Commission has adopted rules requiring the business entity to file Form 1295 electronically with the Texas Ethics Commission. The following **definitions** apply:

- (1) **“Business Entity”** means an entity recognized by law through which business is conducted, including a sole proprietorship, partnership, or corporation. TEX. GOV’T CODE § 2252.908(1).
- (2) **“Interested Party”** means a person:
  - a) who has a controlling interest in a business entity with whom H-GAC contracts; or
  - b) who actively participates in facilitating the contract or negotiating the terms of the contract, including a broker, intermediary, adviser, or attorney for the business entity. TEX. GOV’T CODE § 2252.908(3).
- (3) **“Controlling interest”** means:
  - a) an ownership interest or participating interest in a business entity by virtue of units, percentage, shares, stock, or otherwise that exceeds 10 percent;
  - b) membership on the board of directors or other governing body of a business entity of which the board or other governing body is composed of not more than 10 members; or
  - c) service as an officer of a business entity that has four or fewer officers, or service as one of the four officers most highly compensated by a business entity that has more than four officers. *Subsection (c) does not apply to an officer of a publicly held business entity or its wholly owned subsidiaries.* TEX. ETHICS COMM. RULE 46.3(c).
- (4) **“Intermediary”** means a person who actively participates in the facilitation of the contract or negotiating the contract, including a broker, adviser, attorney, or representative of or agent for the business entity who:
  - a) receives compensation from the business entity for the person’s participation;
  - b) communicates directly with the governmental entity or state agency on behalf of the business entity regarding the contract; and
  - c) is not an employee of the business entity. TEX. ETHICS COMM. RULE 46.3(e).

**As a “business entity,” all vendors must:**

- (1) **complete Form 1295 electronically** with the Texas Ethics Commission using the online filing application, which can be found at [https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm)
  - **All vendors must complete Form 1295, even if no interested parties exist**
  - In Section 2, insert “Houston-Galveston Area Council”
  - In Section 3, insert the H-GAC RFP # for this proposal
- (2) **print a copy of the completed form** (make sure that it has a computer-generated certification number in the “Office Use Only” box)
- (3) have an authorized agent of the business entity **sign the form**
- (4) **notarize the form**
- (5) **submit** the completed, signed, notarized Form 1295, with the certification of filing, by **attaching the form to your proposal in Section TAB A**

H-GAC must acknowledge the receipt of the filed Form 1295 by notifying the Texas Ethics Commission of the receipt of the filed Form 1295 no later than the 30<sup>th</sup> day after receipt by H-GAC. After H-GAC acknowledges the Form 1295, the Texas Ethics Commission will post the completed Form 1295 to its website with seven business days after receiving notice from H-GAC.

# CERTIFICATE OF INTERESTED PARTIES

# FORM 1295

Complete Nos. 1 - 4 and 6 if there are interested parties.  
 Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

### OFFICE USE ONLY

**1 Name of business entity filing form, and the city, state and country of the business entity's place of business.**

**2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.**

**3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.**

4 Name of Interested Party	City, State, Country (place of business)	Nature of Interest (check applicable)	
		Controlling	Intermediary

**5 Check only if there is NO Interested Party.**

**6 AFFIDAVIT** I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

\_\_\_\_\_  
 Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said \_\_\_\_\_, this the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_, to certify which, witness my hand and seal of office.

\_\_\_\_\_  
 Signature of officer administering oath      Printed name of officer administering oath      Title of officer administering oath

**ADD ADDITIONAL PAGES AS NECESSARY**

# House Bill 89 Verification Form

## Prohibition on Contracts with Companies Boycotting Israel

The 85<sup>th</sup> Texas Legislature approved new legislation, effective Sept. 1, 2017, which amends Texas Local Government Code Section 1. Subtitle F, Title 10, Government Code by adding Chapter 2270 which states that a governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it:

- 1) does not boycott Israel; and
- 2) will not boycott Israel during the term of the contract

Pursuant to Section 2270.001, Texas Government Code:

1. "Boycott Israel" means refusing to deal with, terminating business activities with, or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations specifically with Israel, or with a person or entity doing business in Israel or in an Israeli-controlled territory, but does not include an action made for ordinary business purposes; and
2. "Company" means a for-profit sole proprietorship, organization, association, corporation, partnership, joint venture, limited partnership, limited liability partnership, or any limited liability company, including a wholly owned subsidiary, majority-owned subsidiary, parent company or affiliate of those entities or business associations that exist to make a profit.

---

I, (authorized official) \_\_\_\_\_,  
do hereby depose and verify the truthfulness and accuracy of the contents of the statements submitted on this certification under the provisions of Subtitle F, Title 10, Government Code Chapter 2270 and that the company named below:

- 1) does not boycott Israel currently; and
- 2) will not boycott Israel during the term of the contract; and
- 3) is not currently listed on the State of Texas Comptroller's Companies that Boycott Israel List located at <https://comptroller.texas.gov/purchasing/publications/divestment.php>

---

Company Name

---

Signature of Authorized Official

---

Title of Authorized Official

---

Date

# CONTRACTOR CONTACT INFORMATION

**ATTENTION Houston-Galveston Area Council (H-GAC) Contractor:** The following information is needed to communicate with your company concerning contract matters which may arise. To expedite the process, we ask that you provide the information requested below. **During the term of this contract, notify H-GAC in writing of any changes to this information by emailing updates to: [cpcontractfax@h-gac.com](mailto:cpcontractfax@h-gac.com)**

## *Section I*

<b>CONTRACTOR:</b> _____	<b>CONTRACT #:</b> _____
<b>Purchase Order:</b> _____	<b>Invoice:</b> _____
Contact Name: _____	Contact Name: _____
Address: _____	Address: _____
City _____ State _____ Zip Code _____	City _____ State _____ Zip Code _____
Telephone No.: _____	Telephone No.# _____
Fax No. _____	Fax No.# _____
Email Address: _____	Email Address: _____

## *Section II*

**CONTRACT INFORMATION:**

*Indicate the person (s) authorized to: sign contracts, request contract price increases, or other contract-related documents. A copy of your corporate resolution may be acceptable for Section II.*

1. Printed Name of Signatory: _____	2. Printed Name of Signatory: _____
Corporate Title: _____	Corporate Title: _____
Tel. No.: _____	Tel. No.: _____
Fax No.: _____	Fax No.: _____
Email: _____	Email: _____

## *Section III*

**SALES CONTACT (Person who end users will contact for product information and pricing quotes)**

Contact Name: _____	Title: _____		
Address: _____			
Street	City	State	Zip
Telephone No.: _____	Fax No.: _____		
Mobile No.: (optional) _____	Email: _____		