



COOPERATIVE PURCHASING PROGRAM
Houston-Galveston Area Council of Governments
3555 Timmons, Suite 120, Houston, TX 77027
Phone: 800-926-0234 Fax: 713-993-4548
www.hgacbuy.org

INVITATION TO SUBMIT COMPETITIVE:

BIDS

PROPOSALS

INVITATION No.: **CM02-21**

ISSUE DATE: **Aug 20, 2020**

CATEGORY: **Portable Construction & Maintenance Equipment**

PURPOSE OF THIS INVITATION

The Cooperative Purchasing Program (HGACBuy) of the Houston-Galveston Area Council of Governments is soliciting offerings for the furnishing of products/services as described herein. These products/services may be purchased by any of more than 8,200 member local governments, districts, agencies in 49 states across the nation.

Any Responses submitted later than 1:00 p.m. on the due date will be returned unopened to the bidder/proposer.

PROCUREMENT SCHEDULE & DETAILS

DRAFT SPECIFICATION / INVITATION:	June 23, 2020
PRE-BID/PROPOSAL CONFERENCE:	July 20, 2020 @ 9:00 a.m. CT
FINAL SPECIFICATION / INVITATION:	August 20, 2020
BID/PROPOSAL RESPONSES DUE:	September 17, 2020 @ 1:00 p.m. CT; H-GAC Clock
PUBLIC RESPONSE OPENING:	September 17, 2020 @ 2:00 p.m. CT; H-GAC Clock
RECOMMENDATIONS TO BOARD:	December 15, 2020
CONTRACT START DATE & TERM:	February 01, 2021 thru January 31, 2023
The documents comprising this Invitation are available via web download at: https://www.hgacbuy.org/bids/	
For questions regarding this Invitation, please contact: Name: Jackie Palmer Phone: 713-993-2466 E-mail: jpalmer@h-gac.com	

CONTENTS OF THIS INVITATION

SECTION A - General Terms & Conditions

SECTION B - Product/Service Specific Requirements & Specifications (Final)

SECTION C - **HGACBuy** FORMS (Final)

SECTION D - Pro-Forma (Sample) Contract

ELECTRONIC SUBMISSION

IMPORTANT:

Responses will be accepted by online electronic submission only. There will be two (2) links provided in the solicitation documents detailing the following:

- How to submit your bid electronically
- Instructions on uploading your bid

These links can be downloaded from HGACBuy's website,
<https://www.hgacbuy.org/bid-notices>



SECTION A
GENERAL TERMS & CONDITIONS
FOR BIDS AND PROPOSALS

INVITATION NO. CM02-21

DESCRIPTION: Portable Construction and Maintenance Equipment

TABLE OF CONTENTS

1.	INTRODUCTION	2
2.	DEFINITIONS, ABBREVIATIONS & ACRONYMS	2
3.	NON-BINDING ORAL COMMENTS	4
4.	STRUCTURE OF RESPONSE	4
5.	BASIC REQUIREMENTS & CONDITIONS.....	4
6.	OFFEROR'S AUTHORIZED SIGNATORY	5
7.	SURETY FOR INSURANCE	6
8.	CONFIDENTIAL / PROPRIETARY MATERIALS	6
9.	REFERENCES	6
10.	INSURANCE	6
11.	OFFEROR CERTIFICATIONS.....	7
12.	HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION	7
13.	NON-RESIDENT RECIPROCAL SALES ACT	8
14.	TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING.....	8
15.	INTENT AND SCOPE OF SPECIFICATIONS	8
16.	REQUIREMENTS APPLICABLE TO PHYSICAL GOODS	8
17.	PRODUCT CODES	8
18.	SPECIFIC DESCRIPTIVE REFERENCES.....	9
19.	MANUALS	9
20.	STANDARD FEATURES & OPTIONS	9
21.	WARRANTIES, SALES & SERVICE	10
22.	H-GAC ORDER PROCESSING CHARGE	11
23.	PRE-PAYMENTS AND DISCOUNTS	11
24.	INSPECTION / TESTING	11
25.	PRODUCT DELIVERY.....	11
26.	OFFERED PRODUCT ITEM VARIANCES	11
27.	REQUIREMENTS FOR SUBMISSION OF A RESPONSE.....	11
28.	CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS.....	13
29.	INCONSISTENT INFORMATION.....	14
30.	REJECTION OF RESPONSES.....	14
31.	WITHDRAWAL OR MODIFICATION OF RESPONSES	14
32.	RESPONSE EVALUATION	14
33.	ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD	15
34.	AWARD OF CONTRACT	15
35.	PRO-FORMA CONTRACT	15
36.	CONTRACT TERM	15

37.	PERFORMANCE & PAYMENT BOND	15
38.	CHANGE ORDERS.....	15
39.	DUPLICATION OF TERMS OR STATEMENTS.....	15
40.	PUBLICITY	15
41.	TAXES	16
42.	DRUG FREE WORKPLACE	16
43.	PRODUCT NOTICES & MAILINGS	16
44.	HANDLING OF ORDERS & PAYMENTS.....	16
45.	PRICE CHANGES.....	17
46.	CONTRACT ITEM CHANGES	17
47.	FORCE MAJEURE.....	18
48.	PERFORMANCE UNDER CONTRACT	18
49.	CONTRACTOR ORIENTATION/TRAINING.....	18
50.	LEGAL & CONTRACTUAL REMEDIES	19
51.	NATIONWIDE SALES OPPORTUNITIES.....	20

1. INTRODUCTION

The Houston-Galveston Area Council (**H-GAC**) is a "Government-to-Government" procurement service for States, State Agencies, Local Governments, Districts, Authorities, and qualifying Not-for-Profit Corporations (**End Users**). End Users become **Members** of the **H-GAC** Cooperative Purchasing Program (**HGACBuy**) by executing an Interlocal Contract, which is free of cost and evergreen unless cancelled. **HGACBuy**, acting on behalf of **Members**, is soliciting competitive offerings for the furnishing of products and/or services, as described elsewhere, which MAY be purchased by **Members** during the contract term. **Members** using the Program issue purchase orders directly to **HGACBuy** contractors.

2. DEFINITIONS, ABBREVIATIONS & ACRONYMS

The following definitions, abbreviations and acronyms may be found in these specifications, and shall be interpreted herein as specified below.

Definitions and Abbreviations:

Acceptance. Acceptance takes place when the **End User** agrees with the **Contractor** that the terms and conditions of the contract have been met and verified. Acceptance is not the same as Receipt, and can only occur after intact shipping, inspection by **End User**, and any onsite testing that has been stipulated as part of the order

Aggregate/Single Occurrence. The term "*aggregate*" in insurance terms is the sum of all claims against a specific policy for a specific loss incident. The term "*single occurrence*" differentiates between multiple claims and single claims against a specific policy. The inherent value of a policy's aggregate value is less important to an **End User** than is the value of a single claim as stated under "*single occurrence*."

Approved. Acceptable to the "authority having jurisdiction."

ARO. "After Receipt of Order". Used in conjunction with a defined time period (usually days or weeks) to establish the delivery or lead time pursuant to any individual purchase transaction. In the case of orders for bodies which will be mounted on a customer furnished cab/chassis, the term ARO shall be construed to mean "After Receipt Of Cab/Chassis".

Authority Having Jurisdiction. The authority shall be either **H-GAC** or the relevant **End User** based on the requirements as stated in each specification item. Unless specifically stated, the authority shall be **H-GAC**.

Bidder. Any entity that submits a competitive bid to this Invitation. (See also "**Offeror**")

Change Order. Request by an **End User** for a change in the composition of an already submitted purchase order, for example to change quantity ordered, add or delete items, etc.

Contract. Specifically, a contract between **H-GAC** and a successful **Offeror** which is executed based on an award made pursuant this Invitation.

Contract Pricing Worksheet. The standard **H-GAC** form to be used by **Contractor** in preparing a quotation to an End User, upon which End User's purchase order will be based. **Contractor** may use another quotation form provided it contains required information, and only if approved by **H-GAC**.

Contractor. The contracted business entity responsible for fulfilling a contract executed pursuant to this Invitation.

Dealer/Distributor. A duly authorized and/or franchised business entity which sells and services a manufacturer's product in a specified marketing area.

Defect. A discontinuity in a part or a failure to function that interferes with the service or reliability for which the part was intended.

Electronic Media. As used herein, means computer based media such as 100mb Zip Disk, CDRom, e-mail, e-mail attachment, file downloaded from the web, etc.

End User. (See "**Participant**" and "**Member**")

Listed. Equipment or materials included in a list published by an organization, acceptable to the "Authority Having Jurisdiction" and concerned with product evaluation, that conducts periodic inspection of production of listed equipment or materials and whose listing states either that the equipment or materials meet appropriate standards or has been tested and found suitable for use in a specified manner. NOTE: The means for identifying listed equipment may vary for each organization concerned with product evaluation, some of which do not recognize equipment as listed unless it is also labeled. The "authority having jurisdiction" should utilize the system employed by the listing organization to identify a listed product.

Manufacturer. The person or persons, company firm, corporation, partnership, or other organization responsible for taking raw materials or components and making a finished product.

May. A term indicating a permissive use or an acceptable alternative to a specified requirement.

Member. An authorized Participant in the Program. (See "**Participant**" and "**End User**")

Motor Vehicle. The meaning of this term shall be based on the legal definition ascribed to it by the laws and/or regulations of the state in which any specific sale made pursuant to a Contract takes place.

Must. A term indicating a mandatory requirement.

Offer or Offering. Any product or service offered in reply to this Invitation.

Offeror. Any entity that submits a competitive bid or proposal in response to this Invitation. Bidder or Proposer.

Participant. Generally, any qualifying governmental or non-profit entity which has executed an Interlocal Contract for cooperative purchasing services with **H-GAC**.

Product Liability Insurance. Failure of Components and/or assembled equipment resulting in personal injury, disability or death and/or property damage is covered under the product liability insurance provisions.

Product or Product Item. Any of the specific goods, materials, equipment or service(s) specified in this Invitation. This term encompasses the base line item itself, and any and all accessories, options, modifications, ancillary services, assembly, testing, etc. that may be included in the delivered Product.

Proposer. Any entity that submits a competitive proposal in response to this Invitation. (See also "**Offeror**")

Purchaser. The **End User** having responsibility for the specification, requisition, ordering and acceptance of the Product or Service. (See also "**End User**")

Purchasing Authority. The agency that has sole responsibility and authority for negotiating, placing and, if necessary, modifying any solicitation, purchase order, or other award issued by a governing body [**H-GAC**].

Quotation. See "Contract Pricing Worksheet".

Receipt. Receipt takes place when a Product or Service is delivered to an **End User** and a document is executed that establishes that the Product is now in the possession of the **End User** or that the Service has been completed. Receipt DOES NOT connote or imply Acceptance.

Response. All or part of any offering submitted in response to this Invitation.

Shall. A term indicating a mandatory requirement or action.

Should. A term indicating a recommended or advised response to a specified requirement.

Vendor. A manufacturer's representative or dealer authorized to make sales and supply parts and service.

Acronyms:

ANSI = **A**merican **N**ational **S**tandards **I**nstitute

ASTM = **A**merican **S**ociety for **T**esting and **M**aterials

ASME = **A**merican **S**ociety of **M**echanical **E**ngineers

CFR = U.S. **C**ode of **F**ederal **R**egulations

DOJ = U.S. Department Of Justice
DOT = U.S. Department Of Transportation
EPA = U.S. Environmental Protection Agency
FAA = Federal Aviation Administration
FMVSS = U.S. Federal Motor Vehicle Safety Standards
H-GAC = Houston-Galveston Area Council of Governments
IEEE = Institute of Electrical and Electronics Engineers
MVD = Motor Vehicle Division of Texas Department of Transportation
NFPA = National Fire Protection Association
NHTSA = National Highway Traffic Safety Administration
NIOSH = National Institute For Occupational Safety And Health
NIST = National Institute of Standards and Technology
NTEA = National Truck Equipment Association
OSHA = U.S. Occupational Safety and Health Administration
RRC = Railroad Commission of Texas
SAE = Society of Automotive Engineers
TBPC = Texas Building and Procurement Commission (formerly GSC)
TxDOT = Texas Department Of Transportation
UL = Underwriter's Laboratories Inc.
VTCS = Vernon's Texas Civil Statutes

3. NON-BINDING ORAL COMMENTS

No oral comment, utterance or response made by any employee, member, or agent of H-GAC or any Member of the Cooperative Purchasing Program shall be considered factual or binding with regard to this Invitation, or any contract awarded as a result of this Invitation. Valid and binding terms, conditions, provisions, changes or clarifications, or requests thereof, shall ONLY be communicated written form.

4. STRUCTURE OF RESPONSE

Depending on the Product or Service, market structures and sales practices can differ substantially. For example, dealers may sell into any market or may be restricted to certain territories, manufacturers may sell direct or may be limited by law to selling thru independent dealerships, etc. H-GAC's objective is to ensure that End Users, no matter where located, can buy contracted products/services and receive quality and timely service and support, while at the same time allowing for the most appropriate and effective response to this Invitation. Therefore, responses to this Invitation will be accepted in conformance with the following scenarios and requirements:

A. Single Respondent Acting Alone Or As "Lead" For A Group:

Offeror shall complete and sign a **Form A** and, if contracted, shall be solely responsible for all contractual requirements including administration, processing of purchase orders and handling of payments for transactions which may involve other dealers who actually deliver the products or services.

B. Multiple Respondents Acting Jointly:

A single Response shall be submitted, and each party to the Response shall complete and sign a separate **Form A** to be included in the single Response. If the Response is successful each party shall sign a separate contract with H-GAC and shall be responsible for compliance with all terms and conditions. Only those which have executed a written contract with H-GAC may process purchase orders and payments.

In any event, Offeror may be a party to one, and only one, response.

5. BASIC REQUIREMENTS & CONDITIONS

- a. The final requirements and specifications contained herein may be different, perhaps materially, from those in the "Invitation To Attend Pre-Bid / Pre-Proposal Conference", if any. It is **Offeror's** sole responsibility to thoroughly examine and review all documentation associated with this Invitation, including any Addendums, and to insure that any response submitted complies in every respect with all requirements.

- b. Any Addendum to this Invitation which may be required prior to the Response due date will be delivered to those prospective Offerors of record who have previously obtained a copy of this Invitation from **H-GAC**. Prospective Offerors shall be responsible for obtaining all documents relating to submission of a Response.
- c. **Offeror** shall thoroughly examine any drawings, specifications, schedules, instructions and any other documents, supplied as a part of this Invitation, and is solely responsible for understanding and compliance.
- d. **H-GAC** shall not be liable for **Offeror's** incomplete documentation, or for any costs associated with preparation and submission of any Response hereto. Additionally, all components of any Response become the property of **H-GAC**, and shall be considered to be in the public domain.
- e. **Offeror** shall make all investigations necessary to become thoroughly informed regarding any plan and/or infrastructure that may be required to support delivery of any Product or Service covered by this Invitation. No plea of ignorance by **Offeror** stemming from failure to investigate conditions that may now or hereafter exist, shall be accepted as a basis for varying **H-GAC's** requirements, or **Offeror's/Contractor's** obligations or entitlements.
- f. Requests for changes to the requirements or specifications herein must be in writing (e-mail, fax, letter) and must be received by **H-GAC** no later than fifteen (15) calendar days prior to the Response Due Date. **H-GAC** will review such requests, but may or may not make changes at its sole discretion. Changes, if any, will only be made by written Addendum sent to addressees of record. In any event, it is **Offeror's** sole responsibility to insure that any and all Addendums which may have been issued have been received and addressed.
- g. By submission of a response, Offeror expressly understands and agrees that all terms and conditions herein will be part of any subsequent contract that is executed pursuant to this Invitation.
- h. **Offeror** is advised that all **H-GAC** contracts are subject to the legal requirements established in any applicable Local, State or Federal statute.
- i. **Offeror/Contractor** must be in compliance with all licensing, permitting, registration and other applicable legal or regulatory requirements imposed by any governmental authority having jurisdiction. It is **Offeror/Contractor's** responsibility to insure that this requirement is met, and to supply to **H-GAC** upon request, copies of any license, permit or other documentation bearing on such compliance.
- j. Unless otherwise established elsewhere in this Invitation, NO minimum purchase quantities or spending levels are provided or guaranteed by **H-GAC** or any **End User**.
- k. This Invitation is not meant to restrict competition, but rather is intended to allow for a wide range of responses.
- l. Responses which are 'qualified' with conditional clauses or alterations of or exceptions to any of the terms and conditions in this Invitation may be deemed non-compliant at **H-GAC's** sole discretion.
- m. The term '**Offeror**', or derivative thereof, shall become synonymous with '**Contractor**' for any successful **Offeror** recommended for a contract pursuant to this Invitation.
- n. **H-GAC** reserves the right to:
 - Reject any and all offers received in response to this Invitation.
 - Reject any part of an offer received in response to this Invitation.
 - Determine the correct price and/or terminology in the event of any discrepancies in any response.
 - Accept a response from, and enter into agreement with, other than the lowest price **Offeror**.
 - Accept responses and award contracts to as many or as few **Offerors** as **H-GAC** may select.
 - Amend, waive, modify, or withdraw (in part or in whole) this Invitation, or any requirements herein.
 - Hold discussions with **Offerors**, although award may be made without discussion.
 - Request an **Offeror** to give a presentation of the Response at a time and place scheduled by **H-GAC**.
 - Exercise any of these rights at any time without liability to any **Offeror**.
- o. **H-GAC** reserves the right to determine that conditions exist which prevent the public opening of responses on the date and at the time advertised, and to reschedule the public opening for a future date and time. Responses received by **H-GAC** by the original deadline will be secured unopened until the rescheduled opening date and time, and those having timely submitted such responses will be notified.

6. OFFEROR'S AUTHORIZED SIGNATORY

The signatory shall be authorized to sign and contractually bind **Offeror**, and shall sign any and all Response documentation requiring a signature.

7. SURETY FOR INSURANCE

Contractor shall be responsible for using a surety company properly licensed by any and all states in which Contractor will do business with Participants. The surety company shall not expose itself to any loss on any one risk in an amount exceeding ten percent (10%) of its surplus to policy holders, provided any risk or portion of any risk shall have been reinsured, and such reinsurance shall be deducted in determining the limitation of risk applicable to **H-GAC's** insurance requirements.

8. CONFIDENTIAL / PROPRIETARY MATERIALS

All documentation submitted as part of **Offeror's** response to this Invitation will be considered to be in the public domain and may be made available to Members and others, after contract award, upon properly submitted request. If **Offeror** submits documents marked “confidential” or “proprietary”, the Response may be deemed non-compliant.

9. REFERENCES

- a. **Offeror** shall list the names of at least five government agencies within the continental United States which have purchased from **Offeror** products or services similar to those covered by this Invitation, within the last two years. **H-GAC** reserves the right to determine if such products or services are appropriately similar.
- b. **Offeror** may provide reference information in whatever format desired, but each should include the following specific information:
 - Agency name
 - Contact person name
 - Address
 - Phone & Fax numbers
 - Description of product(s) or service(s) and date sold
- c. Other information, including criticism however learned, may be used by **H-GAC** in evaluation of responses.

10. INSURANCE

- a. Unless otherwise stipulated in Section B, **Offeror/Contractor** must have the following insurance and coverage minimums:
 - General liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit.
 - Product liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B – Product Specific of this Invitation.
 - Property Damage or Destruction** insurance is required for coverage of **End User** owned equipment while in **Contractor's** possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as part of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.
- b. Insurance coverage shall be in effect for the length of any contract made pursuant to this Invitation, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Offeror/Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Offeror/Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.
- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

11. OFFEROR CERTIFICATIONS

Offeror, by submission of a Response hereto, makes the following certifications under penalty of perjury and possible contract termination if any of these certifications are found to be false.

Non-Collusive Response

- a. The prices in the Response have been arrived at independently without collusion, consultation, communication, or agreement for the purpose of restricting competition, as to any matter relating to such prices with any other **Offeror** or potential competitor.
- b. The prices which have been quoted in the Response (unless otherwise required by law), have not been knowingly disclosed by **Offeror** and will not be knowingly disclosed by **Offeror** prior to the public response opening, either directly or indirectly, to any other **Offeror** or competitor.
- c. No attempt has been made or will be made by **Offeror** to induce any other person, partnership or corporation to submit or not to submit a response for the purpose of restricting competition.

Non-Biased Specifications

This Invitation contains no requirements considered to be unduly biased in favor of **Offeror** or any other **Offerors** that may be competing for this procurement.

No Financial Interest or Other Conflict

- a. No **H-GAC** officer, employee, Board of Directors member or member of any **H-GAC** board or commission, nor family member of any such person, has a financial interest, direct or indirect, in **Offeror** or in any contract **Offeror** might enter into with **H-GAC**.
- b. No economic or employment opportunity, gift, loan, gratuity, special discount, trip, favor or service has been, or will be, offered or given to any officer, employee, Board of Directors member, or member of any **H-GAC** board or commission, nor to any family member of any such person.

Debarment and Suspension Status

- a. **Offeror** is not currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transactions by any government agency, nor is **Offeror** an agent of any person or entity that is currently debarred, suspended, proposed for debarment, declared ineligible or voluntarily excluded from covered transaction by any government agency.
- b. **Offeror** has not within a three year period preceding this Invitation been convicted of or had a civil suit judgement rendered against **Offeror** for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain or performing a public transaction or contract under a public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statement, or receiving stolen property.
- c. **Offeror** is not presently indicted for or otherwise criminally or civilly charged by a government entity (federal, state, or local) with commission of any of the offenses enumerated above.
- d. Offeror has not, within a three year period preceding this Invitation, had any government (federal, state, or local) transactions terminated for cause or default.

Insurance Coverages

Offeror has and will maintain insurance coverage in accordance with the requirements of this Invitation.

Licensing & Permits

Offeror(s) has (have) all licenses and/or permits, required by any and all governmental entities having jurisdiction, to legally sell the products/services offered.

12. HISTORICALLY UNDERUTILIZED BUSINESS (HUB) PARTICIPATION

- a. To satisfy Texas' statutory requirements [Government Code, Chapter 2161, Subchapter D], **H-GAC** requires all **Offerors** to supply information in any bid/proposal response listing (1) the total number of subcontracts and (2) the total number of HUB contracts applicable to the Products or Services offered in the response. Local governments often require this information for their own reporting requirements prior to placing orders through the **H-GAC** Cooperative Purchasing Program.
- b. **Offeror** must complete **Form B** and include subcontracts with HUB's that provide any materials or services related to sales that may be made thru **H-GAC's** Cooperative Purchasing Program.

13. NON-RESIDENT RECIPROCAL SALES ACT

As required by Texas Civil Statutes in the award of contracts, an offeror which is not a Texas resident business must determine if its state of residence prohibits award of government contracts to Texas resident offerors without penalty. If **Offeror's** resident state DOES penalize Texas offerors, **Offeror** must provide this information along with a copy of its applicable resident state's statute in the Response.

14. TEXAS MOTOR VEHICLE COMMISSION CODE & LICENSING

Sales of motor vehicles in the State of Texas are subject to the Texas Motor Vehicle Commission Code. If this Invitation includes any motor vehicle to be sold in the State of Texas, **Offeror** certifies by submission of a response hereto that all required Texas Motor Vehicle Commission licenses are in place and current, and that copies of all such licenses **have been submitted with the Response**. Further, it shall be **Contractor's** responsibility to keep current all required Texas Motor Vehicle Commission licensing during the term of the contract, and to furnish license copies at any time on request by **H-GAC**. If **Contractor** does not maintain current licensing, **H-GAC** reserves the right to immediately terminate the contract.

<p>NOTE: In accordance with the Texas Motor Vehicle Commission Code, contracts for motor vehicles to be sold within the state of Texas may be made ONLY with properly licensed Texas Motor Vehicle Dealers. Therefore, to be considered for a contract covering Texas End Users, the Response must include a Form A from a licensed Texas Motor Vehicle Dealer</p>

15. INTENT AND SCOPE OF SPECIFICATIONS

- a. The intent of the specifications herein is to provide **Offeror** with sufficient information concerning the Products/Services to be contracted such that **Offeror** can prepare and submit an acceptable Response.
- b. The specifications may be detailed or general in nature with regard to any particular Product/Service. Where not otherwise specified, details of construction, materials, or the way in which services will be provided, are left to the discretion of the **Offeror**, provided only that any offering shall conform, as a minimum, to best Industry standards and practices and to what is currently being sold in the marketplace.
- c. Responses shall be considered only from **Offerors** that have established good reputations in their markets, and who furnish satisfactory evidence of ability to supply the Products/Services specified herein.
- d. **Offeror** shall show proof of ability to provide to **End Users** prompt and competent service, including parts if applicable, for all Products/Services covered by this Invitation, by proper completion of a Service Organization Document as described elsewhere herein.

16. REQUIREMENTS APPLICABLE TO PHYSICAL GOODS

In the case of physical goods (e.g. equipment, material, supplies, as opposed to services), all Products offered must, unless otherwise stipulated in Section B:

- a. Be new, unused, and not refurbished.
- b. Not be a prototype insofar as the general design, operation and performance. This requirement is NOT meant to preclude **Offeror** from offering new models or configurations which incorporate improvements in a current design or add functionality, but which in such new model or configuration may be new to the marketplace.
- c. Include any and all accessories which may or may not be specifically mentioned herein, but which are normally furnished or which are necessary to make a delivered Product ready for its intended use. Such accessories shall be assembled, installed and adjusted such that the Product is ready for continuous operation at time of delivery.
- d. Have assemblies, sub-assemblies and component parts that are standard and interchangeable throughout the entire quantity of a particular Product as may be purchased simultaneously by any individual **End User**.
 - a. Be designed and constructed using current industry accepted engineering and safety practices, and materials.
 - b. Be available for inspection at any time prior to or after procurement.

17. PRODUCT CODES

Unless otherwise addressed in Section B of this Invitation, the following requirements shall apply:

- a. Each Product/Service offered shall be uniquely identified using an **H-GAC** Product Code, which shall be determined as described in Section B of this Invitation. **Offeror** shall offer ONLY ONE Product for any particular Product Code. For example, **Offeror** may wish to submit a bid for Product Code ABC and may have another offering that also meets the requirements for ABC. **Offeror** MAY NOT submit two offerings for ABC. The alternate offering that also meets the requirements for ABC must be offered as an option "upgrade/downgrade" to ABC on **Form E**.
- b. Pricing for optional upgrades or downgrades to base bid items should be quoted as an "adder" or "deduct" amount as appropriate, to be applied to the offered price of the base Product Item listed on **Form D**.
- c. Base bid items and their associated HGACBuy Product Codes are included in the Section B and/or on **Form D**.
- d. Selection of Product Codes for which to submit an offer is at **Offeror**'s sole discretion.

18. SPECIFIC DESCRIPTIVE REFERENCES

Except for Base Product Items listed on Form D, any reference to a specific catalog, data sheet, form, brochure, model name or number, etc. used herein to describe an item such as an option or accessory is only descriptive and is not to be considered restrictive unless otherwise noted. Such references are normally used only to indicate a type, general description, level of quality and/or required performance standards.

19. MANUALS

Unless otherwise specified or superceded herein, each Product delivered under an **H-GAC** contract, and if applicable any options thereto, shall be supplied with at least one (1) copy of a safety and operating manual. The cost of any such manuals must be included in the base price for any Product Item offered hereunder. If more detailed and technically orientated parts and maintenance manuals are available for a Product or option, at a cost, they shall be offered as options on the *FORM* designated herein for such options, or elsewhere in the Response as may be directed herein.

20. STANDARD FEATURES & OPTIONS

The following requirements are applicable primarily to physical goods.

Standard Features

- a. The stated minimum requirements for all Products listed herein include what **H-GAC** considers to be "standard" features. Even though such features might normally be offered as options rather than as standard, they are nonetheless considered to be standard in this Invitation, and must be included in the base price for any Product offered. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.
- b. If it is unclear in the Response that an **H-GAC** standard feature is included in the base price, it will be assumed that such is the case. If awarded a contract **Offeror** will be expected to sell the Product with all **H-GAC** specified standard features included in the base price.
- c. Any feature or accessory normally offered by manufacturer as "standard" shall be considered a standard feature and shall be included in the base price of any offering, even though not specifically listed as a requirement in **H-GAC**'s specifications. Such features **SHOULD NOT** be offered as options except as deducts for their omission from the base Product.

Options - General

- a. Options are considered to be any features or accessories, other than **H-GAC**'s and Manufacturer's "standard" features or accessories.
- b. Options should be offered on the *FORMS* designated for quoting options. Each option should be listed and described on a separate line, and should include any Manufacturer's/Dealer's code number. If no Manufacturer's/Dealer's code number exists, **Offeror** should create one.
- c. Prices for all offered options shall be assumed to include any installation or mounting required to make it a fully functional component of the Product, unless otherwise stated in **Offeror**'s response.

Required Options

- a. Product specifications in this Invitation may include **H-GAC** "Required Options". If so, **Offeror** must quote a price for ALL such options, and, if there is an **H-GAC** Option Code provided in this Invitation for such options, it MUST be used as part of the description.
- b. For any specific "Required Option", **Offeror** may quote an equivalent so long as its design and performance are as good as, or better than, the specified option item. Responses which do not include pricing for Required Options may be considered non-compliant.

Other Options

- a. "Suggested" or "Other" options may be listed for any particular Product in this Invitation, and **Offeror** is encouraged to quote pricing for such options. The extent of offered options in any response may be taken into consideration as part of the award criteria, at **H-GAC's** sole discretion.
- b. **Offeror** is encouraged to include options for non-equipment items that may be applicable to a sale, such as: Extended Warranties, Maintenance Agreements, Buy-back or Trade-In Agreements, Out-of-state Delivery Charges, Quantity or Special Discounts, Extended Training Classes, etc.

Published & Unpublished Options

- a. H-GAC Cooperative Purchasing Program (Program) contracts are awarded through a public competitive bid or proposal (RFP) process. Further to that process, Program policy considers an 'option' listed and priced in a bid or RFP Response: (1) To be a "**Published Option**"; (2) To be part of any awarded contract; and (3) To be available for purchase by Program members separately and independently from associated base line items. However, since Published Options may have not been subjected to the same scrutiny as the associated base line items, it cannot be concluded they were directly competed. Therefore, pursuant to Local Government Code 252.021(a), purchase of a published option costing more than \$50,000 shall not be allowed. Furthermore, **H-GAC** reserves the right at its sole discretion to disallow purchase of any Published Option through the Program if deemed contrary to the intent of the law.
- b. Any option that has not been listed and priced in the Response is considered to be an "**Unpublished Option**". Unpublished Options may be sold, but only in connection with the sale of a base Product Item, and only insofar as the total cost of all Unpublished Options remains below twenty five percent (25%) of the total summed cost of the base Product(s) plus any Published Options.
- c. No Published or Unpublished Option may be sold which essentially converts a Product such that it competes with a Product Item awarded to another contractor.

21. WARRANTIES, SALES & SERVICE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Offeror must be a properly franchised dealer authorized to sell and service, including warranty service, all products offered and sold in response to the bid invitation or under any **H-GAC** contract.
- b. **Offeror** shall provide detailed Parts and Labor Warranty information with the Response. If **Offeror** submits a warranty with the Response which does not meet the minimum requirements herein, **Offeror** agrees by submission of a Response that such warranty shall be considered to be amended to meet those minimums.
- c. Warranties shall be manufacturer's standard and shall be inclusive of any other warranty requirements which may be stipulated elsewhere herein.
- d. Any warranties offered by a dealer shall be in addition to the manufacturer's standard warranty, and shall not be a substitute for such. **Offeror's** base price for any Product shall be inclusive of the standard warranty.
- e. Complete warranty information will be supplied to **End User** with each Product sold.
- a. Warranties need not apply to normal maintenance service or adjustments, or to any product reasonably shown to have been repaired or altered in any way so as to affect its stability, or to any product which has been subject to misuse, negligence, or accident.
- f. **Offeror/Contractor** is encouraged to offer extended warranties as an option.
- g. Neither **H-GAC** nor **End User** assume any warranty or liability on **Contractor's** behalf unless made or assumed in writing, initiated by **Contractor**, and agreed to in writing by **H-GAC** or the **End User** respectively.
- h. **Contractor** shall be responsible for the execution and effectiveness of all product warranty, and shall be the sole source for solution to problems arising from warranty claims. **Contractor** agrees to respond directly to correct warranty claims and to ensure reconciliation of warranty claims that have been assigned to a third party.

22. H-GAC ORDER PROCESSING CHARGE

H-GAC will levy an Order Processing Charge on **Contractor** for each sale done thru the **H-GAC** contract, with the exception of orders for motor vehicles. Any bid pricing submitted will be considered to include the Charge. The amount of the applicable charge shall be per the most current **H-GAC** schedule. For motor vehicle orders, the Processing Charge shall be levied on and paid by the **End User**.

23. PRE-PAYMENTS AND DISCOUNTS

- a. Progress, pre-payment and special discounts of any kind may be offered and detailed in the Response. Such discounts shall be clearly explained, but shall not be a determining factor in awarding contracts except in the case of tie offerings.
- b. Quantity discounts applicable to similar Products sold to one or more **End User** Departments may be offered. Determination as to product similarity shall rest solely with **Contractor**.
- c. For specific purchases, any proposed quantity, pre-payment or special discounts shall be clearly shown on the Contract Pricing Worksheet.

24. INSPECTION / TESTING

All Products sold pursuant to this Invitation shall be subject to inspection/testing by or at the direction of **H-GAC** and/or the ordering **End User**, either at the delivery destination or the place of manufacture. In the event a Product fails to meet or exceed all requirements of this Invitation, and unless otherwise agreed in advance, the cost of any inspection and/or testing, shall be borne by the **Contractor**.

25. PRODUCT DELIVERY

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Title to goods, and responsibility and liability for loss and/or damage in shipping pass to **End User** at the delivery destination after receipt and acceptance have taken place. Cost of shipping/delivery shall be paid by **End User** unless otherwise agreed to by **Contractor**. If **Contractor** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination, Freight Prepaid". If **End User** will be paying for shipping/delivery, shipping terms must be "F.O.B. Destination – Freight Collect".
- b. The details for the application and calculation of shipping and delivery charges must be stated in the Response on **Form E**. Any freight, shipping or delivery charged to **End User** will be prepaid and added to the invoice, and will be clearly shown on any Contract Pricing Worksheet or other quote presented to the **End User**.
- c. The estimated delivery time after receipt of order (ARO), inclusive of Saturdays, Sundays and holidays, for all Products offered must be stated in the Response. Actual delivery for any particular order must be confirmed with **End User** at time of order placement, and must be stated clearly on the Contract Pricing Worksheet.
- d. **Contractor** shall be responsible for delivery and Acceptance according to the requirements of the Contract and the Purchase Order.
- e. **Contractor** shall advise **End User** prior to making any shipment/delivery, and shall make such shipment/delivery in accordance with **End User's** requirements, providing only that such arrangements do not contravene any requirement of the **H-GAC** contract unless agreed to by **Contractor**.
- f. The execution of all required tests, certifications and/or licensing, and costs thereof, shall be the responsibility of **Contractor**. Upon request by **End User** or **H-GAC**, **Contractor** shall provide any documentation or certification related to such tests, certifications or licensing.

26. OFFERED PRODUCT ITEM VARIANCES

Any variance in the specifications or performance of Products offered pursuant to this Invitation shall be acceptable to **H-GAC** only insofar as it MEETS or EXCEEDS the specifications and requirements of this Invitation.

27. REQUIREMENTS FOR SUBMISSION OF A RESPONSE

Unless otherwise addressed in Section B, the following requirements shall apply:

- a. Responses shall be submitted in two complete printed sets including an Original and one (1) Copy in separate "hard side" three-ring binders. The outer spine of each binder shall be labeled showing this Invitation No., **Offeror** Name, and either "Original" or "Copy", as applicable. The Original printed response will be

considered to be the binding Response in case of any conflicts between printed copies and electronic copies. Except for required forms, **H-GAC** Invitation documents should not be included in the Response.

- b. The Original and the Copy shall be submitted complete, except that the Electronic Media should be submitted only with the Copy.
- c. All required **H-GAC FORMS** and documents shall be properly completed, without exception or **Offeror's** Response may be deemed non-compliant. **Offeror** may not modify the format of any **H-GAC FORM** in any way. **Offeror** may photocopy or print blank **FORMS** as needed. Information submitted on the printed copies of the **FORMS** may not be handwritten except for signatures and initials. It is **Offeror's** responsibility to insure that printed **FORMS** are clear and legible. Handwritten and illegible entries may be rejected. **Offeror's** printed, stamped or typed name shall appear on every **FORM** submitted in the Response.
- d. **The entire response submission** shall also be submitted on electronic media, including all required **H-GAC FORMS**. **Offeror** is strongly advised to make and work with copies of the original electronic **FORMS**. The originals can then be used to make additional electronic or printed copies of the blank **FORMS**. Signatures are not required on the electronic **FORMS**.
- e. The Response shall include ample written evidence, in the form of technical specifications, cut/tear sheets, brochures, pictures, drawings, etc., to demonstrate that all specifications herein have been met and/or exceeded.
- f. The Response shall include, in any format desired, an overview of the **Service Organization** which will support Products sold under any **H-GAC** contract. The overview must include facility locations, phone numbers and Service Manager names, as well as the following:
 - The procedure to be used by an **End User** requiring repairs.
 - Typical turn-around time on repairs.
 - Service Department days and hours of operation.
 - Number of qualified / factory trained service personnel normally on hand.
 - Description of the parts inventory on hand.
 - Training services, facilities and personnel available.
- g. Responses shall be enclosed in a sealed package(s) addressed to the Houston-Galveston Area Council, Cooperative Purchasing. The following information shall be stated on the exterior of the package(s):
 - Name and address of **Offeror**.
 - Date and hour of public response opening.
 - Bid/Proposal Invitation number.
 - The statement: "**SEALED BID/PROPOSAL, DO NOT OPEN IN MAIL ROOM**".**H-GAC** shall not be responsible for any Response not properly labeled.
- h. Submission of a COMPLETE Response by telegraphic or electronic transmission is not acceptable. However, Responses may be modified by telegraphic or electronic notice if such notice is received prior to the deadline for submission.
- i. Samples, when required, shall be submitted within the time specified and at no expense to **H-GAC**. If not destroyed or consumed during testing, samples will be returned upon request at **Offeror's** expense.
- j. **Offeror** shall provide firm contract pricing for all Products and Options being offered.
- k. If applicable, responses shall include copies of all current licensing which may be required by the Texas Motor Vehicle Division for execution of sales pursuant to any contract with **H-GAC**.
- l. Due to the complexity of responses and to aid in evaluation, the Response should contain **ALL** required information in tabbed sections as detailed below. Omission of any required **FORM** or information will be sufficient grounds for **H-GAC** to consider your response to be non-compliant.
- m. **First Section:**
 - **Form(s) A – Offeror Identification & Signatory:** Identifies the offering party(ies), and should be completed by each party to the Response. If awarded, a contract will be executed with each.
 - **Form B – Historically Underutilized Business Enterprises:** Used to collect information about disadvantaged and minority suppliers and subcontractors, and to commit **Offeror** to working with Participants toward their program goals.
 - **Form C – Response Checklist:** Certification, and also an aid, to insure that all required information has been included in your Response.

- **Form W-9 – Request for Taxpayer Identification Number and Certification:** Should be completed by each party to the response.
- **Form CIQ – Conflict Of Interest Questionnaire:** Chapter 176 of the Texas Local Government Code requires vendors and consultants contracting or seeking to contract with **H-GAC** to file a Conflict of Interest Questionnaire (CIQ) if they have an employment or other business relationship with an **H-GAC** officer or an officer's close family member. The required questionnaire is located at the Texas Ethics Commission website: http://www.ethics.state.tx.us/whatsnew/conflict_forms.htm. It is Bidder's responsibility to download the form and furnish a completed copy with the Response.
- **Form 1295 – Certificate of Interested Parties –** Must be filled out electronically with the Texas Ethics Commission's online filing application, printed out, signed and provided from each entity that has submitted a Form A for this submission.
- **House Bill HB 89 Verification Form –** completed and signed and provided from each entity that has submitted a Form A for this submission.
- **References,** formatted as described elsewhere herein.
- **Service Organization Document,** formatted as described elsewhere herein.

Second Section:

- **Form D – Offered Items Pricing:** For Bids, contains the list of the Product Items covered by this Invitation. Select the items offered and fill in the price for each. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)
- **Form E – Published Options:** Used to list and price all offered options. List, each on a separate line, all upgrades, downgrades, optional equipment, features, accessories and services which you desire to sell thru the **H-GAC** contract, if awarded. Published catalogs/price sheets may be listed, along with the discount structure that will apply. (For RFPs, follow the instructions in Section B as this **Form** may or may not be used.)

Third Section:

- Technical Specifications, Product Brochures, Tear Sheets, Cut Sheets, Strippers, etc. which clearly list and show all the standard features and capabilities of each Product Item offered on Form D.
- Warranty Documentation, as described elsewhere herein, for all items offered.

Fourth Section:

- Copies of any applicable Texas MVD Licenses.
 - Electronic Media, containing the complete response including all required *FORMS*, stored in a pouch or an envelope such that it will not fall out of the binder. (Required in 'Copy' only, not in 'Original'.)
- n. By submittal of Response, **Offeror** certifies to the best of its knowledge that all information is true and correct.

28. CLARIFICATION TO SPECIFICATIONS & REQUIREMENTS

- If **Offeror** is in doubt as to the meaning of any item in this Invitation, a written request for clarification may be submitted to **H-GAC** up to fifteen (15) calendar days prior to the deadline for response submission. **H-GAC** shall not be responsible for late delivery. Requests may be transmitted by FAX or e-mail to the assigned Specification Specialist, and should clearly reference this Invitation number and the specific page and paragraph in question. If there are multiple questions, they should be stated separately and numbered.
- Any interpretation of Invitation documents, if made, will be by written Addendum duly issued. A copy of such Addendum will be mailed or delivered to each person officially on record as having been sent a copy of this Invitation. **H-GAC** will not be responsible for any other explanation or interpretation of the Invitation documents made or given prior to the award of the contract.
- Any objections to the Invitation documents must be filed in writing with **H-GAC** on or before fifteen (15) calendar days prior to the deadline for submission of responses.
- Prospective offerors are advised that, after a draft specification has been issued, the Pre-Bid/Proposal Conference is the primary forum through which comments and suggestions may be offered for consideration by **H-GAC** prior to issuance of the final invitation and specifications.

- e. All best efforts have been made to insure that the product/service descriptions and associated specification information in Sections B & C are correct, and adequate time has been given to prospective Offerors to point out mistakes. However, if an error remains and is caught by Offeror before the scheduled bid/proposal opening, Offeror shall make note of the required correction in the Response, and shall also notify **H-GAC** prior to the opening of responses.

29. INCONSISTENT INFORMATION

H-GAC review of responses supplied on **H-GAC FORMS** is a significant part of the evaluation process. **Offeror** shall state clearly all information required on the **FORMS**. **Offeror's** information supplied on the **FORMS** shall take precedence in the event any standard “boilerplate” type language included in **Offeror's** response is inconsistent with the information supplied by **Offeror** on the **H-GAC FORMS**. In all cases, information on **H-GAC's** printed **FORMS** supplied as part of **Offeror's** response shall take precedence over information supplied on electronic media.

30. REJECTION OF RESPONSES

- a. **H-GAC** may reject a response if:
 - **Offeror** misstates or conceals any material fact in the Response, or if,
 - **Offeror** does not strictly conform to law or the requirements of this Invitation.
- b. **H-GAC** may reject any and all responses, and may reject any part of a response.
- c. **H-GAC, at its sole discretion,** may also waive any formalities or irregularities in any response, or ask for corrected information except for pricing.
- d. **The following occurrences require disqualification of the bid/proposals:**
 - Unsigned or unauthorized signatures on bids/proposals;
 - Bids received after the date and time for opening
 - Bids where prices are conditional on award of another bid or are subject to unlimited escalation
- e. **H-GAC** may refuse to award a contract to or enter into a transaction with an apparent low bidder if that bidder is indebted to **H-GAC**.

31. WITHDRAWAL OR MODIFICATION OF RESPONSES

Once received by **H-GAC**, responses may be modified or withdrawn prior to the submission deadline only if the request to do so is in writing submitted by **Offeror's** authorized representative. Responses and requests for modification received after the submission deadline will not be accepted. Requests for response withdrawal received after the submission deadline will be accepted if the request to do so is in writing submitted by **Offeror's** authorized representative.

32. RESPONSE EVALUATION

For Bid Responses:

- a. Section B will state whether the contract will be awarded to the lowest responsible bidder or to the bidder who provides goods or services at the best value for **H-GAC** and its participants.
- b. If the contract will be awarded based on best value, Section B will state any relevant criteria which **H-GAC** will consider.
- c. For each offered Product Item, **H-GAC** may use the offered price, prices for Required Options, and the prices of selected common Published Options to determine the lowest responsible offer.
- d. Failure of **Offeror** to submit pricing for frequently purchased options and any **H-GAC** required options may cause response to be considered non-compliant at **H-GAC's** sole discretion.

For Proposal Responses:

- e. **H-GAC** will evaluate proposals as detailed in Section B.
- f. By submission of a Response Offeror indicates acceptance of the evaluation technique, and recognizes and accepts that **H-GAC** may at its sole discretion make subjective judgments during the evaluation process.

33. ORDER OF PRECEDENCE PRIOR TO CONTRACT AWARD

In the event of conflict between this document and any references or documents cited herein, this document shall take precedence prior to contract award.

34. AWARD OF CONTRACT

- a. **H-GAC** reserves the right to accept or reject any Product Item or option offered. Additionally, all options included in Offeror's response and accepted by **H-GAC** are understood to be included in any contract.
- b. **H-GAC** shall award contract(s) for line items or groups of line items, at its sole discretion.
- c. With authority granted by the **H-GAC** Board of Directors, a written contract shall be presented to the successful **Offeror(s)** and shall be subject to acceptance by the successful **Offeror(s)** within forty-five (45) calendar days after presentation by **H-GAC**. If a contract is not executed within forty-five (45) calendar days, **H-GAC** may rescind the contract offer and award a contract to the next **Offeror** in order of rank as determined by **H-GAC**.
- d. Delivery time and prompt payment discounts, including time allowed for payment, may be considered in tie-breaking of offers which are judged by **H-GAC** to be equal in all other criteria.
- e. The contract shall include the following documents in the stated order of precedence:
 - 1st The contract document signed by **H-GAC** and **Offeror**.
 - 2nd This Invitation and all specifications referenced herein.
 - 3rd **Offeror's** response to this Invitation.

35. PRO-FORMA CONTRACT

This Invitation includes a Pro-Forma (sample) Contract which successful offerors will be expected to sign. The actual final contract will be the same or nearly the same as the Pro-Forma. NOTE: Successful Offerors MAY NOT process any purchase orders until the contract documents have been executed and returned to **H-GAC**.

36. CONTRACT TERM

The contract shall be in effect throughout the period stated elsewhere in the contract documents, and thereafter until such time as any outstanding orders against the contract have been fulfilled. The contract may be extended if deemed by **H-GAC** to be in the best interests of the Program, and subject to mutual agreement of the parties.

37. PERFORMANCE & PAYMENT BOND

H-GAC's contractual requirements DO NOT include a Performance & Payment Bond (PPB), and offered pricing should reflect this cost saving. However, **Contractor** must be prepared to offer a PPB to cover any specific order if so requested by **End User**. **Contractor** shall quote a price to **End User** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **End User's** purchase order.

38. CHANGE ORDERS

End Users shall have the right to make additions by addenda for the purpose of clarification or inclusion of additional specifications, qualifications, conditions, etc. Any such addenda shall be made in writing and agreed upon by **Contractor** and the **End User** agency prior to issuance of any Change Order. A copy of any such Change Order shall be furnished by **Contractor** to **H-GAC**.

39. DUPLICATION OF TERMS OR STATEMENTS

Where statements or terms are duplicated or are extremely similar, **H-GAC** and the **End User** reserve the right to use the statement or term most favorable to **H-GAC** and/or the **End User**.

40. PUBLICITY

H-GAC encourages contractors to "market" the Program, and can provide some information and artwork to be used in published promotional materials. However, any publicity or published material released by **Contractor** referencing the contract, whether in the form of a press release, brochure, photographic coverage, or verbal announcement, shall be issued only with prior review and approval by **H-GAC**.

41. TAXES

HGAC and **End User** participants are either units of government or qualified non-profit agencies, and are generally exempt from Federal and State sales, excise or use taxes. **Offeror** shall not include any such taxes in the Response. Further, it shall be the responsibility of **Contractor** to determine the applicability of any taxes to a particular order and act accordingly. Exemption certificates will be provided upon request.

42. DRUG FREE WORKPLACE

Contractor shall provide notice to its employees and sub-contractors, as required under the Drug-Free Workplace Act of 1988. A copy of **Contractor's** Drug-Free Workplace policy shall, on request, be furnished to any **End User**.

43. PRODUCT NOTICES & MAILINGS

H-GAC is NOT the owner of Products sold pursuant to this Invitation, but acts only in the capacity of purchasing agent. In that regard, **Contractor** accepts sole responsibility for insuring that notices and mailings, such as Safety Alerts, Safety Recall Notices and Customer Surveys, are sent directly to the **End User** of record.

44. HANDLING OF ORDERS & PAYMENTS

In general, orders and payments will be handled as described below. More specific instructions and information regarding handling of purchase orders and the Order Processing Charge may be provided after contract award. Established procedures may be changed at any time by **H-GAC** as may be dictated by efficient business practice. The particulars of any sale, e.g. specific products, pricing, delivery, warranty, etc., will be in strict accordance with the terms and conditions of this Invitation and the specific contract awarded to **Contractor**. Beyond that:

- a. For any particular procurement to be made under the provisions of an **H-GAC** contract, **End User** and **Contractor** will discuss requirements and agree as to what will be provided.
- b. **Contractor** will prepare a Contract Pricing Worksheet and provide it to **End User**. The Worksheet will list everything being purchased including the base bid item(s), all published and unpublished options and the delivery date. All pricing shall be per the current contract.
- c. **End User** will send a purchase document to **Contractor**, which **Contractor** will send **H-GAC** together with the Contract Pricing Worksheet. **NOTE: Contractor** agrees not to offer, agree to or accept from **End User** any terms or conditions that conflict with or contravene those in **Contractor's** **H-GAC** contract, except for pricing discounts.
- d. **H-GAC** will prepare an "Order Confirmation" and send it to **End User** and to **Contractor**. The Order Confirmation verifies that **Contractor** has a valid **H-GAC** contract and that the order is in compliance with the requirements of the **H-GAC** Cooperative Purchasing Program. **Contractor** will not ship any goods before receipt of both **End User's** purchase document and **H-GAC's** Order Confirmation.
- e. On notification that **Contractor** has received an order, **H-GAC** will invoice **Contractor** for the applicable Order Processing Charge. **NOTE: The Order Processing Charge is charged to Contractor, EXCEPT in the case of motor vehicles.** For all sales of motor vehicles the Order Processing Charge is levied on the **End User**, collected by **Contractor**, and remitted to **H-GAC** by **Contractor**.
- f. **Contractor** will deliver products/services ordered, and will invoice **End User** for products/services accepted by **End User**. (See other Sub-Section herein dealing with Product Delivery.) **Contractor** will not invoice before shipment has been made.
- g. **End User** will pay **Contractor** for those products and/or services ordered which have been received and accepted. Under no circumstances shall any check be made payable to a representative or agent. Should a representative or agent submit an invoice to **End User** for any cost related to a purchase order issued to **Contractor** for products/services covered by an **H-GAC** contract, such invoice shall be forwarded to **Contractor** and **Contractor** will take action to correct the error.
- h. Upon delivery of any product/service by **Contractor** and acceptance by **End User**, **Contractor** shall remit to **H-GAC** the full amount of the applicable Order Processing Charge in accordance with the payment terms established in the **H-GAC** contract. Note, the Order Processing Charge is due whether or not **Contractor** has ever received an invoice from **H-GAC**. Sales executed based on the particulars of **Contractor's** **H-GAC** contract, without payment of the Order Processing Charge, may constitute fraud.

45. PRICE CHANGES

- a. Any permanent increase or decrease in offered pricing for a base contract item or published option is considered to be a price change. Temporary increases in pricing by whatever name (e.g. 'surcharge', 'adjustment', 'equalization charge', 'compliance charge', 'recovery charge', etc.), are also considered to be price changes.
- b. Except in the case of contracted published catalogs and price sheets, prices for Base Bid Items and Published Options are expected to be held firm for a minimum of 90 days from the date an awarded Offeror signs the H-GAC contract. Thereafter, changes will be considered if accompanied by justifying documentation satisfactory to H-GAC. For published catalogs and price sheets which are on an H-GAC contract, requests to amend the contract to reflect any new published catalog or price sheet may be submitted whenever the manufacturer publishes the new document. Any such request must include the new catalog or price sheet.
- c. If **Contractor** routinely offers discounted contract pricing, **H-GAC** may request **Contractor** to accept amended contract pricing equivalent to the routinely discounted pricing.
- d. No price change will be allowed unless it has been reviewed and approved by **H-GAC** in writing. **Contractor** must have received **H-GAC's** written approval of any change prior to charging the new price or using it in any quotation prepared for an End User.
- e. Price change requests must be submitted to **H-GAC** in writing and must be received by **H-GAC** at least thirty (30) calendar days prior to the requested effective date of the change, and must state the time period for which the requested pricing will remain firm.
- f. Price change requests shall include **H-GAC Forms D and E**, or whatever documentation was used to submit pricing in the original Response hereto, showing all affected items with current contract price, requested price, and percentage change shown clearly for each. This documentation should be submitted in MSExcel format to facilitate analysis and updating of the website.
- g. Price change requests **MUST** be supported with substantive documentation (e.g. manufacturer's price increase notices, copies of invoices from suppliers, etc.) showing that **Contractor's actual costs** have increased. The Producer Price Index (PPI) may be used as partial justification, subject to approval by **H-GAC**, but no price increase based solely on an increase in the PPI will be allowed.
- h. All Products shall, at time of sale, be equipped as may be required under any then current applicable local, state, and federal government requirements. If, during the course of any contract, changes are made to such government requirements which cause a manufacturer's costs of production to increase, **Contractor** may increase Product pricing to the extent of **Contractor's** actual cost increase. The increase must be substantiated with support documentation acceptable to **H-GAC** prior to taking effect. Modifications to a Product required to comply with such requirements which become effective after the date of any sale shall be the responsibility of the **End-User**.
- i. In cases involving contract extensions exceeding sixty-one (61) days beyond the stated expiration date of the contract, **Contractor** may request a price change based on the same conditions as stated above. However the thirty (30) day prior notice is waived and **H-GAC** will consider the request immediately on receipt.
- j. H-GAC reserves the right to accept or reject any price change request. Acceptance, if granted, will be in writing and the approved changes will become part of the contract.

46. CONTRACT ITEM CHANGES

- a. If a manufacturer discontinues a contracted item, that item will automatically be considered to be deleted from the contract with no penalty to Contractor. However, **H-GAC** may at its sole discretion elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.
- b. If a manufacturer makes any change in a contracted item which does not affect the contract price, Contractor shall advise **H-GAC** of the details. If the 'new' item is equal to or better than the originally contracted item, the 'new' item shall be approved as a replacement. Otherwise **H-GAC** may allow or reject the change, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion. If the change is rejected there will be no penalty to Contractor.
- c. If a manufacturer makes any kind of change in a contracted item which affects the contract price, Contractor shall advise **H-GAC** of the details. **H-GAC** may allow or reject the change at its sole discretion. If the change is rejected there will be no penalty to Contractor. However, **H-GAC** may elect to make a contract award to the next low offeror for the item, or take any other action deemed by **H-GAC** to be in the best interests of **End Users**, at its sole discretion.

- d. In the case of specifically identified catalogs or price sheets which have been contracted as base bid items or as published options, routine published changes to products and pricing shall be automatically incorporated into the contract. However, **Contractor** must still provide thirty (30) calendar days written notice and an explanation of the changes to products and pricing. **H-GAC** will respond with written approval.

47. FORCE MAJEURE

If either party shall be wholly or partially prevented from the performance of any contractual obligation or duty by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident., order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of Force Majeure shall rest solely with **H-GAC**.

48. PERFORMANCE UNDER CONTRACT

H-GAC is committed to insuring that **Contractor** provides effective and efficient service to all Participants in the Cooperative Purchasing Program, and expects that certain Performance Conditions must be met. Failure to meet these conditions may result in contract termination. In that regard, **Contractor shall:**

- a. Appoint a dedicated representative to be the contact person and focal point for all matters relating to End User quotations and orders. The representative shall have: A toll free phone number with voice mail; A fax number; A working e-mail address; and A postal address.
- b. Insure that the representative timely monitors all communication modes listed above, and promptly responds to communications from **End Users** and **H-GAC** in any of these modes. Phone calls will be promptly returned, in any event not later than the next business day. Acceptable failure will be due only to Force Majeure.
- c. Maintain sufficient qualified staff to promptly process all communications from **H-GAC** or **End Users**, and to efficiently, effectively and accurately service all requirements of the contract.
- d. As may be requested by **H-GAC**, replace any staff members who are not providing the service and expertise deemed necessary by **H-GAC** for acceptable support of **End Users**.
- e. Properly prepare and provide to **End User** a Contract Pricing Worksheet, or a quotation in other format as approved by **H-GAC**, for each and every order that is to be executed.
- f. Furnish, on request of **H-GAC**, reasonable data, forms and graphic material to be used in brochures or other print media, or on **H-GAC**'s website.
- g. Allow access to **H-GAC** authorized personnel for inspection of operating facilities, and auditing of purchase orders during the contract period, and for a period extending thru the completion of any outstanding orders. Site inspection may be arranged not less than ten (10) calendar days prior, shall include the names of all participants, and shall be at no expense to **Contractor**.
- h. **Reporting Requirements:**
 - **Contractor** agrees to submit written quarterly reports to **H-GAC** detailing all transactions during the previous three month period. Such reports shall include, but are not limited to the following:
 - **End User** name
 - Product/Service purchased, including Product Code if applicable
 - End User Purchase Order Number
 - Purchase Order Date
 - Product/Service dollar amount
 - **HGACBuy** Order Processing Charge amount
 - Reports must be provided to **H-GAC** in MSExcel or other acceptable electronic format, and are due by the 30th day of the month following the applicable quarter being reported.
- i. Should **Contractor** default in providing Products or Services as required by this Invitation and the contract, recourse may be exercised thru cancellation of the contract and other legal remedies as may be appropriate.

49. CONTRACTOR ORIENTATION/TRAINING

H-GAC believes that **Contractor's** familiarity with the operational policies and requirements of the Cooperative Purchasing Program is a key factor in achieving **End User** satisfaction. In that regard, the Contact Person listed on **Form A**, or an alternate, shall be required to participate in an **H-GAC** vendor orientation/training as soon as

possible after contract award. In addition, any other of Contractor's staff who will be involved in any way with the HGACBuy Program should participate in orientation. The orientation may be presented as a teleconference or webinar, or may be held in **H-GAC**'s offices as may be determined by **H-GAC** and Contractor to be the most efficient and effective form of delivery.

50. LEGAL & CONTRACTUAL REMEDIES

RESOLUTION OF PROTESTED SOLICITATIONS AND AWARDS

Procedure

Any actual or prospective **Offeror** or **Contractor** who is aggrieved in connection with a purchase transaction may file a grievance. The grievance may be filed at any phase of the procurement. In order for an above mentioned party to enter the grievance process, a written complaint must be sent to the Chief Operations Officer (COO) of **H-GAC** by certified mail which identifies the following:

1. Name, mailing address and business phone number of the complainant.
2. Appropriate identification of the procurement being questioned.
3. A precise statement of reasons for the protest.
4. Supporting exhibits evidence or documents to substantiate any claims.

The grievance must be based on an alleged violation of **H-GAC**'s Procurement Procedures, a violation of State or Federal law (if applicable), or a violation of applicable grant or contract agreements to which **H-GAC** is a party. Failure to receive a procurement award from **H-GAC** in and of itself does not constitute valid grievance. Upon receipt of grievance, the Chief Operations Officer will initiate the informal resolution process.

Expedited Resolution

The Procurement Officer or Departmental Director responsible for the solicitation shall contact the complainant and all interested parties and attempt to resolve the allegations informally within ten (10) working days from date of complaint. If the allegations are successfully resolved by mutual agreement, documentation will be forwarded to the Chief Operations Officer of the resolution with specifics on each point addressed in the original complaint.

If the Procurement Officer or Departmental Director is not successful in resolving the allegations, the complaint along with the comments will be forwarded to the Chief Operations Officer immediately. The Chief Operations Officer will review all documentation. All interested parties will be given written notice of the date, time, and place of the hearing and an opportunity to present evidence. A written decision will be issued within five (5) working days after the hearing along with notice of appeal rights.

Appeals

The complainant may appeal the Chief Operations Officer's decision by submitting a written appeal, within five (5) working days, to the Executive Director of **H-GAC**. The Executive Director, upon receipt of a written notice of appeal, shall contact the complainant and schedule a hearing within ten (10) working days. The Executive Director of **H-GAC** has the option of appointing a Hearing Officer to preside over the hearing. If appointed, the Hearing Officer shall conduct a hearing and forward a summary and recommended resolution to the Executive Director.

The decision reached by the Executive Director or his designee shall be final and conclusive. This decision will be forwarded to the complainant in writing within thirty (30) working days.

The **Contractor** may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a Court of competent jurisdiction.

RESOLUTION OF CONTRACT DISPUTES

Upon breach or default, **H-GAC** shall give the **Contractor** written notice of default. If the default is not remedied, within a reasonable specified time from date of notification, to the satisfaction and approval of **H-GAC**, default will be declared.

Upon breach of contract or default, **H-GAC** may exercise any and all of its rights afforded by law, including but not limited to those referenced in the General Contract Provisions.

SOLICITATIONS OR AWARDS IN VIOLATION OF THE LAW

Contracts awarded in violation of the competitive process or otherwise in violation of the law are voidable by **H-GAC**.

51. NATIONWIDE SALES OPPORTUNITIES

HGACBuy provides purchasing services to local governments qualifying non-profits throughout the nation, and desires to make established contracts available to them wherever and whenever practicable. Therefore, once a contract is awarded, **Contractor** is expected to expand the scope of its marketing effort to include sales to **End Users** in all areas of the United States, and/or to assign any **H-GAC** contract to another contractor(s) as deemed appropriate by **H-GAC** in the interest of its End Users.

- **Contractor** may sell through **HGACBuy** anywhere subject to compliance with applicable laws and regulations. If the market structure in which **Contractor** operates requires a contract assignment for any particular sale, **H-GAC** will expect **Contractor** to assign the contract to a Manufacturer or to another Dealer(s). Such assignment must be approved by **H-GAC**.
- **Contractor**'s differential costs (e.g. transportation & delivery charges) and allowances (e.g. manufacturer's sales incentives) related to any sale may be charged to buyer.

End of Section A General Terms And Conditions

**SECTION B - PRODUCT SPECIFIC REQUIREMENTS
For
Portable Construction & Maintenance Equipment**

Table of Contents

<u>Sub-Section</u>	<u>Page</u>
1. SCOPE & INTRODUCTION.....	1
2. COMMITMENT	2
3. GENERAL REQUIREMENTS.....	2
4. CERTIFICATE	2
5. WARRANTY	3
6. PARTS AND SERVICE.....	3
7. MINIMUM DESIGN AND PERFORMANCE REQUIREMENTS	3
A. Portable Air Compressors.....	3
B. Light Towers.....	3
C. Scissor Lifts / Personnel & Self-Propelled Vertical Lifts	4
D. Telescopic/Articulating Boom Lifts	5
E. Trench Shoring Equipment	5
F. Portable “Self-Priming” Trash Pumps.....	6
G. Portable “Priming-Assisted” Trash Pumps.....	7
H. Hydraulic Submersible Pumps.....	7
I. Electric Submersible Pumps.....	7
J. Welders.....	7
8. PRODUCT CODES AND PRICING	8
9. SUGGESTED OPTIONS FOR ALL CONSTURCTION AND MAINTENANCE EQUIPMENT	8
10. EVALUATIONS AND AWARDS.....	8

Note: Responses will be accepted by online electronic submission only. Responses are scheduled to be “Opened By HGAC” on the date and time indicated.

Go to: <https://www.hgacbuy.org/bid-notices> and click on the corresponding link.

1. SCOPE & INTRODUCTION

This is an Invitation to Submit Competitive Bids for the furnishing of a wide variety of construction and maintenance equipment to participants in **H-GAC’s** Cooperative Purchasing Program thru a “blanket” type contract(s). The Program is available to government and qualified non-profit entities throughout Texas and in most other states.

This section indicates H-GAC minimum requirements and other specifications applicable to the Portable Construction and Maintenance Equipment being bid in this Invitation. All products bid pursuant to this Invitation must meet or exceed the requirements and specifications listed or referenced herein.

The categories of equipment covered by this specification include:

- A.** Portable Air Compressors
- B.** Light Towers
- C.** Scissor / Personnel & Self-Propelled Vertical Lifts
- D.** Telescopic/Articulating Boom Lifts
- E.** Trench Shoring Equipment
- F.** Portable “Self-Priming” Trash Pumps
- G.** Portable “Priming-Assisted” Trash Pumps
- H.** Hydraulic Submersible Pumps
- I.** Electric Submersible Pumps

J. Welders and Equipment

K. Concrete Systems

2. COMMITMENT

Offeror is required to make some basic commitments to insure the overall success of this program. By submission of a response, offeror commits to the following:

- **Corporate/Sales Commitment** – A commitment that **HGACBuy** has the support of senior management and that **HGACBuy** will be the primary government contracting vehicle when offering services/products awarded from this solicitation to eligible end users nationwide. A further commitment to aggressively market the program, both independently as well in partnership with **HGACBuy**.
- **Contracting with Small and Minority Businesses, Women's Business Enterprises, and Labor Surplus Area firms (if subcontracts are to be let)** – H-GAC's goal is to assure that small and minority businesses, women's business enterprises, and labor surplus area firms are used when possible in providing services under a contract. In accordance with federal procurements requirements of 2 CFR §200.321, if subcontracts are to be let, the prime contractor must take the affirmative steps listed below:
 - 1) Placing qualified small and minority businesses and women's business enterprises on solicitation list;
 - 2) Assuring that small and minority businesses and women's business enterprises are solicited whenever they are potential sources;
 - 3) Dividing total requirements, when economically feasible, into smaller task or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;
 - 4) Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;
 - 5) Using the services and assistance as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce;

NOTE: The term HUB as used in this solicitation is understood to encompass all programs/business enterprises such as Small Disadvantaged Business (SDB), Disadvantage Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Women Owned Business Enterprise (WBE) and Disabled Veteran Business Enterprise (DVBE).

3. GENERAL REQUIREMENTS

All Product Items bid and sold pursuant to this Invitation must, as applicable:

- a. Meet all applicable requirements of federal, state and local laws and regulations.
- b. Be manufacturer's normal offering with all standard features and functions.
- c. Be properly licensed, permitted and/or inspected prior to delivery.
- d. Include all standard and ordered optional equipment, and be ready for operation on delivery.
- e. On the initial delivery of purchased equipment, the contractor shall supply a qualified representative to demonstrate the equipment and provide initial and/or required instruction to representatives of the purchaser regarding the operation, care and maintenance of the equipment supplied. **These costs shall be included in the base unit price quoted on Form D.**

Note: The contractor should show the cost of a contractor supplied representative being furnished as a deduct on **Form E** in the event a member does not need or want this service.

Note: Contractor shall quote as an option on **Form E** any optional instruction/training regarding service/maintenance that may be available for the delivered equipment.

4. CERTIFICATE

Contractor shall provide a Certificate of Origin to the member. Registration of the unit/trailer is the member's responsibility as well any fees required, if any.

5. WARRANTY

OEM Standard. Extended warranties shall be offered by contractor as options on **Form E**.

6. PARTS AND SERVICE

A source for OEM parts and qualified service shall be provided to buyer at time of delivery or before.

7. MINIMUM DESIGN AND PERFORMANCE REQUIREMENTS

Following are the design and performance requirements for the equipment covered by this Invitation. Unless otherwise specified, these are minimum requirements where applicable. H-GAC will have final determination on what is acceptable regarding these requirements for each of the equipment categories that may be bid.

Note: Bidder shall supply a spec/quote sheet for each product code/line item bid on Form D. These sheets should detail what features are included in the price quoted on Form D. The spec/quote sheet must identify the model specified on the Form D description.

A. Portable Air Compressors

- The equipment furnished under this specification shall be the latest improved model in current production, as offered to commercial trade, and shall be of quality workmanship and material.
- All parts not specifically mentioned which are not necessary for the unit to be complete and ready for operation or which are normally furnished as standard equipment shall be furnished by the vendor. All parts shall conform in strength, quality and workmanship to the accepted standards of the industry.
- The unit provided shall meet or exceed all Federal and State of Texas safety, health, lighting and noise regulations and standards in effect and applicable to equipment furnished at the time of manufacture.
- Compressor shall be either of rotary-vane or rotary-screw design, with one or more stages of compression.
- Free air delivery pressure.
- Compressor lubricated and cooled by an oil system consisting of an air/oil separator, oil filter and replaceable element, temperature regulating valve, radiator or cooler, and a dipstick or gauge to indicate compressor oil level. Method of oil delivery and arrangement of components shall be in accordance with the manufacturer's standard design.
- Rotary-vane type compressors shall rotate at the same speed as the engine. Screw type compressors may have step-up gear boxes if such are in accordance with the manufacturer's standard design. Engine speed necessary to produce the required air flow and pressure shall not exceed the engine manufacturer's maximum recommended RPM for continuous operation.
- Dry type air cleaner.
- Unit to be equipped with all necessary gauges and controls necessary to monitor and control the compressor's performance.
- Unit to be equipped with a safety shutdown system which automatically shuts the machine down in the event of engine high coolant temperature, low engine oil pressure, or high compressor air discharge temperature.

B. Light Towers

- Unit shall meet all applicable requirements of Underwriter's Laboratories.
- Engine shall be equipped with a 12V electric start and heavy duty battery, low oil pressure/high engine temperature safety shutdowns.
- Control panel to have individual lamp switches, non-resettable hour meter, keyed ignition. Panel to be hinged allowing easy access to other components.

- Unit to be equipped with four (4) metal halide floodlights with aluminum reflector housings with tempered impact resistant, twist-lock connections for improved protection and increased durability.
- Tower to be telescoping (2 or 3 section) and have a 360 Degree rotation range with position lock. Mast to be easily extended with dual, hand-operated winches with automatic safety brake. Tower to retract and stow horizontally for travel and lock in position to prevent telescoping.
- The trailer shall be heavy duty welded tubular steel equipped with fenders and adjustable outriggers with jacks as required per manufacturer's design.
- Trailer lighting, hitch and safety chains to be D.O.T. compliant.
- The enclosure shall be of heavy duty steel construction, having full-length side doors with pneumatic gas-lift cylinders.

C. Scissor Lifts / Personnel & Self-Propelled Vertical Lifts

- The unit shall safely elevate the required capacity to the height specified in applications such as building maintenance and clean up.
- Lifts meeting this specification shall be in compliance with the current "American National Standard for Work Platforms, Self Propelled, Elevating", ANSI A92.6.
- The platform height shall be measured at a maximum elevation of the device, from the floor of the platform to the ground. Extensions, spacers, inserts, etc. shall not be installed on this device for the purpose of meeting height requirements.
- The device shall meet the requirements of the Horizontal (ANSI 4.7.1) and Vertical (ANSI 4.7.2) Load Tests and the Driving Tests (ANSI 4.7.3) as outlined in the referenced ANSI paragraph.
- Unit shall be electrically or engine powered.
- Work platform shall be constructed of welded tubular steel having expanded metal or wood flooring with top rail, mid rail and kick panel.
- Rails shall be removable or shall have integral gate for loading of tools and material.
- Unit shall be designed to provide safe and easy access to the platform from the ground.
- Lift shall be equipped with a control station located at the platform meeting, but not limited to, the following:
 - a) Electric/hydraulic or fully hydraulic proportional controls for propel and steer functions. Controls shall return to neutral type controls and when released by the operator shall automatically stop the motion of the device and lock the control lever in the neutral position.
 - b) Mfg. standard controls shall be provided for platform elevation and retraction.
 - c) Controls for engine start/stop switch, engine speed control.
 - d) All functions to be marked with permanent-type lettering and/or universal symbols.
- Brakes – Unit shall be equipped with, as a minimum, a spring applied-hydraulically released brake system which shall automatically apply upon release of the drive control.
- Unit to be equipped with either a hydraulic or hydrostatic steering system.
- Instrumentation – Unit shall be equipped with, but not limited to, the following gauges and indicators (where applicable):
 - a) Battery condition meter or indicator.
 - b) Hour meter
 - c) Ammeter or voltmeter
 - d) Engine oil pressure gauge
 - e) Fuel sight gauge

- f) Audible alarm and warning light for low engine oil pressure
- Hydraulic System – Lifting system shall safely raise and lower the work platform and shall be sealed against any contaminants with any necessary air vents being filtered.
- Hydraulic system shall be equipped with a safety relief valve (s) and replaceable hydraulic oil filters.
- Main lift cylinder to be equipped with a holding valve that shall prevent the unrestricted descent of the platform following hydraulic failure.
- All electric wiring shall be insulated and enclosed in a fibrous loom, plastic loom or flexible conduit for protection from external damage and short circuits.
- Markings – Unit shall have all identification, operation and instruction markings installed when delivered to end user.
- Paint shall be manufacturer's standard.

D. Telescopic/Articulating Boom Lifts

- Dual fuel engine (Gas/LPG).
- Lift to be equipped with a self-leveling platform.
- Unit to have a 360 Degree continuous turntable rotation.
- Hydraulic platform rotation.
- AC wiring to platform.
- 12V DC auxiliary power.
- Fully proportional platform controls with ramp up/down feature.
- Unit to have a closed-loop hydrostatic drive system.
- Auto engine fault shutdown system.
- Tilt alarm
- Horn
- Hour meter
- Fuel select switch on platform and ground control panels.
- Maintenance free pivot-point bearings

E. Trench Shoring Equipment

1. Trench Shields

- Hard wood inserts in the top horizontal and side vertical tubes.
- 4-point lifting system
- Stacking tubes flush to inside.
- Thru-wall collar design
- Hi-tensile steel used throughout.
- OSHA approved

2. Manhole Shields

- Constructed of high tensile steel
- Hardwood inserts
- Honey-comb inner structure

- Clear view spreaders
 - Reinforced knife edge
 - Schedule 80 spreader pipe
 - OSHA approved.
3. Round Manhole Shields
- High strength tensile steel
 - Light weight design
 - Replaceable cut-outs (optional)
 - Legs standard with non cut-out units
 - D-Rings for lifting
 - OSHA approved
4. Aluminum Trench Shields
- Lightweight, high strength 6061-T6 aluminum construction
 - Reinforced 3/8 aluminum bar cutting edge
 - Full-length hardwood inserts
 - Clear-view front spreader
5. Aluminum Hydraulic Shields
- Lightweight aluminum sheeting sidewalls with sturdy lifting eyes
 - Heavy duty skid plates and sheeting caps to reinforce tip and bottom of sheeting sidewalls
 - Heavy duty strut protects cylinder and has end-loading capability for 3 and 4 sided use
 - Multiple pinning locations in strut permitting a wide range of settings when shield is used in a static mode
 - Fold down, all-steel manifold cover for protection of manifold when shield is in use and provides easy access to hydraulic hook-ups
 - OSHA approved

F. Portable “Self-Priming” Trash Pumps

- Pump shall have removable end plate to access volute without removing suction and discharge hose.
- Discharge port should have a 90 Degree elbow and be able to discharge 360 degree from top of pump.
- Pump shall have grease seal or mechanical oil lubricated seal (2” – 10”)
- Pump shall pass a minimum “Spherical Solid” diameter as follows:
 - a. 2” Pump – 1 3/16”
 - b. 3” Pump – 1 1/2”
 - c. 4” Pump – 3”
 - d. 6” Pump – 3”
 - e. 8” Pump – 3”
 - f. 10” Pump – 3”
 - g. 12” Pump – 3”
 - h. 14” Pump – 4”
- Pump must be able to prime and re-prime itself without the assistance of air-compressors, diaphragms, or any other assisting device.

- Pump manufacturer shall be ISO 9001:2000 certified
- Pumps shall have an “open” type two (2) vane ductile iron impeller
- Pumps shall have a replaceable wear plate using two (2) bolts to reconnect

G. Portable “Priming-Assisted” Trash Pumps

- Pumps shall have external priming system consisting of an air-compressor or a mechanically driven diaphragm style pump
- Impeller can be either “open or closed” type with capacity to pass spherical solids
- Pump shall have a discharge swing check valve
- Pump shall discharge horizontally from case housing of pump
- Pump manufacturer shall be ISO 9001 certified
- Pumps shall have mechanical, oil or glycol lubricated seal
- High-Pressure Pumps shall be capable of high heads (PSI) and increased flows with either ductile iron or Cast steel body or impeller.
- Pump casing, suction cover, separation tank and wear plates will be either close grained cast iron, cast steel or Stainless steel.
- Suitable for either/or both clear liquids and liquids containing large solids.

H. Hydraulic Submersible Pumps

- Shall have cast iron, steel or aluminum housing
- Double mechanical seal in its own oil bath for dry running
- Bearings independent from the hydraulic gear motor
- Open circuit hydraulic system
- Variable speed, water cooled diesel engine
- Shall have supply and return connections for the hydraulic system.

I. Electric Submersible Pumps

- Outer jacket for continuous cooling of motor
- Dry running capability without damage to pump
- Mechanical seal
- Minimum internal upper & lower mechanical seals.

J. Welders

- The equipment furnished under this specification shall be the latest improved model in current production, as offered to commercial trade, and shall be of quality workmanship and material.
- Unit shall be equipped with a shut safety shut-down system (i.e. low oil).
- Circuit breaker protection for tools and generator.
- Welder/generator shall be protected by a steel durable frame.

K. Concrete Systems

- All equipment to be manufactured with ASTM A36 welded structural steel or equivalent.
- All trailers shall be dual axle and will have DOT compliant free-backing brakes on all wheels.

- All trailer lighting, couplers, actuators and safety chains to be DOT compliant.
- All trailers to be equipped with thermoformed TPO Tandem flex fenders.
- All trailer to be equipped with Vari-Height screw-adjustable tow bars.
- All control panels to be NEMA 4 type and UL Listed.
- All motors and cylinders to be hydraulically controlled and using mono block hydraulic valves.
- All tires to be load range C minimum.
- All hydraulic pressure hoses to be steel reinforced and rated to 3000 PSI minimum.
- All hydraulic pressure functions to operate at 1800 PSI minimum.

8. PRODUCT CODES AND PRICING

Each base Product item covered by this Invitation has been pre-listed on **Form D** and is identified by a unique H-GAC four (4) character alphanumeric Product Code. Bidder shall decide which line items to bid and shall fill in a bid price in the appropriate cell on **Form D**. Awards will be based on the “Based Offered Price” provided on **Form D** for each product code.

- **Note:** As described in Section-A, for each purchase order under an awarded contract, H-GAC will invoice contractors directly for the 1.5% H-GAC purchase order processing charge. It is Bidder's responsibility to take this into consideration when preparing **Form-D** and **Form-E** bid pricing, building this fee into Base Unit and options pricing accordingly (for example, a 20% discount-off-list price should ideally be listed on Bidder's bid as 18.5%).
- **Note:** Bid pricing shall be exclusive of freight charges, which will be addressed at the time of each individual sale, as a P/O line item, specific to the individual end user. Freight Charges should be quoted on Form E.
- **Note:** Bidder should bid variations on Base Product Items (optional models) on **Form E** as options with bid pricing equal to the differential amount between the Base Product Item price and the Option Price.

Fee is calculated from awarded bid pricing before additional discounts (if any) have been applied

9. SUGGESTED OPTIONS FOR ALL CONSTRUCTION AND MAINTENANCE EQUIPMENT

In addition to bidding variations on Base Product Items on **Form E**, Bidder shall also list and bid other model options, construction options, parts and accessories, using **Form E** as appropriate. Bidder may also list a specified catalog of options and accessories on **Form E** and bid a discount off list. Bidder must provide a copy of any catalog quoted on **Form E** w/their bid.

10. EVALUATIONS AND AWARDS

For each specific **Form D** line item, H-GAC will recommend awards to the contractor with the highest overall score providing the best value. A rank will be assigned to each **Form D** line item bidder base on pricing. If three (3) bids were received, the low bid will receive a ranking of “3” with the next lowest bidder a “2” and so on. It is this ranking that will be used in determining the pricing and past sales performance scores for each **Form D** Line item.

- **Scoring Component: Pricing**
For each line item, a review of Offerors' submitted bid prices (**Forms D** and **E**) will be conducted. **Providing pricing elements are satisfied, (thorough and accurate Forms-E), electronic copies, et cetera)**, the Offeror with the highest score on Form-D will be awarded that line item.
Form D Base Bid Price – **90%** of the Total Score
- **Scoring Component: Past Performance**
An evaluation will be conducted of the Offeror's sales performance on the current contract (contract start date thru bid conference date) as an HGACBuy Contractor. Maximum score is 10%. If a bidder is a current vendor and has sales they will receive the full **10%**. Current vendors with no sales will receive a score of **0%**. Note: Those first-time bidders will garner the maximum 10% for this scoring component.

NOTE: For **Joint Bids**, each Form A submitted in the Bidders response will be scored per the above criteria and an overall average will be taken of all Form A's submitted to determine the Performance score for each submission.

Requests for a debriefing must be made in writing to jpalmer@h-gac.com within 5 days of board approval. H-GAC reserves the right to not conduct debriefing if the requests are made after that time. This procedure is NOT available to Respondents who did not participate in selected ITBs or RFPs, to non-responsive or non-timely Respondents/bidders, or when all proposals/bids are rejected.

NOTE: Per the Texas Interlocal Cooperation Act, a governmental entity may not use an interlocal contract with a purchasing cooperative to purchase engineering or architectural services (Texas Government Code, Section 791.011(h)). Consequently, if a response includes quotes either of these pricing elements, that portion will not be included in award.

----- End of Section B -----

Specifications prepared by

**Houston-Galveston Area Council
Cooperative Purchasing Program**

For questions about this Invitation, please contact:

Jackie Palmer

Ph: 713-993-2466

Email: jpalmer@h-gac.com



SECTION C - H-GAC FORMS

(Rev 12/02/09)

For Use In Responding To Competitive Bid And Proposal Invitations

Invitation No.: CM02-21

Title: Portable Construction and Maintenance Equipment

This Section contains the following **H-GAC FORMS**.

FORM	DESCRIPTION
Form A:	Offeror Identification and Authorized Signatory
Form B:	Historically Underutilized Business Enterprises
Form C:	Response Checklist
Form D:	Offered Items Pricing
Form E:	Published Options
Form-H	Marketing Plan
Form W-9	Request for Taxpayer Identification Number and Certification
Form CIQ	Conflict of Interest Questionnaire
Form 1295	Certificate of Interested Parties
HB 89	Prohibition on Contracts with Companies Boycotting Israel
CCI	Contractor Contact Information

These *FORMS* are hereby made available in electronic format. They should be copied to Offeror's computer for completion and/or printout as required. The *FORMS* **may not** be changed or altered in any way, except as may be specified on the *FORM*.

FORM A - OFFEROR IDENTIFICATION & AUTHORIZED SIGNATORY
(DO NOT handwrite this Form. Information must be typed in.)

Invitation No.: CM02-21

Invitation Title: Portable Construction and Maintenance Equipment

Offeror Company: _____

(Legal name of business which will appear on contract, if awarded)

Offeror Status: Manufacturer Dealer/Distributor Other

Response Type(1): Single Offeror Acting Alone Or As Lead Multiple Offerors Acting Jointly

Contract Signatory(2): _____

Title: _____

Mailing Address(3): _____

Street/PO Box

City

State & Zip

Physical Address: _____

Street

City

State & Zip

Phone: _____

Fax: _____

Email Address: _____

Federal Tax ID No.: _____

Web Page URL: _____

(1) If Joint Offering, all parties must submit a signed Form A. A contract will be offered to each.

(2) Person who will sign final contract documents if an award is made.

(3) Address to which final contract documents would be sent for signature.

Member Contact Information

Contact Person(4): _____

Title: _____

Mailing Address: _____

Street/PO Box

City

State & Zip

Physical Address: _____

Street

City

State & Zip

Toll Free Phone: _____

Fax: _____

Email Address: _____

(4) Person who End Users will contact for product information and to get pricing quotes.

The Signatory below, on behalf of Offeror:

- Acknowledges having thoroughly reviewed the Invitation;
- Attests to having the authority to sign this response and commit Offeror to honor all requirements;
- Makes, under penalty of perjury, all required Offeror Certifications as detailed in General Terms;
- Certifies that all information provided in this Response is true and correct.

Signature: _____

Title: _____

Printed Name: _____

Date: _____

Title: Portable Construction and Maintenance Equipment

Offeror: _____

Most, if not all, of the Members of HGACBuy are subject to various requirements relative to purchasing goods and services from Historically Underutilized Business Enterprises (HUBs)(See Note 1). These requirements are promulgated by federal and state governmental authorities, and include measureable criteria such as 'percentage of total dollars spent directed to HUBs', 'number of HUB contractors used', 'HUB subcontractors employed by primary contractors', etc. These requirements are generally formalized in goal oriented programs.

HGACBuy is comitted to promoting full and equal business opportunities for HUB contractors, and to assisting Cooperative Purchasing Program (COOP) Members in meeting mandated HUB goals. In that regard, Contractor shall make a good faith effort to use the services of Certified/Listed (See Note 2) HUBs whenever possible.

As part of a good faith effort, Contractor agrees to work with and assist HGACBuy Members in meeting HUB targets and goals, as may be required by any rules, processes or programs they might have in place. Such assistance may include such things as compliance with reporting requirements, provision of documentation, consideration of 'Certified/Listed' subcontractors, provision of documented evidence that an active participatory role for a HUB entity was considered in a procurement transaction, etc.

Note 1: There are many designations other than "HUB" used across the country within various jurisdictions. Examples include terms such as Disadvantaged Business Enterprise (DBE), Minority Owned Business Enterprise (MBE), Woman Owned Business Enterprise (WBE), Small Disadvantaged Business (SDB), Small, Woman or Minority-owned Business (SWAM), etc. Regardless of the formal designation, the overall objective of the relavant programs is basically the same, i.e. to insure that disadvantaged and underutilized members of the business community receive a fair share of public spending. The term HUB as used herein shall be understood to encompass all such programs/business enterprises, no matter what terminology is used by the Member.

Note 2: The terms "Certified" and "Listed" as used in conjunction with HUB programs relate to the process of HUB qualification review. Jurisdictions usually require that companies claiming HUB status be reviewed and confirmed as meeting certain minimum requirements to claim that status, and that the review and confirmation process be carried out by certain designated entities. They are then "Certified" or "Listed" by having their name included on an official listing published by the Certifying or Listing Authority.

Accepted and Agreed By:	
Title:	Date:

HUB Status Of Offeror	
<input type="checkbox"/> Offeror is a HUB, as detailed below.	<input type="checkbox"/> Offeror is not a HUB.
Designation(s): <input type="checkbox"/> HUB <input type="checkbox"/> DBE <input type="checkbox"/> MBE <input type="checkbox"/> WBE <input type="checkbox"/> Other <input style="width: 150px;" type="text"/>	
Certifying/Listing Authority(s): <input style="width: 700px;" type="text"/>	
Subcontracts	
On a separate sheet, list any subcontractors that would be employed in providing products or services related to this procurement. Include subcontractor name, designation (HUB, DBE, etc.) and certifying/listing authority.	
<input type="checkbox"/> Subcontractor List attached.	<input type="checkbox"/> No Subcontractors will be used.

Title: Portable Construction and Maintenance Equipment

Offeror: _____

This *FORM* is provided to help insure that all required Response elements have been completed and included, or certified as being available upon request. **Responses that do not comply with all requirements may be considered non-compliant.** Offeror's signatory must review each item below, and certify by initialing in the space to the right.

This Response Includes:

Init.

- | | |
|--|--|
| 1 An originally signed Form A from all entities who are party to this submission and who should be offered a contract if this submission is successful. | |
| 2 The required list of References . | |
| 3 Details of " Service Organization ", including locations, hours, personnel and parts/service availability. (Applies to hard goods only.) | |
| 4 Complete Warranty Documentation for all Products offered. | |
| 5 The manufacturer's latest Specification Documents detailing standard features, operating characteristics, etc., for all products offered. | |
| 6 Forms-- A, B, C, D, E, H (EXCEL FORMAT) 1295, W-9, CIQ, HB89, CCI | |
| 7 If the Non-Resident Reciprocal Bid Act applies, a copy of your state statute and a determination of the status of Texas bidders/proposers in your home state. If not applicable, indicate "N/A" | |
| 8 If offer includes motor vehicles to be sold in Texas, copies of all current licenses as required by the Texas Motor Vehicle Commission. | |

FORM D - OFFERED ITEMS PRICING

INSTRUCTIONS: Fill in price column only. Shaded columns for H-GAC use only. No changes/modifications to Form D will be accepted and will result in bid item being deemed non-compliant.

Note: Grayed out columns for H-GAC use only.

Offeror Name:								
Contract	Product Code	Description	Price	Bid Price Rank	Bid Price Score (Bid Price Rank x .90)	Bid Price Rank	Past Sales Performance Score (Bid Price Rank x 0/.10)	Awardee (Highest Score)
A. Portable Air Compressors								
A. Atlas Copco								
CM02-21	CM21AA01	XAS110, Trailer Mounted Diesel Air Compressor, 110 CFM, 100 PSI						
CM02-21	CM21AA02	XAS185, Trailer Mounted Diesel Air Compressor, 185 CFM, 100 PSI						
CM02-21	CM21AA03	XATS250, Trailer Mounted Diesel Air Compressor, 250/189 CFM @ 100/150 PSI						
CM02-21	CM21AA04	XAS440, Trailer Mounted Diesel Air Compressor, 440/400 CFM @ 100/150 PSI						
CM02-21	CM21AA05	XAVS400, Trailer Mounted Diesel Air Compressor, 400/366 CFM @ 150/200 PSI						
CM02-21	CM21AA06	XAVS650, Trailer Mounted Diesel Air Compressor, 650/575 CFM, 200/250 PSI						
CM02-21	CM21AA07	XAS900, Trailer Mounted Diesel Air Compressor, 867/750 CFM, 100/150 PSI						
CM02-21	CM21AA08	XATS 900 ELECTRIC STANDARD, NO AFTER COOLER / WATER SEPARATOR SKID MOUNT 460V						
CM02-21	CM21AA09	XATS 900 ELECTRIC WITH AFTER COLLER WATER SEPARATOR DD+PD – SKID MOUNT 460V						
CM02-21	CM21AA10	XAS1150, Trailer Mounted Diesel Air Compressor, STANDARD 1150/950 CFM, 100/200 PSI						
CM02-21	CM21AA11	XAS1150, Trailer Mounted Diesel Air Compressor, Aftercooler/water separator PD/DD filters 1150/950 CFM, 100/200 PSI						
CM02-21	CM21AA12	XAS1800, Trailer Mounted Diesel Air Compressor, STANDARD 1800/1600 CFM, 100/150 PSI						
CM02-21	CM21AA13	XAS1800, Trailer Mounted Diesel Air Compressor, Aftercooler/Water Separator PD/DD Filters 1800/1600 CFM, 100/150 PSI						
B. Doosan								
CM02-21	CM21AB01	C185WDO-T4F, Trailer Mounted Diesel Air Compressor, 185 CFM, 100 PSI						
CM02-21	CM21AB02	P185WDO-T4F, Trailer Mounted Diesel Air Compressor, 185 CFM, 100 PSI						
CM02-21	CM21AB03	P185WDOU-T4F, Utility Mounted Compressor						
CM02-21	CM21AB04	P250/HP210WDO-T4F, Trailer Mounted Diesel Air Compressor, 250/210 CFM, 100/150 PSI						
CM02-21	CM21AB05	P425/HP375WCU-T4F, Trailer Mounted Diesel Air Compressor, 425/375 CFM, 100/150 PSI						
CM02-21	CM21AB06	VHP400/HP450WCU-T4F, Trailer Mounted Diesel Air Compressor, 400/450 CFM, 200/150 PSI						
CM02-21	CM21AB07	XP825/HP750WCU-T4F, Trailer Mounted Diesel Air Compressor, 825/750 CFM, 125/150 PSI						
CM02-21	CM21AB08	HP915WCU-T4F, Trailer Mounted Diesel Air Compressor, 915 CFM, 150 PSI						
CM02-21	CM21AB09	HP1600WCU-T4F, Trailer Mounted Diesel Air Compressor, 1600 CFM, 150 PSI						
C. Sullair								
CM02-21	CM21AC01	185 DPQ Kubota T4F						
CM02-21	CM21AC02	375H DPQ CAT-JD T3 Remanufactured						
CM02-21	CM21AC03	375H DPQ CAT-C4.4 T4F						
CM02-21	CM21AC04	400HH DPQ CAT 4.4 T4F						
CM02-21	CM21AC05	400HAF DTQ CAT 4.4 T4F						
CM02-21	CM21AC06	425 HAF DTQ CAT T4F						
CM02-21	CM21AC07	375HAF DPQ JD-4045HF or CAT-C4.4 T4F						
CM02-21	CM21AC08	900 HAF DTQ--CAT C9 (Reman) T3						
CM02-21	CM21AC09	900H DTQ CAT-C9ATAAC T4 F						
CM02-21	CM21AC10	1600HAF DTQ CAT T3 (Reman)						
CM02-21	CM21AC11	1600H DTQ CAT-C15ATAAC T4F						
D. MMD Airman Air Compressors								
CM02-21	CM21AD01	PDS100S-6B4 w/ Trailer, 100 CFM @ 100 PSI						
CM02-21	CM21AD02	PDS130S-6B4 w/ Trailer, 130 CFM @ 100 PSI						
CM02-21	CM21AD03	PDS185S-6C2 w/ Trailer, 185 CFM @ 100 PSI						
E. Chicago Pneumatic								
CM02-21	CM21AE01	CPS 90, Portable Air Compressor, Kubota, 88CFM, 100PSI						

CM02-21	CM21AE02	CPS 185 DD, Portable Air Compressor, Deutz, 185CFM, 100PSI						
CM02-21	CM21AE03	CPS 185JD, Portable Air Compressor, John Deere, 185 CFM, 100 PSI						
CM02-21	CM21AE04	CPS400-150JD, Portable Air Compressor, John Deere, 375 CFM, 100 PSI						
CM02-21	CM21AE05	CPS750, Portable Air Compressor, Caterpillar, 750CFM, 100PSI						
F. Sullivan Palatek								
CM02-21	CM21AF01	D185PDZ- Deutz Engine 185 CFM/100 PSI Tool Storage						
CM02-21	CM21AF02	D185PIZ - Isuzu engine 185 CFM/100 PSI Tool Storage						
CM02-21	CM21AF03	D185UDZW-Deutz engine 185 CFM/100 PSI - Truck Mount						
CM02-21	CM21AF04	D210PHDZ Deutz engine 210 CFM/150 PSI tool storage						
CM02-21	CM21AF05	D260PDDZ - Deutz 260 CFM/100 CFM or 185 cfm/150 PSI - Tool Storage						
CM02-21	CM21AF06	210UJD4PTOW - 210 CFM/150 PSI Truck Mount with PTO drive						
CM02-21	CM21AF07	D110PKU 110 CFM / 100 PSI - Kubota engine truck mount or portable.						
CM02-21	CM21AF08	D375PHJD4 - 375 CFM / 150 PSI - John Deere engine						
B. Light Towers								
A. Allmand								
CM02-21	CM21BA01	NL7.5K Night-Lite Pro/ PROII NL7.5 Kubota 1005, 7.5w generator						
CM02-21	CM21BA02	ML7.5K Maxi-Lite Kubota 1005, 7.5w generator						
CM02-21	CM21BA03	ML15 Maxi-Lite Isuzu, 15kw generator						
B. Baldor								
CM02-21	CM21BB01	Model PL6000K Portable Light Tower, 6 KW output, Kubota D1005 engine, 50 gallon fuel capacity, 13.1 bhp, 1000 hour run time (1 tank)						
C. Doosan								
CM02-21	CM21BC01	LCV6WKUB-T4F, Vertical Mast, 6kW, Kubota Engine D1005, Manual Winch, Towable Light Tower						
CM02-21	CM21BC02	LCV8WKUB-T4F, Vertical Mast, 8 kW, Kubota Engine D1105, Manual Winch, Towable Light Tower.						
D. Magnum Products								
CM02-21	CM21BD01	MLT6SM, Vertical Mast, 6kW, Mitsubishi Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD02	MLT6SK, Vertical Mast, 6kW, Kubota Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD03	MLT3060M, Standard Mast, 6kW, Mitsubishi Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD04	MLT3060K, Standard Mast, 6kW, Kubota Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD05	MLT4060M, Standard Mast, 6kW, Mitsubishi Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD06	MLT4060K, Standard Mast, 6kW, Kubota Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD07	MLT5060M, Standard Mast, 6kW, Mitsubishi Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD08	MLT5060K, Standard Mast, 6kW, Kubota Engine - Manual Winch, Towable Light Tower						
CM02-21	CM21BD09	MLT3060MV, Vertical Mast, 6kW, Mitsubishi Engine - Electric Winch, Towable Light Tower						
CM02-21	CM21BD10	MLT3060KV, Vertical Mast, 6kW, Kubota Engine - Electric Winch, Towable Light Tower						
CM02-21	CM21BD11	MLT4060MV, Vertical Mast, 6kW, Mitsubishi Engine - Electric Winch, Towable Light Tower						
CM02-21	CM21BD12	MLT4060KV, Vertical Mast, 6kW, Kubota Engine - Electric Winch, Towable Light Tower						
CM02-21	CM21BD13	MLT5060MV, Vertical Mast, 6kW, Mitsubishi Engine - Electric Winch, Towable Light Tower						
CM02-21	CM21BD14	MLT5060KV, Vertical Mast, 6kW, Kubota Engine - Electric Winch, Towable Light Tower						
CM02-21	CM21BD15	MTT15, Combination Light Tower, Generator, Water Trailer, 13kW Single Phase						
CM02-21	CM21BD16	MTT20IF4, Combination Light Tower, Generator, Water Trailer, 19kW Single Phase						
CM02-21	CM21BD17	MWT500 500 Gallon Water Trailer with 2" Water Pump						
E. Wacker								
CM02-21	CM21BE01	LTN6L-0620117, Compact Light Tower - 4-lamps, Lombardini diesel engine						
CM02-21	CM21BE02	LTN6K-062734, Compact Light Tower - 4-lamps, Kubota diesel engine						
CM02-21	CM21BE03	LTN6C-0620118, Compact Light Tower - 4-lamps, Caterpillar diesel engine						
CM02-21	CM21BE04	LTN6KV-5200002722, Compact Light Tower - 4-lamps, Kubota diesel eng, Vertical Mast						

CM02-21	CM21BE05	LTN8KV520002727, Compact Light Tower - 4-lamps, Kubota diesel eng, Vertical Mast						
CM02-21	CM21BE06	LTN6C-P-0620298, Compact Light Tower - 4-lamps, Caterpillar diesel eng. & power winch						
CM02-21	CM21BE07	LTW6K-0620372, Wide Body, 6 kW Light Tower - 4-lamps, Kubota diesel engine						
CM02-21	CM21BE08	LTW8K-0620374, Wide Body, 8 kW Light Tower - 4-lamps, Kubota diesel engine						
CM02-21	CM21BE09	LTW20Z-0620375, Wide Body, 20 kW Light Tower - 4-lamps, Kubota diesel engine						
CM02-21	CM21BE10	LTW6KV-5200012864, Wide Body, 6 kW Light Tower - 4-lamps, Kubota diesel eng Vertical Mast						
CM02-21	CM21BE11	LTW8KV-5200012865, Wide Body, 8 kW Light Tower - 4-lamps, Kubota diesel eng Vertical Mast						
CM02-21	CM21BE12	LTW20Z-1-5200012866, Wide Body, 20 kW Light Tower - 4-lamps, Kubota diesel eng Vertical Mast						
F. Godwin								
CM02-21	CM21BF01	Model GLT416 Portable Light Tower; Mitsubishi L3E, 12.2 HP diesel engine; 30-gal fuel tank; 4,000 Watts; 5-7 acre coverage						
CM02-21	CM21BF02	Model GLT416 Portable Light Tower; Kubota D905 11.9 HP diesel engine; 30-gal fuel tank; 4,000 Watts; 5-7 acre coverage						
G. Terex								
CM02-21	CM21BG01	Model RL 4 Portable Light Tower, 6 kW output, Kubota diesel, 30 gallon fuel capacity, 4,000 Watts metal halide lights round, 5-7 acre coverage						
CM02-21	CM21BG02	Model AL 4 Heavy-duty Portable Light Tower, 6 kW output, Kubota diesel, 30 gallon fuel capacity, 4,000 Watts metal halide lights, cast aluminium horizontal mounted, 7 ½ acre coverage, 3,500 lbs heavy-duty axle rating						
CM02-21	CM21BG03	Model RL4 LED GAS portable light tower, Champion 196cc Gasoline engine., LED modiles 4x230w, Generator 3.5 kW Inverter, fuel capacity 17.5 gal provide up to 80 hours run time						
CM02-21	CM21BG04	Model AL 5 Internal Storage Portable Light Tower, 8 kW output, Kubota diesel, 30 gallon fuel capacity, 4,000 Watts metal halide lights, 7½ acre coverage, 3,500 lbs Heavy-duty axle						
CM02-21	CM21BG05	Model AL5HT, features a hydraulic articulating tower with the option for up to 8,000 Watts of light, 4,000 Watts of light from 4 x 1000 Watt metal halide lamps, Reliable Kubota engine and 8kW generator, Up to 20kW generator option with plenty of extra power to run additional tools and equipment, Rotating and articulated hydraulic mast reaches out to the front, back and sides for additional flexibility						
H. Multiquip								
CM02-21	CM21BH01	MLTDA7, Modular Light Tower, Generator, 7kW output, diesel engine, 30 gallon fuel capacity, 4,000 Watts metal-halide,5-7 acre coverage.						
CM02-21	CM21BH02	MLTSDW7, Modular Light Tower,Generator/Welder, 7kW output, 225 Welder amp, diesel engine, 30 gallon fuel capacity, 4,000 Watts metal-halide,5-7 acre coverage.						
CM02-21	CM21BH03	MLTCAM TRAILER ASM MLT CAMERA MOUNT						
CM02-21	CM21BH04	MLT Light Tower Modular less power source						
CM02-21	CM21BH05	MLTDA72 Modular Light Tower w/ DA7000SSA2 Genset						
CM02-21	CM21BH06	GB3LED Light Ballon Tripod LED 300W						
CM02-21	CM21BH07	GB3LEDB Light ballon ONLY LED						
CM02-21	CM21BH08	GB3LEDC Light Ballon 4-whl cart LED 300W						
CM02-21	CM21BH09	GBLED Light Ballon LED 800W/w Pentapod						
CM02-21	CM21BH10	GBLEDB Light Ballon LED800W lamp only						
CM02-21	CM21BH11	GBC8LED Light Ballon 4-whl cart LED 800W						
CM02-21	CM21BH12	GBC Light Balloon 4-whl Cart 1KW E-ballast						
CM02-21	CM21BH13	GBP Light Balloon Lamp ONLY 1KW E-ballast						
CM02-21	CM21BH14	GBS Light Balloon EquipMount 1KW E-ballast						
CM02-21	CM21BH15	GBW Light Balloon Penta Stand 1KW E-ballast						
CM02-21	CM21BH16	GB12BP Light Balloon Lamp ONLY 400W E-Ballas						
CM02-21	CM21BH17	GB12BS Light Balloon Off Set Pole 400 W Light						
CM02-21	CM21BH18	GB12BW Light Balloon Tripod 400 Watt Light						
CM02-21	CM21BH19	GB2000 Light Balloon for Light Towers 2000W						
CM02-21	CM21BH20	GB43SC Light Balloon 4-Spot 400W ea 4-whl cart						
CM02-21	CM21BH21	GB43LED Light Balloon 4-Spot 300W LED 4-whl Cart						
CM02-21	CM21BH22	GB4000 Light Balloon 4000W for Light Towers						
I. Atlas Copco								

CM02-21	CM21BI01	HiLight V4S, Halogen, Manual Vertical Mast, Portable Light Tower, 43,055 ft coverage, 6.8KW output, Kubota Diesel Engine, 50hr run time per tank						
CM02-21	CM21BI02	HiLight V4W, Halogen, Manual Vertical Mast, Portable Light Tower, 43,055 ft coverage, 8KW output, Kubota Diesel Engine, 160hr run time per tank						
CM02-21	CM21BI03	HiLight V5+, LED, Manual Vertical Mast, Portable Light Tower, 53,819 ft. coverage, 3KW output, Kubota Diesel Engine, 150hr run time per tank						
CM02-21	CM21BI04	HiLight E3+ LED, Manual Vertical Mast, Portable						
CM02-21	CM21BI05	HiLight V3+ LED, Manual Vertical Mast, Portable						
CM02-21	CM21BI06	HiLight V2+ LED, Manual Vertical Mast, Portable						
CM02-21	CM21BI07	HiLight P2+ LED, Manual Vertical Mast, Portable						

C. Scissor / Personnel & Self-Propelled Vertical Lifts

A.Genie Industries								
CM02-21	CM21CA01	GS-1530, 21ft Working Height, 600 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA02	GS-1930, 25 ft Working Height, 500 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA03	GS-2032, 26 ft Working Height, 800 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA04	GS-2632, 32 ft Working Height, 500 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA05	GS-3232, 38 ft Working Height, 500 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA06	GS-2046, 26 ft Working Height, 1,200 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA07	GS-2646, 32 ft Working Height, 1,000 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA08	GS 2646 AV, 32 ft 6 in Working Height, 900 lbs Lift Capacity.						
CM02-21	CM21CA09	GS-3246, 38 ft Working Height, 700 lbs Lift Capacity, Electric Scissor Lift						
CM02-21	CM21CA10	GS 2669 DC, 32 ft Working Height, 1500 lbs Lifting Capacity, Electric Scissor Lift						
CM02-21	CM21CA11	GS 2669 RT, Rough Terrain Scissor Lift, 32 ft Working Height, 1500 lbs Lift Capacity, GAS						
CM02-21	CM21CA12	GS 3369 DC, 39 ft Working Height, 1000 lbs Lifting Capacity, Electric Scissor Lift						
CM02-21	CM21CA13	GS 3369 RT, Rough Terrain Scissor Lift, 39 ft Working Height, 1000 lbs. Lift Capacity, GAS						
CM02-21	CM21CA14	GS 4047 DC, 45 ft Working Height, 550 lbs Lifting Capacity, Electric Scissor Lift						
CM02-21	CM21CA15	GS 4069 DC, 46 ft Working Height, 800 lbs Lifting Capacity, Electric Scissor Lift						
CM02-21	CM21CA16	GS 4069 RT, Rough Terrain Scissor Lift, 46 ft working height, 800 lbs lift capacity, GAS						
CM02-21	CM21CA17	GS-3384 RT, 39 ft Working Height, 2,500 lbs Lift Capacity, Rough Terrain Scissor Lift						
CM02-21	CM21CA18	GS-3390 RT, 39 ft Working Height, 2,500 lbs Lift Capacity, Rough Terrain Scissor Lift, oscillating axle						
CM02-21	CM21CA19	GS-4390 RT, 49 ft Working Height, 1,500 lbs Lift Capacity, Rough Terrain Scissor Lift						
CM02-21	CM21CA20	GS-5390 RT, 59 ft Working Height, 1,500 lbs Lift Capacity, Rough Terrain Scissor Lift, automatic leveling hydraulic outriggers						
CM02-21	CM21CA21	AWP-20S AC, 26 ft 1 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA22	AWP-25S AC, 30 ft 10 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA23	AWP-30S AC, 35 ft 6 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA24	AWP-36S AC (tilt-back frame included), 42 ft 5 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA25	AWP-40S AC (tilt-back frame included), 46 ft 4 in Working Height, 300 lbs Lift Capacity						
CM02-21	CM21CA26	IWP-20S AC, Standard Base, 26 ft 6 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA27	IWP-25S AC, Standard Base, 30 ft 5 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA28	IWP-30S AC Wide Base, 35 ft 6 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA29	DPL-25S AC, 31 ft 4 in Working Height, 750 lbs Lift Capacity						
CM02-21	CM21CA30	DPL-30S AC, 36 ft Working Height, 750 lbs Lift Capacity						
CM02-21	CM21CA31	DPL-35S AC, 40 ft 10 in Working Height, 600 lbs Lift Capacity						
CM02-21	CM21CA32	GR-12, 17 ft 5 in Working Height, 500 lbs Lift Capacity						

CM02-21	CM21CA33	GR-15, 20 ft 8 in Working Height, 500 lbs Lift Capacity						
CM02-21	CM21CA34	GR-20, 25 ft 11 in Working Height, 350 lbs Lift Capacity						
CM02-21	CM21CA35	GRC-12, Run about Contractor, 18 ft working height, 500 lbs. lift capacity						
CM02-21	CM21CA36	QS-12, Quick Stock, Working Height 17 ft 5 in, 500 lbs Lift Capacity						
CM02-21	CM21CA37	QS-15, Quick Stock, Working Height 20 ft 8 in, 500 Lift Capacity						
CM02-21	CM21CA38	QS-20, Quick Stock, Working Height 25 ft 11 in, 350 Lift Capacity						
CM02-21	CM21CA39	GR-26 J, Run About with Jib, 31 ft Working Height, 500 lbs Lift Capacity						
B. JLG								
CM02-21	CM21CB01	1930ES, 19' Platform Height, Electric Pro-Fit Scissor Lift - 500# Capacity						
CM02-21	CM21CB02	1932E2, 19' Compact Electric Scissor Lift						
CM02-21	CM21CB03	2030ES, 20' Platform Height, Electric Pro-Fit Scissor Lift - 800# Capacity						
CM02-21	CM21CB04	2032E2, 20' Compact Electric Scissor Lift						
CM02-21	CM21CB05	2630ES, 26' Platform Height, Electric Pro-Fit Scissor Lift - 500# / 800# Capacity						
CM02-21	CM21CB06	2646ES, 26' Platform Height, Electric Pro-Fit Scissor Lift - 1000# Capacity						
CM02-21	CM21CB07	3246ES, 32' Platform Height, Electric Pro-Fit Scissor Lift - 700# /1000# Capacity						
CM02-21	CM21CB08	3369LE, 33' Platform Height, Electric Le Series Scissor Lift - 1000# Capacity						
CM02-21	CM21CB09	4069LE, 40' Platform Height, Electric Le Series Scissor Lift - 800# Capacity						
CM02-21	CM21CB10	260MRT, 26' Platform Height Rough Terrain Scissor Lift, Diesel (4WD)						
CM02-21	CM21CB11	3394RT, 33' Platform Height Rough Terrain Scissor Lift, Diesel (2WD)						
CM02-21	CM21CB12	4394RTS, 43' Platform Height Rough Terrain Scissor Lift, Diesel (4WD)						
CM02-21	CM21CB13	500RTS, 50' High Reach Rough Terrain Scissor Lift						
C. Lift-A-Loft								
CM02-21	CM21CC01	Model AMV-36 Self-Propelled Vertical Lift, 20'-24' Platform Height, 4'-6" Reach						
CM02-21	CM21CC02	Model VAL15/28-H Self-Propelled Vertical Lift, 15'-5" Platform Height, 4'-1" Reach						
CM02-21	CM21CC03	Model RAL Self-Propelled Vertical Lift, 25'-36' Platform Height, 8'-7" Reach						
CM02-21	CM21CC04	Model AMR-40 Self-Propelled Vertical Lift, 22'-4" Platform Height, 8'-7" Reach						
CM02-21	CM21CC05	Model MCL-36 Self-Propelled Vertical Lift, 19'-30' Platform Height, 10'-9" Reach						
CM02-21	CM21CC06	Model LAL Self-Propelled Vertical Lift, 34'-65' Platform Height, 15'-22' Reach						
D. Skyjack								
CM02-21	CM21CD01	SJIII-3215, 15' Platform Height, Compact Scissor Lift - 600# Capacity, Electric						
CM02-21	CM21CD02	SJIII-3219, 19' Platform Height, Compact Scissor Lift - 550# Capacity, Electric						
CM02-21	CM21CD03	SJ111-4832, 32' Platform Electric Scissor Lift						
CM02-21	CM21CD04	SJ 3220, 20' Platform Height, Conventional Scissor Lift - 900# Capacity, Electric						
CM02-21	CM21CD05	SJ 3226, 26' Platform Height, Conventional Scissor Lift - 500# Capacity, Electric						
CM02-21	CM21CD06	SJ 4620, 20' Platform Height, Conventional Scissor Lift - 1300# Capacity, Electric						
CM02-21	CM21CD07	SJ 4626, 26' Platform Height, Conventional Scissor Lift - 1000# Capacity, Electric						
CM02-21	CM21CD08	SJ 4632, 32' Platform Height, Conventional Scissor Lift - 700# Capacity, Electric						
CM02-21	CM21CD09	SJ 6826, 26' Platform Height, Conventional Scissor Lift - 120# Capacity, Electric						
CM02-21	CM21CD10	SJ 6832, 32' Platform Height, Conventional Scissor Lift - 850# Capacity, Electric						
CM02-21	CM21CD11	SJ 6826 RT, 26' Platform Height, Compact rough Terrain Scissor Lift - 1250 # Capacity, Gas						
CM02-21	CM21CD12	SJ 6832 RT, 32' Platform Height, Compact Rough Terrain Scissor Lift - 1000 # Capacity, Gas						
CM02-21	CM21CD13	SJ 7127 RT, 27' Platform Height, Mid-Size Rough Terrain Scissor Lift - 1500# Capacity, Gas						
CM02-21	CM21CD14	SJ 7135 RT, 35' Platform Height, Mid-Size Rough Terrain Scissor Lift - 1000# Capacity, Gas						
CM02-21	CM21CD15	SJ 8243 RT, 43' Platform Height, Mid-Size Rough Terrain Scissor Lift - 1000# Capacity, Gas						
CM02-21	CM21CD16	SJ 8850 RT, 50' Platform Height, Mid-Size Rough Terrain Scissor Lift - 800# Capacity, Gas						
CM02-21	CM21CD17	SJ 8831 RT, 31' Platform Height, Full-Size Rough Terrain Scissor Lift - 2500# Capacity, Gas						

CM02-21	CM21CD18	SJ 8841 RT, 41' Platform Height, Full-Size Rough Terrain Scissor Lift - 1500# Capacity, Gas						
CM02-21	CM21CD19	SJ 9250 RT, 50' Platform Height, Full-Size Rough Terrain Scissor Lift - 2000# Capacity, Gas						
E. Haulotte Group								
CM02-21	CM21CE01	1930E Optimum 18' 11" Electric Scissor Lift						
CM02-21	CM21CE02	2032E Compact 20' 3" Electric Scissor Lift						
CM02-21	CM21CE03	2632E Compact 26' 3" Electric Scissor Lift						
CM02-21	CM21CE04	2747E Compact 26' 9" Electric Scissor Lift						
CM02-21	CM21CE05	3347E Compact 32' 10" Electric Scissor Lift						
CM02-21	CM21CE06	Compact 2668 RT Rough Terrain 26' 11" Scissor Lift						
CM02-21	CM21CE07	Compact 3368 RT Rough Terrain 33' 4" Scissor Lift						
CM02-21	CM21CE08	HS 3388 RT Rough Terrain 32' 10" Scissor Lift						
CM02-21	CM21CE09	HS4388 RT Rough Terrain 42' 8" Scissor Lift						
CM02-21	CM21CE10	HS 5388 RT Rough Terrain 52' 6" Scissor Lift						
CM02-21	CM21CE11	XLT C.A.T. 23 - DC Manual Vertical Lift 23' 7" Platform Height						
CM02-21	CM21CE12	XLT C.A.T. 23 - AC Manual Vertical Lift 23' 7" Platform Height						
CM02-21	CM21CE13	Quick Up 15 Personnel Vertical Lift 14' 9" Platform Height						
CM02-21	CM21CE14	Quick Up 20 Personnel Vertical Lift 19' 4" Platform Height						
CM02-21	CM21CE15	Quick Up 24 Personnel Vertical Lift 23' 11" Platform Height						
CM02-21	CM21CE16	Quick Up 29 Personnel Vertical Lift 28' 7" Platform Height						
CM02-21	CM21CE17	Quick Up 33 Personnel Vertical Lift 32' 10" Platform Height						
CM02-21	CM21CE18	Quick Up 35 Personnel Vertical Lift 35' 5" Platform Height						
CM02-21	CM21CE19	Quick Up 40 Personnel Vertical Lift 39' 1" Platform Height						
CM02-21	CM21CE20	HM13 - Star 13 - 13' 1" Self-Propelled Vertical Lift						
CM02-21	CM21CE21	HM22J - Star 22 - 20' 4" Self-Propelled Vertical Lift						
CM02-21	CM21CE22	HM26J - Star 26 - 26' 3" Self-Propelled Vertical Lift						
D. Telescopic / Articulating Boom Lifts								
A. Genie Industries								
CM02-21	CM21DA01	TZ-34/20, Trailer Mounted Z Boom, 40' Working Height, 18'-4" Horizontal Reach, 500 lbs Lift Capacity						
CM02-21	CM21DA02	TZ-50 DC, Trailer Mounted Z Boom, 55'-6" Working Height, 29'-2" Horizontal Reach, 500 lbs Lift Capacity						
CM02-21	CM21DA03	S-40, 2WD, Telescopic Boom Lift, 46' Working Height, 31'- 8" Horizontal Reach, 500 lbs Lift Capacity						
CM02-21	CM21DA04	S-40 XC- 4WD, Telescopic S-Boom, Working Height, Horizontal Reach, Lift Capacity						
CM02-21	CM21DA05	S45 XC- 4WD, Telescopic S-Boom, Working Height, Horizontal Reach, Lift Capacity						
CM02-21	CM21DA06	S-45, With Jib, 2WD Telescopic Boom Lift, 51' Working Height, 36'- 8" Horizontal Reach, 500 lbs Lift Capacity						
CM02-21	CM21DA07	S-60XC - 4WD, Telescopic Boom Lift, 66' Working Height, 50'-10" Horizontal Reach,						
CM02-21	CM21DA08	S-65XC - 4WD, Telescopic Boom Lift, Working Height, Horizontal Reach,						
CM02-21	CM21DA09	S-80 XC, 4WD, Telescopic Boom Lift, Working Height, Horizontal Reach.						
CM02-21	CM21DA10	S-85 XC, 4WD, Telescopic Boom Lift, Working Height, Horizontal Reach.						
CM02-21	CM21DA11	SX-105 XC 4WD, 4WS Telescopic Boom Lift, Working Height, Horizontal Reach.						
CM02-21	CM21DA12	SX-125 XC 4WD, 4WS Telescopic Boom Lift, Working Height, Horizontal Reach.						
CM02-21	CM21DA13	SX-135 XC 4WD, 4WS Telescopic Boom Lift, Working Height, Horizontal Reach.						
CM02-21	CM21DA14	SX-150 Telescopic Boom Lift, 158 ft Working Height, 80 ft Horizontal Reach						
CM02-21	CM21DA15	SX 180, Telescopic Boom Lift, 186' Working Height, 80' Horizontal Reach						
CM02-21	CM21DA16	Z-30/20N with Jib, Articulating Z Boom Lift, 36' Working Height, 21'-5" Horizontal Reach.						
CM02-21	CM21DA17	Z-33/18, Articulating Z Boom Lift, 38' Working Height, 18ft 3in Horizontal Reach.						
CM02-21	CM21DA18	Z-34/22 Articulating Z Boom Lift, Electric, 68" wide, with industrial air-filled tires,40'-6" Working Height, 22'-3" Horizontal Reach.						

CM02-21	CM21DA19	Z-34/22N Articulating Boom Lift, Electric, 58" wide, with solid rubber non-marking tires, 40'-6" Working Height 22'-3" Horizontal Reach						
CM02-21	CM21DA20	Z34/22 IC, Articulating Z Boom Lift, Diesel Enging, 40 ft 6 in Working Height, 22 ft 3 in Horizontal Reach, 14 ft 11 in Up & Over						
CM02-21	CM21DA21	Z-40/23N with Jib, Articulating Z Boom Lift, 46'-5" Working Height, 22'-8" Horizontal Reach						
CM02-21	CM21DA22	Z-45/25 DC, Articulating Z Boom Lift, 51'-6" Working Height, 25' Horizontal Reach						
CM02-21	CM21DA23	Z45 XC with jib - 4WD						
CM02-21	CM21DA24	Z-60/37 DC, Articulating Z Boom Lift, Working Hieght 65'-7", Horizontal Reach 36'-7"						
CM02-21	CM21DA25	Z-60/37 EF, Fuel Electric Hybrid, Articulating Z Boom, Working Height 65'-7"						
CM02-21	CM21DA26	Z62/40 , Articulating Z Boom Lift, 67'-11" Working Height, 40"-11" Horizontal Reach						
CM02-21	CM21DA27	Z-80/60 with Jib, 2WD, Articulating Z Boom Lift, 84' Working Height, 60' Horizontal Reach.						
CM02-21	CM21DA28	Z-135/70, 4WD with 4 wheel steering, Articulating Z Boom Lift, 141' Working Height, 69'-9" Horizontal Reach.						
B. JLG								
CM02-21	CM21DB01	Model E300AJ, Electric Articulating Boom Lift, 30' Platform Height, 500# Capacity.						
CM02-21	CM21DB02	Model E400A, Electric Telescopic Boom Lift, 40' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB03	Model E400A (Narrow), Electric Telescopic Boom Lift, 40' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB04	Model M400A, Electric Telescopic Boom Lift, 40' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB05	Model M400A (Narrow), Electric Telescopic Boom Lift, 40' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB06	Model 600S, Telescopic Boom Lift, 60' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB07	Model 800S, Telescopic Boom Lift, 80' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB08	Model E450A, Electric Articulating Boom Lift, 45' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB09	Model M450A, Electric Articulating Boom Lift, 45' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB10	Model 450 Series II, Articulating Boom Lift, 2WD Diesel, 45' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB11	Model 450 Series II, Articulating Boom Lift, 4WD Diesel, 45' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB12	Model 600A, Articulating Boom Lift, 2WD Diesel, 60' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB13	Model 600A, Articulating Boom Lift, 4WD Diesel, 60' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB14	Model 740AJ, Fall Arrest Aerial Device, 74' Platform Height, 500# Capacity.						
CM02-21	CM21DB15	Model 800A, Articulating Boom Lift, 80' Platform Height, 500 lb. Capacity.						
CM02-21	CM21DB16	Model 1250AJP, Ultra Series Articulated Boom, 4WD Diesel, 125' Platform Height, 500/1000# Capacity						
CM02-21	CM21DB17	Model 10-VP Self-Propelled Vertical Lift, 10'-6" Platform Height						
CM02-21	CM21DB18	Model 15-VP Self-Propelled Vertical Lift, 15' Platform Height						
CM02-21	CM21DB19	Model 10-VPSP Self-Propelled Vertical Lift, 15'-4" Platform Height						
CM02-21	CM21DB20	Model 20-VP Self-Propelled Vertical Lift, 19'-9" Platform Height						
CM02-21	CM21DB21	Model 20-DVL Self-Propelled Vertical Lift, 19'-6" Platform Height						
CM02-21	CM21DB22	Model 15-DVSP Self-Propelled Vertical Lift, 15' Platform Height						
CM02-21	CM21DB23	Model 15-DVL Self-Propelled Vertical Lift, 15' Platform Height						
C. Haulotte/Bil-Jax Group								
CM02-21	CM21DC01	HA33 JE - 32' 10" Electric Articulating Boom Lift						
CM02-21	CM21DC02	HA43 JE - 42' 8" Electric Articulating Boom Lift						
CM02-21	CM21DC03	HA 46 JRT Rough Terrain 45' 11" Articulating Boom Lift						
CM02-21	CM21DC04	HA51 JRT Rough Terrain 50' 2" Articulating Boom Lift						
CM02-21	CM21DC05	HA61 JRT Rough Terrain 61' 2" Articulating Boom Lift						
CM02-21	CM21DC06	HA80 JRT Rough Terrain 77' 5" Articulating Boom Lift						
CM02-21	CM21DC07	HA100 JRT Rough Terrain 97' 9" Articulating Boom Lift						
CM02-21	CM21DC08	HA130 JRT Rough Terrain 129' 7" Articulating Boom Lift						
CM02-21	CM21DC09	HB 40 4WD 39' 4" Telescopic Boom Lift						
CM02-21	CM21DC10	HB44J 4WD 44' 1" Telescopic Boom Lift						

CM02-21	CM21DC11	HB62 4WD 61' 8" Telescopic Boom Lift						
CM02-21	CM21DC12	HB68J 4WD 67' 7" Telescopic Boom Lift						
CM02-21	CM21DC13	HB76J 4WD 76' 5" Telescopic Boom Lift						
CM02-21	CM21DC14	36XT - 37' 6" Self-Propelled Boom Lift						
CM02-21	CM21DC15	45XA - 45' Self-Propelled Boom Lift						
CM02-21	CM21DC16	2622T - 26' 6" Telescopic Towable Boom Lift						
CM02-21	CM21DC17	3632T - 36' 5" Telescopic Towable Boom Lift						
CM02-21	CM21DC18	4642T - 46' 4" Telescopic Towable Boom Lift						
CM02-21	CM21DC19	3522A - 36' 2" Articulating Towable Boom Lift						
CM02-21	CM21DC20	4527A - 45' 8" Articulating Towable Boom Lift						
CM02-21	CM21DC21	5533A - 55' 3" Articulating Towable Boom Lift						
E. Trench Shoring Equipment								
A. Improved Construction Methods								
CM02-21	CM21EA01	8M416, Trench Shield 8" Sidewalls, 4' H x 16' L, 16" pipe clearance, 5157 lbs., 3022 (lbs.) PSF Shield Capacity (Optional models available up to 10' H x 28' L, 76" pipe clearance, 16,563 lbs., 906 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA02	8H416, Trench Shield 8" Sidewalls, 4' H x 16' L, 16" pipe clearance, 5830 lbs., 4104 (lbs.) PSF Shield Capacity (Optional models available up to 10' H x 28' L, 76" pipe clearance, 19,403 lbs., 1258 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA03	8 DS Spreader Sets for use on 8M, 8H shields (8" Schedule 80 Pipe)						
CM02-21	CM21EA04	6M416, Trench Shield 6" Sidewalls, 4' H x 16' L, 16" pipe clearance, 4575 lbs., 2164 (lbs.) PSF Shield Capacity (Optional models available up to 10' H x 28' L, 76" pipe clearance, 15,217 lbs., 649 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA05	6H416, Trench Shield 6" Sidewalls, 4' H x 16' L, 16" pipe clearance, 5255 lbs., 3025 (lbs.) PSF Shield Capacity (Optional models available up to 10' H x 28' L, 76" pipe clearance, 18,070 lbs., 912 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA06	8 DS Spreader Sets for use on 6M, 6H shields (8" Schedule 80 Pipe)						
CM02-21	CM21EA07	4L46SW, Trench Shield 4" Sidewalls, 4' H x 6' L, 16" pipe clearance, 1573 lbs., 3319 (lbs.) PSF Shield Capacity (Optional models available up to 8' H x 16' L, 48" pipe clearance, 5616 lbs., 881 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA08	4M412, Trench Shield 4" Sidewalls, 4' H x 12' L, 16" pipe clearance, 3265 lbs., 2522 (lbs.) PSF Shield Capacity (Optional models available up to 10' H x 24' L, 76" pipe clearance, 11,921 lbs., 563 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA09	8 DS Spreader Sets for use on 4L, 4M shields (8" Schedule 80 Pipe)						
CM02-21	CM21EA10	3L46, Trench Shield 3" Sidewalls, 4' H x 6' L, 24" pipe clearance, 621 lbs., 1141 (lbs.) PSF Shield Capacity (Optional models available up to 8' H x 12' L, 24" pipe clearance, 2205 lbs., 256 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA11	3M46SW, Trench Shield 3" Sidewalls, 4' H x 6' L, 24" pipe clearance, 967 lbs., 2219 (lbs.) PSF Shield Capacity (Optional models available up to 8' H x 12' L, 51" pipe clearance, 3403 lbs., 423 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA12	3SQ Spreader Sets for use on 3L Series(Square Tubing)						
CM02-21	CM21EA13	5 DS Spreader Sets for use on 3M Series(5" Schedule 80 Pipe)						
CM02-21	CM21EA14	2AEX-66 Aluminum Trench Shield, 6' H x 6' L, 724 lbs. (Optional models available up to 8' H x 12' L, 1647 lbs.)						
CM02-21	CM21EA15	4AEX-68 Aluminum Trench Shield, 6' H x 8' L, 1438 lbs. (Optional models available up to 8' H x 16' L, 3197 lbs.)						
CM02-21	CM21EA16	MH8SW Manhole Shield, 8' H x 8' W x 8' L, 45" pipe clearance, 3565 lbs., 707 (lbs.) PSF Shield Capacity (Optional models available up to 4' H x 10' W x 10' L, 2500 lbs., 536 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA17	RMH Round Manhole Shield, 8.5' diameter, 4' H, 45" pipe clearance, 1097 lbs., 1920 (lbs.) PSF Shield Capacity (Optional models available up to 10' diameter, 8' H, 1936 lbs., 1862 (lbs.) PSF Shield Capacity)						
CM02-21	CM21EA18	HS-5x5-2640 Aluminum Hydraulic Shield, 5' H x 5' L, 720 lbs., 29" - 43" Range (Optional models available up to 8' H x 12' L, 1903 lbs., 59" - 95" Range)						
B. Speed Shore								
CM02-21	CM21EB01	4' H x 8' L Steel Trench Shield (Optional models available up to 4' H x 32' L)						

CM02-21	CM21EB02	6' H x 6' L Steel Trench Shield (Optional models available up to 6' H x 32' L)						
CM02-21	CM21EB03	8' H x 6' L Steel Trench Shield (Optional models available up to 8' H x 32' L)						
CM02-21	CM21EB04	10' H x 10' L Steel Trench Shield (Optional Models available up to 10' H x 24' L)						
CM02-21	CM21EB05	4' H x 8' L Aluminum Aps Shield (Optional 4' H x 12' L model available)						
CM02-21	CM21EB06	5' H x 5' L Aluminum Aps Shield						
CM02-21	CM21EB07	6' H x 6' L Aluminum Aps Shield (Optional models available up to 6' H x 14' L)						
CM02-21	CM21EB08	8' H x 6' L Aluminum Aps Shield (Optional models available up to 8' H x 16' L)						
CM02-21	CM21EB09	26" - 36" Static Spreader (Optional spreaders available up to 60" - 96")						
CM02-21	CM21EB10	6' H x 6' L Aluminum Hydraulic Shield (Optional models available up to 6' H x 10' L)						
CM02-21	CM21EB11	8' H x 8' L Aluminum Hydraulic Shield (Optional models available up to 8' H x 12' L)						
CM02-21	CM21EB12	10' H x 10' L Aluminum Hydraulic Shield (Optional 10' H x 12' L model available)						
CM02-21	CM21EB13	26" Hydraulic Spreader (Optional spreaders available up to 92")						
CM02-21	CM21EB14	Round Mangard, 6' x 4' H (Option models available up to 10' x 8' H)						
CM02-21	CM21EB15	V-1.5 - 27 Aluminum Vertical Single Shore (Optional models available up to V-1.5 - 88)						
CM02-21	CM21EB16	V-1.5 - 88/24 Aluminum Vertical Single Shore (Optional models available up to V-1.5 - 88/56)						
CM02-21	CM21EB17	V-3.5 - 27 Aluminum Vertical Shore, Double Cylinder (Optional models available up to V-3.5 - 88)						
CM02-21	CM21EB18	V-3.5 - 88/24 Aluminum Vertical Shore, Double Cylinder (Optional models available up to V-3.5 - 88/56)						
CM02-21	CM21EB19	V-5 - 27 Aluminum Vertical Shore, Double Cylinder (Optional models available up to V-5 - 88)						
CM02-21	CM21EB20	V-5 - 88/24 Aluminum Vertical Shore, Double Cylinder (Optional models available up to V-5 - 88/56)						
CM02-21	CM21EB21	V-7 - 27 Aluminum Vertical Shore, Double Cylinder (Optional models available up to V-7 - 88)						
CM02-21	CM21EB22	V-7 - 88/24 Aluminum Vertical Shore, Double Cylinder (Optional models available up to V-7 - 88/56)						
F. Portable "Self-Priming" Trash Pumps								
A. Godwin								
CM02-21	CM21FA01	Model GTP-50HX, 2" Trash Pump driven by Honda 5.5 Hp gasoline engine, Solids handling 1"						
CM02-21	CM21FA02	Model GTP-80HX, 3" Trash Pump driven by Honda 8.0 Hp gasoline engine, Solids handling 1.5"						
CM02-21	CM21FA03	Model GTP-100HX, 4" Trash Pump driven by Honda 11 Hp gasoline engine, Solids handling 2"						
B. Gorman-Rupp								
CM02-21	CM21FB01	Model 12D-GX160, 2" x 2" Heavy Duty Trash Pump, Double Grease Seal, Gasoline Engine, Passes a 1-3/16" Solid, Shut-Off Head is 116', 185 GPM Flow Rate						
CM02-21	CM21FB02	Model 13D-GX270, 3" x 3" Heavy Duty Trash Pump, Double Grease Seal, Gasoline Engine, Passes a 1-1/2" Solid, Shut-Off Head is 102', 400 GPM Flow Rate						
CM02-21	CM21FB03	Model T4A60S-4LE2T FT4 Isuzu, 4" x 4" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 145', 810 GPM Max Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System						
CM02-21	CM21FB04	Model T4A60S-4LE2T FT4-ESP (Enclosed Silent Package) Isuzu, 4" x 4" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 145', 810 GPM Max Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System						

CM02-21	CM21FB05	Model T6A60S-4LE2X FT4 Isuzu, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System						
CM02-21	CM21FB06	Model T6A60S-4045T FT4 John Deere, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System						
CM02-21	CM21FB07	Model T6A60S-4045T FT4-ESP (Enclosed Silent Package) John Deere, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Max Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System						
CM02-21	CM21FB08	Model T6A60S-QSF2.8P FT 4 Cummins, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Max Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System						
C. Honda								
CM02-21	CM21FC01	Model WT20X4K 2" Trash Pump driven by Honda 5.5 HP Gasoline Engine, Solids Handling 1"						
CM02-21	CM21FC02	Model WT30X4K 3" Trash Pump driven by Honda 8.0 HP Gasoline Engine, Solids Handling 1.5"						
CM02-21	CM21FC03	Model WT40X3K 4" Trash Pump driven by Honda 11 HP Gasoline Engine, Solids Handling 2"						
D. Koshin								
CM02-21	CM21FD01	STV-50X 2" SEMI-TRASH, KOSHIN K180						
CM02-21	CM21FD02	STH-50X 2" SEMI-TRASH, HONDA GX120						
CM02-21	CM21FD03	STV-80X 3" SEMI-TRASH, KOSHIN K180						
CM02-21	CM21FD04	STH-80X 3" SEMI-TRASH, HONDA GX160						
CM02-21	CM21FD05	STH-100X 4" SEMI-TRASH, HONDA GX240						
CM02-21	CM21FD06	KTH-50X 2" TRASH, HONDA GX160						
CM02-21	CM21FD07	KTH-80S 3" TRASH, HONDA GX270						
CM02-21	CM21FD08	KTH-100S 4" TRASH, HONDA GX390						
CM02-21	CM21FD09	KTH-150 6" TRASH, HONDA GX660						
CM02-21	CM21FD10	KTD-150 6" TRASH, YANMAR 3TNM72 DIESEL						
CM02-21	CM21FD11	SERH-50B 2" HIGH PRESSURE, HONDA GX160						
CM02-21	CM21FD12	KDP-50X 2" DIAPHRAM, HONDA GX120						
CM02-21	CM21FD13	KDP-80XW 3" DIAPHRAM, HONDA GX120						
E. Kohler								
CM02-21	CM21FE01	Model PFP-20HPKHL-MR, Kohler 20hp at 3600 RPM, gasoline engine, single stage centrifugal pump, one 1 1/2" delivery outlet with 1/4-turn ball valve, one 2 1/2" suction inlet, flow 300 gpm						
CM02-21	CM21FE02	Model PFP-27HP-HV, Kohler 27hp at 3600 RPM, gasoline engine, single stage centrifugal pump, two 2 1/2" delivery outlet with 1/4- turn ball valve, one 4" suction inlet, flow 700 gpm.						
F. Kubota								
CM02-21	CM21FF01	Model PFP-21HP-DSL-MR, Kubota developing 21hp at 3600 RPM, diesel engine, single centrifugal pump, one 1 1/2" delivery outlet, one 2 1/2" suction inlet, flow 300 gpm.						
G. Magnum Power Products								
CM02-21	CM21FG01	Model MTP4SZ 4"x4" Heavy Duty, Wet Prime Pump, 900 GPM Max, 150' TDH Max, 3" Solids Handling, 49 HP Deutz TD 2.9 L4 Tier 4 Final Approved Diesel Engine, 110 Gal Fuel Tank, DOT Trailer Mounted						
CM02-21	CM21FG02	Model MTP6SZ 6"x6" Heavy Duty, Wet Prime Pump, 1680 GPM Max, 170 TDH Max, 3" Solids Handling, 75 HP Deutz TD 2.9 L4 Tier 4 Final Approved Diesel Engine, 113 Gal Fuel Tank, DOT Trailer Mounted						
H. Multiquip								

CM02-21	CM21FH01	QP2TH, Centrifugal Trash Pump, Honda Powered Engine, Passes a 1" Solid, Shut-Off Head is 98', 211 GPM Flow Rate						
CM02-21	CM21FH02	QP2TK Pump-Trash 2 Kubota OC60 Diesel						
CM02-21	CM21FH03	QP3TH, Centrifugal Trash Pump, Honda Powered Engine, Passes a 1.5" Solid, Shut-Off Head is 95', 396 GPM Flow Rate						
CM02-21	CM21FH04	QP3TI Pump-Trash 3 AUTO Honda iGX270 w/Floats						
CM02-21	CM21FH05	QP3THX Pump Trash 3 Silent Pipe Frame						
CM02-21	CM21FH06	QP4TH, Centrifugal Trash Pump, Honda Powered Engine, Passes a 2" Solid, Shut-Off Head is 92', 555 GPM Flow Rate						
CM02-21	CM21FH07	QP4TK Pump Trash 4 Kubota OC95 Diesel						
CM02-21	CM21FH08	QP4TKT10 Pump Trash QP4TK Trailer 1.5 GAL						
CM02-21	CM21FH09	QP4TKT16 Pump Trash QP4TK Trailer 16Gal						
CM02-21	CM21FH10	QP4TKT28 Pump Trash QP4TK Trailer 28Gal						
CM02-21	CM21FH11	MQ62TKS, Pump Trash 6 Kohler Skid 16Gal						
CM02-21	CM21FH12	MQ62TKT, Pump Trash 6 Kohler Trailer 28Gal						
CM02-21	CM21FH13	MQ600H, Pump Trash 6 HATZ 1600 GPM Skid						
CM02-21	CM21FH14	QP2TZ, Centrifugal Trash Pump, Diesel Powered Engine, Passes a 1" Solid, Shut-Off Head is 95', 198 GPM Flow Rate						
CM02-21	CM21FH15	QP3TZ, Centrifugal Trash Pump, Diesel Powered Engine, Passes a 1.5" Solid, Shut-Off Head is 90', 383 GPM Flow Rate						
CM02-21	CM21FH16	QP4TZ, Centrifugal Diesel Powered Engine, Passes a 2" Solid, Shut-Off Head is 85', 526 GPM Flow Rate						
CM02-21	CM21FH17	MQ62TDD, Centrifugal Trash Pump, Diesel Powered Engine, Passes a 2" Solid, Shut-Off Head is 100', 1,083 GPM Flow Rate						
CM02-21	CM21FH18	MQ600TD80, Centrifugal Trash Pump, Diesel Powered Engine, Passes a 3" Solid, Shut-Off Head is 150', 1,600 GPM Flow Rate						
CM02-21	CM21FH19	QP2H, 2" Centrifugal Pump w/Honda engine, 158 GPM Flow Rate						
CM02-21	CM21FH20	QP303H, 3" Centrifugal Pump w/Honda engine, 245 GPM Flow Rate						
CM02-21	CM21FH21	QP402H, 4" Centrifugal Pump w/Honda engine, 425 GPM Flow Rate						
CM02-21	CM21FH22	QP205SH, 2" High Pressure Pump w/Honda engine, 106 GPM Flow Rate						
CM02-21	CM21FH23	QPT205SLT, 2" High Pressure Pump w/Honda engine, 126 GPM Flow Rate						
CM02-21	CM21FH24	QP305SLT, 3" High Pressure Pump w/Honda engine, 145 GPM Flow Rate						
CM02-21	CM21FH25	QPT405SLT, 4" High Pressure Pump w/Honda engine, 210 GP						
CM02-21	CM21FH26	MQD2H, 2" Diaphragm Pump w/Honda engine, 50 GPM Flow Rate						
CM02-21	CM21FH27	MQD3H, 3" Diaphragm Pump w/Honda engine, 90 GPM Flow Rate						
I. Pioneer								
CM02-21	CM21FI01	Model: GT4O95L72-TD2.9: 4"x4" Self Priming Pump, full trim DI impeller, Deutz TD2.9 engine, 58 HP, Auto-Start Controls, DOT Open Trailer Configuration, 75 gallon fuel capacity, oil bath mechanical seal, Max Head = 220', Max GPM = 1150. SKU# PPTPGT4-GL000						
CM02-21	CM21FI02	Model: GT6O13L72-TD2.9: 6"x6" Self Priming Pump, 12.5" DI Impeller, Deutz TD2.9 engine, 58 HP, Auto-Start Controls, DOT Open Trailer Configuration, 75 gallon fuel capacity, oil bath mechanical seal, Max Head = 190', Max GPM = 1600. SKU# PPTPGT6-GL000						
J. Tohatsu								
CM02-21	CM21FJ01	Model CET-Tohatsu V72, 42hp at 5000RPM, gasoline engine, single stage centrifugal pump., one 2 1/2" delivery outlet, one 3" suction inlet, flow 475 gpm						
CM02-21	CM21FJ02	Model CET-Tohatsu V82, 55hp at 5000RPM, gasoline engine, single stage centrifugal pump., two 2 1/2" delivery outlet, one 4" suction inlet, flow 560 gpm.						
K. Vanguard								
CM02-21	CM21FK01	Model PFP-26HP-DSL, Vanguard 26hp at 3600 RPM, diesel engine, two stage centrifugal pump, two 2 1/2" delivery outlets, one 4" suction inlet, flow 560gpm						
CM02-21	CM21FK02	Model PFP-31HP-2D, Vanguard 31hp at 3600 RPM, gasoline engine, dual stage centrifugal pump, two 2 1/2" delivery outlet, one 4" suction inlet, 625 gpm.						
L. Volkswagen								

CM02-21	CM21FL01	Model PFP-46HPVW-2D, Volkswagen 46hp at 3600 RPM, gasoline engine, dual stage centrifugal pump, two 2 1/2" delivery outlet, one 4" suction inlet, flow 670 gpm.						
M. Wacker								
CM02-21	CM21FM01	PT2-0009318, 2" Centrifugal Trash Pump w/Wacker engine						
CM02-21	CM21FM02	PT2A-0009092, 2" Centrifugal Trash Pump w/Honda engine						
CM02-21	CM21FM03	PT2H-0009094, 2" Centrifugal Trash Pump w/Hatz engine						
CM02-21	CM21FM04	PT3-0009321, 3" Centrifugal Trash Pump w/WM 4-cycle engine						
CM02-21	CM21FM05	PT3A-0009098, 3" Centrifugal Trash Pump w/Honda engine						
CM02-21	CM21FM06	PT3H-0009100, 3" Centrifugal Trash Pump w/Hatz engine						
CM02-21	CM21FM07	PT6LT-5200017430, 6" Centrifugal Trash Pump w/Lombardini diesel engine, Trailer Mounted						
CM02-21	CM21FM08	PT6LS-5200014741, 6" Centrifugal Trash Pump w/Lombardini diesel engine, Skid Mounted						
CM02-21	CM21FM09	PG2-0009496, 2" Centrifugal Dewatering Pump w/Wacker engine						
CM02-21	CM21FM10	PG2A-0007658, 2" Centrifugal Dewatering Pump w/Honda engine						
CM02-21	CM21FM11	PG3-0009498, 3" Centrifugal Dewatering Pump w/Wacker engine						
CM02-21	CM21FM12	PG3A-0007659, 3" Centrifugal Dewatering Pump w/Honda engine						
CM02-21	CM21FM13	PTS4V-0620971: 3" Centrifugal Trash Pump w/electric start & Briggs & Stratton Vanguard engine						
N. Robin/Subaru								
CM02-21	CM21FN01	PKV110-PKV10100401 1" Centrifugal, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN02	PKX220-PKX22000350 2" Centrifugal, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN03	PKX320-PKX320-00350 3" Centrifugal, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN04	PKX401-PKX40100363 4" Centrifugal, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN05	PKX220ST-PKX220S0350 2" Semi-Trash, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN06	PKX320ST-PKX320S0350 3" Semi-Trash, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN07	PKX201H-PKX201H0353 2" High Pressure, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN08	PKX201T-PKX201T00373 2" Trash, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN09	PKX301T-PKX301T00373 3" Trash, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN10	PKX401T-PKX401T0350 4" Trash, Robin/Subaru Gasoline Engine						
CM02-21	CM21FN11	PTX301D-PTX301D0101 3" Diaphragm, Robin/Subaru Gasoline Engine						
O. Waterax								
CM02-21	CM21FO01	Mini-Striker LR Waterax pump lightweight high pressure pump						
CM02-21	CM21FO02	Striker-2 Waterax pump 2 stage pump w/ 13 hp Honda engine vehicle mount						
CM02-21	CM21FO03	Striker-2 Waterax pump 2 stage pump w/ 13 hp Honda engine portable pump						
CM02-21	CM21FO04	Striker-3 Waterax pump 3 stage pump w/ 13 hp Honda engine vehicle mount						
CM02-21	CM21FO05	Striker-3 Waterax pump 3 stage pump w/ 13 hp Honda engine portable						
CM02-21	CM21FO06	BB 4-18 hp B&S 4 Waterax stage pump with pressure up to 440 psi and 104 gpm base mount						
CM02-21	CM21FO07	BB 4-18 hp B&S 4 Waterax stage pump with pressure up to 440 psi and 104 gpm portable						
CM02-21	CM21FO08	BB 4-21 hp Honda Waterax 4 stage pump with pressure up to 440 psi and 106 gpm base mount						
CM02-21	CM21FO09	BB 4-23 hp B&S 4 Waterax Stage pump with pressure up to 440 psi and 106 gpm base mount						
CM02-21	CM21FO10	BB 4-23 hp B&S 4 Waterax Stage pump with pressure up to 440 psi and 106 gpm portable						
CM02-21	CM21FO11	BB - 4 D902 3 cylinder Waterax Kabota fuel injected diesel up to 395 psi and 106 gpm						
CM02-21	CM21FO12	B2X Mid Range fire pump 2 Waterax stage 18 hp B&S engine 300 gpm and 190 psi base mount						
CM02-21	CM21FO13	B2X Mid Range fire pump 2 Waterax stage 18 hp B&S engine 300 gpm and 190 psi portable						
CM02-21	CM21FO14	B2X Mid Range fire pump 2 Waterax stage 21 hp Honda engine 300 gpm and 200 psi base mount						

CM02-21	CM21FO15	B2X Mid Range fire pump 2 Waterax stage 23 hp B&S engine 300 gpm and 190 psi base mount						
CM02-21	CM21FO16	B2X Mid Range fire pump 2 Waterax stage 23 hp B&S engine 300 gpm and 190 psi portable						
CM02-21	CM21FO17	B2X - D902 3 cylinder Waterax Kabota fuel injected diesel up to 310 psi and 180 gpm						
CM02-21	CM21FO18	Versax 6 hp Waterax twin impeller self priming pump portable						
CM02-21	CM21FO19	Versax 6 hp Waterax twin impeller self priming pump vehicle mount						
CM02-21	CM21FO20	Versax 9 hp Waterax twin impeller self priming pump portable						
CM02-21	CM21FO21	Versax 9 hp Waterax twin impeller self priming pump vehicle mount						
CM02-21	CM21FO22	MK3 - UMARK -3 HIGH PRESSURE Waterax 4 - staghe F. pump including fuel line						
CM02-21	CM21FO23	MK3 - UMARK -3 HIGH PRESSURE Waterax 4 - staghe F. pump kit including fuel line & hand primer						
P. Atlas Copco								
CM02-21	CM21FP01	PAS100 HF, 4" Trailer Mounted Trash Pump, 1232 GPM Flow Rate, 167ft Max Head, 3" Solids Handling, Dry Prime, Deutz Diesel Engine						
CM02-21	CM21FP02	PAS150 HF, 6" Trailer Mounted Trash Pump, 2290 GPM Flow Rate, 167ft Max Head, 3" Solids Handling, Dry Prime, Deutz Diesel Engine						
CM02-21	CM21FP03	PAS200 HF, 8" Trailer Mounted Trash Pump, 3655 GPM Flow Rate, 164ft Max Head, 3" Solids Handling, Dry Prime, Deutz Diesel Engine						
CM02-21	CM21FP04	PAS100 HF, 4" Trailer Mounted Trash Pump, <u>Sound Attenuated</u> , 1232 GPM Flow Rate, 167ft Max Head, 3" Solids Handling, Dry Prime, Deutz Diesel Engine						
CM02-21	CM21FP05	PAS150 HF, 6" Trailer Mounted Trash Pump, <u>Sound Attenuated</u> , 2290 GPM Flow Rate, 167ft Max Head, 3" Solids Handling, Dry Prime, Deutz Diesel Engine						
CM02-21	CM21FP06	PAS200 HF, 8" Trailer Mounted Trash Pump, <u>Sound Attenuated</u> , 3655 GPM Flow Rate, 164ft Max Head, 3" Solids Handling, Dry Prime, Deutz Diesel Engine						
Q. AMT Pump								
CM02-21	CM21FQ01	Model 1G4XHR-GX120, 1" x 1" Utility Pump, Buna mechanical seal, Portable, Lightweight, Solids handling and dirty water design. Honda GX120 Gasoline Engine, Shut-off head is 90', 75 GPM flow rate						
CM02-21	CM21FQ02	Model 2S5XHR-GX160, 2" x 2" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal, Honda GX160 5HP Gasoline engine, passes a 1-1/4" solid, Shut-off head is 125', 230 GPM flow rate						
CM02-21	CM21FQ03	Model 2S5XHR-GX200, 3" x 3" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal, Honda GX200 5HP Gasoline engine, passes a 1-1/4" solid, Shut-off head is 110', 290 GPM flow rate						
CM02-21	CM21FQ04	Model 3S9XHR-GX270, 3" x 3" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal, Honda GX270 8HP Gasoline engine, passes a 2" solid, Shut-off head is 110', 370 GPM flow rate						
CM02-21	CM21FQ05	Model 4S13XHR-GX390, 4" x 4" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal, Honda GX390 13HP Gasoline engine, passes a 2" solid, Shut-off head is 105', 530 GPM flow rate						
CM02-21	CM21FQ06	Model 338G-96-GX120, 2" x 2" Self-Priming Diaphragm Pump, cast aluminum housing, Honda GX120 4HP Gasoline engine, passes a 1-5/8" solid, Shut-off head is 25', 50 GPM flow rate						
CM02-21	CM21FQ07	Model 337H-96-GX160, 3" x 3" Self-Priming Diaphragm Pump, cast aluminum housing, Honda GX160 4HP Gasoline engine, passes a 1-5/8" solid, Shut-off head is 25', 88 GPM flow rate						
G. Portable "Priming-Assisted" Trash Pumps								
A. Global Pump								
CM02-21	CM21GA01	Model 4GST, 4" x 4" Automatic-priming pump, 24.8HP Tier 4 Kubota V1505T4 diesel engine, Trailer Mounted with integral 108 gallon fuel tank, passes 3" solid, maximum head 116', flow (gpm) 270-1,000						

CM02-21	CM21GA02	Model 6GST, 6" x 6" Automatic-priming pump, 74HP Tier 4 Kubota V3800R174T diesel engine, Trailer Mounted with integral 118 gallon fuel tank, passes 3" solid, maximum head 202', flow (gpm) 600-2,200						
CM02-21	CM21GA03	Model 8GST, 8" x 8" Automatic-priming pump, 114HP Tier 4 Kubota V3800T1114T4 diesel engine, Trailer Mounted with integral 118 gallon fuel tank, passes 4" solid, maximum head 183', flow (gpm) 830-3,300						
CM02-21	CM21GA04	Model 12GST, 12" x 12" Automatic-priming pump, 174HP Tier 4 CAT C4.4 diesel engine, Skid Mounted with integral 250 gallon fuel tank, passes 4" solid, maximum head 135', flow (gpm) 1,900-5,900						
CM02-21	CM21GA05	Model 14GST, 14" x 14" Diaphragm-priming pump, 250HP Tier 4 CAT C7.1 diesel engine, Skid Mounted with integral 5 gallon test tank, passes 4" solid, maximum head 138', flow (gpm) 2,500-8,100						
CM02-21	CM21GA06	Model 18GST, 18" x 14" Diaphragm-priming pump, 250HP Tier 4 CAT C7.1 diesel engine, Skid Mounted with integral 5 gallon fuel tank, passes 4-1/2" solid, maximum head 135', flow (gpm) 2,700-10,000						
CM02-21	CM21GA07	Model 4GHT, 4" x 4" Automatic-priming pump, 65HP Tier 4 Kubota V2403T165T4 diesel engine, Trailer Mounted with integral 108 gallon fuel tank, passes 3" solid, maximum head 174', flow (gpm) 300-1,400						
CM02-21	CM21GA08	Model 6GHT, 6" x 6" Automatic-priming pump, 114HP Tier 4 Kubota V3800T1114T4 diesel engine, Trailer Mounted with integral 118 gallon fuel tank, passes 3" solid, maximum head 223', flow (gpm) 560-2,250						
CM02-21	CM21GA09	Model 8GHT, 8" x 8" Automatic-priming pump, 173HP Tier 4 CAT C7.1 diesel engine, Trailer Mounted with integral 118 gallon fuel tank, passes 4" solid, maximum head 261', flow (gpm) 1,000-3,500						
CM02-21	CM21GA10	Model 12GHT, 12" x 12" Automatic-priming pump, 300HP Tier 4 CAT C7.1 diesel engine, Skid Mounted with integral 325 gallon fuel tank, passes 4" solid, maximum head 169', flow (gpm) 2,200-7,800						
CM02-21	CM21GA11	Model 18GHT, 18" x 14" Diaphragm-priming pump, 415HP Tier 4 CAT C9.3B diesel engine, Skid Mounted with integral 5 gallon fuel tank, passes 4-1/2" solid, maximum head 177', flow (gpm) 3,700-13,500						
CM02-21	CM21GA12	Model 24GHT, 24" x 18" Diaphragm-priming pump, 600HP Tier 4 CAT C18 diesel engine, Skid Mounted with integral 5 gallon fuel tank, passes 4-1/2" solid, maximum head 237', flow (gpm) 3,700-13,500						
CM02-21	CM21GA13	Model 4GSH, 4" x 3" Automatic-priming pump, 114HP Tier 4 Kubota V3800T1114T4 diesel engine, Trailer Mounted with integral 118 gallon fuel tank, passes 5/8" solid, maximum head 433', flow (gpm) 350-1,350						
CM02-21	CM21GA14	Model 6GSH, 6" x 4" Automatic-priming pump, 173HP Tier 4 CAT C4.4 diesel engine, Trailer Mounted with integral 118 gallon fuel tank, passes 7/8" solid, maximum head 412', flow (gpm) 500-2,100						
CM02-21	CM21GA15	Model 8GSH, 8" x 6" Automatic-priming pump, 300HP Tier 4 CAT C7.1 diesel engine, Skid Mounted with integral 128 gallon fuel tank, passes 1-3/8" solid, maximum head 411', flow (gpm) 750-3,750						
CM02-21	CM21GA16	Model 12GSH, 12" x 8" Automatic-priming pump, 415HP Tier 4 CAT C9.3B diesel engine, Skid Mounted with integral 260 gallon fuel tank, passes 1-1/2" solid, maximum head 340', flow (gpm) 2,000-6,750						
CM02-21	CM21GA17	Model 6GHH, 6" x 4" Automatic-priming pump, 300HP Tier 4 CAT C7.1 diesel engine, Trailer Mounted with integral 128 gallon fuel tank, passes 7/8" solid, maximum head 748', flow (gpm) 300-1,450						
CM02-21	CM21GA18	Model 8GHH, 8" x 6" Automatic-priming pump, 415HP Tier 4 CAT C9.3B diesel engine, Skid Mounted with integral 253 gallon fuel tank, passes 1-3/8" solid, maximum head 745', flow (gpm) 750-2,800						

CM02-21	CM21GA19	Model 12GHH, 12" x 10" Automatic-priming pump, 600HP Tier 4 CAT C18 diesel engine, Skid Mounted with integral 5 gallon fuel tank, passes 2-1/2" solid, maximum head 648', flow (gpm) 1,500-6,800						
CM02-21	CM21GA20	Model 6GSR, 6" x 6" Rotary Lobe Wellpoint pump, 24.8HP Tier 4 Kubota V1505-E4B diesel engine, Trailer Mounted with integral 52 gallon fuel tank, passes 2-1/2" solid, maximum head 50', maximum flow (gpm) 800						
CM02-21	CM21GA21	Model 8GSR, 8" x 8" Rotary Lobe Wellpoint pump, 49HP Tier 4 Kubota D1803 diesel engine, Trailer Mounted with integral 115 gallon fuel tank, passes 2-1/2" solid, maximum head 50', maximum flow (gpm) 1,600						
CM02-21	CM21GA22	Model 12GSR, 12" x 12" Rotary Lobe Wellpoint pump, 74HP Tier 4 Kubota V3800RI74T4 diesel engine, Skid Mounted with integral 120 gallon fuel tank, passes 2-1/2" solid, maximum head 50', maximum flow (gpm) 3,200						
CM02-21	CM21GA23	Model 4GSC, 4" x 4" Centrifugal Wellpoint pump, 14HP Tier 4 Kubota D-902-E4B diesel engine, Trailer Mounted with integral 52 gallon fuel tank, passes 5/8" solid, maximum head 102', maximum flow (gpm) 600						
CM02-21	CM21GA24	Model 6GSC, 6" x 6" Centrifugal Wellpoint pump, 24.8HP Tier 4 Kubota V1505-E4B diesel engine, Trailer Mounted with integral 70 gallon fuel tank, passes 3/4" solid, maximum head 108', maximum flow (gpm) 1,200						
CM02-21	CM21GA25	Model 8GSC, 8" x 8" Centrifugal Wellpoint pump, 40HP Tier 4 Caterpillar C2.2T diesel engine, Trailer Mounted with integral 110 gallon fuel tank, passes 7/8" solid, maximum head 108', maximum flow (gpm) 1,800						
B. Godwin								
CM02-21	CM21GB01	Model CD140M, 4" x 4" Self-priming pump, John Deere 4045HFC04 diesel engine with Prime Guard Panel, Trailer Mounted; passes up to 3" solid, flow rates to 1240 USGPM						
CM02-21	CM21GB02	Model CD 80M, 3" x 3" Self-priming pump, Yanmar 3TNV80FSDSA FT4diesel engine, Trailer mounted, passes up to 1.6" solids; flow rates to 460 USGPM						
CM02-21	CM21GB03	Model CD100M, 4" x 4" Self-priming pump, Yanmar 3TNV88F FT4 diesel engine, with Prime Guard, Trailer mounted, passes up to 1.8" solids; flow rates to 1010 USGPM						
CM02-21	CM21GB04	Model CD103M, 4" x 4" Self-priming pump, Isuzu 4LE2T FT4 diesel engine, with Prime Guard, Skid mounted, passes up to 3" solids; flow rates to 1020 USGPM						
CM02-21	CM21GB05	Model CD150M, 6" x 6" Self-priming pump, Isuzu 4LE2X T4 Diesel Engine with Prime Guard, Trailer mounted, passes up to 3" solids; flow rates to 2290 USGPM						
CM02-21	CM21GB06	Model CD160M, 6" x 6" Self-priming pump, John Deere 4045HFC04 FT4 diesel engine with Prime guard Panel, Skid Mounted; Trailer Mounted, passes up to 3" solids; flow rates to 1880 USGPM						
CM02-21	CM21GB07	Model CD180M, 8" x 6" Self-priming pump, John Deere 4045HFC04 FT4 diesel engine with Prime Guard Panel, Skid mounted; passes up to 75 mm in diameter; flow to 476 m3/hr						
CM02-21	CM21GB08	Model CD225M, 8" x 8" Self-priming pump, John Deere 4045HFC04 FT4 diesel engine with Prime Guard panel, Trailer mounted, passes up 3" solids; flow rates to 3240 USGPM						
CM02-21	CM21GB09	Model CD250M, 10" x 10" Self-priming pump, John Deere 4045HFC04 FT4 diesel engine with Prime Guard panel, trailer mounted passes up to 3" solids; flow rates to 3720 USGPM						
CM02-21	CM21GB10	Model CD300M, 12" x 12" Self-priming pump, John Deere 6068HC09 diesel engine with Prime Guard panel, skid mounted, oil bath mechanical seal, passes up to 3.7" solids, flow rates up to 5990 USGPM						
CM02-21	CM21GB11	Model DPC300, 12" x 12" Self-priming pump, John Deere 4045HFC04 FT diesel engine with Prime Guard panel, skid mounted; oil lubricated mechanical seal, passes up to 3.7" solids; flow rates to 4660 USGPM						

CM02-21	CM21GB12	Model CD400M, 18" x 18" Self-priming pump, John Deere 6090HC09 FT4 diesel engine with Prime Guard panel, skid mounted, oil bath mechanical seal, passes up to 5" solids, flow rates to 9770 USGPM							
CM02-21	CM21GB13	Model CD500M, 24" x 18", Caterpillar C18-755HP Final Tier 4 diesel engine, with Prime Guard panel, skid mounted, passes up to 3" solids, flow rates up to 16120 USGPM							
CM02-21	CM21GB14	Model NC80, 4" x 3" pump, Yanmar 3TNV80FSDSA FT4 Diesel Engine, trailer mounted, passes up to tank, flow rates to 520 USGPM							
CM02-21	CM21GB15	Model NC100, 4" x 4" pump, Yanmar 3TNV88C FT4 Diesel Engine, with Prime Guard, trailer mounted, flow rates up to 1070 USGPM							
CM02-21	CM21GB16	Model NC150S, 6" x 6" pump, Isuzu 4LE2X FT4 Diesel Engine with Prime Guard, trailer mounted							
CM02-21	CM21GB17	Model HL80M, 4"x 3", JCB TCAE-55 FT diesel engine, with Prime Guard, trailer mounted							
CM02-21	CM21GB18	Model HL100M, 4"x 4", JCB TCAE-93 FT4 Diesel Engine with Prime Guard, trailer mounted, flow rates to 920 USGPM							
CM02-21	CM21GB19	Model HL150M, 6" x 6", John Deere 6068HC09 FT4 diesel engine, with Prime Guard, trailer mounted, flow rates up to 1650 USGPM							
CM02-21	CM21GB20	Model HL200M, 8" x 6", John Deere 6068HC09 FT4 Diesel Engine with Prime Guard, trailer mounted, flow rates to 2540 USGPM							
CM02-21	CM21GB21	Model HL225M, 10" x 8", John Deere 6090HC09 FT4 diesel engine, with Prime Guard, skid mounted, flow rates to 3660 USGPM							
CM02-21	CM21GB22	Model HL250M, 12" x 10", Caterpillar C15-FT4 Diesel Engine with Prime Guard, skid mounted, flow rates to 5390 USGPM							
CM02-21	CM21GB23	Model HL110M, 4" x 4" John Deere 4045HFC04 FT4 diesel engine, with Prime Guard, skid mounted, flow rates up to 500 USGPM							
CM02-21	CM21GB24	Model HL130M, 6" x 4" John Deere 6090HC94 FT4 diesel engine, with Prime Guard, skid mounted, flow rates to 1500 USGPM							
CM02-21	CM21GB25	Model HL160M, 8" x 6", Caterpillar C15 FT4 Diesel Engine, with Prime Guard, skid mounted, flow rates to 2140 USGPM							
CM02-21	CM21GB26	Model HL260M, 10" x 10", Caterpillar C18-755HP FT4 diesel engine, with Prime Guard, skid mounted, flow rates to 5550 USGPM							
C. Gorman-Rupp									
CM02-21	CM21GC01	Model PAV3B60C-3TNV80F FT4, 3" X 3" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil Lube Seal, Skid-Mounted Final Tier 4 Yanmar Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 136', 450 GPM Max Flow Rate. Options Available: Wheel-Kit.							
CM02-21	CM21GC02	Model PA4A60C-4LE2T FT4 Isuzu, 4" X 4" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 135', 925 GPM Flow Rate. Options Available: DOT Wheel-Kit							
CM02-21	CM21GC03	Model PA4A60C-4LE2T FT4-ESP (Enclosed Silent Pump) Isuzu, 4" X 4" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 135', 925 GPM Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit							
CM02-21	CM21GC04	Model VPA4A60C-3CH1 FT4, 4" x 4" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil Lube Seal, Skid mounted Final Tier 4 Isuzu Diesel Engine, Autostart Controls, Passes 3" solid, Shut off Head is 150', 850 GPM Flow Rate, Options Available: DOT Wheel kit.							
CM02-21	CM21GC05	Model PA6C60-4045T FT4 John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Options Available: DOT Wheel-Kit							

CM02-21	CM21GC06	Model PA6C60-4045T FT4-ESP (Enclosed Silent Pump) John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC07	Model PA6D60-4045T FT4 John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC08	Model PA6D60-4045T FT4-ESP (Enclosed Silent Pump) John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC09	Model VPA6A60C-4LE2FT4FT 4 Isuzu, 10" X 10" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 114', 1520 GPM Flow Rate. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC10	Model PA8E60-4045H FT 4 John Deere, 8" X 8" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 200', 3750 GPM Flow Rate. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC11	Model PA8E60-4045H FT 4-ESP(Enclosed Silent Pump) John Deere, 8" X 8" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 200', 3750 GPM Flow Rate. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC12	Model PA10A60-4045H FT 4 John Deere, 10" X 10" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 156', 3920 GPM Flow Rate. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC13	Model PA12A60-4045H FT 4 John Deere, 12" X 12" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 108', 6200 GPM Flow Rate. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC14	Model PA12A60-4045H FT 4-ESP(Enclosed Silent Pump) John Deere, 12" X 12" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 108', 6200 GPM Flow Rate. Options Available: DOT Wheel-Kit						
CM02-21	CM21GC15	Model PAH6B60-6068H FT4 John Deere 10" x 6" Heavy Duty High Pressure Priming Assisted Final Tier 4 Diesel Engine-Driven Pump. Auto-Start Controls, Mechanical Oil-Lube Seal Mounted on Steel Skid, Passes 3" Solids, Shut-Off Head is 250'. Max Flow is 4445 GPM. Options Available: Wheel Kit						
CM02-21	CM21GC16	Model PAH8A60-6090H FT4 John Deere 10" x 8" Heavy Duty High Pressure Priming Assisted Final Tier 4 Diesel Engine-Driven Pump. Auto-Start Controls, Mechanical Oil-Lube Seal Mounted on Steel Skid, Passes 3" Solids, Shut-Off Head is 344. Max Flow is 5250 GPM. Options Available: DOT Highway Trailer						
CM02-21	CM21GC17	Model PAH10B60-6135H FT4 John Deere 12" X 10" Heavy Duty High Pressure Priming Assisted Final Tier 4 Diesel Engine-Driven Pump. Auto-Start Controls, Mechanical Oil-Lube Seal Mounted on Steel Skid. Passes a 2" Solid, Shut-Off is 380' Max Flow is 6,100 gpm. Options Available: DOT Highway Trailer						

CM02-21	CM21GC18	Model PAH10A60-C10 Caterpillar 12" X 10" Heavy Duty High Pressure Priming Assisted IT4 "Flex" Diesel Engine-Driven Pump. Mechanical Oil-Lube Seal Mounted on Steel Skid. Passes a 2" Solid, Shut-Off is 575'. Max Flow is 6,400 GPM.						
CM02-21	CM21GC19	Model PAH16A-B-C18 Caterpillar 18" X 16" Heavy Duty High Pressure Priming Assisted IT4 "Flex" Diesel Engine-Driven Pump. Mechanical Oil-Lube Seal Mounted on Steel Skid. Passes a 4" Solid, Shut-Off is 200 ft./88 psi. Max Flow is 15,000 gpm.						
D. Koshin								
CM02-21	CM21GD01	SEH-25L 1" CENTRIFUGAL, HONDA GX25						
CM02-21	CM21GD02	SEH-40 1.5" CENTRIFUGAL, HONDA GXH50						
CM02-21	CM21GD03	SEV-50X 2" CENTRIFUGAL, KOSIN 180						
CM02-21	CM21GD04	SE-50EX 2" CENTRIFUGAL, ROBIN/SUBARU EX13						
CM02-21	CM21GD05	SHE-50X 2" CENTRIFUGAL, HONDA GX120						
CM02-21	CM21GD06	SEV-80C 3" CENTRIFUGAL, KOSHIN K180						
CM02-21	CM21GD07	SE-80EX 3" CENTRIFUGAL, ROBIN/SUBARU EX17						
CM02-21	CM21GD08	SHE-80X 3" CENTRIFUGAL, HONDA GX160						
E. Magnum Power Products								
CM02-21	CM21GE01	Model MTP4DZD, 4"x4" Heavy Duty, Dry Prime Vacuum Assisted Trash Pump, Oil Bath Seal, 1450 GPM Max, 165 TDH Max, 3" Solids Handling, 49 HP@2600RPM Deutz D 2.9 L4 Tier 4 Final Approved Diesel Engine, 110 Gal Fuel Tank, DOT Trailer Mounted						
CM02-21	CM21GE02	Model MTP6DZD, 6"x6" Heavy Duty, Dry Prime Vacuum Assisted Trash Pump, Oil Bath Seal, 2750 GPM Max, 150 TDH Max, 3" Solids Handling, 75 HP@2600RPM Deutz TD 2.9 L4 Tier 4 Final Approved Diesel Engine, 113 Gal Fuel Tank, DOT Trailer Mounted						
F. Pioneer								
CM02-21	CM21GF01	Model PP43O75L71-KDW1003: 4"x3" Vacuum Assist Dry-Prime Pump, 7.5" SS Impeller, Kohler KDW1003 engine, 15.5 HP continuous at 1800rpm, open DOT GL1 Trailer configuration, 25 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 1.63" solid, max head = 133', max GPM = 540						
CM02-21	CM21GF02	Model PP44S10L71-KDI1903: 4"x4" Vacuum Assist Dry-Prime Pump, 10" SS Impeller, Kohler KDW1903 engine, 49 HP continuous at 1800rpm, open DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 160', max GPM = 1700, SKU #: PPTP43O75-GL000						
CM02-21	CM21GF03	Model PP44S10L71-D2.9: 4"x4" Vacuum Assist Dry-Prime Pump, 10" SS Impeller, Deutz D2.9 engine, 36 HP continuous at 1800rpm, Open DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 160', max GPM = 1700						
CM02-21	CM21GF04	Model PP66S12-KDI12504: 6"x6" Vacuum Assist Dry Prime Pump, 11" SS Impeller, Kohler KDI12504 engine, 63 HP continuous at 1800rpm, open DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 160', max GPM = 2700						
CM02-21	CM21GF05	Model PP66S12L71-TD2.9: 6"x6" Vacuum Assist Dry Prime Pump, 11" SS Impeller, Deutz TD2.9 engine, 58 HP continuous at 1800rpm, Open DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 160', max GPM = 2700						
CM02-21	CM21GF06	Model PP88S12L71-TCD3.6: 8"x8" Vacuum Assist Dry-Prime Pump, 12.25" SS Impeller, Deutz TCD3.6 engine, 111 HP continuous at 1800rpm, Open DOT UP3 Trailer configuration, 135 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 200', max GPM = 4500						

CM02-21	CM21GF07	Model PP86S17L71-1206F-E70TTA (242): 8"x6" Vacuum Assist Dry-Prime Pump, 17" SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Open DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 440', max GPM = 4400						
CM02-21	CM21GF08	Model PP108S17L71-1706J-E93TA: 10"x8" Vacuum Assist Dry-Prime Pump, 17.5" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Open DOT GL3-XL-A Trailer configuration, 210 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3.5" solid, max head = 450', max GPM = 6500						
CM02-21	CM21GF09	Model PP66S14L71-1204F-E44TA (155): 6"x6" Vacuum Assist Dry-Prime Pump, 14" SS Impeller, Perkins 1204F-E44TA (155) engine, 155 HP continuous at 1800rpm, Open DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 280', max GPM = 3100						
CM02-21	CM21GF10	Model PP64S17L71-1206F-E70TTA (242): 6"x4" Vacuum Assist Dry-Prime Pump, 17" SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Open DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 520', max GPM = 3000						
CM02-21	CM21GF11	Model PP128S22L71-DC13-085A (550): 12"x8" Vacuum Assist Dry-Prime Pump, 19.25" SS Impeller, Scania DC13-085A (550) engine, 550 HP continuous at 1800rpm, Open DOT GL5-A Trailer configuration, 300 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 600', max GPM = 9000, SKU# PPTP128S22-GL002						
CM02-21	CM21GF12	Model PP64C14L71-TD2.9: 6"x4" Vacuum Assist Dry-Prime Pump, 14" SS Impeller, Deutz TD2.9 engine, 58 HP continuous at 1800rpm, Open DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 1" solid, max head = 360', max GPM = 1800						
CM02-21	CM21GF13	Model PP63C17L71-TCD3.6: 6"x3" Vacuum Assist Dry-Prime Pump, 17" SS Impeller, Deutz TCD3.6 engine, 111 HP continuous at 1800rpm, Open DOT UP3 Trailer configuration, 135 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 1" solid, max head = 470', max GPM = 1100, SKU#PPTP63C17-UP001						
CM02-21	CM21GF14	Model PP64C21L71-1206F-E70TTA (242): 6"x4" Vacuum Assist Dry-Prime Pump, 21" SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Open DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 0.88" solid, max head = 600', max GPM = 1300						
CM02-21	CM21GF15	Model PP86C21L71-DC13-085A (550): 8"x6" Vacuum Assist Dry-Prime Pump, 21" SS Impeller, Scania DC13-085A (550) engine, 550 HP continuous at 1800rpm, Open DOT GL4 Trailer configuration, 250 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 1.5" solid, max head = 600', max GPM = 4000, SKU# PPTP86C21-GL002						
CM02-21	CM21GF16	Model SAPP44S8L71-4LE2T: 4"x4" Vacuum Assist Dry-Prime Pump, 8.5" SS Impeller, Isuzu 4LE2T engine, 34.5 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 150', max GPM = 1600, SKU# PPAT44S8-GL000						
CM02-21	CM21GF17	Model SAPP44S10L71-D2.9: 4"x4" Vacuum Assist Dry-Prime Pump, 10" SS Impeller, Deutz D2.9 engine, 36 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 160', max GPM = 1700						

CM02-21	CM21GF18	Model SAPP66S12L71-TD2.9: 6"x6" Vacuum Assist Dry-Prime Pump, 11" SS Impeller, Deutz TD2.9 engine, 58 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 160', max GPM = 2700						
CM02-21	CM21GF19	Model SAPP88S12L71-TCD3.6: 8"x8" Vacuum Assist Dry-Prime Pump, 12.25" SS Impeller, Deutz TCD3.6 engine, 111 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT UP3 Trailer configuration, 135 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 200', max GPM = 4500						
CM02-21	CM21GF20	Model SAPP86S17L71-1206F-E70TTA (242): 8"x6" Vacuum Assist Dry-Prime Pump, 17" SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 440', max GPM = 4400						
CM02-21	CM21GF21	Model SAPP108S17L71-1706J-E93TA: 10"x8" Vacuum Assist Dry-Prime Pump, 17.5" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL3-XL-A Trailer configuration, 210 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3.5" solid, max head = 450', max GPM = 6500						
CM02-21	CM21GF22	Model SAPP66S14L71-1204F-E44TA (155): 6"x6" Vacuum Assist Dry-Prime Pump, 14" SS Impeller, Perkins 1204F-E44TA (155) engine, 155 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 280', max GPM = 3100						
CM02-21	CM21GF23	Model SAPP64S17L71-1206F-E70TTA (242): 6"x4" Vacuum Assist Dry-Prime Pump, 17" SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3" solid, max head = 520', max GPM = 3000						
CM02-21	CM21GF24	Model SAPP64C21L71-1206F-E70TTA (242): 6"x4" Vacuum Assist Dry-Prime Pump, 21" SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 0.88" solid, max head = 600', max GPM = 1300						
CM02-21	CM21GF25	Model PP1212S17L71-1206F-E70TTA (242): 12"x12" Vacuum Assist Dry-Prime Pump, 16"@16deg SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Open DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 4.5" solid, max head = 200', max GPM = 9600, SKU# PPTP1212S17-GL007						
CM02-21	CM21GF26	Model SAPP1212S17L71-1206F-E70TTA (242): 12"x12" Vacuum Assist Dry-Prime Pump, 16"@16deg SS Impeller, Perkins 1206F-E70TTA (242) engine, 242 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL3 Trailer configuration, 175 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 4.5" solid, max head = 200', max GPM = 9600, SKU# PPAT1212S17-GL007						
CM02-21	CM21GF27	Model PP1212S17L71-1706J-E93TA: 12"x12" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Open GL3-XL-B Drag Skid configuration, 210 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3.75" solid, max head = 310', max GPM = 9500, SKU# PPSK1212S17-GL010						

CM02-21	CM21GF28	Model SAPP1212S17L71-1706J-E93TA: 12"x12" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Sound Attenuated Enclosed GL3-XL-B Drag Skid configuration, 210 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3.75" solid, max head = 310', max GPM = 9500, SKU# PPAS1212S17-GL007						
CM02-21	CM21GF29	Model PP1212S17L71-1706J-E93TA: 12"x12" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Open GL3-XL-A DOT Trailer configuration, 210 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3.75" solid, max head = 310', max GPM = 9500, SKU# PPTP1212S17-GL010						
CM02-21	CM21GF30	Model SAPP1212S17L71-1706J-E93TA: 12"x12" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Sound Attenuated Enclosed GL3-XL-A DOT Trailer configuration, 210 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 3.75" solid, max head = 310', max GPM = 9500, SKU# PPAT1212S17-GL010						
CM02-21	CM21GF31	Model PP1414S17L71-1706J-E93TA: 14"x14" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Open SP4-G2 drag Skid configuration, 310 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 4" solid, max head = 210', max GPM = 13,000, SKU# PPSK1414S17-GL001						
CM02-21	CM21GF32	Model PP1414S17L71-1706J-E93TA: 14"x14" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Open SP4-G2 DOT trailer configuration, 310 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 4" solid, max head = 210', max GPM = 13,000, SKU# PPTP1414S17-GL000						
CM02-21	CM21GF33	Model SAPP1414S17L71-1706J-E93TA: 14"x14" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Sound Attenuated Enclosed SP4-G2 skid configuration, 310 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 4" solid, max head = 210', max GPM = 13,000, SKU# PPAS1414S17-0001						
CM02-21	CM21GF34	Model SAPP1414S17L71-1706J-E93TA: 14"x14" Vacuum Assist Dry-Prime Pump, 17.25" SS Impeller, Perkins 1706J-E93TA engine, 335 HP continuous at 1800rpm, Sound Attenuated Enclosed SP4-G2 DOT trailer configuration, 310 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 4" solid, max head = 210', max GPM = 13,000, SKU# PPAT1414S17-001						
CM02-21	CM21GF35	Model PP66V12L72-TD2.9: 6"x6" Vacuum Assist Dry-Prime Pump, 10.24" VORTEX style DI Impeller, Deutz TD2.9 engine, 58 HP continuous at 1800rpm, Open DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 6" solid, max head = 185', max GPM = 2800, SKU# PPTP66V12-GL000-C01						
CM02-21	CM21GF36	Model SAPP66V12L72-TD2.9: 6"x6" Vacuum Assist Dry-Prime Pump, 10.24" VORTEX style DI Impeller, Deutz TD2.9 engine, 58 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT GL2 Trailer configuration, 75 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 6" solid, max head = 185', max GPM = 2800, SKU# PPAT66V12-GL000						
CM02-21	CM21GF37	Model SAPP88V12L72-TCD3.6: 8"x8" Vacuum Assist Dry-Prime Pump, 11.81" VORTEX style DI Impeller, Deutz TCD3.6 engine, 111 HP continuous at 1800rpm, Sound Attenuated Enclosed DOT UP3 Trailer configuration, 135 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 8" solid, max head = 1830', max GPM = 3150, SKU# PPAT88V12-UP000						

CM02-21	CM21GF38	Model PP88V12L72-TCD3.6: 8"x8" Vacuum Assist Dry-Prime Pump, 11.81" VORTEX style DI Impeller, Deutz TCD3.6 engine, 111 HP continuous at 1800rpm, Open DOT UP3 Trailer configuration, 135 gallon fuel capacity, oil bath mechanical seal, auto start controls, passes 8" solid, max head = 1830', max GPM = 3150, SKU# PPAT88V12-UP000						
G. Holland Pumps								
CM02-21	CM21GG01	PD80-3CA1 LAP SuperSilent 3" Drainer Pump featuring self-priming, 50 CFM Diaphragm Prime D80, w/ Steel Enclosure and Stainless, Steel Hardware, Isuzu Tier4F engine, w./ Highway Trailer, 628 gpm @ 15 TDH, 300gpm, @ 50 TDH, 80gpm @ 70 TDH						
CM02-21	CM21GG02	PT4TMS-D2.9L4-S100 4" Trash, Materials, Sludge open unit with Highway Trailer, Duetz Tier 4F engine, 915gpm @ 47 TDH						
CM02-21	CM21GG03	D150R-403D15 or Equal, 6" Rapid Response, SuperSilent, Fast Tow Trailer, with Steel Enclosure Pod, Perkins Tier 4F engine, 1327gpm @ 20TDH						
CM02-21	CM21GG04	PT6TPA-Hatz 3H-50TIC, 6"x 4" Trash Pump, Tier 4F, 42HP@ 1800rpm, battery, electric start, and standard instrument panel on trailer						
CM02-21	CM21GG05	PT6TPC-TD36L4 Duetz Tier 4F, 6" x 6" 4 cylinder turbocharged water cooled diesel engine, 67HP@ 1800rpm, battery, electric start, and standard instrument panel on trailer						
CM02-21	CM21GG06	J4-TD36L4 Duetz Tier 4F, 4" Jet Pump, 4 cylinder turbocharged water cooled diesel engine, 67HP@ 1800rpm, battery, electric start, and standard instrument panel on skid (a)						
CM02-21	CM21GG07	6VAWP-Iz4TC10-F(W) 8" x 8" COMPLETE Wellpoint Pump, 1400 gpm max, 102TDH max, 43HP @2000rpm on skid						
CM02-21	CM21GG08	W8R-4TNV88C-DYEM 8" Rotary Wellpoint Pump Yanmar Tier 4F 4 cylinder diesel engine, 31HP @1800rpm, battery, electric start, standard instrument panel and 3.75 to 1 gear reducer on skid w/ Twin Tanks						
CM02-21	CM21GG09	W10R-HATZ 4H50TIC, 10" Rotary Wellpoint Pump, 4 cylinder diesel engine, battery, electric start, standard instrument panel and 3.66 to 1 gear reducer on skid (a)						
CM02-21	CM21GG10	PT8TPA-TD36L4 Duetz Tier 4F, 75HP @ 1800 rpm, 75HP@ 1800rpm, battery, instrument panel, Pump End: PT8TPA, integral fuel tank and trailer						
CM02-21	CM21GG11	PT8TPC-TCD3.6L4, HP, Duetz Tier 4F, 4 cylinder diesel engine, 100HP@ 1800rpm, battery, instrument panel, Pump End: PT8TPC, integral fuel tank and trailer						
CM02-21	CM21GG12	PT10TPC-1204F.E44TA Perkins Tier 4F, 4 cylinder diesel engine standard; 146 HP @ 1800 rpm Cont., battery, instrument panel, Pump End: PT10TPC, integral fuel tank and trailer						
CM02-21	CM21GG13	PT14TPB-1206F.E70TTA Perkins Tier 4F, 212HP @ 1800rpm Cont, 6 cylinder after cooled diesel engine, battery, instrument panel, Pump End: PT14TPB, integral fuel tank and skid mounted w/ Stand-alone Trailer						
CM02-21	CM21GG14	PT14TPC-DC09 084A, ScaniaTier 4F, 275HP @ 1800 rpm Cont., 6 cylinder after cooled diesel engine, battery, instrument panel, Pump End: PT14TPC, integral fuel tank and skid mounted w/ Stand-alone Trailer						
H. Hydraulic Submersible Pumps								
A. Godwin								
CM02-21	CM21HA01	3" HS80 Pump End, GHPU10 Yanmar 3TNV80FSDSA FT4 trailer mounted diesel Power Pack, (2) 3/4"x50' hydraulic hose						
CM02-21	CM21HA02	3" HS80 Pump End, GHPU10 Yanmar 3TNV80FSDSA FT4 skid diesel Power Pack, (2) 3/4"x50' hydraulic hose						
CM02-21	CM21HA03	4" HS 100TD Pump End, GHPU10 Yanmar 3TNV88C FT4 trailer mounted diesel Power Pack w/ Prime Guard, (2) 3/4" x50' hydraulic hose						
CM02-21	CM21HA04	4" HS 100TD Pump End, GHPU10 Yanmar 3TNV88C FT4 skid mounted diesel Power Pack w/ Prime Guard, (2) 3/4" x50' hydraulic hose						
CM02-21	CM21HA05	4" HS 100SG Pump End, GHPU10SG Yanmar 3TNV88C FT4 trailer mounted diesel Power Pack w/ Prime Guard, (2) 1/45"x50' hydraulic hose, (2) 3/4"x50' hydraulic hose						

CM02-21	CM21HA06	4" HS 100SG Pump End, GHPU10SG Yanmar 3TNV88C FT4 skid mounted diesel Power Pack w/ Prime Guard, (2) 1/4"x50' hydraulic hose, (2) 3/4"x50' hydraulic hose						
CM02-21	CM21HA07	6" HS 150MR Pump End, GHPU30 JCB TCAE-55 FT4 trailer mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
CM02-21	CM21HA08	6" HS 150MR Pump End, GHPU30 JCB TCAE-55 FT4 skid mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
CM02-21	CM21HA09	6" HS 150V Pump End, GHPU30 JCB TCAE-55 FT4 trailer mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
CM02-21	CM21HA10	6" HS 150V Pump End, GHPU30 JCB TCAE-55 FT4 skid mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
CM02-21	CM21HA11	6" HS150SG Pump End, GHPU30SG JCB TCAE-55 FT4 trailer mounted diesel Power Pack w/ Prime Guard, (2) 1/4"x50' hydraulic hose, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
CM02-21	CM21HA12	6" HS150SG Pump End, GHPU30SG JCB TCAE-55 FT4 skid mounted diesel Power Pack w/ Prime Guard, (2) 1/4"x50' hydraulic hose, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
CM02-21	CM21HA13	8" HS200 Pump End, GHPU50 John Deere 4045HFC04 FT4 trailer mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1-1/4"x50' hydraulic hose						
CM02-21	CM21HA14	8" HS200 Pump End, GHPU50 John Deere 4045HFC04 FT4 skid mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1-1/4"x50' hydraulic hose						
CM02-21	CM21HA15	8" HS200SG Pump End, GHPU50 John Deere 4045HFC04 FT4 trailer mounted diesel Power Pack w/ Prime Guard, (2) 1/4"x50' hydraulic hose, (1) 1/2"x50' hydraulic hose, (2) 1-1/4"x50' hydraulic hose						
CM02-21	CM21HA16	8" HS200SG Pump End, GHPU50 John Deere 4045HFC04 FT4 skid mounted diesel Power Pack w/ Prime Guard, (2) 1/4"x50' hydraulic hose, (1) 1/2"x50' hydraulic hose, (2) 1-1/4"x50' hydraulic hose						
CM02-21	CM21HA17	10" HS250 Pump End, GHPU50 John Deere 4045HFC04 FT4 trailer mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1-1/4"x50' hydraulic hose						
CM02-21	CM21HA18	10" HS250 Pump End, GHPU50 John Deere 4045HFC04 FT4 skid mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1-1/4"x50' hydraulic hose						
CM02-21	CM21HA19	12" HS300 Pump End, GHPU90 Caterpillar C7.1 FT4 trailer mounted diesel Power Pack w/ Prime Guard, (1) 3/4"x50' hydraulic hose, (4)1-1/4"x50' hydraulic hose						
CM02-21	CM21HA20	12" HS300 Pump End, GHPU90 Caterpillar C7.1 FT4 skid mounted diesel Power Pack w/ Prime Guard, (1) 3/4"x50' hydraulic hose, (4)1-1/4"x50' hydraulic hose						
CM02-21	CM21HA21	4" HS103 Pump End, GHPU30 Isuzu 4LE2T FT4 trailer mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
CM02-21	CM21HA22	4" HS103 Pump End, GHPU30 Isuzu 4LE2T FT4 skid mounted diesel Power Pack w/ Prime Guard, (1) 1/2"x50' hydraulic hose, (2) 1"x50' hydraulic hose						
B. Hydra-Tech								
CM02-21	CM21HB01	2" Aluminum Hydraulic Submersible Vortex Trash Pump S2TAL-2, HT6DE wheelbarrow style portable hydraulic power pack w/Yanmar L70V engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.						
CM02-21	CM21HB02	2" Ductile Iron Hydraulic Submersible Vortex Trash Pump S2T-2, HT6DE wheelbarrow style portable hydraulic power pack w/Yanmar L70V engine, electric start and (2) 1/2" x 50' hyd. hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.						

CM02-21	CM21HB03	2" Aluminum Hydraulic Submersible Vortex Trash Pump S2TAL-2, HT6GE wheelbarrow style portable hydraulic power pack w/Honda GX270 engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.						
CM02-21	CM21HB04	2" Ductile Iron Hydraulic Submersible Vortex Trash Pump S2T-2, HT6GE wheelbarrow style hydraulic portable power pack w/Honda GX270 engine, electric start and (2) 1/2" x 50' hyd. hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.						
CM02-21	CM21HB05	3" Aluminum Hydraulic Submersible Vortex Trash Pump S3T, HT11D wheelbarrow style hydraulic portable power pack w/Yanmar L100W engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.						
CM02-21	CM21HB06	3" Ductile Iron Hydraulic Submersible Vortex Trash Pump S3TDI, HT11D wheelbarrow style portable hydraulic power pack w/Yanmar L100W engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.						
CM02-21	CM21HB07	3" Aluminum Hydraulic Submersible Vortex Trash Pump S3T, HT13GE wheelbarrow style portable hydraulic power pack w/Honda GX390 engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.						
CM02-21	CM21HB08	3" Ductile Iron Hydraulic Submersible Vortex Trash Pump S3TDI, HT13GE wheelbarrow style portable hydraulic power pack w/Honda GX390 engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.						
CM02-21	CM21HB09	4" Ductile Iron, Open Channel Impeller, Solids / Sludge Handling Pump S4T, with hose whips, HT35DYS hydraulic Powerpack w/ diesel Yanmar 3TNV88C-DYEM Tier 4 Final, 36.8 HP engine, trailer mounted, 30 gallon oil reservoir, 42 gallon fuel cell, two each 3/4" x 50' hoses, handles 3" solids w/flows to 800gpm / shut off head 110'.						
CM02-21	CM21HB10	4" Ductile Iron, Open Channel Impeller, Solids / Sludge Handling Pump S4T, with hose whips, HT30DQV SOUND ATTENUATED hydraulic Powerpack w/ diesel Yanmar 3TNV88C-DYEM Tier 4 Final, 36.8 HP engine, trailer mounted, 30 gallon oil reservoir, 42 gallon fuel cell, two each 3/4" x 50' hoses, handles 3" solids w/flows to 800gpm / shut off head 110'.						
CM02-21	CM21HB11	8" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S8M, HT35DYS hydraulic Powerpack w/ diesel Yanmar 3TNV88C-DYEM Tier 4 Final, 36.8 HP engine, trailer mounted, 30 gallon oil reservoir, 42 gallon fuel cell, two each 3/4" x 50' hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 2000gpm / shut off head 55'.						
CM02-21	CM21HB12	8" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S8M, HT30DQV SOUND ATTENUATED hydraulic Powerpack w/ diesel Yanmar 3TNV88C-DYEM Tier 4 Final, 36.8 HP engine, trailer mounted, 30 gallon oil reservoir, 42 gallon fuel cell, two each 3/4" x 50' hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 2000gpm / shut off head 55'.						
CM02-21	CM21HB13	4" High Head, Ductile Iron body, SS Vortex Impeller Solids handling pump S4VHLDI, fits 21" opening, w/hose whips, HT50DYS trailer mounted hydraulic Powerpack with diesel 47HP 4TNV88C-DYEM Tier 4 Final Yanmar engine, 50 gallon oil reservoir, 42 gallon fuel cell, two each 1" x 50' hydraulic hoses, Handles 3" solids w/flows to 750 gpm / shut off head 210'.						

CM02-21	CM21HB14	4" High Head, Ductile Iron body, SS Vortex Impeller Solids handling pump S4VHLDI, fits 21" opening, w/hose whips, HT50DQV SOUND ATTENUATED trailer mounted hydraulic Powerpack with diesel 47HP 4TNV88C-DYEM Tier 4 Final Yanmar engine, 50 gallon oil reservoir, 42 gallon fuel cell, two each 1" x 50' hydraulic hoses, Handles 3" solids w/flows to 750 gpm / shut off head 210'.						
CM02-21	CM21HB15	6" Ductile Iron Body, SS Vortex Impeller Solids Handling Pump S6TDI, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB16	6" Ductile Iron Body, SS Vortex Impeller Solids Handling Pump S6TDI, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB17	6" Ductile Iron Body, SS Vortex Impeller Solids Handling Pump S6TDI, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB18	6" Ductile Iron Body, SS Vortex Impeller Solids Handling Pump S6TDI, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB19	6" Aluminum Body, SS Vortex Impeller Solids Handling Pump S6T, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB20	6" Aluminum Body, SS Vortex Impeller Solids Handling Pump S6T, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB21	6" Aluminum Body, SS Vortex Impeller Solids Handling Pump S6T, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB22	6" Aluminum, SS Vortex Impeller Solids Handling Pump S6T, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB23	6" Closed Vane Channel Impeller, Ductile Iron pump fits 21" opening S6TC, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 3" solids with flows to 1900gpm / shut off head 125'.						
CM02-21	CM21HB24	6" Closed Vane Channel Impeller, Ductile Iron pump fits 21" opening S6TC, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						

CM02-21	CM21HB25	6" Closed Vane Channel Impeller, Ductile Iron pump fits 21" opening S6TC, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB26	6" Closed Vane Channel Impeller, Ductile Iron pump fits 21" opening S6TC, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB27	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 3" solids with flows to 1900gpm / shut off head 125'.						
CM02-21	CM21HB28	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB29	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB30	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.						
CM02-21	CM21HB31	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.						
CM02-21	CM21HB32	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.						
CM02-21	CM21HB33	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.						
CM02-21	CM21HB34	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.						
CM02-21	CM21HB35	8" Ductile Iron, Vortex Impeller, Solids Handling pump S8T, HT100DPV trailer mounted hydraulic Powerpack with diesel Perkins 854F-E34TA Tier 4 Final engine, 75 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, 7" solids w/flows to 4300gpm / shut off head 80'.						

CM02-21	CM21HB36	8" Ductile Iron, Vortex Impeller, Solids Handling pump S8T, HT100DPVQ SOUND ATTENUATED trailer mounted hydraulic Powerpack with diesel Perkins 854F-E34TA Tier 4 Final engine, 60 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, 7" solids w/flows to 4300gpm / shut off head 80'.						
CM02-21	CM21HB37	8" Ductile Iron, Vortex Impeller, Solids Handling pump S8T, HT100DJV trailer mounted hydraulic Powerpack with diesel John Deere 4045HFC04 Tier 4 Final engine, 75 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, 7" solids w/flows to 4300gpm / shut off head 80'.						
CM02-21	CM21HB38	8" Ductile Iron, Vortex Impeller, Solids Handling pump S8T, HT100DJVQ SOUND ATTENUATED trailer mounted hydraulic Powerpack with diesel John Deere 4045HFC04 Tier 4 Final engine, 100 gallon oil reservoir, 90 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, 7" solids w/flows to 4300gpm / shut off head 80'.						
CM02-21	CM21HB39	10" Ductile Iron, Vortex Impeller Solids Handling pump S10T, HT150DJV dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, handles 8" solids with flows to 5000 gpm / shut off head 100'.						
CM02-21	CM21HB40	10" Ductile Iron, Vortex Impeller Solids Handling pump S10T, HT150DQV SOUND ATTENUATED dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 90 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, handles 8" solids with flows to 5000 gpm / shut off head 100'.						
CM02-21	CM21HB41	18" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S18M, HT150DJV dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, NOT INTENDED TO HANDLE SOLIDS w/flows to 10,000gpm / shut off head 60'.						
CM02-21	CM21HB42	18" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S18M, HT150DQV SOUND ATTENUATED dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 90 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, NOT INTENDED TO HANDLE SOLIDS w/flows to 10,000gpm / shut off head 60'.						
CM02-21	CM21HB43	12" Ductile Iron pump w/two vane Closed Channel Impeller S6300, HT200DJV dual axle highway trailer mounted hydraulic Powerpack diesel John Deere 6068HC09 engine, 100 gallon oil reservoir, 105 gallon fuel cell, 1-1/2" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, handles 5" solids with flows to 8500gpm / shut off head 110'.						
CM02-21	CM21HB44	12" Ductile Iron pump w/two vane Closed Channel Impeller S6300, HT173DJVQ SOUND ATTENUATED trailer mounted hydraulic Powerpack with diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 90 gallon fuel cell, 1-1/2" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, handles 5" solids with flows to 8500gpm / shut off head 110'.						
C. Holland Pump								
CM02-21	CM21HC01	H6TP-D2.9L4 Power Unit, Duetz Tier4F, 35HP @ 1800 rpm, 4 cylinder diesel engine, H4TP Pump Head, 50' of 3/4" X 1" hydraulic hose, Instrument Panel, integral Fuel tank and trailer						
CM02-21	CM21HC02	H4TMS-D2.9L4 Power Unit, Duetz Tier4F, 35HP @ 1800 rpm, 4 cylinder diesel engine, H4TMS Pump Head, 50' of 3/4" X 1" hydraulic hose, Instrument Panel, integral Fuel tank and trailer						

CM02-21	CM21HC03	H6TP-D2.9L4 Power Unit, Duetz Tier4F, 35HP @ 1800 rpm., 4 cylinder diesel engine, H6TP Pump Head, 50' of 3/4" X 1" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							
CM02-21	CM21HC04	H8TP-TD36L4, Duetz Tier4F 75HP @1800 rpm Cont., 4 cylinder diesel engine, H6TMS Pump Head, 50' of 1 1/4" X 1" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							
CM02-21	CM21HC05	H8TP-TD36L4, Duetz Tier4F 75HP @1800 rpm Cont., 4 cylinder diesel engine, H6MS Pump Head, 50' of 1 1/4" X 1" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							
CM02-21	CM21HC06	H12TP-1204F.E44TA Perkins Tier4F, 4 cylinder diesel engine; 146 HP @ 1800 rpm cont., H6MS Pump Head, 50' of 1 1/4" X 1 1/2" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							
CM02-21	CM21HC07	H8TP-TD36L4, Duetz Tier4F 75HP @1800 rpm Cont., 8TP Pump Head, 50' of 1 1/4" X 1" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							
CM02-21	CM21HC08	H12TP-1204F.E44TA Perkins Tier4F, 4 cylinder diesel engine; 146 HP @ 1800 rpm cont., H12TP Pump Head, 50' of 1 1/4" X 1 1/2" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							
CM02-21	CM21HC09	H14TP-1206F.E70TTA, Tier 4F, Perkins Tier 4F, 6 cylinder diesel engine; 212 HP @ 1800 rpm cont., H14TP Pump Head, 50' of 1 1/2" X 1 1/2" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							
CM02-21	CM21HC10	H14TP-1206F.E70TTA, Tier 4F, Perkins Tier 4F, 6 cylinder diesel engine; 234 HP @ 1800 rpm cont., A22000 Pump Head, 50' of 1 1/2" X 1 1/2" hydraulic hose, Instrument Panel, integral Fuel tank and trailer							

I. Electric Submersible Pumps

A. Godwin

CM02-21	CM21IA01	Model GSP05, 2" Electric Submersible Pump, 1/2 HP, 115/230 volt							
CM02-21	CM21IA02	Model GSP10, 2" Electric Submersible Pump, 1 HP, 115/230 volt							
CM02-21	CM21IA03	Model GST 05, 2" Electric Submersible Trash Pump, 1/2 HP, 115/230 volt							
CM02-21	CM21IA04	Model GST 10, 2" Electric Submersible Trash Pump, 1 HP, 115/230 volt							
CM02-21	CM21IA05	Model GSP/ GST Piggy Back Float Switch 30'							
CM02-21	CM21IA06	Model GSP/ GST Piggy Back Float Switch 50'							

B. Gorman-Rupp

CM02-21	CM21IB01	Model S2A1, 2" Electric Submersible Pump 230Volt 3 Phase 2HP, NEMA Control Panel w/Standard 50' Cable							
CM02-21	CM21IB02	Model S3A1,3" Electric Sbmersible Pump 230 Volt 3 Phase 5 HP, NEMA Control Panel w/Standard 50' Cable							
CM02-21	CM21IB03	Model S4A1-E25, 4" Electric Submersible Pump 460 Volt 3 Phase 25 HP, NEMA Control Panel w/Standard 50' Cable							
CM02-21	CM21IB04	Model S6A1-E60, 6" Electric Submersible Pump 460Volt 3 Phase 60 HP, NEMA Control Panel w/ Standard 50' Cable							
CM02-21	CM21IB05	Model S8A1-E95, 8" Electric Submersible Pump 460 Volt 3 Phase 95 HP, NEMA Control Panel w/Standard 50' Cable							
CM02-21	CM21IB06	Model S12A1-E140, 12" Electric Submersible Pump 460 Volt 3 Phase 140 HP, NEMA Control Panel w/Standard 50' Cable							

C. Koshin

CM02-21	CM21IC01	NSM-62511 3/4", 1" 110V, 1/8 HP (SOLD AS CARTONS OF 4)							
CM02-21	CM21IC02	PX-65011 2" 110V 1/2 HP							
CM02-21	CM21IC03	PXL-65011 3/4", 2" 110V 1/2 HP							
CM02-21	CM21IC04	PS-65011 2" 110V 1/2 HP							
CM02-21	CM21IC05	PKS-65011 2" 110V 1/2 HP							
CM02-21	CM21IC06	PB-65011 2" 110V 1/2 HP							
CM02-21	CM21IC07	PB7-65011 2" 110V 1 HP							
CM02-21	CM21IC08	PB-68011 3" 110/220V 2 HP							

D. Wacker

CM02-21	CM21ID01	PS2-1503-0009120 Submersible Pump 220V/60 Hz, 2HP 3-Phase							
CM02-21	CM21ID02	PS3-2203-0009129 Submercible Pump 220V/60Hz, 3HP 3-Phase							
CM02-21	CM21ID03	PS4-5503-0009144 Submercible Pump 220V/60Hz 7.5HP 3-Phase							
CM02-21	CM21ID04	PST2-400-0009112 Sub. Pump 110V/60Hz 1/2HP 20' Cord, Single Phase							

CM02-21	CM21ID05	PSTF2-400-0620435 Sub. Pump 110V/60Hz 1/2HP 20' Cord, Single Phase						
CM02-21	CM21ID06	PS2-500-0009113 Sub. Pump 110V/60Hz 2/3HP 32' Cord, Single Phase						
CM02-21	CM21ID07	PSA2-500-0009114 Sub. Pump 110V/60Hz 2/3HP 32' Cord, Single Phase						
CM02-21	CM21ID08	PS2-800-0620442 Sub. Pump 110V/60Hz 1HP 49' Cord, Single Phase						
CM02-21	CM21ID09	PSG2-500-0620412 Sub. Pump 110V/60Hz 2/3HP 32' Cord, Single Phase						
CM02-21	CM21ID10	PST3-750-0620440 Sub. Pump 110V/60Hz 1HP 33' Cord, Single Phase						
CM02-21	CM21ID11	PSTF3-750-0620441 Sub. Pump 110V/60Hz 1HP 33' Cord, Single Phase						
E. Robin/Subaru								
CM02-21	CM21IE01	RPX-65011 Sub. Pump 2" 1/2HP, 4110 GPH						
CM02-21	CM21IE02	RPS-65011 Sub. Pump 2" 1/2HP, 4600 GPH						
CM02-21	CM21IE03	RPB-65011 Sub. Pump 2" 1/2HP, 4600 GPH						
CM02-21	CM21IE04	RPB7-65011 Sub. Pump 2" 1HP, 5520 GPH						
CM02-21	CM21IE05	RPKS-65011 Sub. Pump, Trash, 1/2HP, 4760 GPH						
CM02-21	CM21IE06	RPXL-65011 Sub. Pump 3/4" - 2" 1/2HP, 1500 GPH						
F. Multiquip								
CM02-21	CM21IF01	YELLSUB, 1.25" Electric Submersible Pump, 0.25 Hp, 115volt, Single Phase						
CM02-21	CM21IF02	SS233, 2" Electric Submersible Pump, 0.5 Hp, 115volt, Single Phase						
CM02-21	CM21IF03	ST2038P, 2" Electric Submersible Pump, 1 Hp, 115volt, Single Phase						
CM02-21	CM21IF04	ST2037, 2" Electric Submersible Pump, 1 Hp, 115volt, Single Phase						
CM02-21	CM21IF05	ST2047, 2" Electric Submersible Pump, 1 Hp, 115volt, Single Phase						
CM02-21	CM21IF06	ST2047B, 2" Electric Submersible Pump, 1 Hp, 230volt, Single Phase						
CM02-21	CM21IF07	ST3020BCUL, 3" Electric Submersible Pump, 2 Hp, 230volt, Single Phase						
CM02-21	CM21IF08	ST3050D, 3" Electric Submersible Pump, 5 Hp, specify 230 or 460volt, Three Phase						
CM02-21	CM21IF09	ST41230 Pump-Sub 4 10HP 230V 423GPM 3						
CM02-21	CM21IF10	ST41460 Pump-Sub 4 10HP 460V 423GPM 3						
CM02-21	CM21IF11	ST61230 Pump-Sub 6 15HP 230V 674GPM 3						
CM02-21	CM21IF12	ST61460 Pump-Sub 6 15HP 460V 674GPM 3						
CM02-21	CM21IF13	PX400, 2" Electric Submersible Pump, 0.5 Hp, 115 volt, Single Phase						
CM02-21	CM21IF14	ST2040T, 2" Electric Submersible Pump, 1 Hp, 115 volt, Single Phase						
CM02-21	CM21IF15	ST2040TF Pump-Sub 2 Trash 1HP 115V 79GPM w/Float						
CM02-21	CM21IF16	ST2010TCUL, 2" Electric Submersible Pump, 1 Hp, 115 volt, Single Phase						
G. Tsurumi America								
CM02-21	CM21IG01	Model HS2.4S-62, 2" Submersible Trash Pump, 2/3 HP Honda 110 Volt						
CM02-21	CM21IG02	Model LB-480-62, 2" Submersible Dewatering Pump, 2/3 HP Honda, 110 Volt						
CM02-21	CM21IG03	NK2-15, 3" Submersible Dewatering Pump, 2 HP Honda, 110/220 Volt						
H. Atlas Copco								
CM02-21	CM21IH01	Weda 10N 110v-1-60hz 2" Electric Submersible Pump, 158 GPM Flow Rate, 51ft Max Head, 110v, single phase						
CM02-21	CM21IH02	Weda 10N 230v-3-60hz, 2" Electric Submersible Pump, 159 GPM Flow Rate, 51ft Max Head, 230v, Three phase						
CM02-21	CM21IH03	Weda 10N 460v-3-60hz, 2" Electric Submersible Pump, 160 GPM Flow Rate, 51ft Max Head						
CM02-21	CM21IH04	Weda 30N 230v-1-60hz, 3" Electric Submersible Pump, 397 GPM Flow Rate, 77ft Max Head,						
CM02-21	CM21IH05	Weda 30N 460v-3-60hz, 3" Electric Submersible Pump, 210 GPM Flow Rate, 77ft Max Head						
CM02-21	CM21IH06	Weda 40N 230v-3-60hz, 3" Electric Submersible Pump, 425 GPM Flow Rate, 77ft Max Head						
CM02-21	CM21IH07	Weda 40N 460v-3-60hz, 3" Electric Submersible Pump, 426 GPM Flow Rate, 77ft Max Head						
CM02-21	CM21IH08	Weda 50+N 460v-3ph-60hz, 4" Electric Submersible Pump, 638 GPM Flow Rate, 79ft Max Head NEW						
CM02-21	CM21IH09	Weda 50+H 460v-3ph-60hz, 3" Electric Submersible Pump, 343 GPM Flow Rate, 137ft Max Head NEW						
CM02-21	CM21IH10	Weda 50N 460v-3ph-60hz, 3" Electric Submersible Pump,, 8162 1605 50						
CM02-21	CM21IH11	Weda 50N 460v-3ph-60hz, 3" Electric Submersible Pump,, 8162 1605 00						

CM02-21	CM21IH12	Weda 60+N 460v-3ph-60hz, 4" Electric Submersible Pump, 746 GPM Flow Rate, 101ft Max Head							
CM02-21	CM21IH13	WEDA 60+H, 4" Electric Submersible Pump, 366 GPM Flow Rate, 162ft Max Head, 110/230, 400/500v							
CM02-21	CM21IH14	WEDA 60+S, 3" Electric Submersible Pump, 282 GPM Flow Rate, 245ft Max Head, 110/230, 400/500v							
CM02-21	CM21IH15	Weda 60H 460v-3ph-60hz, 3" Electric Submersible Pump, 8162 1606 50							
CM02-21	CM21IH16	Weda 60N 460v-3-60hz, 3" Electric Submersible Pump, 8162 1606 00							
CM02-21	CM21IH17	Weda 60S 460v-3ph-60hz, 3" Electric Submersible Pump, 8162 1732 50							
CM02-21	CM21IH18	Weda 70L 460v-3-60hz, 6" Electric Submersible Pump, 1200 GPM Flow Rate, 110ft Max Head							
CM02-21	CM21IH19	Weda 70H 460v-3-60hz, 4" Electric Submersible Pump, 300 GPM Flow Rate, 254ft Max Head							
CM02-21	CM21IH20	Weda 90L 460v-3-60hz, 6" Electric Submersible Pump, 1790 GPM Flow Rate, 148ft Max Head							
CM02-21	CM21IH21	Weda 90H 460v-3-60hz, 4" Electric Submersible Pump, 560 GPM Flow Rate, 325ft Max Head							
CM02-21	CM21IH22	Weda 100 460v-3-60hz, 10" Electric Submersible Pump, 6100 GPM Flow Rate, 115ft Max Head							

I. AMT Pump

CM02-21	CM21II01	Model 5891-DC, 1-1/2" 12 Volt Electric Submersible Pump 1/3HP, on/off switch w/Standard 30' Power Cord, comes with metal carry case							
CM02-21	CM21II02	Model 5811-99, 1-1/2" Electric Submersible Pump 1/2HP, single phase, 115v, plastic housing, automatic float switch w/Standard Power Cord, solids handling clog resistant impellers. Shut-off head 21', Flows up to 47 GPM.							
CM02-21	CM21II03	Model 5780-98, 2" Electric Submersible Pump 1/2HP, single phase, 115v, stainless steel housing, automatic float switch w/Standard Power Cord, solids handling clog resistant impellers. Shut-off head 32', Flows up to 57 GPM.							
CM02-21	CM21II04	Model 5792-95, 2" Electric Submersible Pump 1/2HP, single phase, 115v, Cast Iron Housing, automatic float switch w/Standard Power Cord, solids handling clog resistant impellers. Shut-off head 37', Flows to 64 GPM.							

J. Welders and Equipment

A. Lincoln Electric

CM02-21	CM21JA01	K1429-8 Power Arc 5500, Subaru Robin EX27 Gas Engine Driven Welder/Generator							
CM02-21	CM21JA02	K2468-1 Ranger 10,000, Welder/Generator, Robin/Subaru OHV EH64 gas engine,							
CM02-21	CM21JA03	K2337-1 Ranger 3-Phase, Welder/Generator w/Kohler Gas Engine							
CM02-21	CM21JA04	K2382-2 Ranger GXT, Welder/Generator w/Kohler Gas Engine							
CM02-21	CM21JA05	K1725-8 Ranger 250, 250 amps DC w/Kohler Gas Engine							
CM02-21	CM21JA06	K2353-1 Ranger 305, 300 amps DC, w/ Kohler Gas Engine							
CM02-21	CM21JA07	K2352-1 Ranger 305D, 300 amps DC, w/Kubota Diesel Engine							
CM02-21	CM21JA08	K1278-8 SAE - 400 Severe Duty, 400 amp, Perkins Diesel Engine							

B. Miller

CM02-21	AM21JB01	MIL907266, Blue Star 145, Welder/Gen. w/10-HP Kohler gas engine, recoil start, std. receptacles							
CM02-21	AM21JB02	MIL907268 Blue Star 185, Welder/Gen. w/13-HP Honda gas engine, recoil start, std. receptacles							
CM02-21	AM21JB03	MIL907269 Blue Star 185, Welder/Gen. w/13-HP Kohler gas engine, electric start, - std. receptacles							
CM02-21	AM21JB04	MIL907210 Bobcat 225 AC/DC Welder/Gen., 22-HP Robin gas engine, 10KW Auxiliary Power							
CM02-21	AM21JB05	MIL907212 Bobcat 250 AC/DC Welder/Gen., 22-HP Robin gas engine, 10KW Auxiliary Power							
CM02-21	AM21JB06	MIL907211 Bobcat 250 AC/DC Welder/Gen., 22-HP Kohler gas engine, 10KW Auxiliary Power							
CM02-21	AM21JB07	MIL907255 Bobcat, 3-Phase Welder, 200/210/225 Volt, w/CH-20 Kohler gas engine							
CM02-21	AM21JB08	MIL907212011 Bobcat, 250 AC/DC Welder/Gen. w/22-HP Robin gas eng. & 10KW Power, w/GFCI							
CM02-21	AM21JB09	MIL907215 Trailblazer 275, DC Welder w/Robin Engine							
CM02-21	AM21JB10	MIL907214 Trailblazer 275, DC Welder w/Kohler Engine							
CM02-21	AM21JB11	MIL907216 Trailblazer 302, Welder w/Kohler CH-20 CC/AC engine, 120/240 volts, 60-Hz							

CM02-21	AM21JB12	MIL907217 Trailblazer 302, Welder w/Robin 22-HP CC/AC engine, 120/240 volts, 60-Hz						
CM02-21	AM21JB13	MIL907272 Legend 302, Welder/Gen. w/20-HP Kohler gas engine						
CM02-21	AM21JB14	MIL907214022 Trailblazer 275, DC Welder w/Kohler LP gas engine and GFCI						
CM02-21	AM21JB15	MIL907216022 Trailblazer 302, Welder/Gen. w/20-HP Kohler LP gas engine and GFCI						
CM02-21	AM21JB16	MIL907213011 Bobcat 250, Welder/Gen. w/Kubota diesel engine & 10KW Aux. Power & Ground Fault						
CM02-21	AM21JB17	MIL907218 Trailblazer 302, Welder w/19-HP Kubota diesel engine CC?AC 120/240 Volts, 60-Hz						
CM02-21	AM21JB18	MIL907114 Pro 300 CC/CV Deluxe Welder, w/3013C Caterpillar diesel engine						
CM02-21	AM21JB19	MIL907173 Big Blue 400D CC Welder, w/ F3L2011 Deutz diesel engine						
CM02-21	AM21JB20	MIL907175 Big Blue 400P CC Welder, w/ 404C.22 Perkins diesel engine						
CM02-21	AM21JB21	MIL907172011 Big Blue 400D CC Idle Welder, w/ F3L2011 Deutz diesel engine						
CM02-21	AM21JB22	MIL907174011 Big Blue 400P CC Idel Welder, w/ 404C.22 Perkins diesel engine						
CM02-21	AM21JB23	MIL907171 Big 40 C CC Welder, w/3024C Caterpillar diesel engine., 33-HP @ 1800rpm						

C. MultiQuip

CM02-21	AM21JC01	GAW135H, 135 Amp, 6.5 HP; 3600 RPM Honda gas engine						
CM02-21	AM21JC02	BDW180MC, Battery welder, 170 Amp, (5) 12V-12Ah Batteries						
CM02-21	AM21JC03	GAW180HEA, 180 Amp, 9.5 HP; 3600 RPM Honda gas engine						
CM02-21	AM21JC04	SDW225SSA1, 225 Amp, 12.0 HP;3600 RPM Kubota diesel engine						
CM02-21	AM21JC05	DLW300ESA, 300 Amp, 19.0 HP;3600 RPM Kubota diesel engine						
CM02-21	AM21JC06	DLW330X2, 280/2 x 165 Amp, 24.0 HP;3600 RPM Kubota diesel engine						
CM02-21	AM21JC07	DLW400ESA, 400/2 x 200 Amp, 31.5 HP;3600 RPM Kubota diesel engine						
CM02-21	AM21JC08	DAW500SA, 500 Amp, 34.5 HP;2700 RPM Kubota diesel engine						

K. Concrete Systems

A. Cart-Away Concrete Systems

CM02-21	AM21KA01	CMT-100 Portable 1-Yard Concrete Mixer Trailer						
CM02-21	AM21KA02	CMK-175 Portable 1-3/4 Yard MixKing Concrete Mixer Trailer						
CM02-21	AM21KA03	CUBE Universal On-Site Concrete Batching Mixer and Loader In One Package						
CM02-21	AM21KA04	CPS-125 Portable 1-1/4 Yard Skid Mounted Concrete Mixer						
CM02-21	AM21KA05	CPS-175 Portable 1-3/4 Yard Skid Mounted Concrete Mixer						
CM02-21	AM21KA06	CLP-200 LoadPro Concrete Batching Unit, 2 Yard Hopper						
CM02-21	AM21KA07	MBL-100 Mini Concrete Batching Unit w/Power Pack						
CM02-21	AM21KA08	CBL1 Single Hopper Automated Concrete Batching Unit, Silo						
CM02-21	AM21KA09	CBL2 Double Hopper Automated Concrete Batching Unit, Silo						

Offeror Name:	
Notes: (Important)	<p>1) Use a single Form E for ALL Option/Accessory items and quote each on a single, separate line. DO NOT use multiple Form E's... Add or insert additional lines as necessary.</p> <p>3) Completely describe each item. Include the manufacturer's code or part number. Each item listed MUST have a unique code or part number so that it can be identified in any subsequent contract.</p> <p>4) Options which replace standard equipment on a Form D Item should be priced net of any credit due for the replaced item.</p> <p>5) Options which are upgrades/downgrades of a Form D Item should be priced at the differential amount between the cost of the Form D Item and the upgrade/downgrade option.</p>

Code or Part No.	Option Description	Offered Price

Form H - Marketing

Invitation No.: CM02-21

Offeror Name:

Bidder shall provide a written narrative explaining in some detail activities that will be undertaken to actively market and promote an H-GAC contract to local government and non-profit End Users.

Request for Taxpayer Identification Number and Certification

**Give Form to the
 requester. Do not
 send to the IRS.**

Print or type See Specific Instructions on page 2.	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.	
	2 Business name/disregarded entity name, if different from above	
	3 Check appropriate box for federal tax classification; check only one of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. <input type="checkbox"/> Other (see instructions) ▶ _____	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____ <small>(Applies to accounts maintained outside the U.S.)</small>
	5 Address (number, street, and apt. or suite no.)	Requester's name and address (optional)
	6 City, state, and ZIP code	
	7 List account number(s) here (optional)	

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Social security number																				
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> </tr> </table>																				
OR																				
Employer identification number																				
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> <td style="border: 1px solid black; width: 25px; height: 20px;"></td> </tr> </table>																				

Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here	Signature of U.S. person ▶	Date ▶
------------------	----------------------------	--------

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.

By signing the filled-out form, you:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
2. Certify that you are not subject to backup withholding, or
3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

CONFLICT OF INTEREST QUESTIONNAIRE

For vendor doing business with local governmental entity

FORM CIQ

This questionnaire reflects changes made to the law by H.B. 23, 84th Leg., Regular Session.

This questionnaire is being filed in accordance with Chapter 176, Local Government Code, by a vendor who has a business relationship as defined by Section 176.001(1-a) with a local governmental entity and the vendor meets requirements under Section 176.006(a).

By law this questionnaire must be filed with the records administrator of the local governmental entity not later than the 7th business day after the date the vendor becomes aware of facts that require the statement to be filed. See Section 176.006(a-1), Local Government Code.

A vendor commits an offense if the vendor knowingly violates Section 176.006, Local Government Code. An offense under this section is a misdemeanor.

OFFICE USE ONLY

Date Received

1 Name of vendor who has a business relationship with local governmental entity.

2 Check this box if you are filing an update to a previously filed questionnaire. (The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than the 7th business day after the date on which you became aware that the originally filed questionnaire was incomplete or inaccurate.)

3 Name of local government officer about whom the information is being disclosed.

Name of Officer

4 Describe each employment or other business relationship with the local government officer, or a family member of the officer, as described by Section 176.003(a)(2)(A). Also describe any family relationship with the local government officer. Complete subparts A and B for each employment or business relationship described. Attach additional pages to this Form CIQ as necessary.

A. Is the local government officer or a family member of the officer receiving or likely to receive taxable income, other than investment income, from the vendor?

Yes No

B. Is the vendor receiving or likely to receive taxable income, other than investment income, from or at the direction of the local government officer or a family member of the officer AND the taxable income is not received from the local governmental entity?

Yes No

5 Describe each employment or business relationship that the vendor named in Section 1 maintains with a corporation or other business entity with respect to which the local government officer serves as an officer or director, or holds an ownership interest of one percent or more.

6 Check this box if the vendor has given the local government officer or a family member of the officer one or more gifts as described in Section 176.003(a)(2)(B), excluding gifts described in Section 176.003(a-1).

7

Signature of vendor doing business with the governmental entity

Date

CONFLICT OF INTEREST QUESTIONNAIRE

For vendor doing business with local governmental entity

A complete copy of Chapter 176 of the Local Government Code may be found at <http://www.statutes.legis.state.tx.us/Docs/LG/htm/LG.176.htm>. For easy reference, below are some of the sections cited on this form.

Local Government Code § 176.001(1-a): "Business relationship" means a connection between two or more parties based on commercial activity of one of the parties. The term does not include a connection based on:

- (A) a transaction that is subject to rate or fee regulation by a federal, state, or local governmental entity or an agency of a federal, state, or local governmental entity;
- (B) a transaction conducted at a price and subject to terms available to the public; or
- (C) a purchase or lease of goods or services from a person that is chartered by a state or federal agency and that is subject to regular examination by, and reporting to, that agency.

Local Government Code § 176.003(a)(2)(A) and (B):

(a) A local government officer shall file a conflicts disclosure statement with respect to a vendor if:

(2) the vendor:

(A) has an employment or other business relationship with the local government officer or a family member of the officer that results in the officer or family member receiving taxable income, other than investment income, that exceeds \$2,500 during the 12-month period preceding the date that the officer becomes aware that

- (i) a contract between the local governmental entity and vendor has been executed;
- or
- (ii) the local governmental entity is considering entering into a contract with the vendor;

(B) has given to the local government officer or a family member of the officer one or more gifts that have an aggregate value of more than \$100 in the 12-month period preceding the date the officer becomes aware that:

- (i) a contract between the local governmental entity and vendor has been executed; or
- (ii) the local governmental entity is considering entering into a contract with the vendor.

Local Government Code § 176.006(a) and (a-1)

(a) A vendor shall file a completed conflict of interest questionnaire if the vendor has a business relationship with a local governmental entity and:

- (1) has an employment or other business relationship with a local government officer of that local governmental entity, or a family member of the officer, described by Section 176.003(a)(2)(A);
- (2) has given a local government officer of that local governmental entity, or a family member of the officer, one or more gifts with the aggregate value specified by Section 176.003(a)(2)(B), excluding any gift described by Section 176.003(a-1); or
- (3) has a family relationship with a local government officer of that local governmental entity.

(a-1) The completed conflict of interest questionnaire must be filed with the appropriate records administrator not later than the seventh business day after the later of:

(1) the date that the vendor:

- (A) begins discussions or negotiations to enter into a contract with the local governmental entity; or
- (B) submits to the local governmental entity an application, response to a request for proposals or bids, correspondence, or another writing related to a potential contract with the local governmental entity; or

(2) the date the vendor becomes aware:

- (A) of an employment or other business relationship with a local government officer, or a family member of the officer, described by Subsection (a);
- (B) that the vendor has given one or more gifts described by Subsection (a); or
- (C) of a family relationship with a local government officer.

CERTIFICATE OF INTERESTED PARTIES – FORM 1295

Certificate of Interested Parties (Form 1295 – must be filled out electronically with the Texas Ethics Commission’s online filing application, printed out, signed, notarized, and attached to proposal in the response - Section TAB A)

H-GAC is required to comply with House Bill 1295, which amended the Texas Government Code by adding Section 2252.908, Disclosure of Interested Parties. Section 2252.908 prohibits H-GAC from entering into a contract resulting from this RFP with a business entity unless the business entity submits a Disclosure of Interested Parties (Form 1295) to H-GAC at the time business entity submits the signed contract. The Texas Ethics Commission has adopted rules requiring the business entity to file Form 1295 electronically with the Texas Ethics Commission. The following **definitions** apply:

- (1) **“Business Entity”** means an entity recognized by law through which business is conducted, including a sole proprietorship, partnership, or corporation. TEX. GOV’T CODE § 2252.908(1).
- (2) **“Interested Party”** means a person:
 - a) who has a controlling interest in a business entity with whom H-GAC contracts; or
 - b) who actively participates in facilitating the contract or negotiating the terms of the contract, including a broker, intermediary, adviser, or attorney for the business entity. TEX. GOV’T CODE § 2252.908(3).
- (3) **“Controlling interest”** means:
 - a) an ownership interest or participating interest in a business entity by virtue of units, percentage, shares, stock, or otherwise that exceeds 10 percent;
 - b) membership on the board of directors or other governing body of a business entity of which the board or other governing body is composed of not more than 10 members; or
 - c) service as an officer of a business entity that has four or fewer officers, or service as one of the four officers most highly compensated by a business entity that has more than four officers. *Subsection (c) does not apply to an officer of a publicly held business entity or its wholly owned subsidiaries.* TEX. ETHICS COMM. RULE 46.3(c).
- (4) **“Intermediary”** means a person who actively participates in the facilitation of the contract or negotiating the contract, including a broker, adviser, attorney, or representative of or agent for the business entity who:
 - a) receives compensation from the business entity for the person’s participation;
 - b) communicates directly with the governmental entity or state agency on behalf of the business entity regarding the contract; and
 - c) is not an employee of the business entity. TEX. ETHICS COMM. RULE 46.3(e).

As a “business entity,” all vendors must:

- (1) **complete Form 1295 electronically** with the Texas Ethics Commission using the online filing application, which can be found at https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm
 - **All vendors must complete Form 1295, even if no interested parties exist**
 - In Section 2, insert “Houston-Galveston Area Council”
 - In Section 3, insert the H-GAC RFP # for this proposal
- (2) **print a copy of the completed form** (make sure that it has a computer-generated certification number in the “Office Use Only” box)
- (3) have an authorized agent of the business entity **sign the form**
- (4) **notarize the form**
- (5) **submit** the completed, signed, notarized Form 1295, with the certification of filing, by **attaching the form to your proposal in Section TAB A**

H-GAC must acknowledge the receipt of the filed Form 1295 by notifying the Texas Ethics Commission of the receipt of the filed Form 1295 no later than the 30th day after receipt by H-GAC. After H-GAC acknowledges the Form 1295, the Texas Ethics Commission will post the completed Form 1295 to its website with seven business days after receiving notice from H-GAC.

CERTIFICATE OF INTERESTED PARTIES

FORM 1295

Complete Nos. 1 - 4 and 6 if there are interested parties.
 Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

OFFICE USE ONLY

1 Name of business entity filing form, and the city, state and country of the business entity's place of business.

2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.

3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.

4 Name of Interested Party	City, State, Country (place of business)	Nature of Interest (check applicable)	
		Controlling	Intermediary

5 Check only if there is NO Interested Party.

6 AFFIDAVIT I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

 Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said _____, this the _____ day of _____, 20____, to certify which, witness my hand and seal of office.

 Signature of officer administering oath Printed name of officer administering oath Title of officer administering oath

ADD ADDITIONAL PAGES AS NECESSARY

House Bill 89 Verification Form

Prohibition on Contracts with Companies Boycotting Israel

The 85th Texas Legislature approved new legislation, effective Sept. 1, 2017, which amends Texas Local Government Code Section 1. Subtitle F, Title 10, Government Code by adding Chapter 2270 which states that a governmental entity may not enter into a contract with a company for goods or services unless the contract contains a written verification from the company that it:

- 1) does not boycott Israel; and
- 2) will not boycott Israel during the term of the contract

Pursuant to Section 2270.001, Texas Government Code:

1. "Boycott Israel" means refusing to deal with, terminating business activities with, or otherwise taking any action that is intended to penalize, inflict economic harm on, or limit commercial relations specifically with Israel, or with a person or entity doing business in Israel or in an Israeli-controlled territory, but does not include an action made for ordinary business purposes; and
2. "Company" means a for-profit sole proprietorship, organization, association, corporation, partnership, joint venture, limited partnership, limited liability partnership, or any limited liability company, including a wholly owned subsidiary, majority-owned subsidiary, parent company or affiliate of those entities or business associations that exist to make a profit.

I, (authorized official) _____,
do hereby depose and verify the truthfulness and accuracy of the contents of the statements submitted on this certification under the provisions of Subtitle F, Title 10, Government Code Chapter 2270 and that the company named below:

- 1) does not boycott Israel currently; and
- 2) will not boycott Israel during the term of the contract; and
- 3) is not currently listed on the State of Texas Comptroller's Companies that Boycott Israel List located at <https://comptroller.texas.gov/purchasing/publications/divestment.php>

Company Name

Signature of Authorized Official

Title of Authorized Official

Date

CONTRACTOR CONTACT INFORMATION

ATTENTION Houston-Galveston Area Council (H-GAC) Contractor: The following information is needed to communicate with your company concerning contract matters which may arise. To expedite the process, we ask that you provide the information requested below. **During the term of this contract, notify H-GAC in writing of any changes to this information by emailing updates to: cpcontractfax@h-gac.com**

Section I

CONTRACTOR: _____	CONTRACT #: <u>CM02-21</u>
Purchase Order: _____	Invoice: _____
Contact Name: _____	Contact Name: _____
Address: _____	Address: _____
City _____ State _____ Zip Code _____	City _____ State _____ Zip Code _____
Telephone No.: _____	Telephone No.# _____
Fax No. _____	Fax No.# _____
Email Address: _____	Email Address: _____

Section II

CONTRACT INFORMATION:

Indicate the person (s) authorized to: sign contracts, request contract price increases, or other contract-related documents. A copy of your corporate resolution may be acceptable for Section II.

1. Printed Name of Signatory: _____	2. Printed Name of Signatory: _____
Corporate Title: _____	Corporate Title: _____
Tel. No.: _____	Tel. No.: _____
Fax No.: _____	Fax No.: _____
Email: _____	Email: _____

Section III

SALES CONTACT (Person who end users will contact for product information and pricing quotes)

Contact Name: _____	Title: _____
Address: _____	
Street	City
State	Zip
Telephone No.: _____	Fax No.: _____
Mobile No.: (optional) _____	Email: _____

H-GAC

Houston-Galveston Area Council
P.O. Box 22777 · 3555 Timmons · Houston, Texas 77227-2777

Cooperative Agreement -

SPECIAL PROVISIONS

Incorporated by attachment, as part of the whole agreement, H-GAC and the Contractor do, hereby agree to the Special Provisions as follows:

ARTICLE 1: BIDS/PROPOSALS INCORPORATED

In addition to the whole Agreement, the following documents listed in order of priority are incorporated into the Agreement by reference: Bid/Proposal Specifications and Contractor's Response to the Bid/Proposal.

ARTICLE 2: END USER AGREEMENTS ("EUA")

H-GAC acknowledges that the **END USER** may choose to enter into an End User Agreement ("EUA") with the **Contractor** through this Agreement, and that the term of the EUA may exceed the term of the current **H-GAC** Agreement. **H-GAC's** acknowledgement is not an endorsement or approval of the End User Agreement's terms and conditions. **Contractor** agrees not to offer, agree to or accept from the **END USER**, any terms or conditions that conflict with those in **Contractor's** Agreement with **H-GAC**. **Contractor** affirms that termination of its Agreement with **H-GAC** for any reason shall not result in the termination of any underlying EUA, which shall in each instance, continue pursuant to the EUA's stated terms and duration. Pursuant to the terms of this Agreement, termination of this Agreement will disallow the **Contractor** from entering into any new EUA with **END USERS**. Applicable **H-GAC** order processing charges will be due and payable to **H-GAC** on any EUAs, surviving termination of this Agreement between **H-GAC** and **Contractor**.

ARTICLE 3: MOST FAVORED CUSTOMER CLAUSE

Contractor shall provide its most favorable pricing and terms to **H-GAC**. If at any time during this Agreement, **Contractor** develops a regularly followed standard procedure of entering into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to **H-GAC** on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to **H-GAC**, **Contractor** shall notify **H-GAC** within ten (10) business days thereafter, and this Agreement shall be deemed to be automatically retroactively amended, to the effective date of **Contractor's** most favorable past agreement with another entity. **Contractor** shall provide the same prices, warranties, benefits, or terms to **H-GAC** and its **END USER** as provided in its most favorable past agreement. **H-GAC** shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If **Contractor** claims that a more favorable price, warranty, benefit, or term that was charged or offered to another entity during the term of this Agreement, does not constitute more favorable treatment, than **Contractor** shall, within ten (10) business days, notify **H-GAC** in writing, setting forth the detailed reasons **Contractor** believes the aforesaid offer is not in fact most favored treatment. **H-GAC**, after due consideration of **Contractor's** written explanation, may decline to accept such explanation and thereupon this Agreement between **H-GAC** and **Contractor** shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties,

benefits, or terms to H-GAC and the END USER.

***EXCEPTION:** This clause shall not be applicable to prices and price adjustments offered by a bidder, Proposer or contractor, which are not within bidder's/proposer's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.*

ARTICLE 4: PARTY LIABILITY

Contractor's total liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to the price of the particular products/services sold hereunder. Contractor agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. Contractor accepts liability to repay, and shall repay upon demand to END USER, any amounts determined by H-GAC, its independent auditors, or any state or federal agency, to have been paid in violation of the terms of this Agreement.

ARTICLE 5: GOVERNING LAW & VENUE

Contractor and H-GAC agree that Contractor will make every reasonable effort to resolve disputes the **END USER** in accord with the law and venue rules of the state of purchase. **Contractor** shall immediately notify **H-GAC** of such disputes.

ARTICLE 6: SALES AND ORDER PROCESSING CHARGE

Contractor shall sell its products to **END USERS** based on the pricing and terms of this Agreement. **H-GAC** will invoice **Contractor** for the applicable order processing charge when H-GAC receives notification of an END USER order. **Contractor shall remit to H-GAC** the full amount of the applicable order processing charge, after delivery of any product or service and subsequent END USER acceptance. Payment of the Order Processing Charge shall be remitted from Contractor to H-GAC, within thirty (30) calendar days or ten (10) business days after receipt of an END USER's payment, whichever comes first, notwithstanding Contractor's receipt of invoice. For sales made by **Contractor** based on this Agreement, including sales to entities without Interlocal Agreements, **Contractor** shall pay the applicable order processing charges to **H-GAC**. Further, **Contractor** agrees to encourage entities who are not members of H-GAC's Cooperative Purchasing Program to execute an **H-GAC** Interlocal Agreement. **H-GAC** reserves the right to take appropriate actions including, but not limited to, Agreement termination if **Contractor** fails to promptly remit the appropriate order processing charge to H-GAC. In no event shall **H-GAC** have any liability to **Contractor** for any goods or services an **END USER** procures from **Contractor**. At all times, **Contractor** shall remain liable to pay to **H-GAC** any order processing charges on any portion of the Agreement actually performed, and for which compensation was received by **Contractor**.

ARTICLE 7: LIQUIDATED DAMAGES

Contractor and H-GAC agree that Contractor shall cooperate with the END USER at the time an END USER purchase order is placed, to determine terms for any liquidated damages.

ARTICLE 8: INSURANCE

Unless otherwise stipulated in Section B of the Bid/Proposal Specifications, **Contractor** must have the following insurance and coverage minimums:

- a. **General liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General

Aggregate limit of at least two times the Single Occurrence limit.

Product liability insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B of the Bid/Proposal Specifications.

Property Damage or Destruction insurance is required for coverage of **End User** owned equipment while in **Contractor's** possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as art of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.

- b. Insurance coverage shall be in effect for the length of any contract made pursuant to the Bid/Proposal, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.
- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

ARTICLE 9: PERFORMANCE AND PAYMENT BONDS FOR INDIVIDUAL ORDERS

H-GAC's contractual requirements DO NOT include a Performance & Payment Bond (PPB); therefore, Contractor shall offer pricing that reflects this cost savings. **Contractor** shall remain prepared to offer a PPB to cover any order if so requested by the **END USER**. **Contractor** shall quote a price to **END USER** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **END USER's** purchase order.

ARTICLE 10: CHANGE OF STATUS

Contractor shall immediately notify **H-GAC**, in writing, of **ANY** change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name. Contractor shall offer written guidance to advise H-GAC if this Agreement shall be affected in any way by such change. **H-GAC** shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Agreement.

ARTICLE 11: TEXAS MOTOR VEHICLE BOARD LICENSING

All that deal in motor vehicles shall maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Agreement term, any required **Contractor** license is denied, revoked, or not renewed, **Contractor** shall be in default of this Agreement, unless the Texas Motor Vehicle

Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to **H-GAC** upon request.

SAMPLE

H-GAC

Houston-Galveston Area Council
P.O. Box 22777 · 3555 Timmons · Houston, Texas 77227-2777

Cooperative Agreement -

GENERAL PROVISIONS

This Agreement is made and entered into, by and between the Houston-Galveston Area Council hereinafter referred to as H-GAC having its principal place of business at 3555 Timmons Lane, Suite 120, Houston, Texas 77027 and _____, hereinafter referred to as the Contractor, having its principal place of business at _____.

WITNESSETH:

WHEREAS, H-GAC hereby engages the Contractor to perform certain services in accordance with the specifications of the Agreement; and

WHEREAS, the Contractor has agreed to perform such services in accordance with the specifications of the Agreement;

NOW, THEREFORE, H-GAC and the Contractor do hereby agree as follows:

ARTICLE 1: LEGAL AUTHORITY

The Contractor warrants and assures H-GAC that it possesses adequate legal authority to enter into this Agreement. The Contractor's governing body, where applicable, has authorized the signatory official(s) to enter into this Agreement and bind the Contractor to the terms of this Agreement and any subsequent amendments hereto.

ARTICLE 2: APPLICABLE LAWS

The Contractor agrees to conduct all activities under this Agreement in accordance with all applicable rules, regulations, directives, standards, ordinances, and laws, in effect or promulgated during the term of this Agreement, including without limitation, workers' compensation laws, minimum and maximum salary and wage statutes and regulations, and licensing laws and regulations. When required, the Contractor shall furnish H-GAC with satisfactory proof of its compliance therewith.

ARTICLE 3: INDEPENDENT CONTRACTOR

The execution of this Agreement and the rendering of services prescribed by this Agreement do not change the independent status of H-GAC or the Contractor. No provision of this Agreement or act of H-GAC in performance of the Agreement shall be construed as making the Contractor the agent, servant or employee of H-GAC, the State of Texas or the United States Government. Employees of the Contractor are subject to the exclusive control and supervision of the Contractor. The Contractor is solely responsible for employee related disputes and discrepancies, including employee payrolls and any claims arising therefrom.

ARTICLE 4: WHOLE AGREEMENT

The General Provisions, Special Provisions, and Attachments, as provided herein, constitute the complete Agreement ("Agreement") between the parties hereto, and supersede any and all oral and written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Agreement cannot be modified without written consent of the parties.

ARTICLE 5: SCOPE OF SERVICES

The services to be performed by the Contractor are outlined in an Attachment to this Agreement.

ARTICLE 6: PERFORMANCE PERIOD

This Agreement shall be performed during the period which begins _____ and ends _____. All services under this Agreement must be rendered within this performance period, unless directly specified under a written change or extension provisioned under Article 15, which shall be fully executed by both parties to this Agreement.

ARTICLE 7: PAYMENT OR FUNDING

Payment provisions under this Agreement are outlined in the Special Provisions.

ARTICLE 8: REPORTING REQUIREMENTS

If the Contractor fails to submit to H-GAC in a timely and satisfactory manner any report required by this Agreement, or otherwise fails to satisfactorily render performances hereunder, H-GAC may terminate this agreement with notice as identified in Article 16 of these General Provisions. H-GAC has final determination of the adequacy of performance and reporting by Contractor. Termination of this agreement for failure to perform may affect Contractor's ability to participate in future opportunities with H-GAC. The Contractor's failure to timely submit any report may also be considered cause for termination of this Agreement.

Any additional reporting requirements shall be set forth in the Special Provisions of this Agreement.

ARTICLE 9: INSURANCE

Contractor shall maintain insurance coverage for work performed or services rendered under this Agreement as outlined and defined in the attached Special Provisions.

ARTICLE 10: SUBCONTRACTS and ASSIGNMENTS

Except as may be set forth in the Special Provisions, the Contractor agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Agreement or any right, title, obligation or interest it may have therein to any third party without prior written approval of H-GAC. The Contractor acknowledges that H-GAC is not liable to any subcontractor or assignee of the Contractor. The Contractor shall ensure that the performance rendered under all subcontracts shall result in compliance with all the terms and provisions of this Agreement as if the performance rendered was rendered by the Contractor. Contractor shall give all required notices, and comply with all laws and regulations applicable to furnishing and performance of the work. Except where otherwise expressly required by applicable law or regulation, H-GAC shall not be responsible for monitoring Contractor's compliance, or that of Contractor's subcontractors, with any laws or regulations.

ARTICLE 11: AUDIT

Notwithstanding any other audit requirement, H-GAC reserves the right to conduct or cause to be conducted an independent audit of any transaction under this Agreement, such audit may be performed by the H-GAC local government audit staff, a certified public accountant firm, or other auditors designated by H-GAC and will be conducted in accordance with applicable professional standards and practices. The Contractor understands and agrees that the Contractor shall be liable to the H-GAC for any findings that result in monetary obligations to H-GAC.

ARTICLE 12: EXAMINATION OF RECORDS

The Contractor shall maintain during the course of the work complete and accurate records of all of the Contractor's costs and documentation of items which are chargeable to H-GAC under this Agreement. H-GAC, through its staff or designated public accounting firm, the State of Texas, and United States Government, shall have the right at any reasonable time to inspect, copy and audit those records on or

off the premises by authorized representatives of its own or any public accounting firm selected by H-GAC. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. Failure to provide access to records may be cause for termination of the Agreement. The records to be thus maintained and retained by the Contractor shall include (without limitation): (1) personnel and payroll records, including social security numbers and labor classifications, accounting for total time distribution of the Contractor's employees working full or part time on the work, as well as cancelled payroll checks, signed receipts for payroll payments in cash, or other evidence of disbursement of payroll payments; (2) invoices for purchases, receiving and issuing documents, and all other unit inventory records for the Contractor's stocks or capital items; and (3) paid invoices and cancelled checks for materials purchased and for subcontractors' and any other third parties' charges.

The Contractor further agrees that the examination of records outlined in this article shall be included in all subcontractor or third-party agreements.

ARTICLE 13: RETENTION OF RECORDS

The Contractor and its subcontractors shall maintain all records pertinent to this Agreement, and all other financial, statistical, property, participant records, and supporting documentation for a period of no less than seven (7) years from the later of the date of acceptance of the final payment or until all audit findings have been resolved. If any litigation, claim, negotiation, audit or other action involving the records has been started before the expiration of the retention period, the records shall be retained until completion of the action and resolution of all issues which arise from it, or until the end of the seven (7) years, whichever is later, and until any outstanding litigation, audit, or claim has been fully resolved.

ARTICLE 14: CHANGES AND AMENDMENTS

- A. Any alterations, additions, or deletions to the terms of this Agreement, which are required by changes in federal or state law or by regulations, are automatically incorporated without written amendment hereto, and shall become effective on the date designated by such law or by regulation.
- B. To ensure the legal and effective performance of this Agreement, both parties agree that any amendment that affects the performance under this Agreement must be mutually agreed upon and that all such amendments must be in writing. After a period of no less than 30 days subsequent to written notice, unless sooner implementation is required by law, such amendments shall have the effect of qualifying the terms of this Agreement and shall be binding upon the parties as if written herein.

ARTICLE 15: TERMINATION PROCEDURES

The Contractor acknowledges that this Agreement may be terminated for Convenience or Default.

- A. *Convenience*
H-GAC may terminate this Agreement at any time, in whole or in part, with or without cause, whenever H-GAC determines that for any reason such termination is in the best interest of H-GAC, by providing written notice by certified mail to the Contractor. Upon receipt of notice of termination, all services hereunder of the Contractor and its employees and subcontractors shall cease to the extent specified in the notice of termination.

The Contractor may cancel or terminate this Agreement upon submission of thirty (30) days written notice, presented to H-GAC via certified mail. The Contractor may not give notice of cancellation after it has received notice of default from H-GAC.

- B. *Default*

H-GAC may, by written notice of default to the Contractor, terminate the whole or any part of the Agreement, in any one of the following circumstances:

- (1) If the Contractor fails to perform the services herein specified within the time specified herein or any extension thereof; or
- (2) If the Contractor fails to perform any of the other provisions of this Agreement for any reason whatsoever, or so fails to make progress or otherwise violates the Agreements that completion of services herein specified within the Agreement term is significantly endangered, and in either of these two instances does not cure such failure within a period often (10) days (or such longer period of time as may be authorized by H-GAC in writing) after receiving written notice by certified mail of default from H-GAC.

ARTICLE 16: SEVERABILITY

H-GAC and Contractor agree that should any provision of this Agreement be determined to be invalid or unenforceable, such determination shall not affect any other term of this Agreement, which shall continue in full force and effect.

ARTICLE 17: FORCE MAJEURE

To the extent that either party to this Agreement shall be wholly or partially prevented from the performance of any obligation or duty placed on such party by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident, order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of force majeure shall rest solely with H-GAC.

ARTICLE 18: CONFLICT OF INTEREST

No officer, member or employee of the Contractor or subcontractor, no member of the governing body of the Contractor, and no other public officials of the Contractor who exercise any functions or responsibilities in the review or Contractor approval of this Agreement, shall participate in any decision relating to this Agreement which affects his or her personal interest, or shall have any personal or pecuniary interest, direct or indirect, in this Agreement.

ARTICLE 19: FEDERAL COMPLIANCE

Contractor agrees to comply with all federal statutes relating to nondiscrimination, labor standards, and environmental compliance. Additionally, for work to be performed under the Agreement or subcontract thereof, including procurement of materials or leases of equipment, Contractor shall notify each potential subcontractor or supplier of the Contractor's federal compliance obligations. These may include, but are not limited to: (a) Title VI of the Civil Rights Act of 1964 (P.L. 88-352) which prohibits discrimination on the basis of race, color or national origin; (b) Title IX of the Education Amendments of 1972, as amended (20 U.S.C. §§ 1681-1683, and 1685-1686), which prohibits discrimination on the basis of sex; (c) the Fair Labor Standards Act of 1938 (29 USC 676 et. seq.), (d) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. § 794), which prohibits discrimination on the basis of handicaps and the Americans with Disabilities Act of 1990; (e) the Age Discrimination in Employment Act of 1967 (29 USC 621 et. seq.) and the Age Discrimination Act of 1974, as amended (42 U.S.C. §§ 6101-6107), which prohibits discrimination on the basis of age; (f) the Drug Abuse Office and Treatment Act of 1972 (P.L. 92-255), as amended, relating to nondiscrimination on the basis of drug abuse; (g) the Comprehensive Alcohol Abuse and Alcoholism Prevention, Treatment and Rehabilitation Act of 1970 (P.L. 91-616), as amended, relating to the nondiscrimination on the basis of alcohol abuse or alcoholism; (h) §§ 523 and 527 of the Public Health Service Act of 1912 (42 U.S.C. 290 dd-3 and 290 ee-3), as amended, relating to confidentiality of alcohol and drug abuse patient records; (i) Title VIII of the Civil Rights Act of 1968 (42 U.S.C. § 3601 et seq.), as amended, relating to nondiscrimination in the sale, rental or financing of housing; (j) any other nondiscrimination provisions in any specific statute(s)

applicable to any Federal funding for this Agreement; (k) the requirements of any other nondiscrimination statute(s) which may apply to this Agreement; (l) applicable provisions of the Clean Air Act (42 U.S.C. §7401 et seq.), the Federal Water Pollution Control Act, as amended (33 U.S.C. §1251 et seq.), Section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and the Environmental Protection Agency regulations at 40 CFR Part 15; (m) applicable provisions of the Davis- Bacon Act (40 U.S.C. 276a - 276a-7), the Copeland Act (40 U.S.C. 276c), and the Contract Work Hours and Safety Standards Act (40 U.S.C. 327-332), as set forth in Department of Labor Regulations at 20 CFR 5.5a; (n) the mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (P.L. 94-163).

ARTICLE 20: CRIMINAL PROVISIONS AND SANCTIONS

The Contractor agrees to perform the Agreement in conformance with safeguards against fraud and abuse as set forth by the H-GAC, the State of Texas, and the acts and regulations of any related state or federal agency. The Contractor agrees to promptly notify H-GAC of any actual or suspected fraud, abuse, or other criminal activity through the filing of a written report within twenty-four (24) hours of knowledge thereof. Contractor shall notify H-GAC of any accident or incident requiring medical attention arising from its activities under this Agreement within twenty-four (24) hours of such occurrence. Theft or willful damage to property on loan to the Contractor from H-GAC, if any, shall be reported to local law enforcement agencies and H-GAC within two (2) hours of discovery of any such act.

The Contractor further agrees to cooperate fully with H-GAC, local law enforcement agencies, the State of Texas, the Federal Bureau of Investigation and any other duly authorized investigative unit, in carrying out a full investigation of all such incidents.

The Contractor shall notify H-GAC of the threat of lawsuit or of any actual suit filed against the Contractor pertaining to this Agreement or which would adversely affect the Contractor's ability to perform services under this Agreement.

ARTICLE 21: INDEMNIFICATION AND RECOVERY

H-GAC's liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will H-GAC be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless H-GAC, its board members, officers, agents, officials, employees and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgements, and liens arising as a result of Contractor's negligent act or omission under this Agreement. Contractor shall notify H-GAC of the threat of lawsuit or of any actual suit filed against Contractor relating to this Agreement.

ARTICLE 22: LIMITATION OF CONTRACTOR'S LIABILITY

Except as specified in any separate writing between the Contractor and an END USER, Contractor's total liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify H-GAC, is limited to the price of the particular products/services sold hereunder, and Contractor agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will Contractor be liable for any loss of use, loss of time, inconvenience, commercial loss, loss of profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor understands and agrees that it shall be liable to repay and shall repay upon demand to

END USER any amounts determined by H-GAC, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Agreement.

ARTICLE 23: TITLES NOT RESTRICTIVE

The titles assigned to the various Articles of this Agreement are for convenience only. Titles shall not be considered restrictive of the subject matter of any Article, or part of this Agreement.

ARTICLE 24: JOINT WORK PRODUCT

This Agreement is the joint work product of H-GAC and the Contractor. This Agreement has been negotiated by H-GAC and the Contractor and their respective counsel and shall be fairly interpreted in accordance with its terms and, in the event of any ambiguities, no inferences shall be drawn against any party.

ARTICLE 25: DISPUTES

All disputes concerning questions of fact or of law arising under this Agreement, which are not addressed within the Whole Agreement as defined pursuant to Article 4 hereof, shall be decided by the Executive Director of H-GAC or his designee, who shall reduce his decision to writing and provide notice thereof to the Contractor. The decision of the Executive Director or his designee shall be final and conclusive unless, within thirty (30) days from the date of receipt of such notice, the Contractor requests a rehearing from the Executive Director of H-GAC. In connection with any rehearing under this Article, the Contractor shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. The Contractor may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, the Contractor shall proceed diligently with the performance of the Agreement and in accordance with H-GAC's final decision.

ARTICLE 26: CHOICE OF LAW: VENUE

This Agreement shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with the Agreement shall lie exclusively in Harris County, Texas. Disputes between END USER and Contractor are to be resolved in accordance with the law and venue rules of the state of purchase. Contractor shall immediately notify H-GAC of such disputes.

ARTICLE 27: ORDER OF PRIORITY

In the case of any conflict between or within this Agreement, the following order of priority shall be utilized: 1) General Provisions, 2) Special Provisions, 3) Scope of Work, and, 4) Other Attachments.

SIGNATURES:

H-GAC and the Contractor have read, agreed, and executed the whole Agreement as of the date first written above, as accepted by:

Signature

Name

Title

Date

H-GAC

Signature

Name Chuck Wemple

Title Executive Director

Date

SAMPLE