



LIST PRICING

Effective March 1st, 2018

Terms and Conditions

- 1%/10 Days, Net 30 Days.
- A service charge of 1% per month will be assessed to all past due invoices.
- Freight F.O.B. Factory. Drop Shipments available at no additional charge.
- All returns must receive proper authorization. Unauthorized returns will be rejected at customer's expense. A restocking charge of 20% will apply on all goods accepted for credit provided such goods are in saleable condition. Custom products and discontinued items will not be accepted for credit.
- Stock/Returnable items will be identified in this price list by "STK". This does not guarantee that the item will be in stock at time of order. Please contact customer service for inventory levels.
- Prices are subject to change without notice.

PGI warrants products against defects in materials and workmanship only. Because of varied uses and applications of products, no warranty is made or should be implied regarding use. It will be the buyer's responsibility to determine if a particular product will adequately protect the user. Should you have any questions on a product's capabilities, it is suggested you contact our sales department.

PGI, INC.

P.O. BOX 307
550 COMMERCIAL AVENUE
GREEN LAKE, WI 54941
Phone: (920) 294-4300
Toll Free: (800) 558-8290
Fax: (920) 294-4307
Email: mail@pgi-inc.com

www.PGI-Inc.com
www.CobraHoods.com
www.facebook.com/PGIppe
www.twitter.com/PGI_Products
www.BarriAireHoods.com
[www.linkedin.com/company/pgi-inc./](https://www.linkedin.com/company/pgi-inc/)

CONTENT

COBRA FIRE FIGHTING & ARC RESISTANT HOODS

Fabric Descriptions	3-4
BarriAire Gold Hoods	5
Classic Style Hoods	6
Ultimate Style Hoods	7
Elite Style Hoods	8
NextGen Style Hoods	9
Tactical (Non-Certified)Hoods	10
Industrial (Non-Certified) Hoods	11-12

FIRELINE

Fabric Descriptions & Color Chart	13
Smokechaser (Deluxe) Wildland Coat	14
Smokechaser (Deluxe) Wildland Pant	15
Smokechaser (Deluxe) Wildland Jumpsuit	16
Ground Pounder (Classic) Wildland Coat	17
Ground Pounder (Classic) Wildland Pant	18
Ground Pounder (Classic) Wildland Jumpsuit	19
Double Duty BDU Pant	20
Classic Shirt/Jacket, Yukon Flamestopper, Bandannas & Shrouds	21
Multi Mission (Dual-Certified) Wildland & Technical Rescue Field Coat	22
Multi Mission (Dual-Certified) Wildland & Technical Rescue Jacket	23
Multi Mission (Dual-Certified) Wildland & Technical Rescue Pant	24
Multi Mission (Dual-Certified) Wildland & Technical Rescue Jumpsuit	25
Multi Mission Options	26

SAWBUCK CHAIN SAW CHAPS 28

GENERAL PRODUCTS 29



FABRICS



BarriAire™ Gold Hoods utilize a proprietary blend of Meta-Aramid and Para-Aramid Fibers for excellent heat, flame, and thermal resistance with superior tensile and tear strength for a longer wear life. These hoods are lightweight with exceptional breathability – weight is similar to hoods without a particulate barrier. Unlike laminated PTFE barrier hoods, BarriAire™ Gold Hoods are quiet and allow for excellent hearing – laminated PTFE hoods are annoyingly loud making a crackling noise with virtually every movement, adversely affecting communication and situational awareness. BarriAire™ Gold Hoods are uniquely quilted to stabilize and enhance the Nomex® Nano Flex particulate barrier's durability and the hoods exceed industry & NFPA standards by blocking more than 95 percent of particles between 0.1 and 1.0 microns in size. Inner fabric is engineered to wick moisture from skin, through fabric, to outer shell where it can evaporate for a drier more comfortable experience. Outer fabric features a proprietary DWR finish which allows hood to dry two to three times faster than non-treated fabrics, and it reduces the build-up of toxic residue that is easily absorbed by non-treated fabrics while also enhancing the release of contaminants during washing. The fabric is inherently static resistant, has built-in stretch and recovery to better conform to the head and neck for true one size fits all sizing, and an attractive gold color which allows you to detect when the hood is soiled and needs cleaning.



Comfort Plus™ was developed in the early 1980's by PGI to offer a more comfortable and affordable option to 100% Nomex hoods. Due to its price and exceptional comfort it became an instant success easily becoming the most demanded hood blend on the market. Comfort Plus™ is made of two proven flame resistant fiber work horses - Nomex® and Lenzing FR®. Together they create an exceptionally durable and comfortable flame resistant fabric that wicks moisture away from the skin more effectively than other flame resistant fabrics. The end result is an FR hood that feels cooler in hot environments and warmer in cold environments.



Carbon Shield is a flame resistant fabric breakthrough based on carbon fiber technology; it is considered the ultimate high-tech fabric for thermal protection and comfort. During the torch test, after about 5 seconds, traditional FR fabrics combust, severely shrinking and charring. Carbon Shield remains dimensionally stable even after 90 seconds, giving you the extra time you need to get out safely. Absolutely melt-proof and doesn't become stiff, Carbon Shield remains soft to the touch even after being exposed to fire. Carbon Shield weighs only 6.5 oz. /sq. yd. which is over 20% lighter than most NFPA compliant hoods, yet it still has an excellent Thermal Protection Performance (TPP) rating of 33 after 5 launderings. The fabric has great moisture regain and wicks moisture away from the skin to the outer shell, enabling it to evaporate at a rapid rate. The aspect of wicking moisture off the body not only offers a more comfortable garment but also improves protection. High arc-rating (ATPV 23.3 HRC 2) and superior protection from welding sparks and molten metal makes Carbon Shield™ a great choice for industrial applications as well as firefighting.



Nomex® is a meta-aramid fiber developed in 1961 by DuPont and first marketed in 1967. Known for its inherent flame resistance, Nomex® has been the fabric of choice for protective apparel in firefighting, oil, gas, petrochemical, industrial, military, police/Tactical, U.S. Forest Service and auto racing industries for over forty years. Nomex® has outstanding strength and abrasion resistance so hoods manufactured from the fiber have exceptional wear life making them cost effective in the long run.



FABRICS



Para-Tek FR™ is PGI's proprietary Tri-Blend that leverages the benefits of three fibers – High Strength Para-Aramid, Lenzing FR®, and High Tenacity Nylon. Available in two colors, black and heather grey, PGI solution dyes all three fibers. The main benefit of solution dyeing is that the dye pigment is added to the polymer before the fiber is extruded into yarn. The color, therefore, is an inherent part of the yarn itself making it the most permanent dye method possible. The end result is a lightweight, breathable hood that offers exceptional flame and heat resistance and a high arc rating – ATPV 32 in black & ATPV 34 in heather grey (both HRC 3). When tested for vertical char length, the Para-Tek FR fabric had the lowest char lengths we've ever seen averaging 9mm (0.36") in the wales direction and 12mm (0.48") in the courses direction after five launderings. For comparison purposes, 100% Nomex® has more than four times longer char lengths in the wales direction and over three times longer char lengths in the courses direction. Thermal Protective Performance (TPP) results were equally impressive with a TPP rating of 31.5 after five washings. Only the PBI/Lenzing FR blend with our Comfort Plus™ liner and Carbon Shield – 39 TPP rating & 33, had a better rating. Para-Tek FR™ is a great value with its low initial cost and long wear life. The fabric has excellent breathability combined with high moisture absorbency – which wicks moisture off the skin so it can easily evaporate – making Para-Tek FR™ hoods very comfortable.




Ara-Tek FR™ is PGI's proprietary Tri-Blend that leverages the benefits of three fibers – Meta-Aramid, Lenzing FR® and High Tenacity Nylon. Ara-Tek FR™ utilizes a generic Meta-Aramid fiber with similar flame, heat and chemical resistant properties to Nomex® brand Meta-Aramid at a fraction of the price. The Lenzing FR provides exceptional softness, breathability and moisture management properties by wicking moisture away from your skin to the outside of the fabric where it can rapidly evaporate keeping you dry and comfortable. The end result is a fabric with similar comfort, and flame resistance of the extremely popular Nomex®/Lenzing FR® blend fabric at a lower price point. The High Tenacity Nylon not only enhances durability but also increases the fabrics arc resistance – Ara-Tek FR™ ATPV is 10.7 (Level 2) versus Nomex®/Lenzing FR® ATPV of 8.8 (Level 2), which computes to a little over 20% higher ATPV rating. Ara-Tek FR hoods provide exceptional comfort, durability, and protection against flame, heat and arc at an affordable price.



PBI®/Lenzing FR® with Comfort Plus™ Liner is an extremely comfortable choice of fabric. PBI, an extraordinary fiber that does not burn in air, has changed the fire service's expectations for protection, comfort and performance. With a moisture absorbency of 13%, the PBI blend fabric will absorb up to five times more perspiration than typical aramid fabrics. PBI/Lenzing FR® blend outer shell lined with our lightweight Comfort-Plus™ lining has an outstanding TPP rating of 39 after five washings! Additionally, the fabric resists most chemicals and provides excellent flame resistance with char lengths approximately 25% less than aramid fabrics. Along with outstanding protection and comfort, the PBI/Lenzing FR blend with Comfort Plus is more practical than a double-ply PBI/Lenzing FR hood. Fabric is prescoured and heat set to maintain shape and fit.



Nomex Nano Flex



Style # 3979471

1. Sure-Fit™ center panel 4" wide from top of face opening to 9" wide at bottom of drape of hood, in place of traditional center seam.
2. Face opening is circular and measures between 4.6" to 5.6" in diameter.
3. Width around bottom (1/2) approx. 23.5".
4. Width of hood from edge of shoulder cap to opposite edge of shoulder cap approx. 19.25".
5. Length of hood at front top to bottom approx. 20"
6. Length of hood at back from top to bottom approx. 20".
7. Width of hood above face opening approx. 9.25".
8. Width of hood mid face opening to back approx. 8.75".
9. Length of hood at side from top to bottom approx. 18".
10. Width of hood 1" below bottom of face opening approx. 12.25".
11. Width of hood above shoulder cap approx. 14.75".
12. Length of hood below face opening approx. 13".

Style # 3979471-1

1. Sure-Fit™ center panel 4" wide from top of face opening to 4.5" wide where drape is attached, in place of traditional center seam.
2. Face opening is circular and measures between 4.6" to 5.6" in diameter.
3. Width around bottom (1/2) approx. 22.75".
4. Width of hood from edge of shoulder cap to opposite edge of shoulder cap approx. 15.25".
5. Length of hood at front top to bottom approx. 24".
6. Length of hood at back top to bottom approx. 23.25".
7. Width of hood above face opening approx. 9.75".
8. Width of hood mid face opening to back approx. 9.5".
9. Length of hood at side from top to bottom approx. 18".
10. Width of hood 1" below bottom of face opening approx. 12.5".
11. Width of hood above shoulder cap approx. 15".
12. Length of hood below face opening approx. 14.25".

ID Label – UL Certified FR label facilitates tracking and identification through barcoding, sequential numbering and personalization.

UL Classified to NFPA 1971: Standard on Protective Ensembles for Structural Fire Fighting and Proximity Fire Fighting – 2018 Edition.

STYLE #	FABRIC	SUGGESTED LIST
3979471 STK	BarriAire Gold – Complete Particulate Coverage including front and back bib. (Extends Particulate Barrier coverage beyond critical areas as identified by NFPA – Maximum Protection.).	\$101.75
3979471-1 STK	BarriAire Gold – Critical Particulate Coverage to the base of the neck, around entire hood. (All Critical areas of particulate penetration as identified by NFPA have particulate barrier.)	\$96.63





CLASSIC™

Double ply hood throughout; Designed to provide coverage of the neck, upper chest and to the top of the shoulder blades. Shoulders are contoured to reduce bunching of the bib; Flat-stitched seams; Extra-heavy ½" wide elasticized face opening; Cover stitched bound drape; sewn with 100% Nomex® thread; all points of stress bartacked. SureFit™ style uses 3" wide center panel in place of traditional center seam. ID Label – UL Certified FR label facilitates tracking and identification through barcoding, sequential numbering and personalization.

Cobra Classic hoods are UL Classified and are compliant to NFPA 1971 - Current Edition.

Finished Hood Measurements:



1. Face opening is circular and measures between 4.6" to 5.6" in diameter.
2. Length of hood below face opening approx. 9".
3. Length of hood at side from top to bottom approx. 15".
4. Length of hood at front and back from top to bottom approx. 18½".

STYLE #	FABRIC	SUGGESTED LIST
3018185 (STK)	Comfort Plus™ - Nomex® (Meta Aramid) / Lenzing FR®	\$21.85
3018185-SF (STK)	⚡ Arc Rating: ATPV = 8.8 HRC 2	\$23.79
3018285 (STK)	PBI® / Lenzing FR® with Comfort Plus™ Liner	\$30.65
3018285-SF		\$31.89
3028085 (STK)	100% Nomex® (Meta Aramid)	\$25.40
3028085-SF		\$28.23
3029298 (STK)	Carbon Shield™	\$27.42
3029298-SF (STK)	⚡ Arc Rating: ATPV = 23.3 HRC 2	\$30.77
3022185	Ara-Tek FR™ Tri-Blend	\$20.16
3022185-SF	⚡ Arc Rating: ATPV = 10.7 HRC 2	\$22.18
3022093 (STK)	Para-Tek FR™ Tri-Blend - Heather Grey	\$21.45
3022093-SF (STK)	⚡ Arc Rating: ATPV = 34.4 HRC 3	\$2371
3022098 (STK)	Para-Tek FR™ Tri-Blend - Black	\$22.58
3022098-SF (STK)	⚡ Arc Rating: ATPV = 32 HRC 3	\$25.08




ULTIMATE™

Double ply hood throughout; Longer design; Provides double layer coverage of neck, upper chest shoulders and shoulder blades. Gusset at side seams gives hood breadth and smoother drape.; Flat-stitched seams; Extra-heavy ½" wide elasticized face opening; Cover stitched bound drape; sewn with 100% Nomex® thread; all points of stress bartacked. SureFit™ style uses 3" wide center panel in place of traditional center seam. ID Label – UL Certified FR label facilitates tracking and identification through barcoding, sequential numbering and personalization.

Cobra Ultimate hoods are UL Classified and are compliant to NFPA 1971 - Current Edition.

Finished Hood Measurements:



1. Face opening is circular and measures between 4.6" to 5.6" in diameter.
2. Length of hood below face opening approx. 12".
3. Length of hood at side from top to bottom approx. 17".
4. Length of hood at back from top to bottom approx. 19½".
5. Length of hood at front top to bottom approx. 20".

STYLE #	FABRIC	SUGGESTED LIST
3038185 (STK)	Comfort Plus™ - Nomex® (Meta Aramid) / Lenzing FR®	\$26.05
3038185-SF (STK)	⚡ Arc Rating: ATPV = 8.8 HRC 2	\$28.71
3038285 (STK)	PBI® / Lenzing FR®	\$38.47
3038285-SF	with Comfort Plus™ Liner	\$39.60
3048085 (STK)	100% Nomex® (Meta Aramid)	\$33.19
3048085-SF		\$34.44
3049298 (STK)	Carbon Shield™	\$34.35
3049298-SF (STK)	⚡ Arc Rating: ATPV = 23.3 HRC 2	\$38.31
3042185 (STK)	Ara-Tek FR™ Tri-Blend	\$25.00
3042185-SF	⚡ Arc Rating: ATPV = 10.7 HRC 2	\$27.34
3042093 (STK)	Para-Tek FR™ Tri-Blend - Heather Grey	\$27.31
3042093-SF (STK)	⚡ Arc Rating: ATPV = 34.4 HRC 3	\$29.27
3042098 (STK)	Para-Tek FR™ Tri-Blend - Black	\$28.90
3042098-SF (STK)	⚡ Arc Rating: ATPV = 32 HRC 3	\$30.90




ELITE™

Double ply hood throughout; Improved styling for better fit and better coverage. Provides double layer coverage of neck, upper chest shoulders and shoulder blades. Tapered back and notched shoulder drape allow bib to lie flat; Flat-stitched seams; Extra-heavy ½" wide elasticized face opening; Cover stitched bound drape; sewn with 100% Nomex® thread; all points of stress bartacked. SureFit™ style uses 3" wide center panel in place of traditional center seam. ID Label – UL Certified FR label facilitates tracking and identification through barcoding, sequential numbering and personalization.

Cobra Ultimate hoods are UL Classified and are compliant to NFPA 1971 - Current Edition.

Finished Hood Measurements:



1. Face opening is circular and measures between 4.6" to 5.6" in diameter
2. Length of hood below face opening approx. 11"
3. Length of hood at side from top to bottom approx. 15"
4. Length of hood at back from top to bottom approx. 19"

STYLE #	FABRIC	SUGGESTED LIST
3808185	Comfort Plus™ - Nomex® (Meta Aramid) / Lenzing FR®	\$28.47
3808185-SF	⚡ Arc Rating: ATPV = 8.8 HRC 2	\$30.65
3808085	100% Nomex® (Meta Aramid)	\$34.47
3808085-SF		\$37.05
3809298 (STK)	Carbon Shield™	\$39.61
3809298-SF (STK)	⚡ Arc Rating: ATPV = 23.3 HRC 2	\$42.45
3802185	Ara-Tek FR™ Tri-Blend	\$27.15
3802185-SF	⚡ Arc Rating: ATPV = 10.7 HRC 2	\$29.19
3802093	Para-Tek FR™ Tri-Blend - Heather Grey	\$29.06
3802093-SF (STK)	⚡ Arc Rating: ATPV = 34.4 HRC 3	\$31.32
3802098	Para-Tek FR™ Tri-Blend - Black	\$30.81
3802098-SF	⚡ Arc Rating: ATPV = 32 HRC 3	\$33.10


COBRA™
NEXTGEN™
 A New Generation of Fire Fighting Hoods

Redesign of popular Cobra™ Ultimate™ SureFit™ hood. Added 6" to width for exceptional shoulder coverage and reduction of bunching at chest and back. Added 2" to the length ensuring complete chest coverage and that the hood stays tucked in even after laundering shrinkage (5" longer than NFPA requires). Contours better to the shape of the head for improved fit and comfort. Fuller cut builds a little "ease" into the hood so it doesn't fit skin tight like typical hoods. This more generous cut gives hood improved thermal resistance from flame and heat due to the extra space (layer of air) between hood and head. ID Label – UL Certified FR label facilitates tracking and identification through barcoding, sequential numbering and personalization.

Cobra NextGen hoods are UL Classified and are compliant to NFPA 1971 – Current Edition.

Finished hood measurements:

1. 4" wide SureFit™ center panel from top of face opening to bottom drape of hood, in place of traditional center seam.
2. Face opening is circular and measures between 4.6" to 5.6" in diameter.
3. Width around bottom (1/2) approx. 24.25".
4. Width of hood from edge of shoulder cap to opposite edge of shoulder cap approx. 19.25".
5. Length of hood at front top to bottom approx. 23".
6. Length of hood at back from top to bottom approx. 20".
7. Width of hood above face opening approx. 8.75"
8. Width of hood mid face opening to back approx. 7.75".
9. Length of hood at side from top to bottom approx. 19.5".
10. Width of hood 1" below bottom of face opening approx. 11".
11. Width of hood above shoulder cap approx. 14".
12. Length of hood below face opening approx. 12.5"



STYLE #	FABRIC	SUGGESTED LIST
3038185-SF2	Comfort Plus™ - Nomex® (Meta Aramid) / Lenzing FR® ⚡ Arc Rating: ATPV = 8.8 HRC 2	\$37.50
3038285-SF2	PBI® / Lenzing FR® with Comfort Plus™ Liner	\$50.71
3048085-SF2	100% Nomex® (Meta Aramid)	\$44.79
3049298-SF2	Carbon Shield™ ⚡ Arc Rating: ATPV = 23.3 HRC 2	\$54.89
3042185-SF2	Ara-Tek FR™ Tri-Blend ⚡ Arc Rating: ATPV = 10.7 HRC 2	\$35.94
3042093-SF2	Para-Tek FR™ Tri-Blend - Heather Grey ⚡ Arc Rating: ATPV = 34.4 HRC 3	\$38.23
3042098-SF2	Para-Tek FR™ Tri-Blend - Black ⚡ Arc Rating: ATPV = 32 HRC 3	\$40.29
3042083-SF2	Para-Tek FR™ Tri-Blend - Color-Block (Black & Grey) ⚡ Arc Rating: ATPV = 34.4 HRC 3	\$41.94



TACTICAL

Tactical teams face a wide and diverse array of choices when purchasing personal protective equipment (PPE). Newer materials and designs reduce heat stress, improving the officer's endurance and stamina. Having an equipment evaluation and purchasing process in place will help ensure tactical officers and other first responders identify PPE items that provide the best combination of protection, interoperability, and comfort. Whatever PPE you purchase, it should provide maximum protection and comfort and improve the probability for mission success.

Available in these styles:

STYLE #	DESCRIPTION	SUGGESTED LIST
3159298	Small Face Opening Single Ply Tactical Hood - Carbon Shield™ ⚡ Arc Rating: ATPV = 11.9 HRC 2	\$14.92
3152098	Small Face Opening Single Ply Tactical Hood - Para-Tek FR™ Tri-Blend - Black ⚡ Arc Rating: ATPV = 10 HRC 2	\$13.19
3119298	Full Face Opening Single Ply Tactical Hood - Carbon Shield™ ⚡ Arc Rating: ATPV = 11.9 HRC 2	\$15.00
3112098	Full Face Opening Single Ply Tactical Hood - Para-Tek FR™ Tri-Blend - Black ⚡ Arc Rating: ATPV = 10 HRC 2	\$12.82
3869298	Small Face Opening Double Ply Tactical Hood - Carbon Shield™ ⚡ Arc Rating: ATPV = 23.3 HRC 2	\$26.29
3862098	Small Face Opening Double Ply Tactical Hood - Para-Tek FR™ Tri-Blend - Black ⚡ Arc Rating: ATPV = 32 HRC 3	\$22.11
3329298	Small Face Opening Double Ply Top, Single Ply Bib Tactical Hood - Carbon Shield™ ⚡ Arc Rating: ATPV = 23.3 HRC 2 (Double Ply Section)	\$26.21
3322098	Small Face Opening Double Ply Top, Single Ply Bib Tactical Hood - Para-Tek FR™ Tri-Blend - Black ⚡ Arc Rating: ATPV = 32 HRC 3 (Double Ply Section)	\$22.48



INDUSTRIAL

Cobra Industrial Hoods are recommended for NON-STRUCTURAL FIRE FIGHTING related jobs when you need protection from flame, radiant heat, flash fire, electric arc, welding sparks and splatter, molten metal splash and cold weather. Flat stitched seams, X-heavy ½" wide elasticized face opening, cover-stitched bound bottom. Sewn with 100% Nomex® thread, all stress points bartacked.

DOUBLE PLY TOP WITH SINGLE PLY BIB

STYLE #	FABRIC	SUGGESTED LIST
3098185	Comfort Plus™ - Nomex® (Meta Aramid) / Lenzing FR® ⚡ Arc Rating: ATPV = 8.8 HRC 2 (Double Ply Section)	\$20.32
3178285 (STK)	PBI® / Lenzing FR® with Comfort Plus™ Liner	\$29.32
3178385	P84® / Lenzing FR® with Comfort Plus™ Liner	\$24.74
3172284	Navy Meta Aramid / Lenzing FR® with Comfort Plus™ Liner	\$21.71
3172185	Ara-Tek FR™ Tri-Blend with Comfort Plus™ Liner	\$20.03
3172093	Para-Tek FR™ Tri-Blend - Heather Grey with Comfort Plus™ Liner	\$20.61
3098085 (STK)	100% Nomex® (Meta Aramid)	\$23.37
3098285	PBI® / Lenzing FR	\$25.89
3098385	P84® / Lenzing FR®	\$26.81
3099298	Carbon Shield™ ⚡ Arc Rating: ATPV = 23.3 HRC 2 (Double Ply Section)	\$25.69
3092284	Navy Meta Aramid / Lenzing FR®	\$22.52
3092185	Ara-Tek FR™ Tri-Blend ⚡ Arc Rating: ATPV = 10.7 HRC 2 (Double Ply Section)	\$19.56
3092093	Para-Tek FR™ Tri-Blend – Heather Grey ⚡ Arc Rating: ATPV = 34.4 HRC 3 (Double Ply Section)	\$23.44
3092098	Para-Tek FR™ Tri-Blend – Black ⚡ Arc Rating: ATPV = 32 HRC 3 (Double Ply Section)	\$22.16



INDUSTRIAL

Cobra Industrial Hoods are recommended for NON-STRUCTURAL FIRE FIGHTING related jobs when you need protection from flame, radiant heat, flash fire, electric arc, welding sparks and splatter, molten metal splash and cold weather. Flat stitched seams, X-heavy ½" wide elasticized face opening, cover-stitched bound bottom. Sewn with 100% Nomex® thread, all stress points bartacked.

SINGLE PLY HOOD ONLY

STYLE #	FABRIC	SUGGESTED LIST
3118185	Comfort Plus™ - Nomex® (Meta Aramid) / Lenzing FR®	\$11.24
3118085	100% Nomex® (Meta Aramid)	\$13.23
3118285	PBI® / Lenzing FR®	\$17.39
3118385	P84® / Lenzing FR®	\$14.23
3119298	Carbon Shield™ ⚡ Arc Rating: ATPV = 11.9 HRC 2	\$13.97
3112284	Navy Meta Aramid / Lenzing FR®	\$12.65
3112185	Ara-Tek FR™ Tri-Blend	\$11.03
3112093	Para-Tek FR™ Tri-Blend – Heather Grey	\$11.63
3112098	Para-Tek FR™ Tri-Blend – Black ⚡ Arc Rating: ATPV = 10 HRC 2	\$12.82

DOUBLE PLY HOOD ONLY

STYLE #	FABRIC	SUGGESTED LIST
3108185	Comfort Plus™ - Nomex® (Meta Aramid) / Lenzing FR® ⚡ Arc Rating: ATPV = 8.8 HRC 2	\$15.16
3108085	100% Nomex® (Meta Aramid)	\$18.73
3108285 (STK)	PBI® / Lenzing FR®	\$26.79
3108385	P84® / Lenzing FR®	\$20.31
3109298	Carbon Shield™ ⚡ Arc Rating: ATPV = 11.9 HRC 2	\$19.92
3102284	Navy Meta Aramid / Lenzing FR®	\$16.82
3102185	Ara-Tek FR™ Tri-Blend ⚡ Arc Rating: ATPV = 10.7 HRC 2	\$14.44
3102093	Para-Tek FR™ Tri-Blend – Heather Grey ⚡ Arc Rating: ATPV = 34.4 HRC 3	\$15.52
3102098	Para-Tek FR™ Tri-Blend – Black ⚡ Arc Rating: ATPV = 32 HRC 3	\$16.52



FABRICS

WILDLAND

Nomex – 6 oz. Nomex IIIA plain weave is a blend of 93% Nomex, 5% Kevlar, and 2% Anti-Stat. This is a lightweight inherently FR fabric that has stood the test of time in the fire service industry. This fabric meets or exceeds NFPA 1977 standards for Wildland Firefighting.

Tecasafe Plus – 7 oz. Tecasafe Plus twill material is made of a blend of Modacrylic, Cellulose, and Aramid fibers. Tecasafe Plus fabrics offer a soft and comfortable hand with outstanding appearance even after laundering. This inherently FR fabric should outlast cotton and cotton blended fabrics. This fabric meets or exceeds NFPA 1977 standards for Wildland Firefighting.

Advance – 7 oz. Advance ripstop is a blend of 60% Kevlar and 40% Nomex. This inherently FR fabric has outstanding thermal protection and durability. The blend of Kevlar and Nomex with a ripstop weave makes this one of the toughest fabrics in the market. This fabric meets or exceeds NFPA 1977 standards for Wildland Firefighting.

Ultra Soft – 9 oz. Ultra Soft twill is a blend of 88% Cotton and 12% High Tenacity Nylon. This FR treated fabric is guaranteed to be flame resistant for the life of the garment. Ultra Soft is a soft and breathable material that wicks moisture well. This fabric meets or exceeds NFPA 1977 standards for Wildland Firefighting.

DUAL-CERTIFIED FOR WILDLAND AND TECHNICAL RESCUE

Brigade Nomex – 6 oz. Nomex IIIA plain weave with a Brigade finish is a blend of 93% Nomex, 5% Kevlar, and 2% Anti-stat. The Brigade finish adds a DWR (Durable Water Repellent) to the fabric to help shed moisture. This inherently FR fabric meets or exceeds both NFPA 1977 for Wildland Firefighting and 1951 standards for Technical Rescue.

SIGMA – 7 oz. SIGMA twill is a blend of 45% Meta-Aramid, 32% Lenzing FR, 17% Polyamide, and 6% Para-Aramid. This inherently FR blend offers a great combination of comfort and durability. This fabric meets or exceeds both NFPA 1977 for Wildland Firefighting and 1951 standards for Technical Rescue.

COLOR CHART

Replace XX in Style Number with Color Code Below

FABRIC TYPE	HI-VIS (70)	YELLOW (72)	TAN (75)	GREEN (76)	ROYAL BLUE (79)	RED (81)	NAVY (84)	BLACK (98)
Nomex		XX	XX	XX	XX	XX	XX	
Tecasafe Plus	XX	XX	XX	XX	XX	XX	XX	
Advance		XX	XX	XX			XX	
Ultra Soft		XX	XX	XX	XX	XX	XX	
Brigade Nomex*		XX	XX		XX	XX	XX	XX
SIGMA*		XX	XX					XX

*Multi Mission Dual-Certified Only



SMOKECHASER (DELUXE) COAT

- 4" high Alpine style collar. Front zipper extended closure; encased with an internal and external flap. 3" hanger loop at neck.
- Two-way self-locking zipper is mounted on Nomex zipper tape. Self-fabric storm flap covers zipper and secures with intermittent hook and loop system.
- Articulated, radial designed sleeve eliminates shoulder seams and contours to fit the natural bend of the elbow.
- Gusseted sleeve cuff incorporates a multiple closure system of adjustable hook and loop tabs and elastic.
- Two large expandable cargo hip pockets with back and bottom expandable bellows for extra storage capacity, built in hand warmer compartments secured with hook and loop flap closure. Right cargo pocket has swivel snap hook attached to self-fabric strap. Perfect for securing key rings or other valuables.
- Radio pocket on left chest with hook and loop flap closure. Microphone holder loop is set above the pocket flap.
- Cell phone pocket on right chest with hook and loop closure flap and D-ring at bottom of pocket for hanging gear or gloves.
- 2" wide 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow with silver stripe (triple trim) is sewn around arms, bottom and across shoulders in back. Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410 (d)(1).

STYLE #	FABRIC	SUGGESTED LIST
5500272 (STK)	Nomex IIIA (6 oz) – Yellow	\$246.24
55002XX *	Nomex IIIA (6 oz) – Colors	\$270.87
5501672	Tecasafe Plus (7 oz) – Yellow	\$219.97
55016XX *	Tecasafe Plus (7 oz) – Colors	\$241.97
5501670	Tecasafe Plus (7 oz) – Hi-Vis	\$245.18
5500972	Advance (7 oz) – Yellow	\$344.74
55009XX *	Advance (7 oz) - Colors	\$379.21
5501872 (STK)	Ultra Soft (9 oz) – Yellow	\$208.97
55018XX *	Ultra Soft (9 oz) - Colors	\$229.87

*For Available Colors See Page 13.

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. Available in Short, Regular, and Tall sizes.

Call customer service for larger sizes or custom orders quotes.

OPTIONS

STYLE #	FABRIC	LIST
21-FL	2" Silver Letters	\$1.45
22-FL	2" Lime/Yellow Letters	\$1.45
5-FL	3" Silver Letters	\$1.62
23-FL	3" Lime/Yellow Letters	\$1.62
31-FL	Banner Sewn On Back (31-FL(98) for Black Banner)	\$11.43
48-FL	Banner on Back with Hook and Loop (48-FL(98) for Black Banner)	\$23.66



SMOKECHASER (DELUXE) PANT

- Self-material waistband with elastic back and take-up straps on each side with black finish carbon steel ladder buckles to allow 4" waist adjustment. Snap at waist is fabric backed so no metal touches skin. Seven 2" belt loops.
- Front fly closure is self-locking zipper mounted on Nomex tape.
- Front angled bag pockets have permanently flame resistant pocket bags and are extra deep and contoured for improved comfort and storage and secures with hook and loop flap closures. Side seam pass-through trouser access is secured with self-locking zippers mounted to Nomex side tape.
- Two cargo pockets with 1 ¼" deep back and bottom bellows are located at the mid-thigh and secured with hook and loop.
- Two rear welt style pockets have permanently flame resistant pocket bags and secure with hook and loop flap closures.
- Articulated designed leg panel has contoured knee to allow for full range of movement.
- Gusseted leg has multiple cuff closure system comprised of 14" leg zippers mounted on Nomex tape, elastic and hook/loop tab closure to adjust the take-up at ankle.
- 2" wide 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow with silver stripe (triple trim) is sewn around legs at mid-calf.
- U.L. Classified to meet or exceed NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition). Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410 (d)(1).

STYLE #	FABRIC	SUGGESTED LIST
7500272 (STK)	Nomex IIIA (6 oz) – Yellow	\$245.98
75002XX *	Nomex IIIA (6 oz) – Colors	\$270.58
7501672	Tecasafe Plus (7 oz) – Yellow	\$225.50
75016XX *	Tecasafe Plus (7 oz) – Colors	\$248.05
7501670	Tecasafe Plus (7 oz) – Hi-Vis	\$238.65
7500972	Advance (7 oz) – Yellow	\$325.03
75009XX *	Advance (7 oz) - Colors	\$357.53
7501872 (STK)	Ultra Soft (9 oz) – Yellow	\$211.08
75018XX *	Ultra Soft (9 oz) - Colors	\$232.19

*For Available Colors See Page 13

Waist: Small (27"-30"), Medium (31"-34"), Large (35"-38"), XLarge (39"-42"), 2XLarge (43"-46") - Add 10% to above prices, 3XLarge (47"-50") - Add 20% to above prices. **Inseam:** Short (28"), Regular (30"), Long (32"), XLong (34"), 2XLong (36") - Add 10% to Following Prices Shown, 3XLong (38") - Add 20% to above prices.

Call customer service for larger sizes or custom order quotes.



SMOKECHASER (DELUXE) JUMPSUIT

- 4" high Alpine style collar. Front zipper extended closure; encased with an internal and external flap. 3" hanger loop at neck.
- Two-way self-locking zipper is mounted on Nomex zipper tape. Self-fabric storm flap covers zipper and secures shut with intermittent hook and loop system.
- Articulated, radial designed sleeve eliminates shoulder seams and contours to fit natural bend of the elbow.
- Gusseted sleeve cuff incorporates a multiple closure system of adjustable hook and loop tabs and elastic.
- Radio pocket on left chest with hook and loop flap closure. Microphone holder loop is set above pocket flap.
- Cell phone pocket on right chest with hook and loop closure flap and D-ring at bottom of pocket for hanging gear or gloves.
- Self-material waistband is 1 5/8" wide with elastic at center back and has take-up straps on each side with black carbon steel ladder buckle to allow 4" waist adjustment.
- Front angled bag pockets have permanently flame resistant pocket bags and are extra deep and contoured for improved comfort and storage and secures with hook and loop flap closures. Side seam pass-through trouser access is secured with self-locking zippers mounted to Nomex side tape.
- Two cargo pockets with 1 1/4" deep back and bottom bellows are located at the mid-thigh and secured with hook and loop.
- Two rear welt style pockets have permanently flame resistant pocket bags and secure with hook and loop flap closures.
- Articulated designed leg panel has contoured knee to allow for full range of movement.
- Gusseted leg has multiple cuff closure system comprised of 14" leg zippers mounted on Nomex tape, elastic and hook/loop tab closure to adjust the take-up at ankle.
- 2" wide 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow with silver stripe (triple trim) is sewn around arms, across shoulders in back, and around legs at mid-calf.
- U.L. Classified to meet or exceed NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition). Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410 (d)(1).

STYLE #	FABRIC	SUGGESTED LIST
6500272 (STK)	Nomex IIIA (6 oz) – Yellow	\$391.18
65002XX *	Nomex IIIA (6 oz) – Colors	\$430.29
6501672	Tecasafe Plus (7 oz) – Yellow	\$353.21
65016XX *	Tecasafe Plus (7 oz) – Colors	\$388.53
6501670	Tecasafe Plus (7 oz) – Hi-Vis	\$387.39
6501872 (STK)	Ultra Soft (9 oz) – Yellow	\$337.89
65018XX *	Ultra Soft (9 oz) - Colors	\$371.68

*For Available Colors See Page 13

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. **Lengths:** Short (5'4"-5'7 1/2"), Regular (5'8"-6' 1/2"), Tall (6'1"-6'4").

Call customer service for larger sizes or custom order quotes.

OPTIONS

STYLE #	FABRIC	LIST
21-FL	2" Silver Letters	\$1.45
22-FL	2" Lime/Yellow Letters	\$1.45
5-FL	3" Silver Letters	\$1.62
23-FL	3" Lime/Yellow Letters	\$1.62
31-FL	Banner Sewn On Back (31-FL(98) for Black Banner)	\$11.43
48-FL	Banner on Back with Hook and Loop (48-FL(98) for Black Banner)	\$23.66



GROUND POUNDER (CLASSIC) COAT

- 3 ½" high Alpine style collar. Front zipper extended closure; encased with an internal and external flap. 3" hanger loop at neck.
- Two-way self-locking zipper is mounted on Nomex zipper tape. Self-fabric storm flap covers zipper and secures with intermittent hook and loop system.
- Raglan sleeve with gusseted sleeve cuff incorporates a multiple closure system of adjustable hook and loop tabs.
- Two large expandable cargo hip pockets with hook and loop flap closure.
- Radio pocket on left chest with hook and loop flap closure. Microphone holder loop is set above the pocket flap.
- 2" wide 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow with silver stripe (triple trim) is sewn around arms and across shoulder blades in back.
- U.L. Classified to meet or exceed NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition). Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410 (d)(1).

STYLE #	FABRIC	SUGGESTED LIST
5500272-C4 (STK)	Nomex IIIA (6 oz) – Yellow	\$181.74
55002XX-C4 *	Nomex IIIA (6 oz) – Colors	\$199.92
5501672-C4	Tecasafe Plus (7 oz) – Yellow	\$159.53
55016XX-C4 *	Tecasafe Plus (7 oz) – Colors	\$175.48
5501670-C4	Tecasafe Plus (7 oz) – Hi-Vis	\$172.71
5501872-C4 (STK)	Ultra Soft (9 oz) – Yellow	\$149.06
55018XX-C4 *	Ultra Soft (9 oz) - Colors	\$163.97

*For Available Colors See Page 13

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. Available in Short, Regular, and Tall sizes.

Call customer service for larger sizes or custom order quotes.

OPTIONS

STYLE #	FABRIC	LIST
21-FL	2" Silver Letters	\$1.45
22-FL	2" Lime/Yellow Letters	\$1.45
5-FL	3" Silver Letters	\$1.62
23-FL	3" Lime/Yellow Letters	\$1.62
31-FL	Banner Sewn On Back (31-FL(98) for Black Banner)	\$11.43
48-FL	Banner on Back with Hook and Loop (48-FL(98) for Black Banner)	\$23.66



GROUND POUNDER (CLASSIC) PANT

- Self-material waistband with elastic back and take-up straps on each side with black finish carbon steel ladder buckles to allow 4" waist adjustment. Snap at waist is fabric backed so no metal touches skin. Seven 2" belt loops.
- Front fly closure is self-locking zipper mounted on Nomex tape.
- Front bag pockets have permanently flame resistant pocket bags and are extra deep and contoured for improved comfort and storage.
- Two large cargo pockets with pleat on front of pocket, located at the mid-thigh and secured with hook and loop flap closure.
- Two rear patch style pockets with hook and loop flap closures.
- Multiple cuff closure system at ankles comprised of hook and loop tabs through metal box ring to adjust the take up.
- U.L. Classified to meet or exceed NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition). Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410 (d)(1).

STYLE #	FABRIC	SUGGESTED LIST
7500272-C4 (STK)	Nomex IIIA (6 oz) – Yellow	\$178.32
75002XX-C4 *	Nomex IIIA (6 oz) – Colors	\$196.15
7501672-C4	Tecasafe Plus (7 oz) – Yellow	\$161.11
75016XX-C4 *	Tecasafe Plus (7 oz) – Colors	\$177.23
7501670-C4	Tecasafe Plus (7 oz) – Hi-Vis	\$174.42
7501872-C4 (STK)	Ultra Soft (9 oz) – Yellow	\$149.53
75018XX-C4 *	Ultra Soft (9 oz) – Colors	\$164.48

*For Available Colors See Page 13

Waist: Small (27"-30"), Medium (31"-34"), Large (35"-38"), XLarge (39"-42"), 2XLarge (43"-46") - Add 10% to above prices, 3XLarge (47"-50") - Add 20% to above prices. **Inseam:** Short (28"), Regular (30"), Long (32"), XLong (34"), 2XLong (36") - Add 10% to Following Prices Shown, 3XLong (38") - Add 20% to above prices.

Call customer service for larger sizes or custom order quotes.

OPTIONS

STYLE #	FABRIC	SUGGESTED LIST
13-FL	Optional 14" High Leg Zippers	\$22.12



GROUND POUNDER (CLASSIC) JUMPSUIT

- 3 ½" high Alpine style collar. Front zipper extended closure; encased with an internal and external flap. 3" hanger loop at neck.
- Two-way self-locking zipper is mounted on Nomex zipper tape. Self-fabric storm flap covers zipper and secures with intermittent hook and loop system.
- Gusseted sleeve cuff incorporates a multiple closure system of adjustable hook and loop tabs.
- Radio pocket on left chest with hook and loop flap closure. Microphone holder loop is set above the pocket flap.
- Self-material waistband with elastic back and take-up straps on each side with black finish carbon steel ladder buckles to allow 4" waist adjustment.
- Front pockets have permanently flame resistant pocket bags and are extra deep and contoured for improved comfort and storage.
- Two large cargo pockets with pleat on front of pocket, located at the mid-thigh and secured with hook and loop flap closure.
- Two rear patch style pockets with hook and loop flap closures.
- Multiple cuff closure system at ankles comprised of hook and loop tabs through metal box ring to adjust the take up.
- 2" wide 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow with silver stripe (triple trim) is sewn around arms, bottom and across shoulders in back.

STYLE #	FABRIC	SUGGESTED LIST
6500272-C4 (STK)	Nomex IIIA (6 oz) – Yellow	\$294.84
65002XX-C4 *	Nomex IIIA (6 oz) – Colors	\$324.32
6501672-C4	Tecasafe Plus (7 oz) – Yellow	\$258.34
65016XX-C4 *	Tecasafe Plus (7 oz) – Colors	\$284.19
6501670-C4	Tecasafe Plus (7 oz) – Hi-Vis	\$284.19
6501872-C4 (STK)	Ultra Soft (9 oz) – Yellow	\$244.37
65018XX-C4 *	Ultra Soft (9 oz) - Colors	\$268.81

*For Available Colors See Page 13

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. **Lengths:** Short (5'4"-5'7 ½"), Regular (5'8"-6' ½"), Tall (6'1"-6'4")

Call customer service for larger sizes or custom order quotes.

OPTIONS

STYLE #	FABRIC	LIST
21-FL	2" Silver Letters	\$1.45
22-FL	2" Lime/Yellow Letters	\$1.45
5-FL	3" Silver Letters	\$1.62
23-FL	3" Lime/Yellow Letters	\$1.62
31-FL	Banner Sewn On Back (31-FL(98) for Black Banner)	\$11.43
48-FL	Banner on Back with Hook and Loop (48-FL(98) for Black Banner)	\$23.66
13-FL	Optional 14" High Leg Zippers	\$22.12



DOUBLE DUTY BDU PANT

- Elasticized back waistband. Snap at waist is fabric backed so no metal touches skin. Seven 2" belt loops.
- Front fly closure is self-locking zipper mounted on Nomex tape.
- Self-fabric reinforcement on exterior of crotch and seat area.
- Front self-fabric and flaps with full length hook and loop closures.
- Two large cargo pockets and flaps with full length hook and loop closure. Pockets are pleated for expansion.
- Two large rear patch pockets and flaps with full length hook and loop closures.
- Multiple cuff closure system at ankles comprised of hook and loop tabs through metal box ring to adjust the take up.
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410 (d)(1).

U.L. Classified to meet or exceed NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting and NFPA 1975 standard on Station/Work Uniforms for Emergency Services (Current Edition):

STYLE #	FABRIC	SUGGESTED LIST
7500272-C9	Nomex IIIA (6 oz) – Yellow	\$197.10
75002XX-C9 *	Nomex IIIA (6 oz) – Colors	\$216.81
7501672-C9	Tecasafe Plus (7 oz) – Yellow	\$168.87
75016XX-C9 *	Tecasafe Plus (7 oz) – Colors	\$185.76
7501670-C9	Tecasafe Plus (7 oz) – Hi-Vis	\$188.98

U.L. Classified to meet or exceed NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition) only:

STYLE #	FABRIC	SUGGESTED LIST
7500972-C9	Advance (7 oz) – Yellow	\$282.97
75009XX-C9 *	Advance (7 oz) – Colors	\$311.27
7501872-C9	Ultra Soft (9 oz) – Yellow	\$160.66
75018XX-C9 *	Ultra Soft (9 oz) - Colors	\$176.73

*For Available Colors See Page 13

Waist: Small (27"-30"), Medium (31"-34"), Large (35"-38"), XLarge (39"-42"), 2XLarge (43"-46") - Add 10% to above prices, 3XLarge (47"-50") - Add 20% to above prices. **Inseam:** Short (28"), Regular (30"), Long (32"), XLong (34"), 2XLong (36") - Add 10% to Following Prices Shown, 3XLong (38") - Add 20% to above prices.

Call customer service for larger sizes or custom order quotes.



SHIRT/JACKET

- 3" high shirt style collar. 3" hanger loop at neck.
- Two large patch style breast pockets with hook and loop flap closures. Left pocket includes pen/pencil slot.
- Set-in style sleeves with adjustable hook and loop tab closure at cuffs.
- Extra-large melamine button front closure.
- Shirt tails are extra-long and squared off so they can be worn either tucked in or outside pants.
- U.L. Classified to meet or exceed NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition). Requirements for Cal-OSHA Title 8 GISO Sections 3406 ©(1) and/or 3410 (d)(1).

STYLE #	FABRIC	SUGGESTED LIST
4500272 (STK)	Nomex IIIA (6 oz) – Yellow	\$124.13
4501672	Tecasafe Plus (7 oz) – Yellow	\$102.21
4503372	Tecasafe Plus (5.8 oz) – Yellow	\$100.16
4501772 (STK)	Ultra Soft (7 oz) – Yellow	\$84.52

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. Available in Short, Regular, and Tall sizes.

Call customer service for larger sizes or custom order quotes.

YUKON FLAMESTOPPER FLEECE

- Meets NFPA 1977 Standard (Current Edition) Protective Clothing for Wildland Fire Fighting.
- ASTM 1959 – Electric Arc Rating: 20 cal/cm²
- NFPA 70E – Personal Protective Equipment (PPE) category: 2
- Abrasion-resistant Woven Tecasafe Plus at elbows, upper body and hem, blocks wind.
- Large left vertical zippered chest pocket. Right- horizontal zippered chest pocket. Two zippered hand pockets at waist. Full zipper front closure with storm flap zips up completely to top of stand-up collar creating a comfortable turtleneck. Tecasafe Plus/Spandex blend knit wristlets hug your wrist for a perfect fit.

STYLE #	DESCRIPTION	SUGGESTED LIST
5609784	Fireline Yukon Flamestopper Jacket- 10 oz Tecasafe Plus Fleece – Navy	\$312.37

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. Available in Short, Regular, and Tall sizes.

Call customer service for larger sizes or custom order quotes.

BANDANNAS & SHROUDS

STYLE #	DESCRIPTION	SUGGESTED LIST
3369298 (STK)	Double Ply Carbon Shield Bandanna – Black	\$26.37
3650272	Lined Helmet Shroud –Nomex IIIA (6 oz) – Yellow	\$34.08
3640272	Unlined Helmet Shroud –Nomex IIIA (6 oz) – Yellow	\$21.94
3641872	Unlined Helmet Shroud –Ultra Soft (9 oz) – Yellow	\$19.26



DUAL-CERTIFIED FIELD COAT

- Four inch high Alpine style collar can be worn folded down to allow venting or zipped up to completely cover neck providing additional protection from heat and flame. Hanger loop at neck.
- Seamless shoulders eliminate bulky seams and allow maximum mobility while reducing wear and seam pressure under weight of a pack harness.
- Double pull Zytel FR50 Delrin zipper with Nomex tape is covered by storm-flap with intermittent hook/loop closures.
- Self-fabric Flashlight Holder is positioned on storm flap sternum height. This multi-loop construction with adjustable & removable hook/loop strap allows for maximum flexibility & hand free operation.
- Radio pocket with hook/loop flap closure and microphone holder loop set above the pocket flap.
- Utility pocket with hook and loop flap closure on right chest and D-ring at bottom for hanging gloves or gear.
- Radial sleeve design allows full arm movement and assures “no hike” fit when arms are raised over shoulders. Articulated elbows promote freedom of movement as well as a more contoured fit.
- 6.6 oz./sq. yd. (225 grams/sq. meter) TenCate PIONEER™ fabric reinforcements at elbows, forearms and cuffs in contrasting black color provides exceptional cut, tear, abrasion and water resistance in high wear area.
- Adjustable cuffs incorporate hook/loop tab closure for easy adjustment even when wearing gloves. Partially elasticized wrist allows cuff to be tightly secured without impeding circulation or movement.
- Gusset at cuff has secondary hook/loop strip allowing cuff to be opened to its fullest extent for maximum ventilation or to allow glove cuff to be tucked inside.
- 3-Dimensional large cargo hip pockets with hook/loop flap closures expand for extra storage capacity and have built-in hand warmer compartments. Right cargo pocket has ¾” wide nickel-plated swivel snap hook attached to 6” self-fabric strap. Snap hook sewn to inside of pocket. Strap allows it to be pulled out for easy accessibility. Perfect for securing key rings or other valuables. Left cargo pocket has elastic strap sewn on the inside – pocket for holding a water bottle.
- All pocketing and thread 100% Nomex for flame resistance and durability.
- OPTIONAL 3M™ Scotchlite™ Flame Resistant Retro Reflective Trim in New York style configuration. Trim to be sewn around sleeves at biceps and forearms, and around body at bottom of coat and around mid-section both front and back.
- U.L. Classified to meet or exceed NFPA 1951 Utility Standard on Technical Rescue (Current Edition) and U.L. NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).

STYLE #	FABRIC	SUGGESTED LIST
5805975 (STK)	Nomex IIIA (6 oz) – Tan	\$274.68
58059XX	Nomex IIIA (6 oz) – Colors (See Page 13)	\$293.20
5804775	SIGMA (7 oz) – Tan	\$298.54
58047XX	SIGMA (7 oz) – Colors (See Page 13)	\$298.54

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. Available in Short, Regular, and Tall sizes.

Call customer service for larger sizes or custom order quotes.

ADD 3M SCOTCHLITE TRIM – NYFD Style

STYLE #	DESCRIPTION	LIST
1-FL(580)	Silver Reflective Trim	\$37.69
26-FL(580)	Lime/Yellow/Silver Reflective Triple Trim	\$50.66
37-FL(580)	Red/Orange/Silver Reflective Triple Trim	\$50.66
97-FL(580)	Silver Segmented Reflective Trim on Black Nomex Tape	\$92.69
98-FL(580)	Lime/Yellow/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$93.60
100-FL(580)	Red/Orange/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$93.60

ADDITIONAL OPTIONS LISTED ON PAGE 26



DUAL-CERTIFIED JACKET

- Four inch high Alpine style collar can be worn folded down to allow venting or zipped up to completely cover neck providing additional protection from heat and flame. Hanger loop at neck.
- Set-in sleeve with underarm gusset to allow maximum mobility while reducing wear and seam pressure. Radial sleeve design allows full arm movement and assures “no hike” fit when arms are raised over shoulders. Gusset at cuff has secondary hook/loop strip allowing cuff to be opened to its fullest extent for maximum ventilation or to allow glove cuff to be tucked inside. Partially elasticized wrist allows cuff to be tightly secured without impeding circulation or movement.
- TenCate PIONEER™ fabric reinforcements at elbows, forearms and cuffs in black color provides exceptional cut, tear, abrasion and water resistance in high wear area.
- Two extra-large vertical welt chest pockets with zipper closure and internal pocket bags. Zytel FR50 Delrin zipper closures.
- Utility Sleeve pocket is located left sleeve with 7” Zytel FR50 Delrin zipper has additional pencil pocket set on exterior of pocket.
- Two-way Zytel FR50 Delrin zipper with Nomex tape allows the option for increased range of movement. Zipper extends to top of collar for secure closure around neck and face. The zipper is backed with self-fabric flap.
- Self-fabric Flashlight Holder is positioned on right chest. This multi-loop construction with adjustable & removable hook/loop strap allows for maximum flexibility & hand free operation.
- Two oversized welt pockets at waist with vertical 8” Zytel FR50 Delrin zipper with Nomex Tape Internal pocket size is 10" high x 8" wide.
- All pocketing and thread 100% Nomex for flame resistance and durability.
- OPTIONAL 3M™ Scotchlite™ Flame Resistant Retro Reflective Trim in New York style configuration. Located around arms at biceps and forearms, around mid-section front & back, and around bottom near hem.
- U.L. Classified to meet or exceed NFPA 1951 Utility Standard on Technical Rescue (Current Edition) and U.L. NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).

STYLE #	FABRIC	SUGGESTED LIST
5815975	Nomex IIIA (6 oz) – Tan	\$295.60
58159XX	Nomex IIIA (6 oz) – Colors (See Page 13)	\$307.05
5814775	SIGMA (7 oz) – Tan	\$313.49
58147XX	SIGMA (7 oz) – Colors (See Page 13)	\$313.49

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices. Available in Short, Regular, and Tall sizes.

Call customer service for larger sizes or custom order quotes.

ADD 3M SCOTCHLITE TRIM – NYFD Style

STYLE #	DESCRIPTION	LIST
1-FL(581)	Silver Reflective Trim	\$34.02
26-FL(581)	Lime/Yellow/Silver Reflective Triple Trim	\$44.80
37-FL(581)	Red/Orange/Silver Reflective Triple Trim	\$44.80
97-FL(581)	Silver Segmented Reflective Trim on Black Nomex Tape	\$82.46
98-FL(581)	Lime/Yellow/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$83.29
100-FL(581)	Red/Orange/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$83.29

ADDITIONAL OPTIONS LISTED ON PAGE 26



DUAL-CERTIFIED PANT

- Self-material waistband with elasticized back has seven belt loops wide enough to accommodate a two inch wide belt.
- Corrosion-resistant carbon steel ladder buckle at waist with self-fabric take-up straps allow a generous four-inch waist adjustment.
- Corrosion-resistant brass snap at waist is fabric backed so no metal touches skin.
- All zippers are super tough Zytel FR50 Flame Resistant Delrin mounted to Nomex tape which is stronger and lighter than brass and self-lubricating to avoid sticking and crimping common with metal zippers.
- Flame Resistant Zytel Zipper at front fly is backed with self-fabric flap for enhanced comfort and thermal protection.
- Side access openings have Flame Resistant Zytel Delrin zipper closures allowing easy access to undergarments.
- 14" knee high super tough Flame Resistant Zytel Delrin leg zippers allows donning and doffing with boots on and has an inside gusset allowing pants to be worn with zipper up to allow venting or zippered down for flame resistant protection . Adjustable reinforced cuff is elasticized allowing a perfect interface with boots without impeding circulation or movement like competitors ankle closure systems.
- Welt-style rear pockets have spade-style flaps with hook and loop closures.
- Front slash-style pockets have extra deep contoured pocket bags made from 6 oz./sq. yd. Nomex IIIA fabric and spade-style flaps with hook and loop closures to keep contents from falling out.
- Over-sized mid-thigh 3-D cargo pockets have hook and loop flap closures and are expandable for extra storage capacity.
- Leg outseams and seat seams are sewn with five-thread safety stitch then top stitched with a double-needle lockstitch to absolutely eliminate seam failure.
- Articulated knees promote freedom of movement as well as a more contoured fit.
- 6.6 oz./sq. yd (225 g/m2) TenCate PIONEER™ fabric in contrasting black color for knee and cuff reinforcements offer exceptional cut, tear, abrasion and water resistance in critical wear area.
- **OPTIONAL** 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow two inch wide Triple Trim sewn around Legs between knees and cuffs.
- U.L. Classified to meet or exceed NFPA 1951 Utility Standard on Technical Rescue (Current Edition) and U.L. NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).

STYLE #	FABRIC	SUGGESTED LIST
7805975 (STK)	Nomex IIIA (6 oz) – Tan	\$269.45
78059XX	Nomex IIIA (6 oz) – Colors (See Page 13)	\$284.42
7804775	SIGMA (7 oz) – Tan	\$292.29
78047XX	SIGMA (7 oz) – Colors (See Page 13)	\$292.29

Waist: Small (27"-30"), Medium (31"-34"), Large (35"-38"), XLarge (39"-42"), 2XLarge (43"-46") - Add 10% to above prices, 3XLarge (47"-50") - Add 20% to above prices. **Inseam:** Short (28"), Regular (30"), Long (32"), XLong (34"), 2XLong (36") - Add 10% to Following Prices Shown, 3XLong (38") - Add 20% to above prices.

Call customer service for larger sizes or custom order quotes.

ADD 3M SCOTCHLITE TRIM – Around legs at mid-calf.

STYLE #	DESCRIPTION	LIST
1-FL(780)	Silver Reflective Trim	\$14.06
26-FL(780)	Lime/Yellow/Silver Reflective Triple Trim	\$14.80
37-FL(780)	Red/Orange/Silver Reflective Triple Trim	\$14.80
97-FL(780)	Silver Segmented Reflective Trim on Black Nomex Tape	\$23.54
98-FL(780)	Lime/Yellow/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$31.69
100-FL(780)	Red/Orange/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$31.69

ADDITIONAL OPTIONS LISTED ON PAGE 26



DUAL-CERTIFIED JUMPSUIT

- Four inch high Alpine style collar can be worn folded down to allow venting or zipped up to completely cover neck providing additional protection from heat and flame. Hanger loop at neck. Seamless shoulders eliminate bulky seams and allow maximum mobility while reducing wear and seam pressure under weight of a pack harness. Radial sleeve design allows full arm movement and assures "no hike" fit when arms are raised over shoulders. Articulated elbows promote freedom of movement as well as a more contoured fit. Adjustable cuffs incorporate hook/loop tab closure for easy adjustment even when wearing gloves. Partially elasticized wrist allows cuff to be tightly secured without impeding circulation or movement. Gusset at cuff has secondary hook/loop strip allowing cuff to be opened to its fullest extent for maximum ventilation or to allow glove cuff to be tucked inside.
- All zippers are super tough Zytel FR50 Flame Resistant Delrin mounted to Nomex tape which is stronger and lighter than brass and self-lubricating to avoid sticking and crimping common with metal zippers. The front full length closure is comprised of a double pull zipper backed with self-fabric flap plus an external storm-flap with intermittent hook/loop closures for thermal protection. Side access zipper closures allowing easy access to undergarments.
- 14" knee high leg zippers allows donning and doffing with boots on and has an inside gusset allowing pants to be worn with zipper up to allow venting or zippered down for flame resistant protection. Adjustable reinforced cuff is elasticized allowing a perfect interface with boots without impeding circulation or movement like competitors ankle closure systems.
- Self-fabric Flashlight Holder is positioned on storm flap sternum height. This multi-loop construction with adjustable & removable hook/loop strap allows for maximum flexibility & hand free operation. Radio pocket with hook/loop flap closure and microphone holder loop set above the pocket flap. Utility pocket with hook and loop flap closure on right chest and D-ring at bottom for hanging gloves or gear.
- Self-material waistband with elasticized back to create a comfortable fit around waist. Corrosion-resistant carbon steel ladder buckle at waist with self-fabric take-up straps allow a generous four-inch waist adjustment. Welt-style rear pockets have spade-style flaps with hook and loop closures. Front slash-style pockets have extra deep contoured pocket bags made from 6 oz./sq. yd. Nomex IIIA fabric and spade-style flaps with hook and loop closures to keep contents from falling out. Over-sized mid-thigh 3-D cargo pockets have hook and loop flap closures and are expandable for extra storage capacity. Leg out-seams and seat seams are sewn with five-thread safety stitch then top stitched with a double-needle lockstitch to absolutely eliminate seam failure. Articulated knees promote freedom of movement as well as a more contoured fit.
- 6.6 oz./sq. yd. (225 grams/sq. meter) TenCate PIONEER™ fabric reinforcements at elbows, forearms, knees and cuffs in black color provides exceptional cut, tear, abrasion and water resistance in high wear area.
- OPTIONAL 3M™ Scotchlite™ Flame Resistant Retro Reflective Lime/Yellow two inch wide Triple Trim around sleeve biceps & forearms, around body midsection front and back, across back shoulders, and around legs between knees and cuffs.
- U.L. Classified to meet or exceed NFPA 1951 Utility Standard on Technical Rescue (Current Edition) and U.L. NFPA 1977 Standard on Protective Clothing and Equipment for Wildland Fire Fighting (Current Edition).
- Requirements for Cal-OSHA Title 8 GISO Sections 3406 (c)(1) and/or 3410(d)(1).

STYLE #	FABRIC	SUGGESTED LIST
6805975	Nomex IIIA (6 oz) – Tan	\$500.29
68059XX	Nomex IIIA (6 oz) – Colors (See Page 13)	\$522.20
6804775	SIGMA (7 oz) – Tan	\$529.31
68047XX	SIGMA (7 oz) – Colors (See Page 13)	\$529.31

Chest Sizes: Small (34-36), Medium (38-40), Large (42-44), XLarge (46-48), 2XLarge (50-52) – Add 10% to above prices, 3XLarge (54-56) add 20% to above prices.

Height: Short (5' 4" – 5' 7 ½"), Regular (5' 8" – 6' ½"), Tall (6' 1" – 6' 4").

Call customer service for larger sizes or custom order quotes.

ADD 3M SCOTCHLITE TRIM – Shoulders in back, biceps, forearms, mid-section front and back, legs at mid-calf.

STYLE #	DESCRIPTION	LIST
1-FL(680)	Silver Reflective Trim	\$37.00
26-FL(680)	Lime/Yellow/Silver Reflective Triple Trim	\$49.95
37-FL(680)	Red/Orange/Silver Reflective Triple Trim	\$49.95
97-FL(680)	Silver Segmented Reflective Trim on Black Nomex Tape	\$94.34
98-FL(680)	Lime/Yellow/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$95.26
100-FL(680)	Red/Orange/Silver Segmented Reflective Triple Trim on Black Nomex Tape	\$95.26

ADDITIONAL OPTIONS LISTED ON PAGE 26



AVAILABLE OPTIONS

3M SCOTCHLITE HIGH REFLECTIVE HEAT TRANSFERRED LETTERS ON BACK

STYLE #	DESCRIPTION	LIST PRICE
21-FL	2" Silver Letters	\$1.45
22-FL	2" Lime/Yellow Letters	\$1.45
70-FL	2" Red Orange Letters	\$1.45
5-FL	3" Silver Letters	\$1.62
23-FL	3" Lime/Yellow Letters	\$1.62
24-FL	3" Red Orange Letters	\$1.62

SELF-MATERIAL 4" HIGH X 15" WIDE BANNER - ATTACHED TO BACK

STYLE #	DESCRIPTION	LIST PRICE
31-FL	Banner Sewn On Back (31-FL(98) for Black Banner)	\$11.43
48-FL	Banner on Back with Hook and Loop (48-FL(98) for Black Banner)	\$23.66

SQUISH FLAME RESISTANT HONEYCOMB SILICONE

STYLE #	DESCRIPTION	LIST PRICE
95-FL	SQUISH Elbow Pads	\$52.83
88-FL	SQUISH Knee Pads	\$62.00

DETACHABLE & ADJUSTABLE RADIO POCKET - JACKET & JUMPSUIT ONLY

STYLE #	DESCRIPTION	LIST PRICE
101-FL	Detachable & Adjustable Radio Pocket	\$13.46



SawBuck Forestry & Wildland Chain Saw Chap - Constructed with 3 plies of woven para-aramid and 2 plies of para-aramid felt. Shell front and back is 1000 denier Cordura nylon, urethane coated to prevent penetration of liquids. Two inch wide waist belt and one inch wide leg straps of heavy nylon webbing with adjustable quick release nylon buckles. Chap has a four compartment tool pocket with snap closure flap sewn to waist belt. Chaps fit waist sizes from 32" to 46". UL Classified to NFPA 1977, Standard on Protective Clothing and Equipment for Wildland Firefighting, ASTM F 1897-08 Standard Specification for Leg Protection for Chain Saw Users. This chap is built in accordance with US Forestry Specification 6170-4G.

SawBuck UL Classified Chain Saw Chap - Constructed with 2 plies of woven para-aramid and 2 plies of para-aramid felt. Shell is 1000 denier nylon both front and back, urethane coated to prevent penetration of liquids. Two inch wide waist belt and one inch wide leg straps of heavy poly propylene webbing with adjustable quick release Delrin buckles. Chaps fit waist sizes 32" to 46". Dual UL Classified to ASTM F 1897-04 and ASTM F 1897-08 Standard Specification for Leg Protection for Chain Saw Users.

Original Saw Buck Chain Saw Chap - Constructed with 2 plies of woven para-aramid and 2 plies of para-aramid felt. Shell is 1000 denier nylon both front and back, urethane coated to prevent penetration of liquids. Two inch wide waist belt and one inch wide leg straps of heavy poly propylene webbing with adjustable quick release Delrin buckles. A three compartment tool pocket with snap flap closure is sewn to waist belt. Chaps fit waist sizes 32" to 46".

Measure length from waist down two inches below top of boot to determine proper length to order.

STYLE #	DESCRIPTION	LIST
8135083-32 (STK)	SawBuck Wildland & Forestry Chain Saw Chap - 32" Green	\$174.08
8135083-36 (STK)	- 36" Green	\$184.69
8135083-40 (STK)	- 40" Green	\$199.00
8135082-32 (STK)	SawBuck Wildland & Forestry Chain Saw Chap - 32" Orange	\$174.08
8135082-36 (STK)	- 36" Orange	\$184.69
8135082-40 (STK)	- 40" Orange	\$199.00
8015083-32 (STK)	SawBuck UL Classified Chain Saw Chap - 32" Green	\$114.84
8015083-36 (STK)	- 36" Green	\$120.52
8015083-40 (STK)	- 40" Green	\$130.19
8015182-32	SawBuck UL Classified Chain Saw Chap - 32" Orange	\$114.84
8015182-36	- 36" Orange	\$120.52
8015182-40	- 40" Orange	\$130.19
8005083-28 (STK)	The Original SawBuck Chain Saw Chap - 28" Green	\$110.13
8005083-32 (STK)	- 32" Green	\$119.60
8005083-36 (STK)	- 36" Green	\$130.34
8005083-40 (STK)	- 40" Green	\$142.06
8005182-28 (STK)	The Original SawBuck Chain Saw Chap - 28" Orange	\$110.13
8005182-32 (STK)	- 32" Orange	\$119.60
8005182-36 (STK)	- 36" Orange	\$130.34
8005182-40 (STK)	- 40" Orange	\$142.06

APRONS & SMOCKS – Aprons Sold By The Dozen, Priced Each

STYLE #	DESCRIPTION	LIST
1006173	Nitrile (HYCAR) Apron - Heavy Weight (Double Coated) - USDA Accepted - 24" x 36" - White	\$14.40
1016173 (STK)	Nitrile (HYCAR) Apron - Heavy Weight (Double Coated) - USDA Accepted - 35" x 45" - White	\$17.66
1016198 (STK)	Nitrile (HYCAR) Apron - Heavy Weight (Double Coated) - USDA Accepted - 35" x 45" - Black	\$17.66
1016172 (STK)	Nitrile (HYCAR) Apron - Heavy Weight (Double Coated) - USDA Accepted - 35" x 45" - Yellow	\$17.66
1016298	Nitrile (HYCAR) Apron - Extra Heavy Weight (Double Coated) - USDA Accepted - 35" x 45" - Black	\$24.63
1026672 (STK)	Mini-Brute Apron with Belly Band - Heavy Weight (Double Coated) - USDA Accepted - 35" x 48" - Yellow	\$26.06
1026673 (STK)	Mini-Brute Apron with Belly Band - Heavy Weight (Double Coated) - USDA Accepted - 35" x 48" - White	\$26.06
1026872 (STK)	Brute Apron with Belly Band - Extra Heavy Weight (Double Coated) - USDA Accepted - 35" x 48" - Yellow	\$26.06
1016572	Neoprene Apron - USDA Accepted - 35" x 45" - Yellow	\$23.44
1037098 (STK)	Rubber (SBR) Lab Apron - Light Weight - 24" x 36" - Black	\$14.60
1047098	Rubber (SBR) Lab Apron - With Tape Sewn Ties - 35" x 45" - Black	\$17.61
5116572 (STK)	Poultry and Lab Smock - Neoprene - Long Sleeve Full Length - Yellow (Available in Small – XLarge)	\$64.47
1056572	Split Leg Apron - Neoprene - Yellow	\$34.94
64524	Poly Rope Ties - 24" (Priced Per Each Tie)	\$0.44
64548	Poly Rope Ties - 48" (Priced Per Each Tie)	\$0.73

HAIRNETS

STYLE #	DESCRIPTION	LIST
1895 (STK)	Hairnet - Nylon - Brown (72 Hairnets in Poly Bag)	\$28.06
1898 (STK)	Hairnet - Nylon - Black (72 Hairnets in Poly Bag)	\$28.06
1873 (STK)	Hairnet - Nylon - White (72 Hairnets in Poly Bag)	\$28.06

PROTECTIVE SLEEVES - Sold By The Dozen, Priced Pair

STYLE #	DESCRIPTION	LIST
2007098	Single Coated Black Rubber (SBR) Sleeves - 18"	\$9.90
2006173	Double Coated White Nitrile (HYCAR) Sleeves - 18"	\$9.92
2006572 (STK)	Single Coated Yellow Neoprene on Nylon Sleeves - 18"	\$9.00
2011185	Inherently Flame Resistant Aramid Sleeves - Kevlar Twill - 18"	\$23.08

SPATS

STYLE #	DESCRIPTION	LIST
9046172 (STK)	Heavy Weight Nitrile (HYCAR) Spats - Yellow (Pair)	\$15.89