




**JCB LOADALL**  
**506-36**



**JCB, Inc. North American**  
**MACHINE PRICE LIST**  
**in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.**  
**PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control and componentized driveline
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 36' 4", hydraulic parallel lift, max lift capacity of 6,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:


Section 1 - PACKAGE BUILDS

Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS

Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAA	506-36, 4W Steer, Sway Control, 74HP Engine, Powershift Transmission	\$85,030
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A039	13.00-24/14PR Galaxy (Unballasted)	\$7,991
500A055	13.00 x 24 Semi-Solid, Airless Tires - Solideal	\$14,563
<b>CONTROLS (E)</b>		
500B064	Dual Joysticks - One Auxilliary Service	\$3,382
<b>OPERATORS AREA (E)</b>		
500C111	Canopy with right side and rear glass	\$2,510
500C045	Cab fully glazed with front, roof and rear wipers. Includes heater	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F211	Operator Manual - English	\$0
500F212	Operator Manual - French	\$0


	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G018	Front and Rear Roadlights, includes turn signals, stop, tail and reverse Lights - Cab Builds	\$783
500G023	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$783
500G024	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$803
500G188	Work Lights - Front T4F	\$157
500G189	Work Lights - Front and Rear T4F	\$253
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K080	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K478	Face Level Fan	\$224
500T100	Foam Filled Tires 13.00x24	\$3,750

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>506-36 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M223	48" x 4" x 2" pallet forks (2) for 2-1/4" fork shaft	\$959
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052



**JCB LOADALL  
507-42**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control and componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 7,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:

**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------


## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAB	507-42, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$92,732
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A030	1400-24 16PR Sitemaster Unballasted	\$9,001
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A507	400/80-24 16 2A8 Michelin Power CL	\$9,001
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F211	Operator Manual - English	\$0
500F212	Operator Manual - French	\$0




	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>507-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M230	60" x 6" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,059
500M231	72" x 6" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,697
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
509-42**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 9,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:

**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
50AQ	509-42, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$93,527
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A030	1400-24 16PR Sitemaster Unballasted	\$9,001
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052



**JCB LOADALL  
509-42S**




**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**



	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 9,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:


**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAC	509-42S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$98,691
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A030	1400-24 16PR Sitemaster Unballasted	\$9,001
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A509	400/80-24 16 2A8 Michelin Power CL (509 only)	\$11,367
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H091	Engine Block Heater	\$163
500H700	Fuel Tank Protection Kit T4F	\$503
500T373	Arctic Diesel for cold climates	\$0
500H828	Arctic Kit - Line Fit - For 509, 510	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K081	Air Conditioning	\$3,451
500k086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>509-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
510-42**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:


Section 1 - PACKAGE BUILDS

Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS

Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AGQ	510-42, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$120,463
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A056	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0

	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------


### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**



	<b>510-42 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
510-42S**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:


**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5AGS	510-42S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$124,066
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A056	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
<b>CONTROLS (E)</b>		
500B250	Single Joystick - One Auxilliary Service	\$4,698
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
500H828	Arctic Kit - Line Fit - For 509, 510	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>510-42S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL**  
**510-56**



**JCB, Inc. North American**  
**MACHINE PRICE LIST**  
**in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.**  
**PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:

**Section 1** - PACKAGE BUILDS


**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)



	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
50AR	510-56, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$129,225
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
500A527	440/80-24 16 Michelin Power CL	\$11,367
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C129	Canopy Build, No Heater, Side and Rear Glass	\$2,510
500C046	Cab fully glazed with front, roof and rear wipers. Includes heater	\$6,955
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
500D111	Suspension seat: fabric adjustable back	\$752
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$504
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K083	Air Conditioning	\$3,451
500K084	Fire Extinguisher	\$273
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>510-56 LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
510-56S**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 10,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:

**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)


	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAD	510-56S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$134,347
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
500A527	440/80-24 16 Michelin Power CL	\$11,367
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
500D111	Suspension seat: fabric adjustable back	\$752
<b>QUICK COUPLER (E)</b>		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H700	Fuel Tank Protection Kit T4F	\$503
500H091	Engine Block Heater	\$163
500H829	Arctic Kit - Line Fit - For 510, 512, 514	\$10,521
500T373	Arctic Diesel for cold climates	\$0
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>510-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		\$0
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052

400/F7360 60" Hyd Fork Pos carriage w60" fork set 10K Cap Parts List \$6902

400/F7377 60" Hyd Fork Pos carriage w60" fork set 12K Cap Parts List \$7601





**JCB LOADALL**  
**512-56S**




**JCB, Inc. North American**  
**MACHINE PRICE LIST**  
**in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**Issue 2**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.**  
**PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection down to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 12,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:

**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAE	512-56S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$145,460
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A026	17.5R25 16 Ply Galaxy NO BALLAST	\$11,123
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$10,867
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E023	Quickhitch Coupler - Required to mount Carriage	\$710
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H700	Fuel Tank Protection Kit T4F	\$503
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
500H829	Arctic Kit - Line Fit - For 510, 512, 514	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	<b>512-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>CARRIAGES</b>		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
<b>FORKS</b>		\$0
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
<b>OTHER ATTACHMENTS</b>		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052




**JCB LOADALL  
514-56S**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>514-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

## STANDARD EQUIPMENT

<b>GENERAL</b>	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
<b>ENGINE</b>	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection down to -30 deg. F.
<b>TRANSMISSION</b>	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
<b>AXLES</b>	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
<b>BRAKES</b>	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
<b>ELECTRICAL</b>	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
<b>INSTRUMENTS</b>	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
<b>STEERING</b>	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
<b>CAB/CANOPY</b>	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
<b>CONTROLS</b>	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
<b>BOOM</b>	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 14,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
<b>HYDRAULICS</b>	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
<b>LIVELINK</b>	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>WARRANTY</b>	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:


**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - LOADALLS and AG** (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	<b>514-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------


## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE MACHINE (E)</b>		
5BAF	514-56S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$176,006
<b>TIRES (E) See Options Section for Foam Fill</b>		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A042	17.5 x 25 Titan 20ply NO BALLAST	\$10,800
<b>CONTROLS (E)</b>		
500B251	Single Joystick - One Auxilliary Service	\$4,697
<b>OPERATORS AREA (E)</b>		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
<b>SEATS (E)</b>		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
<b>QUICK COUPLER (E)</b>		
500E489	72" Side-Tilt Carriage	\$0
<b>OPERATORS MANUAL (E)</b>		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0



	<b>514-56S LOADALL</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------	----------------------------	------------------------	----------------------------

### SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
<b>ELECTRICAL OPTIONS</b>		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$783
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$783
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$783
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$530
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
<b>ENGINE OPTIONS</b>		
500H700	Fuel Tank Protection Kit T4F	\$503
500H091	Engine Block Heater	\$163
500T373	Arctic Diesel for cold climates	\$0
500H829	Arctic Kit - Line Fit - For 510, 512, 514	\$10,521
<b>OPERATORS AREA OPTIONS</b>		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K081	Air Conditioning	\$3,451
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K478	Face Level Fan	\$224
500T700	Foam Filled Tires 17.5x25	\$5,150

### SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

<b>FORKS</b>		
500M240	72" x 5" x 2" Pallet Forks (2) for 2-3/4" fork shaft	\$3,930

**\*\* A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**