



2018


**JCB HYDRAULIC EXCAVATOR  
JZ141D**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: April 1, 2018**

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	<b>JZ141D HYDRAULIC EXCAVATOR</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: April 1, 2018
---	-----------------------------------	----------------------------	------------------------	--------------------------

## STANDARD EQUIPMENT

<b>ENGINE</b>	JCB Ecomax 444, 74 HP at 1,800 RPM. Four-cylinder water cooled common rail direct injection diesel engine. Low emission engine, EPA Tier 4 Final compliant. Dual element air cleaner.
<b>HYDRAULICS</b>	Variable flow load sensing system with on demand and servo operated multi function open center control. Independent servo gear pump. Two main axial piston pumps yield combined flow of 68.6 GPM. Servo pump flow: 5.3 GPM.
<b>OPERATOR'S AREA</b>	Air conditioned cab, noise and vibration isolated by six hydraulically damped resilient mountings. Opening door window. Fan forced fresh air ventilation with defogger and washer/wiper. Fully adjustable suspension seat with seatbelt, headrest, armrests, and backrest recline. Two boom and one mainframe work light
<b>CONTROLS</b>	Excavator controls are ISO pattern, servo operated, with in cab 7" digital display and change over control to SAE. Tracks are individually operated by foot pedal or hand lever. Speed selection via joystick operated switch. Control isolation by gate lock lever at cab entrance and a console mounted switch.
<b>UPPER</b>	Monoboomb with choice of dipper arms to suit dig depth requirements. No reinforcing required for hammer operations. Boom: 15' 5" (4.7m). Dippers: 8' 2" (2.5m), 9' 10" (3.0m).
<b>UNDERCARRIAGE</b>	The undercarriage gives excellent stability, is a fully welded X-frame type with undercarriage center cover, engine undercover and travel drive motor, cover and shields. Twin top and seven bottom rollers are heat-treated, sealed and lubricated. Track idler is sealed and lubricated and incorporates spring cushion recoil.
<b>TRACK DRIVE</b>	Full hydrostatic, 2 speed, driven by two axial piston motors. Motors are guarded in undercarriage frame for protection from debris. Final drives are planetary reduction type with bolt on sprockets. Maximum track speed is 4.1 MPH, low speed is 2.4 MPH. Parking brake is disc type, spring applied, hydraulic release.
<b>ELECTRICAL</b>	24 volt electrical system. 2 x 12 volt heavy duty batteries, 24 volt, 55 amp output alternator with 12 volt in-cab supply.
<b>LIVELINK</b>	3 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
<b>OPERATING WEIGHT</b>	Equipped with standard boom, dipper, 24" track shoes and excavator bucket: apprx. 35,280 lbs.
<b>WARRANTY</b>	3-year / 3,000 hour full coverage warranty (please see the machine warranty certificate for details)

### SECTIONS ARE ORGANIZED AS FOLLOWS:


**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - EXCAVATORS** (LISTED SEPARATELY FOR ALL EXCAVATORS)

	<b>JZ141D HYDRAULIC EXCAVATOR</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: April 1, 2018
---	-----------------------------------	----------------------------	------------------------	--------------------------

## SECTION 1 - YELLOW SERIES

Select one of the following machine PACKAGE BUILD codes and ATTACHMENT(S) if required from the section at the bottom of this sheet. Package build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

### SALES

CODE	ITEM	JZ141D
9145	JZ141 LC T4F Monoboom With Dozer	✓
900A483	Long Undercarriage 78" (1990mm) Gauge, Overall Length: 141" (3585mm)	✓
900B614	24" (600mm), 44 Links, Triple Grouser - Dozer Width 103" (2610mm)	✓
900C393	Monoboom with 9' 10" (3.0 m) Dipper. No HBCV	✓
900D396	Tipping Link with Lifting Shackle	✓
900EC07	North American Manual Pack	✓
900KM24	Hammer/Auxilliary Prop Mono 3.0m Arm	✓
900M036	Quick Hitch Lite Installation Kit	✓
900R001	AM/FM Radio	✓

**SUGGESTED LIST PRICE**

**\$152,951**

## ATTACHMENTS FOR YELLOW SERIES:

### SALES

CODE	U.S. LIST
<b>EXCAVATOR BUCKETS</b>	
YWSEA01 ADD 328/00500. 36" BUCKET	\$3,920
YWSEA02 ADD 980/A8250. HYDRAULIC COUPLER	\$5,811
YWSEA03 ADD 980/B0201. HM090T	\$18,348
YWSEA04 ADD 328/00498. 24" BUCKET	\$3,480

	<b>JZ141D HYDRAULIC EXCAVATOR</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: April 1, 2018
---	-----------------------------------	----------------------------	------------------------	--------------------------

## SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
<b>BASE UNIT (E)</b>		
9145	JZ141 LC T4F MONOBOOM WITH DOZER	\$145,237
<b>UNDERCARRIAGE for 9290 BASE UNIT (E)</b>		
900A483	LONG UNDERCARRIAGE, 1990MM (78IN) GAUGE, 3585MM (141IN) LONG	\$0
<b>TRACK PADS FOR 9290 BASE UNIT (E)</b>		
900B614	600MM (24IN), 44 LINKS, TRIPLE GROUSER - DOZER WIDTH 2610MM (103IN)	\$2,970
900B615	700MM (28IN), 44 LINKS, TRIPLE GROUSER - DOZER WIDTH 2710MM (107IN)	\$3,670
<b>MONO BOOM AND DIPPERS (E) Includes brackets for all attachment pipework</b>		
900C392	MONOBOOM, 0 HBCV, 2.5M DIPPER	\$1,053
900C393	MONOBOOM, 0 HBCV, 3.0M DIPPER	\$1,053
<b>TIPPING LINK (E)</b>		
900D396	Tipping Link with Lifting Shackle	\$477
<b>MANUAL PACK (E)</b>		
900EC07	USA HOMOLOGATION PACK	\$0

**JZ141D HYDRAULIC EXCAVATOR**U.S. DOLLAR  
PRICE PAGESF.O.B.  
SAVANNAH, GA

EFFECTIVE: April 1, 2018

**SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:**

SALES CODE	ITEM	U.S. LIST
HYDRAULIC ATTACHMENT PIPEWORK - NEW FACTORY BUILT ORDERS ONLY		
900KM23	HAMMER/AUX PROP. CONTROLS - 2.5M DIPPER	\$1,523
900KM24	HAMMER/AUX PROP. CONTROLS - 3.0M DIPPER	\$1,523
Notes:	• High flow circuit pipework is dual function. The merged circuit adds in up to 70% of the flow from the second main pump. When operator selects hammer function hydraulic flow is delivered in one direction to run hammer. Circuit is operated by foot pedal. When auxiliary function is selected the same pump flow is delivered bi-directionally to run tool. Circuit can be operated by the foot pedal, hand control buttons or slider depending on code available.	
	• For additional factory installed hydraulic pipework options call JCB Product Marketing.	
	• Shut-off ball valve for hammer and auxiliary pipework available through JCB Parts Dept.	
OPTIONS NEW FACTORY BUILT ORDERS ONLY		
900M106	HYDRAULIC QUICK HITCH	\$5,811
900M036	HYDRAULIC QUICK HITCH LITE INSTALLATION	\$1,523
900P210	Scavenger Type Precleaner System	\$269
900R001	AM/FM Radio	\$169
900R011	Deluxe Seat - Air Suspension and Heated Base	\$726
900R035	Rainguard - Cab Mounted	\$484
900R130	Lower Level Windscreen Wiper	\$256
900S010	Vandal Cover Kit	\$2,282
900S020	FOPS Level 2 Guard - Front Windshield and Roof	\$5,618
900S025	Mesh Screen Guard for Front Windshield	\$1,477
900S034	LED Worklights	\$814
900S130	Additional Worklights	\$470
900S140	Amber Beacon - Cab Roof	\$182
900S253	Rear View Camera	\$698
900V001	HP32 Hydraulic Oil - for Cold Climate Operation	\$0
900V002	HP68 Hydraulic Oil - for Hot Climate Operation	\$0
900X040	Refueling Pump	\$590
900X381	Shut-off Valves For Auxiliary/Hammer Circuit (For 8' 2" (2.5m) Dipper)	\$723
900X382	Shut-off Valves For Auxiliary/Hammer Circuit (For 9' 10" (3.0mm) Dipper)	\$723
900X531	Twin Track Guides	\$1,404

**SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:**

SALES CODE	ITEM	U.S. LIST
<b>EXCAVATOR BUCKETS</b>		
YWSEA01	ADD 328/00500. 36" BUCKET	\$3,920
YWSEA02	ADD 980/A8250. HYDRAULIC COUPLER	\$5,811
YWSEA03	ADD 980/B0201. HM090T	\$18,348
YWSEA04	ADD 328/00498. 24" BUCKET	\$3,480