



2018

**JCB TELETRUK
TLT35D
TCR 4 x 2**



**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: JANUARY 1, 2018

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	JCB TELETRUK - TLT35D	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------------	----------------------------	---------------------	----------------------------

STANDARD EQUIPMENT

ENGINE	62HP, Kohler KD12504TCR Diesel Engine, Tier IV compliant, dry type air cleaner, Water separator, spin - on fuel filter, thermostart assist, anti-freeze protection to -35 degrees F.
TRANSMISSION	Torque Converter Response Hydrostatic drive system Single speed Hydrostatic transmission, power flow TCR
TIRES	Options of Industrial or Agricultural tread patterns
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Waterproof wire harness connectors meet/exceed IP67 electrical system rating. 2 front, 1 rear worklights
INSTRUMENTS	IDC (information display center) Visual warning system for coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil pressure and temperature, fuel gauge and hour meter.
TELESCOPIC BOOM	Two section 14' 4" lift height with hydraulic parallel lift 7700lbs capacity to full height
HYDRAULICS	One set of auxiliaries. standard flow 7 gpm; high flow 19 gpm
CANOPY	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Canopy and cab tilts up for improved access to mid-ship of the machine for service and maintenance. Vinyl operators seat, adjustable forward and back. Cab swing lock pin, metal side screen, single lever control for boom lift/lower and rollback/dump, tilt control lever forward and reverse hand lever, operator manual, roof mounted strobe, back up alarm.
OPTIONAL CAB	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry. Glass in front, side, top and rear, optional side door in metal or canvas
CAB HEIGHTS	Low Cab height is approximately 4 in. (100mm) shorter than the Standard Height cab
CARRIAGE	Standard class III ITA carriage with option of 1 or 2 extra hydraulic quick disconnect couplings
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet
WARRANTY	2 year full coverage warranty (please see the machine warranty certificate for details)

SECTIONS ARE ORGANIZED AS FOLLOWS:

Section 1 - PACKAGE BUILDS

Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS

Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS - NOT CURRENTLY OFFERED

DEALER FIT - TELETRUK (PLEASE CONTACT JCB ATTACHMENTS)

**JCB TELETRUK - TLT35D**U.S. DOLLAR
PRICE PAGES

F.O.B. SAVANNAH, GA


EFFECTIVE: JANUARY 1, 2018

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.


SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
1177	TELETRUK 35D TCR - Tier 4, 2WD, 7,000lb Capacity (3.5T) Telescopic Industrial Forklift	\$55,098
TIRES & WHEELS (E)		
250A015	27 x 10 x 12 Front, 23 x 9 x 10 Rear - Semi Solid Tires	\$3,460
250A016	27 x 10 x 12 Traction Front, 23 x 9 x 10 Industrial Rear Tires	\$3,460
250A017	27 x 10 x 12 Traction Front, 23 x 9 x 10 Industrial Rear - Foam Filled Tires	\$4,455
250A041	27 x 10 x 12 Front, 23 x 9 x 10 Rear Michelin XZM Pneumatic Radials	\$6,003
OPERATORS COMPARTMENT (E)		
250B401	Standard Height Canopy, Right Hand Side Glass	\$1,964
250B402	Standard Height Canopy, Right Hand Side Mesh	\$2,502
250B403	Low Height Canopy (4in. Lower) Right Hand Side Glass	\$1,964
250B404	Low Height Canopy (4in. Lower) Right Hand Side Mesh	\$2,502
250B405	Standard Height Partial Cab, Includes Front, Rear and Side Glass with Wipers	\$3,658
250B406	Low Height Partial Cab (4in. Lower), Includes Front, Rear and Side Glass with Wipers	\$3,658
250B407	Standard Height Full Cab, Includes Heater/Demister	\$6,715
250B408	Low Height Full Cab (4 in. Lower), Includes Heater/Demister	\$6,715
250B409	Standard Height Canopy - Right Hand Side and Top Glass	\$3,637
250B410	Low Height Canopy - Right Hand Side and Top Glass	\$3,731
250B411	Standard Height Canopy, Includes Top Glass, Front Screen & Wipers	\$2,950
250B412	Low Height Canopy, Includes Top Glass, Front Screen & Wipers	\$2,950
HYDRAULICS (E)		
250C021	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose	\$2,807
250C022	5 Spool Valve Block - 3 Levers & Button Control in Knob (Std Flow) 1/4" Hose	\$4,067
250C023	4 Spool Valve Block - 2 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side Tray	\$3,621
250C024	5 Spool Valve Block - 3 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side & Top Tray	\$4,881
250C061	4 Spool Valve Block - 2 Levers & Button Control in Knob (Std Flow) 1/4" Hose - Changeeze System	\$2,807
250C062	5 Spool Valve Block - 3 Levers & Button Control in Knob (Std Flow) 1/4" Hose - Changeeze System	\$4,067
250C063	4 Spool Valve Block - 2 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side Tray - Changeeze System	\$3,621
250C064	5 Spool Valve Block - 3 Levers & Button Control in Knob (Extra Flow) 3/8" Hose Side & Top Tray - Changeeze System	\$4,881
TRANSMISSION (E)		
250D051	2WD Drive Controls for Tier IV	\$1,144
FORKS (E)		
250E040	42" Standard Class III Industrial Carriage (3A)	\$791
250E041	48" Standard Class III Industrial Carriage (3A)	\$855
250E043	45" Standard Class III Industrial Carriage (3A)	\$842
250E046	42" Standard Class III Industrial Carriage (3B) Long Drop	\$912
250E047	48" Standard Class III Industrial Carriage (3B) Long Drop	\$958
250E049	45" Standard Class III Industrial Carriage (3B) Long Drop	\$944
LANGUAGE PACK (E)		
250F414	Operator Manual - English (USA)	\$0
SEATS (E)		
250G401	Standard Vinyl Seat	\$726
250G402	Standard Fabric Seat	\$774
250G403	Fabric, Air-Suspension Seat	\$1,145

	JCB TELETRUK - TLT35D	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
--	------------------------------	----------------------------	---------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
FRONT END ANCILLARY		
250H008	Boom Stop for Any Quick Disconnect Attachment (included in all 3B forks)	\$252
250H014	Single Tilt Carriage Pin	\$364
250H043	Front Facing Front Wheel Mud Flaps	\$126
250H044	Load Guard - Low Height Enclosure - 35in from top of Forks	\$368
250H045	Load Guard - Standard Height Enclosure - 49in from top of Forks	\$386
250H054	Angle Indicator for Carriage, includes Low Load Guard	\$733
250H055	Angle Indicator for Carriage, includes Standard Load Guard	\$749
250H201	Wheel Protection Kit for 2WD Models	\$228
250H300	Greasing Kit: Includes a Grease Gun and a 400gm Cartridge of JCB High Pressure Grease	\$29
250H444	Heavy Duty Class 3 Carriage for Heavy/Tough Applications	\$575
250H582	Changezee unit: Change from forks to shovel without leaving the cab	\$6,378
250H587	Changezee System includes: Hydraulic quick disconnect unit, Changezee forkframe and Changezee shovel (no	\$11,872
SIDE-SHIFT OPTIONS		
250H070	Integral Class III Side-Shift (Zero Deration)	\$2,038
250H071	Bolt on Side-Shift Class III	\$1,652
250H072	Quick Disconnect Side-Shift (includes load chart 250H078)	\$2,668
250H077	Complete Quick Disconnect Sys (comes with H072 QD Side-Shift, H046 QD Shovel J005 1 Set QD Couplings)	\$6,046
250H078	Load Chart USA Build (no attachment)	\$0
HYDRAULIC COUPLINGS		
250J005	Quick Release Couplings, One Extra Service	\$309
250J006	Quick Release Couplings, Two Extra Services	\$612
250J007	Quick Release Couplings Integral/Bolt-on Side-Shift	\$309
250J030	Alternative Lever Pattern: For Cabs with Side Glass	\$169
250J031	Alternative Lever Pattern: For Cabs with Side Mesh	\$169
OPERATORS COMPARTMENT OPTIONS		
250H005	Fire Extinguisher	\$252
250H030	Vinyl Side Door - Standard Height Enclosure	\$550
250H031	Vinyl Side Door - Low Height Enclosure	\$550
250H036	Panoramic Mirror - Interior	\$228
250H700	Air Conditioning - Standard Height Cab	\$3,684
250H701	Air Conditioning - Low Height Cab	\$3,684
DRIVE OPTIONS & PROTECTION		
250K050	Hydraulic Flow Divider (Twin Wheel Drive)	\$2,337
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	\$1,967
250K061	No Creep Software: Gives Machine Characteristic of a Hydrostatic. Boom Hydraulics unchanged.	\$1,072
250K480	Heavy Duty Body Kit: TLT35D 2WD Tier IV	\$1,653
250K400	Cold Climate Kit: TIER 4 Builds only. Includes a Grid Heater.	\$119
250L425	Seat Delay Timer - 1 Minute Factory Default	\$0

	JCB TELETRUK - TLT35D	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
--	------------------------------	----------------------------	---------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
BUCKET OPTIONS		
250H046	General Purpose Shovel 0.65 yd3, 54in wide, ITA (Lightweight applications)	\$4,062
250H050	Bagezee Bucket 0.65 yd3 50" wide, Quick Disconnect	\$7,432
LIGHTING OPTIONS AND EXTRAS		
250L032	Reverse Alarm	\$183
250L041	Reverse Alarm - White Noise	\$263
250L047	Rotating Beacon Low Mounted	\$143
250L049	Strobe Warning Light - Low Mounted	\$263
250L057	Radio Installation For Full or Partial Cab - Radio not included; speakers and antenna	\$345
250L447	Low Level Rotating Beacon (AC Builds)	\$144
250L463	Work Lights - 2 Low Level Mounted	\$550
250L465	Road Lights - Head, Tail, Indicators	\$1,728
250L488	In-Cab Coolant Temperature Gauge	\$174
250L410	Face Level Fan	\$143
250K400	Cold Climate Kit: TIER 4 Builds only. Includes a Grid Heater.	\$119
250W412	WasteMaster, Heavy Duty Kit - Includes Fire Extinguisher, Panoramic Mirror, Single Carriage Pin, Roof	\$3,453