



2018

**JCB SKID STEER LOADER  
210  
NEW GENERATION**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

|   |                                  |                            |                           |                            |
|---|----------------------------------|----------------------------|---------------------------|----------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH,<br>GA | EFFECTIVE: JANUARY 1, 2018 |
|---|----------------------------------|----------------------------|---------------------------|----------------------------|

## STANDARD EQUIPMENT

[INDEX](#)

|                              |  |
|------------------------------|--|
| <b>ENGINE</b>                | 2.5L (151.4CID) 74 SAE Gross hp, Kohler KDI 2504 TCR engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator; 1000 CCA battery; variable speed hydraulically driven fan.   |
| <b>TRANSMISSION</b>          | EH (Electo-Hydraulic) Controls with hydrostatic transmission. Travel Speeds of 0 to 7.5 mph in both forward and reverse. Standard Creep speed provides operation from 0 - 1/2 of full speed for special applications. An optional two speed transmission is available providing a low range of 0 - 7.5 mph and a high range of 0 - 11.5 mph.   |
| <b>TIRES: FRONT AND REAR</b> | 10 x 16.5 8 ply, Heavy Duty WIDE TRACK JCB Tires providing 63" width.  |
| <b>BRAKES</b>                | Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.  |
| <b>ELECTRICAL</b>            | Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.   |
| <b>INSTRUMENTS</b>           | Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.   |
| <b>CAB OR CANOPY</b>         | SAE certified ROPS/FOPS, left side entry. Vinyl seat with seatbelt and operator restraint interlock for drive and loader functions. Cab units are pressurized and available with heat or heat and A/C, sliding left window and full side door. Right Hand glass as standard on canopy and cabs.  |
| <b>HYDRAULICS</b>            | 18.5gpm @ 3335psi standard flow. Optional 30gpm @ 3335psi available.   |
| <b>LOADER</b>                | Rated Operating Capacity of 2100 lbs, Radial Lift Loader Design provides Radial lift path and increased reach at mid point vs. Vertical Lift Designs. Auxiliary circuit is standard for operation of hydraulic powered attachments. Choice of Standard Mechanical or Optional Powered Quick Hitch. Hydraulic Float standard on all models. Loader Options include: Parallel Lift in raise only and SRS (smooth ride system). |
| <b>SERVICEABILITY</b>        | Cab tilts forward to provide further access to the hydraulic components. Rear door provides class leading access to engine bay and daily maintenance and check points.   |

|   |                                  |                            |                        |                            |
|---|----------------------------------|----------------------------|------------------------|----------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH, GA | EFFECTIVE: JANUARY 1, 2018 |
|---|----------------------------------|----------------------------|------------------------|----------------------------|

## SECTION I - PACKAGE BUILD


[INDEX](#)

Select one of the following machine **PACKAGE BUILD** codes. If the Package Build combination shown on this page does not meet your requirements, please order a machine using the Custom Build Sections following.

| SALES<br>CODE | ITEM   | PACKAGE BUILD CODE: | 8A05A              | 8A05B            | 8A05C            |
|---------------|--|---------------------|--------------------|------------------|------------------|
|               |  |                     | CANOPY<br>STD FLOW | CAB<br>HIGH FLOW | CAB<br>HIGH FLOW |
| 8A05          | JCB 210 Tier 4 Wheeled, Radial Lift, New Generation, Skid Steer Loader   |                     | ✓                  | ✓                | ✓                |
| 881A202       | 10 x 16.5 8PR HD Wide Track Tires & Wheels (provides 63" width)  |                     | ✓                  | ✓                | ✓                |
| 881B206       | Canopy Package - Includes Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL                    |                     | ✓                  |                  |                  |
| 881B226       | Enclosed Cab Package - Includes A/C, Heater, Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL |                     |                    | ✓                | ✓                |
| 881C202       | JCB EH Controls - 3 way Joysticks with Auxiliary Hydraulics  |                     | ✓                  |                  |                  |
| 881C205       | JCB EH Controls - 7 way Multi-Function Joysticks with Auxiliary Hydraulics & Attachment Harness. Required with High Flow Hydraulics  |                     |                    | ✓                | ✓                |
| 881D302       | GP Bucket - 72" - 15.4 cu-ft   |                     | ✓                  | ✓                | ✓                |
| 881E418       | North American English Manual - for Cab machine  |                     |                    | ✓                | ✓                |
| 881E419       | North American English Manual - for Canopy machine   |                     | ✓                  |                  |                  |
| 881F205       | Standard Auxiliary Hydraulics - 18 gpm at 3335 psi (68 lpm /230 BAR)   |                     | ✓                  |                  |                  |
| 881F213       | High Flow Hydraulics RL- 30 gpm (Requires 7 way Multi-Function Joystick Option)  |                     |                    | ✓                | ✓                |
| 881G201       | Foot Throttle  |                     | ✓                  | ✓                | ✓                |
| 881G254       | Worklights with 2 rear lights for non A/C machines   |                     | ✓                  |                  |                  |
| 881G279       | Vinyl Mechanical Suspension Seat   |                     | ✓                  | ✓                | ✓                |
| 881G280       | 2 Speed Motors - Wheeled   |                     | ✓                  | ✓                | ✓                |
| 881G282       | Powered Quick Hitch  |                     | ✓                  |                  | ✓                |
| 881G284       | SRS, Smooth Ride System - Vertical Lift (For machines with parallel lift)  |                     |                    |                  | ✓                |
| 881G287       | Reversing Fan  |                     | ✓                  | ✓                | ✓                |
| 881G295       | ISO & Dual Hand Control Pattern  |                     | ✓                  | ✓                | ✓                |
| 881G298       | Parallel Lift (Raise Only) - Vertical Lift - Standard Flow (175, 215, 215T)  |                     | ✓                  |                  |                  |
| 881G311       | Parallel Lift (Raise Only) - Vertical Lift - High Flow (175, 215, 215T)  |                     |                    | ✓                | ✓                |
| 881G305       | Block Heater - 110V Kohler Engine  |                     | ✓                  | ✓                | ✓                |

### SUGGESTED LIST PRICE

|                 |                 |                 |
|-----------------|-----------------|-----------------|
| <b>\$43,645</b> | <b>\$47,294</b> | <b>\$50,540</b> |
|-----------------|-----------------|-----------------|

|   |                                  |                            |                        |                            |
|---|----------------------------------|----------------------------|------------------------|----------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH, GA | EFFECTIVE: JANUARY 1, 2018 |
|---|----------------------------------|----------------------------|------------------------|----------------------------|


To complete a machine order, select one code from each **E (Essential)** feature category below.  
Select Options and Attachments as required.

|   |  |  | U.S. LIST             |
|---|--|--|-----------------------|
| <b>BASE MACHINE (E)</b>                 |  |  | <a href="#">INDEX</a> |
| <b>8A05</b>                             | JCB 210 Tier 4 Wheeled, Radial Lift, New Generation, Skid Steer Loader   |  | \$35,626              |
| <b>TIRE SETS (E) pick one</b>           |  |  |                       |
| <b>881A201</b>                          | 10 x 16.5 8PR HD Tires & Wheels (provides 59.8" width)   |  | \$0                   |
| <b>881A202</b>                          | 10 x 16.5 8PR HD Wide Track Tires & Wheels (provides 63" width)  |  | \$50                  |
| <b>881A205</b>                          | 10 x 16.5 10PR Lifemaster Industrial Pneumatic Tires & Wheels (provides 59.8" width)   |  | \$779                 |
| <b>881A206</b>                          | 10 x 16.5 10PR Wide Track Lifemaster Industrial Pneumatic Tire & Wheels (provides 63" width)   |  | \$807                 |
| <b>881A207</b>                          | 31.5/13 x 16.5 8PR SK Hauler High Floatation Tires & Wheels (provides 64.7" width)   |  | \$974                 |
| <b>881A208</b>                          | 7 x 15 Solid Industrial Tires and Wheels (provides 54.3" width)  |  | \$1,558               |
| <b>881A209</b>                          | 10 x 16.5 Brawler Solid Flex Industrial Tires & Wheels (provides 59.8" width)  |  | \$1,948               |
| <b>881A213</b>                          | 7 x 15 14PR Pneumatic Tires and Wheels (provides 53.9" width)  |  | \$890                 |
| <b>OPERATOR ENCLOSURES (E) pick one</b> |  |  |                       |
| <b>Canopy Packages</b>                  |  |  |                       |
| <b>881B206</b>                          | Canopy Package - Includes Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL                    |  | \$766                 |
| <b>Cab with Heater Packages</b>         |  |  |                       |
| <b>881B216</b>                          | Enclosed Cab Package - Includes Heater, Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL      |  | \$2,839               |
| <b>Cab with Heater and A/C Packages</b> |  |  |                       |
| <b>881B226</b>                          | Enclosed Cab Package - Includes A/C, Heater, Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL |  | \$4,660               |
| <b>MACHINE CONTROLS (E)</b>             |  |  |                       |
| <b>881C202</b>                          | JCB EH Controls - 3 way Joysticks with Auxiliary Hydraulics  |  | \$1,147               |
| <b>881C205</b>                          | JCB EH Controls - 7 way Multi-Function Joysticks with Auxiliary Hydraulics & Attachment Harness. Required with High Flow Hydraulics  |  | \$1,748               |

|   |                                  |                         |                           |                            |
|---|----------------------------------|-------------------------|---------------------------|----------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR PRICE PAGES | F.O.B.<br>SAVANNAH,<br>GA | EFFECTIVE: JANUARY 1, 2018 |
|---|----------------------------------|-------------------------|---------------------------|----------------------------|

To complete a machine order, select one code from each E (Essential) feature category below.


| BUCKETS (E) pick one - see H codes for bucket accessories |  |  | U.S. LIST             |
|---|--|--|-----------------------|
|   |  |  | <a href="#">INDEX</a> |
| <b>GP Buckets</b>   |  |  |                       |
| <b>881D301</b>  | GP Bucket - 66" - 14.1 cu-ft   |  | \$1,145               |
| <b>881D340</b>  | GP Bucket - 68" - 14.3 cu-ft   |  | \$1,262               |
| <b>881D302</b>  | GP Bucket - 72" - 15.4 cu-ft   |  | \$1,221               |
| <b>881D315</b>  | GP Bucket - 66" - 14.1 cu-ft with Pallet Fork Frame, LBR, 42" Tines                      |  | \$2,801               |
| <b>881D342</b>  | GP Bucket - 68" - 14.3 cu-ft with Pallet Fork Frame, LBR, 42" Tines                      |  | \$2,834               |
| <b>881D316</b>  | GP Bucket - 72" - 15.4 cu-ft with Pallet Fork Frame, LBR, 42" Tines                      |  | \$2,889               |
| <b>881D327</b>  | GP Bucket - 66" - 14.1 cu-ft with Pallet Fork Frame, LBR, 48" Tines                      |  | \$2,831               |
| <b>881D344</b>  | GP Bucket - 68" - 14.3 cu-ft with Pallet Fork Frame, LBR, 48" Tines                      |  | \$2,862               |
| <b>881D328</b>  | GP Bucket - 72" - 15.4 cu-ft with Pallet Fork Frame, LBR, 48" Tines                      |  | \$2,919               |
| <b>Landscape Buckets</b>                                  |  |  |                       |
| <b>881D305</b>  | Landscape Bucket - 66" - 17.5 cu-ft  |  | \$1,221               |
| <b>881D306</b>  | Landscape Bucket - 72" - 19.2 cu-ft  |  | \$1,310               |
| <b>881D319</b>  | Landscape Bucket - 66" - 17.5 cu-ft with Pallet Fork Frame, LBR, 42" Tines               |  | \$2,799               |
| <b>881D320</b>  | Landscape Bucket - 72" - 19.2 cu-ft with Pallet Fork Frame, LBR, 42" Tines               |  | \$2,904               |
| <b>881D331</b>  | Landscape Bucket - 66" - 17.5 cu-ft with Pallet Fork Frame, LBR, 48" Tines               |  | \$2,827               |
| <b>881D332</b>  | Landscape Bucket - 72" - 19.2 cu-ft with Pallet Fork Frame, LBR, 48" Tines               |  | \$2,933               |
| <b>6 in 1 Buckets</b>                                     |  |  |                       |
| <b>881D309</b>  | 6 In 1 Multipurpose Bucket - 66" - 15.8 cu-ft  |  | \$3,562               |
| <b>881D310</b>  | 6 In 1 Multipurpose Bucket - 72" - 17.2 cu-ft  |  | \$3,837               |
| <b>881D323</b>  | 6 In 1 Multipurpose Bucket - 66" - 15.8 cu-ft with Pallet Fork Frame, LBR, 42" Tines     |  | \$5,546               |
| <b>881D324</b>  | 6 In 1 Multipurpose Bucket - 72" - 17.2 cu-ft with Pallet Fork Frame, LBR, 42" Tines     |  | \$5,837               |
| <b>881D335</b>  | 6 In 1 Multipurpose Bucket - 66" - 15.8 cu-ft with Pallet Fork Frame, LBR, 48" Tines     |  | \$5,575               |
| <b>881D336</b>  | 6 In 1 Multipurpose Bucket - 72" - 17.2 cu-ft with Pallet Fork Frame, LBR, 48" Tines     |  | \$5,866               |
| <b>Pallet Forks</b>                                       |  |  |                       |
| <b>881D313</b>  | Pallet Fork Frame, Load Backrest (LBR) With 42" Tines (Heavy Duty 6,000lb lift capacity) |  | \$1,661               |
| <b>881D314</b>  | Pallet Fork Frame, Load Backrest (LBR) With 48" Tines (Heavy Duty 6,000lb lift capacity) |  | \$1,374               |


|   |                                  |                            |                           |                            |
|---|----------------------------------|----------------------------|---------------------------|----------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH,<br>GA | EFFECTIVE: JANUARY 1, 2018 |
|---|----------------------------------|----------------------------|---------------------------|----------------------------|

Select Optional Equipment as desired within limitations (if indicated).

**U.S. LIST**

| <b>OPERATOR HANDBOOKS (E) pick one</b>   |   | <b>INDEX</b> |
|--|---|--------------|
| <b>881E417</b>   | Spanish Export (American) Manual  | \$0          |
| <b>881E418</b>   | North American English Manual - for Cab machine   | \$0          |
| <b>881E419</b>   | North American English Manual - for Canopy machine  | \$0          |
| <b>881E420</b>   | French/Canadian Manual  | \$0          |
| <b>HYDRAULIC SYSTEMS (E) pick one</b>  |   |              |
| <b>881F205</b>   | Standard Auxiliary Hydraulics - 18 gpm at 3335 psi (68 lpm /230 BAR)                                      | \$0          |
| <b>881F213</b>   | High Flow Hydraulics VL- 30 gpm (Requires 7 way Multi-Function Joystick Option)                           | \$1,136      |
| <b>MACHINE OPTIONS</b> (do not need to order if included in operator enclosure packages) |   |              |
| <b>Electrical Options</b>  |   |              |
| <b>881G315</b>   | Roadlight Kit with Brake lights for A/C Machines Right Hand Dip   | \$953        |
| <b>881G316</b>   | Roadlight Kit with Brake lights for non A/C Machines Right Hand DIP                                       | \$953        |
| <b>881G254</b>   | Worklights with 2 rear lights for non A/C machines  | \$145        |
| <b>881G305</b>   | Block Heater - 110V Kohler Engine   | \$145        |
| <b>881G231</b>   | Rotating Beacon and Socket  | \$151        |
| <b>881G304</b>   | White Noise Reverse Alarm   | \$204        |
| <b>Loader Options</b>  |   |              |
| <b>881G282</b>   | Powered Quick Hitch   | \$846        |
| <b>881G283</b>   | SRS, Smooth Ride System - Vertical Lift   | \$1,085      |
| <b>881G284</b>   | SRS, Smooth Ride System - Vertical Lift (For machines with parallel lift)                                 | \$1,085      |
| <b>881G299</b>   | Parallel Lift (Raise Only) - Radial Lift - Standard Flow (155, 210, 150T, 210T)                           | \$533        |
| <b>881G312</b>   | Parallel Lift (Raise Only) - Radial Lift - High Flow (155, 210, 150T, 210T)                               | \$533        |
| <b>Hydraulic Options</b>   |   |              |
| <b>881G314</b>   | Biodegradable Oils  | \$327        |
| <b>Operators Compartment Options</b>   |   |              |
| <b>881G201</b>   | Foot Throttle   | \$211        |
| <b>881G295</b>   | ISO & Dual Hand Control Pattern   | \$166        |
| <b>881G211</b>   | Key Start/ Key Immobilizer - All machine configurations   | \$435        |
| <b>881G234</b>   | Keyless Start/ JCB Immobilizer for Canopy Builds with Options (if ordering HF, SRS, Hyd QH or Roadlights) | \$435        |
| <b>881G279</b>   | Vinyl Mechanical Suspension Seat  | \$259        |
| <b>881G218</b>   | Vinyl Air Suspension Seat with Adjustable Control Pods  | \$666        |
| <b>881G219</b>   | Cloth Air Suspension Seat with Adjustable Control Pods  | \$752        |
| <b>881G220</b>   | 3 inch wide Seatbelt  | \$63         |
| <b>881G242</b>   | 3 inch wide, 3 Point Seat Belt - Recommended for 2 Speed Option   | \$289        |
| <b>881G250</b>   | 2 inch wide, 3 Point Seat Belt - Recommended for 2 Speed Option   | \$193        |
| <b>881G222</b>   | Radio with Speakers, Aerial and MP3 cable   | \$323        |
| <b>881G310</b>   | Additional Soundproofing (for special applications)   | \$473        |

|  |   |                            |                        |                            |
|--|---|----------------------------|------------------------|----------------------------|
|                    | <b>JCB 210 SKID STEER LOADER</b>  | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH, GA | EFFECTIVE: JANUARY 1, 2018 |
| Select Optional Equipment as desired within limitations (if indicated).                            |   |                            |                        |                            |
| <b>MACHINE OPTIONS CONTINUED</b> (do not need to order if included in operator enclosure packages) |   |                            |                        | <b>U.S. LIST</b>           |
|  |   |                            |                        | <b>INDEX</b>               |
| <b>Other Options</b>   |   |                            |                        |                            |
| <b>881G229</b>   | Twine Cutter - Wheeled Machines Only  |                            |                        | \$145                      |
| <b>881G280</b>   | 2 Speed Motors - Wheeled  |                            |                        | \$1,623                    |
| <b>881G287</b>   | Reversing Fan   |                            |                        | \$908                      |
| <b>881G288</b>   | Tool Kit, Basic   |                            |                        | \$348                      |
| <b>881G289</b>   | Tool Kit, Full  |                            |                        | \$516                      |
| <b>881G294</b>   | External Analog Engine Hourmeter  |                            |                        | \$146                      |
| <b>881G308</b>   | Pre-Cleaner T4  |                            |                        | \$502                      |
| <b>881G399</b>   | Spark Arrestor Muffler - 4 CYL 55 KW Engines (210,215,210T,215T)  |                            |                        | \$249                      |
| <b>Impact Protection/Guards</b>  |   |                            |                        |                            |
| <b>881G209</b>   | Impact Protection - Lexan Glass - for Canopy Builds   |                            |                        | \$1,653                    |
| <b>881G302</b>   | Impact Protection - For Canopy Builds - Front Laminated Glass with Wiper  |                            |                        | \$926                      |
| <b>881G208</b>   | Impact Protection - Laminated Glass - for Canopy Builds   |                            |                        | \$579                      |
| <b>881G303</b>   | Laminate Glass to replace tempered as standard on cab builds  |                            |                        | \$134                      |
| <b>881G236</b>   | Canopy Wheeled Full Door With Mesh (Replaces 1/2 Door) - It is suggested that 881G258 (Right Hand Mesh) also be ordered when getting  |                            |                        | \$723                      |
| <b>881G300</b>   | Front Mesh Guard for Canopy Machines (No front glass required)  |                            |                        | \$727                      |
| <b>881G258</b>   | Right Hand Mesh to Replace Glass as Standard  |                            |                        | \$203                      |
| <b>881G267</b>   | Heavy Duty Rear Bars - Protective Bars for Adverse Applications (as a stand alone option)   |                            |                        | \$1,196                    |
| <b>881G290</b>   | Canopy Wheeled Fender & Fuel Cap Protection   |                            |                        | \$130                      |
| <b>881G291</b>   | Cab Wheeled Fender & Fuel Cap Protection  |                            |                        | \$130                      |
| <b>881G307</b>   | A/C FOPS Guard  |                            |                        | \$556                      |
| <b>APPLICATION PACKAGES</b>  |   |                            |                        |                            |
| <b>881G214</b>   | Waste and Recycling Protection Package - Includes Level 2 FOPS Guard, Front Screen Guard - Canopy machines must order G208  |                            |                        | \$2,170                    |
| <b>881G215</b>   | Demolition Package - Includes Fire Extinguisher, Level 2 FOPS Guard, Twine Cutter, Front Screen Guard, Heavy Duty Rear Bars - Canopy machines must order G208   |                            |                        | \$3,617                    |
| <b>881G216</b>   | Forestry Package - Includes Level 2 FOPS Guard, Front Screen Guard, Heavy Duty Rear Bars - Canopy machines must order G208  |                            |                        | \$3,256                    |
| <b>881G251</b>   | Enclosed Cab Additional Protection Package - Includes Level 2 FOPS Guard and Left Hand and Right Hand Steel Mesh to provide protection over laminated cab glass (Not for Canopy Builds)   |                            |                        | \$2,465                    |
| <b>881G252</b>   | Enclosed Cab Additional Protection Package - Includes Left Hand and Right Hand Steel Mesh to provide protection over laminated cab glass - Can only be ordered if 881G214, 881G215 or 881G216 Protection Packages have been ordered |                            |                        | \$1,076                    |
| <b>881G261</b>   | Waste and Recycling Protection Package - Includes Level 2 FOPS Guard, Lexan Front Screen - Cab Machines Only  |                            |                        | \$2,058                    |
| <b>881G262</b>   | Demolition Package - Includes Fire Extinguisher, Level 2 FOPS Guard, Twine Cutter, Lexan Front Screen, Heavy Duty Rear Bars - Cab Machines Only   |                            |                        | \$3,501                    |
| <b>881G263</b>   | Forestry Package - Includes Level 2 FOPS Guard, Lexan Front Screen, Heavy Duty Rear Bars - Cab Machines Only  |                            |                        | \$3,136                    |
| <b>881G264</b>   | Waste and Recycling Protection Package - Includes Level 2 FOPS Guard, Lexan Front Screen - Canopy Machines Only   |                            |                        | \$3,009                    |
| <b>881G265</b>   | Demolition Package - Includes Fire Extinguisher, Level 2 FOPS Guard, Twine Cutter, Lexan Front Screen, Heavy Duty Rear Bars - Canopy Machines Only  |                            |                        | \$4,514                    |
| <b>881G266</b>   | Forestry Package - Includes Level 2 FOPS Guard, Lexan Front Screen, Heavy Duty Rear Bars - Canopy Machines Only   |                            |                        | \$4,162                    |
| <b>BUCKET ACCESSORIES</b>  |   |                            |                        |                            |
| <b>881H301</b>   | Bolt on Edge for 66" Bucket (1676mm)  |                            |                        | \$298                      |
| <b>881H325</b>   | Bolt on Edge for 68" Bucket (1727mm)  |                            |                        | \$308                      |
| <b>881H302</b>   | Bolt on Edge for 72" Bucket (1727mm)  |                            |                        | \$318                      |
| <b>881H305</b>   | Tooth Bar for 66" Bucket - Over Bucket (1676mm)   |                            |                        | \$763                      |
| <b>881H326</b>   | Tooth Bar for 68" Bucket - Over Bucket (1727mm)   |                            |                        | \$648                      |
| <b>881H306</b>   | Tooth Bar for 72" Bucket - Over Bucket (1727mm)   |                            |                        | \$664                      |
| <b>881H309</b>   | Tooth Bar for 66" Bucket - Over Bolt on Edge (1676mm)   |                            |                        | \$692                      |
| <b>881H327</b>   | Tooth Bar for 68" Bucket - Over Bolt on Edge (1727mm)   |                            |                        | \$916                      |
| <b>881H310</b>   | Tooth Bar for 72" Bucket - Over Bolt on Edge (1727mm)   |                            |                        | \$926                      |
| <b>881H313</b>   | 66" - 84" Adjustable Tooth Guard (fits over Tooth Bar for safe transport)   |                            |                        | \$132                      |
| <b>881H314</b>   | Pallet Fork Frame, Load Backrest (LBR) With 42" Tines   |                            |                        | \$1,764                    |
| <b>881H315</b>   | Pallet Fork Frame, Load Backrest (LBR) With 48" Tines   |                            |                        | \$1,792                    |

|   |                                  |                         |                           |                               |
|---|----------------------------------|-------------------------|---------------------------|-------------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR PRICE PAGES | F.O.B.<br>SAVANNAH,<br>GA | EFFECTIVE: JANUARY 1,<br>2018 |
|---|----------------------------------|-------------------------|---------------------------|-------------------------------|

**NOTE: Machine width is dependent on tire/track specification**  
**Confirm overall machine width with specific tires/tracks for correct bucket or attachment sizing**  
**Attachments designated as High Flow require Essential code 881F206**

**INDEX**

| <b>ADDITIONAL MACHINE ATTACHMENTS</b>         |   | <b>PART NUMBER</b> | <b>U.S. LIST</b> |
|---|---|--------------------|------------------|
| <b>High Capacity / Light Material Buckets</b> |   |                    |                  |
| <b>881U690</b>                                | 75" High Capacity / Light Material Bucket / 21 cu. ft. Capacity             | <b>332/L1829</b>   | \$2,214          |
| <b>Snow Buckets</b>                           |   |                    |                  |
| <b>881U536</b>                                | 54" Medium Duty Snow Bucket - 25.7 cu. ft. Capacity                         | <b>332/X2435</b>   | \$1,882          |
| <b>881U537</b>                                | 66" Medium Duty Snow Bucket / 24.1 cu. ft. capacity                         | <b>322/X2453</b>   | \$1,760          |
| <b>881U533</b>                                | 60" Snow Blade - Manual Angle   | <b>333/L8499</b>   | \$2,101          |
| <b>881U650</b>                                | 72" Snow Blade - Manual Angle   | <b>332/X4347</b>   | \$2,116          |
| <b>881U534</b>                                | 60" Snow Blade - Hydraulic Angle  | <b>333/L8498</b>   | \$2,595          |
| <b>881U653</b>                                | 72" Snow Blade - Hydraulic Angle  | <b>332/X4350</b>   | \$2,646          |
| <b>881U535</b>                                | 60" Snow Blower - Standard Flow   | <b>333/L6154</b>   | \$8,597          |
| <b>881U663</b>                                | 72" Snow Blower - Standard Flow   | <b>332/X4383</b>   | \$8,624          |
| <b>881U659</b>                                | 72" Snow Blower - High Flow Small Platform Only                             | <b>334/L2463</b>   | \$9,809          |
| <b>881U670</b>                                | 72" Snow Push   | <b>333/X6486</b>   | \$3,107          |
| <b>Grapple Attachment</b>                     |   |                    |                  |
| <b>881U209</b>                                | 60" Heavy Duty Brush Grapple  | <b>333/L5021</b>   | \$5,190          |
| <b>881U210</b>                                | 66" Heavy Duty Brush Grapple  | <b>333/L5022</b>   | \$5,403          |
| <b>881U211</b>                                | 60" Heavy Duty Scrap Grapple (solid floor)                                  | <b>333/L1085</b>   | \$5,079          |
| <b>881U212</b>                                | 66" Heavy Duty Scrap Grapple (solid floor)                                  | <b>333/L1109</b>   | \$5,287          |
| <b>Hydraulic Brooms/Sweepers</b>              |   |                    |                  |
| <b>881U247</b>                                | 60" Pick-Up Sweeper   | <b>334/P2834</b>   | \$6,599          |
| <b>881U303</b>                                | Angle broom - 60" with manual angle adjustment link                         | <b>332/X2465</b>   | \$6,410          |
| <b>881U302</b>                                | Hydraulic angle kit for Angle Broom (Requires Optional 7 Way Joysticks)     | <b>332/L3983</b>   | \$1,382          |
| <b>Hammers</b>                                |   |                    |                  |
| <b>881U354</b>                                | HM266Q (includes Chisel & Moil) - *980/28400 Mounting Bracket required*     | <b>980/A7456</b>   | \$8,954          |
| <b>881U351</b>                                | Mounting Plate - Required for HM266Q Hammer                                 | <b>980/28400</b>   | \$981            |
| <b>Auger Drive Units</b>                      |   |                    |                  |
| <b>881U400</b>                                | Planetary Drive Auger - Standard Flow - (includes mounting bracket & hoses) | <b>332/L3978</b>   | \$3,022          |
| <b>Auger Bits - Standard Duty</b>             |   |                    |                  |
| <b>881U450</b>                                | 6" X 4' Standard Auger 2" Hex   | <b>980/A2019</b>   | \$260            |
| <b>881U451</b>                                | 9" X 4' Standard Auger 2" Hex   | <b>980/A2021</b>   | \$431            |
| <b>881U452</b>                                | 12" X 4' Standard Auger 2" Hex  | <b>980/A2023</b>   | \$472            |
| <b>881U453</b>                                | 15" X 4' Standard Auger 2" Hex  | <b>980/A2025</b>   | \$587            |
| <b>881U454</b>                                | 18" X 4' Standard Auger 2" Hex  | <b>980/A2027</b>   | \$673            |
| <b>881U455</b>                                | 24" X 4' Standard Auger 2" Hex  | <b>980/A2028</b>   | \$770            |
| <b>881U456</b>                                | 30" X 4' Standard Auger 2" Hex  | <b>980/A2029</b>   | \$1,003          |
| <b>881U457</b>                                | 36" X 4' Standard Auger 2" Hex  | <b>980/A2030</b>   | \$1,218          |




|   |                                  |                            |                           |                               |
|---|----------------------------------|----------------------------|---------------------------|-------------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR PRICE<br>PAGES | F.O.B.<br>SAVANNAH,<br>GA | EFFECTIVE: JANUARY 1,<br>2018 |
|---|----------------------------------|----------------------------|---------------------------|-------------------------------|

**NOTE: Machine width is dependent on tire/track specification**  
**Confirm overall machine width with specific tires/tracks for correct bucket or attachment sizing**  
**Attachments designated as High Flow require Essential code 881F206**

[INDEX](#)

| <b>ADDITIONAL MACHINE ATTACHMENTS PART NUMBER</b> |   |                  | <b>U.S. LIST</b> |
|---|---|------------------|------------------|
| <b>Auger Bits - Heavy Duty</b>                    |   |                  |                  |
| <b>881U458</b>                                    | 6" X 4' Heavy Duty Auger 2" Hex               | <b>980/A3001</b> | \$480            |
| <b>881U459</b>                                    | 9" X 4' Heavy Duty Auger 2" Hex               | <b>980/A2031</b> | \$647            |
| <b>881U460</b>                                    | 12" X 4' Heavy Duty Auger 2" Hex              | <b>980/A2032</b> | \$735            |
| <b>881U461</b>                                    | 15" X 4' Heavy Duty Auger 2" Hex              | <b>980/A2034</b> | \$1,085          |
| <b>881U462</b>                                    | 18" X 4' Heavy Duty Auger 2" Hex              | <b>980/A2035</b> | \$1,116          |
| <b>881U463</b>                                    | 24" X 4' Heavy Duty Auger 2" Hex              | <b>980/A2037</b> | \$1,468          |
| <b>881U464</b>                                    | 30" X 4' Heavy Duty Auger 2" Hex              | <b>980/A2038</b> | \$1,917          |
| <b>881U465</b>                                    | 36" X 4' Heavy Duty Auger 2" Hex              | <b>980/A2039</b> | \$2,349          |
| <b>Auger Bits - Tree &amp; Shrub</b>              |   |                  | \$0              |
| <b>881U466</b>                                    | 18" X 4' Tree & Shrub Planting Auger 2" Hex   | <b>980/L7251</b> | \$636            |
| <b>881U467</b>                                    | 24" X 4' Tree & Shrub Planting Auger 2" Hex   | <b>980/L7257</b> | \$710            |
| <b>881U468</b>                                    | 30" X 4' Tree & Shrub Planting Auger 2" Hex   | <b>980/L7267</b> | \$1,741          |
| <b>881U469</b>                                    | 36" X 4' Tree & Shrub Planting Auger 2" Hex   | <b>980/L7270</b> | \$1,750          |
| <b>Auger Extensions</b>                           |   |                  | \$0              |
| <b>881U470</b>                                    | Hex. Drive Extension - 12"                    | <b>980/L7271</b> | \$171            |
| <b>881U471</b>                                    | Hex. Drive Extension - 18"                    | <b>980/L7272</b> | \$252            |
| <b>881U472</b>                                    | Hex. Drive Extension - 24"                    | <b>980/L7273</b> | \$334            |
| <b>Landscape Development Tools</b>                |   |                  | \$0              |
| <b>881U526</b>                                    | 52" Tiller - 6 inch tines - Standard Flow     | <b>333/L8191</b> | \$6,088          |
| <b>881U473</b>                                    | 60" Landscape Power Rake with Manual Angle    | <b>333/L6180</b> | \$10,556         |
| <b>881U474</b>                                    | 60" Landscape Power Rake with Hydraulic Angle | <b>333/L6126</b> | \$11,788         |

|   |                                  |                            |                           |                               |
|---|----------------------------------|----------------------------|---------------------------|-------------------------------|
|  | <b>JCB 210 SKID STEER LOADER</b> | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH,<br>GA | EFFECTIVE: JANUARY<br>1, 2018 |
|---|----------------------------------|----------------------------|---------------------------|-------------------------------|

**NOTE: Machine width is dependent on tire/track specification**  
**Confirm overall machine width with specific tires/tracks for correct bucket or attachment sizing**  
**Attachments designated as High Flow require Essential code 881F206**

[INDEX](#)

## ADDITIONAL MACHINE ATTACHMENTS PART NUMBER U.S. LIST

### Agricultural Attachments

|                |                                   |                  |         |
|----------------|-----------------------------------|------------------|---------|
| <b>881U530</b> | 60" Manure Forks with Top Grapple | <b>333/L6079</b> | \$2,466 |
| <b>881U531</b> | 66" Manure Forks with Top Grapple | <b>333/L6106</b> | \$3,727 |
| <b>881U532</b> | Bale Spear                        | <b>333/L5627</b> | \$835   |

### Trenchers

|                |  |                  |         |
|----------------|--|------------------|---------|
| <b>881U529</b> | 30" Trencher with 6" wide chain, crumber and hoses - Standard Flow | <b>333/L8251</b> | \$4,986 |
| <b>881U520</b> | 36" Trencher with 6" wide chain, crumber and hoses - Standard Flow | <b>332/L7251</b> | \$5,242 |
| <b>881U521</b> | 48" Trencher with 6" wide chain, crumber and hoses - Standard Flow | <b>332/X4289</b> | \$5,755 |

### Stump Grinders

|                |  |                  |         |
|----------------|--|------------------|---------|
| <b>881U600</b> | Stump Grinder - 26" Wheel Diameter / Standard Flow | <b>332/X4294</b> | \$8,496 |
| <b>881U601</b> | Stump Grinder - 30" Wheel Diameter / High Flow     | <b>332/X4295</b> | \$9,685 |

### Cold Planers

|                |  |                  |          |
|----------------|--|------------------|----------|
| <b>881U605</b> | 12" Cold Planer - Hyd. Side Shift / Tilt / Depth - Standard Flow | <b>332/X4382</b> | \$13,905 |
| <b>881U606</b> | 16" Cold Planer - Hyd. Side Shift / Tilt / Depth - High Flow     | <b>332/X4299</b> | \$21,389 |
| <b>881U607</b> | 18" Cold Planer - Hyd. Side Shift / Tilt / Depth - High Flow     | <b>332/X4300</b> | \$21,682 |
| <b>881U608</b> | 24" Cold Planer - Hyd. Side Shift / Tilt / Depth - High Flow     | <b>332/L7272</b> | \$21,788 |