



2018

**JCB TELESKID
3TS-8T
COMPACT TRACK LOADER**




**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: JANUARY 1, 2018

ISSUE 1


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	JCB 3TS-8T TELESKID COMPACT TRACK LOADER	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---	----------------------------	---------------------------	----------------------------

STANDARD EQUIPMENT

[INDEX](#)

ENGINE	4.4L (268CID) 74 SAE Gross hp, JCB Ecomax engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator, 1000 CCA battery; variable speed hydraulically driven fan.
TRANSMISSION	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Standard two (2) speed transmission provides a low range of 0 - 4.8 mph and a high range of 0 - 7.8 mph in both forward and reverse. Standard Creep speed provides operation from 0 to 1/2 of full speed for special applications.
RUBBER TRACKS	Fitted with 17.7" wide tracks provide a machine width of 78" and a ground bearing pressure of 5.0 psi.
BRAKES	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
ELECTRICAL	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
INSTRUMENTS	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
CAB OR CANOPY	SAE certified ROPS/FOPS, left side entry. Units are equipped with a heated air suspension seat with adjustable arm pads, an operator restraint interlock for drive and loader functions, enclosed Heated Cab with Air Conditioning and sliding window in left door. Right Hand glass standard on all units.
HYDRAULICS	24gpm @ 3335psi standard flow and 33gpm @ 3335psi standard equipment.
LOADER	Rated Operating Capacity of 3600 lbs, Radial Lift Loader Design provides a radial lift path, and with a two stage telescopic boom, a hinge pin height of 159" (13'-3") and 96" (8') of forward reach. Auxiliary hydraulic circuit and high flow are standard for operation of hydraulic powered attachments. All machines are equipped with: Automatic Attachment Leveling System, Smooth Ride System (SRS), a Sealed Electric Power Quick Hitch and Hydraulic Float.
SERVICEABILITY	Cab tilts forward to provide further access to the hydraulic components. The bucket tilt (crowd) cylinder has been repositioned inside the boom, thereby allowing the cab to be tilted for service access without raising the boom. Rear door provides access to engine bay and daily


	JCB 3TS-8T TRACKED COMPACT TRACK LOADER	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	January 1, 2018
---	--	----------------------------	------------------------	-----------------

SECTION 1 - PACKAGE BUILD

[INDEX](#)

Select one of the following machine PACKAGE BUILD codes. If the Package Build combination shown on this page does not meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE ITEM		PACKAGE BUILD CODE: 8616C Enclosed Cab Standard Pkg Build
8722	JCB 3TS-8T Tier 4 Tracked, Teleskid Telescopic Compact Track Loader	✓
881A325	17.7" (450 mm) Wide Camso Rubber Tracks - provides a machine width of 77.1" for Teleskid 3TS-8T	✓
881B411	Enclosed Cab Package - Includes A/C, Heater, Heated Air Suspension Seat, Reverse Alarm & Hydraulic Loader Arm Float - For 3TS-8T Tracked Teleskid Compact Track Loader	✓
881 C313	JCB EH Controls - 7 way Multi-Function Joysticks with Auxiliary Hydraulics & Attachment Harness. Required with High Flow Hydraulics for 3TS-8T & W Teleskid Telescopic SSL & CTL	✓
881D300	No Factory Fit Attachment Option. See List of available buckets and pallet forks to complete machine build.	✓
881E702	3TS-8T Tracked Teleskid Value Package - Includes Foot Throttle, Smooth Ride System (SRS), Attachment Leveling System, Power Quick Hitch, 2 Speed. Dual Pattern Controls, Reversing Fan, ISO/H Pattern, Fender Kit, Radio /Speakers, Block Heater and American Language Pack	✓
881F317	Dual Standard Auxiliary & High Flow Hydraulic System for 3TS-8T & W Teleskid SSL & CTL	✓
SUGGESTED LIST PRICE		\$89,035

	JCB 3TS-8T COMPACT TRACK LOADER	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	January 1, 2018
---	--	-------------------------	---------------------------	-----------------

To complete a machine order, select one code from each E (Essential) feature category below.
Select Options and/or Attachments from pages 5 to 9.

		U.S. LIST
BASE MACHINE (E)		INDEX
8722	JCB 3TS-8T Tekeskid	\$73,198
GP Buckets		
881D303	GP Bucket - 78" - 16.7 cu-ft	\$1,607
881D304	GP Bucket - 84" - 18.1 cu-ft	\$1,683
881D317	GP Bucket - 78" - 16.7 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$1,714
881D318	GP Bucket - 84" - 18.1 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$1,871
881D329	GP Bucket - 78" - 16.7 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,025
881D330	GP Bucket - 84" - 18.1 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,427
Landscape Buckets		
881D307	Landscape Bucket - 78" - 20.9 cu-ft	\$1,714
881D308	Landscape Bucket - 84" - 22.7 cu-ft	\$1,871
881D321	Landscape Bucket - 78" - 20.9 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$3,012
881D322	Landscape Bucket - 84" - 22.7 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$3,285
881D333	Landscape Bucket - 78" - 20.9 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,042
881D334	Landscape Bucket - 84" - 22.7 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,315
6 in 1 Buckets		
881D311	6 In 1 Multipurpose Bucket - 78" - 21.7 cu-ft	\$4,382
881D312	6 In 1 Multipurpose Bucket - 84" - 23.4 cu-ft	\$4,946
881D325	6 In 1 Multipurpose Bucket - 78" - 21.7 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$6,419
881D326	6 In 1 Multipurpose Bucket - 84" - 23.4 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$7,018
881D337	6 In 1 Multipurpose Bucket - 78" - 21.7 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$6,448
881D338	6 In 1 Multipurpose Bucket - 84" - 23.4 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$7,048
Pallet Forks		
881D313	Pallet Fork Frame, Load Backrest (LBR) With 42" Tines (Heavy Duty 6,000lb lift capacity)	\$1,665
881D314	Pallet Fork Frame, Load Backrest (LBR) With 48" Tines (Heavy Duty 6,000lb lift capacity)	\$1,377