



2018

**JCB TELESKID  
3TS-8W  
Skid Steer Loader**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**

**ISSUE 1**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATE**

	<b>JCB 3TS-8W TELESKID SKID STEER LOADER</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE JANUARY 1, 2018
---	--	----------------------------	---------------------------	---------------------------

## STANDARD EQUIPMENT

[INDEX](#)

<b>ENGINE</b>	4.4L (268CID) 74 SAE Gross hp, JCB Ecomax engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator, 1000 CCA battery; variable speed hydraulically driven fan.
<b>TRANSMISSION</b>	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Standard two (2) speed transmission is provides a low range of 0 - 6.8 mph and a high range of 0 - 12.4 mph in both forward and reverse. Standard Creep speed provides operation from 0 to 1/2 of full speed for special applications.
<b>TIRES</b>	12 x 16.5 10 ply, Heavy Duty WIDE TRACK JCB Tires providing 72" width.
<b>BRAKES</b>	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
<b>ELECTRICAL</b>	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
<b>INSTRUMENTS</b>	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
<b>CAB OR CANOPY</b>	SAE certified ROPS/FOPS, left side entry. Units are equipped with a heated air suspension seat with adjustable arm pods, an operator restraint interlock for drive and loader functions, enclosed Heated Cab with Air Conditioning and sliding window in left door. Right Hand glass standard on all units.
<b>HYDRAULICS</b>	24gpm @ 3335psi standard flow and 33gpm @ 3335psi standard equipment.
<b>LOADER</b>	Rated Operating Capacity of 3100 lbs, Radial Lift Loader Design provides a radial lift path, and with a two stage telescopic boom, a hinge pin height of 159" (13'-3") and 96" (8') of forward reach. Auxiliary hydraulic circuit and high flow are standard for operation of hydraulic powered attachments. All machines are equipped with: Automatic Attachment Leveling System, Smooth Ride System (SRS), a Sealed Electric Power Quick Hitch and Hydraulic Float.
<b>SERVICEABILITY</b>	Cab tilts forward to provide further access to the hydraulic components. The bucket tilt (crowd) cylinder has been repositioned inside the boom, thereby allowing the cab to be tilted for service access without raising the boom. Rear door provides access to engine bay and daily

	<b>JCB 3TS-8W WHEELED TELESKID SKID STEER LOADER</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA
---	--	----------------------------	------------------------

## SECTION 1 - PACKAGE BUILD

[INDEX](#)

Select one of the following machine **PACKAGE BUILD** codes. If the Package Build combination shown on this page does not meet your

SALES CODE      ITEM		PACKAGE BUILD CODE: <b>8616C</b> Enclosed Cab Standard Pkg Build
8720	JCB 3TS-8W Tier 4 Wheeled, Teleskid Telescopic Skid Steer Loader	✓
881A324	12x 16.5 10PR Wide Track HD Tires and Wheels (provides 71.7" width) for Teleskid 3TS-8W	✓
881B401	Enclosed Cab Package - Includes A/C, Heater, Heated Air Suspension Seat, Reverse Alarm & Hydraulic Loader Arm Float - For 3TS-8W Wheeled Teleskid Skid Steer Loader	✓
881 C313	JCB EH Controls - 7 way Multi-Function Joysticks with Auxiliary Hydraulics & Attachment Harness. Required with High Flow Hydraulics for 3TS-8T & W Teleskid Telescopic SSL & CTL	✓
881D300	No Factory Fit Attachment Option. See List of available buckets and pallet forks to complete machine build.	✓
881E701	3TS-8W Wheeled Teleskid Value Package - Includes Foot Throttle, Smooth Ride System (SRS), Attachment Leveling System, Power Quick Hitch, 2 Speed. Dual Pattern Controls, Reversing Fan, ISO/H Pattern, Fender Kit, Radio /Speakers, Block Heater, Twine Cutter and American Language Pack	✓
881F317	Dual Standard Auxiliary & High Flow Hydraulic System for 3TS-8T & W Teleskid SSL & CTL	✓

**SUGGESTED LIST PRICE**

**\$72,573**

	<b>JCB 3TS-8W WHEELED TELESKID SKID STEER LOADER</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE JANUARY 1, 2018
---	--	-------------------------	---------------------------	---------------------------

To complete a machine order, select one code from each E (Essential) feature category below.  
Select Options and/or Attachments from pages 5 to 9.

BASE MACHINE (E)		INDEX
<b>8720</b>	JCB 3TS-8W	<b>\$57,402</b>
<b>BUCKETS (E) pick one</b>		
<b>GP Buckets</b>		
<b>881D303</b>	GP Bucket - 78" - 16.7 cu-ft	\$1,607
<b>881D304</b>	GP Bucket - 84" - 18.1 cu-ft	\$1,683
<b>881D317</b>	GP Bucket - 78" - 16.7 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$1,714
<b>881D318</b>	GP Bucket - 84" - 18.1 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$1,871
<b>881D329</b>	GP Bucket - 78" - 16.7 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,025
<b>881D330</b>	GP Bucket - 84" - 18.1 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,427
<b>Landscape Buckets</b>		
<b>881D307</b>	Landscape Bucket - 78" - 20.9 cu-ft	\$1,714
<b>881D308</b>	Landscape Bucket - 84" - 22.7 cu-ft	\$1,871
<b>881D321</b>	Landscape Bucket - 78" - 20.9 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$3,012
<b>881D322</b>	Landscape Bucket - 84" - 22.7 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$3,285
<b>881D333</b>	Landscape Bucket - 78" - 20.9 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,042
<b>881D334</b>	Landscape Bucket - 84" - 22.7 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$3,315
<b>6 in 1 Buckets</b>		
<b>881D311</b>	6 In 1 Multipurpose Bucket - 78" - 21.7 cu-ft	\$4,382
<b>881D312</b>	6 In 1 Multipurpose Bucket - 84" - 23.4 cu-ft	\$4,946
<b>881D325</b>	6 In 1 Multipurpose Bucket - 78" - 21.7 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$6,419
<b>881D326</b>	6 In 1 Multipurpose Bucket - 84" - 23.4 cu-ft with Pallet Fork Frame, LBR, 42" Tines	\$7,018
<b>881D337</b>	6 In 1 Multipurpose Bucket - 78" - 21.7 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$6,448
<b>881D338</b>	6 In 1 Multipurpose Bucket - 84" - 23.4 cu-ft with Pallet Fork Frame, LBR, 48" Tines	\$7,048
<b>Pallet Forks</b>		
<b>881D313</b>	Pallet Fork Frame, Load Backrest (LBR) With 42" Tines (Heavy Duty 6,000lb lift capacity)	\$1,665
<b>881D314</b>	Pallet Fork Frame, Load Backrest (LBR) With 48" Tines (Heavy Duty 6,000lb lift capacity)	\$1,377