


PNEUMATIC PIERCING TOOLS



HAMMERHEAD MOLE®

# PIERCING TOOLS



PARTS & ACCESSORIES  
**CATALOG**  
VOLUME 5







## HAMMERHEAD MOLE PIERCING TOOLS

Reciprocating Head Models (Catamount & Active Head®).....	4
Non-Reciprocating Head Models.....	5
Moletrac® Front Head Locatable Models .....	6-7



## STANDARD ACCESSORIES

Lubricants .....	8
Oilers .....	8
Hoses and Fittings.....	9
Gel Cap Hose Covers .....	9
Replacement Whip Hoses .....	10
Non-Conductive Whip Hoses.....	10
Expanders.....	10
Pipe Pushers .....	10
Stepped Heads .....	11
Gumbo Heads.....	11
Lock Down Heads.....	11
Aiming Sights and Launching Platforms .....	12-13



## PULLING ACCESSORIES

Pulling Carrots.....	14
Pulling Eyes.....	14
Tap Pullers.....	15
Die Pullers .....	15
Pipe Pilots .....	16
Stick Pipe Pulling Kits .....	17



## MAINTENANCE TOOLS

Sockets and Wrenches .....	18
Reciprocating Head Maintenance Kits .....	18
Miscellaneous.....	18



## COMPLETE TOOL LISTINGS

2.00" (50 mm) Piercing Tools .....	20-23
2.50" (67 mm) Piercing Tools .....	24-29
3.00" (75 mm) Piercing Tools .....	30-34
3.50" (89 mm) Piercing Tools .....	35-36
4.00" (98 mm) Piercing Tools .....	37-39
4.375" (111 mm) Piercing Tools .....	40
5.125" (130 mm) Piercing Tools .....	41-43
5.50" (140 mm) Piercing Tools .....	44
5.625" (143 mm) Piercing Tools .....	45
5.75" (145 mm) Piercing Tools .....	46



# Reciprocating Head Piercing Tools


Catamount and Active Head®



**FOR TOUGH GROUND CONDITIONS, YOU NEED EXTRA POWER TO MUSCLE THROUGH. CATAMOUNT AND ACTIVE HEAD® DO THE JOB.**

Model	Part Number	Diameter in (mm)	Length in (cm)	Weight lb (kg)	Air cfm (L/min)	Tailbolt Access	Pressure psi (bar)
2.00" (50) AH PP SW BL	ET21744	2.00 (50)	30.24 (76.8)	19 (8.6)	15 (425)	n/a	110 (7.6)
2.00" (50) AH PP BL	ET21722	2.00 (50)	40.88 (103.8)	24 (11)	18 (510)	n/a	110 (7.6)
2.50" (67) CMT PP DF	ET26022	2.64 (67)	49.3 (125.2)	50 (23)	31 (878)	4	110 (7.6)
2.50" (67) AH PP DF	ET25922	2.64 (67)	49.9 (126.7)	50 (23)	31 (878)	4	110 (7.6)
3.00" (75) CMT PP DF	ET30822	3.00 (75)	50.6 (128.6)	69 (31)	32 (906)	4	110 (7.6)
3.00" (75) AH PP DF	ET31022	3.00 (75)	52.5 (133.4)	67 (30)	35 (991)	4	110 (7.6)
3.50" (89) CMT PP DF	ET35122	3.50 (89)	59.0 (149.9)	99 (45)	53.5 (1,515)	5	110 (7.6)
4.00" (100) CMT PP DF	ET40322	3.96 (100)	65.8 (167)	148 (67)	65 (1,840)	6	110 (7.6)
4.375" (111) CMT PP DF	ET43222	4.38 (111)	62.44 (158.6)	180 (82)	90 (2,549)	7	110 (7.6)
5.125" (130) CMT PP DF	ET51322	5.13 (130)	71.7 (182.0)	257 (117)	160 (4,530)	8	110 (7.6)

AH-Active Head®, CMT-Catamount, PP-Power Port®, SW-Sidewalker, BL-Boltless, DF-Debris Free



**INSTALL SEWER, WATER, GAS, ELECTRIC, FIBER, IRRIGATION AND CABLE**

# Non-Reciprocating Head Tools

Replaceable Head and Solid Body



**THE ORIGINAL MOLE THAT STARTED A TRENCHLESS REVOLUTION...PRODUCTIVE AND DEPENDABLE PERFORMANCE IN MOST SOILS.**

Model	Part Number	Diameter in (mm)	Length in (cm)	Weight lb (kg)	Air cfm (L/min)	Tailbolt Access	Pressure psi (bar)
2.00" (50) RH SR	ET20222	2.06 (50)	45.3 (115)	28 (13)	22 (623)	4	110 (7.6)
2.00" (50) RH PP BL	ET21733	2.06 (50)	39.0 (99.1)	24 (11)	18 (510)	n/a	110 (7.6)
2.50" (67) RH SR	ET25222	2.64 (67)	48.25 (122.6)	50 (23)	31 (878)	4	110 (7.6)
2.50" (67) RH PP DF	ET25522	2.64 (67)	48.25 (122.6)	50 (23)	31 (878)	4	110 (7.6)
2.50" (67) RH PP SW DF	ET26622	2.64 (67)	33.9 (86.1)	31 (14)	21.5 (609)	4	110 (7.6)
3.00" (75) RH SR	ET30222	3.00 (75)	52.18 (132.5)	67 (30)	32 (906)	4	110 (7.6)
3.00" (75) RH PP DF	ET31222	3.00 (75)	51.7 (131.3)	67 (30)	35 (991)	4	110 (7.6)
3.00" (75) RH PP SW DF	ET31622	3.00 (75)	41.6 (105.7)	50 (23)	33 (934)	4	110 (7.6)
3.50" (89) RH PP DF	ET35022	3.50 (89)	59.0 (149.9)	94 (43)	53.5 (1,515)	5	110 (7.6)
4.00" (98) RH PP DF	ET40422	3.88 (98.43)	62.8 (159.5)	131 (59)	64 (1,812)	6	110 (7.6)
4.00" (98) RH SR	ET38222	3.88 (98)	63.95 (162.4)	136 (62)	68 (1,926)	6	110 (7.6)
5.125" (130) SR	ET51222	5.125 (133)	65.92 (167.4)	214 (97)	98 (2,775)	8	110 (7.6)
5.125" (130) PP DF	ET51422	5.25 (133.4)	64.8 (164.6)	244.8 (111)	160 (4,531)	8	110 (7.6)
5.50" (140) SR BU	ET58222	5.50 (140)	63.95 (162.4)	170 (77)	68 (1,926)	6	110 (7.6)
5.625" (143) PP BU DF	ET51722	5.63 (142.9)	64.8 (164.6)	247.9 (113)	160 (4,531)	8	110 (7.6)
5.75" (145) SR	ET60222	5.88 (149)	79.5 (201.9)	305 (138)	132 (3,738)	8	110 (7.6)

RH—Replaceable Head, SR—Screw Reverse, PP—Power Port®, SW—Sidewalker, BL—Boltless, DF—Debris Free, BU—Bulbed



# Moletrac® Locatable Piercing Tools

TRACK YOUR HAMMERHEAD MOLE®



**THE FIRST PROVEN FRONT LOCATING SYSTEM FOR PIERCING TOOLS, COUPLED WITH DEPENDABLE SUBSITE® ELECTRONICS.**

Model	Part Number	Diameter in (mm)	Length in (cm)	Weight lb (kg)	Air cfm (L/min)	Tailbolt Access	Pressure psi (bar)
2.50" (67) RH SR MT	ET26222	2.64 (67)	53.60 (136.1)	52 (24)	31 (878)	4	110 (7.6)
2.50" (67) RH PP DF MT	ET26322	2.64 (67)	52.80 (98.8)	51 (23)	31 (878)	4	110 (7.6)
2.50" (67) RH PP SW MT	ET26722	2.64 (67)	39.86 (101.2)	35 (16)	21.5 (609)	4	110 (7.6)
3.00" (75) RH SR MT	ET30322	3.00 (75)	56.80 (144.3)	68 (31)	32 (906)	4	110 (7.6)
3.00" (75) RH PP DF MT	ET31422	3.00 (75)	55.80 (141.7)	66 (30)	35 (991)	4	110 (7.6)
3.00" (75) RH PP SW MT	ET30322	3.00 (75)	47.56 (120.8)	54 (24)	33 (934)	4	110 (7.6)
3.50" (89) RH PP DF MT	ET35222	3.50 (89)	61.60 (156.5)	96 (44)	53.5 (1,515)	5	110 (7.6)
4.00" (98) RH PP DF MT	ET40522	3.88 (98)	66.60 (169.2)	133 (60)	64 (1,812)	6	110 (7.6)
4.00" (98) RH SR MT	ET38322	3.88 (98)	67.60 (171.7)	132 (60)	68 (1,926)	6	110 (7.6)
5.50" (140) SR BU MT	ET58122	5.50 (140)	67.60 (171.7)	169 (77)	68 (1,926)	6	110 (7.6)

RH—Replaceable Head, SR—Screw Reverse, PP—Power Port®, SW—Sidewalker, BL—Boltless, DF—Debris Free, BU—Bulbed, MT—Moletrac®



Moletrac® Beacon Housing Kit



Subsite® BI Beacon

## MOLETRAC® ACCESSORIES

Description	Part Number
Beacon Housing Kit, 2.50" & 3.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30732
Beacon Housing Kit, 3.50" & 4.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30733
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.
Beacon Cap Assy 2.50–4.00" RH	ET30731
Beacon Sleeve	ET30730
Socket, 3/4" Drive, 22 mm	ET30741



Subsite® AccuView® Receiver



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**





## KEEP TRACK OF THE BORE PATH

The MOLETRAC® system is a proven and reliable front locating accessory kit for Hammer-Head Mole® piercing tools. Coupled with the dependable BI Impact Beacon and AccuView® Cam receiver from Subsite® Electronics, the MOLETRAC system allows tracking of your piercing tool up to 10-ft (3 m) deep.

## PROVEN ELECTRONICS

The BI Impact Beacon is proven in high energy impact conditions seen in piercing tools and has a 24 hour battery life. Using the AccuView Cam receiver you can track the position, depth and direction of travel of the bore.

## NEED TO LOCATE UTILITIES TOO?

The AccuView Cam receiver is compatible with the optional UtiliGuard Basic 5 Watt transmitter making it one of the most efficient, cost-effective systems for locating and avoiding buried telephone, CATV, power, gas and water lines.

## CONVERT YOUR CURRENT MOLE\*

Conversion of your piercing tool is simple. The MOLETRAC kit is compatible with many HammerHead Mole replaceable head tool models from 2.50–4.00" (63–98mm) and are only available from your authorized HammerHead dealer.





# Lubricants & Oilers

## Standard Accessories

### HAMMERHEAD MOLE® OIL

This specially formulated lubricant is the preferred choice for all HammerHead piercing tools. Delivering performance and reliability during most weather conditions.

Description	Part Number
HammerHead Mole Oil, 1-Gallon Jug	ET2202
HammerHead Mole Oil, Case, (4) 1-Gallon Jugs	ET30273
HammerHead Mole Oil, 5 Gallon Pail	ET1041
HammerHead Mole Oil, 55 Gallon Drum	ET1040

### BIO/WINTER OIL

This specially formulated, biodegradable oil is an excellent choice for all HammerHead piercing tools for all seasons and provides superior anti-wear and extreme pressure protection. Environmentally friendly, this lubricant is also suitable for cold weather operation in temperatures as low as -25° F.

Description	Part Number
HammerHead Mole Bio/Winter Oil, 1 Gallon Jug	ET1085
HammerHead Mole Bio/Winter Oil, Case, 4-1 Gallon Jugs	ET1075
HammerHead Mole Bio/Winter Oil, 5 Gallon Pail	ET1076
HammerHead Mole Bio/Winter Oil, 55 Gallon Drum	ET1077

### IN-LINE OILERS

Lubrication is essential to the longevity and performance of HammerHead Mole piercing tools. In-line oilers provide constant lubrication of your tool. Use genuine HammerHead lubricants for optimum performance and protection.

Description	Part Number	Capacity oz (ml)	Models in (mm)
Oiler Assembly, Standard	ET1150		2.00–5.125 (50–140)*
Oiler Assembly, Euro	ET1151		2.00–5.125 (50–140)*
Oiler Assy, 5.125" PP, Standard	ET1660		5.125 & 5.625 (140 & 143)
Oiler Assy, 5.125" PP, International	ET1672		5.125 & 5.625 (140 & 143)
Oiler, Large Tool	ET1300		5.75 (145)

\*Only use with 5.125" (140 mm) SR tool.

### IN-LINE REGULATOR

Regulate the air pressure to the factory recommended 110 PSI (7.6 Bar) when air pressure coming from the air compressor is higher than 110 psi.

Description	Part Number
In-line Regulator Assembly	ET1647



ET1150 Oiler



ET1660 Oiler



ET1647 Regulator



# Hoses, Fittings and Hose Covers

Standard Accessories

## AIR SUPPLY HOSES

Description	Part Number	Models in (mm)	Couplers Required
Hose, 5/8" X 50' (15 m) w/out couplers	ET1032	2.00 (50)	ET17241 (1), ET30319 (1)
Hose, 5/8" X 65' (20 m) w/out couplers	ET1098	2.00 (50)	ET17241 (1), ET30319 (1)
Hose, 5/8" X 82' (25 m) w/out couplers	ET1099	2.00 (50)	ET17241 (1), ET30319 (1)
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	2.50– 4.375 (67–111) 5.50 (140)	ET30319 (2)
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	2.50– 4.375 (67–111) 5.50 (140)	ET30319 (2)
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	2.50– 4.375 (67–111) 5.50 (140)	ET30319 (2)
Hose, 1.00" X 50' (15 m) w/out Couplers	ET1036	5.125 SR	ET30319 (2)
Hose, 1.00" X 65' (20 m) w/out Couplers	ET1129	5.125 SR	ET30319 (2)
Hose, 1.00" X 82' (25 m) w/out Couplers	ET1104	5.125 SR	ET30319 (2)
Hose, 1.25" X 50' (15 m), SJIC (F)	ET1030	5.75 SR	n/a
Hose, 1.25" X 50' (15 m) w/ Couplers	ET1031	5.75 SR	n/a
Hose, 1.25" X 50' (15 m) w/out Couplers	ET1089	5.125 PP	n/a
Hose, 1.25" X 65' (20 m) w/out Couplers	ET1106	5.125 PP	n/a
Hose, 1.25" X 82' (25 m) w/out Couplers	ET1107	5.125 PP	n/a
Hose, Oiler Supply, 3/4" X 50' (15 m), Contractor Gold	ET1043		n/a

Description	Part Number
Single Lock Coupling (F) X 3/4" MNPT	ET1007
Single Lock Coupling, F X F	ET1009
Assembly, Quick Reverse Swivel	ET1117
Swivel Plug (M) X 3/4" FNPT	ET1118
Swivel Coupler Socket (F) X 3/4" MNPT	ET1119
Quick Connect (M) X -8 (M) JIC w/ Lock Ring	ET17241
Quick Connect (F) X 3/8" FNPT	ET17242
Single Lock Coupling (F) X 3/4" FNPT	ET30214
Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Single Lock Coupling (F) X 3/4" FNPT	ET40214
Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
-8 (M) JIC X 3/4" MNPT	914-0102
Gel Cap, Hose Cover, 2.00" Tools	ET20797
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029
Swivel Plug (M) X 1.00" FNPT	ET1661
Swivel Coupler Socket (F) X 1.00" MNPT	ET1668
Quick Connect (M) X 1.00" (M) JIC w/ Lock Ring	ET51429
Single Lock Coupling (F) X 1.00" FNPT	ET51425



ET1007



ET1009



ET1117 Assy  
(ET1118 & ET1119)




ET17241




ET17242



ET30319



ET30214



ET40214



Gel Cap Hose Cover



914-0102

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

# Whip Hoses and Expanders

## Standard Accessories

### QUICK CHANGE WHIP HOSES

Description	Part Number
External Whip, 2.00" PP Tools	ET20727
External Whip, 2.00" SR Tools	ET17227
External Whip, 2.50–3.00" PP, 3.50–4.00" Tools	ET40227
External Whip, 2.50–3.00" SR Tools	ET30227
External Whip, 4.375" PP Tools	ET43227
External Whip, 5.125" PP Tools	ET51418
External Whip, 5.125" SR Tools	ET51227
External Whip, 5.75" SR Tools	ET60227



### INSULATED NON CONDUCTIVE QUICK CHANGE WHIP HOSES

Description	Part Number
Insulated External Whip, 2.00" PP Tools	ET20799
Insulated External Whip, 2.00" SR Tools	ET20505
Insulated External Whip, 2.50–3.00" PP, 3.50–4.00" Tools	ET40229
Insulated External Whip, 2.50–3.00" SR Tools	ET30327

NOTE: 20799 replaces entire whip hose. All HammerHead non-conductive hoses meets SAE 100R7 Electrical Conductivity Test. Maximum leakage shall not exceed 50 microamperes when subjected to 75kV/Ft. for five minutes.



### SLIP ON EXPANDERS

Expanders are an economical solution for expanding the bore diameter after the initial bore is made.

Description	Part Number
3.00" Expander for 2.00" RH Tools	ET20270
3.75" Expander for 2.50" RH Tools	ET25270
4.00" Expander for 3.00" RH Tools	ET30270
5.50" Expander for 3.50" RH Tools	ET35063
5.50" Expander for 4.00" RH & 5.50" RH BU Tools	ET37270
6.00" Expander for 4.00" RH & 5.50" RH BU Tools	ET37273
7.00" Expander for 4.00" RH & 5.50" RH BU Tools	ET37274
7.50" Expander for 5.125" Solid Body Tools	ET51270
8.00" Expander for 5.75" Solid Body Tools	ET60270
10.00" Expander for 5.75" Solid Body Tools	ET60273

For use in reciprocating head tools, please refer to the individual tool listings for availability and special usage instructions.



### PIPE PUSHERS

Replace the anvil nut of your non-reciprocating head tool with a pipe pusher to aid in the extraction of steel and galvanized service lines.

Description	Part Number
Pipe Pusher, 2.50" & 3.00" RH Tools	ET25255





# Specialized Head Options

Standard Accessories

Special Heads

## STEPPED HEADS

Prefer a stepped head for your replaceable head models? Our stepped heads are the perfect option for your non-reciprocating head tools.

Description	Part Number
Stepped Head, 2.00" RH Tools	ET20795
Stepped Head, 2.50" RH Tools	ET25256
Stepped Head, 3.00" RH Tools	ET30623
Stepped Head, 3.50" RH Tools*	ET35064
Stepped Head, 4.00" RH & 5.50" RH BU Tools*	ET40446

\*Requires factory installation on 3.50" and larger tools.



## GUMBO HEADS

An aggressive head designed for soils where additional friction is a must. Decreases swim by biting into the clay and holding on until the next strike.

Description	Part Number
Gumbo Head, 2.00" RH Tools	ET20796
Gumbo Head, 2.50" RH Tools	ET25257
Gumbo Head, 3.00" RH Tools	ET30624
Gumbo Head, 3.50" RH Tools*	ET35065
Gumbo Head, 4.00" RH & 5.50" RH BU Tools*	ET40447

\*Requires factory installation on 3.50" and larger tools.



## LOCK-DOWN HEADS

Converts a reciprocating head tool to a non-reciprocating head tool increasing performance in loose or softer soils.

Description	Part Number
Lock Down Head, 2.00" AH Tools	ET20737
Lock Down Head, 2.50" AH Tools	ET25178
Lock Down Head, 3.00" AH Tools	ET30538
Lock Down Head, 2.50" CMT Tools	ET26023
Lock Down Head, 3.00" CMTJN Tools	ET30817
Lock Down Head, 3.00" CMT Tools	ET30937
Lock Down Head, 3.50" CMT Tools	ET35066
Lock Down Head, 4.00" CMT Tools	ET40326
Lock Down Head, 4.375" CMT Tools	ET43256
Lock Down Head, 5.125" CMT Tools	ET51348



Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

HAMMERHEAD®





## START YOUR BORE RIGHT

Accurate bore shots are critical to the bottom line, that's why HammerHead® Trenchless offers aiming and launching equipment that assures the piercing tool is aligned both vertically and horizontally before the bore is begun.



# Launching Accessories

Standard Accessories

## AIMING SIGHT

The telescopic aiming sight can be adjusted vertically to accommodate depth of entry pit and height of operator. This rugged and light weight aiming sight has a removable scope for safe transport.

Description	Part Number
Kit, Aiming Sight and Stake	ET40145
Aiming Sight	ET40140
Pole, Target Staff	ET40146
Level, HammerHead Mole®	ET31258



Aiming Sight and Stake Kit, PN: ET40145



HammerHead Mole Level, PN: ET31258

## LAUNCH CRADLES

Piercing tools can be adjusted both vertically and horizontally with the launching cradle. Post holes are incorporated into the base to for proper anchoring. Two models are available to accommodate tool sizes ranging from 2.00–5.125".

Description	Part Number
Launching Platform Kit, 2.00–3.00" (50-75 mm tools)	ET30160
Replacement Platform Stakes	ET30159
Launching Platform Kit, 3.50" (89 mm) tools and larger	925-0001
Replacement Large Platform Stakes	925-0002
Adjustment Shaft (For use with 5.75" (146 mm) Tool)	925-0004



Launching Platform Kit, 2.00–3.00" Tools, PN: ET30160

## TRENCH SUPPORT FRAME

Constructed of lightweight aluminum, the trench support frame can be braced against pit walls and adjusted infinitely to accommodate pit sizes from 39.50–55.50" (100–140 cm). No anchor pins are needed, eliminating the need to daylight utilities below the bore. In addition, they can be placed at any depth, simplifying grade adjustments.

The trench support frame from HammerHead® Trenchless is designed to be retro-fit with existing launch cradle kits from various manufacturers. Available only for tools from 1.75–3.00" (45–75 mm).

Description	Part Number
Trench Support Frame (Launch Cradle not included)	ET30170



Launching Platform Kit, 3.50" tools and larger, PN: 925-0001




Trench Support Frame (Launch Cradle and tool not included), PN: 30170

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

# Pulling Carrots & Pulling Eyes

Pulling Accessories

## CARROT PULLERS



Description	Pipe Dia Range in (mm)	Tool Models	Part Number
Pulling Carrot, 0.50–1.00" Pipe, 3/8" MNPT	0.50–1.00 (12.7–25.4)	2.00" (50mm)	ET17248
Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	0.50–1.00 (12.7–25.4)	2.50–4.375" (67–111mm) 5.50" (140 mm)	ET30445



ET17248



ET30445

## PULLING EYES



Description	Tool Models	Part Number	Quick Links (not included)
Pneumatic Fitting with Eyebolt, 3/8" FNPT	2.00" (50mm)	ET20794	ET30333
Pneumatic Fitting with Eyebolt, 1/2" FNPT	2.50–4.375" (67–111mm) 5.50" (140 mm)	ET30293	ET30302
Pneumatic Fitting with Eyebolt, 1/2" FNPT (5.125" PP)	5.125" PP	ET51426	ET43244



ET20794



ET30293



Quick Link






# Tap and Die Pullers

Pulling Accessories

## TAP PULLERS



Description	Tool Models	Pipe Type	Pipe Dia Range in (mm) (ID)	Part Number
Tap Puller, 2.00", 2.50" (67mm) PP Tools	2.50 (67) PP DF	PE	1.90–2.10 (49–53)	ET25609
Tap Puller, 2.00", 2.50" (67mm) SR Tools	2.50 (67) SR	PE	1.90–2.10 (49–53)	ET25265
Tap Puller, 2.00", 3.00" (75mm) PP Tools	3.00 (75) PP DF	PE	1.90–2.10 (49–53)	ET30706
Tap Puller, 2.00", 3.00" (75mm) SR Tools	3.00 (75) SR	PE	1.90–2.10 (49–53)	ET30446
Tap Puller, 4.00", 4.00" (98mm) SR Tools (4 in tool requires 5.50" Expander, PN: 37270)	4.00 (98) SR 5.50 (140) SR	PE	1.97–2.09 (50–53)	ET55265




Tap Puller



Die Puller

## DIE PULLER



Description	Tool Models	Pipe Type	Pipe Dia Range in (mm) (OD)	Part Number
Die Puller, 2.00" (50 mm) BL Tools	2.00 (50) BL	PE	(1.47–1.57) 37.5–40	ET21730


# Pipe Pilots

## Pulling Accessories



ET25610 Pipe Pilot Kit,  
2.50" PP DF  
(2.00" Plastic Pipe)  
Shown with pulling cable  
assembly and optional  
clevis nut.

## PIPE PILOTS



Description	Pilot Assembly Kit	Pulling Cable Assembly (not included)	Clevis Nut (Optional)	Quick Link (not included)	Pipe Max. OD in (mm)	Pipe Min. ID in (mm)
Pipe Pilot Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25611	ET30285	ET30304	ET30302	2.375 (60)	1.92 (48)
Pipe Pilot Kit, 2.50" SR (1.50" Plastic Pipe)	ET25281	ET25284	ET30304	ET30302	2.376 (60)	1.97 (50)
Pipe Pilot Kit, 3.00" PP DF (2.00" Plastic Pipe)	ET30710	ET30285	ET30304	ET30302	2.535 (64)	1.92 (49)
Pipe Pilot Kit, 3.00" SR (2.00" Plastic Pipe)	ET30346	ET30285	ET30304	ET30302	2.418 (61)	1.97 (50)
Pipe Pilot Kit, 3.50" PP DF (2.50" Plastic Pipe)	ET35045	ET43242	n/a	ET43244	3.22 (82)	2.17 (55)
Pipe Pilot Kit, 4.00" PP DF (3.00" Plastic Pipe)	ET40432	ET43242	n/a	ET43244	3.575 (91)	2.17 (55)
Pipe Pilot Kit, 4.00" PP DF (4.00" Plastic Pipe)	ET40296/ET40414	ET40285	ET30304	ET30302	4.57 (116)	3.605 (92)
Pipe Pilot Kit, 4.00" PP DF (125 mm Plastic Pipe)	ET40449/ET40414	ET40285	ET30304	ET30302	4.995 (127)	3.555 (90)
Pipe Pilot Kit, 4.00" SR (3.00" Plastic Pipe)	ET40258	ET40285	ET30304	ET30302	3.638 (92)	2.17 (55)
Pipe Pilot Kit, 4.00" SR (4.00" Plastic Pipe)	ET40296	ET40285	ET30304	ET30302	4.57 (116)	3.605 (92)
Pipe Pilot Kit, 4.375" PP DF (3.00" Plastic Pipe)	ET43240	ET43242	n/a	ET43244	3.92 (100)	2.595 (66)
Pipe Pilot Kit, 5.125" PP DF (4.00" Plastic Pipe)	ET51403	ET43242	n/a	ET43244	4.575 (116)	2.855 (73)
Pipe Pilot Kit, 5.125" PP DF (6.00" Plastic Pipe)	ET51438/ET51421	ET40285	n/a	ET43244	6.705 (170)	4.855 (123)
Pipe Pilot Kit, 5.125" SR (4.00" Plastic Pipe)	ET51295	ET51285	n/a	ET30333	4.609 (117)	2.74 (70)
Pipe Pilot Kit, 5.125" SR (6.00" Plastic Pipe)	ET51438	ET51285	n/a	ET30333	6.705 (170)	4.855 (123)
Pipe Pilot Kit, 5.625" PP DF (125 mm Plastic Pipe)	ET51439	ET43242	n/a	ET43244	4.995 (127)	2.855 (73)
Pipe Pilot Kit, 5.75" SR (4.00" Plastic Pipe)	ET60299	ET60235	n/a	ET30302	5.276 (134)	3.585 (91)



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**




# Stick Pipe Pulling Kits

Pulling Accessories



## STICK PIPE PULLING KITS



Description	Tool Models in (mm)	Pipe Max. OD in (mm)	Pipe Min. ID in (mm)	Complete Kit Part Number*
Stick Pipe Pulling Kit, 2.50" PP DF (2.00" Plastic Pipe)	2.50 (67) PP DF	2.375 (60)	1.92 (48)	ET25612
Stick Pipe Pulling Kit, 2.50" SR (1.50" Plastic Pipe)	2.50 (67) SR	2.376 (60)	1.97 (50)	ET25280
Stick Pipe Pulling Kit, 3.00" PP DF (2.00" Plastic Pipe)	3.00 (75) PP DF	2.535 (64)	1.92 (49)	ET30708
Stick Pipe Pulling Kit, 3.00" SR (2.00" Plastic Pipe)	3.00 (75) SR	2.418 (61)	1.97 (50)	ET30303
Stick Pipe Pulling Kit, 3.50" PP DF (2.50" Plastic Pipe)	3.50 (89) PP DF	3.22 (82)	2.17 (55)	ET35046
Stick Pipe Pulling Kit, 4.00" PP DF (3.00" Plastic Pipe)	4.00 (98) PP DF	3.575 (91)	2.17 (55)	ET40433
Stick Pipe Pulling Kit, 4.00" PP DF (4.00" Plastic Pipe)	4.00 (98) PP DF	4.57 (116)	3.605 (92)	ET40448
Stick Pipe Pulling Kit, 4.00" PP DF (125 mm Pipe)	4.00 (98) PP DF	4.995 (127)	3.555 (90)	ET40450
Stick Pipe Pulling Kit, 4.00" SR (3.00" Plastic Pipe)	4.00 (98) SR	3.638 (92)	2.17 (55)	ET40293
Stick Pipe Pulling Kit, 4.00" SR (4.00" Plastic Pipe)	4.00 (98) SR	4.57 (116)	3.605 (92)	ET40306
Stick Pipe Pulling Kit, 4.375" PP DF (3.00" Plastic Pipe)	4.375 (111) PP DF	3.92 (100)	2.595 (66)	ET43241
Stick Pipe Pulling Kit, 5.125" PP DF (4.00" Plastic Pipe)	5.125 (130) PP DF	4.575 (116)	2.855 (73)	ET51404
Stick Pipe Pulling Kit, 5.125" PP DF (6.00" Plastic Pipe)	5.125 (130) PP DF	6.705 (170)	4.855 (123)	ET51437
Stick Pipe Pulling Kit, 5.125" SR (4.00" Plastic Pipe)	5.125 (130) SR	4.609 (117)	2.74 (70)	ET51293
Stick Pipe Pulling Kit, 5.125" SR (6.00" Plastic Pipe)	5.125 (130) SR	6.705 (170)	4.855 (123)	ET51294
Stick Pipe Pulling Kit, 5.625" PP DF (125 mm Plastic Pipe)	5.625 (130) PP BU DF	4.995 (127)	2.855 (73)	ET51440
Stick Pipe Pulling Kit, 5.75" SR (4.00" Plastic Pipe)	5.75 (145) SR	5.276 (134)	3.585 (91)	ET75294

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

## Service Tooling

### SPECIALIZED WRENCHES AND SOCKETS

Description	Part Number
Wrench, 2.00" RH Body	ET21724
Wrench, 2.00" AH Body	ET21723
Tailcone Socket, 2.00" BL	ET21721
Crows Foot, 1.75" Wrench, for 21730 Die Puller	ET21731
Rear Anvil Socket, 2.00" BL	ET21753
Chain Clamp/Wrench	ET1026
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254



21721, Tailcone socket, 2.00" BL    ET21724, Wrench, 2.00" RH Body

### SOCKETS & HEX KEYS

Description	Part Number
3/8", 12-PT, Socket (3.00" SOCKET)	ET30260
Deep Well Socket, 9mm, Hex	ET25114
"3/8 Drive, 3/16" Hex Driver, Tailbolts	ET20260
Hex Driver, 5/32"	ET20735
3/8, 6 mm, Hex Driver, Socket, 2.50"	ET25259
Hex Driver, 1/4", for Control Stud	ET9517
Hex Key, Long, 1/2", for Valve Retainer	ET40259
Hex Key, 5.125" Tool, for Valve	ET51259
7/16", Long Arm Hex Key	ET30259
5/16", Long Arm Hex Key, Valve Retainer	ET20259



ET1026, Chain Clamp/Wrench



ET30254, Rear Anvil Wrench, (3.00–8.00" tools)

### HEAD ASSEMBLY TOOLING

Description	Part Number
Service Kit, 2.00–3.00" CMT & AH	ET30813
Service Kit, 3.50–4.375" CMT	ET40445
Service Kit, 5.125" CMT	ET51345
Nose Bolt Socket Assembly, 2.00" RH (SN133449 & down)	ET21756
Socket, 2.00" Anvil Nut	ET21762
Socket, Front Anvil Nut, 2.50–3.00" RH Tools	ET30567

### MISCELLANEOUS

Description	Part Number
Lift Strap, Mole (EA)	ET80288







## 2.00" (50 mm) AH PP SW BL, PN: ET21744

AH – Active Head®, PP – Power Port® Reverse, SW – Sidewalker Series, BL – Boltless



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.00" (50 mm) AH PP SW BL	ET21744	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 5/8" X 82' (25 m) w/out couplers	ET1099
Launching Platform, Standard	ET30160	Quick Connect (M) X -8 (M) JIC w/ Lock Ring	ET17241
Shoring Kit Assembly	ET30170	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Oiler Assembly, Standard	ET1150	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Gel Cap, Hose Cover, 2.00" Tools	ET20797	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Inline Regulator Assembly	ET1647	-8 (M) JIC x 3/4" MNPT	914-0102
Hose, 5/8" X 50' (15 m) w/out couplers	ET1032	Insulated External Whip, 2.00" PP	ET20799
Hose, 5/8" X 65' (20 m) w/out couplers	ET1098	Lock Down Head 2.00" AH	ET20737

### Replacement Parts

Striker Ring, 2.00"	ET20210	Head Replacement Kit, 2.00" AH	ET20738
Valve Ring Replacement Kit, 2.00" PP	ET21717	Control Sleeve, 2.00" AH PP BL SW	ET21739
External Whip, 2.00" PP	ET20727	Control Stud, 2.00" PP	ET17215
Body Assembly, 2.00" AH SW	ET21742	Control Stem 2.00" AH PP BL SW	ET21770
Striker, 2.00" AH SW	ET21704	Isolator Half, 2.00" PP BL (2 needed per tool)	ET21703
Rear Anvil, 2.00" PP BL	ET21705	Valve Replacement Kit, 2.00" AH PP BL SW	ET21741
Tail Cone, 2.00" PP BL	ET21706		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 3/8" MNPT	ET17248	Pneumatic Fitting with Eyebolt, 3/8" FNPT	ET20794
Shackle, 5/16" Stainless Steel	ET21754	Quick Link, 1/4"	ET30333
2.00" PP BL Die puller with extended hose (for 37.5 -40 mm pipe)	ET21730		

### Service Tools

Wrench, 2.00" AH Body	ET21723	Hex Driver, 5/32"	ET20735
Tail cone socket, 2.00" BL	ET21721	Rear Anvil Socket, 2.00" BL	ET21753
Crows foot, 1.75" Wrench, for 21730 die puller	ET21731	Service Kit, 2.00–3.00" CMT & AH	ET30813





# 2.00" (50 mm) RH SR, PN: ET20222

RH – Replaceable Head, SR – Screw Reverse



2.00" (50 mm)

## Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.00" (50 mm) RH SR	ET20222	

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Quick Connect (M) X -8 (M) JIC w/ Lock Ring	ET17241
Launching Platform, Standard	ET30160	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Shoring Kit Assembly	ET30170	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.00" Tools	ET20797	-8 (M) JIC x 3/4" MNPT	914-0102
Inline Regulator Assembly	ET1647	Insulated External Whip, 2.00" SR	ET20505
Hose, 5/8" X 50' (15 m) w/out couplers	ET1032	3.00" Expander for 2.00" RH tools	ET20270
Hose, 5/8" X 65' (20 m) w/out couplers	ET1098	Stepped Head, 2.00" RH	ET20795
Hose, 5/8" X 82' (25 m) w/out couplers	ET1099	Gumbo Head, 2.00" RH	ET20796

## Replacement Parts

Striker Ring, 2.00"	ET20210	Striker, 2.00" SR	ET20214
Valve Ring, 2.00" SR	ET20211	Rear Anvil, 2.00" SR	ET20205
External Whip, 2.00" SR	ET17227	Valve Retainer, 2.00" SR	ET20209
Hose, Internal Valve End, 2.00" SR	ET20226	Tailcone, 2.00" SR	ET20206
Tail bolt, 2.00" SR	ET20221	Valve, 2.00" SR	ET20208
Wear Face, 2.00" RH	ET20313	Anvil Nut, 2.00" RH (SN >133449)	ET21750
Nose Bolt, 2.00" RH (SN <133450)	ET17207	Quick Connect (F) X 3/8" FNPT	ET17242
Body Assembly, 2.00" RH SR	ET20304		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 3/8" MNPT	ET17248	Pneumatic Fitting with Eyebolt, 3/8" FNPT	ET20794
Shackle, 5/16" Stainless Steel	ET21754	Quick Link, 1/4"	ET30333
Pulling Cable w/ Eyebolt, 2.00" SR	ET20285		

## Service Tools

Chain Clamp/Wrench	ET1026	5/16" , Long Arm Hex Key, Valve Retainer	ET20259
Nose Bolt Socket Assy, 2.00" RH (SN133449 & down)	ET21756	Socket, 2.00" Anvil Nut	ET21762
3/8" Drive, 3/16" Hex Driver, Tailbolts	ET20260	Nose Bolt Socket Assembly, 2.00" RH (SN133449 & down)	ET21756

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

HAMMERHEAD

## 2.00" (50 mm) RH PP BL, PN: ET21733

RH – Replaceable Head, PP – Power Port® Reverse, BL – Boltless



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.00" (50 mm) RH PP BL	ET21733	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Quick Connect (M) X -8 (M) JIC w/ Lock Ring	ET17241
Launching Platform, Standard	ET30160	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Shoring Kit Assembly	ET30170	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.00" Tools	ET20797	-8 (M) JIC x 3/4" MNPT	914-0102
Inline Regulator Assembly	ET1647	Insulated External Whip, 2.00" PP	ET20799
Hose, 5/8" X 50' (15 m) w/out couplers	ET1032	3" Expander for 2" RH tools	ET20270
Hose, 5/8" X 65' (20 m) w/out couplers	ET1098	Stepped Head, 2.00" RH	ET20795
Hose, 5/8" X 82' (25 m) w/out couplers	ET1099	Gumbo Head, 2.00" RH	ET20796

### Replacement Parts

Striker Ring, 2.00"	ET20210	Tailcone, 2.00" PP BL	ET21706
Valve Ring Replacement Kit, 2.00" PP	ET21717	Valve Replacement Kit, 2.00" PP	ET21716
External Whip, 2.00" PP	ET20727	Control Sleeve 2.00" PP	ET20717
Body Assy, 2.00" RH PP	ET20604	Control Stud, 2.00" PP	ET17215
Wear Face, 2.00" RH	ET20313	Control Stem, 2.00" PP BL	ET21760
Nose Bolt, 2.00" RH (SN <133450)	ET17207	Isolator Half, 2.00" PP BL (2 needed per tool)	ET21703
Striker, 2.00" PP	ET20704	Anvil Nut, 2.00" RH (SN >133449)	ET21750
Rear Anvil, 2.00" PP BL	ET21705		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 3/8" MNPT	ET17248	Pneumatic Fitting with Eyebolt, 3/8" FNPT	ET20794
Shackle, 5/16" Stainless Steel	ET21754	Quick Link, 1/4"	ET30333
2.00" PP BL Die puller with extended hose (for 37.5–40 mm pipe)	ET21730		

### Service Tools

Wrench, 2.00" RH Body	ET21724	Socket, 2.00" Anvil Nut	ET21762
Tailcone Socket, 2.00" BL	ET21721	Rear Anvil Socket, 2.00" BL	ET21753
Crows Foot, 1.75" Wrench for ET21730 die puller	ET21731	Nose Bolt Socket Assembly, 2.00" RH (SN133449 & down)	ET21756
Hex Driver, 5/32", for control stud	ET20735		





## 2.00" (50 mm) AH PP BL, PN: ET21722

AH – Active Head®, PP – Power Port® Reverse, BL – Boltless



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.00" (50 mm) AH PP BL	ET21722	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Quick Connect (M) X -8 (M) JIC w/ Lock Ring	ET17241
Launching Platform, Standard	ET30160	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Shoring Kit Assembly	ET30170	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Standard	ET11150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET11151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.00" Tools	ET20797	-8 (M) JIC x 3/4" MNPT	914-0102
Inline Regulator Assembly	ET1647	Insulated External Whip, 2.00" PP	ET20799
Hose, 5/8" X 50' (15 m) w/out couplers	ET1032	Lock Down Head 2.00" AH	ET20737
Hose, 5/8" X 65' (20 m) w/out couplers	ET1098	3" Expander for 2" RH tools (must be operated in reverse)	ET20270
Hose, 5/8" X 82' (25 m) w/out couplers	ET1099		

### Replacement Parts

Striker Ring, 2.00"	ET20210	Tailcone, 2.00" PP BL	ET21706
Valve Ring Replacement Kit, 2.00" PP	ET21717	Head Replacement Kit, 2.00" AH	ET20738
Valve Replacement Kit, 2.00" PP	ET21716	Control Sleeve, 2.00" PP	ET20717
External Whip, 2.00" PP	ET20727	Control Stud, 2.00" PP	ET17215
Body Assy, 2.00" AH PP	ET20726	Control Stem, 2.00" PP BL	ET21760
Striker, 2.00" PP	ET20704	Isolator Half, 2.00" PP BL (2 needed per tools)	ET21703
Rear Anvil, 2.00" PP BL	ET21705		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 3/8" MNPT	ET17248	Pneumatic Fitting with Eyebolt, 3/8" FNPT	ET20794
Shackle, 5/16" Stainless Steel	ET21754	Quick Link, 1/4"	ET30333
2.00" PP BL Die puller with extended hose (for 37.5 -40 mm pipe)	ET21730		

### Service Tools

Wrench, 2.00" AH Body	ET21723	Hex Driver, 5/32", for control stud	ET20735
Tailcone Socket, 2.00" BL	ET21721	Rear Anvil Socket, 2.00" BL	ET21753
Crowsfoot, 1.75" Wrench - for 21730 die puller	ET21731	Service Kit, 2.00–3.00" CMT & AH	ET30813

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

2.00" (50 mm)

HAMMERHEAD

## 2.50" (67 mm) CMT PP DF, PN: ET26022

CMT – Catamount, PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.50" (67 mm) CMT PP DF	ET26022	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform, Standard	ET30160	Assy, Quick Reverse Swivel	ET1117
Shoring Kit Assembly	ET30170	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 3.75" (Must be used in reverse)	ET25270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Lock Down Head, 2.50" CMT Tools	ET26023
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Pipe Pusher, 2.50–3.00" Tools	ET25255
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128		

### Replacement Parts

Contact Dealer or HammerHead Customer Service to replace head assembly.

Striker Rings, 2.50"	ET25210	Valve Replacement Kit, 2.50" CMT PP (SN <128539)	ET26119
External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40227	Valve Ring Replacement Kit, 2.50" CMT PP	ET26121
Tailbolt, 2.50" PP, 6 PT, 9 mm Hex	ET25121	Control Sleeve, 2.50" PP DF	ET25617
Body Assy, 2.50" CMT	ET26120	Control Stud, 2.50–3.50" PP	ET25115
Striker, 2.50" CMT	ET26104	Control Stem, 2.50" PP DF	ET25620
Rear Anvil, 2.50" PP DF	ET25615	Isolator, Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Tailcone, 2.50" PP DF	ET25616	Single Lock Coupling (F) X 3/4" FNPT	ET40214
Valve Replacement Kit, 2.50" CMT PP (SN >128538)	ET26139	Head Replacement Kit, 2.50" CMT PP	ET26140

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pulling Cable Assembly	ET30285
Pneumatic Fitting with Eyebolt	ET30293	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25612
Tap Puller for 2.00" Gas Line w/Extended Whip Hose	ET25609	Quick Links, 5/32"	ET30302
Pipe Pilot Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25611		

### Service Tools

Chain Clamp/Wrench	ET1026	Deep Well Socket, 9mm, Hex	ET25114
Hex Driver, 5/32", for control stud	ET20735	Service Kit, 2.00–3.00" AH & CMT	ET30813





## 2.50" (67 mm) AH PP DF, PN: ET25922

AH – Active Head®, PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.50" (67 mm) AH PP DF	ET25922	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128
Launching Platform, Standard	ET30160	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Shoring Kit Assembly	ET30170	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Standard	ET11150	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Euro	ET11151	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Inline Regulator Assembly	ET1647	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Expander, 3.75" (Must be used in reverse)	ET25270
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Lock Down Head, 2.50" AH Tools	ET25178

### Replacement Parts

Striker Rings, 2.50"	ET25210	Ring, Head Seal - 2.50" AH	ET25143
External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40227	Valve Replacement Kit, 2.50" RH PP & AH PP	ET25007
Tailbolt, 2.50" PP, 6 PT, 9 mm, Hex	ET25121	Valve Ring Replacement Kit, 2.50" RH PP & AH PP	ET25009
Body Assy, 2.50" AH PP	ET25146	Control Sleeve, 2.50" PP DF	ET25617
Striker, 2.50" AH PP & RH PP	ET25148	Control Stud, 2.50–3.50" PP	ET25115
Rear Anvil, 2.50" PP DF	ET25615	Control Stem, 2.50" PP DF	ET25620
Tailcone, 2.50" PP DF	ET25616	Isolator Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Head Replacement Kit, 2.50" AH	ET25177	Single Lock Coupling (F) X 3/4" FNPT	ET40214
Ring, Bit Shaft, 2.50" AH	ET25144		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pulling Cable Assembly	ET30285
Pneumatic Fitting with Eyebolt	ET30293	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25612
Tap Puller for 2.00" Gas Line w/Extended Whip Hose	ET25609	Quick Links, 5/32"	ET30302
Pipe Pilot Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25611		E

### Service Tools

Chain Clamp/Wrench	ET1026	Deep Well Socket, 9mm, Hex	ET25114
Hex Driver, 5/32", for control stud	ET20735	Service Kit, 2.00–3.00" AH & CMT	ET30813

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

2.50" (67 mm)

HAMMERHEAD

## 2.50" (67 mm) RH PP DF, PN: ET25522



RH – Replaceable Head, PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.50" (67 mm) RH PP DF	ET25522	
Tool Assembly, 2.50" (67 mm) RH PP DF MT	ET26322	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform, Standard	ET30160	Assy, Quick Reverse Swivel	ET1117
Shoring Kit Assembly	ET30170	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 3.75"	ET25270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Stepped Head, 2.50" RH Tools	ET25256
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Gumbo Head, 2.50" RH Tools	ET25257
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Pipe Pusher, 2.50–3.00" Tools	ET25255

### Replacement Parts

Striker Rings, 2.50"	ET25210	Tailcone, 2.50" PP DF	ET25616
External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40227	Valve Replacement Kit 2.50" RH PP & AH PP	ET25007
Tailbolt, 2.50" PP, 6 PT, 9 mm, Hex	ET25121	Valve Ring Replacement Kit 2.50" RH PP & AH PP	ET25009
Body Assy, 2.50" RH PP	ET25319	Control Sleeve, 2.50" PP DF	ET25617
Wear Face, 2.50" RH	ET25323	Control Stud, 2.50" - 3.50" PP	ET25115
Anvil Nut, 2.50" RH	ET30606	Control Stem, 2.50" PP DF	ET25620
Striker, 2.50" AH PP & RH PP	ET25148	Isolator Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Rear Anvil, 2.50" PP DF	ET25615	Single Lock Coupling (F) X 3/4" FNPT	ET40214

### Moletrac® Accessories

Beacon Housing Kit, 2.50" & 3.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30732	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25611
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET30285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25612
Tap Puller for 2.00" Gas Line w/Extended Whip Hose	ET25609		

### Service Tools

Chain Clamp/Wrench	ET1026	Deep Well Socket, 9 mm, Hex	ET25114
Hex Driver, 5/32", for control stud	ET20735	Socket, Front Anvil Nut	ET30567



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**



# 2.50" (67 mm) RH SR, PN: ET25222

RH – Replaceable Head, SR – Screw Reverse



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.50" (67 mm) RH SR	ET25222	
Tool Assembly, 2.50" (67 mm) RH SR MT	ET26222	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform, Standard	ET30160	Assy, Quick Reverse Swivel	ET1117
Shoring Kit Assembly	ET30170	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET11150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET11151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET30327
Inline Regulator Assembly	ET1647	Expander, 3.75"	ET25270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Stepped Head, 2.50" RH Tools	ET25256
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Gumbo Head, 2.50" RH Tools	ET25257
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Pipe Pusher, 2.50–3.00" Tools	ET25255

## Replacement Parts

Striker Rings, 2.50"	ET25210	Body Assy, 2.50" RH SR	ET25319
Valve Ring, 2.50" SR	ET25211	Striker, 2.50" SR	ET25214
External Whip, 2.50–3.00" SR	ET30227	Rear Anvil, 2.50" SR	ET25205
Hose, Internal, Valve End 2.50" SR	ET25226	Valve Retainer, 2.50" SR	ET25209
Tailbolt, 2.50" SR	ET25221	Tailcone, 2.50" SR	ET25206
Wear Face, 2.50" RH	ET25323	Valve, 2.50" SR	ET25208
Anvil Nut, 2.50" RH	ET30606	Single Lock Coupling (F) X 3/4" FNPT	ET30214

## Moletrac® Accessories

Beacon Housing Kit, 2.50" & 3.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30732	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Hose, External 3.00" (Long)	ET30228
Pneumatic Fitting with Eyebolt	ET30293	Pipe Pilot Kit, 2.50" SR (2.00" Plastic Pipe)	ET25281
Quick Links, 5/32"	ET30302	Pulling Cable Assembly	ET25284
Shackle, 3/8", Stainless Steel	ET31300	Clevis Nut	ET30304
Tap Puller, 2.00" Gas, 2.50" Tool (Note: Requires Long External Hose, PN: ET30228)	ET25265	Stick Pipe Pulling Kit, 2.50" SR (2.00" Plastic Pipe)	ET25280

## Service Tools

Chain Clamp/Wrench	ET1026	3/8, 6 mm, Hex Driver, Socket, 2.50"	ET25259
7/16 Long Arm Hex Key	ET30259	Socket, Front Anvil Nut	ET30567

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
 For ordering or pricing information, contact your local authorized HammerHead dealer.

2.50" (67 mm)

HAMMERHEAD®

## 2.50" (67 mm) RH PP SW DF, PN: ET26622



RH – Replaceable Head, PP – Power Port® Reverse, SW – Sidewalker, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 2.50" (67 mm) RH PP SW DF	ET26622	
Tool Assembly, 2.50" (67 mm) RH PP DF SW MT	ET26722	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform, Standard	ET30160	Assy, Quick Reverse Swivel	ET1117
Shoring Kit Assembly	ET30170	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 3.75"	ET25270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Stepped Head, 2.50" RH Tools	ET25256
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Gumbo Head, 2.50" RH Tools	ET25257
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Pipe Pusher, 2.50–3.00" Tools	ET25255

### Replacement Parts

Striker Rings, 2.50"	ET25210	Tailcone, 2.50" PP DF	ET25616
External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40227	Valve Replacement Kit 2.50" PP SW	ET26613
Tailbolt, 2.50" PP, 6 PT, 9 mm, Hex	ET25121	Valve Ring Replacement Kit 2.50" PP SW	ET25009
Body Assy, 2.50" RH PP SW	ET26600	Control Sleeve, 2.50" PP DF	ET26604
Wear Face, 2.50" RH	ET25323	Control Stud, 2.50–3.50" PP	ET25115
Anvil Nut, 2.50" RH	ET30606	Control Stem, 2.50" PP DF	ET26620
Striker, 2.50" RH PP SW	ET25614	Isolator Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Rear Anvil, 2.50" PP DF	ET26615	Single Lock Coupling (F) X 3/4" FNPT	ET40214

### Moletrac® Accessories

Beacon Housing Kit, 2.50" & 3.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30732	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot, 2.50" PP DF (2.00" Plastic Pipe)	ET25611
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET30285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 2.50" PP DF (2.00" Plastic Pipe)	ET25612
Tap Puller for 2.00" Gas Line w/Extended Whip Hose	ET25609		

### Service Tools

Chain Clamp/Wrench	ET1026	Deep Well Socket, 9mm, Hex	ET25114
Hex Driver, 5/32", for control stud	ET20735	Socket, Front Anvil Nut	ET30567



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**







## 3.00" (75 mm) CMT PP DF, PN: ET30822

CMT – Catamount, PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 3.00" (75 mm) CMT PP DF	ET30822	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128
Launching Platform, Standard	ET30160	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Shoring Kit Assembly	ET30170	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Standard	ET1150	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Inline Regulator Assembly	ET1647	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Lock Down Head, 3.00" CMT/JN Tools	ET30817
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Lock Down Head, 3.00" CMT Tools	ET30937

### Replacement Parts

Contact Dealer or HammerHead Customer Service to replace head assembly.

Striker Rings, 3.00"	ET30210	Control Sleeve, 3.00" PP DF	ET30717
Valve Ring Replacement Kit, 3.00" CMT PP	ET30921	Control Stud, 2.50–3.50" PP	ET25115
Tailbolt, 3.00–5.75"	ET30221	Control Stem, 3.00" PP DF	ET30720
Body Assy, 3.00" CMT JN	ET30808	Isolator, Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Striker, 3.00" CMT	ET30904	External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227
Rear Anvil, 3.00" PP DF	ET30715	Single Lock Coupling (F) X 3/4" FNPT	ET40214
Tailcone, 3.00" PP DF	ET30716	Head Replacement Kit, 3.00" CMT PP	ET30820
Valve Replacement Kit, 3.00" CMT PP	ET30919		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 3.00" PP DF (2.00" Plastic Pipe)	ET30710
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET30285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 3.00" PP DF, (2.00" Plastic Pipe)	ET30708
Tap Puller, 2.00" PE Pipe w/ Extended Whip Hose	ET30706		

### Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Service Kit, 2.00–3.00" CMT & AH	ET30813
Hex Driver, 5/32", for control stud	ETET20735		





# 3.00" (75 mm) AH PP DF, PN: ET31022

AH – Active Head®, PP – Power Port® Reverse, DF – Debris Free



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 3.00" (75 mm) AH PP DF	ET31022	

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128
Launching Platform, Standard	ET30160	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Shoring Kit Assembly	ET30170	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Standard	ET1150	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Inline Regulator Assembly	ET1647	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Lock Down Head, 3.00" AH Tools	ET30538
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109		

## Replacement Parts

Striker Rings, 3.00"	ET30210	Ring, Bit Shaft, 3.00" AH	ET30510
Valve Ring Replacement Kit, 3.00" AH PP & RH PP	ET31007	Ring, Head Seal, 3.00" AH	ET30511
External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227	Valve Replacement Kit 3.00" AH PP & RH PP	ET31009
Tailbolt, 3.00–5.75"	ET30221	Control Sleeve, 3.00" PP DF	ET30717
Body Assy, 3.00" AH PP	ET30513	Control Stud, 2.50–3.50" PP	ET25115
Striker, 3.00" AH PP & RH PP	ET30521	Control Stem, 3.00" PP DF	ET30720
Rear Anvil, 3.00" PP DF	ET30715	Isolator Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Tailcone, 3.00" PP DF	ET30716	Single Lock Coupling (F) X 3/4" FNPT	ET40214
Head Replacement Kit, 3.00" AH	ET30537		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 3.00" PP DF (2.00" Plastic Pipe)	ET30710
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET30285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 3.00" PP DF, (2.00" Plastic Pipe)	ET30708
Tap Puller, 2.00" PE Pipe w/ Extended Whip Hose	ET30706		

## Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Service Kit, 2.00–3.00" CMT & AH	ET30813
Hex Driver, 5/32", for control stud	ET20735		

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

3.00" (75 mm)

HAMMERHEAD

# 3.00" (75 mm) RH PP DF, PN: ET31222



RH – Replaceable Head, PP – Power Port® Reverse, DF – Debris Free



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 3.00" (75 mm) RH PP DF	ET31222	
Tool Assembly, 3.00" (75 mm) RH PP DF MT	ET31422	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform, Standard	ET30160	Assy, Quick Reverse Swivel	ET1117
Shoring Kit Assembly	ET30170	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 4.00"	ET30270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Stepped Head, 3.00" RH Tools	ET30623
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Gumbo Head, 3.00" RH Tools	ET30624
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Pipe Pusher, 2.50–3.00" Tools	ET25255

## Replacement Parts

Striker Rings, 3.00"	ET30210	Striker, 3.00" AH PP & RH PP	ET30521
Valve Replacement Kit 3.0" AH PP & RH PP	ET31009	Rear Anvil, 3.00" PP DF	ET30715
Valve Ring Replacement Kit, 3.00" AH PP & RH PP	ET31007	Tailcone, 3.00" PP DF	ET30716
External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227	Control Sleeve, 3.00" PP DF	ET30717
Tailbolt, 3.00–5.75"	ET30221	Control Stud, 2.50–3.50" PP	ET25115
Body Assy, 3.00" RH PP	ET30704	Control Stem, 3.0" PP DF	ET30720
Wearface, 3.00" RH	ET30607	Isolator Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Anvil Nut, 3.00" RH	ET30606	Single Lock Coupling (F) X 3/4" FNPT	ET40214

## Moletrac® Accessories

Beacon Housing Kit, 2.50" & 3.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30732	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 3.00" PP DF (2.00" Plastic Pipe)	ET30710
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET30285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 3.00" PP DF, (2.00" Plastic Pipe)	ET30708
Tap Puller, 2.00" PE Pipe w/ Extended Whip Hose	ET30706		

## Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Socket, Anvil Nut	ET30567
Hex Driver, 5/32", for control stud	ET20735		



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**



# 3.00" (75 mm) RH SR, PN: ET30222

RH – Replaceable Head, SR – Screw Reverse



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 3.00" (75 mm) RH SR	ET30222	
Tool Assembly, 3.00" (75 mm) RH SR MT	ET30322	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform, Standard	ET30160	Assy, Quick Reverse Swivel	ET1117
Shoring Kit Assembly	ET30170	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET11150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET11151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" SR	ET30327
Inline Regulator Assembly	ET1647	Expander, 4.00"	ET30270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Stepped Head, 3.00" RH Tools	ET30623
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Gumbo Head, 3.00" RH Tools	ET30624
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Pipe Pusher, 2.50–3.00" Tools	ET25255

## Replacement Parts

Striker Rings, 3.00"	ET30210	Body Assy, 3.00" RH SR	ET30604
Valve Ring, 3.00" SR	ET30211	Striker, 3.00" SR	ET31204
External Whip, 2.50–3.00" SR	ET30227	Rear Anvil, 3.00" SR	ET30205
Hose International, Valve End, 3.00" SR	ET30226	Valve Retainer, 3.00" SR	ET31209
Tailbolt, 3.00–5.75"	ET30221	Tailcone, 3.00" SR	ET30206
Wearface, 3.00" RH	ET30607	Valve, 3.00" SR	ET31208
Anvil Nut, 3.00" RH	ET30606	Single Lock Coupling (F) X 3/4" FNPT	ET30214

## Moletrac® Accessories

Beacon Housing Kit, 2.50" & 3.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30732	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 3.00" SR (2.00" Plastic Pipe)	ET30346
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET30285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 3.00" SR (2.00" Plastic Pipe)	ET30303
Tap Puller Kit, 2.00", 3.00" SR Tools	ET30446		

## Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Socket, Anvil Nut	ET30567
Hex Key, Long Arm, 7/16"	ET30259		

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
 For ordering or pricing information, contact your local authorized HammerHead dealer.

3.00" (75 mm)

HAMMERHEAD®

# 3.00" (75 mm) RH PP SW DF, PN: ET31622

RH – Replaceable Head, PP – Power Port® Reverse, SW – Sidewalker, DF – Debris Free



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 3.00" (75 mm) RH PP SW DF	ET31622	
Tool Assembly, 3.00" (75 mm) RH PP SW DF MT	ET31722	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform, Standard	ET30160	Assy, Quick Reverse Swivel	ET1117
Shoring Kit Assembly	ET30170	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 4.00"	ET30270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Stepped Head, 3.00" RH Tools	ET30623
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Gumbo Head, 3.00" RH Tools	ET30624
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Pipe Pusher, 2.50–3.00" Tools	ET25255

## Replacement Parts

Striker Rings, 3.00"	ET30210	Striker, 3.00" PP SW DF	ET31614
Valve Replacement Kit 3.00" PP SW	ET31613	Rear Anvil, 3.00" PP SW DF	ET31615
Valve Ring Replacement Kit, 3.00" PP SW	ET30921	Tailcone, 3.00" PP DF	ET30716
External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227	Control Sleeve, 3.00" PP SW DF	ET31609
Tailbolt, 3.00–5.75"	ET30221	Control Stud, 2.50–3.50" PP	ET25115
Body Assy, 3.00" PP SW	ET31600	Control Stem, 3.00" PP SW DF	ET31620
Wearface, 3.00" RH	ET30607	Isolator Half, 2.50" & 3.00" PP DF (2 needed)	ET30703
Anvil Nut, 3.00" RH	ET30606	Single Lock Coupling (F) X 3/4" FNPT	ET40214

## Moletrac® Accessories

Beacon Housing Kit, 2.50" & 3.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30732	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 3.00" PP DF (2.00" Plastic Pipe)	ET30710
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET30285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 3/8", Stainless Steel	ET31300	Stick Pipe Pulling Kit, 3.00" PP DF, (2.00" Plastic Pipe)	ET30708
Tap Puller, 2.00" PE Pipe w/ Extended Whip Hose	ET30706		

## Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Socket, Anvil Nut	ET30567
Hex Driver, 5/32", for control stud	ET20735		



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**



## 3.50" (89 mm) CMT PP DF, PN: ET35122

CMT – Catamount, PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 3.50" (89 mm) CMT PP DF	ET35122	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128
Launching Platform Kit, 3.50" tools and larger	925-0001	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Oiler Assembly, Standard	ET1150	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Euro	ET1151	Single Lock Coupling, F X F	ET1009
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Inline Regulator Assembly	ET1647	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Lock Down Head, 3.50" CMT	ET35066

### Replacement Parts

Contact Dealer or HammerHead Customer Service to replace head assembly.

Striker Ring, 3.50"	ET35010	Control Stem, 3.50" PP	ET35020
Single Lock Coupling (F) X 3/4" FNPT	ET40214	Isolator Half L, 3.50" PP	ET35032
External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227	Isolator Half S, 3.50" PP	ET35033
Tailbolt, 3–5.75"	ET30221	Valve Replacement Kit, 3.50" PP	ET35042
Striker, 3.50" CMT PP	ET35004	Valve Ring Replacement Kit, 3.50" PP	ET35043
Rear Anvil, 3.50" PP	ET35005	Body Assy 3.50" CMT	ET35038
Tailcone, 3.50" PP	ET35006	Single Lock Coupling (F) X 3/4" FNPT	ET40214
Control Sleeve, 3.50" PP	ET35017	Head Replacement Kit, 3.50" CMT PP	ET35070
Control Stud, 2.50–3.50" PP	ET25115		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 3.50" PP (2.50" Plastic Pipe)	ET35045
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET34242
Quick Link, 5/16"	ET43244	Stick Pipe Pulling Kit, 3.50" PP DF (2.50" Plastic Pipe)	ET35046
Shackle, 1/2", Stainless Steel	ET35047		

### Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Service Kit, 3.50–4.375" CMT	ET40445
Hex Driver, 5/32", for control stud	ET20735		

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

3.50" (89 mm)

HAMMERHEAD®

# 3.50" (89 mm) RH PP DF, PN: ET35022



RH – Replaceable Head, PP – Power Port® Reverse, DF – Debris Free



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 3.50" (89 mm) RH PP DF	ET35022	
Tool Assembly, 3.50" (89 mm) RH PP DF MT	ET35222	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Launching Platform Kit, 3.50" tools and larger	925-0001	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Standard	ET1150	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Inline Regulator Assembly	ET1647	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Expander, 5.50"	ET35063
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Stepped Head, 3.50" RH Tools	ET35064
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Gumbo Head, 3.50" RH Tools	ET35065

## Replacement Parts

Striker Ring, 3.50"	ET35010	Control Stem, 3.50" PP	ET35020
Single Lock Coupling (F) X 3/4" FNPT	ET40214	Cut Isolator Half L, 3.50" PP	ET35032
External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227	Cut Isolator Half S, 3.50" PP	ET35033
Tailbolt, 3.00–5.75"	ET30221	Valve Replacement Kit, 3.50" PP	ET35042
Striker, 3.50" RH PP	ET35014	Valve Ring Replacement Kit, 3.50" PP	ET35043
Rear Anvil, 3.50" PP	ET35005	Body Assy, 3.50" RH PP	ET35040
Tailcone, 3.50" PP	ET35006	Wear Face, 3.50" RH	ET35027
Control Sleeve, 3.50" PP	ET35017	Anvil Nut, 3.50", 4.00", & 5.50" RH	ET38207
Control Stud, 2.50–3.50" PP	ET25115		

## Moletrac® Accessories

Beacon Housing Kit, 3.50" & 4.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30733	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 3.50" PP (2.50" Plastic Pipe)	ET35045
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET34242
Quick Link, 5/16"	ET43244	Stick Pipe Pulling Kit, 3.50" PP DF (2.50" Plastic Pipe)	ET35046
Shackle, 1/2", Stainless Steel	ET35047		

## Service Tools

Chain Clamp/Wrench	ET1026	Hex Driver, 5/32", for control stud	ET20735
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	3/8", 12-PT, Socket	ET30260



## 4.00" (98 mm) CMT PP DF, PN: ET40322

CMT – Catamount, PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 4.00" (98 mm) CMT PP DF	ET40322	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Assy, Quick Reverse Swivel	ET1117
Launching Platform, Large Tool	925-0001	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 5.50", For 4.00" Tool (Must be run in reverse)	ET37270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Expander, 6.00", For 4.00" Tool (Must be run in reverse)	ET37273
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Expander, 7.00", For 4.00" Tool (Must be run in reverse)	ET37274
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Lock Down Head, 4.00" CMT	ET40326
Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319		

### Replacement Parts

Contact Dealer or HammerHead Customer Service to replace head assembly.

Striker Ring, 4.00" ALL & 5.50" SR	ET38208	Striker, 4.00" CMT PP	ET40312
Body Assy, 4.00" CMT PP	ET40324	Valve Replacement Kit, 4.00" PP	ET40421
Control Stem, 4.00" PP	ET40420	Valve Ring Replacement Kit, 4.00" PP	ET40423
Isolator, 4.00" PP (4 Required)	ET40404	Tailbolt, 3.00–5.75"	ET30221
Rear Anvil, 4.00" PP	ET40415	External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227
Control Sleeve, 4.00" PP	ET40405	Single Lock Coupling (F) X 3/4" FNPT	ET40214
Control Stud, 4.00–5.125" PP	ET43215	Head Replacement Kit, 4.00" CMT PP	ET40452
Tailcone, 4.00" PP	ET40416		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 4.00" PP DF (125 mm Pipe)	ET40449/ET40414
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET40285
Quick Link, 5/16"	ET43244	Clevis Nut	ET30304
Quick Links, 5/32"	ET30302	Stick Pipe Pulling Kit, 4.00" PP DF (3.00" Pipe)	ET40433
Shackle, 1/2", Stainless Steel	ET35047	Stick Pipe Pulling Kit, 4.00" PP DF (4.00" Plastic Pipe)	ET40448
Pipe Pilot Kit, 4.00" PP DF (3.00" Pipe)	ET40432	Stick Pipe Pulling Kit, 4.00" PP DF (125 mm Pipe)	ET40450
Pipe Pilot Kit, 4.00" PP DF (4.00" Pipe)	ET40296/ET40414		

### Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Service Kit, 3.50–4.375" CMT	ET40445
Hex Driver, 1/4", for control stud	ET9517		

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

4.00" (98 mm)

HAMMERHEAD®



# 4.00" (98 mm) RH PP DF, PN: ET40422



RH – Replaceable Head, PP – Power Port® Reverse, DF – Debris Free



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 4.00" (98 mm) RH PP DF	ET40422	
Tool Assembly, 4.00" (98 mm) RH PP DF MT	ET40522	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Assy, Quick Reverse Swivel	ET1117
Launching Platform, Large Tool	925-0001	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 5.50", For 4.00" Tool	ET37270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Expander, 6.00", For 4.00" Tool	ET37273
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Expander, 7.00", For 4.00" Tool )	ET37274
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Stepped Head, 4.00" RH Tools	ET40446
Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319	Gumbo Head, 4.00" RH Tools	ET40447

## Replacement Parts

Striker Ring, 4.00" ALL & 5.50" SR	ET38208	Tailcone, 4.00" PP	ET40416
Body Assy, 4.00" RH PP	ET40418	Striker, 4.00" RH PP	ET40409
Control Stem, 4.00" PP	ET40420	Valve Replacement Kit, 4.00" PP	ET40421
Isolator, 4.00" PP (4 Required)	ET40404	Valve Ring Replacement Kit, 4.00" PP	ET40423
Rear Anvil, 4.00" PP	ET40415	Tailbolt, 3.00–5.75"	ET30221
Control Sleeve, 4.00" PP	ET40405	External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227
Control Stud, 4.00–5.125" PP	ET43215	Single Lock Coupling (F) X 3/4" FNPT	ET40214

## Moletrac® Accessories

Beacon Housing Kit, 3.50" & 4.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30733	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

## Pulling & Piling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 4.00" PP DF (125 mm Pipe)	ET40449/ET40414
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET40285
Quick Link, 5/16"	ET43244	Clevis Nut	ET30304
Quick Links, 5/32"	ET30302	Stick Pipe Pulling Kit, 4.00" PP DF (3.00" Pipe)	ET40433
Shackle, 1/2", Stainless Steel	ET35047	Stick Pipe Pulling Kit, 4.00" PP DF (4.00" Plastic Pipe)	ET40448
Pipe Pilot Kit, 4.00" PP DF (3.00" Pipe)	ET40432	Stick Pipe Pulling Kit, 4.00" PP DF (125 mm Pipe)	ET40450
Pipe Pilot Kit, 4.00" PP DF (4.00" Pipe)	4ET0296/ET40414	Tailcone w/ Cable Assembly, 4.00" PP DF (Piling)	ET40417

## Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Socket, Anvil Nut	ET40357
Hex Driver, 1/4", for control stud	ET9517		



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**

# 4.00" (98 mm) RH SR, PN: ET38222

RH – Replaceable Head, SR – Screw Reverse



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 4.00" (98 mm) RH SR	ET38222	
Tool Assembly, 4.00" (98 mm) RH SR MT	ET38322	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Assy, Quick Reverse Swivel	ET1117
Launching Platform, Large Tool	925-0001	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 5.50", For 4.00" Tool	ET37270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Expander, 6.00", For 4.00" Tool	ET37273
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Expander, 7.00", For 4.00" Tool	ET37274
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Stepped Head, 4.00" RH Tools	ET40446
Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319	Gumbo Head, 4.00" RH Tools	ET40447

## Replacement Parts

Striker Ring, 4.00"	ET38208	Striker, 4.00" SR	ET41204
Valve Ring, 4.00" SR	ET37211	Rear Anvil, 4.00" SR	ET40205
External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227	Valve Retainer, 4.00" SR	ET40209
Hose, Internal, Valve End 4.00" SR	ET40226	Tailcone, 4.00" SR	ET37206
Tailbolt, 3.00–5.75"	ET30221	Valve, 4.00" SR	ET37208
Body Assy, 4.00" SR	ET38200	Quick Connect, (F), 2.50–3.00" PP, 3.50–4.00" ALL	ET40214

## Moletrac® Accessories

Beacon Housing Kit, 3.50" & 4.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30733	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver for 2.50–4.00" RH Tools	Contact your Ditch Witch dealer.		

## Pulling Accessories

Description	Part #	Description	Part #
Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 4.00" SR (4.00" Plastic Pipe)	ET40296
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET40285
Quick Links, 5/32"	ET30302	Clevis Nut	ET30304
Shackle, 1/2", Stainless Steel	ET35047	Stick Pipe Pulling Kit, 4.00" Pipe (NOTE: For 5.50" Tool, 4.00" TOOL Requires 5.50" Expander PN: ET37270)	ET40306
Tap Puller, 4.00", 4.00" (98mm) SR Tools (4 in tool requires 5.50" Expander, PN: 37270)	ET55265	Stick Pipe Pulling Kit, 3.00" Pipe, (Note: If pulling Belled PVC, 4.00" tool requires 5.50" Expander, PN: ET37270)	ET40293
Pipe Pilot Kit, 4.00" SR (3.00" Plastic Pipe)	ET40258		

## Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Socket, Anvil Nut	ET40357
Hex Key, Long, 1/2", for Valve Retainer	ET40259		

## 4.375" (111 mm) CMT PP DF, PN: ET43222

CMT – Catamount, PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 4.375" (111 mm) CMT PP DF	ET43222	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128
Launching Platform, Large Tool	925-0001	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Oiler Assembly, Standard	ET1150	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Euro	ET1151	Single Lock Coupling, F X F	ET1009
Inline Regulator Assembly	ET1647	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Lock Down Head, 4.375" CMT	ET43256

### Replacement Parts

Contact Dealer or HammerHead Customer Service to replace head assembly.

Striker Ring, 4.375"	ET43210	Tailcone, 4.375" PP	ET43206
Valve Assy, 4.375" PP	ET43208	Valve Ring Replacement Kit, 4.375" PP	ET43235
Control Stem, 4.375" PP	ET43247	Valve Replacement Kit, 4.375" PP	ET43248
Control Sleeve, 4.375" PP	ET43217	Control Stud, 4.00–5.125" PP	ET43215
Rear Anvil, 4.375" PP	ET43205	Body Assy, 4.375" CMT	ET43200
Isolator Half, 4.375" PP (2 needed)	ET43220	Striker, 4.375" CMT	ET43204
Tailbolt, 3.00–5.75"	ET30221	Head Replacement Kit, 4.375" CMT PP	ET43259
External Whip, 4.375" PP	ET43227		

### Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pulling Cable Assembly	ET43242
Pneumatic Fitting with Eyebolt	ET30293	Quick Link, 5/16"	ET43244
Quick Links, 5/32"	ET30302	Stick Pipe Pulling Kit, 4.375" PP (3.00" Plastic Pipe)	ET43241
Pipe Pilot Kit, 4.375" PP DF (3.00" Plastic Pipe)	ET43240		

### Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Service Kit, 3.50–4.375" CMT	ET40445
Hex Driver, 1/4", for control stud	ET9517		





# 5.125" (130 mm) CMT PP DF, PN: ET51322

CMT – Catamount, PP – Power Port® Reverse, DF – Debris Free



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 5.125" (130 mm) CMT PP DF	ET51322	

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 1.25" X 82' (25 m) w/ Couplers	ET1107
Launching Platform, Large Tool	925-0001	Swivel Plug (M) X 1.00" FNPT	ET1661
Oiler Assy, 5.125 PP, Standard	ET1660	Swivel Coupler Socket (F) X 1.00" MNPT	ET1668
Oiler Assy, 5.125 PP, International	ET1672	Quick Connect (M) X 1.00" (M) JIC w/ Lock Ring	ET51429
Inline Regulator Assembly	ET1647	Single Lock Coupling (F) X 1.00" FNPT	ET51425
Hose, 1.25" X 50' (15 m) w/ Couplers	ET1089	Lock Down Head, 5.125" CMT	ET51348
Hose, 1.25" X 65' (20 m) w/ Couplers	ET1106		

## Replacement Parts

Contact Dealer or HammerHead Customer Service to replace head assembly.

Body Assy, 5.125" CMT	ET51324	Rear Anvil, 5.125" PP	ET51415
Striker Ring, 5.125"	ET51210	Spacer, Split 5.125" PP	ET51417
Striker, 5.125" CMT	ET51312	Isolator, 5.125" PP	ET51408
Valve Ring Replacement Kit, 5.125" PP	ET51423	Tailcone, 5.125" PP	ET51416
Valve Replacement Kit, 5.125" PP	ET51424	Tailbolt, 3.00–5.75"	ET30221
Control Sleeve, 5.125" PP	ET51410	External Whip, 5.125" PP	ET51418
Control Stud, 4.00–5.125" PP	ET43215	Head Replacement Kit, 5.125" CMT PP	ET51351
Control Stem, 5.125" PP	ET51420		

## Pulling Accessories

Pneumatic Fitting with Eyebolt, 1/2" FNPT (5.125" PP)	ET51426	Pulling Cable Assembly (4.00" Plastic Pipe)	ET43242
Quick Links, 5/32"	ET30302	Pulling Cable Assembly (6.00" Plastic Pipe)	ET40285
Quick Link, 5/16"	ET43244	Stick Pipe Pulling Kit, 5.125" PP (4.00" Plastic Pipe)	ET51404
Pipe Pilot Kit, 5.125" PP DF (4.00" Plastic Pipe)	ET51403	Stick Pipe Pulling Kit, 5.125" PP (6.00" Plastic Pipe)	ET51437
Pipe Pilot Kit, 5.125" PP DF (6.00" Plastic Pipe)	ET51438		

## Service Tools

Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Hex Driver, 1/4", for control stud	ET9517
3/8", 12-PT, Socket	ET30260	Service Kit, 5.125" CMT	ET51345

Visit our website at [www.hammerheadtrenchless.com](http://www.hammerheadtrenchless.com).  
For ordering or pricing information, contact your local authorized HammerHead dealer.

5.125" (130 mm)

HAMMERHEAD®

## 5.125" (130 mm) PP DF, PN: ET51422

PP – Power Port® Reverse, DF – Debris Free



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 5.125" (130 mm) PP DF	ET51422	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 1.25" X 82' (25 m) w/ Couplers	ET1107
Launching Platform, Large Tool	925-0001	Swivel Plug (M) X 1.00" FNPT	ET1661
Oiler Assy, 5.125 PP, Standard	ET1660	Swivel Coupler Socket (F) X 1.00" MNPT	ET1668
Oiler Assy, 5.125 PP, International	ET1672	Quick Connect (M) X 1.00" (M) JIC w/ Lock Ring	ET51429
Inline Regulator Assembly	ET1647	Single Lock Coupling (F) X 1.00" FNPT	ET51425
Hose, 1.25" X 50' (15 m) w/ Couplers	ET1089	Expander, 7.50"	ET51270
Hose, 1.25" X 65' (20 m) w/ Couplers	ET1106		

### Replacement Parts

Body Assy, 5.125" PP	ET51435	Control Stem, 5.125" PP	ET51420
Striker Ring, 5.125"	ET51210	Rear Anvil, 5.125" PP	ET51415
Striker, 5.125" PP	ET51409	Spacer, Split 5.125" PP	ET51417
Valve Ring Replacement Kit, 5.125" PP	ET51423	Isolator, 5.125" PP	ET51408
Valve Replacement Kit, 5.125" PP	ET51424	Tailcone, 5.125" PP	ET51416
Control Sleeve, 5.125" PP	ET51410	Tailbolt, 3.00–5.75"	ET30221
Control Stud, 4.00–5.125" PP	ET43215	External Whip, 5.125" PP	ET51418

### Pulling & Piling Accessories

Pneumatic Fitting with Eyebolt, 1/2" FNPT (5.125" PP)	ET51426	Pulling Cable Assembly (4.00" Plastic Pipe)	ET43242
Quick Links, 5/32"	ET30302	Pulling Cable Assembly (6.00" Plastic Pipe)	ET40285
Quick Link, 5/16"	ET43244	Stick Pipe Pulling Kit, 5.125" PP (4.00" Plastic Pipe)	ET51404
Pipe Pilot Kit, 5.125" PP DF (4.00" Plastic Pipe)	ET51403	Stick Pipe Pulling Kit, 5.125" PP (6.00" Plastic Pipe)	ET51437
Pipe Pilot Kit, 5.125" PP DF (6.00" Plastic Pipe)	ET51438	Tailcone w/ Cable Assembly, 5.125" PP DF (Piling)	ET51428

### Service Tools

Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Hex Driver, 1/4", for control stud	ET9517
3/8", 12-PT, Socket	ET30260		



## 5.125" (130 mm) SR, PN: ET51222

SR – Screw Reverse



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 5.125" (130 mm) SR	ET51222	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 1.00" X 82' (25 m) w/out Couplers	ET1104
Launching Platform, Large Tool	925-0001	Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319
Oiler Assembly, Standard	ET1150	Assy, Quick Reverse Swivel	ET1117
Oiler Assembly, Euro	ET1151	Single Lock Coupling, F X F	ET1009
Inline Regulator Assembly	ET1647	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Hose, 1.00" X 50' (15 m) w/out Couplers	ET1036	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Hose, 1.00" X 65' (20 m) w/out Couplers	ET1129	Expander, 7.50"	ET51270

### Replacement Parts

Striker Ring, 5.125"	ET51210	Striker, 5.125" SR	ET51604
Valve Ring, 5.125" SR	ET51211	Rear Anvil, 5.125" SR	ET51205
External Whip, 5.125" SR	ET51227	Tailcone, 5.125" SR	ET51206
Hose, Internal, Valve End, 5.125" SR	ET51226	Valve, 5.125" SR	ET51208
Tailbolt, 3.00–5.75"	ET30221	Single Lock Coupling (F) X 3/4" FNPT	ET1007
Body Assy, 5.125" SR	ET51100		

### Pulling Accessories

Pneumatic Fitting with Eyebolt, 1/2" FNPT	ET30293	Pipe Pilot Kit, 5.125" SR (6.00" Plastic Pipe)	ET51266
Quick Links, 5/32"	ET30302	Pulling Cable Assembly	ET51285
Quick Links, 1/4"	ET30333	Stick Pipe Pulling Kit, 5.125" SR (4.00" Plastic Pipe)	ET51293
Pipe Pilot Kit, 5.125" SR (4.00" Plastic Pipe)	ET51295	Stick Pipe Pulling Kit, 5.125" SR (6.00" Plastic Pipe)	ET51294

### Service Tools

Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Hex Key, 5.125" tool, for valve	ET51259
3/8", 12-PT, Socket	ET30260	Lift Strap, Mole (EA)	ET80288



# 5.50" (140 mm) RH SR BU, PN: ET58222



RH – Replaceable Head, SR – Screw Reverse, BU – Bulbed



## Piercing Tools

Description	Part #	Notes
Tool Assembly, 5.50" (140 mm) RH SR BU	ET58222	
Tool Assembly, 5.50" (140 mm) RH SR BU MT	ET58122	Moletrac® Piercing Tool includes housing, beacon cap and beacon sleeve

## Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Assy, Quick Reverse Swivel	ET1117
Launching Platform, Large Tool	925-0001	Single Lock Coupling, F X F	ET1009
Oiler Assembly, Standard	ET1150	Claw Fitting, Oiler, Claw X 3/4" MNPT (DOM)	ET1001
Oiler Assembly, Euro	ET1151	Claw Fitting, Oiler, Claw X 3/4" MNPT (INTL)	ET1027
Gel Cap, Hose Cover, 2.50–4.00" Tools	ET2029	Insulated External Whip, 2.50–3.00" PP, 3.50–4.00"	ET40229
Inline Regulator Assembly	ET1647	Expander, 5.50", For 4.00" Tool	ET37270
Hose, 3/4" X 50' (15 m) w/out Couplers	ET1034	Expander, 6.00", For 4.00" Tool	ET37273
Hose, 3/4" X 65' (20 m) w/out Couplers	ET1109	Expander, 7.00", For 4.00" Tool	ET37274
Hose, 3/4" X 82' (25 m) w/out Couplers	ET1128	Stepped Head, 4.00" RH Tools	ET40446
Single Lock Coupling (M) X 3/4" MNPT w/ Lock Ring	ET30319	Gumbo Head, 4.00" RH Tools	ET40447

## Replacement Parts

Striker Ring, 4.00"	ET38208	Striker, 4.00" SR	ET41204
Valve Ring, 4.00" SR	ET37211	Rear Anvil, 4.00" SR	ET40205
External Whip, 2.50–3.00" PP, 3.50–4.00" ALL	ET40227	Valve Retainer, 4.00" SR	ET40209
Hose, Internal, Valve End 4.00" SR	ET40226	Tailcone, 4.00" SR	ET37206
Tailbolt, 3.00–5.75"	ET30221	Valve, 4.00" SR	ET37208
Body Assy, 5.50" SR BU	ET58200	Single Lock Coupling (F) X 3/4" FNPT	ET40214

## Moletrac® Accessories

Beacon Housing Kit, 3.50" & 4.00" RH Tools (Incl housing, beacon cap assy and beacon sleeve)	ET30733	Beacon Cap Assy 2.50–4.00" RH	ET30731
BI Beacon 2.50–4.00" RH Tools (AccuView Cam Receiver)	ET30737	Beacon Sleeve	ET30730
AccuView® Cam Receiver	Contact your Ditch Witch dealer.		

## Pulling Accessories

Pulling Carrot, 0.50–1.00" Pipe, 1/2" MNPT	ET30445	Pipe Pilot Kit, 4.00" SR (3.00" Plastic Pipe)	ET40258
Pneumatic Fitting with Eyebolt	ET30293	Pipe Pilot Kit, 4.00" SR (3.00" Plastic Pipe)	ET40296
Quick Links, 5/32"	ET30302	Pulling Cable Assembly	ET30285
Shackle, 1/2", Stainless Steel	ET35047	Stick Pipe Pulling Kit, 4.00" Pipe (NOTE: For 5.50" Tool, 4.00" TOOL Requires 5.50" Expander PN: ET37270)	ET40306
Tap Puller, 4.00", 4.00" (98mm) SR Tools (4 in tool requires 5.50" Expander, PN: ET37270)	ET55265	Stick Pipe Pulling Kit, 3.00" Pipe, (Note: If pulling Belled PVC, 4.00" tool requires 5.50" Expander, PN: ET37270)	ET40293
Clevis Nut	ET30304		

## Service Tools

Chain Clamp/Wrench	ET1026	3/8", 12-PT, Socket	ET30260
Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Socket, Anvil Nut	ET40357
Hex Key, Long, 1/2", for Valve Retainer	ET40259		



**PHONE: 800.331.6653 (USA only) | INTERNATIONAL: +1 920.648.4848**  
**FACSIMILE: 920.648.1780 | EMAIL: info@hhtrenchless.com**

## 5.625" (143 mm) PP BU DF, PN: ET51722

PP – Power Port® Reverse, BU – Bulbed, DF – Debris Free



5.625" (143 mm)

### Piercing Tools

Description	Part #	Notes
Tool Assembly, 5.625" (143mm) PP BU DF	ET51722	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 1.25" X 82' (25 m) w/ Couplers	ET1107
Launching Platform, Large Tool	925-0001	Swivel Plug (M) X 1.00" FNPT	ET1661
Oiler Assy, 5.125" PP, Standard	ET1660	Swivel Coupler Socket (F) X 1.00" MNPT	ET1668
Oiler Assy, 5.125" PP, International	ET1672	Quick Connect (M) X 1.00" (M) JIC w/ Lock Ring	ET51429
Inline Regulator Assembly	ET1647	Single Lock Coupling (F) X 1.00" FNPT	ET51425
Hose, 1.25" X 50' (15 m) w/ Couplers	ET1089	Expander, 7.50"	ET51270
Hose, 1.25" X 65' (20 m) w/ Couplers	ET1106		

### Replacement Parts

Body Assy, 5.625" PP	ET51700	Control Stem, 5.125" PP	ET51420
Striker Ring, 5.125"	ET51210	Rear Anvil, 5.125" PP	ET51415
Striker, 5.125" PP	ET51409	Spacer, Split 5.125" PP	ET51417
Valve Ring Replacement Kit, 5.125" PP	ET51423	Isolator, 5.125" PP	ET51408
Valve Replacement Kit, 5.125" PP	ET51424	Tailcone, 5.125" PP	ET51416
Control Sleeve, 5.125" PP	ET51410	Tailbolt, 3.00–5.75"	ET30221
Control Stud, 4.00–5.125" PP	ET43215	External Whip, 5.125" PP	ET51418

### Pulling Accessories

Pneumatic Fitting with Eyebolt, 1/2" FNPT (5.125" PP)	ET51426	Pulling Cable Assembly	ET43242
Quick Links, 5/32"	ET30302	Stick Pipe Pulling Kit, 5.625" PP BU (125 mm Plastic Pipe)	ET51440
Pipe Pilot Kit, 5.625" PP DF BU (125 mm Plastic Pipe)	ET51439	Quick Link, 5/16"	ET43244

### Service Tools

Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Hex Driver, 1/4", for control stud	ET9517
3/8", 12-PT, Socket	ET30260		

## 5.75" (145 mm) SR, PN: ET60222

SR – Screw Reverse



### Piercing Tools

Description	Part #	Notes
Tool Assembly, 5.75" (145mm) SR	ET60222	

### Standard Accessories

Description	Part #	Description	Part #
Kit, Aiming Sight and Stake	ET40145	Hose, 1.25" X 50' (15 m), SJIC (F)	ET1030
Launching Platform, Large Tool (requires 925-0004)	925-0001	Hose, 1.25" X 50' (15 m) w/ Couplers	ET1031
Adjustment Shaft, Launching Platform	925-0004	Expander, 8.00"	ET60270
Oiler, Large Tool	ET1300	Expander, 10.00"	ET60273
Inline Regulator Assembly	ET1647		

### Replacement Parts

Striker Ring, 5.75"	ET60210	Striker, 5.75" SR	ET60504
Valve Ring, 5.75" SR	ET60211	Rear Anvil, 5.75" SR	ET60205
External Whip, 5.75" SR	ET60227	Tailcone, 5.75" SR	ET60206
Hose, Internal Valve EBD, 5.75" SR	ET61226	Valve Kit, 5.75" SR	ET61209
Tailbolt, 3.00–5.75"	ET30221	Shackle Mount, 5 3/4" SR	ET70244
Body Assy, 5.75" SR	ET60100		

### Pulling Accessories

Description	Part #	Description	Part #
Pneumatic Fitting with Eyebolt	ET30293	Pulling Cable Assembly	ET60235
Quick Link, 5/32"	ET30302	Stick Pipe Pulling Kit, 5.75 SR (4.00" Plastic Pipe)	ET75294
Pipe Pilot Kit, 5.75" SR, (4.00" Plastic Pipe)	ET60299		

### Service Tools

Rear Anvil Wrench, (3.00–8.00" tools)	ET30254	Lift Strap, Mole (EA)	ET80288
3/8", 12-PT, Socket (3.00" Socket)	ET30260		





## Notes

# HAMMERHEAD



TOUGH. TRUSTED.  
**TRENCHLESS.**

500 South CP Avenue | Lake Mills, Wisconsin 53551 USA | 800.331.6653 (USA only) | int: +1 920.648.4848 | web: [hammerheadtrenchless.com](http://hammerheadtrenchless.com)

Earth Tool Company LLC reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacture at any time without notice or obligation. Subsite® trademarks and AccuView are registered to Subsite Electronics, A Charles Machine Works Company. HAMMERHEAD, HAMMERHEAD MOLE, HAMMERHEAD LOGO, POWER PORT, ACTIVE HEAD AND MOLETRAC are registered trademarks of Earth Tool Company LLC, Lake Mills, WI. ©2018 Earth Tool Company LLC. All Rights Reserved. V/5 10/2018.



A CHARLES MACHINE WORKS COMPANY