



2018


**JCB BACKHOE LOADER  
4CX-14 SUPER  
CENTERMOUNT**



**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 1, 2018**


**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	<b>4CX-14 SUPER BACKHOE LOADER</b>		U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	------------------------------------	--	----------------------------	---------------------	-------------------------------

## STANDARD EQUIPMENT

[Back to Index](#)

<b>SAFETY &amp; SECURITY</b>	Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lockable cab, hydraulic fill, fuel cap. All locks with the exception of the Diesel Exhaust Fluid (DEF) tank operate with ignition key. Front and rear horn buttons. Automatic backup alarm.
<b>ENGINE</b>	109HP gross, turbocharged, water-cooled, 4 cyl, direct injection diesel. T4F compliant engine with Selective Catalytic Reduction (SCR) and 5 gallon DEF tank. Hand and foot throttle. SelectiveFull flow pressure engineoil lubrication with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.
<b>TRANSMISSION</b>	Separate unit mounted to engine containing torque converter and all transmission components. Pressure lubrication with spin on filter. Electrically operated Fwd / Rev lever on steering column. Electrically operated transmission. disconnect on gear shift and loader levers. Powershift gear selection with 4 Fwd / 4 Rev speeds.
<b>FRONT AXLE</b>	4WD - Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle.
<b>REAR AXLE</b>	Separate, rigidly mounted to mainframe & connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction. Limited slip differential to provide automatic equalization of wheel spin under conditions of unequal footing.
<b>BRAKES</b>	Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Power assisted, hydraulic brakes. Independent over center actuation, park brake. Transmission shifts to neutral when park brake is activated. 4 wheel braking in 2 wheel drive activated by switch.
<b>STEERING</b>	4 Wheel Steer. Hydrostatic power, with priority valve. Three steering wheel turns (lock to lock). Unbraked turning circle - 26' 5". Three steer modes, 2-wheel steer, 4-wheel steer and crab steer.
<b>BACKHOE AND MAINFRAME</b>	Unitized, one piece heavy duty mainframe with integral backhoe. Sealed swing post pins and swing cylinder pins, 2" top & bottom rear frame plates (centermount). Fabricated boom and dipper. SAE maximum dig depth: Extradig dipper - 14' 7" - 18' 6". EasyControl backhoe controls. Fabricated stabilizer legs with anti-drift valves. 11,000 lb. lifting hook as standard.
<b>LOADER</b>	Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard during loader raise and lower functions. Dump height: 9' 0". Bucket return-to-dig and third spool loader valve standard. Dump reach at full height - 32". Auto Smooth Ride System (AutoSRS). Front bumper protection fitted as standard. Heavy Lift loader arms standard

	<b>4CX-14 SUPER BACKHOE LOADER</b>		U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
<b>STANDARD EQUIPMENT (CONT.)</b>					
<a href="#">Back to Index</a>					

#### **ELECTRICAL SYSTEM**

12 volt system with 150 amp alternator std. Wiring harness & outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 cold cranking amps. Four halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine coolant temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., engine oil pressure, transmission oil pressure, transmission oil temp., air cleaner restriction, water in fuel indicator, and park brake engaged. Light indicators for hazard flashers on, turn signals, steering mode, and lights on. 12 volt outlet for powered accessories. Common fuses and relays located in an easy access panel. Main circuit breakers at battery positive terminal for added circuit protection. Battery Isolator fitted as standard.

#### **OPERATORS ENVIRONMENT**

Suspension seat with adjustments for weight, seat angle, and back angle. Armrests and retractable seat belt standard. Two door entry with deluxe trim. Composite sure grip molded floor, tilt steering column, front windshield with 2 speed plus intermittent wiper and washer, interior rear view mirror, pre-wired for beacon, cup holders, storage compartment. Cab includes door ajar stays, 14 adj. vents, operable side windows, one piece rear window with wiper and washer that acts as a shield during inclement weather, heater with defogger vents, and radio pre-wire with speakers in-cabs. AutoTHROTTLE returns engine speed to pre-set hand throttle position when work is resumed. AutoDRIVE provides cruise control-type characteristics during roading. Advanced Easy Controls and Easy Controls only: AutoSTABILIZERS and AutoBOOMLOCK.

#### **HYDRAULIC SYSTEM**

Open center system, variable displacement piston pump, engine driven, 44 gpm @ 3650 psi. Separate oil reservoir not shared with other systems, externally mounted to mainframe for ground level servicing. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts. Auto Idle reduces engine speed when no hydraulic functions are requested.

#### **SERVICEABILITY AND MAINTENANCE**

Ground level check for engine and transmission oil, brake fluid, engine coolant, and windshield washer levels. Ground level top off of engine oil, transmission oil, hydraulic fluid, brake fluid, fuel, and engine coolant. Tilt engine hood and lockable front grill. 15 second engine manifold preheat (activated through ignition switch). 40 gallon fuel tank. 20 gallon hydraulic tank with 5 micron filter. 500 hour engine oil and filter service interval. 1000 hour DEF filter interval. 1000 hour transmission oil and 500 hour transmission filter service interval. 2000 hour hydraulic oil and 500 hour hydraulic filter service interval. External Toolbox. AutoCHECK automatically performs daily under hood maintenance checks on 'key on'

#### **TELEMATICS**

JCB Livelink telematics. Monitored and managed remotely via a PC or Smartphone. Two year subscription. Real time reporting of machine hours, routine maintenance alerts, location, critical health alerts, fuel level/consumption and work cycle information. Ability to set machine geo-fences and curfews for improved security.

	<b>4CX-14 SUPER BACKHOE LOADER 2EJ3</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---	----------------------------	------------------------	----------------------------------

## I - NEW FACTORY BUILT CUSTOM ORDERS: ESSENTIAL CODES

[Back to Index](#)

### BASE MACHINE (E)

2EJ3	4CX-14 SUPER, 4WD, 4WS, 109hp T4F, 14ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 100lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autoldle, AutoDrive and AutoThrottle).	\$105,844
------	--	-----------

### MODEL PACK: (E)

200AM08	4CX-14 Super 109hp CM Model Pack, Manual Controls	\$0
---------	---	-----

### TIRES and TRANSMISSIONS: (E)

200B2NY	Michelin Power CL 440/80-28 includes Powershift Transmission with TorqueLock & Front & Rear LSD, AWS	\$7,465
200B2NZ	Michelin Power CL 440/80-28 includes Autoshift Transmission with TorqueLock & Front & Rear LSD, AWS	\$9,309
200B2QY	Michelin XMCL440/80-28 includes Powershift Transmission with TorqueLock & Front & Rear LSD, AWS	\$9,770
200B2QZ	Michelin XMCL440/80-28 includes Autoshift Transmission with TorqueLock & Front & Rear LSD, AWS	\$11,613

### CAB/CANOPY: (E)

200CF12	Canopy, Vinyl Suspension Seat	\$3,882
200CF14	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$15,586

### ENCLOSURE CONTROLS: (E)

200DE24	Canopy, LIVELINK	\$0
200DE30	Cab, LIVELINK	\$0

### BACKHOE PIPEWORK: (E)


200EB91	No Auxiliary Pipework	\$0
200EB92	Hammer Pipework	\$2,975
200EB93	Hammer/Bi-Directional Pipework	\$5,307
200EB94	Hydraulic Thumb (For Quick Hitch Use)	\$11,588
200EB95	Hydraulic Thumb (Not For Quick Hitch Use)	\$11,588

### LOADER PIPEWORK: (E)

200FD89	No Loader Pipework. Includes Return To Dig (RTD) & Auto SRS	\$0
200FD91	5/8 Loader Pipework, Return To Dig (RTD), Auto SRS, 3 Spool, Float, Reset and Detent.	\$1,051
200FD97	5/8 Loader Pipework, Return To Dig (RTD), Auto SRS, 3 Spool, Float, Reset and Detent for Bi-Directional Circuit.	\$1,051

### TERRITORY PACKS (E)

200GA31	English Territory Pack	\$0
200GA40	English Territory Pack For Use with Thumb	\$0
200GA45	French Territory Pack	\$0

	<b>4CX-14 SUPER BACKHOE LOADER 2EJ3</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---	----------------------------	---------------------	----------------------------------

<b>2 - OPTIONS:</b>		<a href="#">Back to Index</a>
<b>BACKHOE QUICK HITCH OPTIONS (Must order both HA and HD codes)</b>		
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,142
200HA87	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$4,435
200HD85	Code Required For Excavator Quickhtes	\$0
<b>LOADER BUCKETS</b>		
200JA61	Q-Fit Tool Carrier Quick Hitch	\$2,977
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3), Standard Duty with Bolt on Cutting Edge.	\$6,424
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$7,310
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$2,769
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$5,806
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$6,407
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$9,458
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,314
<b>LOADER BUCKET OPTIONS</b>		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$2,469
<b>BACKHOE BUCKET OPTIONS</b>		
200MA36	Excavator Bucket Pivot Pin Set	\$151
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,098
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,298
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,298
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,461
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$1,775
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,086
<b>HAND HELD TOOL CIRCUITS</b>		
200NA63	9M Hose Reel with Hand Held Tool Circuit	\$4,660
<b>VEHICLE ELECTRICAL OPTIONS</b>		
200PB01	Rotating Amber Beacon	\$197
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$117
200PB18	Headlights	\$267

	<b>4CX-14 SUPER BACKHOE LOADER 2EJ3</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH,	EFFECTIVE: JANUARY 1, 2018
---	---	----------------------------	---------------------	----------------------------------

<b>2 - OPTIONS: Continued</b>	<a href="#">Back to Index</a>
-------------------------------	-------------------------------

<b>ADDITIONAL OPTIONS</b>		
200RA06	AutoPRE-HEAT	\$974
200RA20	Exterior Mirrors (2)	\$184
200RA36	Seat Headrest	\$83
200RA37	Seatbelt (3in)	\$88
200RA57	Front Fenders	\$450
200RA59	Stabilizer Ram Guards - Centermount	\$590
200RA77	LED Worklights	\$1,104

**4CX-14 SUPER BACKHOE LOADER 2EN2**U.S. DOLLAR  
PRICE PAGESF.O.B.  
SAVANNAH,EFFECTIVE:  
JANUARY 1,  
2018**2 - NEW FACTORY BUILT CUSTOM ORDERS: ESSENTIAL CODES**[Back to Index](#)**BASE MACHINE (E)**

2EN2	4CX-14 SUPER, 4WD, 4WS, 109hp T4F, 14ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 100lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autoldle, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$108,419
------	--	-----------

**MODEL PACK: (E)**

200AM16	4CX-14 Super CM Model Pack, Easy Controls	\$0
---------	---	-----

**TIRES and TRANSMISSIONS: (E)**

200B2NY	Michelin Power CL 440/80-28 includes Powershift Transmission with TorqueLock & Front & Rear LSD, AWS	\$7,465
200B2NZ	Michelin Power CL 440/80-28 includes Autoshift Transmission with TorqueLock & Front & Rear LSD, AWS	\$9,309
200B2QY	Michelin XMCL440/80-28 includes Powershift Transmission with TorqueLock & Front & Rear LSD, AWS	\$9,770
200B2QZ	Michelin XMCL440/80-28 includes Autoshift Transmission with TorqueLock & Front & Rear LSD, AWS	\$11,613

**CAB/CANOPY: (E)**

200CF23	Canopy, Vinyl Suspension Seat	\$3,882
200CF25	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$15,586

**ENCLOSURE CONTROLS: (E)**

200DE42	Canopy, LIVELINK	\$0
200DE48	Cab, LIVELINK	\$0

**BACKHOE PIPEWORK: (E)**


200EJ46	No Auxiliary Pipework	\$0
200EJ47	Hammer Pipework	\$2,975
200EJ48	Hammer/Bi-Directional Pipework	\$5,307
200EJ49	Hydraulic Thumb (Not For Quick Hitch Use)	\$11,588
200EJ50	Hydraulic Thumb (For Quick Hitch Use)	\$11,588

**LOADER PIPEWORK: (E)**

200FE02	No Loader Pipework. Includes Return To Dig (RTD) & Auto SRS	\$0
200FE03	5/8 Loader Pipework. Includes Return To Dig (RTD), Auto SRS, 3 Spool Float and Reset.	\$1,051
200FE06	5/8 Loader Pipework, Return To Dig (RTD), Auto SRS, 3 Spool, Float, Reset for Bi-Directional Circuit.	\$1,051

**TERRITORY PACKS (E)**

200GA31	English Territory Pack	\$0
200GA40	English Territory Pack For Use with Thumb	\$0
200GA45	French Territory Pack	\$0

	<b>4CX-14 SUPER BACKHOE LOADER 2EN2</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---	----------------------------	---------------------	----------------------------------

<b>3 - OPTIONS:</b>		<a href="#">Back to Index</a>
<b>BACKHOE QUICK HITCH OPTIONS (Must order both HA and HD codes)</b>		
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,142
200HA90	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$4,435
200HA91	Hydraulic Excavator Quick Hitch (HMR/BI-DI) with Lifting Kit and 5T Shackle	\$4,435
200HD85	Code Required For Excavator Quickhtes	\$0
<b>LOADER BUCKETS</b>		
200JA61	Q-Fit Tool Carrier Quick Hitch	\$2,977
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3), Standard Duty with Bolt on Cutting Edge.	\$6,424
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$7,310
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$2,769
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$5,806
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$6,407
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$9,458
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,314
<b>LOADER BUCKET OPTIONS</b>		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$2,469
<b>BACKHOE BUCKET OPTIONS</b>		
200MA36	Excavator Bucket Pivot Pin Set	\$151
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,098
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,298
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,298
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,461
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$1,775
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,086
<b>HAND HELD TOOL CIRCUITS</b>		
200NA59	9M Hose Reel with Hand Held Tool Circuit	\$4,660
200NA61	9M Hose Reel with Hand Held Tool Circuit For Use with Bi-Directional	\$4,660
<b>VEHICLE ELECTRICAL OPTIONS</b>		
200PB01	Rotating Amber Beacon	\$197
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$117
200PB18	Headlights	\$267





## 4CX-14 SUPER BACKHOE LOADER 2EN2

U.S. DOLLAR  
PRICE PAGES

F.O.B.  
SAVANNAH,

EFFECTIVE:  
JANUARY 1,  
2018

### 3 - OPTIONS: Continued

[Back to Index](#)

#### ADDITIONAL OPTIONS

200RA04	562lb (255kg) Counterweight	\$631
200RA06	AutoPRE-HEAT	\$974
200RA20	Exterior Mirrors (2)	\$184
200RA36	Seat Headrest	\$83
200RA37	Seatbelt (3in)	\$88
200RA56	Flipover Stabilizer Feet - Centermount	\$455
200RA59	Stabilizer Ram Guards - Centermount	\$590
200RA77	LED Worklights	\$1,104

**4CX-14 SUPER BACKHOE LOADER 2EQ3**U.S. DOLLAR  
PRICE PAGESF.O.B.  
SAVANNAH, GAEFFECTIVE:  
JANUARY 1,  
2018**NEW FACTORY BUILT CUSTOM ORDERS: ESSENTIAL CODES**[Back to Index](#)**BASE MACHINE (E)**

2EQ3	4CX-14 SUPER, 4WD, 4WS, 109hp T4F, 14ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 100lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autoidle, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$110,994
------	--	-----------

**MODEL PACK: (E)**

200AM28	4CX-14 Super 109hp CM Model Pack, Advanced Easy Controls	\$0
---------	--	-----

**TIRES and TRANSMISSIONS: (E)**

200B2KY	Michelin Power CL 440/80-28 includes Autoshift Transmission with TorqueLock & Front & Rear LSD, AWS	\$9,309
200B2KZ	Michelin Power CL 440/80-28 includes Powershift Transmission with TorqueLock & Front & Rear LSD, AWS	\$7,465
200B2ZY	Michelin XMCL440/80-28 includes Autoshift Transmission with TorqueLock & Front & Rear LSD, AWS	\$11,613
200B2ZZ	Michelin XMCL440/80-28 includes Powershift Transmission with TorqueLock & Front & Rear LSD, AWS	\$9,770
200B3JZ	Michelin BIBLOAD 440/80-28 includes Autoshift Transmission with TorqueLock & Front & Rear LSD, AWS	\$13,911

**CAB/CANOPY: (E)**

200CF37	Canopy, Vinyl Suspension Seat	\$3,882
200CF39	Cab with A/C, Heated Air Suspension Seat. Includes 110v Engine Block Heater.	\$15,586

**ENCLOSURE CONTROLS: (E)**

200DE60	Canopy, LIVELINK	\$0
200DE66	Cab, LIVELINK	\$0

**BACKHOE PIPEWORK: (E)**


200EQ76	No Auxiliary Pipework	\$0
200EQ77	Hammer Pipework	\$2,975
200EQ78	Hammer/Bi-Directional Pipework, for Cab	\$5,307
200EQ80	Hydraulic Thumb (For Quick Hitch Use) for Cab	\$11,588
200EY19	Hammer/Bi-Directional Pipework, for Canopy	\$5,307
200EY20	Hydraulic Thumb (Not For Quick Hitch Use) for Canopy	\$11,588
200EY21	Hydraulic Thumb (For Quick Hitch Use) for Canopy	\$11,588

**LOADER PIPEWORK: (E)**


200FE10	No Loader Pipework. Includes Return To Dig (RTD) & Auto SRS	\$0
200FE11	5/8 Loader Pipework, Return To Dig (RTD) Auto SRS, 3 Spool Float & Reset	\$1,051
200FE12	5/8 Loader Pipework Return To Dig (RTD) Auto SRS, 3 Spool, Float, Reset for Bi-Directional Circuit.	\$1,051
200FF78	5/8 Loader Pipework, Return To Dig (RTD) Auto SRS, 3 Spool Float & Reset for Hammer Circuit.	\$1,051

**TERRITORY PACKS (E)**

200GA31	English Territory Pack	\$0
200GA40	English Territory Pack For Use with Thumb	\$0
200GA45	French Territory Pack	\$0

	<b>4CX-I4 SUPER BACKHOE LOADER 2EQ3</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	---	----------------------------	---------------------	----------------------------------

<b>OPTIONS:</b>		<a href="#">Back to Index</a>
<b>BACKHOE QUICK HITCH OPTIONS (Must order both HA and HD codes)</b>		
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,142
200HA92	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$4,435
200HA93	Hydraulic Excavator Quick Hitch (HMR/BI-DI) with Lifting Kit and 5T Shackle	\$4,435
200HD85	Code Required For Excavator Quickhtes	\$0
<b>LOADER BUCKETS</b>		
200JA61	Q-Fit Tool Carrier Quick Hitch	\$2,977
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3), Standard Duty with Bolt on Cutting Edge.	\$6,424
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$7,310
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$2,769
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$5,806
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$6,407
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$9,458
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,314
<b>LOADER BUCKET OPTIONS</b>		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$2,469
<b>BACKHOE BUCKET OPTIONS</b>		
200MA36	Excavator Bucket Pivot Pin Set	\$151
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,098
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,298
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,298
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,461
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$1,775
<b>HAND HELD TOOL CIRCUITS</b>		
200NA57	9M Hose Reel with Hand Held Tool Circuit	\$4,660
200NA58	9M Hose Reel with Hand Held Tool Circuit For Use with Bi-Directional	\$4,660
<b>VEHICLE ELECTRICAL OPTIONS</b>		
200PB01	Rotating Amber Beacon	\$197
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$117
200PB18	Headlights	\$267

	<b>4CX-14 SUPER BACKHOE LOADER 2EQ3</b>	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH,	EFFECTIVE: JANUARY 1, 2018
---	---	----------------------------	---------------------	----------------------------------

<b>OPTIONS: Continued</b>		<a href="#">Back to Index</a>
<b>ADDITIONAL OPTIONS</b>		
200RA04	562lb (255kg) Counterweight	\$631
200RA06	AutoPRE-HEAT	\$974
200RA20	Exterior Mirrors (2)	\$184
200RA36	Seat Headrest	\$83
200RA37	Seatbelt (3in)	\$88
200RA56	Flipover Stabilizer Feet - Centermount	\$455
200RA59	Stabilizer Ram Guards - Centermount	\$590
200RA68	AEC Canopy Adjustments	\$0
200RA77	LED Worklights	\$1,104