



2018

**JCB WHEEL LOADER  
437 HT**




**JCB, Inc. North American  
MACHINE PRICE LIST  
in U.S. Dollars**

**EFFECTIVE: JANUARY 01, 2018**

ISSUE 1.0

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.  
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

|   |                            |                            |                        |                             |
|---|----------------------------|----------------------------|------------------------|-----------------------------|
|  | <b>437 HT WHEEL LOADER</b> | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH, GA | EFFECTIVE: JANUARY 01, 2018 |
|---|----------------------------|----------------------------|------------------------|-----------------------------|

## STANDARD EQUIPMENT

|                        |  |
|------------------------|--|
| <b>GENERAL</b>         | Front and rear unitized mainframe modules with a componentized driveline. Frame mounted hydraulic and fuel tanks with convenient cleanout ports. Front fenders. Side panels and rear engine access electrically assisted struts. Articulation locking strut for transporting   |
| <b>ENGINE</b>          | 6.7 L (409 CID) 6-cylinder, 183 Gross HP Cummins QSB diesel, T4 Final, variable geometry turbocharger, diesel oxidation catalyst, exhaust gas recirculation, air scavenge system, low idle feature, dual element air cleaner spin-on filters, water separator, thermostart assist and antifreeze to -33 degrees.   |
| <b>TRANSMISSION</b>    | Full powershift automatic transmission with torque converter. Four forward and three reverse gears with a speed inhibitor and modulation for smooth directional changes. Twist grip for manual gear selection with transmission kickdown button. Forward and reverse control switch on hydraulics control lever. Selectable transmission disconnect on brake pedal and hydraulics control lever. Transmission underbelly guard for added protection  |
| <b>TIRES</b>           | Several types available, see section 2.  |
| <b>FRONT/REAR AXLE</b> | Open differential with outboard planetaries. Optional limited slip differentials available for superior traction performance. Optional open differentials with automatic differential locking. All axle types include sinter-lined pads to provide increased resistance to heat and wear with the multi-disc brake system.   |
| <b>SERVICE BRAKES</b>  | Oil immersed hub mounted multi-disc design. Dual circuit design with accumulator backup to provide stopping ability in all conditions. Mechanical disc parking brake operating on the transmission output shaft.   |
| <b>ELECTRICS</b>       | 24 volt, IP 67 water and dust resistant connectors with numerical coded wiring.<br>120 amp alternator with 2 heavy duty low maintenance batteries rated at 900 CCA. Battery disconnect switch located in battery compartment. Electrical circuit test button. Back-up Alarm.   |
| <b>INSTRUMENTS</b>     | Audible and visual engine and powertrain warning system with front mounted instrument panel including speedometer, hourmeter, fuel gauge, coolant temperature gauge, transmission temperature gauge, clock and automatic emergency engine shut-down system. Parking brake "on" warning light.  |
| <b>CAB UNIT</b>        | SAE certified ROPS/FOPS fully enclosed pressurized cab with 68 dB(a) internal noise level (SAE J2105) Dual heated exterior side view mirrors, two interior rear view mirrors, headrest, and sun visor. Fully adjustable cloth suspension seat with 3 inch seat belt and left hand armrest. Heater/defroster, windshield wiper/washer, radio provision with speakers. Lighting package includes two headlights, two front worklights, two tail lights, turn signals and cab mounted flashing beacon. Operator's manual. |
| <b>HYDRAULICS</b>      | Twin variable displacement piston pumps feed a "load sensing" system, providing an efficient and responsive distribution of power. Two spool loader circuit with accumulator backup. 3rd spool auxiliary hydraulic circuit as standard. Single control lever for lift and tilt functions. Priority steering valve for improved handling and safety and an electric emergency steering pump.  |
| <b>LOADER</b>          | Parallel lift loader end with a general purpose bucket (see Options, Section 3). Four cylinder geometry for high torque and capacity. Two lift and two tilt cylinders. Return to dig and height kickout. Lift ram safety strut.  |
| <b>LIVELINK</b>        | 3 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control  |
| <b>WARRANTY</b>        | 3 Year full coverage warranty (Please see the machine warranty certificate for details).   |

### SECTIONS ARE ORGANIZED AS FOLLOWS:


**Section 1** - PACKAGE BUILDS

**Section 2** - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

**Section 3** - OPTIONS - NEW FACTORY BUILT ORDERS

**Section 4** - ATTACHMENTS - NEW FACTORY BUILT ORDERS

**DEALER FIT - WHEEL LOADERS** (LISTED SEPARATELY FOR ALL WHEEL LOADERS)

|   |                            |                         |                        |                             |
|---|----------------------------|-------------------------|------------------------|-----------------------------|
|  | <b>437 HT WHEEL LOADER</b> | U.S. DOLLAR PRICE PAGES | F.O.B.<br>SAVANNAH, GA | EFFECTIVE: JANUARY 01, 2018 |
|---|----------------------------|-------------------------|------------------------|-----------------------------|

## SECTION 1 - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes, which include an Attachment.

Package build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

**NOTE:** Tires are subject to availability from manufacturers and, due to the current tire shortage; alternative options may be fitted to Package Builds. Notification will be given if an alternate tire is fitted.

**\*JCB BRANDED RADIAL FITTED TO PACKAGE BUILDS**

| SALES   |  | <b>437T(A)</b><br>STD SPEC | <b>437T(B)</b><br>HIGH SPEC |
|---------|--|----------------------------|-----------------------------|
| 437T    | 437 HT Base Machine (TIER 4 FINAL EMISSIONS COMPLIANT)                               | ✓                          | ✓                           |
| 600A684 | JCB Earthmover Radial 20.5 R25 L3 Machine Width: 97.7"                               | ✓                          | ✓                           |
| 600B015 | Standard Cab, ROPS/FOPS - Sliding/Tinted Glass, Fabric Suspension Seat               | ✓                          |                             |
| 600B016 | High Spec Cab, ROPS/FOPS - Sliding/Tinted Glass, Fabric Suspension Seat, Reverse Cam |                            | ✓                           |
| 600C006 | Full Cab Heater & Air Conditioning   | ✓                          |                             |
| 600C007 | Full Cab Climate Control   |                            | ✓                           |
| 600D276 | LSD Axles HD, 4 Speed 20.5 Half Rear   | ✓                          |                             |
| 600D306 | Auto Lock Front Axle, Std Rear, Sint, HD, 4 Spd, 20.5, Half Rear                     |                            | ✓                           |
| 600E052 | 4 Speed, Std. Height Loader Arm, 3 Spool Joystick Hydraulics Parallel Lift           | ✓                          | ✓                           |
| 600F054 | Operators Handbook and Manual Pack, English  | ✓                          | ✓                           |
| 600J005 | Industrial Quickhitch With Pin Isolator Valve. 427HT and 437HT Std Arms              | ✓                          | ✓                           |
| 600J366 | GP Bucket - 3.5 cu.yd. w/ Bolt-on Cutting Edge - Quickhitch Mount                    | ✓                          | ✓                           |
| 600R014 | Additional Worklights - cab mounted (6 Front, 2 Rear on Cab and 2 Rear on Hood)      |                            | ✓                           |
| 600T049 | Swing out reverse fan  |                            | ✓                           |
| 600T301 | Smooth Ride System   | ✓                          | ✓                           |

**SUGGESTED LIST PRICE** **\$209,596** **\$214,625**



## 437 HT WHEEL LOADER

U.S. DOLLAR  
PRICE PAGES

F.O.B.  
SAVANNAH, GA

EFFECTIVE:  
JANUARY 01,  
2018

### SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES<br>CODE                   | ITEM   | U.S.<br>LIST |
|---------------------------------|--|--------------|
| <b>BASE MACHINE</b>             |  |              |
| 437T                            | 437 HT Base Machine (TIER 4 FINAL EMISSIONS COMPLIANT)                               | \$162,046    |
| <b>TIRES INCLUDING RIMS</b>     |  |              |
| 600A657                         | Michelin XTLA 20.5 R25 L2 Machine Width: 102.3"                                      | \$9,624      |
| 600A660                         | Michelin XSNOPUS 20.5R25 L2 Machine Width: 102.5"                                    | \$11,746     |
| 600A679                         | Goodyear HRL 20.5-25 16PLY L3 Machine Width: 103.3"                                  | \$8,908      |
| 600A680                         | Goodyear SGL 20.5-25 16 PR L2 Machine Width: 102.3"                                  | \$8,401      |
| 600A682                         | JCB Sitemaster 20.5-25 16PLY L3 Machine Width: 102.7"                                | \$6,894      |
| 600A684                         | JCB Earthmover Radial 20.5 R25 L3 Machine Width: 97.7"                               | \$7,794      |
| 600A689                         | Michelin XHA 20.5R25 L3 Machine Width: 102.3"  | \$11,530     |
| 600A694                         | Michelin XMINED 2 20.5 R25 L5 Machine Width: 102.3"                                  | \$19,478     |
| 600A701                         | Michelin XLD 650/65R25 L3  | \$14,135     |
| <b>OPERATORS AREA</b>           |  |              |
| 600B015                         | Standard Cab, ROPS/FOPS - Sliding/Tinted Glass, Fabric Suspension Seat               | \$3,752      |
| 600B016                         | High Spec Cab, ROPS/FOPS - Sliding/Tinted Glass, Fabric Suspension Seat, Reverse Cam | \$5,722      |
| <b>CAB CONDITIONING SYSTEMS</b> |  |              |
| 600C006                         | Full Cab Heater & Air Conditioning   | \$2,980      |
| 600C007                         | Full Cab Climate Control   | \$3,829      |
| 600C009                         | Full Cab Climate Control - Epoxy Coated  | \$4,219      |
| <b>TRANSMISSION AND AXLES</b>   |  |              |
| 600D259                         | Std Axles, Sint, HD, 4 Speed 20.5 Half Rear  | \$9,353      |
| 600D260                         | Std Axles, Sint, HD, 4 Speed 20.5 Full Rear  | \$9,800      |
| 600D261                         | Std Axles, Sint, HD, 4 Speed 620 Full Rear   | \$9,800      |
| 600D267                         | Std Axles, Sint, HD, 5 Speed Luc2-5, 20.5 Full Rear                                  | \$16,247     |
| 600D268                         | Std Axles, Sint, HD, 5 Speed Luc2-5, 620 Full Rear                                   | \$16,247     |
| 600D276                         | LSD Axles HD, 4 Speed 20.5 Half Rear   | \$11,554     |
| 600D277                         | LSD Axles HD, 4 Speed 20.5 Full Rear   | \$12,065     |
| 600D291                         | LSD Axles, Sint, HD, 4 Speed 20.5 Full Rear  | \$12,290     |
| 600D292                         | LSD Axles, Sint, HD, 4 Speed 620 Full Rear   | \$12,290     |
| 600D298                         | LSD Axles, Sint, HD, 5 Speed LUC 2-5, 20.5 Full Rear                                 | \$18,737     |
| 600D299                         | LSD Axles, Sint, HD, 5 Speed LUC 2-5, 620 Full Rear                                  | \$18,737     |
| 600D306                         | Auto Lock Front Axle, Std Rear, Sint, HD, 4 Spd, 20.5, Half Rear                     | \$12,910     |
| 600D309                         | Auto Lock Front Axle, Std Rear, Sint, HD, 4 Speed 20.5 Full Rear                     | \$13,356     |
| 600D310                         | Auto Lock Front Axle, Std Rear, Sint, HD, 4 Speed 620 Full Rear                      | \$13,356     |
| 600D316                         | Auto Lock Front Axle, Std Rear, Sint, HD, 5 Speed LUC 2-5, 20.5 Full Rear            | \$19,805     |
| 600D318                         | Auto Lock Front Axle, Std Rear, Sint, HD, 5 Speed LUC 2-5, 620 Full Rear             | \$19,805     |



## 437 HT WHEEL LOADER

U.S. DOLLAR  
PRICE PAGES

F.O.B.  
SAVANNAH, GA

EFFECTIVE:  
JANUARY 01,  
2018

### SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

| SALES<br>CODE                                 | ITEM  | U.S.<br>LIST |
|---|---|--------------|
| <b>LOADER ARMS &amp; AUXILIARY HYDRAULICS</b> |   |              |
| <b>STANDARD ARM</b>                           |   |              |
| 600E052                                       | 4 Speed, Std. Height Loader Arm, 3 Spool Joystick Hydraulics Parallel Lift        | \$2,182      |
| 600E053                                       | 4 Speed, Std. Height Loader Arm, 3 Spool Multi Lever Hydraulics Parallel Lift     | \$2,182      |
| 600E054                                       | 4 Speed, Std. Height Loader Arm, 4 Spool Joystick Hydraulics Parallel Lift        | \$2,911      |
| 600E055                                       | 4 Speed, Std. Height Loader Arm, 4 Spool Multilever Hydraulics Parallel Lift      | \$2,911      |
| 600E110                                       | 5 Speed, Std. Height Loader Arm, 3 Spool Joystick Hydraulics Parallel Lift        | \$2,182      |
| 600E111                                       | 5 Speed, Std. Height Loader Arm, 3 Spool Multi Lever Hydraulics Parallel Lift     | \$2,182      |
| 600E112                                       | 5 Speed, Std. Height Loader Arm, 4 Spool Joystick Hydraulics Parallel Lift        | \$2,911      |
| 600E113                                       | 5 Speed, Std. Height Loader Arm, 4 Spool Multilever Hydraulics Parallel Lift      | \$2,911      |
| <b>HIGHLIFT ARM</b>                           |   |              |
| 600E056                                       | 4 Speed, High Lift Loader Arm, 3 Spool Joystick Hydraulics Parallel Lift          | \$9,334      |
| 600E057                                       | 4 Speed, High Lift Loader Arm, 3 Spool Multilever Hydraulics Parallel Lift        | \$9,334      |
| 600E058                                       | 4 Speed, High Lift Loader Arm, 4 Spool Joystick Hydraulics Parallel Lift          | \$10,062     |
| 600E059                                       | 4 Speed, High Lift Loader Arm, 4 Spool Multilever Hydraulics Parallel Lift        | \$10,062     |
| 600E114                                       | 5 Speed, High Lift Loader Arm, 3 Spool Joystick Hydraulics Parallel Lift          | \$9,334      |
| 600E115                                       | 5 Speed, High Lift Loader Arm, 3 Spool Multi Lever Hydraulics Parallel Lift       | \$9,334      |
| 600E116                                       | 5 Speed, High Lift Loader Arm, 4 Spool Joystick Hydraulics Parallel Lift          | \$10,062     |
| 600E117                                       | 5 Speed, High Lift Loader Arm, 4 Spool Multi Lever Hydraulics Parallel Lift       | \$10,062     |
| <b>SUPER HIGH LIFT ARM</b>                    |   |              |
| 600E060                                       | 4 Speed, Super High Lift Loader Arm, 3 Spool Joystick Hydraulics Parallel Lift    | \$12,965     |
| 600E061                                       | 4 Speed, Super High Lift Loader Arm, 3 Spool Multilever Hydraulics Parallel Lift  | \$12,965     |
| 600E062                                       | 4 Speed, Super High Lift Loader Arm, 4 Spool Joystick Hydraulics Parallel Lift    | \$13,694     |
| 600E063                                       | 4 Speed, Super High Lift Loader Arm, 4 Spool Multilever Hydraulics Parallel Lift  | \$13,694     |
| 600E118                                       | 5 Speed, Super High Lift Loader Arm, 3 Spool Joystick Hydraulics Parallel Lift    | \$12,965     |
| 600E119                                       | 5 Speed, Super High Lift Loader Arm, 3 Spool Multi Lever Hydraulics Parallel Lift | \$12,965     |
| 600E120                                       | 5 Speed, Super High Lift Loader Arm, 4 Spool Joystick Hydraulics Parallel Lift    | \$13,694     |
| 600E121                                       | 5 Speed, Super High Lift Loader Arm, 4 Spool Multi Lever Hydraulics Parallel Lift | \$13,694     |
| <b>MANUALS</b>                                |   |              |
| 600F054                                       | Operators Handbook and Manual Pack, English                                       | \$0          |
| 600F074                                       | Operators Handbook and Manual Pack, French  | \$0          |

**437 HT WHEEL LOADER**U.S. DOLLAR  
PRICE PAGESF.O.B.  
SAVANNAH, GAEFFECTIVE:  
JANUARY 01,  
2018**SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:**

Select Optional Equipment as desired within limitations if indicated.

| <b>SALES<br/>CODE</b>                      | <b>ITEM</b>  | <b>U.S.<br/>LIST</b> |
|--|--|----------------------|
| <b>OPERATOR AND CAB OPTIONS</b>            |  |                      |
| 600R001                                    | Carbon Filter - Cab Air Intake   | \$177                |
| 600R005                                    | Deluxe Fabric Seat - 3" Seatbelt   | \$585                |
| 600R006                                    | Super Deluxe Fabric Seat - 3" Seatbelt   | \$1,057              |
| 600R014                                    | Additional Worklights - cab mounted (6 Front, 2 Rear on Cab and 2 Rear on Hood)              | \$227                |
| 600R015                                    | LED Worklights - cab mounted (provides a total of 4 Front, 4 Rear on Cab and 2 Rear on Hood) | \$1,653              |
| 600R016                                    | Windshield Guard - Front & Side  | \$1,849              |
| 600R026                                    | In Cab Floor Carpet  | \$471                |
| 600R027                                    | In Cab Cool Box  | \$629                |
| 600R028                                    | 360 Degree work lights (All LED) 6 front, 6 rear, 2 in grill                                 | \$2,573              |
| 600R042                                    | Hi-vis seatbelt - 2 inch only. Orange  | \$119                |
| <b>MACHINE PROTECTION OPTIONS</b>          |  |                      |
| 600S018                                    | Front Light Guards   | \$167                |
| 600S026                                    | Rear Grille Guard - Black 437  | \$1,868              |
| 600S027                                    | Full Handrails 20.5  | \$853                |
| 600S028                                    | Full Handrails 620 Fenders   | \$853                |
| 600S029                                    | Full Handrails 750 Fenders   | \$853                |
| 600S439                                    | Rear Light Guards  | \$673                |
| <b>HYDRAULIC AND OTHER MACHINE OPTIONS</b> |  |                      |
| 600J005                                    | Industrial Quickhitch With Pin Isolator Valve. 427HT and 437HT Std Arms                      | \$4,440              |
| 600J007                                    | Industrial Quickhitch With Pin Isolator Valve. 437 HL  | \$4,440              |
| 600J008                                    | Industrial Quickhitch With Pin Isolator Valve. 437 SHL                                       | \$4,440              |
| 600J014                                    | Quick Hitch Ready for standard arms  | \$1,572              |
| 600J015                                    | Quick Hitch Ready for highlift arms  | \$1,572              |
| 600J016                                    | Quick Hitch Ready for super highlift arms  | \$1,572              |
| 600M004                                    | Hydraulic Oil (Bio-degradable )  | \$2,901              |
| 600M007                                    | Epoxy Coated Cooling Pack  | \$946                |
| 600N001                                    | Reverse Smart Alarm (82-112dba, 5 dba above ambient)   | \$211                |
| 600N009                                    | Rear radar system (Compatible with rear guard)   | \$4,598              |
| 600N010                                    | Rear radar system (Not compatible with rear guard)   | \$4,598              |
| 600T018                                    | Autogreasing. Std arm. Non Parallel Links. 20.5 tires  | \$5,166              |
| 600T019                                    | Autogreasing. Std arm. Parallel Links. 20.5 tires  | \$5,166              |
| 600T020                                    | Autogreasing. Std arm. Non Parallel Links. Wide tires  | \$5,166              |
| 600T021                                    | Autogreasing. Std arm. Parallel Links. Wide tires  | \$5,166              |
| 600T022                                    | Autogreasing. High lift arm. 20.5 tires  | \$5,166              |
| 600T023                                    | Autogreasing. High lift arm. 20.5 tires  | \$5,166              |
| 600T024                                    | Autogreasing. Super high lift arm. 20.5 tires  | \$5,166              |
| 600T025                                    | Autogreasing. Super high lift arm. 20.5 tires  | \$5,166              |
| 600T049                                    | Swing out reverse fan  | \$552                |
| 600T100                                    | Non Parallel Linkage Kit - 427 & 437 HT  | \$0                  |
| 600T104                                    | Non Parallel Linkage Kit - 437 High Lift   | \$0                  |
| 600T301                                    | Smooth Ride System   | \$4,267              |
| 600T302                                    | Transmission Cooler Bypass 427 & 437. 4 Speed Only.  | \$579                |
| 600T463                                    | Auxiliary Relief Valve for 3 spool   | \$362                |
| 600T464                                    | Auxiliary Relief Valve for 3 & 4 spool   | \$772                |
| 600T541                                    | Lift ram safety strut  | \$163                |
| 600T604                                    | Trailer Electrics - 12V  | \$761                |
| 600W017                                    | Wastemaster pack   | \$4,184              |

|   |                            |                            |                        |                                   |
|---|----------------------------|----------------------------|------------------------|-----------------------------------|
|  | <b>437 HT WHEEL LOADER</b> | U.S. DOLLAR<br>PRICE PAGES | F.O.B.<br>SAVANNAH, GA | EFFECTIVE:<br>JANUARY 01,<br>2018 |
|---|----------------------------|----------------------------|------------------------|-----------------------------------|

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

| SALES<br>CODE  | ITEM  | U.S.<br>LIST |
|--|---|--------------|
| <b>JCB QUICKHITCH LOADER BUCKETS - ENSURE QUICK HITCH IS ORDERED</b>   |   |              |
| 600J362  | GP Bucket - 3.1 cu.yd. w/ Bolt-on Cutting Edge - Quickhitch Mount     | \$6,814      |
| 600J366  | GP Bucket - 3.5 cu.yd. w/ Bolt-on Cutting Edge - Quickhitch Mount     | \$7,484      |
| <b>JCB DIRECT MOUNTED LOADER BUCKETS (NOT FOR USE WITH QUICKHITCH)</b> |   |              |
| 600H361  | GP Bucket - 3.1 cu.yd. w/ Bolt-on Cutting Edge                        | \$6,807      |
| 600H362  | GP Bucket - 3.5 cu.yd. w/ Bolt-on Cutting Edge                        | \$7,266      |
| <b>OTHER ATTACHMENTS, QUICKHITCH TYPE</b>                              |   |              |
| 600J351  | Pallet Forks and Carrier, 1500 mm tine length. 2000 mm Carriage Width | \$4,754      |
| 600J378  | Fork Frame and Forks - ITA Class III 59" wide (48" x 4" x 2")         | \$4,754      |
| 600J406  | Pallet Forks and Carrier, 78" (2000 mm) wide                          | \$2,616      |
| 600J412  | Fork and Frame 59" (1500 mm) Wide w/ Parallel Lift                    | \$5,053      |