




**JCB LOADALL
509-42S**



**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

EFFECTIVE: JANUARY 1, 2018

**CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES**

	509-42 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L (269 cu in) 109 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
CONTROLS	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
BOOM	3 section boom with a max lift height of 42', hydraulic parallel lift, max lift capacity of 9,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
WARRANTY	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

SECTIONS ARE ORGANIZED AS FOLLOWS:

Section 1 - PACKAGE BUILDS

Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS

Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	509-42 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
5BAC	509-42S, 4W Steer, Sway Control, RAS, 109HP Engine, Powershift Transmission	\$98,691
TIRES (E) See Options Section for Foam Fill		
500A030	1400-24 16PR Sitemaster Unballasted	\$9,001
500A031	14 x 24 16 PR Galaxy Industrial tread, air filled	\$9,001
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,602
500A509	400/80-24 16 2A8 Michelin Power CL (509 only)	\$11,367
CONTROLS (E)		
500B250	Single Joystick - One Auxilliary Service	\$4,698
OPERATORS AREA (E)		
500C044	Canopy with right hand side and rear glass	\$2,510
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,184
SEATS (E)		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$688
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,014
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$688
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,014
QUICK COUPLER (E)		
500E021	Quickhitch Coupler - Required to mount Carriage	\$710
OPERATORS MANUAL (E)		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0


	509-42 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
ELECTRICAL OPTIONS		
500G028	Front and Rear Road Lights, includes turn signals, stop, tail, dual reverse Lights - Cab Builds only	\$784
500G029	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Canopy Builds	\$784
500G030	Road Light Kit: Right Hand Dip, Twin Reverse For Canopy Builds Only	\$784
500G129	Work Lights - Front only	\$157
500G130	Work Lights - Front and Rear	\$253
500G207	Work Lights - Front and Rear - LED	\$1,435
500G401	Rotating Beacon, Magnetic Base	\$142
500G402	Beacon - Strobe	\$146
ENGINE OPTIONS		
500H091	Engine Block Heater	\$163
500H700	Fuel Tank Protection Kit T4F	\$503
500T373	Arctic Diesel for cold climates	\$0
500H828	Arctic Kit - Line Fit - For 509, 510	\$10,521
OPERATORS AREA OPTIONS		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$552
500K042	Sun shade	\$255
500K043	Fire extinguisher	\$273
500K047	Roof Glass with Wiper (For Canopy)	\$206
500K050	Front screen guard	\$541
500K051	Front screen and roof guard	\$930
500K061	LiveLink Telematics	\$1,045
500K081	Air Conditioning	\$3,451
500k086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$767
500K263	Level 1 Camera - Rear Only, includes Display	\$810
500K264	Level 2 Camera - Rear and Side, includes Display	\$992
500K479	Face Level Fan	\$224
500T600	Foam Filled Tires 14.00x24	\$4,150

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	509-42 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2018
---	-----------------------	----------------------------	------------------------	----------------------------

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
CARRIAGES		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,737
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,926
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,998
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,251
500Q360	60" Hydraulic Fork Positioner, includes 60" Forks, 10K Capacity	\$6,701
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,380
FORKS		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$594
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,558
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,758
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$959
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,188
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,434
500M803	72" x 5" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$1,304
500M804	48" x 2" x 2" block tines (6) for 2-1/4" fork shaft	\$2,558
OTHER ATTACHMENTS		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,394
500T815	12' Truss Boom, 1,400lbs capacity	\$3,052