




JCB LOADALL
512-56



JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars

EFFECTIVE: MAY 10, 2018

CHANGES TO SPECIFICATIONS AND/OR PRICES MAY OCCUR.
PLEASE REFER TO THE PRODUCT MANAGER FOR UPDATES

	512-56 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: MAY 10, 2018
---	-----------------------	----------------------------	------------------------	-------------------------

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with sway control, stabilizers and componentized driveline, automatic rear axle stabilization system.
ENGINE	JCB Ecomax Turbo charged 4.4 L (269 cu in) 74 HP Tier 4 Final, Dual element air cleaner, spin-on fuel filter, fuel/water separator, spin on vertical oil filter, anti-freeze protection down to -30 deg. F.
TRANSMISSION	JCB Powershift transmission incorporating torque converter, bevel box and a 4 speed Powershift gearbox in one resiliently mounted unit. A combined steering column mounted switch incorporating directional control and 4 forward and 4 reverse Powershift gears. Travel speed 15.5 mph (25 kph)
AXLES	Front and rear drive axles: JCB epicyclic hub reduction, drive/steer axles with JCB Max-Trac with torque proportioning differentials. Permanent 4 wheel drive.
BRAKES	Service brakes: Servo assisted, hydraulically activated, self adjusting, oil immersed multi-disc type on front axle. Parking brake: Hand operated disc brake on output of gearbox.
ELECTRICAL	12 v negative ground, 130 AH battery, 95 amp alternator. Reverse alarm.
INSTRUMENTS	Audio-visual warning system for: coolant temperature, engine oil pressure, air cleaner, battery charge, transmission oil temperature and pressure, water in fuel and DEF. Engine speed indicator, engine temperature, fuel gauge, clock and lateral inclinometer. All time display hour meter, visible from outside the cab.
STEERING	Hydrostatic power steering. Three steer mode options: front wheel steer, all wheel steer and crab steer operated from in the cab by a selection lever.
CAB/CANOPY	Quiet, safe and comfortable cab/canopy conforms to ROPS ISO 3471 and FOPS ISO 3449. Available as safety frame or fully enclosed. (Right hand side and rear window standard on canopy.)
CONTROLS	Oil servo joystick to lift, extend and tilt. Direct acting mechanical levers on sway and auxiliary. Tilt adjustable steer column with stalk control of Powershift change and forward/reverse shuttle. Throttle and brake pedal. Adjustable seat with adjacent park brake.
BOOM	4 section boom with a max lift height of 56', hydraulic parallel lift, max lift capacity of 12,000 lbs. 'U' pressing design, made from high tensile steel. Low maintenance, hard wearing pads.
HYDRAULICS	Two stage gear pump, open center system. 29gpm, 3,770 psi operating pressure. Single auxiliary hydraulic service on boom.
WARRANTY	2 years or 2000 hours full coverage warranty (please see the machine warranty certificate for details)

SECTIONS ARE ORGANIZED AS FOLLOWS:


Section 1 - PACKAGE BUILDS

Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS

Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS

Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

	512-56 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: MAY 10, 2018
---	-----------------------	----------------------------	------------------------	-------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	U.S. LIST
BASE MACHINE (E)		
5ALI	512-56, 4W Steer, Sway Control, RAS, 74HP Engine, Powershift Transmission	\$141,981
TIRES (E) See Options Section for Foam Fill		
500A045	14.00 x 24 Semi-Solid, Airless Tires - Solideal	\$18,974
500A026	17.5R25 16 Ply Goodyear, Pneumatic	\$11,346
500A046	17.5-25 XLW 16PR Galaxy Tread B Unballasted	\$11,085
CONTROLS (E)		
500B251	Single Joystick - One Auxilliary Service	\$4,791
OPERATORS AREA (E)		
500C044	Canopy with right hand side and rear glass	\$2,560
500C130	Cab fully glazed with front, roof and rear wipers; includes heater; glass lower door	\$7,328
SEATS (E)		
500D004	Vinyl suspension seat, fixed back with 2" seatbelt, Canopy Only	\$702
500D005	Vinyl suspension seat, fixed back with 3" seatbelt, Canopy Only	\$1,034
500D006	Fabric suspension seat, adjustable back with 2" seatbelt, Cab Only	\$702
500D007	Fabric suspension seat, adjustable back with 3" seatbelt, Cab Only	\$1,034
QUICK COUPLER (E)		
500E023	Quickhitch Coupler - Required to mount Carriage	\$724
OPERATORS MANUAL (E)		
500F213	Operator Manual - English	\$0
500F214	Operator Manual - French	\$0

	512-56 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: MAY 10, 2018
---	-----------------------	----------------------------	------------------------	-------------------------


SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
ELECTRICAL OPTIONS		
500G019	Road Light Kit: Right Hand Dip, Fog and Reverse Lights	\$799
500G020	Front and Rear Road Lights, includes turn signals, stop, tail and reverse Lights - Cab Builds only	\$799
500G025	Road Lights Kit, includes fog and reverse Lights - Canopy Builds only	\$799
500G026	Road Lights Kit, includes twin reverse Lights - Canopy Builds only	\$541
500G129	Work Lights - Front only	\$160
500G130	Work Lights - Front and Rear	\$258
500G207	Work Lights - Front and Rear - LED	\$1,464
500G398	Green Beacon with Seatbelt Start Logic	\$377
500G401	Rotating Beacon, Magnetic Base	\$145
500G402	Beacon - Strobe	\$149
ENGINE OPTIONS		
500H083	Fuel Tank Protection (Guard on rear of tank between tire and tank)	\$514
500H091	Engine Block Heater	\$166
500T373	Arctic Diesel for cold climates	\$0
500H828	Arctic Kit - Line Fit - 74HP*	\$10,731
OPERATORS AREA OPTIONS		
500K041	Radio installation kit - Speakers, antenna and wiring. Does NOT include radio**	\$563
500K042	Sun shade	\$260
500K043	Fire extinguisher	\$279
500K047	Roof Glass with Wiper (For Canopy)	\$210
500K050	Front screen guard	\$552
500K051	Front screen and roof guard	\$949
500K061	LiveLink Telematics	\$1,066
500K081	Air Conditioning	\$3,520
500K086	Additional Mirror Package (Boom Nose, Engine Side and Rear Mirrors)	\$782
500K263	Level 1 Camera - Rear Only, includes Display	\$826
500K264	Level 2 Camera - Rear and Side, includes Display	\$1,012
500K479	Face Level Fan	\$228
500T700	Foam Filled Tires 17.5x25	\$5,253

* Arctic kit includes heaters for hydraulic tank, battery and engine sump; cold temperature spec hoses and electrical harnesses, storage cabinet and arctic diesel

**** A COMPLETE LINE OF HIGH QUALITY RADIO & OBSERVATION SYSTEMS IS AVAILABLE THROUGH JCB AFTERMARKET ACCESSORIES. CONTACT YOUR PARTS DEPARTMENT FOR COMPLETE DETAILS AND REFER TO TECHWEB BULLETIN 3441.**

	512-56 LOADALL	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: MAY 10, 2018

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES CODE	ITEM	U.S. LIST
CARRIAGES		
500M241	48" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,771
500M242	66" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$1,965
500M243	72" wide Carriage, 2-1/4" fork shaft, 12K Capacity	\$2,038
500M488	72" wide Side Tilt Carriage, 2-1/4" fork shaft, 10K Capacity	\$5,356
500Q377	60" Hydraulic Fork Positioner, includes 60" Forks, 12K Capacity	\$7,528
FORKS		
500M224	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$606
500M225	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,463
500M226	48" x 4" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,609
500M229	48" x 4" x 2.5" pallet forks (2) for 2-1/4" fork shaft	\$1,793
500M230	60" x 6" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,100
500M231	72" x 6" x 2" Pallet Forks (2) for 2-1/4" fork shaft	\$2,751
500M800	48" x 4" x 2" brick forks (2) for 2-1/4" fork shaft	\$978
500M801	48" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,212
500M802	60" x 5" x 2" pallet forks (2) for 2-1/4" fork shaft	\$1,463
OTHER ATTACHMENTS		
500L803	1.0 cu. yd, 96" Wide Utility bucket	\$2,442
500T815	12' Truss Boom, 1,400lbs capacity	\$3,113