

Isuzu Standard Features

Bid Invitation #HT06-16

The following descriptions are the standard features, as pulled from the *ISpec* dealer quotation database, data version 1079. Offeror shall price these complete trucks in their entirety, on Form-D, reflecting the entire complement of the base vehicle specification's standard features listed herein, as well as all normal dealer make-ready and factory-to-dealer destination charges. Except as ordered by an H-GAC member (e.g. axle upgrade, longer wheelbase, et cetera), the base units described herein and priced on Form-D shall not require any additional compulsory components, fees, or services to render them complete, functional, and legal cab-chassis. All Form-D line items shall be priced inclusive of air conditioning.

H-GAC Product Code: G1 **NPR, COE, SRA, Diesel**

2016 Isuzu NPR HD DSL REG AT (NF104) 109" WB WHITE CAB IBT PWL

Selected Model and Options

MODEL

CODE MODEL Invoice MSRP

NF104 2016 Isuzu NPR HD DSL REG AT 109" WB WHITE CAB IBT PWL

COLORS

CODE DESCRIPTION Invoice MSRP

729 Arc White \$0.00 \$0.00

AXLE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

005 Rear axle ratio, 4.56:1 (STD) 0.00 lbs 0.00 lbs Inc. Inc.

SEAT TRIM

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

34C Very Dark Pewter, Tricot cloth seat trim
(STD)

0.00 lbs 0.00 lbs Inc. Inc.

PRIMARY PAINT

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

729 Arc White 0.00 lbs 0.00 lbs \$0.00 \$0.00

ENGINE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I1B 4HK1-TC, diesel engine 317 CID
(5.19L), 215 HP at 2550 RPM: 452 ft-lb
gross torque at 1850 RPM. 4 cylinder,
16 valve, four cycle, overhead cam,
turbocharged, inter-cooled, water cooled
EGR valve, direct injection,
electronically controlled common rail

fuel system and engine cruise control.
Oil level check switch and light. Engine
Warning system with audible warning for
low oil pressure, high coolant
temperature, and low coolant level.
Rear engine cover. (STD)
0.00 lbs 0.00 lbs Inc. Inc.

REQUIRED OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I3H DEF Fill Charge 0.00 lbs 0.00 lbs

REAR TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I5H/I34 Rear tires, 215/85R16E (10 ply)
tubeless radial, all season (STD)
0.00 lbs 0.00 lbs Inc. Inc.

FRONT TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I5H/I69 Front tires, 215/85R16E (10 ply)
tubeless radial, all season (STD)
0.00 lbs 0.00 lbs Inc. Inc.

WHEELBASE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

IA8 Wheelbase, 109" (276.9 cm) includes
ladder type channel frame. Full C
section straight frame 33.5 inches (85.1
cm) wide. Yield strength 44,000 psi,
section modulus 7.20 cu. in. and RBM
316,800 lb-ft/in per rail. (STD)
0.00 lbs 0.00 lbs Inc. Inc.

TRANSMISSION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

IR7 Transmission, automatic, Aisin A465 6-
speed. Ratios: 3.742, 2.003, 1.343,
1.000, 0.773, 0.634, Rev 3.539 (STD)
0.00 lbs 0.00 lbs Inc. Inc.

MODEL OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

NF104 Custom/base model -inc: in rail fuel
tank, pwr windows/door locks
0.00 lbs 0.00 lbs \$0.00 \$0.00

VEHICLE APPLICATION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

RQ2 Truck application (STD) 0.00 lbs 0.00 lbs Inc. Inc.

EMISSIONS

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

YF5 50 State Emissions, including California 0.00 lbs 0.00 lbs Inc. Inc.

PAINT SCHEME

ZY1 Solid paint (STD) 0.00 lbs 0.00 lbs Inc. Inc.

H-GAC Product Code: G2
NPR, COE, SRA, Gas

2016 Isuzu NPR GAS REG 109" WB 12000 GVWR IBT PWL

COLORS

CODE DESCRIPTION

729 Arc White

AXLE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

098 Rear axle ratio, 5.125:1 0.00 lbs 0.00 lbs

SEAT TRIM

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

34C Very Dark Pewter, Tricot cloth seat trim
(STD)

0.00 lbs 0.00 lbs

PRIMARY PAINT

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

729 Arc White 0.00 lbs 0.00 lbs

MODEL OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

DB104 Custom/base model -inc: air cond, in rail
fuel tank, pwr windows, pwr door locks

0.00 lbs 0.00 lbs

REAR TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

I53/I34 Rear tires, 215/85R16E (10 ply) LRR
(low rolling resistance) tubeless steel
belted radials, all season (STD)

0.00 lbs 0.00 lbs

FRONT TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

I53/I69 Front tires, 215/85R16E (10 ply) LRR
(low rolling resistance) tubeless steel
belted radials, all season (STD)

0.00 lbs 0.00 lbs

WHEELBASE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

IA8 Wheelbase, 109" (276.9 cm) includes
ladder type channel frame. Full C
section straight frame 33.5 inches (85.1
cm) wide. Yield strength 44,000 psi,
section modulus 7.20 cu.in. and RBM

316,800 lb-ft/in per rail. (STD)
0.00 lbs 0.00 lbs

ENGINE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

L96 Gas Engine, GMPT-V8 8 cylinder V block, four cycle overhead valve water cooled Vortec 6 liter SFI V8 297 HP gross @ 4300 RPM; 372 lb-ft gross torque @ 4000 RPM. Electronically controlled sequential fuel injection. Six bolt main cap design for heavy duty performance. Engine Control Module (ECM) and Transmission Control Module (TCM) engine control system. Engine cruise control, engine oil cooler, High Idle Mode (1200 rpm) (STD)
0.00 lbs 0.00 lbs

TRANSMISSION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

MYD Transmission, Automatic, 6L90-E Hydra-Matic, 6-speed with lock-up converter, overdrive. Ratios: Gear and Ratios 4.027, 2.364 ,1.532, 1.152, 0.852, 0.667, Rev. 3.064:1 (STD)
0.00 lbs 0.00 lbs

VEHICLE APPLICATION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

RQ2 Truck application (STD) 0.00 lbs 0.00 lbs

EMISSIONS

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

YF5 50 State Emissions, including California 0.00 lbs 0.00 lbs

PAINT SCHEME

ZY1 Solid paint (STD) 0.00 lbs 0.00 lbs

H-GAC Product Code: G3
NPR-XD, COE, SRA, Diesel

2016 Isuzu NPR XD DSL REG AT (NY104) 109" WB WHITE CAB IBT PWL

Selected Model and Options

MODEL

CODE MODEL Invoice MSRP

NY104 2016 Isuzu NPR XD DSL REG AT 109" WB WHITE CAB IBT PWL

COLORS

CODE DESCRIPTION Invoice MSRP

729 Arc White \$0.00 \$0.00

AXLE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

005 Rear axle ratio, 4.77:1 (STD) 0.00 lbs 0.00 lbs Inc. Inc.

SEAT TRIM

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

34C Very Dark Pewter, Tricot cloth seat trim
(STD)

0.00 lbs 0.00 lbs Inc. Inc.

PRIMARY PAINT

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

729 Arc White 0.00 lbs 0.00 lbs \$0.00 \$0.00

ENGINE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I1B 4HK1-TC, diesel engine 317 CID
(5.19L), 215 HP at 2550 RPM: 452 ft-lb
gross torque at 1850 RPM. 4 cylinder,
16 valve, four cycle, overhead cam,
turbocharged, inter-cooled, water cooled
EGR valve, direct injection,
electronically controlled common rail
fuel system and engine cruise control.
Oil level check switch and light. Engine
Warning system with audible warning for
low oil pressure, high coolant
temperature, and low coolant level.
Rear engine cover. (STD)

0.00 lbs 0.00 lbs Inc. Inc.

REQUIRED OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I3H DEF Fill Charge 0.00 lbs 0.00 lbs

REAR TIRES

CODE DESCRIPTION FRONT**WEIGHT****REAR****WEIGHT****Invoice MSRP**

I5H/I34 Rear tires, 225/70R19.5F (12 ply) LRR

(low rolling resistance) tubeless steel

belted radial, all season (STD)

0.00 lbs 0.00 lbs Inc. Inc.

FRONT TIRES**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

I5H/I69 Front tires, 225/70R19.5F (12 ply) LRR

(low rolling resistance) tubeless steel

belted radial, all season (STD)

0.00 lbs 0.00 lbs Inc. Inc.

WHEELBASE**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

IA8 Wheelbase, 109" (276.9 cm) includes

ladder type channel frame. Full C

section straight frame 33.5 inches (85.1

cm) wide. Yield strength 44,000 psi,

section modulus 7.20 cu. in. and RBM

316,800 lb-ft/in per rail. (STD)

0.00 lbs 0.00 lbs Inc. Inc.

TRANSMISSION**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

IR7 Transmission, automatic, Aisin A465 6-

speed. Ratios: 3.742, 2.003, 1.343,

1.000, 0.773, 0.634, Rev 3.539 (STD)

0.00 lbs 0.00 lbs Inc. Inc.

MODEL OPTION**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

NY104 Custom/base model -inc: in rail fuel

tank, pwr windows/door locks

0.00 lbs 0.00 lbs \$0.00 \$0.00

VEHICLE APPLICATION**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

RQ2 Truck application (STD) 0.00 lbs 0.00 lbs Inc. Inc.

EMISSIONS**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

YF5 50 State Emissions, including California 0.00 lbs 0.00 lbs Inc. Inc.

PAINT SCHEME

ZY1 Solid paint (STD) 0.00 lbs 0.00 lbs Inc. Inc.

H-GAC Product Code: G4
NPR-XD, COE, SRA, Gas

2016 Isuzu NPR HD GAS REG (FE104) 109" WB 14500 GVWR IBT PWL (2)

Selected Model and Options

MODEL

CODE MODEL Invoice MSRP

FE104 2016 Isuzu NPR HD GAS REG 109" WB 14500 GVWR IBT PWL

COLORS

CODE DESCRIPTION Invoice MSRP

729 Arc White \$0.00 \$0.00

SEAT TRIM

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

34C Very Dark Pewter, Tricot cloth seat trim
(STD)

0.00 lbs 0.00 lbs Inc. Inc.

PRIMARY PAINT

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

729 Arc White 0.00 lbs 0.00 lbs \$0.00 \$0.00

MODEL OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

FE104 Custom/base model -inc: air cond, in rail
fuel tank, pwr windows, pwr door locks

0.00 lbs 0.00 lbs \$0.00 \$0.00

WHEELBASE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

IA8 Wheelbase, 109" (276.9 cm) includes
ladder type channel frame. Full C
section straight frame 33.5 inches (85.1
cm) wide. Yield strength 44,000 psi,
section modulus 7.20 cu.in. and RBM
316,800 lb-ft/in per rail. (STD)
0.00 lbs 0.00 lbs Inc. Inc.

AXLE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

IC6 Rear axle ratio, 5.375:1 (STD) 0.00 lbs 0.00 lbs Inc. Inc.

ENGINE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

L96 Gas Engine, GMPT-V8 8 cylinder V
block, four cycle overhead valve water

cooled Vortec 6 liter SFI V8 297 HP
gross @ 4300 RPM; 372 lb-ft gross
torque @ 4000 RPM. Electronically
controlled sequential fuel injection. Six
bolt main cap design for heavy duty
performance. Engine Control Module
(ECM) and Transmission Control
Module (TCM) engine control system.
Engine cruise control, engine oil cooler,
High Idle Mode (1200 rpm) (STD)
0.00 lbs 0.00 lbs Inc. Inc.

TRANSMISSION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

MYD Transmission, Automatic, 6L90-E Hydra
-Matic, 6-speed with lock-up converter,
overdrive. Ratios: Gear and Ratios
4.027, 2.364, 1.532, 1.152, 0.852,
0.667, Rev. 3.064:1 (STD)
0.00 lbs 0.00 lbs Inc. Inc.

VEHICLE APPLICATION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

RQ2 Truck application (STD) 0.00 lbs 0.00 lbs Inc. Inc.

FRONT TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

XTN/R3M Front tires, 225/70R19.5G (14 ply) LRR
(low rolling resistance) tubeless steel
belted radials, all season (STD)
0.00 lbs 0.00 lbs Inc. Inc.

EMISSIONS

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

YF5 50 State Emissions, including California 0.00 lbs 0.00 lbs Inc. Inc.

REAR TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

YTN/S3M Rear tires, 225/70R19.5G (14 ply) LRR
(low rolling resistance) tubeless steel
belted radials, all season (STD)
0.00 lbs 0.00 lbs Inc. Inc.

PAINT SCHEME

ZY1 Solid paint (STD) 0.00 lbs 0.00 lbs Inc. Inc.

H-GAC Product Code: G5
NQR COE, SRA

2016 Isuzu NQR DSL REG AT (NR104) 109" WB WHITE CAB IBT PWL

Selected Model and Options

MODEL

CODE MODEL Invoice MSRP

NR104 2016 Isuzu NQR DSL REG AT 109" WB WHITE CAB IBT PWL

COLORS

CODE DESCRIPTION Invoice MSRP

729 Arc White \$0.00 \$0.00

AXLE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

098 Rear axle ratio, 5.125:1 (STD) 0.00 lbs 0.00 lbs Inc. Inc.

SEAT TRIM

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

34C Very Dark Pewter, Tricot cloth seat trim
(STD)

0.00 lbs 0.00 lbs Inc. Inc.

PRIMARY PAINT

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

729 Arc White 0.00 lbs 0.00 lbs \$0.00 \$0.00

ENGINE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I1B 4HK1-TC, diesel engine 317 CID
(5.19L), 215 HP at 2550 RPM: 452 ft-lb
gross torque at 1850 RPM. 4 cylinder,
16 valve, four cycle, overhead cam,
turbocharged, inter-cooled, water cooled
EGR valve, direct injection,
electronically controlled common rail
fuel system and engine cruise control.
Oil level check switch and light. Engine
Warning system with audible warning for
low oil pressure, high coolant
temperature, and low coolant level.
Rear engine cover. (STD)

0.00 lbs 0.00 lbs Inc. Inc.

REQUIRED OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I3H DEF Fill Charge 0.00 lbs 0.00 lbs

REAR TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR**WEIGHT****Invoice MSRP**

I5H/I34 Rear tires, 225/70R19.5F (12 ply)
tubeless radial, all season tread (STD)
0.00 lbs 0.00 lbs Inc. Inc.

FRONT TIRES**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

I5H/I69 Front tires, 225/70R19.5F (12 ply)
tubeless radial, all season tread (STD)
0.00 lbs 0.00 lbs Inc. Inc.

WHEELBASE**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

IA8 Wheelbase, 109" (276.9 cm) includes
ladder type channel frame. Full C
section straight frame 33.5 inches (85.1
cm) wide. Yield strength 44,000 psi,
section modulus 7.20 cu.in. and RBM
316,800 lb-ft/in per rail. (STD)
0.00 lbs 0.00 lbs Inc. Inc.

TRANSMISSION**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

IR7 Transmission, automatic, Aisin A465 6-
speed. Ratios: 3.742, 2.003, 1.343,
1.000, 0.773, 0.634, Rev 3.539 (STD)
0.00 lbs 0.00 lbs Inc. Inc.

MODEL OPTION**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

NR104 Custom/base model -inc: in rail fuel
tank, pwr windows/door locks
0.00 lbs 0.00 lbs \$0.00 \$0.00

VEHICLE APPLICATION**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT****Invoice MSRP**

RQ2 Truck application (STD) 0.00 lbs 0.00 lbs Inc. Inc.

EMISSIONS**CODE DESCRIPTION FRONT****WEIGHT****REAR****WEIGHT**

YF5 50 State Emissions, including California 0.00 lbs 0.00 lbs Inc. Inc.

PAINT SCHEME

ZY1 Solid paint (STD) 0.00 lbs 0.00 lbs Inc. Inc.

2016 Isuzu NRR DSL REG AT (NU104) 109" WB WHITE CAB IBT PWL

Selected Model and Options

MODEL

CODE MODEL Invoice MSRP

NU104 2016 Isuzu NRR DSL REG AT 109" WB WHITE CAB IBT PWL

COLORS

CODE DESCRIPTION Invoice MSRP

729 Arc White \$0.00 \$0.00

AXLE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

011 Rear axle ratio, 5.571:1 (STD) 0.00 lbs 0.00 lbs Inc. Inc.

SEAT TRIM

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

34C Very Dark Pewter, Tricot cloth seat trim (STD)

0.00 lbs 0.00 lbs Inc. Inc.

PRIMARY PAINT

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

729 Arc White 0.00 lbs 0.00 lbs \$0.00 \$0.00

ENGINE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I1B 4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft-lb gross torque at 1850 RPM. 4 cylinder, 16 valve, four cycle, overhead cam, turbo charged, inter-cooled, water cooled EGR valve, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine Warning system with audible warning for low oil pressure, high coolant temperature, and low coolant level. Rear engine cover. (STD)
0.00 lbs 0.00 lbs Inc. Inc.

REQUIRED OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I3H DEF Fill Charge 0.00 lbs 0.00 lbs

REAR TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I5H/I34 Rear tires, 225/70R19.5F (12 ply) tubeless radial, all season tread (STD)

0.00 lbs 0.00 lbs Inc. Inc.

FRONT TIRES

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

I5H/I69 Front tires, 225/70R19.5F (12 ply)
tubeless radial, all season tread (STD)

0.00 lbs 0.00 lbs Inc. Inc.

WHEELBASE

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

IA8 Wheelbase, 109" (276.9 cm) includes
ladder type channel frame. Full C
section straight frame 33.5 inches (85.1
cm) wide. Yield strength 44,000 psi,
section modulus 7.20 cu.in. and RBM
316,800 lb-ft/in per rail. (STD)

0.00 lbs 0.00 lbs Inc. Inc.

TRANSMISSION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

IR7 Transmission, automatic, Aisin A465 6-
speed. Ratios: 3.742, 2.003, 1.343,
1.000, 0.773, 0.634, Rev 3.539 (STD)

0.00 lbs 0.00 lbs Inc. Inc.

MODEL OPTION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

NU104 Custom/base model -inc: in rail fuel
tank, pwr windows/door locks

0.00 lbs 0.00 lbs \$0.00 \$0.00

VEHICLE APPLICATION

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

Invoice MSRP

RQ2 Truck application (STD) 0.00 lbs 0.00 lbs Inc. Inc.

EMISSIONS

CODE DESCRIPTION FRONT

WEIGHT

REAR

WEIGHT

YF5 50 State Emissions, including California 0.00 lbs 0.00 lbs Inc. Inc.

PAINT SCHEME

ZY1 Solid paint (STD) 0.00 lbs 0.00 lbs Inc. Inc.