

**Leader Price List - Base Units**  
**Professional Ambulance Sales & Service SERVS**  
**Ambulances, EMS & Special Service Vehicles**  
**Contract No.: AM10-23**  
**Oct-23**

<b>Manufacturer</b>	<b>Product</b>	<b>Item Description</b>	<b>Offered List Price</b>	<b>HGACBuy Discount</b>
		<b>Category A - Ambulance</b>		
<b>Leader</b>	<b>CE MR</b>	Type II Transit "CE" MR	\$ 119,069.00	3%
<b>Leader</b>	<b>CE PRO MR</b>	Type II Transit "CE PRO" MR	\$ 126,512.00	3%
<b>Leader</b>	<b>SE MR</b>	Type II Transit "SE" MR	\$ 129,136.00	3%
<b>Leader</b>	<b>LE HR</b>	Type II Transit "LE" MR	\$ 149,882.00	3%
<b>Leader</b>	<b>SE HR</b>	Type II Transit "SE" MR	\$ 136,998.00	3%
<b>Leader</b>	<b>LE</b>	Type II Sprinter "LE" MR	\$ 169,493.00	3%
<b>Leader</b>	<b>SE</b>	Type II Sprinter "SE" MR	\$ 148,954.00	3%
<b>Leader</b>	<b>SE</b>	92/145 Type III Ford "SE"	\$ 201,011.00	3%
<b>Leader</b>	<b>LE</b>	94/148 Type III Ford "LE"	\$ 237,706.00	3%
<b>Leader</b>	<b>LE</b>	96/170 Type III Ford "LE"	\$ 269,235.00	3%
<b>Leader</b>	<b>CCT</b>	96/170 CCT Type III Ford	\$ 316,659.00	3%
<b>Leader</b>	<b>Sprinter</b>	86/148 Type III Sprinter "LE"	\$ 267,664.00	3%
<b>Leader</b>	<b>LE</b>	96/150 Type I Ford "LE"	\$ 289,495.00	3%
<b>Leader</b>	<b>LE</b>	96/173 Type I Ford "LE"	\$ 305,977.00	3%
		<b>Category E - Remount Services Only</b>		
<b>SERVS</b>		SERVS Option Catalog		
		<b>Category F - Remount on Contractor Provided Chassis</b>		
<b>SERVS</b>		SERVS Option catalog		

**Price List - Published Options**

**Professional Ambulance Sales & Service SERVS**

**Ambulances, EMS & Special Service Vehicles**

**Contract No.: AM10-23**

**Oct-23**

Manufacturer	Item Code	Item Description	Offered List Price	HGACBuy Discount
		<b>Leader Published Options</b>		
		Chassis Upgrade: Ford Chassis to 4x4	\$ 3,193	3%
		Chassis Upgrade: Ford F350 to F450	\$ 2,575	3%
		Chassis Upgrade: Ford F450 to F550	\$ 1,591	3%
		Chassis Upgrade: Ford E350 to E450	\$ 2,163	3%
		Chassis Upgrade: Ford Reg Cab to Super Cab	\$ 2,987	3%
		Chassis Upgrade: Ford Reg Cab to Crew Cab	\$ 4,429	3%
		Chassis Upgrade: Ford Gas to Diesel	\$ 9,579	3%
		Chassis Upgrade: GM/Chevy Chassis to 4x4	\$ 3,914	3%
		Chassis Upgrade: GM/Chevy 3500 to 4500 Type III	\$ 1,545	3%
		Chassis Upgrade: GM/Chevy 4500 to 5500 Type I	\$ 2,678	3%
		Chassis Upgrade: GM/Chevy Gas to Diesel	\$ 9,785	3%
		Chassis Upgrade: Ram 3500 to 4500	\$ 2,575	3%
		Chassis Upgrade: Ram to 4500 to 5500	\$ 1,545	3%
		Chassis Upgrade: Ram Gas to Diesel	\$ 9,579	3%
		Chassis Upgrade: Ram to 4x4	\$ 3,193	3%
		Chassis Upgrade: Ram Reg Cab to Crew Cab	\$ 4,429	3%
		Chassis Upgrade: Idle Mitigation System	\$ 58,041	3%
		X-Series Upgrade; includes premium insulation package, composite AL cabinetry, multi-plex electrical system, rub rail LED lighting +	\$ 25,415	3%
		AEV Flex Package; includes Ferno InTraXX rail system & Ferno bag assortment custom interior	\$ 31,479	3%
	121915	CUSTOMER SUPPLIED CHASSIS: Must have prior approval from engineering before accepting customer supplied chassis. Leader is not responsible for any damage or defects on customer supplied chassis. Leader will contact the customer if any damage or defects are discovered outside initial inspection.	\$ 610	3%
	30422	(2022) "CE" FORD TRANSIT RWD R1C T250 MEDIUM ROOF ECOBOOST Wheelbase 147.6", overall height, 101.1", length, 238" YZ Oxford white exterior 99G 3.5L ECOBOOST Gasoline Engine 101A Preferred Equipment Package 20B GVWR 9070 - FGAW 4130 - RGAW 5515 - BASE CURB 5318 K Palazzo Gray 44U 10 Speed Auto Transmission 47B Ambulance Prep Package 425 50 State Emissions Fuel tank capacity: 25 gal. midship tank 63C Dual Alternators (included in Amb prep package) 63E Dual Batteries (included in Amb prep package) 53K Mod Upfitter Wiring Pkg (included in Amb prep package) 57B Manual A/C 85D Dual Horns 942 Daytime Lamps X7L Rear Axle 3.73:1 ratio with limited slip 62C Auxiliary heater A/C prep package for Upfitter without rear controls 64H 6.5 x 16 std black steel wheels with full silver wheel cover snap on. Tires: 235 x 65R16 BSW Spare Tire and Rim Jack and tools stored in floor on passenger side in cab Telescopic, Tilt Steering Wheel 2 OEM Cup-holders in Dash Cab Floor, Black Vinyl Rear view camera mounted above Rear doors displays in 58X* 153 front license plate bracket 60C Cruise Control 942 Daytime Running Lamps 17B glass fixed passenger side and rear V Vinyl Seats 64H Srw-Stl w/ Wheel Covers 86F 2 Additional Keys 92E Privacy Glass	\$ 48,137	3%
	31719	(2022) "SE" FORD TRANSIT RWD R1C T250 MEDIUM ROOF ECOBOOST Wheelbase 147.6", overall height, 101.1", length, 238" YZ Oxford white exterior 99G 3.5L ECOBOOST Gasoline Engine 18D Exterior Upgrade Package 101A Preferred Equipment Package 20B GVWR 9070 - FGAW 4130 - RGAW 5515 - BASE CURB 5318 C Cloth Interior K Palazzo Gray 44U 10 Speed Auto Transmission 41H Engine block heater 47B Ambulance Prep Package 425 50 State Emissions Fuel tank capacity: 25 gal. midship tank 63C Dual Alternators (included in Amb prep package) 63E Dual Batteries (included in Amb prep package) 53K Mod Upfitter Wiring Pkg (included in Amb prep package) 57B Manual A/C 85D Dual Horns 942 Daytime Lamps X7L Rear Axle 3.73:1 ratio with limited slip 62C Auxiliary heater A/C prep package for Upfitter without rear controls 64H 6.5 x 16 standard black steel wheels with full silver wheel cover snap on. Tires: 235 x 65R16 BSW Spare Tire and Rim Jack and tools stored in floor on passenger side in cab Cloth Interior, Palazzo Gray Telescopic, Tilt Steering Wheel 2 OEM Cup-holders in Dash Cab Floor, Black Vinyl 153 front license plate bracket 60C Cruise Control 85C Illuminated Visors 86F Keys 2 additional 942 Daytime Running Lamps 85C Illuminated Visors 17B glass fixed passenger side and rear 57N Rear Defrost Windows 21Q 10 Way D/P Power Seats 92E Privacy Glass 54S Short Power/Heated Mirrors 58B SYNC 4 AM/FM Bluetooth 61D 360-Degree Camera	\$ 51,842	3%
	31720	(2022) "SE" FORD TRANSIT AWD R2C T250 MEDIUM ROOF ECOBOOST Wheelbase 147.6", overall height, 101.1", length, 238" YZ Oxford white exterior 99G 3.5L ECOBOOST Gasoline Engine 18D Exterior Upgrade Package 101A Preferred Equipment Package 20B GVWR 9070 - FGAW 4630 - RGAW 5515 - BASE CURB 5550 C Cloth Interior K Palazzo Gray 44U 10 Speed Auto Transmission 41H Engine block heater 47B Ambulance Prep Package 425 50 State Emissions Fuel tank capacity: 25 gal. midship tank 63C Dual Alternators (included in Amb prep package) 63E Dual Batteries (included in Amb prep package) 53K Mod Upfitter Wiring Pkg (included in Amb prep package) 57B Manual A/C 85D Dual Horns 942 Daytime Lamps X7L Rear Axle 3.73:1 ratio with limited slip 62C Auxiliary heater A/C prep package for Upfitter without rear controls 64H 6.5 x 16 standard black steel wheels with full silver wheel cover snap on. Tires: 235 x 65R16 BSW Spare Tire and Rim Jack and tools stored in floor on passenger side in cab Cloth Interior, Palazzo Gray Telescopic, Tilt Steering Wheel 2 OEM Cup-holders in Dash Cab Floor, Black Vinyl 153 front license plate bracket 60C Cruise Control 85C Illuminated Visors 86F Keys 2 additional 942 Daytime Running Lamps 85C Illuminated Visors 17B glass fixed passenger side and rear 57N Rear Defrost Windows 21Q 10 Way D/P Power Seats 92E Privacy Glass 54S Short Power/Heated Mirrors 58B SYNC 4 AM/FM Bluetooth 61D 360-Degree Camera	\$ 57,059	3%

76740	(2023) "SE" FORD TRANSIT RWD R1C T250 MEDIUM ROOF ECOBOOST (PRICE SUBJECT TO CHANGE) Wheelbase 148", overall height, 101.1", length, 238" YZ Oxford white exterior 99G 3.5L ECOBOOST Gasoline Engine 18D Exterior Upgrade Package 101A Preferred Equipment Package .XL Trim 20B GVWR 9070 - FGAW 4130 - RGAW 5515 - BASE CURB 5318 C Cloth Interior K Palazzo Gray 44U 10 Speed Auto Transmission 41H Engine block heater 425 50 State Emissions Fuel Tank Capacity: 25 gal. midship tank 942 Daytime Lamps 47B Ambulance Prep Package .63C Dual Alternators (included in Amb prep package) .63E Dual Batteries (included in Amb prep package) .53K Mod Upfitter Wiring Pkg (included in Amb prep package) .85D Dual Horns .X7L Rear Axle 3.73:1 ratio with limited slip .17B Fixed glass, passenger side and rear .Aux. Fuse Panel 62C Auxiliary heater A/C prep package for Upfitter without rear controls 64H 6.5 x 16 standard black steel wheels with full silver wheel cover snap on. Tires: 235 x 65R16 BSW Spare Tire and Rim Jack and tools stored in floor on passenger side in cab Telescopic, Tilt Steering Wheel 2 OEM Cup-holders in Dash Cab Floor, Black Vinyl 153 front license plate bracket 60C Cruise Control 85C Illuminated Visors 86F Keys 2 additional 57N Rear Defrost Windows 21Q 10 Way D/P Power Seats 92E Privacy Glass 545 Short Power/Heated Mirrors 58B SYNC 4 AM/FM Bluetooth 61D 360-Degree Camera 55D Front Fog Lamps 66D Front OH Shelf	\$ 63,045	3%
76742	(2023) "SE" FORD TRANSIT AWD R2C T250 MEDIUM ROOF ECOBOOST (PRICE SUBJECT TO CHANGE) Wheelbase 148", overall height, 101.1", length, 238" YZ Oxford white exterior 99G 3.5L ECOBOOST Gasoline Engine 18D Exterior Upgrade Package 101A Preferred Equipment Package .XL Trim 20B GVWR 9070 - FGAW 4130 - RGAW 5515 - BASE CURB 5318 C Cloth Interior K Palazzo Gray 44U 10 Speed Auto Transmission 41H Engine block heater 425 50 State Emissions Fuel Tank Capacity: 25 gal. midship tank 942 Daytime Lamps 47B Ambulance Prep Package .63C Dual Alternators (included in Amb prep package) .63E Dual Batteries (included in Amb prep package) .53K Mod Upfitter Wiring Pkg (included in Amb prep package) .85D Dual Horns .X7L Rear Axle 3.73:1 ratio with limited slip .17B Fixed glass, passenger side and rear .Aux. Fuse Panel 62C Auxiliary heater A/C prep package for Upfitter without rear controls Tires: 235 x 65R16 BSW Spare Tire and Rim Jack and tools stored in floor on passenger side in cab Telescopic, Tilt Steering Wheel 2 OEM Cup-holders in Dash Cab Floor, Black Vinyl 153 front license plate bracket 60C Cruise Control 85C Illuminated Visors 86F Keys 2 additional 57N Rear Defrost Windows 21Q 10 Way D/P Power Seats 92E Privacy Glass 545 Short Power/Heated Mirrors 58B SYNC 4 AM/FM Bluetooth 61D 360-Degree Camera 55D Front Fog Lamps 66D Front OH Shelf	\$ 67,601	3%
76744	(2023) "CE" FORD TRANSIT RWD R1C T250 MEDIUM ROOF ECOBOOST (PRICE SUBJECT TO CHANGE) Wheelbase 148", overall height, 101.1", length, 238" YZ Oxford white exterior 99G 3.5L ECOBOOST Gasoline Engine 101A Preferred Equipment Package .XL Trim 20B GVWR 9070 - FGAW 4130 - RGAW 5515 - BASE CURB 5318 K Palazzo Gray 44U 10 Speed Auto Transmission 425 50 State Emissions Fuel tank capacity: 25 gal. midship tank 47B Ambulance Prep Package .63C Dual Alternators (included in Amb prep package) .63E Dual Batteries (included in Amb prep package) .53K Mod Upfitter Wiring Pkg (included in Amb prep package) .85D Dual Horns .17B Fixed glass passenger side and rear .X7L Rear Axle 3.73:1 ratio with limited slip 57B Manual A/C 942 Daytime Lamps 62C Auxiliary heater A/C prep package for Upfitter without rear controls 64H 6.5 x 16 std black steel wheels with full silver wheel cover snap on. Tires: 235 x 65R16 BSW Spare Tire and Rim Jack and tools stored in floor on passenger side in cab Telescopic, Tilt Steering Wheel 2 OEM Cup-holders in Dash Cab Floor, Vinyl Rear view camera mounted above Rear doors 153 Front license plate bracket 60C Cruise Control V Vinyl Seats 86F 2 Additional Keys 92E Privacy Glass	\$ 59,118	3%
4955	KKK-A1822F PACKAGE INCLUDES THE FOLLOWING: 1) KKK-A1822F Data Labels (w/ Letter of Exception of required) 2) Delete steady forward facing Red Light, change to flashing mode 3) Siren to have full functions, Non CA Title 13 4) SOL Decal package 5) O2 regulator 6) Exterior vent cover for oxygen compartment ventilation. 7) Positive latch devices on sliding polycarbonate windows 8) ALS Cabinet Modification: Delete drawer and vertical sliding door and replace with (2) hinged wood lap style doors with (1) Paddle handle slam latch, (1) wood door at bottom to have hinged polycarbonate O2 access door.	\$ 1,797	3%
7262	As Built Wiring Diagram	\$ 428	3%
4956	Stainless Steel (Transit) Wheel Liners (4)	\$ 439	3%
4957	Add diamond plate cover to rear OEM step bumper.	\$ 306	3%
4959	LATEX GLOVES: Supply (3) boxes of gloves (small, medium, and large) in glove box holder.	\$ 29	3%
4960	Attendant Seat, (EVS) High Back w/Child Seat, w/ IMMI-PER4MAX, 4-point restraints. (Black) (Priced based on deletion of Std. Attendant Seat) (Includes all Credits)	\$ 1,119	3%
4961	Opticom (LED) GTT 794H Emitter (Self contained) NOTE: (Includes Activating via Primary Switch, and wired thru Park/Neutral cut-off.	\$ 3,627	3%
4962	Headlight Flasher, Leader solid state, electronic, activated via Primary/Secondary switch in Primary mode only, with Lit White rocker switch in console.	\$ 647	3%
4963	Low Frequency Siren - Whelen "Howler", Includes (2) speakers, (1) siren amplifier, (1) drivers side "Linemaster" foot switch. NOTE: This is a supplemental siren activated via foot switch, and only offered in conjunction with the Primary Siren.	\$ 1,924	3%
4964	Handheld LED Spotlight, "Nighthawk" hard wired.	\$ 373	3%
4965	Lock out, park/neutral, wire any device to be inoperative in park and neutral (requires engineering approval).	\$ 141	3%
4966	Radio mounting bezel, adapts standard radio port in console to specified two-way radio, Black finish. (Specify Radio)	\$ 227	3%
4967	12 Volt wiring, pair. Positive - Negative, 20 amp protection, terminate behind driver seat w / 3 feet of coil.	\$ 151	3%
4968	KKK-A1822F LIGHTING MODIFICATION: -Delete KKK-A1822F Flash Pattern. -Replace with Leader standard alternating flash pattern. - "Primary/Secondary" switch to function as follows: Primary controls all emergency lights & siren, Secondary controls rear Amber warning lights only. (Credits included in price)	\$ 328	3%
5101	KKK-A1822F LIGHTING MODIFICATION: - Delete Steady Forward Facing Red, Change to Flashing Mode. - Siren to have full functions, Non CA Title 13.	\$ 122	3%
4969	AUXILIARY 12V DC SUB PANEL: Blues Sea ST Blade Split bus fuse block. Two isolated 6-circuit fuse blocks w/negative bus 6-gage Red Constant hot w/ 50 amp circuit breaker protection, Ignition hot w/ 20 amp circuit breaker protection, 6-gage Black Ground (Specify Location)	\$ 422	3%
4970	White forward facing LED, cut off switch (momentary) w/ auto re-set	\$ 328	3%
35097	Tremco Anti-theft device located below steering column	\$ 511	3%
4971	Power Inverter and Battery Charger, Vanner "LifeStar" 20-1050 CUL-DC, with fully integrated 1FM1 module, and Leader supplied rocker switch. (Requires cover plate over hole from Std. Inverter control panel) (Includes all Credits)	\$ 711	3%
4972	Electrical outlet 12V, additional location, (location on print) cigarette lighter style w/ removable cap. (in addition to standard)	\$ 158	3%
4973	Electrical outlet 12V, additional location, (location on print) USB Style w/ removable cap, (in addition to standard)	\$ 183	3%
4974	Electrical, 120V Illuminated outlet, additional location, tie in to 120 circuit. (Location: Next to existing 110V outlet in action wall)	\$ 335	3%
4975	Auto eject Shore Power, 120V, 15 amp, behind driver door, to female plug in inverter compartment. (Includes all Credits)	\$ 931	3%
4976	Carbon Monoxide detector, 12 volt powered. (location on print)	\$ 389	3%
4977	Emergency Time Manager (Clock) part # 00-0775-00.	\$ 640	3%
4978	Dome lights ILOS, (6) Code III Bacteria Killing Vital Vio White LED. (Price based on deletion of Std. Dome Lights) (Includes all Credits)	\$ 2,195	3%
4979	MBO Antenna Base (each)	\$ 277	3%
4980	12 Volt High Flow Water Pump, improves water flow to patient compartment heater.	\$ 518	3%

	4981	Flow meter, 0-15 LPM, Ohio disconnect.	\$ 140	3%
	4982	Flowmeter Integrated, Amvex 0-15 LPM (Tube Style) (Priced based on deletion of (1) Std. O2 Faceplate) (Includes all Credits)	\$ 380	3%
	4983	Flow meter Dial Preset, 0-25 LPM, Ohio disconnect.	\$ 207	3%
	4984	Oxygen regulator, preset 50 psi.	\$ 156	3%
	4985	Oxygen small bottle holder, Ferno #515, floor mount single, (ship loose only).	\$ 202	3%
	4986	Oxygen small bottle holder, Ferno #516, floor mount dual, (ship loose only).	\$ 267	3%
	4987	Oxygen small bottle holder, Ferno #519, wall mount single, (ship loose only).	\$ 301	3%
	4988	Oxygen small bottle holder, Ferno #520, dual wall mount, (ship loose only).	\$ 297	3%
	4990	Oxygen small bottle holder, Ferno #521, single bottle, wall mount.(location on print) Quantity (1)	\$ 702	3%
	4991	Oxygen small bottle holder, Ferno #521, single bottle, wall mount.(location on print) Quantity (2)	\$ 1,406	3%
	4992	Aspirator portable, SSCOR model 2310BV-S-CORT VX2. (Replacing Std. SSCOR system) (Requires cover plate over Std. regulator hole) (Price based on deletion of Std. SSCOR, Vacuum pump, Rocker Switch) (Includes all Credits)	\$ 1,766	3%
	4994	Oxygen small bottle holder quick release, ZICO #QR-D-2, single "D" bottle only (strapless) Quantity (1)	\$ 667	3%
	4995	Oxygen small bottle holder quick release, ZICO #QR-D-2, single "D" bottle only (strapless) Quantity (2)	\$ 1,331	3%
	4997	Oxygen small bottle holder quick release, ZICO #QR-E-1, single "E" bottle only (strapless) Quantity (1)	\$ 540	3%
	4998	Oxygen small bottle holder quick release, ZICO #QR-E-1, single "E" bottle only (strapless) Quantity (2)	\$ 1,078	3%
	122478	Oxygen Single "D" Size Bottle Holder, CAST PROD. Quantity (1)	\$ 400	3%
	122479	Oxygen Single "D" Size Bottle Holder, CAST PROD. Quantity (2)	\$ 800	3%
	122480	Oxygen Double "D" Size Bottle Holder, CAST PROD. Quantity (1)	\$ 690	3%
	122481	Oxygen Single "E" Size Bottle Holder, CAST PROD. Quantity (1)	\$ 412	3%
	122482	Oxygen Single "E" Size Bottle Holder, CAST PROD. Quantity (2)	\$ 824	3%
	4999	I.V. holder, position #1, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 194	3%
	5000	I.V. holder, position #2, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 194	3%
	5001	I.V. holder, position #3, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 194	3%
	5002	I.V. holder, position #4, Cast Products #A20-14, flush mounted, polished aluminum, (not available with net) show position on sketch.	\$ 194	3%
	5003	I.V. hardware, wall mount, (2), Cast Products #A2010, surface mounted, (location on print)	\$ 84	3%
	5005	Add 6" Yellow strap, Locate inside, above rear doors.	\$ 206	3%
	5006	Rear S/S Threshold with CUT-OUT, Mandatory when Stryker or Ferno Floor Plate is selected.	\$ 527	3%
	5007	Cot, Ferno #35A multi-level, #460 bolster mattress, maroon, #417-1 harness, maroon, (2) #430 restraints, maroon, for #175 fastener.	\$ 4,106	3%
	5008	Cot, Ferno #93-ES, 3-level, #460 bolster mattress, maroon, #417-1 harness, maroon, (2) #430 restraints, maroon, for #175 fastener.	\$ 5,526	3%
	5009	Cot, Ferno #28 stair chair/cot, roll-in, mattress, maroon, #417-1 harness, maroon, (2) #430 restraints, maroon, ( requires 5 inch PVC spacer on lower portion of streetside cabinet).	\$ 5,578	3%
	5010	(2021) Cot, Stryker, PERFORMANCE-PRO XT #6086, Performance Pro Standard Components. (No Power or Performance Load Compatibility)	\$ 11,818	3%
	5011	(2021) Cot, Stryker, MX-PRO #6082 R3, Std Rugged, MX-Pro Standard Components. (No Power or Performance Load Compatibility)	\$ 8,654	3%
	5012	(2021) Cot, Stryker #6506 POWER PRO XT (standard components) Includes: - Patient Right Cot Retaining Posts - 3 yr. X-Frame Powertrain Warranty - 2 yr. Bumper to Bumper Warranty (Extended warranties are available) - Dual Wheel Lock - Standard Fowler - (No Power or Performance Load Compatibility)	\$ 24,292	3%
	5013	(2021) Stryker Stair Chair Pro 6252	\$ 5,072	3%
	5014	Cot fastener, Ferno #173-2, Permanent mount, for #28 cot only). NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect. (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 803	3%
	5015	(2021) Cot fastener, Stryker Power Load #6390-000-000 w/ floor plate. (Meets SAE J3027) NOTE: (THIS OPTION INCLUDES MANDATORY STRYKER WHEEL GUIDE) NOTE: (COTS MUST BE UPGRADED TO POWER LOAD COMPATIBILITY) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 38,952	3%
	5016	(2021) Cot Fastener, Stryker Performance Load (w/ Floor Plate) #6392000002 (Meets SAE J3027) NOTE: (THIS OPTION INCLUDES MANDATORY STRYKER WHEEL GUIDE) NOTE: (COTS MUST BE UPGRADED TO PERFORMANCE LOAD COMPATIBILITY) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 6,186	3%
	5017	(2021) Cot Fastener, Stryker Performance Load (w/ Inductive Charging & Floor Plate) #6392000001 (Meets SAE J3027) NOTE: (THIS OPTION INCLUDES MANDATORY STRYKER WHEEL GUIDE) NOTE: (COTS MUST BE UPGRADED TO PERFORMANCE LOAD COMPATIBILITY) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 9,807	3%
	5019	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only).(93ES cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.(Price based on deletion of Std. fastener)(Includes all Credits)	\$ 1,329	3%

5020	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only).(#35-A cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.(Price based on deletion of Std. fastener)(Includes all Credits)	\$ 1,329	3%
5021	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only).(#35X cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.(Price based on deletion of Std. fastener)(Includes all Credits)	\$ 1,329	3%
5022	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only).(INX cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.(Price based on deletion of Std. fastener)(Includes all Credits)	\$ 1,625	3%
5023	Cot fastener, Ferno #185 (Short 86") Stat Trac fastening system. (Compatible with 35A, 35 series, 93 series, and Power Flexx Cots, Cots must be upgraded to StatTrac compatibility.) NOTE: (THIS OPTION INCLUDES MANDATORY FERNO WHEEL GUIDE) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 4,992	3%
5024	(2021) Stryker Power-LOAD Floor Plate Kit (Future Use) Supply and install Power-LOAD floor plate Only. Includes hole in floor plate (plugged) for 12V. power supply wiring. NOTE: 12V. power supply wiring (shipped loose) NOTE: (THIS OPTION INCLUDES MANDATORY STRYKER WHEEL GUIDE) NOTE: (COT MUST BE UPGRADED TO POWER LOAD COMPATIBILITY) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 2,907	3%
5025	(2021) Stryker Performance-LOAD Floor Plate Kit (Future Use) Supply and install Performance LOAD floor plate Only. Includes hole in floor plate (plugged) for 12V. power supply wiring. NOTE: 12V. power supply wiring (shipped loose) NOTE: (THIS OPTION INCLUDES MANDATORY STRYKER WHEEL GUIDE) NOTE: (COT MUST BE UPGRADED TO PERFORMANCE LOAD COMPATIBILITY) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 2,907	3%
5026	(2021) Stryker Power-LOAD, Install Customer Supplied Power-LOAD includes 12V power supply. NOTE: (LEADER SUPPLIED FLOOR PLATE) NOTE: (THIS OPTION INCLUDES MANDATORY STRYKER WHEEL GUIDE) NOTE: (COT MUST BE UPGRADED TO POWERLOAD COMPATIBILITY) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 3,005	3%
5027	(2021) Stryker Performance-LOAD, Install Customer Supplied Performance LOAD, includes 12V power supply. NOTE: (LEADER SUPPLIED FLOOR PLATE) NOTE: (THIS OPTION INCLUDES MANDATORY STRYKER WHEEL GUIDE) NOTE: (COT MUST BE UPGRADED TO PERFORMANCE LOAD COMPATIBILITY) (Price based on deletion of Std. fastener) (Includes all Credits)	\$ 3,005	3%
5028	Stryker #6371 Wall Mount Cot Fastener w/ Power Load Floor Plate (future use) Includes: Wall mount Lock bar (standard length rail), Antler, Power Loader floor plate, Antler to floor plate hardware, Safety "J" hook, and hole in floor plate (plugged) for 12V. power supply wiring. NOTE: 12V. power supply wiring (shipped loose) NOTE: This option includes existing cot fastener (antlers, wall mount rail) NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 2,153	3%
61427	Cot, Stryker #6507 Power-Pro 2 High Configuration Includes Standard Items: -4 Wheel Lock -Domestic English Manual -Boxed Domestic and International -X-Restraint Package -J Hook -Dual Power-LOAD and Performance-LOAD Compatibility -Battery 1 -Battery 2 -Battery Charger -XPS Rail -Knee Gatch Bolster Mattress, XPS -IV Pole, 3-Stage, PR -Head Section O2 Bottle Holder -Head End Storage Flat -Pocketed Back Rest Pouch -Smart Equipment Management	\$ 37,876	3%
63869	Cot, Stryker #6507 Power-Pro 2 Mid Configuration Includes Standard Items: -Dual Wheel Lock -Domestic English Manual -Boxed Domestic and International -X-Restraint Package -J Hook -Dual Power-LOAD and Performance-LOAD Compatibility -Battery 1 -Battery 2 -Battery Charger -Standard Side Rail -G-Rated Bolster Mattress Option -IV Pole, 3-Stage, PR -Head Section O2 Bottle Holder -Head End Storage Flat -Smart Equipment Management	\$ 35,619	3%
64383	Cot, Stryker #6506 Power-Pro XT Low Configuration: Includes: - STANDARD COMPONENTS - Patient Right Cot Retaining Posts - 3 yr. X-Frame Powertrain Warranty - 2 yr. Bumper to Bumper Warranty (Extended warranties are available) - Dual Wheel Lock - Standard Fowler - OPTIONS INCLUDED - Domestic English Manual - Domestic Shipping - X-Restraint Package - Trendelenburg - No Steer Lock Option - J Hook - No Power-LOAD Cot Compatibility - 120V AC Power Cord-NA (NEMA 1-15P) - 1 SMRT Charger, 2 SMRT PAKs - Standard Side Rail - G-Rated Bolster Mattress - 3 Stage IV Pole (patient right) - Head End Oxygen Bottle Holder - No Runner/HE O2 - Head End Storage Flat - Equipment Hook	\$ 24,180	3%
64384	Cot, Stryker #6506 Power-Pro XT Mid Configuration: Includes: - STANDARD COMPONENTS - Patient Right Cot Retaining Posts - 3 yr. X-Frame Powertrain Warranty - 2 yr. Bumper to Bumper Warranty (Extended warranties are available) - Dual Wheel Lock - Standard Fowler - OPTIONS INCLUDED - Domestic English Manual - Domestic Shipping - X-Restraint Package - Trendelenburg - No Steer Lock Option - J Hook - Dual Power-LOAD and Performance-LOAD Compatibility - 120V AC Power Cord-NA (NEMA 1-15P) - 1 SMRT Charger, 2 SMRT PAKs - XPS Side Rail - XPS G-Rated Bolster Mattress - 3 Stage IV Pole (patient right) - Head End Oxygen Bottle Holder - No Runner/HE O2 - Head End Storage Flat - Pocketed Back Rest Pouch - Equipment Hook	\$ 30,343	3%
64385	Cot, Stryker #6506 Power-Pro XT High Configuration: Includes: - STANDARD COMPONENTS - Patient Right Cot Retaining Posts - 3 yr. X-Frame Powertrain Warranty - 2 yr. Bumper to Bumper Warranty (Extended warranties are available) - Dual Wheel Lock - Standard Fowler - OPTIONS INCLUDED - Domestic English Manual - Domestic Shipping - X-Restraint Package - Knee-Gatch Trendelenburg - Steer Lock - J Hook - Dual Power-LOAD and Performance-LOAD Compatibility - 120V AC Power Cord-NA (NEMA 1-15P) - 1 SMRT Charger, 2 SMRT PAKs - XPS Side Rail - XPS G-Rated Bolster Mattress - 3 Stage IV Pole (patient right) - Head End Oxygen Bottle Holder - No Runner/HE O2 - Head End Storage Flat - Pocketed Back Rest Pouch - Equipment Hook	\$ 32,611	3%
108266	Cot, Stryker #6507 Power-Pro 2 High Configuration Includes: STANDARD COMPONENTS Patient Right Cot Retaining Posts 3 yr. X-Fram Powertrain Warranty 2 yr. Bumper to Bumper Warranty Dual Wheel Lock Standard Fowler Domestic English Manual Domestic Shipping (Does not include HI, AK, PR, GM) X-Restraint Package Knee-Gatch/Trendelenburg Steer-Lock J Hook Dual Power-LOAD and Performance-LOAD Compatibility OPTION - 120V AC Power Cord - NA (NEMA 1-15P) XPS Side Rail XPS G-Rated Bolster Mattress 3 Stage IV Pole(patient right) Head End Oxygen Bottle Holder No Runner/HE O2 Head End Storage Flat Pocketed Back Rest Pouch Equipment Hook	\$ 37,876	3%

108267	Cot, Stryker #6507 Power-Pro 2 Mid Configuration Includes: STANDARD COMPONENTS Dual Wheel Lock Domestic English Manual One Per Order Boxed Domestic and International X-Restraint Package J Hook Dual Power-LOAD and Performance-LOAD Compatibility Battery 1 Battery Charger Standard Side Rail G RATED BOLSTER MATTRESS OPTION IV POLE, 3-STAGE, PR Head Section O2 Bottle Holder Head End Storage Flat Smart Equipment Management	\$ 35,619	3%
137203	6257 Xpedition Mid Configuration Stair Chair: -Battery -PCS -Ankle restraint -Footrest kit -Standard lower lift handles -IV hook, PL, Xpedition -Upper carry handles kit	\$ 16,220	3%
137204	6257 Xpedition Mid Extended Stair Chair: -Battery -PCS -Ankle restraint -Footrest kit -Standard lower lift handles -IV hook, PL, Xpedition -Upper carry handles kit -Extended lower lift handles	\$ 16,876	3%
137205	6257 Xpedition High Configuration Stair Chair: -Two batteries -PCS -Ankle restraint -Footrest kit -Standard lower lift handles -IV hook, PL, Xpedition -Upper carry handles kit -Head restraint -O2 bottle holder	\$ 17,931	3%
5030	Paint to sample, color formula for exact match and spray sample, (required on all critical colors) (customer must sign and approve sample).	\$ 135	3%
33721	147.6", overall height, 101.1", length, 238" 99G 3.5L ECOBOOST Gasoline Engine 18D Exterior Upgrade Package 101A Preferred Equipment Package 20B GVWR 9070 - FGAW 4130 - RGAW 5515 - BASE CURB 5318 C Cloth Interior K Palazzo Gray 44U 10 Speed Auto Transmission 41H Engine block heater 47B Ambulance Prep Package 425 50 State Emissions Fuel tank capacity: 25 gal. midship tank 63C Dual Alternators	\$ 51,363	3%
5064	Stainless Steel (Transit) Wheel Liners (4).	\$ 394	3%
5065	Add diamond plate cover to rear OEM step bumper.	\$ 260	3%
5066	LATEX GLOVES: Supply (3) boxes of gloves (small, medium, and large) in glove box holder.	\$ 29	3%
5067	(1) Additional Metal Shelf (ALS) includes trim lock on upper lip, rubber mat, and (1) black strap w/ quick release buckle.	\$ 442	3%
5068	Dual "M" Cylinder Storage / Attendant Seat Cabinet: -Plywood Construction w/ laminate finish. -Transverse oxygen/air cabinet, this cabinet will house (2) "M" cylinders. To have opening in riser face for valve access w/ hinged polycarbonate door. To have hinged Laminated aluminum door w/ non-locking trigger latch for bottle access. -NOTE: This option requires weld plates for additional "M" bracket.	\$ 226	3%
5069	Add an IV storage cabinet to the forward curbside wall. Upper section will house IV catheters with (3) removable plex dividers and location for optional 3rd oxygen outlet. Lower section will have a 3/8" hinged plex door w/ non-locking Chrome "D" ring latch, with (2) fixed shelves. (Storage cabinet labeled for maximum weight of 5lbs)	\$ 867	3%
5070	Inverter Access Door: Removable laminated wood door w/ "D" ring latch. Located on face of lower streetside A1 cabinet.	\$ 286	3%
5071	Cab Map Box, wood map box, laminate finish, polycarbonate dividers. Attached to rear of center console.	\$ 451	3%
5072	ALS - Jumpkit Storage Cabinet - Matt Grey Finish: -Upper section to have enclosed storage cabinet w/ (2) hinged wood lap style doors with (1) Paddle handle slam latch, w/ one adjustable shelf. (Upper storage cabinet labeled for maximum weight of 40lbs) -Lower section to have enclosed storage cabinet w/ (1) 3/4" hinged wood door, w/ (1) Paddle handle slam latch w/ hold open cable. (Lower storage cabinet labeled for maximum weight of 20lbs) -1" Black tie down strap w/ quick release clip located on top of cabinet. (Top of cabinet storage labeled for maximum weight of 25lbs) NOTE: Price includes the deletion of the (2) metal shelves and uni-strut.	\$ 1,536	3%
5078	Attendant Seat, (EVS) High Back w/Child Seat, w/ IMMI-PER4MAX, 4-point restraints. (Blue Academy)	\$ 2,467	3%
5079	Attendant Seat, (EVS) High Back w/Child Seat, w/ IMMI-PER4MAX, 4-point restraints. (Black Doeskin)	\$ 2,467	3%
5080	Attendant Seat, (EVS) High Back w/Child Seat, w/ IMMI-PER4MAX, 4-point restraints. (Baypoint Ash Grey)	\$ 2,467	3%
5081	Attendant Seat, (EVS) High Back w/Child Seat, w/ IMMI-PER4MAX, 4-point restraints. (Sierra Light Grey)	\$ 2,467	3%
5082	Attendant Seat, (EVS) High Back w/Child Seat, w/ IMMI-PER4MAX, 4-point restraints. (Royal Blue)	\$ 2,467	3%
5084	Upholstery Color Patient Compartment, Blue Academy Independence: -All cushions & back rests -All fillers -Attendant seat (sewn) -Gimp (Price includes credit for standard upholstery)	\$ 269	3%
5085	Intersection lights, REAR fenders, (2) WHELEN 700 Super LED, Red w/ Red lens, w/ chrome flange	\$ 602	3%
5086	Opticom (LED) GTT 794H Emitter (Self contained) NOTE: (Includes Activating via Primary Switch, and wired thru Park/Neutral cut-off.	\$ 3,442	3%
5087	Headlight Flasher, Leader solid state, electronic, activated via Primary/Secondary switch in Primary mode only, with Lit White rocker switch in console.	\$ 457	3%
5088	Scene Lights ILOS, (4) total (2) per side, Whelen 700 series Linear LED.	\$ 789	3%
5089	Scene Lights ILOS, (2) rear, Whelen 700 series Linear LED.	\$ 395	3%
5090	Low Frequency Siren - Whelen Dual "Howler", Includes (2) speakers, (1) siren amplifier, (1) drivers side "Linemaster" foot switch. NOTE: This is a supplemental siren activated via foot switch, and only offered in conjunction with the Primary Siren.	\$ 1,647	3%
5092	Handheld LED Spotlight, "Nighthawk" hard wired.	\$ 328	3%
5093	Load manager, panel mounted indicator, Kussmaul 09132, (7) outputs, (requires engineering approval).	\$ 1,025	3%
5094	Lock out, park/neutral, wire any device to be inoperative in park and neutral ( requires engineering approval).	\$ 182	3%
5095	Anti-theft device, ignition controlled, Leader.	\$ 649	3%
5096	Digital Ally (3) Camera system. (2015 Transit Chassis Only)	\$ 4,045	3%
5097	Radio mounting bezel, adapts standard radio port in console to specified two-way radio, Black finish. (Specify Radio)	\$ 95	3%
5098	Heavy Duty Module Disconnect switch, driver seat base mounted, C.H. switch. (replaces standard Module Disconnect rocker switch)	\$ 333	3%
5099	12 Volt wiring, pair. Positive - Negative, 20 amp protection, terminate behind driver seat w / 3 feet of coil.	\$ 100	3%

	5100	KKK-A1822F LIGHTING MODIFICATION: -Delete KKK-A1822F Flash Pattern. -Replace with Leader standard alternating flash pattern. - "Primary/Secondary" switch to function as follows: Primary controls all emergency lights & siren, Secondary controls rear Amber warning lights only. (Credits included in price)	\$ 196	3%
	5102	AUXILARY 12V DC SUB PANEL: Blues Sea ST Blade Split bus fuse block. Two isolated 6-circuit fuse blocks w/negative bus 6-gage Red Constant hot w/ 50 amp circuit breaker protection, Ignition hot w/ 20 amp circuit breaker protection, 6-gage Black Ground (Specify Location)	\$ 339	3%
	5105	White forward facing LED, cut off switch (momentary) w/ auto re-set	\$ 235	3%
	15101	Tremco Anti-theft device located below steering column.	\$ 418	3%
	5106	Battery charger, IOTA 75 amp, (connected to shoreline).	\$ 708	3%
	5108	Power Inverter and Battery Charger, 1100W Vanner "LifeSine" LSC12-1100, with fully integrated 1FM1 module, and Leader supplied rocker switch.	\$ 2,549	3%
	5109	Electrical outlet 12V, additional location, (location on print) cigarette lighter style w/ trim ring and insert, (in addition to standard).	\$ 126	3%
	5110	Electrical outlet 12V, additional location, (location on print) cigarette lighter style w/ removable cap. (in addition to standard)	\$ 112	3%
	5111	Electrical outlet 12 volt Combination USB Port Type A 3.0 / Type C 4.0 In addition to Standard - (additional location shown on print)	\$ 163	3%
	5112	Electrical, 120V Illuminated outlet, additional location, (location on print), tie in to 120 circuit, (in addition to standard).	\$ 244	3%
	5113	Auto eject Shore Power, 120V, 15 amp, inlet located behind driver door, 10-AWG (3) conductor cable from Shoreline inlet terminating in electrical box behind drivers seat w/ 15 amp circuit breaker. 12-AWG (3) conductor cable from electrical box behind drivers seat terminating in Inverter compartment w/ female plug on end of cable. Connect female plug to 110V outlets or (optional) Inverter.	\$ 1,001	3%
	5114	Electric heater, (Broan) requires custom built cabinet, Broan # 176, 120V, includes additional GFI protected shoreline. NOTE: Utilizes standard shoreline grey box for 15 amp circuit breaker. (location on print)	\$ 1,002	3%
	5115	Block heater wiring, from B.H. to Shore Power, switch on partition behind driver seat base. NOTE: (Does not include OEM Block Heater)	\$ 307	3%
	5116	Carbon Monoxide detector, 12 volt powered. (location on print)	\$ 296	3%
	5117	Brake/Tail/Turn Whelen LED Strip light, located in patient compartment above rear access doors. Tied to OEM circuit.	\$ 390	3%
	5118	Emergency Time Manager (Clock) part # 00-0775-00.	\$ 462	3%
	5119	Climate Control Thermostat, (Digital) Controls patient compartment A/C - Heater. Replaces the following A/C - Heater switches: (2) On-Off switches, (1) Heat/Cool switch, (1) High/Low switch. NOTE: (With this option you forfeit the ability to control patient compartment A/C - Heater from cab)	\$ 469	3%
	5120	Climate Control Thermostat, (Analog) Controls patient compartment A/C - Heater. Replaces the following A/C - Heater switches: (1) Heat/Cool switch.	\$ 149	3%
	5121	Dome lights ILOS, (6) Code III Bacteria Killing Vital Vio White LED.	\$ 2,439	3%
	5122	Dome lights ILOS, (6) Keniquep LED White.	\$ 903	3%
	5123	Dome lights ILOS, (6) Keniquep LED White w/ Blue night light. (includes additional rocker switch)	\$ 1,176	3%
	5124	Fog lights, Piaa model # 2091, mounted in front OEM bumper. Dash installed switch.	\$ 870	3%
	5125	Antenna wiring, additional roof location, coax RG58A/U, with exterior stainless steel mounting plate (plugged), with (1) interior stainless steel access plate. (specify location on roof and termination.)	\$ 110	3%
	5126	MBO Antenna Base (each)	\$ 99	3%
	5127	Pre - Wire for Road Safety "New" 4000 System. Includes wire harness, Receiver with speaker. Vehicle antenna and Spotter Switch Kit. (NO Connections Made)	\$ 1,647	3%
	5128	Additional filter replacement for patient compartment Heat/AC system, 1 X 10 X 20 inches tri-pleat style. (ship loose)	\$ 24	3%
	5129	Add UV light and Heppa filter decontamination system to heat/AC system. On with heat/AC.	\$ 1,324	3%
	5130	Additional Heppa replacement filter for heat/ac system each. (ship loose)	\$ 229	3%
	5131	Emergency Start TRI System, w/ resettable circuit breaker, One additional battery (w/ vent tube) located in the lower section of streetside Stairchair cabinet, activation switch and pilot light located in overhead console.	\$ 2,270	3%
	5132	Solar Panel: Flexible 110W/5.8A (Kussmaul)	\$ 1,738	3%
	5133	12 Volt High Flow Water Pump, improves water flow to patient compartment heater.	\$ 472	3%

	5134	Flow meter, 0-15 LPM, Ohio disconnect.	\$ 140	3%
	5135	Flowmeter Integrated, Amvex 0-15 LPM (Tube Style) Replace (1) Standard Oxygen Faceplate	\$ 377	3%
	5136	Flow meter Dial Preset, 0-25 LPM, Ohio disconnect.	\$ 207	3%
	5137	Oxygen regulator, preset 50 psi.	\$ 156	3%
	5138	Oxygen small bottle holder, Ferno #515, floor mount single, (ship loose only).	\$ 179	3%
	5139	Oxygen small bottle holder, Ferno #516, floor mount dual, (ship loose only).	\$ 244	3%
	5140	Oxygen small bottle holder, Ferno #519, wall mount single, (ship loose only).	\$ 277	3%
	5141	Oxygen small bottle holder, Ferno #520, dual wall mount, (ship loose only).	\$ 274	3%
	5143	Oxygen small bottle holder, Ferno #521, single bottle, wall mount.(location on print) Quantity (1)	\$ 657	3%
	5144	Oxygen small bottle holder, Ferno #521, single bottle, wall mount.(location on print) Quantity (2)	\$ 1,313	3%
	5145	Electric switched Medical Air with digital read out, replaces manual system, includes manual by-pass.	\$ 1,735	3%
	5146	Electric switched Oxygen with digital read out, replaces manual system, includes manual by-pass.	\$ 1,703	3%
	5147	Electric switched oxygen with manual bypass.	\$ 531	3%
	5148	Additional oxygen outlet. (location on print)	\$ 338	3%
	5149	Aspirator portable, SSCOR model 2310BV-S-CORT VX2.	\$ 1,910	3%
	5151	Oxygen small bottle holder quick release, ZICO #QR-D-2, single "D" bottle only (strapless) Quantity (1)	\$ 620	3%
	5152	Oxygen small bottle holder quick release, ZICO #QR-D-2, single "D" bottle only (strapless) Quantity (2)	\$ 1,240	3%
	5154	Oxygen small bottle holder quick release, ZICO #QR-E-1, single "E" bottle only (strapless) Quantity (1)	\$ 494	3%
	5155	Oxygen small bottle holder quick release, ZICO #QR-E-1, single "E" bottle only (strapless) Quantity (2)	\$ 986	3%
	5156	Air outlet, action area, Puritan Bennett, Ohio style quick release, plumbed to remote bottle. Refer to prints for location.	\$ 594	3%
	5157	Air regulator, preset to 50 psi.	\$ 230	3%
	5158	Add a second oxygen/ medical air bottle rack, transverse mount, Leader Brand, For "M" tank. (in addition to standard rack)	\$ 611	3%
	7600	(1) Leader design Single Oxygen "D" Bottle Holder w/ quick release.	\$ 335	3%
	122460	Oxygen Single "D" Size Bottle Holder, CAST PROD. Quantity (1)	\$ 366	3%
	122461	Oxygen Single "D" Size Bottle Holder, CAST PROD. Quantity (2)	\$ 731	3%
	122462	Oxygen Double "D" Size Bottle Holder, CAST PROD. Quantity (1)	\$ 656	3%
	122463	Oxygen Single "E" Size Bottle Holder, CAST PROD. Quantity (1)	\$ 378	3%
	122477	Oxygen Single "E" Size Bottle Holder, CAST PROD. Quantity (2)	\$ 756	3%



	5160	Cargo Net, located @ head end of squad bench, 1 1/2" Black webbing, (2) Seat Belt style buckles. Lower Anchor points mounted to squad bench with (2) OEM D rings. Upper Anchor points mounted to ceiling with (2) Ancra plates.	\$ 696	3%
	5161	I.V. holder, position #1, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 149	3%
	5162	I.V. holder, position #2, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 149	3%
	5163	I.V. holder, position #3, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 149	3%
	5164	I.V. holder, position #4, Cast Products #A20-14, flush mounted, polished aluminum, (not available with net) show position on sketch.	\$ 149	3%
	5165	I.V. hardware, wall mount, (2), Cast Products #A2010, surface mounted, (location on print)	\$ 61	3%
	5167	Floor plates, under cot wheels, (3), 7" x 26", bright stainless.	\$ 189	3%
	5168	Ceiling grab rail 64", center mount, powder coated Yellow.	\$ 145	3%
	5169	Grab Bar, 1 1/4" stainless steel, anti-microbial satin finish. 18" length. Located vertically on passenger side rear door jamb.	\$ 188	3%
	5170	Fire extinguisher, ABC, 5 lb. quick release bracket, (shipped loose).	\$ 123	3%
	5171	Door waste receptacle, (1) Rubbermaid # 6140. (location on print)	\$ 236	3%
	5172	Add 6" Yellow strap. Locate inside, above rear doors.	\$ 137	3%
	5179	Cot, Stryker #6506 POWER PRO XT (standard components) Includes: - Patient Right Cot Retaining Posts - 3 yr. X-Frame Powertrain Warranty - 2 yr. Bumper Warranty (Extended warranties are available) - Dual Wheel Lock - Standard Fowler - (No Power or Performance Load Compatibility)	\$ 24,292	3%
	5174	Cot, Ferno #35A multi-level, #460 bolster mattress, maroon, #417-1 harness, maroon, (2) #430 restraints, maroon, for #175 fastener.	\$ 4,106	3%
	5175	Cot, Ferno #93-ES, 3-level, #460 bolster mattress, maroon, #417-1 harness, maroon, (2) #430 restraints, maroon, for #175 fastener.	\$ 5,526	3%
	5176	Cot, Ferno #28 stair chair/cot, roll-in, mattress, maroon, #417-1 harness, maroon, (2) #430 restraints, maroon, ( requires 5 inch PVC spacer on lower portion of streetside cabinet).	\$ 5,578	3%
	5177	Cot, Stryker, PERFORMANCE-PRO XT #6086, Performance Pro Standard Components. (No Power or Performance Load Compatibility)	\$ 11,818	3%
	5178	Cot, Stryker, MX-PRO #6082 R3, Std Rugged, MX-Pro Standard Components. (No Power or Performance Load Compatibility)	\$ 8,654	3%
	5180	Stryker Stair Chair Pro 6252	\$ 5,072	3%
	5181	Cot fastener, Ferno #173-2, Permanent mount, for #28 cot only). NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 965	3%
	5182	Cot fastener, Ferno #1, ship loose. NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 405	3%
	5183	Cot fastener, Stryker Power Load #6390-000-000 w/ floor plate. (Meets SAE J3027) NOTE: (COTS MUST BE UPGRADED TO POWER LOAD COMPATIBILITY) NOTE: (WITH THIS OPTION WHEEL GUIDE OPTION #10062 IS MANDATORY ON ALL TYPE II VEHICLES)	\$ 37,451	3%
	5184	Stryker Wheel Guide #6390-027-000	\$ 847	3%
	5185	Cot Fastener, Stryker Performance Load (w/ Floor Plate) #6392000002 (Meets SAE J3027) NOTE: (COTS MUST BE UPGRADED TO PERFORMANCE LOAD COMPATIBILITY) NOTE: (WITH THIS OPTION WHEEL GUIDE OPTION #10062 IS MANDATORY ON ALL TYPE II VEHICLES)	\$ 4,527	3%
	5186	Cot Fastener, Stryker Performance Load (w/ Inductive Charging & Floor Plate) #6392000001 (Meets SAE J3027) NOTE: (COTS MUST BE UPGRADED TO PERFORMANCE LOAD COMPATIBILITY) NOTE: (WITH THIS OPTION WHEEL GUIDE OPTION #10062 IS MANDATORY ON ALL TYPE II VEHICLES)	\$ 8,179	3%

5188	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only). (#93ES cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect	\$ 1,553	3%
5189	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only). (#35-A cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect	\$ 1,553	3%
5190	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only). (#35X cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect	\$ 1,553	3%
5191	Cot fastener, Ferno #175-5 (28"), wall mount, rear hook, removable antlers. Includes rear yellow safety hook w/ reflective tape on rear threshold. (for Ferno cot only). (INX cot)NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect	\$ 1,849	3%
5192	Cot fastener, Stryker #6371, rear wall mount, front removable antlers. Includes rear (short) yellow safety hook w/ reflective tape on rear threshold. (specify cot model) NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 812	3%
5193	Cot fastener, Stryker #6370 floor mount, Single position, front removable antlers. Includes rear (short) yellow safety hook w/ reflective tape on rear threshold. (specify cot model) NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 1,032	3%
5194	Cot fastener, Stryker #6377 floor mount, Dual position, front removable antlers. Includes rear (short) yellow safety hook w/ reflective tape on rear threshold. (specify cot model) NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 1,750	3%
5195	Fastener, incubator, floor mount Ferno #1, with (2) ratcheted security straps and mounting/storage hardware.	\$ 2,189	3%
5196	Post and wheel cups, Cast Products, for #11 stretcher, (requires modification to squad bench).	\$ 233	3%
5197	Ferno Wheel Guide (Mandatory With Stat-Trac on Type II Vehicles)	\$ 1,659	3%
5198	Stryker Power-LOAD Floor Plate Kit (Future Use). Supply and install Power-LOAD floor plate Only. Includes hole in floor plate (plugged) for 12V. power supply wiring. NOTE: 12V. power supply wiring (shipped loose)	\$ 1,697	3%
5199	Stryker Performance-LOAD Floor Plate Kit (Future Use). Supply and install Performance LOAD floor plate Only. Includes hole in floor plate (plugged) for 12V. power supply wiring. NOTE: 12V. power supply wiring (shipped loose)	\$ 1,697	3%
5200	Stryker Power-LOAD, Install Customer Supplied Power-LOAD, includes 12V power supply. NOTE: (LEADER SUPPLIED FLOOR PLATE) NOTE: (COT MUST BE UPGRADED TO POWER LOAD COMPATIBILITY) NOTE: (WITH THIS OPTION WHEEL GUIDE OPTION #10062 IS MANDATORY ON ALL TYPE II VEHICLES)	\$ 1,760	3%
5201	Stryker Performance-LOAD, Install Customer Supplied Performance LOAD, includes 12V power supply. NOTE: (LEADER SUPPLIED FLOOR PLATE) NOTE: (COT MUST BE UPGRADED TO PERFORMANCE LOAD COMPATIBILITY) NOTE: (WITH THIS OPTION WHEEL GUIDE OPTION #10062 IS MANDATORY ON ALL TYPE II VEHICLES)	\$ 1,760	3%
5202	Stryker #6371 Wall Mount Cot Fastener w/ Power Load Floor Plate (future use) Includes: Floor mount Lock bar (standard length rail), Antler, Power Loader floor plate, Antler to floor plate hardware, Safety "J" hook, and hole in floor plate (plugged) for 12V. power supply wiring. NOTE: 12V. power supply wiring (shipped loose) NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 2,309	3%

5203	Stryker #6370 Floor Mount Cot Fastener w/ Power Load Floor Plate (future use) Includes: Floor mount Lock bar (standard length rail), Antler, Power Loader floor plate, Antler to floor plate hardware, Safety "J" hook, and hole in floor plate (plugged) for 12V, power supply wiring. NOTE: 12V, power supply wiring (shipped loose) NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 2,443	3%
5205	Paint to sample, color formula for exact match and spray sample, (required on all critical colors) (customer must sign and approve sample).	\$ 88	3%
5206	Undercoat.	\$ 719	3%
5083	Laminate Color Patient Compartment, Gloss White. ILOS (Price includes credit for standard laminate)	\$ 403	3%
101927	Auxiliary A/C Condensor: Air Conditioning tie in kit for Transit (FLOOR) mount evaporator, w/ dual fan auxiliary condensor, (UNDERBODY MOUNT) Includes evaporator, condensor, hose kit. This option requires the deletion of the standard evaporator kit. (Based on Ford Transit T-250 & T-350)	\$ 3,188	3%
101928	Auxiliary A/C Condensor: Air Conditioning tie in kit for Transit (BULKHEAD) mount evaporator, w/ dual fan auxiliary condensor, (UNDERBODY MOUNT) Includes evaporator, condensor, hose kit. This option requires the deletion of the standard evaporator kit. (Based on Ford Transit T-250 & T-350)	\$ 2,901	3%
5159	Oxygen bottle rack w/ Assist Loader (Replacement for Std), transverse mount, Leader style rack, storage for "M" tank. Includes bottle assist loader on 36 inch slides with 24 inch lever handle. (Price Includes all Credits)	\$ 861	3%
132434	5QT. Sharps Container Wall Bracket/Holder w/ turn latch to hold Sharps container in place. (Powder Coated Red)	\$ 157	3%
31717	ECOBOOST V6 (GASOLINE ENGINE) -44U-10-SPEED TRANSMISSION -20B-GVWR 9500 - FGAW 4130 - RGAW 5750 - BASE CURB 5413 -X7L-REAR AXLE 4.10 RATIO WITH LIMITED SLIP -63C-DUAL ALTERNATORS (250 AMPS TOTAL) -47B-AMB PREP PKG -63E-DUAL AGM BATTERIES (70AH EACH) -41H-ENG BLK HEATER -641-SRW-SILVER STEEL -	\$ 55,549	3%
31718	ECOBOOST V6 (GASOLINE ENGINE) -44U-10-SPEED TRANSMISSION -20B-GVWR 9500 - FGAW 4630 - RGAW 5750 - BASE CURB 5639 -X7L-REAR AXLE 4.10 RATIO WITH LIMITED SLIP -63C-DUAL ALTERNATORS (250 AMPS TOTAL) -47B-AMB PREP PKG -63E-DUAL AGM BATTERIES (70AH EACH) -41H-ENG BLK HEATER -641-SRW-SILVER STEEL -	\$ 60,628	3%
76964	-148" WHEELBASE -99G-3.5L ECOBOOST V6 (GASOLINE ENGINE) -44U-10-SPEED TRANSMISSION -20C-GVWR 9500 - FGAW 4130 - RGAW 5750 - BASE CURB 5413 -47B-AMB PREP PKG .X7L-REAR AXLE 4.10 RATIO WITH LIMITED SLIP .63C-DUAL ALTERNATORS (250 AMPS TOTAL) .63E-DUAL AGM BATTERIES (70AH EACH) .17B-FIXED	\$ 66,451	3%
76966	ECOBOOST V6 (GASOLINE ENGINE) -44U-10-SPEED TRANSMISSION -20C-GVWR 9500 - FGAW 4130 - RGAW 5750 - BASE CURB 5413 -47B-AMB PREP PKG .X7L-REAR AXLE 4.10 RATIO WITH LIMITED SLIP .63C-DUAL ALTERNATORS (250 AMPS TOTAL) .63E-DUAL AGM BATTERIES (70AH EACH) .17B-FIXED GLASS PASSENGER SIDE AND REAR .53K-MOD UPFITTER WIRING	\$ 71,007	3%
5236	ALS - Upper Jumpkit Storage Cabinet: Gloss White Finish. -Upper cabinet to have enclosed storage cabinet w/ (2) hinged wood lap style doors with (1) Paddle handle slam latch, and one adjustable shelf. (Storage cabinet labeled for maximum weight of 40lbs) -1" Black tie down strap w/ quick release clip located on top of cabinet. (Top storage labeled for maximum weight of 25lbs) NOTE: This option requires the deletion of the (2) metal shelves and uni-strut.	\$ 1,777	3%
5237	Replace the standard A9 cabinet with the following: Two separate cabinets: -Left side will be for radio power pak storage and have a solid locking hinged door w/ (special key #) locking trigger latch. (Radio cabinet labeled for maximum weight of 0lbs) -Right side storage will have a top hinged wood door w/ non-locking Chrome "D" ring latch. (Right side storage labeled for maximum weight of 10lbs)	\$ 1,379	3%
5230	Replace the standard A9 cabinet with the following: Two separate cabinets: -Mounted in the left side will be for a temperature controlled medical cabinet #19511B from OTE International. Interior storage dimensions will be 5.5 inches high, 11.5 inches wide and 8.5 inches deep. NOTE: This option includes the following: -OTE temperature controlled medical cabinet -TCM -USB Temp Logger -Low Voltage Sensor -Aux Fan -Right side storage will have a top hinged wood door w/ non-locking Chrome "D" ring latch. (Compartment storage labeled for maximum 10lbs)	\$ 5,189	3%
5238	Add an IV storage cabinet to the forward curbside wall. Upper section will have 3/8" hinged plex door w/ non-locking Chrome "D" ring latch, with (2) adjustable shelves. (Storage cabinet labeled for maximum weight of 5lbs) Lower section storage for IV catheters with (4) removable plex dividers. (see drawings)	\$ 880	3%
5232	Warning lights rear, Code III 85A and 85R LED , (2) Red inboard, (2) Amber outboard. ( lights only)	\$ 997	3%
5241	Warning lights side, Code III 85R LED Red, (4) total.(2) per side ( lights only).	\$ 1,054	3%
5233	Scene lights side , Code III #41 Halogen w / 26 degree, (4) total. (2) per side ( lights only ).	\$ 647	3%
5234	Scene lights rear (2), Code III #41 Halogen 26 degree, mounted on interior headliner above rear doors.	\$ 324	3%
5242	DVD Player, LED 17.3" Monitor, w/ DVD player w/ 6.2" screen, w/ (2) external speakers. Power-12 volt hardwired. Located in patient compartment, refer to prints for location. Ceiling mounted at rear curbside of unit.	\$ 1,070	3%
5243	110 Volt A/C-Heater Combo in addition to standard 12Volt system. Requires cabinet modification (location on print) Includes additional 110V/30amp Shoreline. Danhard #50-3000	\$ 9,050	3%
5244	All grab bars, powder coated Yellow. Includes ceiling, one vertical assist bar @ side access door and two horizontal bars on rear access doors, one vertical assist bar @ rear access door. (five total).	\$ 268	3%
5229	Overhead cabinet above squad bench, (2) storage areas w/ sliding polycarbonate windows w/ KKK-A1822F Positive Latch Device, bottom of cabinet covered with 1/4" foam and vinyl. (Each storage cabinet labeled for maximum weight of 40lbs)	\$ 1,330	3%

	5254	(2021) Sprinter, Van 2500 4x2, Hi-Trim 144"WB MODEL: 2021 M2CA46 147 Arctic White VF7 Fabric Black Standard Accessories GVWR 9,050 lbs. AR2 Axle Ratio 3.92 BA3 Brake Assist Plus BH1 Hold Function CL1 Adjustable Steering Wheel C6L Multifunction Steering Wheel ED4 AGM battery 12 V 95 Ah 850A EY5 Emergency Call System E07 Hill Start Assist E10 Standard Radio E1U USB-C socket, 5 V E30 Starter Battery Disconnect F11 Remote Key Fob - 315 MHZ FR3 Rear-view Camera (mirror display) F68 Exterior mirror heated and electr. adjustable G42 Automatic transmission 7G-TRONIC HH2 Heater- Aux. Electric HotAir HH9 Air Condition, Front H21 Windshield with Filter Band J55 Seat belt reminder for co-driver J58 Seat belt reminder for driver J65 Outside Temperature Gauge KB7 24.5 gallon fuel tank KL5 Fuel Filter w/Water Separator KP6 3rd Generation SCR Emission Control System K56 Filler Cap, Diesel, in red K60 Exhaust Straight to Rear LA2 Headlight assistant LB5 3rd LED Break Lamp Hi-Mounted MG5 Engine-3.0 Turbo Diesel BlueTEC M10 Engine, Low Emission, ULEV M46 Alternator 14 V/220 A P47 Front Mud Flaps P48 Rear Mudflaps Q11 Longitudinal Member Reinforcement RH8 Tires LT245/75 R16 RS3 Wheel Steel 6.5 X 16 RY2 Tire pressure monitoring lamp R65 Spare Tire Carrier below Frame R87 Spare Wheel - Steel SA5 Air Bag- Driver SA6 Airbag, front passenger SH1 Thorax-pelvis sidebag, driver SH2 Thorax-pelvis sidebag, co-driver SH9 Airbag, Driver/Passenger Window S02 Driver's Seat S04 Adjustable front passenger seat S22 Armrest for Driver Seat S25 Armrest for Passenger Seat T16 Sliding Door- Right Side (Standard) XL2 Weight Variant 4.100 KG XY1 MODEL YEAR 2021 147 Arctic White VF7 Fabric Black Options C0S Comfort Package (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 Basic Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat S28 Armrest, Driver's and Co-Driver's Door C01 DRIVER CONVENIENCE PACKAGE E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Storage Compartment FZ9 Two additional master keys F64 Electrically Folding Exterior Mirrors JA7 Blind Spot Assist J W8 Attention Assist RL5 Wheel Light Alloy 6.5JX16 RM9 Specially Requested Tires A50 Axle reinforced Front CB8 Stabilization Level II D03 Roof - High ED5 Parametric Special Module (PSM) E21 ADDITIONAL BATTERY FOR RETROFIT, CO-DRIVER SEAT BA E36 Cutoff Relay for Additional Battery ESM Extension of PSM Standard Contact F43 Laminated Glass Rear H22 Defroster rear window KL1 Aux.Fuel Sending Unit MS1 Cruise Control N63 Bracket For Aux A/C Compressor RF8 TIRE BRAND - MICHELIN RM0 All-season tires S62 Seat Belts Orange, Drive and Co-Driver VA7 Storage Net in Hinged RR Doors W17 2nd row, fixed window, passenger side W54 Rear doors, opening 270 degrees W61 Windows in Tailgate/Rear Door W70 Tint for Rear Windows and Rear Side Windows	\$ 51,495	3%
	5255	Accessories AR2 Axle Ratio 3.92 BA3 Brake Assist Plus BH1 Hold Function CL1 Adjustable Steering Wheel C6L Multifunction Steering Wheel ED4 AGM battery 12 V 95 Ah 850A E50 Battery Positive Contact EY5 Emergency Call System E07 Hill Start Assist E10 Standard Radio E1U USB-C socket, 5 V E30 Starter Battery Disconnect F11 Remote Key Fob - 315 MHZ FR3 Rear-view Camera (mirror display) F68 Exterior mirror heated and electr. adjustable G42 Automatic transmission 7G-TRONIC HH2 Heater- Aux. Electric HotAir HH9 Air Condition, Front H21 Windshield with Filter Band JA8 Crosswind Assist J55 Seat belt reminder for co-driver J58 Seat belt reminder for driver J65 Outside Temperature Gauge KB7 24.5 gallon fuel tank KL5 Fuel Filter w/Water Separator KP6 3rd Generation SCR Emission Control System K56 Filler Cap, Diesel, in red K60 Exhaust Straight to Rear LA2 Headlight assistant LB5 3rd LED Break Lamp Hi-Mounted MG5 Engine-3.0 Turbo Diesel BlueTEC M10 Engine, Low Emission, ULEV M46 Alternator 14 V/220 A P47 Front Mud Flaps P48 Rear Mudflaps Q11 Longitudinal Member Reinforcement RH8 Tires LT245/75 R16 RS3 Wheel Steel 6.5 X 16 RY2 Tire pressure monitoring lamp R65 Spare Tire Carrier below Frame R87 Spare Wheel - Steel SA5 Air Bag- Driver SA6 Airbag, front passenger SH1 Thorax-pelvis sidebag, driver SH2 Thorax-pelvis sidebag, co-driver SH9 Airbag, Driver/Passenger Window SK2 Seat Occupancy Recognition, Driver's Seat S02 Driver's Seat S04 Adjustable front passenger seat S22 Armrest for Driver Seat S25 Armrest for Passenger Seat T16 Sliding Door- Right Side (Standard) Options C0S Comfort Package (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 Basic Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat S28 Armrest, Driver's and Co-Driver's Door C01 DRIVER CONVENIENCE PACKAGE E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Storage Compartment FZ9 Two additional master keys F64 Electrically Folding Exterior Mirrors JA7 Blind Spot Assist JW8 Attention Assist X30 Low & High Range 4x4 Package T75 Door mounted assist handles, driver & passenger ZG3 4x4 High Range w/Low Range Transfer Case RL5 Wheel Light Alloy 6.5JX16 RM9 Specially Requested Tires CB8 Stabilization Level II D03 Roof - High ED5 Parametric	\$ 63,342	3%
	6361	9,050 lbs. AR2 Axle Ratio 3.92 BA3 Brake Assist Plus BH1 Hold Function CL1 Adjustable Steering Wheel C6L Multifunction Steering Wheel ED4 AGM battery 12 V 95 Ah 850A EY5 Emergency Call System E07 Hill Start Assist E10 Standard Radio E1U USB-C socket, 5 V E30 Starter Battery Disconnect F11 Remote Key Fob - 315 MHZ FR3 Rear-view Camera (mirror display) F68 Exterior mirror heated and electr. adjustable G42 Automatic transmission 7G-TRONIC HH2 Heater- Aux. Electric HotAir HH9 Air Condition, Front H21 Windshield with Filter Band JA8 Crosswind Assist J55 Seat belt reminder for co-driver J58 Seat belt reminder for driver J65 Outside Temperature Gauge KB7 24.5 gallon fuel tank KL5 Fuel Filter w/Water Separator KP6 3rd Generation SCR Emission Control System K56 Filler Cap, Diesel, in red K60 Exhaust Straight to Rear LA2 Headlight assistant LB5 3rd LED Break Lamp Hi-Mounted MG5 Engine-3.0 Turbo Diesel BlueTEC M10 Engine, Low Emission, ULEV M46 Alternator 14 V/220 A P47 Front Mud Flaps P48 Rear Mudflaps Q11 Longitudinal Member Reinforcement RH8 Tires LT245/75 R16 RS3 Wheel Steel 6.5 X 16 RY2 Tire pressure monitoring lamp R65 Spare Tire Carrier below Frame R87 Spare Wheel - Steel SA5 Air Bag- Driver SA6 Airbag, front passenger SH1 Thorax-pelvis sidebag, driver SH2 Thorax-pelvis sidebag, co-driver SH9 Airbag, Driver/Passenger Window S02 Driver's Seat S04 Adjustable front passenger seat S22 Armrest for Driver Seat S25 Armrest for Passenger Seat T16 Sliding Door- Right Side (Standard) XL2 Weight Variant 4.100 KG XY1 MODEL YEAR 2022 147 Arctic White VF7 Fabric Black Options C0S Comfort Package (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 Basic Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat S28 Armrest, Driver's and Co-Driver's Door C01 DRIVER CONVENIENCE PACKAGE E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FJ5 Hinged Lid	\$ 53,041	3%
	15441	Accessories AR2 Axle Ratio 3.92 BA3 Brake Assist Plus BH1 Hold Function CL1 Adjustable Steering Wheel C6L Multifunction Steering Wheel ED4 AGM battery 12 V 95 Ah 850A E50 Battery Positive Contact EY5 Emergency Call System E07 Hill Start Assist E10 Standard Radio E1U USB-C socket, 5 V E30 Starter Battery Disconnect F11 Remote Key Fob - 315 MHZ FR3 Rear-view Camera (mirror display) F68 Exterior mirror heated and electr. adjustable G42 Automatic transmission 7G-TRONIC HH2 Heater- Aux. Electric HotAir HH9 Air Condition, Front H21 Windshield with Filter Band JA8 Crosswind Assist J55 Seat belt reminder for co-driver J58 Seat belt reminder for driver J65 Outside Temperature Gauge KB7 24.5 gallon fuel tank KL5 Fuel Filter w/Water Separator KP6 3rd Generation SCR Emission Control System K56 Filler Cap, Diesel, in red K60 Exhaust Straight to Rear LA2 Headlight assistant LB5 3rd LED Break Lamp Hi-Mounted MG5 Engine-3.0 Turbo Diesel BlueTEC M10 Engine, Low Emission, ULEV M46 Alternator 14 V/220 A P47 Front Mud Flaps P48 Rear Mudflaps Q11 Longitudinal Member Reinforcement RH8 Tires LT245/75 R16 RS3 Wheel Steel 6.5 X 16 RY2 Tire pressure monitoring lamp R65 Spare Tire Carrier below Frame R87 Spare Wheel - Steel SA5 Air Bag- Driver SA6 Airbag, front passenger SH1 Thorax-pelvis sidebag, driver SH2 Thorax-pelvis sidebag, co-driver SH9 Airbag, Driver/Passenger Window SK2 Seat Occupancy Recognition, Driver's Seat S02 Driver's Seat S04 Adjustable front passenger seat S22 Armrest for Driver Seat S25 Armrest for Passenger Seat T16 Sliding Door- Right Side (Standard) Options C0S Comfort Package (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 Basic Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat S28 Armrest, Driver's and Co-Driver's Door C01 DRIVER CONVENIENCE PACKAGE E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Storage Compartment FZ9 Two additional master keys F64 Electrically Folding Exterior Mirrors JA7 Blind Spot Assist JW8 Attention Assist X30 Low & High Range 4x4 Package T75 Door mounted assist handles, driver & passenger ZG3 4x4 High Range w/Low Range	\$ 65,242	3%
	83914	(PRICE SUBJECT TO CHANGE) 147 Arctic White VF7 Fabric Black Options: C0S COMFORT PACKAGE: (SEATS) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 BASIC COMFORT PACKAGE: LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat C01 DRIVER CONVENIENCE PACKAGE: E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Storage Compartment FZ9 Two additional master keys F64 Electrically Folding Exterior Mirrors JW8 Attention Assist C02 PREMIUM PACKAGE: E3M MBUX Multimedia System with 7" Touchscreen FM3 Wet Wiper System JB4 ACTIVE LANE KEEPING ASSIST JK5 Instrument Cluster with Colourdisplay (Highline) RL5 Wheel Light Alloy 6.5JX16 RM9 Specially Requested Tires A50 Axle reinforced Front CB8 Stabilization Level II D03 Roof - High D93 OMISSION BULKHEAD ED5 Parametric Special Module (PSM) E21 ADDITIONAL BATTERY FOR RETROFIT, CO-DRIVER SEAT BA E36 Cutoff Relay for Additional Battery ESM Extension of PSM Standard Contact F43 Laminated Glass Rear F61 Interior rear view mirror H22 Defroster rear window JA7 Blind Spot Assist JB7 Parking Package with Back up Camera JF1 Rain sensor KL1 Aux.Fuel Sending Unit L65 Lamps - Cargo Compartment (Standard) MS1 Cruise Control N63 Bracket For Aux A/C Compressor RF8 TIRE BRAND - MICHELIN RM0 All-season tires S62 Seat Belts Orange, Drive and Co-Driver VA7 Storage Net in Hinged RR Doors V93 Without factory installed flooring W17 2nd row, fixed window, passenger side W54 Rear doors, opening 270 degrees W61	\$ 71,243	3%

83915	<p>(2027) Premium Package (PRICE SUBJECT TO CHANGE) 147 Arctic White VF7 Fabric Black Options: C0S COMFORT PACKAGE: (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 BASIC COMFORT PACKAGE: LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat C01 DRIVER CONVENIENCE PACKAGE: E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Stowage Compartment FZ9 Two additional master keys F64 Electrically Folding Exterior Mirrors JW8 Attention Assist C02 PREMIUM PACKAGE: E3M MBUX Multimedia System with 7" Touchscreen FM3 Wet Wiper System JB4 ACTIVE LANE KEEPING ASSIST JK5 Instrument Cluster with Coloursdisplay (Highline) X55 ALL WHEEL DRIVE PACKAGE: A4M All Wheel Drive w/ Torque on Demand T75 Door mounted assist handles, driver &amp; passenger RL5 Wheel Light Alloy 6.5JX16 RM9 Specially Requested Tires D03 Roof - High D93 OMISSION BULKHEAD ED5 Parametric Special Module (PSM) ES5 12 V socket, instrument panel E21 ADDITIONAL BATTERY FOR RETROFIT, CO-DRIVER SEAT BA E36 Cutoff Relay for Additional Battery E5M Extension of PSM Standard Contact F43 Laminated Glass Rear F61 Interior rear view mirror H22 Defroster rear window JA7 Blind Spot Assist JB7 Parking Package with Back up Camera JF1 Rain sensor KL1 Aux.Fuel Sending Unit L65 Lamps - Cargo Compartment (Standard) MS1 Cruise Control N63 Bracket For Aux A/C Compressor RF8</p>	\$ 77,374	3%
126955	<p>(211 HP output) (PRICE SUBJECT TO CHANGE) 9147 Arctic White VF7 Fabric Maturin Black Options: C00PKG Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort head restraint, driver SK1 Comfort head restraint, co-driver C01PKG Driver Convenience Package E46 12 V power outlet, driver seat base F64 Electrically folding exterior mirrors FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Storage Compartments left and right FZ9 Keys, two additional masters JW8 Attention Assist C02PKG Premium Package E3M MBUX Multimedia System with 7 touchscreen FM3 Wet Wiper System JB4 Active Lane Keeping Assist C0SPKG Comfort Package (Seat addition) SB1 Comfort driver's seat SB2 Comfort passenger seat Options Details RL5 Light-alloy wheels 6.5 J x 16 A50 Front axle reinforced CB8 Stabilization Level II D03 High roof E21 Additional battery, co-driver seat base E36 Cutoff relay for additional battery E3M MBUX Multimedia System with 7 touchscreen E46 12 V power outlet, driver seat base E5M Extension of PSM standard contact ED5 Parametric special module (PSM) F43 Laminated glass rear F61 Interior rear view mirror F64 Electrically folding exterior mirrors FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Storage Compartments left and right FM3 Wet Wiper System FR8 Rear view camera (head unit display) FZ9 Keys, two additional masters H22 Rear window defroster JA7 Blind Spot Assist JB4 Active Lane Keeping Assist JF1 Rain sensor JW8 Attention Assist LC4 Comfort overhead control panel N63 Front engine bracket for auxiliary A/C compressor RF8 Tire brand Michelin RM9 Specially requested tires S62 Seat belts orange, driver and front passenger SB1 Comfort driver's seat SB2 Comfort passenger seat</p>	\$ 77,753	3%
126956	<p>Diesel Engine (211 HP output) (PRICE SUBJECT TO CHANGE) 9147 Arctic White VF7 Fabric Maturin Black Options: C00PKG Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort head restraint, driver SK1 Comfort head restraint, co-driver C01PKG Driver Convenience Package E46 12 V power outlet, driver seat base F64 Electrically folding exterior mirrors FJ1 Hinged lid for storage compartment FJ5 Hinged Lid for Storage Compartments left and right FZ9 Keys, two additional masters JW8 Attention Assist C02PKG Premium Package E3M MBUX Multimedia System with 7 touchscreen FM3 Wet Wiper System JB4 Active Lane Keeping Assist C0SPKG Comfort Package (Seat addition) SB1 Comfort driver's seat SB2 Comfort passenger seat X55PKG All Wheel Drive Package Options Details RL5 Light-alloy wheels 6.5 J x 16 A4M all-wheel drive with torque-on-demand D03 High roof E21 Additional battery, co-driver seat base E36 Cutoff relay for additional battery E3M MBUX Multimedia System with 7 touchscreen E46 12 V power outlet, driver seat base E5M Extension of PSM standard contact ED5 Parametric special module (PSM) ES5 Charging package, dashboard F43 Laminated glass rear F61 Interior rear view mirror F64 Electrically folding exterior mirrors FJ1 Hinged lid for storage compartment FJ5 Hinged Lid</p>	\$ 83,608	3%
5519	<p>S.C.E.R.F. (Stationary Continuous Engine Running Feature) Special PSM programming, requires (3) switches. Install (2) exterior activating switches (1) located on drivers side mirror and (1) in rear license plate holder. Install (1) interior de-activating switch located in center console, and Red indicator lamp located in cab overhead console. NOTE: (This system has an override function that can accidentally be activated and the vehicle can be driven away, its not 100% theft proof). OEM document describing system operation is provided to assist customer to become familiar with system functions. Upon delivery of unit customer to sign &amp; date receipt of OEM documentation. With the engine running, the transmission in "Park" position and the parking brake engaged, the exterior buttons allow the vehicle to be locked &amp; unlocked regardless of the Factory buttons. During all other conditions the exterior buttons are non-functional and the factory lock/unlock buttons secure the vehicle. The first time using the exterior buttons, the vehicle will lock and S.C.E.R.F is enabled. After that, the exterior buttons will lock and unlock the vehicle as often as desired. In case the aftermarket "hidden switch" is not working, perform the following sequence: Turn ignition to ACC position + Turn on Hazard Lights + Flick the Hi-Beam Stalk until the indicator light turns off</p>	\$ 747	3%
5281	<p>ALS Doors (2), hinged wood lap style doors w/ (1) Paddle handle slam latch. Laminate: Gloss White</p>	\$ 757	3%
5282	<p>Cup Holders, (2) Led Red lit.</p>	\$ 146	3%
5266	<p>Warning lights grille, (2) Code III LED #TRX6R w/ chrome bezel, Red flashing, mounted on Leader style metal bracket located in upper corners of grille.</p>	\$ 224	3%
5267	<p>Warning lights patient compartment, (2) Code III LED #TRX6R w/ chrome bezel, mounted in patient compartment on upper cabinet at rear, driver and passenger side. To activate w / PRI--SEC switch ( both positions ) and only when the rear patient compartment entry doors are open.</p>	\$ 219	3%
5268	<p>Intersection lights, FRONT fenders, (2) WHELEN 700 Super LED, Red w/ Red lens, w/ chrome flange.</p>	\$ 617	3%
5284	<p>Dome lights ILOS, (6) Keniquip LED White w/ Blue night light. (Includes additional rockewr switch)</p>	\$ 1,095	3%
5285	<p>Dome lights ILOS, (6) Keniquip LED White.</p>	\$ 852	3%
5286	<p>Antenna wiring, additional roof location, coax RG58A/U, specify location on roof and termination.</p>	\$ 98	3%
5287	<p>Battery Box (Fiberglass) w/ hinged door and Chrome paddle handle. Capable of holding (3) batteries. Located on streetside exterior @ floor level. NOTE: "M" size main oxygen cylinder can only be used with this option.</p>	\$ 1,494	3%
5273	<p>Add a second oxygen/ medical air bottle rack, transverse mount, Leader Brand, For "M" tank. (in addition to standard rack)</p>	\$ 672	3%
5378	<p>I.V. hardware, wall mount, (2), Chrome Spring Loaded Clip Type, surface mounted, (show position on sketch.</p>	\$ 61	3%
5264	<p>SE Center Console and map storage w/ (2) 12 volt USB Ports Type A3.0 / Type C4.0</p>	\$ 751	3%
5265	<p>Rubber mat set (3), rubber mat inserts for (3) ALS shelf areas.</p>	\$ 137	3%
5076	<p>Polycarbonate sliding windows "Smoke" (\$2.00 per square foot upcharge)</p>	\$ -	3%

	5271	Emergency Start QUAD System, w/ resettable circuit breaker, Two additional batteries (w/ vent tubes) located in the lower section of streetside wall cabinet, activation switch and pilot light located in overhead console.	\$ 2,840	3%
	5272	Additional Antenna Lead, RG58 A/U coax, specify location. (each)	\$ 105	3%
	71491	Cargo Net, located @ head end of squad bench, Ancra fasteners, ratchet, 1 1/2" black webbing.	\$ 777	3%
	5302	(2022) FORD V8 E350 Gas Cutaway Chassis: 138" Wheelbase Dual Rear Wheel 7.3 Liter V-8 Gasoline Engine Electronic 6-Speed Automatic Transmission Rear Axle, 4.10 Limited Slip 11,500 GVWR Front GAWR, 4,600 lbs Rear GAWR, 7,800 lbs Ambulance Prep Package, 47H Heavy Duty Alternator, 240 Amp Dual batteries STD Ford OEM Fuel tank 40 Gallon Interior Upgrade Package · Cloth Headliner · High trim door panels · Captain Chairs dual cloth · Cloth sun visors · Power Door locks · Power Windows · Insulation package Keyless entry, with keyfob with panic button Daytime Running Lights Cab Floor, OEM Black Vinyl Medium Flint interior color AM/ FM/ Clock, 4 speakers Tires:(6) All season, Random Make LT225/75R16,LRE Spare Tire and Wheel (shipped loose) Jack and Tire Tools (shipped loose) Exterior upgrade package Chrome Front bumper Chrome Grill and light surrounds Exterior paint Oxford White Engine Block Heater	\$ 42,513	3%
	47199	(2023) FORD V8 E350 Gas Cutaway Chassis: (PRICE SUBJECT TO CHANGE) 138" Wheelbase Dual Rear Wheel 7.3 Liter V-8 Gasoline Engine 50 State Emission Electronic 6-Speed Automatic Transmission Cruise Control Mirrors Trl, Tow Frame Pucks Rear Axle, 4.10 Limited Slip 11,500 GVWR Front GAWR, 4,600 lbs Rear GAWR, 7,800 lbs Ambulance Prep Package, 47H Heavy Duty Alternator, 240 Amp Aux Heat/AC connection Dual batteries STD Ford OEM Fuel tank 40 Gallon Interior Upgrade Package · Cloth Headliner · High trim door panels · Captain Chairs dual cloth · Cloth sun visors · Power Door locks · Power Windows · Insulation package Keyless entry, with keyfob with panic button Daytime Running Lights Cab Floor, OEM Black Vinyl Medium Flint interior color AM/ FM/ Clock, 4 speakers Tires:(6) All season, Random Make LT225/75R16,LRE Spare Tire and Wheel (shipped loose) Jack and Tire Tools (shipped loose) Exterior upgrade package Chrome Front bumper Chrome Grill and light surrounds Exterior paint Oxford White Engine Block Heater Integrated Back-Up Camera	\$ 45,915	3%
	101925	(2024) FORD V8 E350 Gas Cutaway Chassis: (PRICE SUBJECT TO CHANGE) 138" Wheelbase Dual Rear Wheel 7.3 Liter V-8 Gasoline Engine 50 State Emission Electronic 6-Speed Automatic Transmission Cruise Control Mirrors Trl, Tow Frame Pucks Rear Axle, 4.10 Limited Slip 11,500 GVWR Front GAWR, 4,600 lbs Rear GAWR, 7,800 lbs Ambulance Prep Package, 47H Heavy Duty Alternator, 240 Amp Aux Heat/AC connection Dual batteries STD Ford OEM Fuel tank 40 Gallon Interior Upgrade Package · Cloth Headliner · High trim door panels · Captain Chairs dual cloth · Cloth sun visors · Power Door locks · Power Windows · Insulation package Keyless entry, with keyfob with panic button Daytime Running Lights Cab Floor, OEM Black Vinyl Medium Flint interior color AM/ FM/ Clock, 4 speakers Tires:(6) All season, Random Make LT225/75R16,LRE Spare Tire and Wheel (shipped loose) Jack and Tire Tools (shipped loose) Exterior upgrade package Chrome Front bumper Chrome Grill and light surrounds Exterior paint Oxford White Engine Block Heater Integrated Back-Up Camera	\$ 47,994	3%
	5306	Additional strap supports on both cab doors to prevent hinge stress. (FORD ONLY)	\$ 419	3%
	5307	Provide aftermarket lumbar support for both front cab Ford OEM seats.	\$ 918	3%
	5310	Add an adjustable shelf	\$ 410	3%
	5311	Add a fixed vertical divider.	\$ 528	3%
	9970	ALS CABINET DOORS (4) TOTAL: (2) Upper hinged laminated wood lap style doors with (1) Paddle handle slam latch. (2) Lower hinged laminated wood lap style doors with (1) Paddle handle slam latch. Color: Gloss White laminate. With this option Delete the (4) 1" Black Straps. (Each storage cabinet labeled for maximum weight of 40lbs)	\$ 861	3%
	9971	storage and is to have (2) fixed shelves w/ aluminum front lips and a hinged plexiglass door w/ non-locking Chrome "D" ring latch. (Labeled for maximum weight of 5lbs) The bottom portion will be open storage with four (4) adjustable dividers, for IV needle storage. Color: Gloss White laminate / Clear plexiglass.	\$ 898	3%
	9974	STREETSIDE CPR SEAT: CPR Seat with (7) piece cushion set, and (1) 4-point IMMI-PER4MAX restraint. Includes hinged seat lid w/ gas cylinder hold open devices & seat belt hold down strap on lid, with under lid storage. This option replaces 1/2 of A3 cabinet. Color: Black vinyl. NOTE: Price includes credit for 1/2 of A3 cabinet.	\$ 1,325	3%
	5328	Attendant seat (EVS) High Back Seat, 6 degree back, IMMI-PER4MAX, w/ 4-point restraint, w/ built in child seat, w/ sliding track & swivel seat base ILOS, NOTE: This is not available in vacuum form, will be "Sewn" (Black Doeskin)	\$ 3,234	3%
	5329	Attendant seat (EVS) High Back Seat, 6 degree back, IMMI-PER4MAX, w/ 4-point restraint, w/ built in child seat, w/ sliding track & swivel seat base ILOS, NOTE: This is not available in vacuum form, will be "Sewn" (Blue Academy)	\$ 3,234	3%
	5330	Attendant seat (EVS) High Back Seat, 6 degree back, IMMI-PER4MAX, w/ 4-point restraint, w/ built in child seat, w/ sliding track & swivel seat base ILOS, NOTE: This is not available in vacuum form, will be "Sewn" (Sierra Light Grey)	\$ 3,234	3%
	5331	Attendant seat (EVS) High Back Seat, 6 degree back, IMMI-PER4MAX, w/ 4-point restraint, w/ built in child seat, w/ sliding track & swivel seat base ILOS, NOTE: This is not available in vacuum form, will be "Sewn" (Grey Med Ash Mello Baypoint)	\$ 3,234	3%
	5332	Attendant seat (EVS) High Back Seat, 6 degree back, IMMI-PER4MAX, w/ 4-point restraint, w/ built in child seat, w/ sliding track & swivel seat base ILOS, NOTE: This is not available in vacuum form, will be "Sewn" (Royal Blue)	\$ 3,234	3%
	11663	Upholstery Color Change: Blue Academy ILOS -Cushions-Back & Head Rests -Attendant Seat -Gimp -Vinyl Floor - Hale Navy (Blue) -Gibraltar Solid Surface - (Pebble Blue) -(Includes all credits)	\$ 188	3%
	5343	Intersection lights, rear body, (2) Flashing Whelen SurfaceMax C7LR Red w/ Red lens. Chrome flanges included.	\$ 550	3%
	13426	Intersection lights, rear body, located above driver & passenger side rear wheels. (2) Whelen ION T-Series Linear Super LED Flashing Red w/ Clear lens w/ Chrome Flange.	\$ 709	3%
	13427	Siren Electronic, Federal EQ2B siren, includes (2) Cast Product 100 watt siren speakers recessed through front OEM bumper. (Polished Aluminum Finish)	\$ 3,902	3%

	5674	Siren Speakers ILOS, (2) Cast Products 100 watt siren speakers, recessed thru front OEM bumper. (Polished Aluminum Finish) (Includes all credits)	\$ 599	3%
	5352	Air horns, (2) Chrome Buell trumpets 10" with reservoir tank, compressor, with (1) Linemaster drivers side foot switch activated via Primary/Secondary switch. See Print for location.	\$ 3,668	3%
	5353	Grille lights vertical, (2) additional Whelen Red W/ Red lenses, LED strip lights.	\$ 607	3%
	5354	Low Frequency Siren - Whelen Dual "Howler", includes (1) drivers side "Linemaster" foot switch. NOTE: This is a supplemental siren activated via foot switch, and only offered in conjunction with the Primary Siren	\$ 1,668	3%
	5358	Lock out, park and neutral, wire any device to be inoperative in park and neutral, (requires engineering approval).	\$ 219	3%
	5359	TREMCO ANTI THEFT IGNITION INTERLOCK: Ford E-350 & E-450 Cut Chassis	\$ 333	3%
	20273	KKK-A1822F LIGHTING MODIFICATION: -Delete KKK-A1822F Flash Pattern. -Replace with Leader standard alternating flash pattern. - "Primary/Secondary" switch to function as follows: Primary controls all emergency lights & siren, Secondary controls rear Amber warning lights only. (Credits included in price)	\$ 130	3%
	5360	Battery charger, IOTA 45 amp, (connected to shoreline).	\$ 555	3%
	5361	Map light, Federal 6", halogen. (Location on print)	\$ 169	3%
	13428	Dome lights ILOS, (6) Code III Bacteria Killing Vital Vio White LED (Includes all credits)	\$ 2,064	3%
	5365	SkyScan Atomic Clock.	\$ 156	3%
	99778	Auxiliary A/C Condensor: Air Conditioning tie in kit w/ dual fan auxiliary condensor, (UNDER BODY MOUNT) Includes evaporator, condensor, hose kit. This option requires the deletion of the standard evaporator kit. (Based on Ford Gas E-350 & E-450 Chassis)	\$ 3,723	3%
	99777	Auxiliary A/C Condensor: Air Conditioning tie in kit w/ dual fan auxiliary condensor, (LOW PROFILE ROOF MOUNT) Includes evaporator, condensor, hose kit. This option requires the deletion of the standard evaporator kit. (Based on Ford Gas E-350 & E-450 Chassis)	\$ 4,564	3%
	5366	Auxiliary A/C Condensor: Air conditioning dual fan auxiliary condensor only, manufacture warranty only. Located on front exterior of Module, mounted on metal stanchions painted to match body. (NOTE: STANDARD WARNING LIGHT CONFIGURATION WILL NOT WORK WITH THIS OPTION!!!)	\$ 3,199	3%
	5368	Fog lights, bumper mount, (2) Hella 550 Clear 74506, panel switch, w/ lit Amber rocker switch.	\$ 484	3%
	9976	(Gas Chassis) Emergency Start TRI System. (One additional 65 series battery located in M5 exterior compartment) (2) Used as Primary, and (1) as Emergency Start Batteries. Overhead console mounted LED Red indicator lamp and activation switch. Includes (1) battery under hood in OEM location, and (2) batteries located in M5 exterior battery compartment. NOTE: (1) of the (2) batteries in the M5 compartment is an OEM relocated.	\$ 1,881	3%
	5369	Pre - Wire for Road Safety "Old" 3000 System. Includes wire harness, Receiver with speaker, Vehicle antenna and Spotter Switch Kit. (NO Connections Made).	\$ 993	3%
	5371	Antenna wiring, additional roof location, coax RG58A/U, with stainless steel mounting plates, specify location on roof and termination. (No stainless steel plates on Moduler or Sprinter)	\$ 104	3%
	13429	Power door locks for exterior compartment doors. (Except Battery Compartment Door)	\$ 490	3%
	9979	I.V. holder, position #1, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 149	3%
	5376	I.V. holder, position #2, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 149	3%
	9980	I.V. holder, position #3, Cast Products #A20-14, flush mounted, polished aluminum.	\$ 149	3%
	5377	I.V. holder, position #4, Cast Products #A20-14, flush mounted, polished aluminum, (not available with net) show position on sketch.	\$ 149	3%
	5379	Floor plates, under cot wheels, (2), 7" x 26", bright stainless.	\$ 155	3%
	5380	Floor plates, under cot wheels, (3), 7" x 26", bright stainless.	\$ 189	3%
	5383	Sharps pocket, curb side wall, (1), Leader style, for Sage #R1002, bright stainless steel.	\$ 394	3%
	5385	Stainless Steel "A Bar" with 5Qt Sharps Container & Trash Receptacle included, located @ head of squad bench. (NOTE: With this option Cargo Net is not available)	\$ 818	3%
	9981	Cargo Net, Front end of squad bench, 4 ancla fasteners, (1) ratchet, Black 1 1/2" webbing	\$ 695	3%
	5386	Cot fastener, Ferno #175-3, Removable floor mounts. Includes rear yellow safety hook w/ reflective tape on rear threshold. (29" rail) NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 - Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F, as revised July 1, 2015 (Change Notice 8), requires that the installed litter fastener device for wheeled cots meets the performance requirements of SAE J3027. Individual requirements for your State may also be applicable, and should be reviewed. Based on your litter fastener selection, this ambulance will not be compliant with KKK-A-1822F in that specific respect.	\$ 1,303	3%
	108268	Stryker Mass Casualty PowerLoad Fastener: Includes: -PowerLoad Floor Mount Assembly w/ 1/2" Backing Plate -Short Rail NOTE: This Option Requires PowerLoad Option	\$ 1,694	3%
	5387	REAR "CHEVRONS" FLAT REAR SURFACES, INCLUDING DOORS: Red/Yellow "Chevron" striping, 6" wide in an upside down "V" pattern. Fluorescent Yellow Green, 3M Diamond Grade Conspicuity #983-23 Electro Cut Red Translucent 3M #1172	\$ 1,859	3%
	5308	Rubber fenders & rub rails ILO Stainless Steel.	\$ 589	3%
	5313	Add an adjustable shelf	\$ 523	3%

	5314	Add a fixed vertical divider.	\$ 456	3%
	5316	Add an adjustable shelf	\$ 513	3%
	5317	Add a fixed vertical divider.	\$ 447	3%
	5319	Add an adjustable shelf	\$ 599	3%
	5320	Add a fixed vertical divider.	\$ 594	3%
	5323	Cup Holders, (2) LED Red Lit, ILOS	\$ 146	3%
	5324	Supply restocking frame on upper overhead cabinet (priced per cabinet)	\$ 583	3%
	5325	CURBSIDE WALL IV CABINET: Locate at the head of bench. The top portion will house the curbside O2 outlet and an open storage bin. The center portion will be for IV supply storage and is to have (2) adjustable shelves w/ aluminum front lips and a hinged polycarbonate door w/ non-locking Chrome "D" ring latch. (Storage section labeled for maximum weight of 5lbs) The bottom portion will be open storage with four (4) adjustable dividers, for IV needle storage. Gloss White laminate w/ smoke plexiglass.	\$ 879	3%
	38778	PLEXIGLASS INSERTS: Plexiglass (tinted) inserts on (4) ALS cabinet doors.	\$ 403	3%
	5333	Warning lights, front of upper module ILO lightbar, (7) total, (5) Code III 85BZR LED Red, (2) Code III 85BZW LED White, center light to be steady burning, all to have chrome flanges. "R" - "W" - "R" - "R" - "R" - "W" - "R"	\$ 2,553	3%
	5334	Warning lights, rear of vehicle, upper outboard corners, (2) Code III 85BZR LED Red w/ chrome flange.	\$ 586	3%
	5335	Warning lights, (4) total, (2) per side, Code III 85BZR LED Red w/ chrome flange.	\$ 1,171	3%
	5336	Warning lights front grille, (2) Code III LXEX1F-R LED (Red w/ Red lens) w/ Code III aluminum bezel.	\$ 550	3%
	5337	Warning lights, rear of vehicle, window level, (2) Code III 85BZA LED Amber w/ chrome flange.	\$ 586	3%
	5338	Intersection lights, front fenders, (2) Code III 45BZR LED Red w/ chrome flange.	\$ 280	3%
	5339	Scene lights, (4) total, (2) per side Code III 88Z26 Halogen Clear w/ chrome flange.	\$ 427	3%
	5340	Scene lights, rear, (2) Code III 41Z26 Halogen Clear w/ chrome flange.	\$ 165	3%
	5341	Back-up, turn and brake lights, Code III LED w/chrome flanges shall be as follows: (2) Code III (65STBZA) LED Amber w/ arrow turn signal - outboard on diamond plate (2) Code III (65STBZR) LED Red stop/tail - inboard on diamond plate (2) Code III (65BZRV) LED Clear back-up - above diamond plate	\$ 1,262	3%
	5342	Intersection lights, rear body, (2) Whelen 700, SUPER LED, Red, with chrome flanges.	\$ 603	3%
	5349	Siren electronic, Federal EQ2B siren, includes (2) Whelen 100 Watt (behind grille) siren speakers. See Print for location.	\$ 3,389	3%
	5350	Siren Speakers Ford, Mounted outboard thru OEM bumper.	\$ 1,326	3%
	5351	Siren Speakers Chevy, Mounted inboard thru OEM bumper.	\$ 1,363	3%
	5355	Scene Lights ILOS, (4) total (2) per side, Whelen 900 series SUPER LED - 24 diode #90COENZR w/ Chrome Flanges	\$ 1,557	3%
	5356	Scene Lights ILOS, (2) rear, Whelen 700 series Linear LED w/ Chrome flanges.	\$ 433	3%
	5357	3rd Brake Light, Whelen 700 LED w/ Chrome Flange.	\$ 123	3%
	5362	Dome lights ILOS, (8) Code III Bacteria Killing Vital Vio White LED.	\$ 3,252	3%
	5363	Dome lights ILOS, (8) Kinqiup LED White	\$ 1,204	3%
	5364	Dome lights ILOS, (8) Kinqiup LED White w/ Blue night light. (Includes additional rocker switch)	\$ 1,503	3%
	5372	Power door locks for exterior compartment doors. (Except Battery Compartment door).	\$ 550	3%
	5375	Bottle rack, for air or oxygen, custom storage area, Zico QR-GH, (3) straps.	\$ 581	3%
	38781	ZICO HYDRAULIC O2 LIFT / FOR VEHICLES WITHOUT LIQUID SPRING SUSPENSION: -Install Zico Hydraulic lift in MY exterior compartment.	\$ 6,902	3%
	5430	(2021) FORD V8 E-450 Gas Cutaway Chassis: 158" Wheelbase Dual Rear Wheel 7.3L V8 Gasoline Engine Electronic 6 speed Automatic Transmission Rear Axle, 4.56, Limited Slip 14,500 lb. GVWR Front FAWR 5,000 lb. Rear RAWR 9,600 lb. Ambulance Prep Package, 47H Heavy Duty Alternator 240 amp Dual Batteries OEM Fuel tank 55 gallon Interior Upgrade Package - Cloth Headliner -High trim door panels -Captain Chairs, Dual Cloth -Cloth sun visors -Power Door locks -Power Windows -Insulation package Keyless entry, with keyfob with panic button Daytime Running Lights Cab Floor, OEM Black Vinyl Medium Flint interior color AM/ FM/ Clock, 4 speakers Tires: (6) All season, Random Make LT225/75R16,LRE Spare Tire and Wheel (shipped loose) Jack and Tire Tools (shipped loose) Exterior upgrade package Chrome Front bumper Chrome Grill and light surrounds Exterior paint Oxford White	\$ 44,542	3%
	5431	(2022) FORD V8 E-450 Gas Cutaway Chassis: 158" Wheelbase Dual Rear Wheel 7.3L V8 Gasoline Engine Electronic 6 speed Automatic Transmission Rear Axle, 4.56, Limited Slip 14,500 lb. GVWR Front FAWR 5,000 lb. Rear RAWR 9,600 lb. Ambulance Prep Package, 47H Heavy Duty Alternator 240 amp Dual Batteries OEM Fuel tank 55 gallon Interior Upgrade Package - Cloth Headliner -High trim door panels -Captain Chairs, Dual Cloth -Cloth sun visors -Power Door locks -Power Windows -Insulation package Keyless entry, with keyfob with panic button Daytime Running Lights Cab Floor, OEM Black Vinyl Medium Flint interior color AM/ FM/ Clock, 4 speakers Tires: (6) All season, Random Make LT225/75R16,LRE Spare Tire and Wheel (shipped loose) Jack and Tire Tools (shipped loose) Exterior upgrade package Chrome Front bumper Chrome Grill and light surrounds Exterior paint Oxford White Engine Block Heater	\$ 44,650	3%
	47200	State Emission Electronic 6 speed Automatic Transmission Cruise Control Mirrors Trl, Tow Frame Pucks 14,500 lb. GVWR Front FAWR 5,000 lb. Rear RAWR 9,600 lb. Ambulance Prep Package, 47H .Front License Bkt .Aux Heat/AC connection .Rear Axle, 4.56, Limited Slip .Spare Tire and Wheel .Alternator 240 amp .Dual Batteries .Frt. Max GAWR Fuel tank 55 gallon Interior Upgrade Package -Cloth Headliner -High trim door panels .Captain Chairs, Dual Cloth -Cloth sun visors -Power Door locks -Power Windows -Insulation package Keyless entry, with keyfob with panic button Daytime Running Lights Cab Floor, OEM Black Vinyl Medium Flint interior color AM/ FM/ Clock, 4 speakers Tires: (6) All season, Random Make LT225/75R16,LRE Jack and Tire Tools (shipped loose) Exterior upgrade package Chrome Front bumper Chrome Grill and light surrounds Exterior paint Oxford White Engine Block Heater Integrated Back-Up Camera	\$ 48,358	3%



	101926	State Emission Electronic 6 speed Automatic Transmission Cruise Control Mirrors Trl, Tow Frame Pucks 14,500 lb. GVWR Front FAWR 5,000 lb. Rear RAWR 9,600 lb. Ambulance Prep Package, 47H .Front License Bkt .Aux Heat/AC connection .Rear Axle, 4.56, Limited Slip .Spare Tire and Wheel .Alternator 240 amp .Dual Batteries .Frt. Max GAWR Fuel tank 55 gallon Interior Upgrade Package .Cloth Headliner .High trim door panels .Captain Chairs, Dual Cloth .Cloth sun visors .Power Door locks .Power Windows .Insulation package Keyless entry, with keyfob with panic button Daytime Running Lights Cab Floor, OEM Black Vinyl Medium Flint interior color AM/ FM/ Clock, 4 speakers Tires: (6) All season, Random Make LT225/75R16,LRE Jack and Tire Tools (shipped loose) Exterior upgrade package Chrome Front bumper Chrome Grill and light surrounds Exterior paint Oxford White Engine Block Heater Integrated Back-Up Camera	\$ 50,442	3%
	5433	Add an adjustable shelf	\$ 389	3%
	5434	Add a fixed vertical divider.	\$ 528	3%
	5436	Add an adjustable shelf	\$ 408	3%
	5437	Add a fixed vertical divider.	\$ 467	3%
	5438	Modify Compartment Size.	\$ -	3%
	5439	Add an adjustable shelf	\$ 390	3%
	5440	Add a fixed vertical divider.	\$ 530	3%
	83916	(2023) Sprinter (ARCTIC WHITE), 4500 Cutaway Chassis, Hi-Trim, 144" WB MODEL: 2023 M4CC4H 2.0L 4-cylinder Diesel Engine (211 HP output) Type III Cut-a-way, Modular Ambulance (PRICE SUBJECT TO CHANGE) 147 Arctic White VF7 Fabric Black Options: COS Comfort Package (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 Basic Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat C01 DRIVER CONVENIENCE PACKAGE E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FZ9 Two additional master keys JW8 Attention Assist C02 Premium Package E3M MBUX Multimedia System with 7" Touchscreen FM3 Wet Wiper System JB4 ACTIVE LANE KEEPING ASSIST JK5 Instrument Cluster with Colourdisplay (Highline) V59	\$ 65,566	3%
	84799	(2023) Sprinter (SUNSET RED), 4500 Cutaway Chassis, Hi-Trim, 144" WB MODEL: 2023 M4CC4H 2.0L 4-cylinder Diesel Engine (211 HP output) Type III Cut-a-way, Modular Ambulance (PRICE SUBJECT TO CHANGE) 432 Sunset Red VF7 Fabric Black Options: COS Comfort Package (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 Basic Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat C01 DRIVER CONVENIENCE PACKAGE E46 12V Power Outlet- Driver Seat Base FJ1 Hinged lid for storage compartment FZ9 Two additional master keys JW8 Attention Assist C02 Premium Package E3M MBUX Multimedia System with 7" Touchscreen FM3 Wet Wiper System JB4 ACTIVE LANE KEEPING ASSIST JK5 Instrument Cluster with Colourdisplay (Highline) V59	\$ 66,306	3%
	126957	(2024) Sprinter (ARCTIC WHITE) 4500 Cutaway Chassis, Hi-Trim, 144" WB MODEL: 2024 M4CC4H - GVWR 12,125 lbs. 2.0L 4-cylinder Diesel Engine (211 HP output) Type III Cut-a-way, Modular Ambulance (PRICE SUBJECT TO CHANGE) 9147 Arctic White VF7 Fabric Marlin Black Options: C00PKG Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort head restraint, driver SK1 Comfort head restraint, co-driver C01PKG Driver Convenience Package E46 12 V power outlet, driver seat base FJ1 Hinged lid for storage compartment FZ9 Keys, two additional masters JW8 Attention Assist C02PKG Premium Package E3M MBUX Multimedia System with 7 touchscreen FM3 Wet Wiper System JB4 Active Lane Keeping Assist C0SPKG Comfort Package (Seat addition) SB1 Comfort driver's seat SB2 Comfort passenger seat Options Details E21 Additional battery, co-driver seat base E36	\$ 72,687	3%
	20272	(2022) Ford F-450 4x4 DRW Reg Cab, 169.3" WB, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel -Transmission: Ford Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -GVWR: 16,500 pounds, FAWR: 7,000, RAWR: 13,660 -Cab Interior Color: Medium Earth Gray -F-Series 169.3 wheelbase -Engine Block Heater -Transfer Case: Electronic-Shift-On-the-Fly (4x4 only) -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Rear Axle: Full Float, 4.10:1 Ratio - Wide Track Axle Limited Slip -Rear stabilizer (Sway) Bar: OEM -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F-DEF Urea Surcharge, Emission Compliance	\$ 67,874	3%
	43332	(2022) Ford F-350 4x4 DRW Reg Cab, 195" WB,108CA, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel -F-series -Transmission: Ford Torque shift, 10 Speed Automatic (F-series) -98R Operator Command Regeneration -GVWR: 18,000 pounds, -Cab Interior Color: Gray -F-Series 193 wheelbase -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, F-4/550: 4-Wheel Disc/Anti-lock, Power Assist -Engine Block Heater -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable 62M -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type, 1.38 inch -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F-DEF Urea Surcharge, Emission Compliance	\$ 68,998	3%
	43333	(2022) Ford F-350 4x4 DRW Reg Cab, 195" WB,108CA, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel -Transmission: Ford Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -GVWR: 18,000 pounds, -Engine Block Heater -Cab Interior Color: Gray -F-Series 193 wheelbase -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Transfer Case: Electronic-Shift-On-the-Fly (4x4 only) -Brakes, F-4/550: 4-Wheel Disc/Anti-lock, Power Assist -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable 62M -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type, 1.38 inch -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F-DEF Urea Surcharge, Emission Compliance	\$ 70,024	3%
	43334	(2022) Ford F-450 4x2 DRW Reg Cab, 169.3" WB, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel -Transmission: Ford Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -GVWR: 16,500 pounds, FAWR: 7,000, RAWR: 13,660 -Cab Interior Color: Medium Earth Gray -F-Series 169.3 wheelbase -Engine Block Heater -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Rear Axle: Full Float, 4.10:1 Ratio - Wide Track Axle Limited Slip -Rear stabilizer (Sway) Bar: OEM -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F-DEF Urea Surcharge, Emission Compliance	\$ 67,613	3%
	133465	(2023) Ford F-350 4x2 DRW Reg Cab, 195" WB,108CA, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel - (F-series) -Transmission: Ford Torque shift, 10 Speed Automatic (F-series) -98R Operator Command Regeneration -GVWR: 18,000 pounds, -Oxford White -Cab Interior Color: Med Dark Slate -F-Series 193 wheelbase -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, F-4/550: 4-Wheel Disc/Anti-lock, Power Assist -Engine Block Heater -Cab Door Locks: Power -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type, 1.38 inch -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F-DEF Urea Surcharge, Emission Compliance	\$ 76,057	3%
	133466	(2023) Ford F-350 4x2 DRW Reg Cab, 195" WB,108CA, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel (F-Series) -Transmission: Ford Torque shift, 10 Speed Automatic (F-Series) -98R Operator Command Regeneration -GVWR: 18,000 pounds -Engine Block Heater -Oxford White -Cab Interior Color: Med Dark Slate -F-Series 193 wheelbase -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Transfer Case: Electronic-Shift-On-the-Fly (4x4 only) -Brakes, F-4/550: 4-Wheel Disc/Anti-lock, Power Assist -Engine Block Heater -Cab Door Locks: Power -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type, 1.38 inch -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F-DEF Urea Surcharge, Emission Compliance	\$ 80,210	3%
	133485	(2023) Ford F-450 4x2 DRW Reg Cab, 169.3" WB, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel (F-series) -Transmission: Ford Torque shift, 10 Speed Automatic (F-series) -98R Operator Command Regeneration -GVWR: 16,500 pounds, FAWR: 7,000, RAWR: 13,660 -Oxford White -Cab Interior Color: Medium Dark Slate -F-Series 169.3 wheelbase -Engine Block Heater -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Rear Axle: Full Float, 4.10:1 Ratio - Wide Track Axle Limited Slip -Rear stabilizer (Sway) Bar: OEM -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: All	\$ 74,148	3%
	133489	(2023) Ford F-450 4x4 DRW Reg Cab, 169.3" WB, XL1 Turbo Diesel NOTE: When using an F-Series Chassis for Re-Mounts Cab to Axle and Wheelbase dimensions must be approved by Engineering First. -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel (F-series) -Transmission: Ford Torque shift, 10 Speed Automatic (F-series) -98R Operator Command Regeneration -GVWR: 16,500 pounds, FAWR: 7,000, RAWR: 13,660 -Oxford White -Cab Interior Color: Medium Dark Slate -F-Series 169.3 wheelbase -Engine Block Heater -Transfer Case: Electronic-Shift-On-the-Fly (4x4 only) -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Rear Axle: Full Float, 4.10:1 Ratio - Wide Track Axle Limited Slip -Rear stabilizer (Sway) Bar: OEM -Tire, SPARE: Matching, Random Make -	\$ 77,338	3%
	5658	CHASSIS DISPOSEL (LEADER) Leader will be responsible for the disposal of old chassis. (\$500) fee.	\$ 847	3%

	5525	Rear View Camera system, (1) Camera ( VOYAGER- VCCS130KIT) with rear view mirror mounted color monitor ( BOYO- VTM600M).	\$ 1,454	3%
	5564	(2021) Ford F-350 4x2 DRW Reg Cab, 169.3" WB, XLT Turbo Diesel -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel-F-series - Transmission: Ford Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -Cab Interior Color: Medium Earth Gray -GVWR: 14,000 pounds, FAWR: 5,250, RAWR: 10,040 (4x2) -F-series 169.3" wheelbase -Engine Block Heater -Cab seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable 62M -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type, 1.38 inch -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords - Rear Axle: Ford Corp. Full Float, 4.10:1 Ratio -Rear stabilizer (Sway) Bar: OEM -Tire, SPARE: F-350 4x2, All season, Random Mk Non-Matching LT245/75RX17E, Ship Loose -Jack and Tire Tools: Ship Loose -Tires F-350 4x2, All season, Random Mk, LT245/75RX17E -DEF Urea Surcharge, Emission Compliance Fill up -47L - Ambulance Prep Package - F-Series -Throttle: Ford High Idle -Alternators Dual (OEM) Motorcraft Ford 67B - 397 Amps -Audio: AM/FM MP3 player w/ (5) speakers -8" LCD Touchscreen w/ Swipe Capability -Ford SYNC 3 -Keyless Entry Keypad (drivers door only) -Side Mirrors, OEM (F-Series) Pwr Glass, Heated,Telescopic -Rear Suspension: F-350 Leaf Springs, Single Stage (OEM) -Polished Aluminum Front and Rear Outer Wheels	\$ 58,675	3%
	5565	(2021) Ford F-350 4x2 DRW Reg Cab, 169.3" WB, XLT Turbo Diesel -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel - Transmission: Ford Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -Cab Interior Color: Medium Earth Gray -GVWR: 14,000 pounds, FAWR: 5,990, RAWR: 10,040 (4x4) -F-series 169.3" wheelbase -Engine Block Heater -Transfer Case: Electronic-Shift-On-the-Fly (4x4 only) -Cab seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Rear Axle: Full Float, 4.10:1 Ratio - Wide Track Axle Limited Slip -Rear stabilizer (Sway) Bar: OEM -Tire, SPARE: F-350 4x2, All season, Random Mk Non-Matching LT245/75RX17E, Ship Loose -Jack and Tire Tools: Ship Loose -Tires F-350 4x2, All season, Random Mk, LT245/75RX17E -DEF Urea Surcharge, Emission Compliance Fill up -47L - Ambulance Prep Package - F-Series -Throttle: Ford High Idle -Alternators Dual (OEM) Motorcraft Ford 67B - 397 Amps -Audio: AM/FM MP3 player w/ (5) speakers -8" LCD Touchscreen w/ Swipe Capability -Ford SYNC 3 -Keyless Entry Keypad (drivers door only) -Side Mirrors, OEM Pwr Glass, Heated, Telescopic -Rear Suspension: F-350 Leaf Springs, Single Stage (OEM) -Polished Aluminum Front and Rear Outer Wheels	\$ 62,438	3%
	5566	Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -GVWR: 16,500 pounds, FAWR: 7,000, RAWR: 13,660 -Cab Interior Color: Medium Earth Gray -F-Series 169.3 wheelbase -Engine Block Heater -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable -Daytime Running Lights: Ford OEM -Shock	\$ 62,505	3%
	5567	Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -GVWR: 16,500 pounds, FAWR: 7,000, RAWR: 13,660 -Cab Interior Color: Medium Earth Gray -F-Series 169.3 wheelbase -Engine Block Heater -Transfer Case: Electronic-Shift-On-the-Fly (4x4 only) -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, 4-Wheel Disc/Anti-lock -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator,	\$ 65,650	3%
	17181	narrow trac axle (wide trac not available) -14,000 lb. GVWR -Z1 Oxford White -3 40/40/40 Cloth -S Medium Earth Grey -643A Pref Equip Pkg, XLT Trim -54K Telescope Mirrors, Power, AM/FM/MP3/CLK -44G 10 Speed Automatic -TD8 LT245 BSW AS 17 -166 Carpet Delete -41H Engine Blk Heater -425 50 State Emissions -47A Ambulance Prep Pkg -67B Dual Alternators, 397 amps total -86M Dual Batteries -62R Trans	\$ 51,302	3%
	25600	Stainless Steel DOT approved wheel inserts shall be installed on all four outer wheels on chassis	\$ 507	3%
	25601	Stainless Steel filler extensions shall be installed on rear inner wheels	\$ 138	3%
	5568	Low Frequency Siren - Whelen Dual "Howler", includes (1) drivers side "Linemaster" foot switch. NOTE: This is a supplemental siren activated via foot switch, and only offered in conjunction with the Primary Siren	\$ 1,688	3%
	99780	Auxiliary A/C Condensor: Air Conditioning tie in kit w/ dual fan auxiliary condensor, (UNDERBODY MOUNT) Includes evaporator, condensor, hose kit. This option requires the deletion of the standard evaporator kit. (Based on Ford Diesel F-350, F-450, F-550 Chassis)	\$ 3,895	3%
	99779	Auxiliary A/C Condensor: Air Conditioning tie in kit w/ dual fan auxiliary condensor, (LOW PROFILE ROOF MOUNT) Includes evaporator, condensor, hose kit. This option requires the deletion of the standard evaporator kit. (Based on Ford Diesel F-350, F-450, F-550 Chassis)	\$ 4,733	3%
	38780	ZICO HYDRAULIC O2 LIFT / FOR VEHICLES WITH LIQUID SPRING SUSPENSION: -Install Zico Hydraulic lift in M1 exterior compartment. NOTE: With Liquid Spring Suspension it requires an additional door switch for the M1 compartment to deactivate the Liquid Spring rear dump when the M1 compartment door is open.	\$ 7,007	3%
	5517	Turbo Diesel Transmission: G42 7G-Tronic Automatic with overdrive 2020+ model year GVWR: 11,030 pounds, FAWR: 4,409 GAWR Alternator: Single 220 Amp Rear Axle: 3.92 ratio Brakes: 4-Wheel Anti-Lock, 4-Wheel Fuel Tank: 24.5 Gal Windshield Wipers: Intermittent Mirrors: 2, OEM, Power and Heated Daytime Running Lights: Included on Chassis OEM Tires: (6) Random Make, LT215/85R 16 All Season Radials Spare Tire: (1)	\$ 49,978	3%
	27702	VF6 Leatherette Black OPTIONS: C0S Comfort Package (Seats) SB1 Comfort Driver's Seat SB2 Comfort co-driver's seat C00 Basic Comfort Package LC4 Comfort overhead control panel SE4 Lumbar support, co-driver's seat SE5 Lumbar support, driver's seat SK0 Comfort Headrest-Driver's Seat SK1 Comfort Headrest-Passenger's Seat S28 Armrest, Driver's and Co-Driver's Door C01 DRIVER CONVENIENCE PACKAGE	\$ 52,451	3%
	5520	STAINLESS STEEL PROTECTION: There shall be a 18 ga. formed stainless steel compartment door sill protection for all exterior compartments (excluding battery compartment). The stainless protector shall be affixed with heavy duty double sided tape to the top surface of the door sill and extend over the radius edge. Quantity:	\$ 770	3%
	5521	Warning lights, front of upper module ILO lightbar, (5) total, (3) Code III 85R LED Red, (2) Code III 85W LED White, center light to be steady burning, "R" - "W" - "R" - "W" - "R"	\$ 2,506	3%
	5522	Intersection lights, front fenders, (2) Whelen 700, SUPER LED, Red, flashing, with chrome flanges.	\$ 592	3%
	5604	(2021) Ford F-550 4x2 DRW Reg Cab, 193"WB,108CA, XLT Turbo Diesel -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel - F-series - Transmission: Ford Torque shift, 10 Speed Automatic (F-series) -98R Operator Command Regeneration -GVWR: 18,000 pounds, -Cab Interior Color: Gray -F-Series 193 wheelbase -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Brakes, F-4/550: 4-Wheel Disc/Anti-lock, Power Assist -Engine Block Heater -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable 62M -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type, 1.38 inch -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F -DEF Urea Surcharge, Emission Compliance Fill up -47L - Ambulance Prep Package - F-Series -Throttle: Ford High Idle -Alternators Dual (OEM) Motorcraft Ford 67B - 397 Amps -Audio: AM/FM MP3 player w/ (5) speakers -8" LCD Touchscreen w/ Swipe Capability -Ford SYNC 3 -Keyless Entry Keypad (drivers door only) -Side Mirrors, OEM Pwr Glass, Heated, Telescopic -Polished Aluminum Front and Rear Outer Wheels	\$ 63,744	3%
	5605	(2021) Ford F-350 4x4 DRW Reg Cab, 193" WB,108CA, XLT Turbo Diesel -Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel - Transmission: Ford Torque shift, 10 Speed Automatic -98R Operator Command Regeneration -GVWR: 18,000 pounds, -Engine Block Heater -Cab Interior Color: Gray -F-Series 193 wheelbase -Cab Seats, Driver/Pass: F1 OEM Captains Chair - Cloth -Transfer Case: Electronic-Shift-On-the-Fly (4x4 only) - Brakes, F-4/550: 4-Wheel Disc/Anti-lock, Power Assist -Cab Door Locks: Power -Floor Pedals: Brake and Accelerator, Adjustable 62M -Daytime Running Lights: Ford OEM -Shock Absorbers: OEM, HD Gas Type, 1.38 inch -Front stabilizer (Sway) Bar: OEM -Fuel Tank: 40 Gallon, Aft Axle, Fords -Tire, SPARE: Matching, Random Make - Ship Loose -Jack and Tire Tools: Ship Loose -Tires: F-4/550, All season, Random Mk, 225/70 R19.5, LR F -DEF Urea Surcharge, Emission Compliance Fill up -47L - Ambulance Prep Package - F-Series -Throttle: Ford High Idle -Alternators Dual (OEM) Motorcraft Ford 67B - 397 Amps -Audio: AM/FM MP3 player w/ (5) speakers -8" LCD Touchscreen w/ Swipe Capability -Ford	\$ 66,901	3%
	25598	Stainless Steel DOT approved wheel inserts shall be installed on all four outer wheels on chassis	\$ 588	3%
	25599	Stainless Steel filler extensions shall be installed on rear inner wheels	\$ 138	3%

**Price List - Customization Categories**  
**Professional Ambulance Sales and Service SERVS**  
**Ambulances, EMS & Special Service Vehicles**  
**Contract No.: AM10-23**  
**Oct-23**

Category	Customization Description	Price Minimum	Price Maximum
Chassis Modifications	Addition of equipment & custom options to chassis	\$ 250.00	\$ 10,000.00
Module Modifications	Addition of equipment & custom options to module	\$ 1,000.00	\$ 30,000.00
Lighting Modifications	Warning, Scene, Load, Telescoping Lighting	\$ 300.00	\$ 10,000.00
Paint	Custom Paint, Striping, Air Brush	\$ 500.00	\$ 25,000.00
Graphics & Wraps	Customer specific graphics, logos, DPS numbers	\$ 300.00	\$ 20,000.00
Accident/Body Repair	Repair of apparent or hidden damage	\$ 500.00	\$ 25,000.00
Auxiliary Medical Equipment	Includes monitors, light rescue, specialized equipment, etc.	\$ 200.00	\$ 60,000.00
Non-Chassis OEM Air Conditioning System	Additional HVAC, Auxiliary Condensers, Condenser, etc.	\$ 1,000.00	\$ 15,000.00
Auxiliary Electrical Power Systems	Idle Mitigation & EV upgrades, batteries, generators, etc.	\$ 1,500.00	\$ 55,000.00