



CALDER BROTHERS CORPORATION

2026 SUGGESTED RETAIL PRICE LIST INTERNAL PL2026 Rev 03

Release Date: October 17, 2025
Prices Effective for Shipments on or After: November 1, 2025
Supersedes Document ID: Mauldin PL2026 Rev NR

CALDER BROTHERS CORPORATION
450 East Warehouse Court
Taylors, SC 29687

Telephone: (864) 244-4800

Web: www.4aMauldin.com

CALDER BROTHERS CORPORATION

(LIMITED) PRODUCT WARRANTY

Calder Brothers Corporation warrants that the product under this program will be free from defects in material and workmanship for a period of (12) twelve months from date of installation. Written notice of any claimed defect must be given to Calder Brothers Corporation within the warranty period and within (30) thirty days after such defect is discovered. Liability under this warranty is limited to replacing or repairing, at Calder Brothers Corporation's election, any part or parts deemed defective after examination by Calder Brothers Corporation or an Authorized Service Representative. Any machine or any of its parts returned by customer to Calder Brothers Corporation or an Authorized Service Representative via prepaid transportation and which is found to be defective will be repaired or replaced and returned to the customer via prepaid surface transportation within the continental United States. Should any part be found not defective, Calder Brothers Corporation or an Authorized Service Representative may charge inspection and handling to the customer.

EXCLUSIONS:

This warranty does not apply to routine wearable parts of Mauldin machines such as seals, points, plugs, hoses or similar items. This warranty does not extend to any machine or part replaced or repaired under this warranty. This warranty does not cover any repair or replacement labor of any part or parts found defective after examination by Calder Brothers Corporation or an Authorized Service Representative. This warranty does not apply to defects caused by casualty or unreasonable use, including faulty repairs by others and failure to provide reasonable and necessary maintenance.

THIS WARRANTY SET FORTH HEREIN IS IN LIEU OF AND EXCLUDES ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, ARISING BY OPERATION OF LAW OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND CUSTOMER WAIVES ANY OBLIGATION OF LIABILITY OF CALDER BROTHERS CORPORATION ARISING IN TORT OR STRICT LIABILITY IN TORT, OR FOR LOSS OR USE, REVENUE OR PROFIT WITH RESPECT TO MAULDIN MACHINE AND/OR PARTS FOR ANY LIABILITY OF CUSTOMER TO ANY THIRD PARTY, OR FOR OTHER DIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Customer Signature

Date

Selling Representative

Date

Effective for Shipments on or After: 11/1/2025
 Submit Orders to: Sales@CalderBrothers.com

2026 Marketing Order Form

Order Date: Tuesday, February 10, 2026

Dealership: _____





Purchase Order: _____

Sales Contact: _____

Ship Via: _____

Email Contact: _____

Ship To Address: _____

Item	Description	Shipment Quantity Per Order	Price	Qty
	Full-Line Product Tri-Folds	250	\$ 225	
	Co-Branded Hats (Mauldin Logo front, Dealer Logo side)	50	\$ 675	
	Co-Branded T-shirts (Mauldin Logo left chest, Dealer Logo arm)	50	\$ 675	
<div></div> <div>Product Literature & Specification Sheet</div> <div>Color, 100# Glossy, Full-Bleed</div>	650 Asphalt Paver	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	760 Asphalt Paver	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	1360 Asphalt Paver	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	1560 Asphalt Paver	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	1860B Asphalt Paver	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	M415XT Maintainer	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	MT-300/600 Emulsion Tank	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	MU-600 Maintenance Unit	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
	Precision Spray Asphalt Distributor	50	\$ 90	
		100	\$ 115	
		200	\$ 155	
		Dealer Net Price	\$ -	

For Shirts, Indicates Sizes:

Order Authorization

Effective for Shipments on or After: 11/1/2025

Submit Orders to: Sales@CalderBrothers.com

2026 Automation Packages

Order Date: Tuesday, February 10, 2026

Dealership: _____

Purchase Order: _____

Sales Contact: _____

Ship Via: _____

Email Contact: _____

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer: _____

Ship To
Address: _____

Paver Automation Available (1860 Only)	Item	List Price	Qty
SCD AUTO SONIC CONTROL BASE SYSTEM @ (Single Grade)	OPCP-390	\$10,100	
SCD AUTO 2ND SONIC GRADE CONTROL @ (Dual Grade) (MUST add OPCP-390)	OPCP-391	\$8,000	
SCD AUTO SLOPE ADD ON TO BASE SYSTEM (Grade or Grade 2x & Slope) (MUST add OPCP-390)	OPCP-392	\$6,200	
SCD AUTO COMPLETE 6'-13' TELESCOPE AVERAGING BEAM*	OPCP-394	\$16,700	
SCD AUTO 6'-13' TELESCOPE AVERAGING BEAM ONLY*	OPCP-396	\$5,700	
SCD AUTO 4-IN-1 SONIC AVERAGING SENSOR SINGLE SIDE CONTROL (Multi-Head Sensor)	OPCP-480	\$12,100	

Grader Automation Available (All Solutions include Rotation, Pitch-Roll, and Slope Sensors)	Item	List Price	Qty
GDR AUTOMATION TOPCON SYS-5 2D SOLUTION	OGCG-1132	\$31,250	
GDR AUTOMATION LEICA ICON IGG3 2D SOLUTION	OGCG-1135	\$28,450	
GDR AUTOMATION LEICA ICON IGG3 3D SOLUTION	OGCG-1136	\$88,040	

Additional Order Information:

Total List Price	\$	-
Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

Effective for Shipments on or After: 11/1/2025

Submit Orders to: Sales@CalderBrothers.com

2026 Model Year 650

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact:

Ship Via:

Email Contact:

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer:

Ship To

Address:

Base Model	Drivetrain		Screed	Weight	List Price	Qty
MP650T	Crawler Track, Smooth Steel Pads	Kubota V-1505 24 HP	<i>Freedom</i> 8' to 13'	9,700 Lbs.	\$ 132,160	
Gold Keys Available:	GK Equipment Includes			Screed Heating System...	List Price	Qty
MP650-T-GK-01	● OP690-220: Extreme Grade Polyurethane Track Pads ● OALL-HORN: Horn			Continuous Ignition, Manually Controlled, Propane Heating	\$ 138,330	
MP650-R-GK-01	● Wheeled Driveline: Eight Foam Filled Tires ● OALL-HORN: Horn				\$ 132,500	
Options Available				Item	List Price	Qty
TRK-69 50 POLY TRACK PADS*				OP690-220	\$5,830	
OPT ELECTRIC HORN				OALL-HORN	\$340	
PVR OPERATOR CONVENIENCE PACKAGE: (OPCP-542,OALL-HORN,OALL-115)				OPCP-570	\$2,140	
PVR REMOTE WASH DOWN TANK				OPCP-555	\$900	
SCD SLOPE METER				OPCP-325	\$790	
SCD AUGERS SEVERE DUTY 9" EXTENSION ONLY				OPCP-340	\$1,120	
OPT AMBER STROBE LIGHT				OALL-103	\$560	
PVR BACK UP ALARM				OPCP-501	\$450	
OPT SPECIAL PAINT				OALL-PAINT	\$3,250	
Extended Warranty - Call For Quote						
Additional Order Information:				Total List Price	\$	-
				Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL 650 6.0 TON GRAVITY FEED CRAWLER TRACK PAVER with:
DRIVE: Kubota V-1505 24 HP, 4 cyl. 1.5 L, EPA Tier 4 Final Diesel Engine. MAULDIN ® Premium Duty Crawler Track Suspension, Two-Speed Drive, Planetary Torque Hub to Sprocket Final Drive System, SIX (6) Permanent Sealed, Oil Filled Rollers w/ Metal Faced Seals. Double Pump Hydrostatic Drive w/ Hydrostatic Dynamic Braking, 12 Volt Electrical System. FUNCTION: Enclosed Engine, Automatic Augers, Paver Wash Down System uses Engine Fuel Tank and includes Dual Hoses w/ Sprayers. OPERATOR: Dual Operators Stations, Electronic Engine Fuel Gauge, Hour Meter, Horn
Freedom Screed™:
8' – 13' Paving widths, Power Extendable Vibratory Screed w/ AUTOMATIC (patented) Match Height adjustment. Continuous Ignition, Manually Controlled, Propane Screed Heating System for Main & Front Mounted Extensions. Two, Bi-directional 9" Material Feed Augers power extend/retract with extensions. Material Contacting Sensors for Head of Material Control. Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, On-The-Fly Adjustable End Gates.

Effective for Shipments on or After: 11/1/2025

Submit Orders to: Sales@CalderBrothers.com

2026 Model Year 760

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact:

Ship Via:

Email Contact:

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock
☐ Municipal ☐ Retail Customer

Retail Customer:

Ship To
Address:

Base Model	Drivetrain		Screed	Weight	List Price	Qty
MP760T	Crawler Track, Extreme Grade Poly Pads	Kubota D-1803 49 HP	<i>Freedom Electric</i> 8' to 13'	10,900 Lbs.	\$ 152,320	
Gold Keys Available:	GK Equipment Includes			Screed Heating System...	List Price	Qty
MP760-T-GK-01	<ul style="list-style-type: none">OPCP-670: Ultra-Sonic Feed SensorsOPCP-570: Operator Conv. Pkg (4 Working Lights & USB Power Outlet)OP760-100: Remote Diagnostics Package w/ 3-Year Subscription			Thermostat-Controlled Electric Screed Heating for Main & Extensions. 12Kw Generator	\$ 169,820	
Options Available				Item	List Price	Qty
PVR OPERATOR CONVENIENCE PACKAGE: (OPCP-542,OALL-HORN,OALL-115)				OPCP-570	\$2,140	
PVR SONIC FEED SENSOR				OPCP-670	\$6,050	
PVR REMOTE DIAGNOSTIC PACKAGE WITH 3 YEAR SUBSCRIPTION				OP760-100	\$3,480	
PVR REMOTE WASH DOWN TANK				OPCP-555	\$900	
SCD AUGERS SEVERE DUTY 9" EXTENSION ONLY				OPCP-340	\$1,120	
SCD SLOPE METER				OPCP-325	\$790	
PVR BACK UP ALARM				OPCP-501	\$450	
OPT AMBER STROBE LIGHT				OALL-103	\$560	
OPT SPECIAL PAINT				OALL-PAINT	\$3,250	
Extended Warranty - Call For Quote						
Additional Order Information:				Total List Price	\$ -	
				Dealer Net Price	\$ -	

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL 760 6.0 TON GRAVITY FEED CRAWLER TRACK PAVER with:
DRIVE: Kubota D-1803 49 HP, 4 cyl. 1.8 L, EPA Tier 4 Final Diesel Engine. MAULDIN ® Premium Duty Crawler Track Driveline: 2-Speed Drive, Planetary Torque Hub to Sprocket Final Drive System, SIX (6) Permanent Sealed, Oil Filled Rollers w/ Metal Faced Seals. Double Pump Hydrostatic Drive w/ Hydrostatic Dynamic Braking, 12 Volt Electrical System. FUNCTION: Enclosed Engine, Automatic Augers, Paver Wash Down System uses Engine Fuel Tank and includes Dual Hoses w/ Sprayers. OPERATOR: Dual Operators Stations, (1) Color Display Operator Control Center includes: Tachometer, Hour Meter, Oil Pressure, Engine Temp, Horn, and Fuel Gauges.
Freedom Electric Screed™:
8' – 13' Paving widths, Power Extendable Vibratory Screed w/ AUTOMATIC (patented) Match Height adjustment. AUTO/OFF Thermostat Control, Electric Screed Heating System for Main & Front Mounted Extensions: 12Kw Generator, 6 heat elements, (1—4—1), w/ Available Heating Capacity = 10,000 Total Combined Watts. Two, Bi-directional 9" Material Feed Augers power extend/retract with extensions. Material Contacting Sensors for Head of Material Control. Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, On-The-Fly Adjustable End Gates.

Submit Orders to: Sales@CalderBrothers.com

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact: _____

Ship Via: _____

Email Contact:

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer:

Ship To Address: _____

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL 1360 5.5 TON CONVEYOR FEED CRAWLER TRACK SUPER PAVER with:

DRIVE: Deutz TD2.9L4 74 HP, 4 cyl. 2.9L, EPA Tier 4 Final Diesel Engine w/ Electronic Engine Throttle w/ Deutz engine protection system. Crawler Track Suspension, Planetary Torque Hub to Sprocket Final Drive System, TEN (10) Permanent Sealed, Oil Filled Rollers w/ Metal Faced Seals. Double Pump Hydrostatic Drive w/ Hydrostatic Dynamic Braking, Triple Auxiliary Pumps, 24-Volt Electrical System.

FUNCTION: Fully Enclosed Engine and Hydraulic Compartment w/ Sound Attenuation. Wash Down Tank, w/ Sprayer Hose Reel System.

OPERATOR: Central Operator's Station, (1) Monochrome Display Operator Control Center includes: Hour Meter, Fuel Gauge and Engine Indicators for Oil Pressure, Engine Temp, and Alternator. Electric over Hydraulic Fail-Safe Parking Brake, Beacon, 4 Working Lights, Horn and Back-Up Alarm.

Silver-8 Electric Screed™:

4'- 8" Paving widths, Power Extendable Vibratory Screenshot w/ Power On-The-Fly Adjustable Match Height. **AUTO/OFF** Thermostat Control, **Electric Screenshot Heating** System for Main & Front Mounted Extensions: 7kW Generator, 6 heat elements, (1—4—1), w/ Available Heating Capacity = 7,000 Total Combined Watts. Front Mounted Extensions include:. Two, Bi-directional 12" Material Feed Augers. Non-contacting, Ultra-Sonic Sensors for Head of Material Control & Auger—Conveyor Synchronization automatically control material feed. Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, Spring-Loaded & On-The-Fly Adjustable End Gates.

Effective for Shipments on or After: 11/1/2025

Submit Orders to: Sales@CalderBrothers.com

2026 Model Year 1560

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact:

Ship Via:

Email Contact:

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer:

Ship To Address:

Base Model	Drivetrain		Screed	Weight	List Price	Qty
MP1560-T	Crawler Track, Smooth Steel Pads	Cummins QSF2.8 74 HP	Freedom - 14 Electric 8' to 14'	12,500 Lbs.	\$ 212,800	
Gold Keys Available:	GK Equipment Includes			Screed Heating System...	List Price	Qty
MP1560-T-GK-01	<ul style="list-style-type: none">OP1550-205: Extreme Grade Polyurethane TracksOPCP-570: Operator Conv. Pkg (4 Working Lights & USB Power Outlet)OPCP-301E3: SCD, Electrically Heated, Screed Endgates			Electric Thermostatically Controlled	\$ 227,940	
Options Available				Item	List Price	Qty
TRK-15 60 POLY TRACK PADS*				OP1550-205	\$10,870	
PVR OPERATOR CONVENIENCE PACKAGE: (OPCP-542,OALL-HORN,OALL-115) (4 Work Lights, Horn, & USB Power Outlet)				OPCP-570	\$2,140	
SCD ELEC HEATED END GATES - 500 WATTS EA				OPCP-301E3	\$2,130	
SCD AUGERS SEVERE DUTY 9" EXTENSION ONLY				OPCP-340	\$1,120	
PVR BACK UP ALARM				OPCP-501	\$450	
OPT AMBER STROBE LIGHT				OALL-103	\$560	
SCD SLOPE METER				OPCP-325	\$790	
PVR M-BRELLA SUNSHADE				OPCP-600	\$560	
SCD F4/14 WALKBOARD MOUNTED SEAT				OPCP-324	\$790	
PVR SWIVEL SEAT BRACKET				OPCP-669	\$340	
OPT ARM RESTS FOR SEATS				OALL-600	\$340	
OPT SPECIAL PAINT				OALL-PAINT	\$3,250	
Extended Warranty - Call for Quote						
Additional Order Information:				Total List Price	\$	-
				Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL 1560 6.5 TON CONVEYOR FEED CRAWLER TRACK SUPER PAVER with:
DRIVE: Cummins QSF2.8 74 HP, 4 cyl. 2.8L, EPA Tier 4 Final Diesel Engine w/ Electronic Engine Throttle w/ Cummins engine protection system. MAULDIN ® Premium Duty Crawler Track Driveline: 2 Speed Drive 0 – 140 FPM 0 – 290 FPM, Planetary Torque Hub to Sprocket Final Drive System, EIGHT (8) Permanent Sealed, Oil Filled Rollers w/ Metal Faced Seals. Double Pump Hydrostatic Drive w/ Hydrostatic Dynamic Braking, Triple Auxiliary Pumps, 12 Volt Electrical System. FUNCTION: Fully Enclosed Engine and Hydraulic Compartment w/ Sound Attenuation and Oil Capture System. Wash Down Tank, w/ dual Sprayer Hoses including Hose Reel System. OPERATOR: Dual Operators Stations, (1) Color Display Operator Control Center includes: Tachometer, Hour Meter, Oil Pressure, Engine Temp, Horn, and Fuel Gauges.
Freedom-14 Electric Screed™:
8' – 14' Paving widths, Power Extendable Vibratory Screed w/ AUTOMATIC (patented) Match Height adjustment. AUTO/OFF Thermostat Control, Electric Screed Heating System for Main & Front Mounted Extensions: 14Kw Generator, 6 heat elements, (1—4—1), Available Heating Capacity = 10,000 Total Combined Watts. Four, Bi-directional 9" Material Feed Augers: (2) Upper Augers mount to Main Screed, (2) Lower Augers power extend/retract with extensions. Non-contacting, Ultra-Sonic Sensors for Head of Material Control & Auger—Conveyor Synchronization automatically control material feed. Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, Spring-Loaded & On-The-Fly Adjustable End Gates.

Effective for Shipments on or After: 11/1/2025

Submit Orders to: Sales@CalderBrothers.com

2026 Model Year 1860C

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact:

Ship Via:

Email Contact:

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer:

Ship To Address:

Base Model	Drivetrain		Screed	Weight	List Price	Qty
MP1860-T	Crawler Track, Extreme Grade Poly Pads	Cummins QSF3.8 110 HP	Silver - 16 Electric 8' to 15'-6"	19,500 Lbs.	\$ 311,360	
Gold Keys Available:	GK Equipment Includes			Screed Heating System...	List Price	Qty
MP1860T-GK-01	● OPCP-570: Operator Conv. Pkg (4 Working Lights, Horn & USB Power Outlet) ● OP760-100: Telematics w/ 3-year subscription ● OPCP-301E3: Electrically Heated, Screed Endgates			Electric Thermostatically Controlled	\$ 319,110	
Options Available				Item	List Price	Qty
PVR REMOTE DIAGNOSTIC PACKAGE WITH 3 YEAR SUBSCRIPTION				OP760-100	\$3,480	
SCD ELEC HEATED END GATES - 500 WATTS EA				OPCP-301E3	\$2,130	
SCD AUGERS SEVERE DUTY 9" EXTENSION ONLY				OPCP-340	\$1,120	
SCD-S16 POWER CROWN				OPCP-300-15	\$4,600	
SCD-S16 POWER SLOPE				OPCP-300-16	\$6,610	
SCD ROAD CREW KIT (w/ OPCP-322, OPCP-560) (includes: LH Elevated Driver Mount & pair of Screed Remotes)				OPCP-323	\$4,320	
SCD ELEVATED DRIVER MOUNT MUST specify LH or RH if Qty = 1				OPCP-322	\$510	
PVR SCREED REMOTES (PAIR)				OPCP-560	\$3,810	
SCD SLOPE METER				OPCP-325	\$790	
SCD SEAT & STAND - CONVEYOR PVR				OPCP-320	\$790	
PVR SWIVEL SEAT BRACKET				OPCP-669	\$340	
OPT ARM RESTS FOR SEATS				OALL-600	\$340	
OPT SPECIAL PAINT				OALL-PAINT	\$3,250	
PVR OSC IN-WHEEL HITCH				OPCP-620	\$10,080	
HYD-75 PLUMBING ONLY TRUCK HITCH				OP1750-410	\$2,690	
PVR-86 VANDAL KIT (2) OPERATOR STATIONS				OP1860-600	\$1,350	
PVR M-BRELLA SUNSHADE				OPCP-600	\$560	
OPT AMBER STROBE LIGHT				OALL-103	\$560	
PVR BACK UP ALARM				OPCP-501	\$450	
Additional Order Information:				Total List Price	\$	-
				Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL 1860C 9.5 TON CONVEYOR FEED CRAWLER TRACK SUPER PAVER with:
DRIVE: Cummins QSF3.8 110 HP, 4 cyl. 3.8L, EPA Tier 4 Final Diesel Engine w/ Electronic Engine Throttle w/ Cummins engine protection system. MAULDIN® Premium Heavy Duty Crawler Track Suspension with Extreme Grade Polyurethane Track Pads, Planetary Torque Hub to Sprocket Final Drive System, TWELVE (12) Permanent Sealed, Oil Filled Rollers with Metal Faced Seals, 2 Speed Drive, 0 – 144 & 0 – 324 FPM, Double Pump Hydrostatic Drive, w/ pressure compensating & gear auxiliary pumps. 12 Volt Electrical System w/ 135 Amps Alternator. Telematics w/ 3-year subscription.
FUNCTION: Fully Enclosed Engine and Hydraulic Compartment w/ Sound Attenuation and Oil Capture System. Electric/Hydraulic Extension Match Height, Electronic Screed Depth Control (Tow Points), Wash Down Tank w/ dual Sprayer Hoses including Hose Reel System.
OPERATOR: MAULDIN® SUPER STEER™ Steering package w/ PAVING RESUME™. Dual Operators Consoles w/ (2) Color Display Operator Control Centers: (Horn, Tachometer, Hour
Silver-16 Electric Screed™:
8' - 15'-6" Paving widths, Automatic Screed Vibration (Paving Resume™ activation), Powered: Material Feed Tunnels & On-The-Fly Adjustable Match Height. AUTO/OFF Thermostat Control, Electric Screed Heating System for Main & Front Mounted Extensions: 12 heat elements, (2—8—2). Four, Variable Speed, Bi-directional Material Feed Augers: (2) Upper 12" Augers mount to pre-strikeoff, (2) Lower 9" Augers power extend/retract with extensions. Ultra-Sonic Sensor Head of Material Control & Auger—Conveyor Synchronization automatically control material feed, Bolt-On Replaceable Main & Extension Wear Plates, Standard Depth Extending Walkboard, On-The-Fly Adjustable: Extension Slope & Spring-Loaded End Gates.

Effective for Shipments on or After: 11/1/2025

 Submit Orders to: Sales@CalderBrothers.com

2026 Model Year M415XT

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact:

Ship Via:

Email Contact:

 Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock
☐ Municipal ☐ Retail Customer

Retail Customer:

 Ship To
 Address:

Base Model	Drivetrain		Auxiliary Attachments	Weight	List Price	Qty
MM415	Limited Slip, All Wheel Drive & Steer, 3-speed Range	Cummins QSF3.8 127 HP	High-Flow Hydraulics with Case Drain 84" wide Bucket and Rear 7-shank Scarifier	15,000 Lbs.	\$ 260,960	
Gold Keys Available:	GK Equipment Includes			Weight	List Price	Qty
MM415-GK-03	<ul style="list-style-type: none"> OTCT-1000: Back-Up Camera OGCG-1005: Low Profile Seat OGCG-1130: OEM Automation Rediness Package OG415-100: Remote Diagnostics Package w/ 3-year Subscription 			15,000 Lbs.	\$ 270,390	
Options Available			Item	List Price		Qty
GDR FLOTATION TIRES			OG413-1003	\$1,350		
PS BACK-UP CAMERA			OTCT-1000	\$2,360		
OPT SPECIAL PAINT			OALL-PAINT	\$3,250		
GDR LIGHT TURN SIGNAL PACKAGE			OGCG-1011	\$560		
GDR ADDITIONAL WORK LIGHTS (2) LIGHTS			OGCG-1013	\$810		
GDR FIRE EXTINGUISHER			OGCG-1079	\$560		
OPT ARM RESTS FOR SEATS (RH / Joystick Side Standard, LH Side Optional)			OALL-600	\$340		
OPT RADIO AM/FM BLUETOOTH			OALL-116	\$2,020		
GDR AUTOMATION TOPCON OEM READINESS PACKAGE			OGCG-1130	\$3,590		
GDR MASTER DISCONNECT SWITCH			OGCG-1012	\$450		
GRD RAISED ON BLACKTOP LIMITED EDITION			OG415-ROB	\$8,070		
Extended Warranty - Call For Quote						
Additional Order Information:			Total List Price	\$ -		
			Dealer Net Price	\$ -		

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL M415XT 15,000lbs MAINTAINER – TOOL CARRIER with:

DRIVE: Cummins QSF3.8 127 HP, 4 cyl. 3.8L, EPA Tier 4 Final Diesel Engine w/ Electronic Engine Throttle w/ Cummins engine protection system. (2) Limited Slip Axles, All Wheel Hydrostatic Drive w/ 3-Speed Range Selection, All Wheel Steer, (4) 15-19.5 NHS Tires. 12 Volt Electrical System with Heavy Duty Alternator.

FUNCTION: Proportional valves, Automation Upgrade Ready. 10' x 19" Moldboard: Angle, Tilt, Side shift, Raise/Lower, and Float Positions. Front & Rear Universal Quick-Attach: Auxiliary High Flow Hydraulics w/ Case Drain. Attachments: ¾-Cubic Yard, 84" wide Bucket w/ Float Position and Rear 7-shank Scarifier.

OPERATOR: Air Conditioned Enclosed Cab w/ pressurizer, heat and defrost fan. Low Profile Suspension Seat, Joystick Operating Controls. Color Display, Operator Control Center includes: Tachometer, Hour Meter, Oil Pressure, Engine Temp, and Fuel Gauges. Tilting Steering Column. Bucket Position Sensing & Automatic Position Hold (Auto-Level). Electric over Hydraulic Fail-Safe Parking Brake, Roof mounted Beacon, Working Lights, Horn, Back-Up Alarm, and (2) Outside Rearview Mirrors.



Submit Orders to: Sales@CalderBrothers.com

Effective for Shipments on or After: 11/1/2025

 Submit Orders to: Sales@CalderBrothers.com

2026 Model Year Emulsion Tank

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact:

Ship Via:

Email Contact:

 Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock
☐ Municipal ☐ Retail Customer

Retail Customer:

 Ship To
 Address:

Base Model	Drivetrain	Pump	Spray Bar	List Price	Qty
MT300	Kohler CH-395 9.5 HP	8 GPM, Reversible	N/A	\$ 22,400	
MT600		8 GPM, Reversible	N/A	\$ 30,240	
Gold Keys Available:	GK Equipment Includes	Pump	Spray Bar	List Price	Qty
MT300-01	● OTCT-610: 8' Spray Bar W/ In-Cab-Ctr	8 GPM, Reversible	8' Single-Overlap Non-Recirculating	\$ 26,660	
MT600-GK-01	● OTCT-610: 8' Spray Bar W/ In-Cab-Ctr ● OTCT-1400: Diesel Burner w/ Temp Ctr	8 GPM, Reversible	8' Single-Overlap Non-Recirculating	\$ 36,740	
Options Available			Item	List Price	Qty
AT INSULATED TANK SHELL (QTY = TANK SIZE) Qty MUST = 300 OR 600 depending on Tank Size			OTCT-618	\$9	
TT 8' SPRAY BAR W/ IN-CAB-CTR			OTCT-610	\$4,260	
TT ONE DIESEL FIRED BURNER WITH THERMOSTATIC CONTROLS			OTCT-1400	\$2,240	
TT ENG KUBOTA DIESEL 1 CYL 9.5 HP OC95-E4-D1-QX-L1			OTCT-625	\$4,150	
TT LOAD/OFFLOAD LINE W CAM LOCK CONNECTOR (SMALL 2IN)			OTCT-630	\$680	
TT 2 BALL HITCH ATTACHMENT"			OTCT-620	\$230	
AT SPARE TIRE & RIM			OTCT-650	\$900	
TT 110VAC ELEC TANK TEMP MONITOR			OTCT-616	\$2,470	
OPT FIRE EXTINGUISHER			OALL-FIRE	\$400	
AT HYD SURGE BRAKES			OTCT-619	\$2,130	
OPT SPECIAL PAINT			OALL-PAINT	\$3,250	
Extended Warranty - Call For Quote					
Skid Mounting - Call For Quote					
Additional Order Information:			Total List Price	\$	-
			Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODELS MT300 & MT600 with:

DRIVE: Kohler CH-395 9.5 HP, 1 cyl. 18.3ci/301cc Gasoline Engine – **ELECTRIC START**
FUNCTION: Propane Heat, Single Flue w/ triple pass tank routing. Hydraulic Driven Asphalt Pump, Steel Tank with Dished and Flanged Heads, Wash Down Solvent Tank, Clean-Out, Electric Brakes w/ electronic break-away braking system & safety chains, Adjustable hitch comes with 2-3/4" pintle eye, Material Temp thermometer: 50°F to 550°F, LED trailer lighting.

OPERATOR: Reverse Suction, In-Cab Controls on models w/ spray bar, 5 foot hand sprayer with 40' hose on a hose reel – **FLUID RE-CIRCULATE VALVE**. 20" Diameter Top Fill Manhole or Load Line Fill, (must order Load/Unload option) .

Effective for Shipments on or After: 11/1/2025

 Submit Orders to: Sales@CalderBrothers.com

2026 Model Year Maintenance Unit

Order Date: Tuesday, February 10, 2026

Dealership:

Purchase Order:

Sales Contact:

Ship Via:

Email Contact:

 Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock

☐ Municipal ☐ Retail Customer

Retail Customer:

Ship To Address:

Model	Drivetrain	Pump	Spray Bar	List Price	Qty
MPS600	Kubota Z-602 14 HP	30 GPM, Reversible	8' Single-Overlap, Recirculating	\$ 52,640	
Options Available			Item	List Price	Qty
AT INSULATED TANK SHELL (QTY = TANK SIZE)			OTCT-618	\$9	
Qty MUST = 600					
MU 2-8-2 SPRAY BAR (1NZ / 1')	12', Single -Overlap, Recirculating Spray Bar 2-8-2 (1 Nozzles Per Foot)		OTMU-12B-1F	\$5,600	
MU 2-8-2 SPRAY BAR (3NZ / 1')	12', Triple -Overlap, Recirculating Spray Bar 2-8-2 (3 Nozzles Per Foot)		OTMU-12B-3F	\$9,970	
AT SPARE TIRE & RIM			OTCT-650	\$900	
TT 110VAC ELEC TANK TEMP MONITOR			OTCT-616	\$2,470	
TT 240VAC ELEC TANK OVERNIGHT HEATER			OTCT-617	\$5,270	
AT HYD SURGE BRAKES			OTCT-619	\$2,130	
OPT SPECIAL PAINT			OALL-PAINT	\$3,250	
CUSTOM ENGINEERING SKID MOUNT UNIT ONTO CHASSIS			OTMU-SKID	\$18,480	
MU 1000 GALLON TANK OPTION (SKID ONLY)	(includes insulated tank, must also select OTCT-618)		OTMU-1000	\$10,530	
Extended Warranty - Call For Quote					
Additional Order Information:			Total List Price	\$	-
			Dealer Net Price	\$	-

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODEL MU-600 with:
DRIVE: Kubota Z-602 14 HP, 2 cyl. 37ci/599cc Diesel Engine
FUNCTION: 600 Gallon Trailer Mount Distributor – (2) 6,000 lb Rubber Torsion Axles, Single Flue, Diesel Fired with Thermostatic Control, Hydrostatic Powered 30 GPM Pump, 8' Spray bar Full Circulating, Key Fob Operated Spray Bar, Wash Down Solvent Tank, Clean-Out, 20" Diameter Manhole, 25' Hand Sprayer, Electric Brakes and safety chains, Adjustable 2-3/4" pintle eye, Dial Thermometer, LED lights.

Effective for Shipment on or After: 11/1/2025

Submit Orders to: Sales@CalderBrothers.com

2026 Model Year Precision Spray

Order Date: Tuesday, February 10, 2026

Dealership: _____

Purchase Order: _____

Sales Contact: _____

Ship Via: _____

Email Contact: _____

Ordered for: ☐ Demo ☐ Rental Fleet ☐ Stock☐ Municipal ☐ Retail Customer

Retail Customer: _____

Ship To

Address: _____

Base Model	Front Axle GVW	Rear Axle GVW	Chassis GVW	Useable CA/CB		List Price	Qty
MPS1000	10,000 Lbs.	16,000 Lbs.	26,000 Lbs.	72 inches	183 cm	\$ 145,600	
MPS2000	12,000 Lbs.	21,000 Lbs.	33,000 Lbs.	110 inches	279 cm	\$ 152,320	
MPS3500	18,000 Lbs.	40,000 Lbs.	58,000 Lbs.	152 inches	386 cm	\$ 168,000	
Gold Keys Available:	GK Equipment Includes		Chassis GVW	Useable CA/CB		List Price	Qty
MPS2000-GK01	<ul style="list-style-type: none">• OMPS-1005: Hot Shift PTO• OMPS-1016: Multi-view Camera System (Rear & Curb)		33,000 Lbs.	110 inches	279 cm	\$ 158,490	
Options Available				Item	List Price		Qty
PS HOT SHIFT PTO				OMPS-1005	\$2,920		
PS MULTI-VIEW CAMERA SYSTEM (REAR/CURB/BAR)				OMPS-1016	\$3,250		
PS 3" X 15' LOADING HOSE"				OMPS-1004	\$1,120		
PS TOOL BOX FRAME MOUNTED				OMPS-1010	\$900		
PS WET BOX				OMPS-1008	\$1,240		
PS NOZZELS EXTRA SET				OMPS-1012	\$790		
PS 240V OVERNIGHT HEAT - MUST SPECIFY POWER SERVICE (AMPS)				OMPS-1013	\$8,630		
PS 240V 25' CORD SET FOR HARD WIRE (TANK BODY CONNECTOR ONLY)			50 Amp Rated	OMPS-1013-B25	\$780		
PS 240V 25' CORD SET FOR PLUG-IN			50 Amp Rated	OMPS-1013-C25	\$1,110		
PS 1 FT SPRAY BAR EXTENSION		LH & RH... adds 2' to base bar		OMPS-1001	\$1,570		
PS 2 FT SPRAY BAR EXTENSION		LH & RH... adds 4' to base bar		OMPS-1002	\$2,470		
PS 4 FT SPRAY BAR EXTENSION		LH & RH... adds 8' to base bar		OMPS-1003	\$3,810		
AT 50' MANUAL HOSE REEL				OMPS-1014	\$2,240		
AT 50' ELEC REWIND HOSE REEL				OMPS-1015	\$5,720		
PS BACK-UP CAMERA				OTCT-1000	\$2,360		
Extended Warranty - Call For Quote							
Additional Order Information:				Total List Price	\$ -		
				Dealer Net Price	\$ -		

All pricing is Ex-Works, in US Dollars & subject to change without notification.

Order Authorization

MODELS PS1000 PS2000 PS3500 with:
** Tank Only - Does Not Include Chassis **
FUNCTION: Steel Tank with Dished Heads, Baffles, Insulated Shell, 8 - 16 ft Telescoping Spray Bar w/ 4" Incremental Width Control, Double Flue Heating, Diesel Burners with Auto Temperature Control, 400 GPM Heated Asphalt Pump, Heated, Automatic Clean-Out Cycle w/ Heated Solvent Tank, Rear Mounted Insulated Exhaust Stack, 20" Diameter Manhole, Single Nozzle Hand Spray Wand, Master and Cab Controls, Dual Contents Gauges, Pre-Soak/Washdown System and Single Location, Auto Cleaning Strainer.