

# RAMFAN® Blower System

## 2024 MSRP - US\$ - MARCH

Euramco Safety Inc. - San Diego  
Revision: March 1, 2024



Model	Order Number	Description	MSRP
-------	--------------	-------------	------

### Firefighting Blowers

#### AC/DC BrushlessPPV Variable Speed blowers

##### 1400w/2hp 52V BrushlessPPV Battery Fan

EX150Li	<b>EL6525</b>	1400W AC/DC VariSpeed Fan, 18 inch, 5-15P, NO BATT, All Terrain Wheels . . . . .	<b>\$6,076</b>
EX150Li	<b>EL6525-2PK</b>	EL6525 All Terrain (115v) with 2 ea. M1-52V Batteries, US . . . . .	<b>\$7,192</b>

system includes: (or may be individually ordered)

1 ea	<b>EL610K</b>	Truck compartment mount and tiedowns for EX150Li . . . . .	<b>\$352</b>
1 ea	<b>EL6525</b>	1400W AC/DC VariSpeed Fan, 18 inch, 5-15P, NO BATT, All Terrain Wheels . . . . .	<b>\$6,076</b>
4 ea	<b>M1-52V</b>	PRO-CONNECT Battery Pack, 52v 8Ah for EX150Li, Bluetooth . . . . .	<b>\$2,232</b>
1 ea	<b>M16515DC</b>	Dual Battery Chrg, Li-Ion, 52V 1.5A/Channel, 12/24VDC . . . . .	<b>\$1,000</b>
EX150Li	<b>M1-52V</b>	PRO-CONNECT Battery Pack, 52v 8Ah for EX150Li, Bluetooth . . . . .	<b>\$558</b>
EX150Li	<b>M16515DC</b>	Dual Battery Chrg, Li-Ion, 52V 1.5A/Channel, 12/24VDC . . . . .	<b>\$1,000</b>
EX150Li	<b>M16515-US</b>	Dual Rapid Chrg, Li-Ion, 52V 3A/Channel, 115/240V, 5-15P . . . . .	<b>\$1,153</b>

##### 2400w/3hp 400VDC BrushlessPPV Plug-In Electric Fan

EX550	<b>EK90500</b>	EX550 3 hp BrushlessPPV, 115V . . . . .	<b>\$5,384</b>
EX550	<b>EK90500CE</b>	EX550 3 hp BrushlessPPV, 230V . . . . .	<b>\$5,384</b>

##### 700w/1hp 18V BrushlessPPV Battery Fan

EX50Li-18	<b>EL5518D</b>	18V BrushlessPPV 18", DeWALT FLEXVOLT Compatible, NO BATTERY . . . . .	<b>\$5,038</b>
EX50Li-18	<b>EL5518M</b>	18V BrushlessPPV 18", Milwaukee M18/12Ah Compatible, NO BATTERY . . . . .	<b>\$5,038</b>

##### 700w/1hp 40V BrushlessPPV Battery Fan

EX50Li	<b>EL5500</b>	700w, Brushless, 18 inch, Plug 5-15P, w/Wheels,Shoulder strap, NO BATTERY . . . . .	<b>\$5,196</b>
EX50Li	<b>EL5500-2PK</b>	EL5500 plus 2 x R2-40V PRO-CONNECT Bluetooth batteries . . . . .	<b>\$6,010</b>

system includes: (or may be individually ordered)

1 ea	<b>EL5500</b>	700w, Brushless, 18 inch, Plug 5-15P, w/Wheels,Shoulder strap, NO BATTERY . . . . .	<b>\$5,196</b>
2 ea	<b>R2-40V</b>	PRO-CONNECT Battery Pack, 40v 6Ah for EX50Li, Bluetooth . . . . .	<b>\$814</b>
EX50Li	<b>EL-55ZAC</b>	"Zero Downtime Pkg" w/115v Fan/115VAC Chrger/4 x BattsPRO-CONNECT/Truck Mount . . . . .	<b>\$8,329</b>
system includes: (or may be individually ordered)			
1 ea	<b>EL5500</b>	700w, Brushless, 18 inch, Plug 5-15P, w/Wheels,Shoulder strap, NO BATTERY . . . . .	<b>\$5,196</b>
EX50Li	<b>EL-55ZDC</b>	"Zero Downtime Pkg" w/115v Fan/12-24 VDC Chrger/4 x BattsPRO-CONNECT/Truck Mount . . . . .	<b>\$8,176</b>
system includes: (or may be individually ordered)			
1 ea	<b>EL5500</b>	700w, Brushless, 18 inch, Plug 5-15P, w/Wheels,Shoulder strap, NO BATTERY . . . . .	<b>\$352</b>
1 ea	<b>EL600K</b>	Truck compartment mount and tiedowns for EX50Li . . . . .	<b>\$352</b>
4 ea	<b>R2-40V</b>	PRO-CONNECT Battery Pack, 40v 6Ah for EX50Li, Bluetooth . . . . .	<b>\$1,628</b>
1 ea	<b>R25515DC</b>	Dual Battery Charger, Li-Ion, 40V 1.5A/Channel, 12/24VDC . . . . .	<b>\$1,000</b>
EX50Li	<b>R2-40V</b>	PRO-CONNECT Battery Pack, 40v 6Ah for EX50Li, Bluetooth . . . . .	<b>\$407</b>
EX50Li	<b>R25515DC</b>	Dual Battery Charger, Li-Ion, 40V 1.5A/Channel, 12/24VDC . . . . .	<b>\$1,000</b>
EX50Li	<b>R25515-US</b>	Dual Rapid Chrg, Li-Ion, 40V 3A/Channel, 115/240V, 5-15P . . . . .	<b>\$1,153</b>

### Large Structure Ventilation

#### Gasoline Powered - Mobile Platform

VX700	<b>GK5000</b>	28" Ventilator w/Honda GX630 - Skid Mount Unit only . . . . .	<b>\$21,923</b>
VX700	<b>GK5005</b>	28" Ventilator w/Honda GX630 - Custom Trailer Mount . . . . .	<b>\$37,307</b>

#### Gasoline Powered - Premium Line

GX500	<b>GD5005</b>	24" Ventilator w/Honda GX270 8.5HP . . . . .	<b>\$5,153</b>
GX600	<b>GJ5005</b>	28" Ventilator w/Vanguard V-Twin 18 HP w/ Hourmeter . . . . .	<b>\$9,764</b>
GX600	<b>GJ5005M</b>	28" Ventilator w/Vanguard V-Twin 18 HP w/Mister(25mm Storz) and Hourmeter . . . . .	<b>\$11,361</b>

### Positive Pressure Ventilators - See PPV Accessories

#### Gasoline Powered

GF165	<b>GA5006</b>	16" Ventilator w/Honda GX160 with Oil Alert . . . . .	<b>\$3,040</b>
GF210	<b>GE5001</b>	21" Ventilator w/Honda GX160 with Oil Alert . . . . .	<b>\$3,613</b>

#### Gasoline Powered - Aircraft Brake Cooling

GX355	<b>GH5515BC</b>	18" Ventilator w/Honda GX200, Brake Cooling . . . . .	<b>\$3,730</b>
-------	-----------------	-------------------------------------------------------	----------------

#### Gasoline Powered - Premium Line

GX200	<b>GG5010</b>	16" Ventilator w/Honda GXH50 . . . . .	<b>\$3,150</b>
GX200L	<b>GG5500</b>	16" Ventilator w/Honda GXH50-Ultralightweight PPV . . . . .	<b>\$2,843</b>
GX310	<b>GH5010</b>	18" Ventilator w/Honda GX160/4.8hp . . . . .	<b>\$2,907</b>
GX350	<b>GH5020</b>	18" Ventilator w/Honda GX200/5.5hp . . . . .	<b>\$3,461</b>
GX400	<b>GE5022</b>	21" Ventilator w/Honda GX200 . . . . .	<b>\$3,653</b>

#### Hazardous Location- Single Speed

XP400	<b>EB80500X</b>	1.5HP Haz. Loc. PPV Blower 115/240v, 50/60Hz, 16 inch, Wired 115v-Plug 5-15P . . . . .	<b>\$3,627</b>
XP500	<b>EB90600X</b>	1.5HP Haz. Loc. PPV Blower 115/240v, 50/60Hz, PowerShroud-18", Wired 115V, No Plug . . . . .	<b>\$3,878</b>

#### Premium Line - Mister Option

Accessory	<b>GD8111</b>	GX500 Integrated Mister Option . . . . .	<b>\$720</b>
-----------	---------------	------------------------------------------	--------------

Accessory	<b>GE8111</b>	GX400 Integrated Mister Option - NH fitting . . . . .	<b>\$649</b>
Accessory	<b>GH8112</b>	GX350 PC/ABS Shroud integrated Mister Option (Factory Install) . . . . .	<b>\$267</b>
Accessory	<b>GH8112-FLD</b>	GX350 PC/ABS Shroud integrated Mister Option (Field Install) . . . . .	<b>\$287</b>
Accessory	<b>GH8115</b>	MISTER ASSY, EX500/520, 1"NH . . . . .	<b>\$184</b>
<u>Variable Speed - AC Single Phase</u>			
EV400	<b>EB80500</b>	1.5HP Variable Speed Turbo Blower, 115V, 15A/20A, 16 inch, Plug EZ-L5-20P . . . . .	<b>\$3,152</b>
EX400	<b>EB80600</b>	1.5HP Vari-Speed Blower w/PowerShroud 115V, 15A/20A, 16 inch, Plug EZ-L5-20P . . . . .	<b>\$3,718</b>
EX500	<b>EK86500</b>	1.5HP VariSpeed Powershroud Fan, 115V, 15A/20A, 18 inch, Plug EZ-L5-20P . . . . .	<b>\$4,307</b>
<u>Water Powered</u>			
WF390	<b>WB5001LB</b>	Water-powered Ventilator - 1.5" BSP inlet/outlet . . . . .	<b>\$3,166</b>
WF540	<b>WD5010</b>	WF540 Water-powered Ventilator - with 1.5" BSP Inlet, 2.5" Outlet . . . . .	<b>\$5,286</b>
WX500	<b>WK5001</b>	WX500 Water-powered Ventilator - 1.5" BSP in/2.5" BSP out, Integrated Mister . . . . .	<b>\$3,461</b>

**16" Electric Smoke Ejectors, Heat-resistant LEXAN® Housing - See Note: 3**

Hazardous Location Motors rated for Class I, Group D, Class II, Group E, F, G

EFC150X	<b>EG8000X</b>	16" 1.5HP High Capacity Smoke Ejector - Haz. Loc. - Select 115V or 240v - No plug . . . . .	<b>\$3,015</b>
EFC50X	<b>EA7000X</b>	16" 1/2HP Haz. Loc. Smoke Ejector - 115/240v-Specify - No plug, No duct adapters . . . . .	<b>\$2,412</b>
<u>TEAO Motors - Single Phase</u>			
EFC150	<b>EG8000</b>	16" 1.5HP High Capacity Smoke Ejector - Select 115V or 240v - No duct adapters, 15A NEMA 5- . . . . .	<b>\$2,296</b>
EFC50	<b>EA7000</b>	16" 1/2HP Smoke Ejector - 115/240v-Specify - 15A NEMA 5-15P plug , No switch-No duct adapte . . . . .	<b>\$1,861</b>

**Hazardous Location**

Hazardous Area Lighting			
<u>Hazardous Area Lighting - 110V</u>			
SLAM Semic S	<b>AT-SSP110A2PE</b>	SLAM® Semic SP 110V T4, Cable: H07RN-F 3x1.5 RUBBER 30', Plug: ATX 2P+E . . . . .	<b>\$1,044</b>
SLAM SplitterE	<b>AT-SSPLEX4C11</b>	SLAM® SplitterEx 4C, 4x sockets: ATX 2P+E PRE316FY, 1x plug: ATX 2P+E PRE316PY, Cable: . . . . .	<b>\$3,706</b>
SLAM Star	<b>AT-SS3LEDA110</b>	SLAM® Star Portable Floodlight, 3LED A 110V, H-FLEX 3x2.5 shielded PUR 30' cable, ATX 2P+ . . . . .	<b>\$3,885</b>
<u>Hazardous Area Lighting - 230V</u>			
SLAM Semic S	<b>AT-SSP230A2PE</b>	SLAM® Semic SP 230V T4, Cable: H07RN-F 3x1.5 RUBBER 30', Plug: ATX 2P+E . . . . .	<b>\$1,044</b>
SLAM SplitterE	<b>AT-SSPLEX4C23</b>	SLAM® SplitterEx 4C, 4x sockets: ATX 2P+E PRE316FB, 1x plug: ATX 2P+E PRE316PB, Cable: . . . . .	<b>\$3,706</b>
SLAM Star	<b>AT-SS3LEDA230</b>	SLAM® Star Portable Floodlight, 3LED A 230V, H-FLEX 3x2.5 shielded PUR 30' cable, ATX 2P+ . . . . .	<b>\$3,885</b>

**8" Electric Blower - Hazardous Location - See Note: 1**

Single Phase - HazLoc Blowers EX rated ( II 2 G Ex db eb IIB T6 Gb)(II 2 G Ex h IIB T6 Gb)

UB20XX	<b>EF7002</b>	8" 1/3HP, 115V, 50/60 IECEX/ATEX/INMETRO Blower-Exhauster, 8" Duct adapters . . . . .	<b>\$2,233</b>
UB20XX	<b>EF7015</b>	8" 1/3HP XX Blower-Exhaust Incl. Quick-Couple Canister w/15ft anti-static duct . . . . .	<b>\$2,928</b>
UB20XX	<b>EF7025</b>	8" 1/3HP XX Blower-Exhaust Incl. Quick-Couple Canister w/25ft anti-static duct . . . . .	<b>\$3,163</b>

Haz. Loc. Blower Kit

UB20XX	<b>EF7015-MEDXX</b>	UB20XX Manhole Entry System - 115V powered blower . . . . .	<b>\$3,865</b>
system includes: (or may be individually ordered)			
1 ea	<b>EF7002</b>	8" 1/3HP, 115V, 50/60 IECEX/ATEX/INMETRO Blower-Exhauster, 8" Duct adapters . . . . .	<b>\$2,233</b>
1 ea	<b>EF7004CL/DS</b>	Quick-Couple Long Canister, 2 pcs (8") conductive duct - 5ft and 15ft and duct coupler . . . . .	<b>\$912</b>
1 ea	<b>MED189XX</b>	M-E-D, Manhole Entry Device, MED Vent, Black Conductive . . . . .	<b>\$500</b>
1 ea	<b>MED90XX</b>	M-E-D, Manhole Entry Device, 90° Elbow Connector, Black Conductive . . . . .	<b>\$173</b>
1 ea	<b>MEDUM</b>	M-E-D, Manhole Entry Device, Universal Mount . . . . .	<b>\$47</b>

**12" & 16" Blowers Hazardous Location, Anti-static Housing - See Note: 1**

Aerospace Systems

System	<b>EB7325-WT</b>	Mobile Aircraft Fuel Tank Ventilation Cart, 115 VAC (ATX standard) . . . . .	<b>\$23,000</b>
system includes: (or may be individually ordered)			
1 ea	<b>AT-SS3LEDA110</b>	SLAM® Star Portable Floodlight, 3LED A 110V, H-FLEX 3x2.5 shielded PUR 30' cable, . . . . .	<b>\$3,885</b>
2 ea	<b>AT-SSP110A2PE</b>	SLAM® Semic SP 110V T4, Cable: H07RN-F 3x1.5 RUBBER 30', Plug: ATX 2P+E . . . . .	<b>\$2,088</b>
1 ea	<b>AT-SSPLEX4C11</b>	SLAM® SplitterEx 4C, 4x sockets: ATX 2P+E PRE316FY, 1x plug: ATX 2P+E PRE31 . . . . .	<b>\$3,706</b>
1 ea	<b>DC12</b>	12" Duct Coupler Stainless HD . . . . .	<b>\$53</b>
2 ea	<b>DC8P</b>	8" Duct Coupler ABS/Polycarbonate . . . . .	<b>\$98</b>
1 ea	<b>EB6100K</b>	Truck compartment mount and tie-downs for EF175XX . . . . .	<b>\$289</b>
1 ea	<b>EB7201XX</b>	12" 3/4HP Haz. Loc. Blower - IECEX/ATEX 115/240V 50/60Hz 115 V - 12" duct adap . . . . .	<b>\$2,884</b>
2 ea	<b>EF7300</b>	Vent Connector, Wing tank venting, Large Oval . . . . .	<b>\$1,522</b>
1 ea	<b>EF7400</b>	Duct Wye Splitter, 12" to two 8" . . . . .	<b>\$746</b>
4 ea	<b>FDT-0825CBB</b>	8" Conductive Reinforced duct, 25ft, w/storage bag . . . . .	<b>\$2,288</b>
1 ea	<b>FDT-1215CBB</b>	12" Conductive Reinforced duct, 15ft, w/storage bag . . . . .	<b>\$412</b>
1 ea	<b>MK-999940</b>	RAMFAN Wing Tank Venting Cart, CART ONLY w/ mounts. 74"H x 47"W x 32"D. . . . .	<b>\$5,064</b>
System	<b>EB7325-WT-230</b>	Mobile Aircraft Fuel Tank Ventilation Cart, 230 VAC (ATX standard) . . . . .	<b>\$23,000</b>
system includes: (or may be individually ordered)			
1 ea	<b>AT-SS3LEDA230</b>	SLAM® Star Portable Floodlight, 3LED A 230V, H-FLEX 3x2.5 shielded PUR 30' cable, . . . . .	<b>\$3,885</b>
2 ea	<b>AT-SSP230A2PE</b>	SLAM® Semic SP 230V T4, Cable: H07RN-F 3x1.5 RUBBER 30', Plug: ATX 2P+E . . . . .	<b>\$2,088</b>
1 ea	<b>AT-SSPLEX4C23</b>	SLAM® SplitterEx 4C, 4x sockets: ATX 2P+E PRE316FB, 1x plug: ATX 2P+E PRE31 . . . . .	<b>\$3,706</b>
1 ea	<b>DC12</b>	12" Duct Coupler Stainless HD . . . . .	<b>\$53</b>
2 ea	<b>DC8P</b>	8" Duct Coupler ABS/Polycarbonate . . . . .	<b>\$98</b>
1 ea	<b>EB6100K</b>	Truck compartment mount and tie-downs for EF175XX . . . . .	<b>\$289</b>
1 ea	<b>EB7201XX-230</b>	12" 3/4HP Haz. Loc. Blower - IECEX/ATEX 115/240V 50/60Hz 240 V - 12" duct adap . . . . .	<b>\$2,884</b>
2 ea	<b>EF7300</b>	Vent Connector, Wing tank venting, Large Oval . . . . .	<b>\$1,522</b>
1 ea	<b>EF7400</b>	Duct Wye Splitter, 12" to two 8" . . . . .	<b>\$746</b>
4 ea	<b>FDT-0825CBB</b>	8" Conductive Reinforced duct, 25ft, w/storage bag . . . . .	<b>\$2,288</b>

	1 ea	<b>FDT-1215CBB</b>	12" Conductive Reinforced duct, 15ft, w/storage bag	\$412
	1 ea	<b>MK-999940</b>	RAMFAN Wing Tank Venting Cart, CART ONLY w/ mounts. 74"H x 47"W x 32"D.	\$5,064
System	<b>EB7500WT</b>	Aircraft Fuel Tank Vent Kit - 12" ATEX Blower KIT - 115V Blower . . . . .		\$7,230
system includes: (or may be individually ordered)				
	1 ea	<b>DC12</b>	12" Duct Coupler Stainless HD	\$53
	2 ea	<b>DC8P</b>	8" Duct Coupler ABS/Polycarbonate	\$98
	1 ea	<b>EB7201XX</b>	12" 3/4HP Haz. Loc. Blower - IECEX/ATEX 115/240V 50/60Hz 115 V - 12" duct adapt	\$2,884
	2 ea	<b>EF7300</b>	Vent Connector, Wing tank venting, Large Oval	\$1,522
	1 ea	<b>EF7400</b>	Duct Wye Splitter, 12" to two 8"	\$746
	4 ea	<b>FDT-0815CBB</b>	8" Conductive Reinforced duct, 15ft, w/storage bag	\$1,384
	1 ea	<b>FDT-1225CBB</b>	12" Conductive Reinforced duct, 25ft, w/storage bag	\$675
System	<b>EB7500WT-230</b>	Aircraft Fuel Tank Vent Kit - 300mm ATEX Blower KIT - 230V Blower . . . . .		\$7,230
system includes: (or may be individually ordered)				
	1 ea	<b>DC12</b>	12" Duct Coupler Stainless HD	\$53
	2 ea	<b>DC8P</b>	8" Duct Coupler ABS/Polycarbonate	\$98
	1 ea	<b>EB7201XX-230</b>	12" 3/4HP Haz. Loc. Blower - IECEX/ATEX 115/240V 50/60Hz 240 V - 12" duct adapt	\$2,884
	2 ea	<b>EF7300</b>	Vent Connector, Wing tank venting, Large Oval	\$1,522
	1 ea	<b>EF7400</b>	Duct Wye Splitter, 12" to two 8"	\$746
	4 ea	<b>FDT-0815CBB</b>	8" Conductive Reinforced duct, 15ft, w/storage bag	\$1,384
	1 ea	<b>FDT-1225CBB</b>	12" Conductive Reinforced duct, 25ft, w/storage bag	\$675
<u>Hazardous Location Motors rated for Class I, Group D, Class II, Group E, F, G</u>				
EFi50XX	<b>EA8000XX</b>	16" 1/2HP Haz. Loc. Blower - 115V 50/60Hz - 16" Adapters included-NO PLUG . . . . .		\$3,206
<u>Pneumatic - air motor driven w/ filter-oiler</u>				
AFi50XX	<b>AA7000</b>	16" Air Driven Blower - Hazardous Location - 2 each 16" Adapters included . . . . .		\$3,930
AFi75XX	<b>AB7000</b>	12" Air Driven Blower - Hazardous Location - 2 each 12" Adapters included . . . . .		\$3,301
<u>Single Phase - HazLoc Blowers EX rated ( I I 2 G Ex db eb IIB T6 Gb)(II 2 G Ex h IIB T6 Gb)</u>				
EFi120XX	<b>EA8120XX</b>	40cm 1.2HP Haz. Loc. Blower - IECEX/ATEX 110/240V 50Hz only -Wired 240V - 16A ATX plug . .		\$4,087
EFi120XX	<b>EA8120XX-110</b>	40cm 1.2HP Haz. Loc. Blower - IECEX/ATEX 110/240V 50Hz only -Wired 110V - 16A ATX plug . .		\$4,087
EFi150XX	<b>EG8200XX</b>	16" 1.5HP 115/240V 50/60 Hz IECEX/ATEX blower- Wired 115V - duct adapters, ATX plug . . . .		\$3,769
EFi150XX	<b>EG8200XX-230</b>	16" 1.5HP 115/240V 50/60 Hz IECEX/ATEX blower- Wired 240V - duct adapters, ATX plug . . . .		\$3,769
EFi75XX	<b>EB7201XX</b>	12" 3/4HP Haz. Loc. Blower - IECEX/ATEX 115/240V 50/60Hz 115 V - 12" duct adapters-ATX plu		\$2,884
EFi75XX	<b>EB7201XX-230</b>	12" 3/4HP Haz. Loc. Blower - IECEX/ATEX 115/240V 50/60Hz 240 V - 12" duct adapters-ATX plu		\$2,884

#### Venturi Blowers

<u>Venturi Blowers</u>				
RV1500	<b>RV1500</b>	Venturi 6" Cone . . . . .		\$752
RV760	<b>RV760</b>	Venturi 3" Cone . . . . .		\$498
RV760S	<b>RV760S</b>	Venturi 3" Cone (Short) . . . . .		\$498

#### Electric-Standard-AC

8" Electric Blowers - AC				
<u>Standard AC</u>				
UB20	ED7002	8" 1/3HP Blower-Exhauster - 115V/240v 50/60 Hz Ships as 115V . . . . .		\$461
UB20	ED7015	8" 1/3HP Blower-Exhauster - 115V Incl. Quick-Couple Canister w/15ft duct . . . . .		\$661
UB20	ED7025	8" 1/3HP Blower-Exhauster - 115V Incl. Quick-Couple Canister w/25ft duct . . . . .		\$681
<u>Standard AC Kits</u>				
UB20	ED7015-MED	UB20 Manhole Entry System - 115V powered blower . . . . .		\$1,144
system includes: (or may be individually ordered)				
	1 ea ED7002	8" 1/3HP Blower-Exhauster - 115V/240v 50/60 Hz Ships as 115V		\$461
	1 ea ED7004CL/DS	Quick-Couple Long Canister, 2 pcs (8") duct - (5ft and 15ft) and duct coupler		\$333
	1 ea MED5100	M-E-D, Manhole Entry Device, Includes: MED Vent, Elbow, Mount (No Blower)		\$350

#### 12" & 16" Electric Blowers

<u>TEAO Motors - Single Phase</u>				
EFi120	<b>EA8120</b>	40cm 1.2HP Blower - 240v - 16A Schuko plug, 40cm Adapters included . . . . .		\$2,140
EFi150	<b>EG8200</b>	16" 1.5HP High Capacity Blower - 115/240v Wired 115V - 16" Adapters included , L5-30P plug . . .		\$2,415
EFi150	<b>EG8200-230</b>	16" 1.5HP High Capacity Blower - 115/240v Wired 240v - 16" Adapters included, L6-20P plug . . .		\$2,415
EFi50	<b>EA8000</b>	16" 1/2HP Blower - Select 115/240v-Wired 115V - 16" Adapters included, Plug 5-15P . . . . .		\$1,998
UB30	<b>EJ4002</b>	12" 5/8HP Fan-Exhauster - 115/240v 50/60HZ Ships 115V with 5-15P . . . . .		\$804

#### Electric-Standard-DC

8" Electric Blowers - DC				
<u>Standard DC</u>				
UB20-12V	ED9002	8" 1/3HP Blower-Exhauster - Battery Clips (ED-SMHBC15) - 12VDC . . . . .		\$644
UB20-12V	ED9015	8" 1/3HP Blower-Exhauster - Battery Clips - 12VDC Incl. Quick-Couple Canister w/15ft duct . . . .		\$844
UB20-12V	ED9025	8" 1/3HP Blower-Exhauster -Battery Clips - 12VDC Incl. Quick-Couple Canister w/25ft duct . . . . .		\$864
<u>Standard DC Kits</u>				
UB20-12V	ED9015-MED	UB20 Manhole Entry System - 12VDC powered blower . . . . .		\$1,327
system includes: (or may be individually ordered)				
	1 ea ED7004CL/DS	Quick-Couple Long Canister, 2 pcs (8") duct - (5ft and 15ft) and duct coupler		\$333
	1 ea ED9002	8" 1/3HP Blower-Exhauster - Battery Clips (ED-SMHBC15) - 12VDC		\$644
	1 ea MED5100	M-E-D, Manhole Entry Device, Includes: MED Vent, Elbow, Mount (No Blower)		\$350

#### Battery Pack System

UB20-12V	<b>ED9015-BAT</b>	UB20 Battery Pack System - 12VDC battery powered blower, 15ft duct, battery pack/charger . . . .	<b>\$1,962</b>
<i>system includes: (or may be individually ordered)</i>			
1 ea	<b>BPV-12</b>	12V Hi/Lo Battery Pack for use with UB20-12V	<b>\$1,118</b>
1 ea	<b>ED9015</b>	8" 1/3HP Blower-Exhauster - Battery Clips - 12VDC Incl. Quick-Couple Canister w/15ft	<b>\$844</b>

---