725C2 ARTICULATED TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift six-speed forward and single speed reverse transmission
Cat C9.3 engine
Engine will be certified and labelled for emissions compliance as required for the region of sale.
Differentials: standard with automatic clutched inter and cross-axle differential locks
Dual circuit enclosed multiple disc brakes
Retarder: Hydraulic
S.O.Ssm sampling valves
Three axle, six-wheel drive

ELECTRICAL

Electrical system: 24 volt, 5A 24 to 12 volt converter
Lights: cab interior, front, side, rear, two reversing, work light, two stop/tail lights, front and rear direction indicators

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Adjustable air vents
CAT rear view camera
Color Multi-Purpose Display (CMPD) incorporating the rear view camera feed
Electro hydraulic hoist control
Glass windows: laminated front, toughened rear and toughened opening side
Heater and defroster with four-speed fan
Horn, electric
Radio ready
ROPS/FOPS cab
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts: two retractable
Secondary steering - electro hydraulic
Storage: cup holder, under seat storage, door pocket and behind seat storage
Sun visor
Tilt and telescopic steering wheel
Windshield wiper and washer, two speed, intermittent (front)

OTHER STANDARD EQUIPMENT

Reverse/back-up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors: extensive arrangement for improved visibility
Mud flaps: wheel arch and body mounted with transportation tiebacks
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Vandalism protection: lockable caps for fuel tank, DEF tank and hydraulic oil tank
Tires, six 23.5R25, radial

725C2 ARTICULATED TRUCK PETERLEE, ENGLAND	Ship Weight lbs	LIST PRICE AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

493-5690 **725C2 ARTICULATED TRUCK DCA1**. 0 **$445,730**

LANE 1 - AVAILABLE FROM GALVESTON PDC AND SAVANNAH PDC

INCLUDES:
464-5036 725C2 ARTICULATED TRUCK
464-7080 CHASSIS, STANDARD
380-3578 TIRES, 23.5R25 BS ** VLT E-3
495-0339 PRODUCT LINK, SATELLITE PL631
364-2247 BODY, STANDARD
364-8696 TANK, STANDARD FUEL
379-3745 EXHAUST, STANDARD
396-1948 AID, STANDARD STARTING
381-0036 LUBRICATION, MANUAL
373-3662 NO MACHINE SECURITY SYSTEM
373-3664 NO ROOF LIGHTS
381-1676 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
416-4354 MIRROR, STANDARD
324-7017 SEAT, STANDARD
381-1669 ANTIFREEZE, -36C (-33F)
465-2657 AM/FM RADIO (BLUETOOTH READY)
467-5012 CMPD SOFTWARE
455-3502 NO TAILGATE
468-7821 NO PAYLOAD MONITOR
383-6697 NO REAR WIPER

725C2 ARTICULATED TRUCK
PETERLEE, ENGLAND

		Ship Weight lbs	LIST PRICE AT DEALER
542-4622	**725C2 ARTICULATED TRUCK DCA2**	0	**$447,940**

LANE 1 - AVAILABLE FROM GALVESTON PDC AND SAVANNAH PDC

INCLUDES:
464-5036 725C2 ARTICULATED TRUCK
464-7080 CHASSIS, STANDARD
443-7475 TIRES, 23.5R25 MX ** XADN+ E-3
495-0339 PRODUCT LINK, SATELLITE PL631
364-2247 BODY, STANDARD
364-8696 TANK, STANDARD FUEL
379-3745 EXHAUST, STANDARD
396-1948 AID, STANDARD STARTING
381-0036 LUBRICATION, MANUAL
373-3662 NO MACHINE SECURITY SYSTEM
373-3664 NO ROOF LIGHTS
381-1676 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
416-4354 MIRROR, STANDARD
324-7017 SEAT, STANDARD
381-1669 ANTIFREEZE, -36C (-33F)
465-2657 AM/FM RADIO (BLUETOOTH READY)
467-5012 CMPD SOFTWARE
455-3502 NO TAILGATE
468-7821 NO PAYLOAD MONITOR
383-6697 NO REAR WIPER

464-5036	**725C2 ARTICULATED TRUCK**	0	**$451,150**

LANE 3 - AVAILABLE FROM PETERLEE FACTORY

Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Australia and New Zealand.

0P-3989	**725C2 MISCELLANEOUS MATERIAL**	0	**NC**

AVAILABLE FROM PETERLEE FACTORY

Only reference numbers that have the text
'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

NOTE: NACD/LACD use 0P0647 to order 725C2 TAILGATE, SCISSOR from Wamego USA source. This top level number is to be used when ordering scissor tailgates without ordering a machine, the part number to use is 397-2858. The manufacturing and ship source on the order needs to be BPA.

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	0P-9001	LANE 1 ORDER	0	NC

INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.	0	NC

DECAL PACKAGE

P	465-1443	FILM GROUP, ANSI This package includes the ANSI decals and is required by all of the USA.	0	NC
P	465-1410	FILM GROUP, ISO This package includes the ISO decals and is required by Canada.	0	NC
P	552-5786	FILM GROUP, CANADA REQUIRED BY: CANADA ONLY.	0	NC

PACKING

	0P-9901	DOMESTIC	0	$136 NET
	0P-9902	ROLL ON-ROLL OFF	0	$171 NET

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

NOTE: MAY SELECT ADDITIONAL OPTIONS (NOT REQUIRED).

FLUIDS

L	381-1671	ANTIFREEZE, -50C (-58F)	0	$388

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
LANE SELECTION				
.				
	0P-9003	LANE 3 ORDER	0	NC
ELECTRICAL				
LIGHTS				
L	373-3664	NO ROOF LIGHTS	0	NC
L	373-3663	LIGHTS, ROOF MOUNTED WORK	0	$1,040
SECURITY				
L	373-3662	NO MACHINE SECURITY SYSTEM	0	NC
L	373-3670	SECURITY SYSTEM, MACHINE	0	$495
REAR WIPER				
L	383-6697	NO REAR WIPER	0	NC
L	383-6696	WIPER, REAR	0	$545
OPERATOR ENVIRONMENT				
L	373-3661	NO RADIO/STEREO SYSTEM	0	NC
L	465-2657	AM/FM RADIO (BLUETOOTH READY)	0	$580
MIRROR TYPE				
L	416-4354	MIRROR, STANDARD	0	NC
L	416-6926	MIRROR, ELECTRIC HEATED	0	$1,035
SEAT TYPE				
L	324-7017	SEAT, STANDARD	0	NC
L	387-3124	SEAT, HEATED	0	$785

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

L	495-0339	**PRODUCT LINK, SATELLITE PL631** . . . . . Product Link Pro Series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	$432
L	495-0340	**PRODUCT LINK, CELLULAR PL641** . . . . . Product Link Pro Series PL641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC
L	495-0337	**PRODUCT LINK, SATELLITE PLE631** . . . . . Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	$799
L	495-0338	**PRODUCT LINK, CELLULAR PLE641** . . . . . Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	$367

Cat Production Measurement

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	458-2645	**PAYLOAD** . . . . . Includes Cat Production Measurement payload weighing system.	0	$11,830
L	468-7821	**NO PAYLOAD**	0	NC

FUEL SYSTEMS

TANK TYPE

L	364-8696	**TANK, STANDARD FUEL**	0	NC
L	381-0097	**FILLER, FAST FUEL**	0	$3,455

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	443-7475	TIRES, 23.5R25 MX ** XADN+ E-3	0	$-4,555
		Michelin radial, supplier part 295773, tread depth: 38 mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		
L	554-5152	TIRES, 23.5R25 MX ** X DEFEND	0	$1,205
		Michelin radial, supplier part 923499, tread depth: 54mm, 19.5/3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance.		
L	380-3578	TIRES, 23.5R25 BS ** VLT E-3	0	$-6,760
		Bridgestone radial, supplier part 442-940, tread depth: 42.5mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired. Not for use with 730C Ejector.		
L	369-8730	TIRES, 750/65R25 MX ** XAD-65	0	$3,530
		Michelin radial, supplier part 79374/123895, tread depth: 43mm, 22.00/3.5 rim. Suitable for soft or rocky underfoot where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity.		
L	380-3582	TIRES, 750/65R25 BS ** VLT E-3	0	$4,660
		Bridgestone radial, supplier part 420-220, tread depth: 43mm, 22/3 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity.		
L	564-8924	TIRES, 750/65R25 YOKOHAMA	0	$12,610

OTHER ATTACHMENTS

STARTING TYPE

L	396-1948	AID, STARTING, STANDARD	0	NC
L	396-1960	AID, COLD WEATHER STARTING	0	$1,760

LUBRICATION TYPE

L	381-0036	LUBRICATION, MANUAL	0	NC
		For use with a standard tank on a tipper machine.		
L	381-0044	LUBRICATION, MANUAL	0	NC
		For use with a fast fill tank on a tipper machine.		

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

OTHER ATTACHMENTS (CONT.)

LUBRICATION TYPE (Cont.)

L	455-5666	**LUBRICATION, MANUAL**	0	NC
		For use with a standard tank on a SWB bare chassis machine.		
L	455-5667	**LUBRICATION, MANUAL**	0	NC
		For use with a fast fill tank on a SWB nare chassis machine.		
L	454-7555	**LUBRICATION, MANUAL**	0	NC
		For use with a standard tank on a LWB machine.		
L	454-7560	**LUBRICATION, MANUAL**	0	NC
		For use with a fast fill tank on a LWB machine.		
L	381-0063	**LUBRICATION, AUTOMATIC**	0	$5,890
		Not for use with Scissor Tailgate.		
L	381-0074	**LUBRICATION, AUTOMATIC**	0	$5,890
		For use with Scissor Tailgate.		
L	447-7624	**LUBRICATION, AUTOMATIC**	0	$5,890
		For use with SWB bare chassis machine with hoist cylinders.		
L	381-0078	**LUBRICATION, AUTOMATIC**	0	$5,890
		For use with SWB bare chassis machine without hoist cylinders.		
L	454-8019	**LUBRICATION, AUTOMATIC**	0	$5,890
		For use with a LWB machine with hoist cylinders.		
L	454-8036	**LUBRICATION, AUTOMATIC**	0	$5,890
		For use with a LWB machine without hoist cylinders.		

COLOUR MULTI PURPOSE DISPLAY

L	467-5012	**CMPD SOFTWARE**	0	NC
		Includes all languages except Chinese and Japanese.		

DECALS

P	465-1443	**FILM GROUP, ANSI**	0	NC
		This package includes the ANSI decals and is required by USA.		
P	502-2857	**FILM GROUP, ANSI**	0	NC
		For use with bare chassis machines.		
		This package includes the ANSI decals and is required by USA.		

FRAMES

Please contact the factory for current long wheel base availability.

L	464-7080	**CHASSIS, STANDARD**	0	NC
		For use with body.		
L	464-7083	**CHASSIS, STANDARD WHEEL BASE**	0	$-20,610
		This package is a bare chassis machine with hoist cylinders.		
L	464-7091	**CHASSIS, STANDARD WHEEL BASE**	0	$-27,890
		This package is a bare chassis machine without hoist cylinders.		
L	464-7096	**CHASSIS, LONG WHEEL BASE**	0	$-6,220
		This package is a long wheel base machine with hoist cylinders.		
L	464-7099	**CHASSIS, LONG WHEEL BASE**	0	$-11,460
		This package is a long wheel base machine without hoist cylinders.		

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

BODY

BODY TYPE

Not for use with bare chassis machines.

L	364-2247	**BODY, STANDARD**	0	NC
L	380-2081	**LINER, DUMP BODY**	0	$13,930

EXHAUST TYPE

L	379-3745	**EXHAUST, STANDARD** To be used by HRC regions.	0	NC
L	440-2322	**EXHAUST, STANDARD** For use with bare chassis machine orders. To be used by HRC regions.	0	NC
L	440-5271	**EXHAUST, STANDARD** For use with bare chassis machine orders. To be used by LRC regions.	0	NC
L	379-3768	**EXHAUST, HEATED BODY** To be used by HRC regions.	0	$4,530

TAILGATE

P	397-2858	**TAILGATE, SCISSOR** For use with 725C2 trucks from serial number 2T300114 & UP and 2L600142 & UP. Not for use with bare chassis machines. ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	$13,150
P	455-3502	**NO TAILGATE**	0	NC

FLUIDS

L	381-1669	**ANTIFREEZE, -36C (-33F)**	0	NC
L	381-1671	**ANTIFREEZE, -50C (-58F)**	0	$388

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	421-8926	**SERIALIZED TECHNICAL MEDIA KIT** The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufaturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

PACKING

DOMESTIC PACKAGING

0P-9901	DOMESTIC	0	$136 NET

EXPORT PACKAGING

0P-9902	ROLL ON-ROLL OFF	0	$171 NET

MISCELLANEOUS PACKAGING

0P-6684 PACK, MISCELLANEOUS MATERIAL
Reference number required on all miscellaneous orders

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

ELECTRICAL

P	363-7685	BEACON, LED	0	$570

OTHER ATTACHMENTS

L	364-4046	GROUP, ETHER	0	$119
L	381-1676	HEATER, ENGINE COOLANT, 120V Supply cable not included.	0	$199
L	381-1677	HEATER, ENGINE COOLANT, 240V Supply cable not included.	0	$199
L	553-7100	WHEEL CHOCKS	0	$1,385
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	$129
L	454-6964	KIT, BODY UP SWITCH For use with bare chassis machines.	0	$276 NI

MISCELLANEOUS KITS

L	384-4165	LINER, BODY	0	$13,800 NI
L	465-7887	KIT, HEATED BODY EXHAUST	0	$4,530 NI
P	397-2858	TAILGATE, SCISSOR	0	$13,150

NACD/LACD use 0P0647 to order 725C2 TAILGATE, SCISSOR from Wamego USA source. This top level number is to be used when ordering scissor tailgates without ordering a machine, the part number to use is 397-2858. The manufacturing and ship source on the order needs to be BPA.

Guard Arr, Brake
Full wheel guards are available to prevent dirt ingress into the brake group. These kits cannot be ordered as a factory installed item or as a miscellaneous order.
Refer to Service Magazine SEPD1043 for instructions and parts lists.

DOCUMENTATION

MISCELLANEOUS

	0P-2046	PREPARATION FOR INSPECTION	0	$406 NET

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

PACKING

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	**0P-2047**	**DIRECT SHIP TO CUSTOMER - WASH**	0	**NC**

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

730 TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift six-speed forward and single speed reverse transmission
Cat C13 engine
Engine will be certified and labelled for emissions compliance as required for the region of sale.
Differentials: standard with automatic clutched inter and cross-axle differential locks
Dual circuit enclosed multiple disc brakes
Retarder: engine brake
S.O.Ssm sampling valves
Three axle, six-wheel drive
Machine speed limiter
Automatic Retarder Control
Hill Assist
Waiting Brake

ELECTRICAL

Electrical system: 24 volt, 5A 24 to 12 volt converter
Lights: cab interior, front, side, rear, two reversing, work lights, two stop/ tail lights, front and rear direction indicators
Hood Raise Lower Switch

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Adjustable air vents
CAT rear view camera
Touch Screen incorporating the rear view camera feed
Electro hydraulic hoist control
Glass windows: laminated front, toughened rear and toughened opening sides
Heater and defroster with four-speed fan
Horn, electric
Radio ready
ROPS/FOPS cab
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts: two retractable
Secondary steering - electro hydraulic
Storage: cup holder, under seat storage, behind seat storage and coat hook
Sun visor
Tilt and telescopic steering wheel
Windshield wiper and washer, two speed, intermittent (front)

OTHER STANDARD EQUIPMENT

Reverse/back-up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors: extensive arrangement for improved visibility
Mud flaps: wheel archand body mounted with transportation tie backs
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Vandalism protection: lockable caps for fuel tank, DEF tank and hydraulic oil tank
Cat Detect with Stability Assist Rollover Warning System
Assisted Hoist System

730 TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

562-6334	**730-04A ARTICULATED TRUCK DCA1**	0	**$517,940**

LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC

INCLUDES:
485-1709 730-04A ARTICULATED TRUCK
503-5009 CHASSIS, STANDARD
443-7475 TIRES, 23.5R25 MX ** XADN+ E-3
481-8888 PRODUCT LINK, CELLULAR PLE641
526-3414 BODY, STANDARD
503-2045 TANK, STANDARD FUEL
487-9912 EXHAUST, STANDARD
502-9602 AID, STANDARD STARTING
502-7483 NO SOUND SUPPRESSION (HRC)
480-1971 NO MACHINE SECURITY SYSTEM
480-1973 NO ROOF LIGHTS
381-0102 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
500-5946 MIRROR, STANDARD
485-0330 SEAT, STANDARD
381-0092 ANTIFREEZE, -36C (-33F)
480-1980 AM/FM RADIO (BLUETOOTH READY)
455-3503 NO TAILGATE
485-0336 NO PAYLOAD MONITOR
497-9403 NO REAR WIPER
566-5659 SEAT BELT, STANDARD
462-5039 STANDARD CAB

730 TRUCK
PETERLEE, ENGLAND

		Ship Weight lbs	LIST PRICE AT DEALER
563-0992	**730-04A ARTICULATED TRUCK DCA2**	0	**$515,740**

LANE 1 - AVAILABLE FROM BALTIMORE PDC AND SAVANNAH PDC

INCLUDES:
485-1709 730-04A ARTICULATED TRUCK
503-5009 CHASSIS, STANDARD
380-3578 TIRES, 23.5R25 BS ** VLT E-3
481-8888 PRODUCT LINK, CELLULAR PLE641
526-3414 BODY, STANDARD
503-2045 TANK, STANDARD FUEL
487-9912 EXHAUST, STANDARD
502-9602 AID, STANDARD STARTING
502-7483 NO SOUND SUPPRESSION (HRC)
480-1971 NO MACHINE SECURITY SYSTEM
480-1973 NO ROOF LIGHTS
381-0102 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
500-5946 MIRROR, STANDARD
485-0330 SEAT, STANDARD
381-0092 ANTIFREEZE, -36C (-33F)
480-1980 AM/FM RADIO (BLUETOOTH READY)
455-3503 NO TAILGATE
462-5039 STANDARD CAB
485-0336 NO PAYLOAD MONITOR
566-5659 SEAT BELT, STANDARD
497-9403 NO REAR WIPER

485-1709	**730-04A ARTICULATED TRUCK**	0	**$521,590**

LANE 3 - AVAILABLE FROM PETERLEE FACTORY

Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Australia and New Zealand.

485-1710	**730-04A EJ ARTICULATED TRUCK**	0	**$617,870**

LANE 3 - AVAILABLE FROM PETERLEE FACTORY

Includes ejector body.
Available for US, Canada, EU, Puerto Rico, CJL, South Korea, Australia and New Zealand.

0P-6473	**730 MISCELLANEOUS MATERIAL**	0	**NC**

AVAILABLE FROM PETERLEE FACTORY

Only reference numbers that have the text
'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	0P-9001	LANE 1 ORDER	0	NC

INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.	0	NC

DECAL PACKAGE

P	488-0553	FILM GROUP, ANSI This package includes the ANSI decals and is required by all of the USA.	0	NC
P	488-0550	FILM GROUP, ISO This package includes the ISO decals and is required by Canada.	0	NC
P	552-5786	FILM GROUP, CANADA REQUIRED BY: CANADA ONLY.	0	NC

PACKING

	0P-9901	DOMESTIC	0	$136 NET
	0P-9902	ROLL ON-ROLL OFF	0	$171 NET

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

NOTE: MAY SELECT ADDITIONAL OPTIONS (NOT REQUIRED).

FLUIDS

L	381-0094	ANTIFREEZE, -50C (-58F)	0	$388

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

LANE SELECTION

(MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY)

YOUR ORDER WILL BE LANE 3 UNLESS YOU SELECT A PACKAGE OR ATTACHMENT LISTED AS LANE 1 ONLY.

	0P-9003	LANE 3 ORDER	0	NC

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	$1,040

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	$495

REAR WIPER

L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	$545

OPERATOR ENVIRONMENT

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	$580

MIRROR TYPE

L	500-5946	MIRROR, STANDARD	0	NC
L	500-5947	MIRROR, ELECTRIC HEATED	0	$1,035

SEAT TYPE

L	485-0330	SEAT, STANDARD	0	NC
L	485-0331	SEAT, DELUXE	0	$785

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	$665

CAB TYPE

L	462-5039	STANDARD CAB To be used by HRC regions.	0	NC
L	497-9389	HIGH AMBIENT CAB Infrared Reflective Glass (IRR) To be used by HRC regions.	0	$1,555

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

L	481-8887	PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	$432
L	481-8888	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC

Cat Production Measurement

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	503-5941	PAYLOAD	0	$11,830
L	485-0336	NO PAYLOAD	0	NC

FUEL SYSTEMS

TANK TYPE

L	503-2045	TANK, STANDARD FUEL	0	NC
L	517-1808	FILLER, FAST FUEL	0	$3,455

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	443-7475	**TIRES, 23.5R25 MX ** XADN+ E-3**	0	$-4,555
		Michelin radial, supplier part 295773, tread depth: 38 mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired. Not for use with 730 Ejector.		
L	554-5152	**TIRES, 23.5R25 MX ** X DEFEND**	0	$1,205
		Michelin radial, supplier part 923499, tread depth: 54mm, 19.5/3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance. Not for use with 730 Ejector.		
L	380-3578	**TIRES, 23.5R25 BS ** VLT E-3**	0	$-6,760
		Bridgestone radial, supplier part 442-940, tread depth: 42.5mm, 19.5/2.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired. Not for use with 730 Ejector.		
L	369-8730	**TIRES, 750/65R25 MX ** XAD-65**	0	$3,530
		Michelin radial, supplier part 79374/123895, tread depth: 43mm, 22.00/3.5 rim. Suitable for soft or rocky underfoot where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity. Mandatory with 730 Ejector. Optional with 730 Tipper.		
L	380-3582	**TIRES, 750/65R25 BS ** VLT E-3**	0	$4,660
		Bridgestone radial, supplier part 420-220, tread depth: 43mm, 22/3 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity. Mandatory with 730 Ejector. Optional with 730 Tipper.		
L	564-8924	**TIRES, 750/65R25 YOKOHAMA**	0	$12,610
		Mandatory with 730 Ejector. Optional with 730 Tipper.		

OTHER ATTACHMENTS

L	502-7483	**NO SOUND SUPPRESSION**	0	NC
		This is a mandatory attachment for all Non-EC Dealers.		

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

OTHER ATTACHMENTS (CONT.)

ENGINE

L	563-9782	**ROW ENGINE ARRANGEMENT**	0	NC
		ONLY FOR USE WITH: 485-1709 730 ARTICULATED TRUCK REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN		

STARTING TYPE

L	502-9602	**AID, STARTING, STANDARD**	0	NC
L	502-9603	**AID, COLD WEATHER STARTING**	0	$1,760

DECALS

P	488-0553	**FILM GROUP, ANSI**	0	NC
		For use with tipper machine. This package includes the ANSI decals and is required by USA.		
P	488-0554	**FILM GROUP, ANSI**	0	NC
		For use with ejector machine. This package includes the ANSI decals and is required by USA.		
P	488-0561	**FILM GROUP, ANSI**	0	NC
		For use with bare chassis machines. This package includes the ANSI decals and is required by USA.		

FRAMES

Please contact the factory for current long wheel base availability.

L	503-5009	**CHASSIS, STANDARD**	0	NC
		For use with body.		
L	503-5010	**CHASSIS, STANDARD WHEEL BASE**	0	$-21,600
		This package is a bare chassis machine with hoist cylinders.		
L	503-5011	**CHASSIS, STANDARD WHEEL BASE**	0	$-29,590
		This package is a bare chassis machine without hoist cylinders.		
L	503-7289	**CHASSIS, LONG WHEEL BASE**	0	$-12,210
		This package is a long wheel base machine without hoist cylinders.		

BODY

BODY TYPE

Not for use with 730c2 Ejector machines and bare chassis machines.

L	526-3414	**BODY, STANDARD**	0	NC
L	526-3415	**LINER, DUMP BODY**	0	$13,930

EXHAUST TYPE

L	487-9912	**EXHAUST, STANDARD**	0	NC
		To be used by HRC regions.		
L	487-9913	**EXHAUST, STANDARD**	0	NC
		For use with bare chassis machine orders and ejector machines. To be used by HRC regions.		

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

BODY (CONT.)

EXHAUST TYPE (Cont.)

L	487-9916	**EXHAUST, STANDARD**	0	NC
		For use with bare chassis machine orders and ejector machines. To be used by LRC regions.		
L	487-9920	**EXHAUST, HEATED BODY**	0	$4,530
		To be used by HRC regions.		
L	487-9923	**EXHAUST, HEATED BODY**	0	$4,530
		To be used by LRC regions.		
L	487-9921	**EXHAUST, HEATED BODY**	0	$4,530
		For use with ejector machines. To be used by HRC regions.		
L	487-9924	**EXHAUST, HEATED BODY**	0	$4,530
		For use with ejector machines. To be used by LRC regions.		

TAILGATE

P	489-1756	**TAILGATE, SCISSOR**	0	$13,030
		For use with 730 trucks from serial numbers 3T300001 & UP and 3F300001 & UP. Not for use with 730 Ejector. Not for use with bare chassis machines. ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
P	455-3503	**NO TAILGATE**	0	NC

FLUIDS

L	381-0092	**ANTIFREEZE, -36C (-33F)**	0	NC
L	381-0094	**ANTIFREEZE, -50C (-58F)**	0	$388

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	421-8926	**SERIALIZED TECHNICAL MEDIA KIT**	0	NC
		The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

PACKING

DOMESTIC PACKAGING

	0P-9901	**DOMESTIC**	0	$136 NET

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

PACKING (CONT.)

EXPORT PACKAGING

0P-9902	ROLL ON-ROLL OFF	0	$171 NET
0P-6684	PACK, MISCELLANEOUS MATERIAL Reference number required on all miscellaneous orders		

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

ELECTRICAL

P	363-7685	BEACON, LED	0	$570

OTHER ATTACHMENTS

L	364-4045	GROUP, ETHER To be used by HRC regions.	0	$119
L	381-0102	HEATER, ENGINE COOLANT, 120V Supply cable not included.	0	$199
L	381-0103	HEATER, ENGINE COOLANT, 240V Supply cable not included.	0	$199
L	553-7100	WHEEL CHOCKS	0	$1,385
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	$129
L	500-5939	REAR BLINDS	0	$259

AUTOMATIC LUBRICATION

L	526-0515	AUTOLUBE ARRANGEMENT	0	NC

When selecting Automatic Lubrication, must select above part number and one part number from below to complete Automatic Lubrication option. Select one only:

L	506-8670	LUBRICATION, AUTOMATIC Not for use with Scissor Tailgate	0	$5,890
L	506-4149	LUBRICATION, AUTOMATIC For use with Scissor Tailgate	0	$5,890
L	506-4151	LUBRICATION, AUTOMATIC For use with ejector body. Please note that this system lubricates the base machine only. The ejector system must be lubricated manually.	0	$5,890
L	506-4152	LUBRICATION, AUTOMATIC For use with SWB bare chassis machine with hoist cylinders.	0	$5,890
L	526-0518	LUBRICATION, AUTOMATIC For use with SWB bare chassis machine without hoist cylinders.	0	$5,890
L	506-4153	LUBRICATION, AUTOMATIC For use with LWB machine without hoist cylinders.	0	$5,890

FACTORY SOURCED KITS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using 0P-6473 with targeted availability of 2 weeks from receipt of order.

P	527-9212	AM/FM RADIO (BLUETOOTH READY)	0	$580 NI
P	526-6598	FILLER, FAST FUEL	0	$3,455 NI

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

FACTORY SOURCED KITS (CONT.)

FINISH TO ORDER KITS (Cont.)

P	480-2054	LIGHTS, ROOF MOUNTED WORK	0	$1,040 NI
P	572-1733	PAYLOAD	0	$11,830 NI

AM-N/AM-S use 0P0648 to order 730 TAILGATE, SCISSOR from Wamego, USA, source. This top level number is to be used along with part number 489-1756. The manufacturing and ship source on the order needs to be BPA.

ALTERNATE SOURCED ATTACHMENTS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS. ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED	0	$569 NI

DOCUMENTATION

MISCELLANEOUS

	0P-2046	PREPARATION FOR INSPECTION	0	$406 NET

PACKING

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH	0	NC

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

735 TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift six-speed forward and single speed reverse transmission
Automatic Traction Control
Cat C13 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Dual circuit enclosed multiple disc brakes
Fluid sampling valves
Three axle, six wheel drive
Machine speed limiter
Auto retarder control (ARC)
Hill assist
Waiting brake

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Touch Screen
including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent
Rear wiper

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, main, auxiliary, left and right
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock
Cat Detect with Stability Assist Rollover Warning System
Assisted Hoist System

735 TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

561-9554	**735-04A ARTICULATED TRUCK DCA1**	0	**$645,570**

LANE 1 - AVAILABLE FROM BALTIMORE PDC

INCLUDES:
485-1708 735-04A ARTICULATED TRUCK
487-9933 CHASSIS, STANDARD
563-4447 TIRES, 750/65R25 MX ** XAD-65
481-8888 PRODUCT LINK, CELLULAR PLE641
489-6842 BODY, STANDARD
503-2045 TANK, STANDARD FUEL
487-9912 EXHAUST, STANDARD
502-9602 AID, STANDARD STARTING
502-7483 NO SOUND SUPPRESSION
480-1971 NO MACHINE SECURITY SYSTEM
480-1973 NO ROOF LIGHTS
381-0102 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
500-5946 MIRROR, STANDARD
381-0092 ANTIFREEZE, -36C (-33F)
480-1980 AM/FM RADIO (BLUETOOTH READY)
455-3503 NO TAILGATE
485-0330 SEAT, STANDARD
485-0336 NO PAYLOAD
566-5659 SEAT BELT, STANDARD
497-9403 NO REAR WIPER
497-9404 STANDARD CAB

735 TRUCK
PETERLEE, ENGLAND

		Ship Weight lbs	LIST PRICE AT DEALER
562-7095	**735-04A ARTICULATED TRUCK DCA2**	0	**$646,700**

LANE 1 - AVAILABLE FROM BALTIMORE PDC

INCLUDES:
485-1708 735-04A ARTICULATED TRUCK
487-9933 CHASSIS, STANDARD
563-4448 TIRES, 750/65R25 BS ** VLT E-3
481-8888 PRODUCT LINK, CELLULAR PLE641
489-6842 BODY, STANDARD
503-2045 TANK, STANDARD FUEL
487-9912 EXHAUST, STANDARD
502-9602 AID, STANDARD STARTING
502-7483 NO SOUND SUPPRESSION
480-1971 NO MACHINE SECURITY SYSTEM
480-1973 NO ROOF LIGHTS
381-0102 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
500-5946 MIRROR, STANDARD
381-0092 ANTIFREEZE, -36C (-33F)
480-1980 AM/FM RADIO (BLUETOOTH READY)
455-3503 NO TAILGATE
485-0330 SEAT, STANDARD
485-0336 NO PAYLOAD
566-5659 SEAT BELT, STANDARD
497-9403 NO REAR WIPER
497-9404 STANDARD CAB

485-1708	**735-04A ARTICULATED TRUCK**	0	**$641,130**

LANE 3 - AVAILABLE FROM PETERLEE FACTORY

Available for AM-N, EU, Puerto Rico, South Korea, Japan, Australia, and New Zealand.

0P-6475	**735 MISCELLANEOUS MATERIAL**	0	**NC**

AVAILABLE FROM PETERLEE FACTORY

Only reference numbers that have the text
'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	0P-9001	LANE 1 ORDER	0	NC

INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.	0	NC

DECAL PACKAGE

P	488-0552	FILM GROUP, ANSI REQUIRED BY: USA	0	NC
P	488-0549	FILM GROUP, ISO REQUIRED BY: CANADA	0	NC
P	552-5786	FILM GROUP, CANADA REQUIRED BY: CANADA ONLY.	0	NC

PACKING

	0P-9917	DOMESTIC	0	$164 NET
	0P-9918	ROLL ON-ROLL OFF	0	$212 NET

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

L	**381-0094**	**ANTIFREEZE, -50C (-58F)**	0	**$388**

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	**0P-2047**	**DIRECT SHIP TO CUSTOMER - WASH**	0	**NC**

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
LANE SELECTION				
	0P-9003	LANE 3 ORDER	0	NC
STARTERS, BATTERIES, & ALTERNATORS				
STARTING TYPE				
L	502-9602	AID, STARTING, STANDARD	0	NC
L	502-9603	AID, COLD WEATHER STARTING	0	$1,760
ELECTRICAL				
LIGHTS				
L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	$1,040
SECURITY				
L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	$495
REAR WIPER				
L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	$545
OPERATOR ENVIRONMENT				
RADIO TYPE				
L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	$580
MIRROR TYPE				
L	500-5946	MIRROR, STANDARD	0	NC
L	500-5947	MIRROR, ELECTRIC HEATED	0	$1,035
SEAT TYPE				
L	485-0330	SEAT, STANDARD	0	NC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

OPERATOR ENVIRONMENT (CONT.)

SEAT TYPE (Cont.)

L	485-0331	SEAT, DELUXE	0	$785

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	$665

CAB TYPE

L	497-9404	STANDARD CAB To be used by HRC regions.	0	NC
L	497-9391	HIGH AMBIENT CAB Infrared Reflective Glass (IRR) To be used by HRC regions.	0	$1,555

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

L	481-8887	PRODUCT LINK, SATELLITE PLE631 Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product transmit loaction, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology	0	$432
L	481-8888	PRODUCT LINK, CELLULAR PLE641 Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.	0	NC

Cat Production Measurement

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	503-5941	PAYLOAD	0	$11,830
L	485-0336	NO PAYLOAD	0	NC

FUEL SYSTEMS

TANK TYPE

L	503-2045	TANK, STANDARD FUEL	0	NC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

FUEL SYSTEMS (CONT.)

TANK TYPE (Cont.)

L	517-1808	FILLER, FAST FUEL	0	$3,455

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	563-4447	TIRES, 750/65R25 MX ** XAD-65 Michelin radial, supplier part 79374/123895, tread depth: 43mm, 22.00/3.5 rim. Suitable for soft or rocky underfoot where mobility and traction is desired. Low-profile tire provides increased floatation, stability and capacity. Mandatory with 735.	0	$3,530
L	563-4448	TIRES, 750/65R25 BS ** VLT E-3 Bridgestone radial, supplier part 420-220, tread depth: 43mm, 22/3 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity. Mandatory with 735.	0	$4,660
L	565-2653	TIRES, 750/65R25 YOKOHAMA Mandatory with 735.	0	$12,610

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	502-7483	NO SOUND SUPPRESSION This is a mandatory attachment for all Non-EC Dealers.	0	NC

ENGINE

L	563-9783	ROW ENGINE ARRANGEMENT ONLY FOR USE WITH: 485-1710 735 ARTICULATED TRUCK REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN	0	NC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

FRAMES

CHASSIS TYPE

Please contact the factory for current long wheel base availability.

L	487-9933	CHASSIS, STANDARD	0	NC
		For use with body.		
L	487-9934	CHASSIS, STANDARD WHEEL BASE	0	$-23,660
		This package is a bare chassis machine with hoist cylinders.		
L	487-9935	CHASSIS, STANDARD WHEEL BASE	0	$-29,620
		This package is a bare chassis machine without hoist cylinders.		
L	487-9936	CHASSIS, LONG WHEEL BASE	0	$-19,520
		This package is a long wheel base machine without hoist cylinders.		

BODY

BODY TYPE

L	489-6842	BODY, STANDARD	0	NC
L	487-9932	LINER, DUMP BODY	0	$15,050

EXHAUST TYPE

L	487-9912	EXHAUST, STANDARD	0	NC
		To be used by HRC regions.		
L	487-9913	EXHAUST, STANDARD	0	NC
		For use with bare chassis machine orders.		
		To be used by HRC regions.		
L	487-9929	EXHAUST, STANDARD	0	NC
		For use with bare chassis machine orders.		
		To be used by LRC regions.		
L	487-9920	EXHAUST, HEATED BODY	0	$4,530
		To be used by HRC regions.		
L	487-9922	EXHAUST, HEATED BODY	0	$4,530
		To be used by LRC regions.		

TAILGATE

P	455-3503	NO TAILGATE	0	NC
P	522-4291	TAILGATE, SCISSOR	0	$15,120

FLUIDS

COOLANT TYPE

L	381-0092	ANTIFREEZE, -36C (-33F)	0	NC
L	381-0094	ANTIFREEZE, -50C (-58F)	0	$388

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	421-8926	**SERIALIZED TECHNICAL MEDIA KIT**	0	**NC**
		The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		
		Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

DECALS

P	488-0552	**FILM GROUP, ANSI**	0	**NC**
		This package includes the ANSI decals and is required by USA.		
P	488-0560	**FILM GROUP, ANSI**	0	**NC**
		For use with bare chassis machine. This package includes the ANSI decals and is required by USA.		

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

ELECTRICAL

P	363-7685	BEACON, LED	0	$570

OTHER ATTACHMENTS

L	364-4045	GROUP, ETHER To be used by HRC regions.	0	$119
L	381-0102	HEATER, ENGINE COOLANT, 120V Supply cable not included.	0	$199
L	381-0103	HEATER, ENGINE COOLANT, 240V Supply cable not included.	0	$199
L	553-7100	WHEEL CHOCKS	0	$1,385
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	$129
L	500-5939	REAR BLINDS	0	$259

AUTOMATIC LUBRICATION

L	526-0515	AUTOLUBE ARRANGEMENT	0	NC

When selecting Automatic Lubrication, must select above part number and one part number from below to complete Automatic Lubrication option. Select one only:

L	526-0572	LUBRICATION, AUTOMATIC Not for use with Scissor Tailgate	0	$5,890
L	526-0570	LUBRICATION, AUTOMATIC For use with Scissor Tailgate	0	$5,890
L	506-4152	LUBRICATION, AUTOMATIC For use with SWB bare chassis machine with hoist cylinders.	0	$5,890
L	506-4153	LUBRICATION, AUTOMATIC For use with LWB machine without hoist cylinders.	0	$5,890
L	526-0518	LUBRICATION, AUTOMATIC For use with SWB bare chassis machine without hoist cylinders.	0	$5,890

FACTORY SOURCED KITS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Peterlee on a miscellaneous order using 0G-0705 with targeted availability of 2 weeks from receipt of order.

P	527-9212	AM/FM RADIO (BLUETOOTH READY)	0	$580 NI
P	526-6598	FILLER, FAST FUEL	0	$3,455 NI
P	480-2054	LIGHTS, ROOF MOUNTED WORK	0	$1,040 NI
P	572-1733	PAYLOAD	0	$11,830 NI

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

FACTORY SOURCED KITS (CONT.)

FINISH TO ORDER KITS (Cont.)

AM-N/AM-S use 0P0650 to order 730 TAILGATE, SCISSOR from Wamego, USA, source. This top level number is to be used along with part number 522-4291. The manufacturing and ship source on the order needs to be BPA.

ALTERNATE SOURCED ATTACHMENTS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS. ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED	0	$569 NI

DOCUMENTATION

MISCELLANEOUS

	0P-2046	PREPARATION FOR INSPECTION	0	$406 NET

PACKING

PACKING (Must Select One)

	0P-9917	DOMESTIC	0	$164 NET
	0P-9918	ROLL ON-ROLL OFF	0	$212 NET
	0P-6684	PACK, MISCELLANEOUS MATERIAL Reference number required on all miscellaneous orders		

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.	0	NC

740 EJ ARTICULATED TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift transmission with nine forward and two reverse speeds
Automatic Traction Control
Cat C18 engine with ACERT technology Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Oil cooled brakes, enclosed
Fluid sampling valves
Three axle, six wheel drive, six wheel brake
Machine speed limiter
Auto retarder control (ARC)
Hill assist
Waiting brake

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Colour-Multi Purpose Display (CMPD), including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, door pocket, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent
Rear wiper

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, main, auxiliary, left and right
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock
Tailgate

740 EJ ARTICULATED TRUCK
PETERLEE, ENGLAND

		Ship Weight lbs	LIST PRICE AT DEALER
482-0373	**740-04A EJ ARTICULATED TRUCK** . . . . . LANE 3 - AVAILABLE FROM PETERLEE FACTORY	0	**$829,580**
0G-0706	**740 EJ MISCELLANEOUS MATERIAL** . . . . . AVAILABLE FROM PETERLEE FACTORY	0	**NC**

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

Only reference numbers that have the text
'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
LANE SELECTION				
	0P-9003	LANE 3 ORDER	0	NC
FEATURE PACKAGES				
LUBRICATION TYPE				
L	484-6487	LUBRICATION, MANUAL	0	NC
L	484-6531	LUBRICATION, AUTOMATIC Please note that this system lubricates the base machine only. The ejector system must be lubricated manually.	0	$5,760
STARTERS, BATTERIES, & ALTERNATORS				
STARTING TYPE				
L	493-8967	AID, STARTING, STANDARD	0	NC
L	494-1546	AID, COLD WEATHER STARTING Recommended in temperatures below -18C.	0	$1,760
ELECTRICAL				
LIGHTS				
L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	$1,040
SECURITY				
L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	$495
OPERATOR ENVIRONMENT				
L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	$580
MIRROR TYPE				
L	480-7004	MIRROR, STANDARD	0	NC
L	480-7005	MIRROR, ELECTRIC HEATED	0	$1,035

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

OPERATOR ENVIRONMENT (CONT.)

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	$665

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Cat marketing representative with questions.

L	481-8890	PRODUCT LINK, CELLULAR PL641	0	NC
		Cellular Product Link uses GSM 2G cellular networks for remote transmission of asset information including location, utilization, and condition. Cellular technology provides capabilities for frequent data transmission. Please contact your Caterpillar marketing contact with any questions.		
L	481-8889	PRODUCT LINK, SATELLITE PL631	0	$432
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		
L	481-8888	PRODUCT LINK, CELLULAR PLE641	0	NC
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	481-8887	PRODUCT LINK, SATELLITE PLE631	0	$432
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

CAT PRODUCTION MEASUREMENT

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	NO PAYLOAD	0	NC
L	484-8384	PAYLOAD	0	$11,720
		Includes Cat Production Measurement payload weighing system.		

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

FUEL SYSTEMS

TANK TYPE

L	517-2530	**TANK, STANDARD FUEL**	0	NC
		ONLY FOR USE WITH: HRC REGIONS		
L	517-4331	**FILLER, FAST FUEL**	0	$3,455
		ONLY FOR USE WITH: HRC REGIONS		

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	377-1321	**TIRES, 29.5R25 MX ** XADN+ E-3**	0	$-16,470
		Michelin radial, supplier part 597428, tread depth: 44mm, 25.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		
L	554-5158	**TIRES, 29.5R25 MX ** X DEFEND**	0	$-6,810
		Michelin radial, supplier part 940473, tread depth: 65mm, 25.00/ 3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance.		
L	451-7036	**TIRES, 29.5R25 BS ** VLTA E-3**	0	$-20,990
		Bridgestone radial, supplier part 422-967, tread depth: 48mm, 25.00/ 3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		
L	377-1324	**TIRES, 29.5R25 BS ** VLTS E-4**	0	$-9,840
		Bridgestone radial, supplier part 422916, tread depth: 65mm, 25.00/ 3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments.		
L	475-0053	**TIRES, 29.5R25 YH ** RT41 E-4**	0	$-23,450
		Yokohama radial, supplier part 4121, tread depth: 65mm, 25.00/3.5rim. Provides both abrasion resistance and excellent traction on soft, rocky and gravel surfaces.		
L	386-3028	**TIRES,875/65R29 MX**XAD65 E-3T**	0	$-4,700
		Michelin radial, supplier part 40269, tread depths: 51mm, 27.00/3.0 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity.		
		REQUIRES: 488-0471 EXTENSION, FENDER		
L	478-8915	**TIRES,875/65R29 BS*/**VLTS E-4**	0	$5,310
		Bridgestone radial, supplier part 4730, tread depth: 60mm, 27.00/3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments.		
		REQUIRES: 488-0471 EXTENSION, FENDER		

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

OTHER ATTACHMENTS

L	493-8938	**NO SOUND SUPPRESSION**	0	NC
		ONLY FOR USE WITH: HRC REGIONS		

FENDERS

L	487-5083	**FENDER COVER**	0	NC
L	488-0471	**EXTENSION, FENDER**	0	$850
		REQUIRED BY: 386-3028 TIRES,875/65R29 MX**XAD65 E-3T 478-8915 TIRES,875/65R29 BS*/**VLTS E-4		

BODY

EXHAUST TYPE

L	526-4109	**EXHAUST, STANDARD**	0	NC
L	526-4111	**EXHAUST, HEATED BODY**	0	$4,540

FLUIDS

L	377-1338	**ANTIFREEZE, -36C (-33F)**	0	NC
L	377-1339	**ANTIFREEZE, -50C (-58F)**	0	$382

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	421-8926	**SERIALIZED TECHNICAL MEDIA KIT**	0	NC

The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility.
Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.

Any additional media or translations not included in the kit, should be ordered through publications.cat.com

DECALS

P	484-6480	**FILM GROUP, ANSI**	0	NC

This package includes the ANSI decals and is required by USA.

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL				
P	363-7685	BEACON, LED	0	$570
OTHER ATTACHMENTS				
L	397-6078	GROUP, ETHER ONLY FOR USE WITH: HRC REGIONS	0	$119
L	377-1330	HEATER, ENGINE COOLANT, 120V Supply cable not included.	0	$197
L	377-1331	HEATER, ENGINE COOLANT, 240V Supply cable not included.	0	$197
L	553-7094	WHEEL CHOCKS	0	$1,825
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	$129
FACTORY SOURCED KITS				
KITS				
		Kits in this section can be shipped loose on a miscellaneous order using 0G-0706.		
L	466-9113	KIT, HEATED BODY EXHAUST	0	$4,540 NI
DOCUMENTATION				
MISCELLANEOUS				
	0P-2046	PREPARATION FOR INSPECTION	0	$406 NET
PACKING				
PACKING (Must Select One)				
	0P-9917	DOMESTIC	0	$164 NET
	0P-9918	ROLL ON-ROLL OFF	0	$212 NET
	0P-6684	PACK, MISCELLANEOUS MATERIAL Reference number required on all miscellaneous orders		

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

PACKING (CONT.)

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	**0P-2047**	**DIRECT SHIP TO CUSTOMER - WASH**	0	**NC**

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

740GC ARTICULATED TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift transmission with nine forward and two reverse speeds
Advanced Automatic Traction Control
Cat C15 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Oil cooled brakes, enclosed
Fluid sampling valves
Three axle, six wheel drive, six wheel brake
Machine speed limiter
Auto retarder control (ARC)/no lever
Hill assist
Waiting brake

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch.

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Colour Multi-Purpose Display (CMPD), including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, door pocket, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, left, right and front
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock

740GC ARTICULATED TRUCK
PETERLEE, ENGLAND

		Ship Weight lbs	LIST PRICE AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

538-3728	**740-04A ARTICULATED TRUCK**	0	**$695,640**
	LANE 3 - AVAILABLE FROM PETERLEE FACTORY		

AVAILABLE FOR: AM-N, EU, PUERTO RICO, SOUTH KOREA, JAPAN, AUSTRALIA, AND NEW ZEALAND

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER

NOTE

SPECIALTY MACHINES

WATER, FUEL/LUBE, CUSTOM BODIES, TOW, CONTAINER, CABLE REEL, FORESTRY, CONCRETE MIXER & OTHER APPLICATIONS
Specialty Machines are available from Dealers and Original Equipment Manufacturers (OEMs) using an Articulated Truck Bare Chassis. Bare Chassis Trucks are available in either standard or long wheel base versions. For more information about Specialty machines, applications and to review a list of potential OEMs, please visit dealer.cat.com (https//dealer.cat.com/en/articulated-trucks/specialty-machines.html).

NOTE: YOU MUST CHOOSE ONE ATTACHMENT FROM ALL MANDATORY SECTIONS EXCLUDING THE BODY SECTION TO OBTAIN A BARE CHASSIS TRUCK.

For more information about Articulated Truck Bare Chassis, contact your Caterpillar OEM Solutions representative at dealer.cat.com/oemsolutions or visit www.cat.com/oemsolutions.

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

LANE SELECTION

	0P-9003	LANE 3 ORDER	0	NC

FEATURE PACKAGES

LUBRICATION TYPE

L	538-3767	LUBRICATION, MANUAL Use this number when ordering a bare chassis machine with hoist cylinders or standard chassis with no tailgate CANNOT BE USED WITH: 538-3778 TAILGATE, SCISSOR	0	NC
L	538-3768	LUBRICATION, MANUAL ONLY FOR USE WITH: 538-3778 TAILGATE, SCISSOR	0	NC
L	564-5635	LUBRICATION, MANUAL Use this number when ordering a bare chassis machine without hoist cylinders	0	NC
L	538-3769	LUBRICATION, AUTOMATIC CANNOT BE USED WITH: 538-3778 TAILGATE, SCISSOR	0	$5,890
L	538-3770	LUBRICATION, AUTOMATIC ONLY FOR USE WITH: 538-3778 TAILGATE, SCISSOR	0	$5,890
L	564-5640	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine without hoist cylinders	0	$5,890
L	564-5637	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine with hoist cylinders	0	$5,890

POWERTRAIN

ENGINE

L	563-9784	ROW ENGINE ARRANGEMENT ONLY FOR USE WITH: 538-3728 740GC ARTICULATED TRUCK REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN	0	NC

STARTERS, BATTERIES, & ALTERNATORS

STARTING TYPE

L	383-2606	AID, STARTING, STANDARD	0	NC
L	570-0213	AID, COLD WEATHER STARTING Recommended in temperatures below -18C.	0	$1,760

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC
L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	$1,040

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

ELECTRICAL (CONT.)

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	$495

REAR WIPER

L	497-9403	NO REAR WIPER	0	NC
L	480-7003	WIPER, REAR	0	$545

OPERATOR ENVIRONMENT

RADIO TYPE

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	$580

MIRROR TYPE

L	480-7004	MIRROR, STANDARD	0	NC
L	480-7005	MIRROR, ELECTRIC HEATED	0	$1,035

SEAT TYPE

L	485-0330	SEAT, STANDARD	0	NC
L	485-0331	SEAT, DELUXE	0	$785

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	$665

CAB TYPE

L	545-6497	CAB, STANDARD To be used by HRC regions.	0	NC
L	545-6499	CAB, HIGH AMBIENT Infrared Reflective Glass (IRR) To be used by HRC regions.	0	$1,555

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Cat marketing representative with questions.

L	481-8888	**PRODUCT LINK, CELLULAR PLE641**	0	**NC**
		Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	481-8887	**PRODUCT LINK, SATELLITE PLE631**	0	**$432**
		Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

CAT PRODUCTION MEASUREMENT

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	**NO PAYLOAD**	0	**NC**
L	544-4782	**PAYLOAD**	0	**$11,830**
		Includes Cat Production Measurement payload weighing system.		

FUEL SYSTEMS

TANK TYPE

L	517-2530	**TANK, STANDARD FUEL**	0	**NC**
		ONLY FOR USE WITH: HRC REGIONS		
L	517-4331	**FILLER, FAST FUEL**	0	**$3,455**
		ONLY FOR USE WITH: HRC REGIONS		

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	475-0053	**TIRES, 29.5R25 YH ** RT41 E-4**	0	$-23,450
		Yokohama radial, supplier part P3381, tread depth: 65mm, 25.00/3.0 rim. Provides damage resistance, mobility, and traction in moderate rock environments.		

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	493-8938	**NO SOUND SUPPRESSION**	0	NC
		ONLY FOR USE WITH: HRC REGIONS		

FENDERS

L	487-5083	**FENDER COVER**	0	NC
L	488-0471	**EXTENSION, FENDER**	0	$850

FRAMES

CHASSIS TYPE

L	538-3755	**CHASSIS, STANDARD**	0	NC
L	538-3756	**CHASSIS, STANDARD WHEEL BASE**	0	$-24,400
		This package is a bare chassis machine with hoist cylinders.		
L	538-3757	**CHASSIS, STANDARD WHEEL BASE**	0	$-30,760
		This package is a bare chassis machine without hoist cylinders.		

BODY

BODY TYPE

L	538-3751	**BODY, STANDARD**	0	NC
L	538-3752	**LINER, DUMP BODY**	0	$14,890

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

BODY (CONT.)

EXHAUST TYPE

L	526-4109	EXHAUST, STANDARD	0	NC
L	526-4110	EXHAUST, HEATED BODY	0	$4,540

FLUIDS

COOLANT TYPE

L	377-1338	ANTIFREEZE, -36C (-33F)	0	NC
L	377-1339	ANTIFREEZE, -50C (-58F)	0	$382

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

	421-8926	SERIALIZED TECHNICAL MEDIA KIT The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC

DECALS

P	538-3762	FILM GROUP, ANSI This package includes the ANSI decals and is required by USA.	0	NC
P	538-3764	FILM GROUP, ANSI This package includes the ANSI decals and is required by USA. Use this number when ordering a bare chassis machine.	0	NC

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ELECTRICAL				
P	363-7685	BEACON, LED	0	$570
OTHER ATTACHMENTS				
L	328-4116	GROUP, ETHER ONLY FOR USE WITH: HRC REGIONS	0	$119
L	377-1330	HEATER, ENGINE COOLANT, 120V Supply cable not included.	0	$197
L	377-1331	HEATER, ENGINE COOLANT, 240V Supply cable not included.	0	$197
L	553-7094	WHEEL CHOCKS	0	$1,825
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	$129
BODY				
TAILGATE				
P	538-3778	TAILGATE, SCISSOR	0	$14,960
DOCUMENTATION				
MISCELLANEOUS				
	0P-2046	PREPARATION FOR INSPECTION	0	$406 NET
PACKING				
PACKING (Must Select One)				
	0P-9917	DOMESTIC	0	$164 NET
	0P-9918	ROLL ON-ROLL OFF	0	$212 NET
SHIPPING AND STORAGE PROTECTION				
		Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		
P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.	0	NC

745 ARTICULATED TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Auto shift transmission with nine forward and two reverse speeds
Automatic Traction Control
Cat C18 engine with ACERT technology
-Engine will be certified and labelled for emissions compliance as required for the region of sale
Differentials, standard with auto clutched cross-axle differential locks for all axles
Engine compression brake
Oil cooled brakes, enclosed
Fluid sampling valves
Three axle, six wheel drive, six wheel brake
Machine speed limiter
Auto retarder control (ARC)
Hill assist
Waiting brake

ELECTRICAL

Electrical system: 24 volt, 10A 24 to 12 volt convertor
Headlights, four
Lights: cab interior, front, side and rear, two reversing/working, two stop/tail and width marker
Hood raise and lower switch.

OPERATOR ENVIRONMENT

Air conditioning with R134A refrigerant
Air vents, adjustable
Radio ready
Colour Multi-Purpose Display (CMPD), including cycle counter, rear view camera and screen
Electro hydraulic hoist control
Glass windows, laminated and tinted front, toughened and tinted rear
Heater and defroster with four-speed fan
Horn, electric
Operator and passenger grab handles
ROPS/FOPS cab with full instrumentation
Seat, fully adjustable, air suspension
Seat, padded companion/trainer
Seat belts, two retractable
Secondary steering
Storage: two cup holders, flask receptacle, under seat storage, door pocket, behind seat storage, coat hook
Sun visor
Tilt and telescopic steering wheel
Front windshield wiper and washer, intermittent
Rear wiper

OTHER STANDARD EQUIPMENT

Back up alarm
Body, adapted for exhaust heat
Guards: rear window and radiator, crankcase and axle
Mirrors, main, auxiliary, left and right
Mud flaps, body mounted
Spill guard, front, integral part of fabricated body
Starting receptacle, electric, remote
Towing eyes front
Vandalism protection: lockable caps for fuel tank and hydraulic oil tank
Fully raised body lock

745 ARTICULATED TRUCK
PETERLEE, ENGLAND

	Ship Weight lbs	LIST PRICE AT DEALER

2018 YOY list price reductions will be offset by reductions in discounts or merchandising support.

537-2027 **745-04A ARTICULATED TRUCK DCA2** 0 **$755,760**
LANE 1 - AVAILABLE FROM BALTIMORE PDC, GALVESTON PDC AND SAVANNAH PDC

INCLUDES:
482-0372 745 ARTICULATED TRUCK
491-8577 CHASSIS, STANDARD
377-1321 TIRES, 29.5R25 MX ** XADN+ E-3
487-5083 FENDER COVER
481-8889 PRODUCT LINK, SATELLITE PL631
376-9751 BODY, STANDARD
517-2530 TANK, STANDARD FUEL
526-4109 EXHAUST, STANDARD
493-8967 AID, STANDARD STARTING
484-6486 LUBRICATION, MANUAL
493-8938 NO SOUND SUPPRESSION
480-1971 NO MACHINE SECURITY SYSTEM
480-1973 NO ROOF LIGHTS
377-1330 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
480-7004 MIRROR, STANDARD
377-1338 ANTIFREEZE, -36C (-33F)
480-1980 AM/FM RADIO (BLUETOOTH READY)
485-0336 NO PAYLOAD
566-5659 SEAT BELT, STANDARD

562-9062 **745-04A ARTICULATED TRUCK DCA4** 0 **$748,780**
LANE 1 - AVAILABLE FROM BALTIMORE AND SAVANNAH PDC

INCLUDES:
482-0372 745 ARTICULATED TRUCK
491-8577 CHASSIS, STANDARD
475-0053 TIRES, 29.5R25 YH ** RT41 E-4
487-5083 FENDER COVER
481-8889 PRODUCT LINK, SATELLITE PL631
376-9751 BODY, STANDARD
517-2530 TANK, STANDARD FUEL
526-4109 EXHAUST, STANDARD
493-8967 AID, STANDARD STARTING
484-6486 LUBRICATION, MANUAL
493-8938 NO SOUND SUPPRESSION
480-1971 NO MACHINE SECURITY SYSTEM
480-1973 NO ROOF LIGHTS
377-1330 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
480-7004 MIRROR, STANDARD
377-1338 ANTIFREEZE, -36C (-33F)
480-1980 AM/FM RADIO (BLUETOOTH READY)
485-0336 NO PAYLOAD
566-5659 SEAT BELT, STANDARD

745 ARTICULATED TRUCK
PETERLEE, ENGLAND

		Ship Weight lbs	LIST PRICE AT DEALER
550-0697	**745-04A ARTICULATED TRUCK DCA3**	0	**$757,540**

LANE 1 - AVAILABLE FROM TACOMA PDC

INCLUDES:
482-0372 745 ARTICULATED TRUCK
491-8577 CHASSIS, STANDARD
475-0053 TIRES, 29.5R25 YH ** RT41 E-3
487-5083 FENDER COVER
481-8889 PRODUCT LINK, SATELLITE PL631
376-9751 BODY, STANDARD
517-2530 TANK, STANDARD FUEL
526-4110 EXHAUST, HEATED BODY
494-1546 AID, COLD WEATHER STARTING
484-6486 LUBRICATION, MANUAL
493-8938 NO SOUND SUPPRESSION
480-1971 NO MACHINE SECURITY SYSTEM
480-2054 LIGHTS, ROOF MOUNTED WORK
377-1330 HEATER, ENGINE COOLANT, 120V
320-5940 FUEL ADDITIVE, ANTI WAX
480-7005 MIRROR, HEATED
377-1339 ANTIFREEZE, -50C (-58F)
480-1980 AM/FM RADIO (BLUETOOTH READY)
485-0336 NO PAYLOAD
566-5659 SEAT BELT, STANDARD

482-0372	**745-04A ARTICULATED TRUCK**	0	**$770,890**

LANE 3 - AVAILABLE FROM PETERLEE FACTORY

AVAILABLE FOR: AM-N, EU, PUERTO RICO, SOUTH KOREA, JAPAN, AUSTRALIA, AND NEW ZEALAND

0G-0705	**745 MISCELLANEOUS MATERIAL**	0	**NC**

AVAILABLE FROM PETERLEE FACTORY

Only reference numbers that have the text
'ALSO AVAILABLE ON A MISCELLANEOUS ORDER' can be used on a MISC order.

NOTE: NACD/LACD use 0P0651 to order 745 TAILGATE, SCISSOR from Wamego USA, source. This top level number is to be used when ordering scissor tailgates without ordering a machine, the part number to use is 526-7702. The manufacturing and ship source on the order needs to be BPA.

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER

NOTE

SPECIALTY MACHINES

WATER, FUEL/LUBE, CUSTOM BODIES, TOW, CONTAINER, CABLE REEL, FORESTRY, CONCRETE MIXER & OTHER APPLICATIONS
Specialty Machines are available from Dealers and Original Equipment Manufacturers (OEMs) using an Articulated Truck Bare Chassis. Bare Chassis Trucks are available in either standard or long wheel base versions. For more information about Specialty machines, applications and to review a list of potential OEMs, please visit dealer.cat.com (https//dealer.cat.com/en/articulated-trucks/specialty-machines.html).

NOTE: YOU MUST CHOOSE ONE ATTACHMENT FROM ALL MANDATORY SECTIONS EXCLUDING THE BODY SECTION TO OBTAIN A BARE CHASSIS TRUCK.

For more information about Articulated Truck Bare Chassis, contact your Caterpillar OEM Solutions representative at dealer.cat.com/oemsolutions or visit www.cat.com/oemsolutions.

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	0P-9001	LANE 1 ORDER	0	NC

INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT Kit will include instructions and parts CD in the legally required language, based on the shipping address. Any additional media such as a paper parts manual, not included in the kit, can be ordered through the media website.	0	NC

DECAL PACKAGE

P	484-6479	FILM GROUP, ANSI ONLY FOR USE WITH: 537-2027, 537-2028 AND 550-0697 REQUIRED BY: USA	0	NC
P	484-6475	FILM GROUP, ISO ONLY FOR USE WITH: 537-2027, 537-2028 AND 550-0697 REQUIRED BY: CANADA	0	NC
P	552-5786	FILM GROUP, CANADA REQUIRED BY: CANADA ONLY	0	NC

PACKING

	0P-9917	DOMESTIC	0	$164 NET
	0P-9918	ROLL ON-ROLL OFF	0	$212 NET

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

FLUIDS

L	**377-1339**	**ANTIFREEZE, -50C (-58F)**	0	**$382**

SHIPPING AND STORAGE PROTECTION

Machines from the Baltimore PDC have been sprayed with Fluid Film TM, see your account rep for details. The product is added for for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	**0P-2047**	**DIRECT SHIP TO CUSTOMER - WASH**	0	**NC**

Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

LANE SELECTION

	0P-9003	LANE 3 ORDER	0	NC

FEATURE PACKAGES

LUBRICATION TYPE

L	484-6486	LUBRICATION, MANUAL Use this number when ordering a bare chassis machine with hoist cylinders CANNOT BE USED WITH: 526-2725 TAILGATE, SCISSOR	0	NC
L	484-6488	LUBRICATION, MANUAL ONLY FOR USE WITH: 526-2725 TAILGATE, SCISSOR	0	NC
L	484-6487	LUBRICATION, MANUAL Use this number when ordering a bare chassis machine without hoist cylinders	0	NC
L	484-8439	LUBRICATION, MANUAL ONLY FOR USE WITH: 491-8580 CHASSIS, LONG WHEEL BASE	0	NC
L	484-6489	LUBRICATION, AUTOMATIC CANNOT BE USED WITH: 526-2725 TAILGATE, SCISSOR	0	$5,760
L	484-6532	LUBRICATION, AUTOMATIC ONLY FOR USE WITH: 526-2725 TAILGATE, SCISSOR	0	$5,760
L	484-6531	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine without hoist cylinders	0	$5,760
L	484-6533	LUBRICATION, AUTOMATIC Use this number when ordering a bare chassis machine with hoist cylinders	0	$5,760
L	484-8440	LUBRICATION, AUTOMATIC ONLY FOR USE WITH: 491-8580 CHASSIS, LONG WHEEL BASE	0	$5,810

POWERTRAIN

ENGINE

L	563-9785	ROW ENGINE ARRANGEMENT REQUIRED BY: AM-N, PUERTO RICO, SOUTH KOREA AND JAPAN ONLY FOR USE WITH: 482-0372 745 ARTICULATED TRUCK	0	NC

STARTERS, BATTERIES, & ALTERNATORS

STARTING TYPE

L	493-8967	AID, STARTING, STANDARD	0	NC
L	494-1546	AID, COLD WEATHER STARTING Recommended in temperatures below -18C.	0	$1,760

ELECTRICAL

LIGHTS

L	480-1973	NO ROOF LIGHTS	0	NC

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

ELECTRICAL (CONT.)

LIGHTS (Cont.)

L	480-2054	LIGHTS, ROOF MOUNTED WORK	0	$1,040

SECURITY

L	480-1971	NO MACHINE SECURITY SYSTEM	0	NC
L	480-1992	SECURITY SYSTEM, MACHINE	0	$495

OPERATOR ENVIRONMENT

RADIO TYPE

L	480-1968	NO RADIO/STEREO SYSTEM	0	NC
L	480-1980	AM/FM RADIO (BLUETOOTH READY)	0	$580

MIRROR TYPE

L	480-7004	MIRROR, STANDARD	0	NC
L	480-7005	MIRROR, ELECTRIC HEATED	0	$1,035

SEAT BELT

L	566-5659	SEAT BELT, W/ INDICATION	0	NC
L	485-3446	SEAT BELT, 4 POINT	0	$665

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Cat marketing representative with questions.

L	481-8888	PRODUCT LINK, CELLULAR PLE641	0	NC

Product Link Elite series PLE641 offers expanded coverage including 3G UMTS and CDMA2000 as well as 2G GSM and CDMA cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS (Cont.)

L	481-8887	**PRODUCT LINK, SATELLITE PLE631** . . . . . Product Link Elite series PLE631 uses a satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.	0	$432

CAT PRODUCTION MEASUREMENT

A Cat Connect Payload technology that improves loading and hauling productivity in applications where optimum payload capacity is desired.

Please check with factory for Payload availability before ordering.

L	485-0336	**NO PAYLOAD**	0	NC
L	484-8384	**PAYLOAD** . . . . . Includes Cat Production Measurement payload weighing system.	0	$11,720

FUEL SYSTEMS

TANK TYPE

L	517-2530	**TANK, STANDARD FUEL** . . . . . ONLY FOR USE WITH: HRC REGIONS	0	NC
L	517-4331	**FILLER, FAST FUEL** . . . . . ONLY FOR USE WITH: HRC REGIONS	0	$3,455

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied we may contact the dealer, however, in some cases we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire brand and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

L	377-1321	**TIRES, 29.5R25 MX ** XADN+ E-3** . . . . . **PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING** Michelin radial, supplier part 597428, tread depth: 44mm, 25.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.	0	$-16,470
L	554-5158	**TIRES, 29.5R25 MX ** X DEFEND** . . . . . Michelin radial, supplier part 940473, tread depth: 65mm, 25.00/ 3.5 rim. Suitable for soft to deep rock environments with increased tread for better damage resistance.	0	$-6,810

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

TIRES, RIMS, AND WHEELS (CONT.)

L	451-7036	**TIRES, 29.5R25 BS ** VLTA E-3**	0	$-20,990
		Bridgestone radial, supplier part 422-967, tread depth: 48mm, 25.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility and traction is desired.		
L	377-1324	**TIRES, 29.5R25 BS ** VLTS E-4**	0	$-9,840
		Bridgestone radial, supplier part 422916, tread depth: 65mm, 25.00/3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments.		
L	475-0053	**TIRES, 29.5R25 YH ** RT41 E-4**	0	$-23,450
		Yokohama radial, supplier part P3381, tread depth: 65mm, 25.00/3.0 rim. Provides damage resistance, mobility, and traction in moderate rock environments.		
L	386-3028	**TIRES,875/65R29 MX**XAD65 E-3T**	0	$-4,700
		PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING Michelin radial, supplier part 40269, tread depths: 51mm, 27.00/3.5 rim. Suitable for soft or rocky underfoot conditions where mobility is desired with increased floatation and load capacity. REQUIRES: 488-0471 EXTENSION, FENDER		
L	478-8915	**TIRES,875/65R29 BS*/**VLTS E-4**	0	$5,310
		PLEASE CONTACT THE FACTORY FOR AVAILABILITY BEFORE ORDERING Bridgestone radial, supplier part 4730, tread depth: 60mm, 27.00/3.5 rim. Provides damage resistance, mobility and traction in moderate rock environments. REQUIRES: 488-0471 EXTENSION, FENDER		

OTHER ATTACHMENTS

SOUND SUPPRESSION

L	493-8938	**NO SOUND SUPPRESSION**	0	NC
		ONLY FOR USE WITH: HRC REGIONS		

FENDERS

L	487-5083	**FENDER COVER**	0	NC
L	488-0471	**EXTENSION, FENDER**	0	$850
		REQUIRED BY: 386-3028 TIRES,875/65R29 MX**XAD65 E-3T 478-8915 TIRES,875/65R29 BS*/**VLTS E-4		

FRAMES

CHASSIS TYPE

L	491-8577	**CHASSIS, STANDARD**	0	NC
L	491-8578	**CHASSIS, STANDARD WHEEL BASE**	0	$-24,400
		This package is a bare chassis machine with hoist cylinders.		
L	491-8579	**CHASSIS, STANDARD WHEEL BASE**	0	$-30,760
		This package is a bare chassis machine without hoist cylinders.		
L	491-8580	**CHASSIS, LONG WHEEL BASE**	0	$-19,520
		This package is a long wheel base chassis machine without hoist cylinders.		

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
		BODY		
		BODY TYPE		
L	376-9751	BODY, STANDARD	0	NC
L	376-9758	LINER, DUMP BODY	0	$14,890
		EXHAUST TYPE		
L	526-4109	EXHAUST, STANDARD	0	NC
L	526-4110	EXHAUST, HEATED BODY	0	$4,540
		FLUIDS		
		COOLANT TYPE		
L	377-1338	ANTIFREEZE, -36C (-33F)	0	NC
L	377-1339	ANTIFREEZE, -50C (-58F)	0	$382
		INSTRUCTIONS		
		OPERATION AND MAINTENANCE MANUAL		
	421-8926	SERIALIZED TECHNICAL MEDIA KIT The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com	0	NC
		DECALS		
P	484-6479	FILM GROUP, ANSI This package includes the ANSI decals and is required by USA.	0	NC
P	484-6482	FILM GROUP, ANSI This package includes the ANSI decals and is required by USA. Use this number when ordering a bare chassis machine.	0	NC

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
		ELECTRICAL		
P	363-7685	BEACON, LED	0	$570
		OTHER ATTACHMENTS		
L	397-6078	GROUP, ETHER	0	$119
		ONLY FOR USE WITH: HRC REGIONS		
L	377-1330	HEATER, ENGINE COOLANT, 120V	0	$197
		Supply cable not included.		
L	377-1331	HEATER, ENGINE COOLANT, 240V	0	$197
		Supply cable not included.		
L	553-7094	WHEEL CHOCKS	0	$1,825
L	320-5940	FUEL ADDITIVE, ANTI WAX	0	$129
		BODY		
		TAILGATE		
P	526-2725	TAILGATE, SCISSOR	0	$14,960
			0	$14,960 NI
		FACTORY SOURCED KITS		
		MISCELLANEOUS KITS		
		Kits in this section can be shipped loose on a miscellaneous order using 0G-0705.		
L	384-7618	KIT, LINER	0	$14,890 NI
		FINISH TO ORDER KITS		
		Kits in this section can be shipped loose from Peterlee on a miscellaneous order using 0G-0705 with targeted availability of 2 weeks from receipt of order.		
P	526-7702	TAILGATE, SCISSOR	0	$14,960 NI
		ONLY FOR USE WITH: 745 ARTICULATED TRUCK with 3T6 or 3F6 prefix		
P	556-8573	PAYLOAD	0	$11,720 NI
L	545-5766	KIT, EXHAUST	0	$4,540 NI

AM-N/AM-S use 0P0651 to order 745 TAILGATE, SCISSOR from Wamego, USA, source. This top level number is to be used when ordering scissor tailgates without ordering a machine. The manufacturing and ship source on the order needs to be BPA.

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

ALTERNATE SOURCED ATTACHMENTS

FINISH TO ORDER KITS

Kits in this section can be shipped loose from Morton on a miscellaneous order with targeted availability of 1-2 weeks from receipt of order.

ALL ORDERS MUST BE MADE THROUGH ANTARES AND NOT CMOPS. ORDERS ENTERED THROUGH CMOPS WILL NOT BE PROCESSED.

P	541-4651	BEACON, LED	0	$569 NI
P	540-1699	FILLER, FAST FUEL	0	$3,456 NI

DOCUMENTATION

MISCELLANEOUS

	0P-2046	PREPARATION FOR INSPECTION	0	$406 NET

PACKING

PACKING (Must Select One)

	0P-9917	DOMESTIC	0	$164 NET
	0P-9918	ROLL ON-ROLL OFF	0	$212 NET
	0P-6684	PACK, MISCELLANEOUS MATERIAL Reference number required on all miscellaneous orders		

SHIPPING AND STORAGE PROTECTION

Machines from the Peterlee factory have been sprayed with Fluid Film TM, see your account rep for details. The product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

P	0P-2047	DIRECT SHIP TO CUSTOMER - WASH Select if the machine being purchased will not receive a dealer PDI and will be shipped directly to the customer. This reference number will ensure the machine receives a power wash prior to shipment to remove the Fluid Film, TM.	0	NC