



200 Log Canoe Circle • Stevensville • Maryland • Orders@sterdil-koni.com • 410-643-9001 • 800-336-6637 • 410-643-8901 (fax)

For current ALI certification status of lifts and/or accessories, please visit www.autolift.org/ali-directory-of-certified-lifts/

HGAC #FL10-24 Fleet Services Equipment

2023 PRICE LIST Edition 1 April 1

MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

First letter of three following model number, i.e. ST1085-2FWA, first letter always represents the wheels.

F=Fixed wheels and R=Retractable wheels

Second letter of three following model number, i.e. ST1085-2FWA, second letter always represents the controls.

S=Cabled controls, B=Battery controls, W=Wireless and R=Energy retrieval system

Third letter of three following model number, ie. ST1085-2FWA, third letter always represents the forks.

F=Fixed forks and A=Adjustable forks

Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ST1064 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FSA	Set of 2 - 28,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks				Temporarily Unavailable
ST-1064-2FSA	Set of 4 - 56,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks				Temporarily Unavailable
ST-1064-3FSA	Set of 6 - 84,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks				Temporarily Unavailable
ST1064 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FBA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks				Temporarily Unavailable
ST-1064-2FBA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks				Temporarily Unavailable
ST-1064-3FBA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks				Temporarily Unavailable
ST1064 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FWAU	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 33,348	\$ 23,677.08	\$ 22,676.64	\$ 22,176.42
ST-1064-2FWAU	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 66,696	\$ 47,354.16	\$ 45,353.28	\$ 44,352.84
ST-1064-3FWAU	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 100,044	\$ 71,031.24	\$ 68,029.92	\$ 66,529.26
ST1064 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1064-1FWA	Set of 2 - 28,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 37,125	\$ 26,358.75	\$ 25,245.00	\$ 24,688.13
ST-1064-2FWA	Set of 4 - 56,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 74,250	\$ 52,717.50	\$ 50,490.00	\$ 49,376.25
ST-1064-3FWA	Set of 6 - 84,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 111,375	\$ 79,076.25	\$ 75,735.00	\$ 74,064.38
ST1065 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1065-2FSV	Set of 4 - 58,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift construction vehicles, one primary column per set of 4	\$ 90,788	\$ 64,459.60	\$ 61,735.96	\$ 60,374.14
ST-1065-2FXV	Set of 4 - 58,000lbs capacity, 24 volts DC, extra wide forks to lift construction vehicles	\$ 122,002	\$ 86,621.61	\$ 82,961.54	\$ 81,131.50

MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ST1075 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FSA	Set of 2 - 33,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 32,008	\$ 22,725.75	\$ 21,765.50	\$ 21,285.38
ST-1075-2FSA	Set of 4 - 66,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 62,305	\$ 44,236.72	\$ 42,367.56	\$ 41,432.98
ST-1075-3FSA	Set of 6 - 99,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 93,459	\$ 66,356.12	\$ 63,552.34	\$ 62,150.45
ST1075 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FBA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 29,512	\$ 20,953.54	\$ 20,068.18	\$ 19,625.50
ST-1075-2FBA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 59,025	\$ 41,908.07	\$ 40,137.31	\$ 39,251.93
ST-1075-3FBA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 88,539	\$ 62,862.61	\$ 60,206.44	\$ 58,878.36
ST1075 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1075-1FWA	Set of 2 - 33,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 41,377	\$ 29,377.90	\$ 28,136.58	\$ 27,515.92
ST-1075-2FWA	Set of 4 - 66,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 82,320	\$ 58,447.19	\$ 55,977.59	\$ 54,742.79
ST-1075-3FWA	Set of 6 - 99,000lbs capacity, 24 volts DC, control box on every column. Adj. forks	\$ 124,131	\$ 88,132.70	\$ 84,408.78	\$ 82,546.82
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1085-1FSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks.	\$ 34,485	\$ 24,484.03	\$ 23,449.49	\$ 22,932.23
ST-1085-2FSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks.	\$ 67,021	\$ 47,584.68	\$ 45,574.06	\$ 44,568.75
ST-1085-3FSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks.	\$ 99,551	\$ 70,681.15	\$ 67,694.62	\$ 66,201.35
ST1085 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1085-1RSA	Set of 2 - 37,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj forks	\$ 37,973	\$ 26,960.71	\$ 25,821.52	\$ 25,251.93
ST-1085-2RSA	Set of 4 - 74,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj forks	\$ 74,008	\$ 52,545.37	\$ 50,325.14	\$ 49,215.03
ST-1085-3RSA	Set of 6 - 111,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj forks	\$ 110,025	\$ 78,117.46	\$ 74,816.72	\$ 73,166.36
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1085-1FBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 36,638	\$ 26,013.15	\$ 24,914.00	\$ 24,364.43
ST-1085-2FBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 73,275	\$ 52,025.30	\$ 49,827.05	\$ 48,727.92
ST-1085-3FBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 109,913	\$ 78,038.45	\$ 74,741.05	\$ 73,092.35
ST1085 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:					
ST-1085-1RBA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 39,909	\$ 28,335.22	\$ 27,137.95	\$ 26,539.32
ST-1085-2RBA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 79,818	\$ 56,670.43	\$ 54,275.91	\$ 53,078.64
ST-1085-3RBA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column with cables. Adj forks	\$ 119,723	\$ 85,003.65	\$ 81,411.95	\$ 79,616.09
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1085-1FWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 41,399	\$ 29,392.98	\$ 28,151.02	\$ 27,530.04
ST-1085-2FWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 82,796	\$ 58,784.98	\$ 56,301.11	\$ 55,059.18
ST-1085-3FWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 124,194	\$ 88,177.96	\$ 84,452.13	\$ 82,589.22
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS					
ST-1085-1VFWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 48,739	\$ 34,604.69	\$ 33,142.52	\$ 32,411.44
ST-1085-2VFWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 97,476	\$ 69,207.96	\$ 66,283.68	\$ 64,821.54
ST-1085-3VFWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 146,214	\$ 103,811.94	\$ 99,425.52	\$ 97,232.31
ST1085 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1085-1RWA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 46,036	\$ 32,685.72	\$ 31,304.63	\$ 30,614.09
ST-1085-2RWA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 92,072	\$ 65,371.44	\$ 62,609.27	\$ 61,228.18
ST-1085-3RWA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 138,109	\$ 98,057.16	\$ 93,913.90	\$ 91,842.27

MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1085-1FRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 46,468	\$ 32,992.33	\$ 31,598.29	\$ 30,901.27
ST-1085-2FRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 92,939	\$ 65,986.67	\$ 63,198.50	\$ 61,804.41
ST-1085-3FRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 139,407	\$ 98,979.00	\$ 94,796.79	\$ 92,705.68
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS					
ST-1085-1VFRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 53,808	\$ 38,203.68	\$ 36,589.44	\$ 35,782.32
ST-1085-2VFRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 107,619	\$ 76,409.49	\$ 73,180.92	\$ 71,566.64
ST-1085-3VFRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks with extra wide forks +130 mm / 5.1"	\$ 161,427	\$ 114,613.17	\$ 109,770.36	\$ 107,348.96
ST1085 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1085-1RRA	Set of 2 - 37,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 49,997	\$ 35,498.17	\$ 33,998.25	\$ 33,248.29
ST-1085-2RRA	Set of 4 - 74,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 99,995	\$ 70,996.34	\$ 67,996.49	\$ 66,496.57
ST-1085-3RRA	Set of 6 - 111,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 149,992	\$ 106,494.51	\$ 101,994.74	\$ 99,744.86
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1100-1FSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks.	\$ 36,824	\$ 26,144.92	\$ 25,040.21	\$ 24,487.85
ST-1100-2FSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks.	\$ 71,639	\$ 50,863.53	\$ 48,714.37	\$ 47,639.79
ST-1100-3FSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks.	\$ 106,454	\$ 75,582.14	\$ 72,388.53	\$ 70,791.72
ST1100 MODELS, CABLED EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1100-1RSA	Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 2. Adj. forks	\$ 41,162	\$ 29,224.80	\$ 27,989.95	\$ 27,372.52
ST-1100-2RSA	Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, one primary column per set of 4. Adj. forks	\$ 80,225	\$ 56,959.41	\$ 54,552.67	\$ 53,349.30
ST-1100-3RSA	Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, control box on every column, two primary columns per set of 6. Adj. forks	\$ 119,281	\$ 84,689.82	\$ 81,111.38	\$ 79,322.16
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH SYNTHETIC FIXED FRONT WHEELS:					
ST-1100-1FBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 39,820	\$ 28,272.30	\$ 27,077.69	\$ 26,480.39
ST-1100-2FBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 79,640	\$ 56,544.59	\$ 54,155.38	\$ 52,960.78
ST-1100-3FBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks.	\$ 119,460	\$ 84,816.89	\$ 81,233.07	\$ 79,441.17
ST1100 MODELS, BATTERY EBRIGHT CONTROLS WITH CABLES WITH RETRACTABLE WHEELS:					
ST-1100-1RBA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 44,690	\$ 31,729.93	\$ 30,389.23	\$ 29,718.88
ST-1100-2RBA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 89,380	\$ 63,459.86	\$ 60,778.45	\$ 59,437.75
ST-1100-3RBA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column with cables. Adj. forks	\$ 134,072	\$ 95,190.78	\$ 91,168.64	\$ 89,157.57
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 47,012	\$ 33,378.85	\$ 31,968.47	\$ 31,263.29
ST-1100-2FWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 94,022	\$ 66,755.69	\$ 63,935.03	\$ 62,524.70
ST-1100-3FWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 141,035	\$ 100,134.54	\$ 95,903.50	\$ 93,787.99
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS					
ST-1100-1VFWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 54,352	\$ 38,589.92	\$ 36,959.36	\$ 36,144.08
ST-1100-2VFWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 108,702	\$ 77,178.42	\$ 73,917.36	\$ 72,286.83
ST-1100-3VFWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 163,055	\$ 115,769.05	\$ 110,877.40	\$ 108,431.58

MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ST1100 MODELS, WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RWA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 51,536	\$ 36,590.79	\$ 35,044.70	\$ 34,271.66
ST-1100-2RWA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 103,074	\$ 73,182.58	\$ 70,090.36	\$ 68,544.25
ST-1100-3RWA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj. forks.	\$ 154,610	\$ 109,773.37	\$ 105,135.06	\$ 102,815.90
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS					
ST-1100-1FRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 49,256	\$ 34,971.83	\$ 33,494.15	\$ 32,755.31
ST-1100-2FRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 98,514	\$ 69,944.67	\$ 66,989.26	\$ 65,511.55
ST-1100-3FRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 147,770	\$ 104,916.50	\$ 100,483.41	\$ 98,266.86
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH SYNTHETIC FIXED FRONT WHEELS & EXTRA WIDE FORKS					
ST-1100-1VFRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 56,596	\$ 40,183.16	\$ 38,485.28	\$ 37,636.34
ST-1100-2VFRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 113,194	\$ 80,367.74	\$ 76,971.92	\$ 75,274.01
ST-1100-3VFRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 169,790	\$ 120,550.90	\$ 115,457.20	\$ 112,910.35
ST1100 MODELS, EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS					
ST-1100-1RRA	Set of 2 - 44,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 53,783	\$ 38,185.78	\$ 36,572.29	\$ 35,765.55
ST-1100-2RRA	Set of 4 - 88,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 107,563	\$ 76,369.55	\$ 73,142.67	\$ 71,529.23
ST-1100-3RRA	Set of 6 - 132,000lbs capacity, 24 volts DC, control box on every column. Adj forks	\$ 161,347	\$ 114,556.33	\$ 109,715.92	\$ 107,295.72
ST1130 MODELS, CABLED, WIRELESS AND EARTHLIFT™ EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1130-2RWF	Set of 4 - 116,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$ 275,568	\$ 195,653.60	\$ 187,386.55	\$ 183,253.02
ST-1130-2RRF	Set of 4 - 116,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$ 289,839	\$ 205,785.42	\$ 197,090.26	\$ 192,742.68
ST1175 MODELS, CABLED AND WIRELESS EBRIGHT CONTROLS WITH RETRACTABLE WHEELS:					
ST-1175-2RWF	Set of 4 - 160,000lbs capacity, 24 volts DC, control box on every column. Fixed forks	\$ 277,017	\$ 196,682.07	\$ 188,371.56	\$ 184,216.30

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
SKTJ-401	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 13,946	\$ 9,901.68	\$ 9,483.29	\$ 9,274.10
SKTJ-401S	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, pneumatic operation	\$ 14,700	\$ 10,436.78	\$ 9,995.79	\$ 9,775.29
SKTJ-402	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, pneumatic operation	\$ 13,521	\$ 9,600.17	\$ 9,194.53	\$ 8,991.71
SKWD-500	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, pneumatic operation	\$ 12,680	\$ 9,002.59	\$ 8,622.20	\$ 8,432.01
SKWD-500-74	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height, pneumatic operation	\$ 14,918	\$ 10,591.61	\$ 10,144.07	\$ 9,920.31
SKWD-501	Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height, pneumatic operation	\$ 17,115	\$ 12,151.64	\$ 11,638.19	\$ 11,381.47
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 15,205	\$ 10,795.32	\$ 10,339.18	\$ 10,111.11
SKTJ-401S-E Batt.	Heavy duty transmission jack w/swivel wheels, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height, battery operation	\$ 15,933	\$ 11,312.32	\$ 10,834.33	\$ 10,595.34
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height, battery operation	\$ 14,771	\$ 10,487.48	\$ 10,044.35	\$ 9,822.78
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height, battery operation	\$ 14,825	\$ 10,525.51	\$ 10,080.77	\$ 9,858.40
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height, battery operation	\$ 19,562	\$ 13,889.15	\$ 13,302.28	\$ 13,008.85
G-BDA	HLWD Adapter for standard wheel drums	\$ 1,154	\$ 819.41	\$ 784.78	\$ 767.47
G-AD	Transmission Jack Adapter for differential assemblies	\$ 2,065	\$ 1,465.88	\$ 1,403.94	\$ 1,372.97
G-AD2-02-2000	Transmission Jack Adapter for clutch assemblies	\$ 845	\$ 600.29	\$ 574.93	\$ 562.25
G-TJ-01-03	Transmission Jack Table/Cradle Screws, balance and retains various transmission housing to table top (price per screw, 4 screws required)	\$ 397	\$ 281.59	\$ 269.69	\$ 263.74
ST575V	575 voltage power option, extra per column when requested at time of original order placement	\$ 919	\$ 652.48	\$ 624.91	\$ 611.12
Upgrade control box	Primary control box exchange (upgrade from secondary control box), when requested at time of original order placement	\$ 2,458	\$ 1,745.49	\$ 1,671.74	\$ 1,634.86
OPVL33200	Drive over 12 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 735	\$ 521.54	\$ 499.50	\$ 488.48
DROVER 21.5M	Drive over 21.5 meter black cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 927	\$ 658.03	\$ 630.22	\$ 616.32
OPVL33300	NON drive over 21.5 meter red cable for all mobile columns, extra price per column when requested at time of original order placement	\$ 638	\$ 452.74	\$ 433.61	\$ 424.05
380.00.771	Weight Gauge for ST1085 ebright. Price per column. Price includes part only.	\$ 844	\$ 599.21	\$ 573.90	\$ 561.24
WGI Labor	Weight Gauge installation. Price per column. Price includes labor only.	\$ 200	\$ 142.04	\$ 136.03	\$ 133.03
32737250	Battery Controls Cable Reel. Price per column. Price includes part and labor to install.	\$ 1,166	\$ 827.80	\$ 792.83	\$ 775.34
38000904	Set of 2 (Two) detachable lifting pockets to lift and transport a mobile column with a forklift. Price per column.	\$ 263	\$ 186.42	\$ 178.55	\$ 174.61

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
34400910	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max. capacity 14,500 lbs per col.) ONLY FOR FIXED WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS	\$ 2,397	\$ 1,702.16	\$ 1,630.23	\$ 1,594.27
32710915	Set of 2 Baseframe extensions for use with fork extensions L=500mm / 20", per col. (max.capacity 14,500 lbs per col.) ONLY FOR RETRACTABLE WHEELS. OBLIGATORY WHEN USING FORK EXTENSIONS.	\$ 2,397	\$ 1,702.16	\$ 1,630.23	\$ 1,594.27
34200930	Single fork extension with integrated reduction sleeve and lock (right side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$ 924	\$ 656.01	\$ 628.29	\$ 614.43
34200935	Single fork extension with integrated reduction sleeve and lock (left side), for ST1075 & ST1085 (L = 500 mm / 20"), cap. 8,800 lbs Only for fixed forks	\$ 924	\$ 656.01	\$ 628.29	\$ 614.43
32700930	Set of 2 Fork extensions with locks ST1085 & ST1100 Only For Adjustable Forks (L=500 mm/20"), cap. 14,500 lbs	\$ 1,029	\$ 730.93	\$ 700.05	\$ 684.60
Warning: Fork extension and fork extensions with integrated reduction sleeves may only be used in combination with base frame extensions!					
32790210	Large Wheel Adapter ST1065 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 3,027	\$ 2,149.41	\$ 2,058.59	\$ 2,013.18
38002950	Large Wheel Adapter ST1075 & ST1085 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 3,027	\$ 2,149.41	\$ 2,058.59	\$ 2,013.18
32800910	Large Wheel Adapter ST1175 with drive on/drive off ramps, can handle tires up to 85" diameter and 29.5" width, price each	\$ 10,284	\$ 7,301.54	\$ 6,993.03	\$ 6,838.77
32700920	Reducer plate with lock (right side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
32700925	Reducer plate with lock (left side) for ST1060, ST1075, ST1082 & ST1085 F (L= 350 mm/14")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$ 625	\$ 443.86	\$ 425.11	\$ 415.73
32790205	Reducer plate for ST1065 price each, not ALI certified	\$ 796	\$ 564.82	\$ 540.95	\$ 529.02
32803100	Reducer plate standard for ST 1175 price each 380mm / 14.95"	\$ 858	\$ 609.20	\$ 583.46	\$ 570.59
32803200	Reducer plate wider for ST 1175 price each 460mm / 18.11"	\$ 1,227	\$ 871.08	\$ 834.27	\$ 815.87
32850460	Reducer plate standard for ST 1130 price each 380mm / 14.95"	\$ 1,235	\$ 876.63	\$ 839.59	\$ 821.07
32850470	Reducer plate wider for ST 1130 price each 460mm / 18.11"	\$ 1,368	\$ 970.95	\$ 929.92	\$ 909.41
38008900	LED lighting -UL approved - Battery operated column, 2 LED lights, brackets & cable set, uses power from the batteries, per column	\$ 1,175	\$ 834.46	\$ 799.20	\$ 781.57
38004900	LED lighting -UL approved - AC operated column, 2 LED lights, brackets & cable set, 230V, per column	\$ 1,868	\$ 1,326.04	\$ 1,270.01	\$ 1,242.00
MLK Labor	Labor for installation of any of the lighting kits listed above, price per column	\$ 586	\$ 416.12	\$ 398.54	\$ 389.75
34007930	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119.45	\$ 2,029.89	\$ 1,985.11
34007940	Remote Control for ST 1075 FCF and all OLD STYLE Battery/Wireless/Earthlift models, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,851.97	\$ 3,689.21	\$ 3,607.83
32557930	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119.45	\$ 2,029.89	\$ 1,985.11
32557940	Remote Control for ST1075, ST 1082, ST1085, ST1100 & ST 1175 Superior Controls, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,851.62	\$ 3,688.88	\$ 3,607.50
38007755	Remote Control for ebright control mobile column lifts, Not UL Approved, 32' 10" cable	\$ 2,985	\$ 2,119.45	\$ 2,029.89	\$ 1,985.11
38007754	Remote Control for ebright control mobile column lifts, UL Approved, 32' 10" cable	\$ 5,425	\$ 3,851.62	\$ 3,688.88	\$ 3,607.50
38007747	Installation kit to create a plug for a remote control on ebright columns on site (without remote)	\$ 477	\$ 338.45	\$ 324.14	\$ 316.99

ACCESSORIES AND OPTIONS FOR MOBILE LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs.	\$ 6,956	\$ 4,939.08	\$ 4,730.39	\$ 4,626.04
32591500	Traverse beam with lifting supports, capacity 32,000 lbs.,	\$ 6,956	\$ 4,939.08	\$ 4,730.39	\$ 4,626.04
32591050	Low profile cross beam with supports - capacity 33,000 lbs.	\$ 7,157	\$ 5,081.12	\$ 4,866.42	\$ 4,759.08
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$ 10,042	\$ 7,129.55	\$ 6,828.30	\$ 6,677.67
32591100	Low profile cross beam with supports - capacity 18,800 lbs.	\$ 7,157	\$ 5,081.12	\$ 4,866.42	\$ 4,759.08
32593000	4-wheel forklift adapter kit (10 pieces)	\$ 10,243	\$ 7,272.69	\$ 6,965.40	\$ 6,811.75
32593100	3-wheel forklift adapter kit (12 pieces)	\$ 12,764	\$ 9,062.57	\$ 8,679.64	\$ 8,488.18
32593030	Lifting piece for forklift kit (2 required per kit), price each	\$ 1,266	\$ 898.82	\$ 860.84	\$ 841.85
18-9081A-03	Traverse Beam for vehicles with snow plow mounted (WEB-36-120ST)	\$ 8,955	\$ 6,358.34	\$ 6,089.67	\$ 5,955.34
38000920	Multi-Purpose Adapter ST1075/1085/1100, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$ 10,049	\$ 7,135.10	\$ 6,833.61	\$ 6,682.87
38010920	Multi-Purpose Adapter ST1065, cap. to match column, (2 pieces), incl. two flat sliding adapters 32591051	\$ 11,876	\$ 8,432.28	\$ 8,075.99	\$ 7,897.84
38000950	Multi-Purpose Wide Reach Adapter ST1075/1085/1100, cap. to match column 44,000 lbs., (2 pieces), incl. two U-shape sliding adapters 59001091	\$ 11,081	\$ 7,867.47	\$ 7,535.04	\$ 7,368.83
38000970	Multi-Purpose Light Truck Adapter ST1075/1085/1100, cap. 5,500 lbs per column, (2 pieces), incl. two sliding rubber pick up pads	\$ 6,980	\$ 4,955.73	\$ 4,746.33	\$ 4,641.63
38000990	Multi-Purpose Extended Reach Adapter ST1075/1085/1100, (2 pieces), reduced capacity, incl. two U-shape sliding adapters 59001091, requires baseframe extensions (not included)	\$ 11,081	\$ 7,867.47	\$ 7,535.04	\$ 7,368.83
38000930	Lower Beam Part of MPA standard version (fits on standard ST1075/1085/1100), cap. <u>to match column</u>	\$ 2,016	\$ 1,431.46	\$ 1,370.97	\$ 1,340.73
38000955	Lower Beam Part of MPA extended version 500mm / 20" (fits on ST1075/1085/1100), cap. 14,500 lbs, only use with 34400910 or 32710915	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38010930	Lower Beam Part of MPA extra wide version (fits on ST1065), cap. to match column,	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38000940	Upper Beam Part of MPA standard version 875mm / 34.44",cap. to match column,	\$ 2,016	\$ 1,431.46	\$ 1,370.97	\$ 1,340.73
38010940	Upper Beam Part of MPA wider version 1250mm / 49.20", cap. to match column,	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38000975	Upper Beam Part of MPA ultra low version, cap of 5500 lbs.	\$ 2,610	\$ 1,853.13	\$ 1,774.83	\$ 1,735.68
38000921	Adapter pin Ø40 mm / 1.57" (1 standard supplied with 38000920/38010920), <u>per piece</u>	\$ 377	\$ 267.43	\$ 256.13	\$ 250.48
32591051	Flat slideable adapter with anti slip top plate (2 standard supplied with 38000920/38010920), (item number based on physical item inspection, per piece	\$ 638	\$ 452.81	\$ 433.68	\$ 424.11
38000945	Flat slideable adapter with Ø40 mm / 1.57" female pick up point for various pick up adapters (2 standard supplied with 38000950), per piece	\$ 551	\$ 391.41	\$ 374.87	\$ 366.61
38000960	U-shape pick up adapter 74 mm/ 3" wide and 120mm / 4.7" long, with Ø40 mm / 1.57" male pick up point (2 standard supplied with 38000950), per piece	\$ 526	\$ 373.69	\$ 357.90	\$ 350.00
32591020	Vertically adjustable riser, sliding adapter with height adjustment 270-420 mm / 10.63 - 16.53", per piece	\$ 927	\$ 657.84	\$ 630.04	\$ 616.14
38010950	Multi-Purpose Adapter Transport Cart for storage and transportation of maximum2 Multi-Purpose Adapters and various pick up adapters	\$ 6,034	\$ 4,284.17	\$ 4,103.15	\$ 4,012.64

Multi-Purpose Adapters can be used in conjunction with contact adapters and vertical risers available for the Freedom Lifts!

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", fixed flat adapter, weight 41 lbs.	\$ 542	\$ 385.05	\$ 368.78	\$ 360.65
JS-M8F	Capacity 18,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 95 lbs	\$ 1,618	\$ 1,148.50	\$ 1,099.97	\$ 1,075.70
JS-M12F	Capacity 26,500 lbs, Medium, 7 locking positions, Range 33"-54" with fine adjustment, weight 121 lbs	\$ 1,752	\$ 1,243.93	\$ 1,191.37	\$ 1,165.09
JS-H8F	Capacity 18,500 lbs, High, 10 locking positions, Range 53"-83" with fine adjustment, weight 130 lbs	\$ 1,921	\$ 1,363.77	\$ 1,306.14	\$ 1,277.33
JS-H12F	Capacity 26,500 lbs, High, 10 positions, Range 53"-83" with fine adjustment, weight 176 lbs	\$ 2,510	\$ 1,782.11	\$ 1,706.81	\$ 1,669.16
JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard.					
JS-H8-DZ	Capacity 18,000 lbs, High, 10 locking positions, Range 50"-80", weight 130 lbs	\$ 1,536	\$ 1,090.79	\$ 1,044.70	\$ 1,021.66
JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.					
Options for the JS-H8-DZ:					
39225960	Vertical fine adjuster, adds 3" to minimum and maximum height range	\$ 220	\$ 156.46	\$ 149.85	\$ 146.55
39225940	U-shaped adapter	\$ 139	\$ 98.76	\$ 94.59	\$ 92.50
39225950	V-shaped adapter	\$ 139	\$ 98.76	\$ 94.59	\$ 92.50
SKCP 1220-10	10 tons, no handle or wheels; 12"-20", with pin stop	\$ 799	\$ 567.29	\$ 543.32	\$ 531.34
SKCV 1828-10	10 tons, no handle or wheels, 18"-28", fine adjustment	\$ 1,470	\$ 1,043.70	\$ 999.60	\$ 977.55
SKCP 1830-10	10 tons, no handle or wheels, 18"-30"; with pin stop	\$ 903	\$ 641.13	\$ 614.04	\$ 600.50
SKCP 2644-10	10 tons, no handle or wheels, 26"-44";with pin stop	\$ 1,013	\$ 719.23	\$ 688.84	\$ 673.65
SKCP 5278-09	9 tons, with handle & wheels, spring loaded center tube, pin stop, 1 fixed steel head, 52"-78"	\$ 1,430	\$ 1,015.30	\$ 972.40	\$ 950.95
SKCVP 3658-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/36"-58" fine adjustment, 1 fixed wooden head	\$ 2,031	\$ 1,442.01	\$ 1,381.08	\$ 1,350.62
SKCVP 5480-18	18 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-80" fine adjustment, 1 fixed wooden head	\$ 2,075	\$ 1,473.25	\$ 1,411.00	\$ 1,379.88
SKCVP 5484-30	30 tons, w/handle & wheels, spring loaded center tube, pin stop w/54"-84" fine adjustment, 1 fixed wooden head	\$ 7,747	\$ 5,500.37	\$ 5,267.96	\$ 5,151.76

FREEDOM LIFT					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
HYDRAULIC TWO POST LIFT, SYMMETRICAL WITH TELESCOPIC LIFTING ARMS, ADJUSTABLE WIDTH					
35072000	SK 2.16-33 Two-post 16,000 lbs capacity with 4 double telescopic arms	\$ 42,168	\$ 29,939.63	\$ 28,674.57	\$ 28,042.05
35073000	SK 2.16-EFA Two-post 16,000 lbs capacity with 4 Extended Flex Arms, double telescopic	\$ 43,645	\$ 30,988.06	\$ 29,678.70	\$ 29,024.02
35040000	SK 2.20-22 Two-post 20,000 lbs capacity with 4 single telescopic arms	\$ 59,576	\$ 42,298.89	\$ 40,511.61	\$ 39,617.97
35041000	SK 2.20-23 Two-post 20,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 63,954	\$ 45,407.37	\$ 43,488.74	\$ 42,529.43
35042000	SK 2.20-33 Two-post 20,000 lbs capacity with 4 double telescopic arms	\$ 68,332	\$ 48,515.85	\$ 46,465.88	\$ 45,440.90
35050000	SK 2.26-22 Two-post 26,000 lbs capacity with 4 single telescopic arms	\$ 70,233	\$ 49,865.24	\$ 47,758.26	\$ 46,704.76
35051000	SK 2.26-23 Two-post 26,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 80,642	\$ 57,256.00	\$ 54,836.74	\$ 53,627.10
35052000	SK 2.26-33 Two-post 26,000 lbs capacity with 4 double telescopic arms	\$ 85,145	\$ 60,453.30	\$ 57,898.93	\$ 56,621.75
35060000	SK 2.30-22 Two-post 30,000 lbs capacity with 4 single telescopic arms	\$ 75,636	\$ 53,701.77	\$ 51,432.68	\$ 50,298.14
35061000	SK 2.30-23 Two-post 30,000 lbs capacity with 2 single telescopic arms and 2 double telescopic arms	\$ 86,786	\$ 61,618.21	\$ 59,014.63	\$ 57,712.83
35062000	SK 2.30-33 Two-post 30,000 lbs capacity with 4 double telescopic arms	\$ 91,289	\$ 64,815.51	\$ 62,076.82	\$ 60,707.48
Items being supplied with the SK 2.16 models (all adapters supplied in qty of four pieces or one per arm) :					
35000304	Flat low rubber cap slip-in pick-up pad Ø128x26 mm, only for SK 2.16				
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16				
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)				
35000306	Support extension 1.5"				
37003909	Support extension 3.5"				
37003916	Support extension 6.3"				
35099012	Set of chemical anchors and shims				
Items being supplied with the SK 2.20/26/30 models (all adapters supplied in qty of four pieces or one per arm) :					
39225988	Flat rubber cap pick-up pad Ø128x36 mm				
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)				
35000306	Support extension 1.5"				
37003909	Support extension 3.5"				
37003916	Support extension 6.3"				
35099014	Set of chemical anchors and shims				

ACCESSORIES AND OPTIONS FOR FREEDOM LIFT					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
Options for ONLY SK 2.16:					
33003915	Set telescopic threaded pick-up points, height min. 145 mm max. 245 mm (2 pcs), only for SK 2.16	\$ 1,428	\$ 1,013.73	\$ 970.89	\$ 949.48
35000304	Replacement flat low rubber cap for contact Ø128x26 mm (1pc.), only for SK 2.16	\$ 452	\$ 320.73	\$ 307.18	\$ 300.40
35000301	Externally threaded bushing (height adjuster) to hold any contact adapter, only for SK 2.16	\$ 452	\$ 320.73	\$ 307.18	\$ 300.40
30003100	Flat rubber capped contact adapter with external threads to provide height adjustment Ø124 mm (1pc.), only for SK 2.16	\$ 452	\$ 320.73	\$ 307.18	\$ 300.40
35099012	Set chemical anchors and shims, only for SK 2.16	\$ 549	\$ 390.14	\$ 373.65	\$ 365.41

ACCESSORIES AND OPTIONS FOR FREEDOM LIFT					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
Options for SK 2.16 / SK 2.20 / SK 2.26 / SK 2.30					
35000950	LED lighting set -UL-approved- Freedom lift series, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 2,546	\$ 1,807.40	\$ 1,731.03	\$ 1,692.85
OPVL08060	Second control box	\$ 3,713	\$ 2,635.93	\$ 2,524.55	\$ 2,468.86
OPVLRAL01	Extra price for 1 different colour	\$ 1,247	\$ 885.45	\$ 848.04	\$ 829.33
OPVLRAL01-2	Extra price for 2 different colors	\$ 1,733	\$ 1,230.09	\$ 1,178.11	\$ 1,152.12
OPVL41041	Analogue weight gauge for Freedom Lift	\$ 1,165	\$ 827.45	\$ 792.48	\$ 775.00
35000918	Set of 2 adapter trays to store 2*4 adapters. To be mounted to the column structure.	\$ 335	\$ 237.96	\$ 227.90	\$ 222.88
35000919	Set of 2 adapter trays to store 2*6 adapters. To be mounted to the column structure.	\$ 388	\$ 275.82	\$ 264.16	\$ 258.33
35000118	Magnetic tool tray, 9.6 x 5.6"	\$ 93	\$ 65.98	\$ 63.19	\$ 61.80
39225983	Toothed steel slip-in pick-up pad square 110 mm / 4 5/16" (1 pc.)	\$ 465	\$ 329.90	\$ 315.96	\$ 308.99
39225988	Flat rubber cap pick-up pad Ø128x36 mm (1pc.)	\$ 548	\$ 389.39	\$ 372.93	\$ 364.71
4310.09.04.00	Flat steel pick-up pad (1 pc)	\$ 125	\$ 88.69	\$ 84.95	\$ 83.07
4310.09.06.00	U-shaped steel pick-up pad (1 pc)	\$ 154	\$ 109.24	\$ 104.63	\$ 102.32
4310.09.05.00	V-shaped steel pick-up pad (1 pc)	\$ 161	\$ 114.65	\$ 109.81	\$ 107.39
35000306	Support extension 1.5"	\$ 119	\$ 84.37	\$ 80.80	\$ 79.02
37003909	Support extension 3.5"	\$ 236	\$ 167.65	\$ 160.57	\$ 157.03
37003916	Support extension 6.3"	\$ 305	\$ 216.33	\$ 207.19	\$ 202.61
37003925	Support extension 10"	\$ 379	\$ 269.33	\$ 257.95	\$ 252.26
37003945	Prism adapter for Sprinter/Crafter, rear side	\$ 312	\$ 221.63	\$ 212.26	\$ 207.58
37003955	Cone adapter for Sprinter/Crafter, front side	\$ 312	\$ 221.63	\$ 212.26	\$ 207.58
35099014	Set chemical anchors and shims for SK 2.20 / SK 2.26 / SK 2.30 (for SK 2.16 see above)	\$ 1,072	\$ 761.47	\$ 729.29	\$ 713.20

LIGHT DUTY 4-POST LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ST 4055	12,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$ 34,994	\$ 24,845.92	\$ 23,796.09	\$ 23,271.18
ST 4055-V	12,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 36,204	\$ 25,704.54	\$ 24,618.43	\$ 24,075.38
ST 4055-L	12,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 37,817	\$ 26,850.38	\$ 25,715.86	\$ 25,148.59
ST 4055-LV	12,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 39,028	\$ 27,710.01	\$ 26,539.17	\$ 25,953.75
ST 4070	16,000 lb. Four post lift, runway length 201" x 25" wide, 118" between columns	\$ 38,393	\$ 27,258.81	\$ 26,107.03	\$ 25,531.14
ST 4070-S	16,000 lb. Four post lift, runway length 225" x 25" wide, 118" between columns	\$ 38,393	\$ 27,258.81	\$ 26,107.03	\$ 25,531.14
ST 4070-SV	16,000 lb. Four post lift, runway length 201" x 25" wide, 130" between columns	\$ 39,969	\$ 28,378.17	\$ 27,179.09	\$ 26,579.55
ST 4070-V	16,000 lb. Four post lift, runway length 225" x 25" wide, 130" between columns	\$ 39,969	\$ 28,378.17	\$ 27,179.09	\$ 26,579.55
ST 4070-L	16,000 lb. Four post lift, runway length 245" x 25" wide, 118" between columns	\$ 42,064	\$ 29,865.22	\$ 28,603.30	\$ 27,972.35
ST 4070-LV	16,000 lb. Four post lift, runway length 245" x 25" wide, 130" between columns	\$ 43,637	\$ 30,982.54	\$ 29,673.42	\$ 29,018.86
ACCESSORIES AND OPTIONS FOR LIGHT DUTY 4-POST LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
43509600	LED lighting set -UL-approved- ST4055 & ST4070-S, 4 LED lights, power transformer, brackets & cable set, 110-220V	\$ 2,397	\$ 1,701.96	\$ 1,630.04	\$ 1,594.09
44509600	LED lighting set -UL-approved- ST4055-LV & ST4070, 6 LED lights, power transformer, brackets & cable set, 110-220V	\$ 3,041	\$ 2,159.27	\$ 2,068.04	\$ 2,022.42
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$ 390	\$ 277.04	\$ 265.33	\$ 259.48
44509040	Standard drive on/off ramps, 28.7", (2 pieces)	\$ 1,913	\$ 1,358.03	\$ 1,300.65	\$ 1,271.96
OPVL09250	Second control box for ST 4055 and ST 4070	\$ 2,462	\$ 1,747.79	\$ 1,673.94	\$ 1,637.01

HEAVY DUTY 4-POST LIFTS						
Model Number	Old Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ST4.300-4	ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$ 51,262	\$ 36,396.00	\$ 34,858.14	\$ 34,089.21
ST4.300-6	ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$ 54,969	\$ 39,027.87	\$ 37,378.81	\$ 36,554.28
ST4.300-8	ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$ 58,466	\$ 41,511.04	\$ 39,757.05	\$ 38,880.06
ST4.300-10	ST 4120-10	Four post 30,000lbs capacity, 33 ft runway	\$ 62,720	\$ 44,530.97	\$ 42,649.38	\$ 41,708.58
41009060 Synchronization set needed to make any Eight Post version of ST4.300, brigde part 3' 4"			\$ 20,800	\$ 14,768.00	\$ 14,144.00	\$ 13,832.00
41009300 Synchronization set needed to make any Eight Post version of ST4.300, without bridge part and with two roll of protections			\$ 9,550	\$ 6,780.50	\$ 6,494.00	\$ 6,350.75
ST4.500-6	ST 4175-6	Four post 50,000lbs capacity, 20 ft runway	\$ 104,561	\$ 74,238.16	\$ 71,101.34	\$ 69,532.92
ST4.500-8	ST 4175-8	Four post 50,000lbs capacity, 26 ft runway	\$ 110,292	\$ 78,307.42	\$ 74,998.66	\$ 73,344.28
ST4.500-9	ST 4175-9	Four post 50,000lbs capacity, 30 ft runway	\$ 111,313	\$ 79,032.51	\$ 75,693.11	\$ 74,023.41
ST4.500-10	ST 4175-10	Four post 50,000lbs capacity, 33 ft runway	\$ 116,019	\$ 82,373.48	\$ 78,892.91	\$ 77,152.63
ST4.500-11.5	ST 4175-11.5	Four post 50,000lbs capacity, 38 ft runway	\$ 122,976	\$ 87,313.28	\$ 83,623.99	\$ 81,779.34
HEAVY DUTY 4-POST LIFTS						
Model Number	Old Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
41609030		Synchronization set needed to make any Eight Post version of ST4.500, brigde part 3' 4"	\$ 14,900	\$ 10,579.00	\$ 10,132.00	\$ 9,908.50
41609040		Synchronization set needed to make any Eight Post version of ST4.500, brigde part 4' 11"	\$ 18,200	\$ 12,922.00	\$ 12,376.00	\$ 12,103.00
ST4.660-6	ST 4250-6	Four post 66,000lbs capacity, 20 ft runway	\$ 158,663	\$ 112,650.74	\$ 107,890.85	\$ 105,510.91
ST4.660-7	ST 4250-7	Four post 66,000lbs capacity, 23 ft runway	\$ 163,706	\$ 116,231.27	\$ 111,320.09	\$ 108,864.50
ST4.660-8	ST 4250-8	Four post 66,000lbs capacity, 26 ft runway	\$ 168,751	\$ 119,812.86	\$ 114,750.35	\$ 112,219.09
ST4.660-9	ST 4250-9	Four post 66,000lbs capacity, 30 ft runway	\$ 173,804	\$ 123,400.87	\$ 118,186.75	\$ 115,579.69
ST4.660-10	ST 4250-10	Four post 66,000lbs capacity, 33 ft runway	\$ 179,495	\$ 127,441.26	\$ 122,056.42	\$ 119,364.00
ST4.660-11.5	ST 4250-11.5	Four post 66,000lbs capacity, 38 ft runway	\$ 188,047	\$ 133,513.61	\$ 127,872.19	\$ 125,051.48
42609030		Synchronization set needed to make any Eight Post version of ST4.660, brigde part 3' 4"	\$ 14,900	\$ 10,579.00	\$ 10,132.00	\$ 9,908.50
42609040		Synchronization set needed to make any Eight Post version of ST4.660, brigde part 4' 11"	\$ 18,200	\$ 12,922.00	\$ 12,376.00	\$ 12,103.00
ST4.1330-9	ST 4600-9	Four post 132,000lbs capacity, 30 ft runway	On request	On request	On request	On request
ST4.1320 VL	ST 4600 VL	Four post 132,000lbs capacity, various lengths and accessories available upon request	On request	On request	On request	On request

ACCESSORIES AND OPTIONS FOR 4-POST LIFTS

Model Number	Old Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ST4.300 Series						
41209020		Hinged transition plates, length 16.1" (2 pcs)	\$ 2,427	\$ 1,723.35	\$ 1,650.53	\$ 1,614.12
OPVL15165		Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps	\$ (2,496)	\$ (1,772.23)	\$ (1,697.35)	\$ (1,659.91)
41209030		Standard drive on/off ramps, length 42" (2 pcs); ST4.300/ST4120	\$ 4,210	\$ 2,989.37	\$ 2,863.06	\$ 2,799.91
41209100		Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps)	\$ 8,310	\$ 5,900.32	\$ 5,651.01	\$ 5,526.36
41209200		Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps)	\$ 9,237	\$ 6,558.29	\$ 6,281.18	\$ 6,142.62
41209010		Set long drive on/off ramps, length 63"	\$ 7,329	\$ 5,203.65	\$ 4,983.78	\$ 4,873.84
OPVL16165		Extended length access ramps, instead of standard ramps	\$ 1,816	\$ 1,289.45	\$ 1,234.97	\$ 1,207.73
41407151	34007930 4120	Remote Control, Not UL Approved, 32' 10" cable	\$ 2,959	\$ 2,100.63	\$ 2,011.87	\$ 1,967.49
41407150	34007940 4120	Remote Control, UL Approved, 32' 10" cable	\$ 5,378	\$ 3,818.51	\$ 3,657.16	\$ 3,576.49
43599013		Anchor kit for ST 4055, ST 4070 and ST4.300/ST 4120	\$ 390	\$ 277.04	\$ 265.33	\$ 259.48
ST4.500 and ST4.660 Series						
41509010		Set standard drive on/off ramps ST4.500/ST4175, length 44" (2 pcs)	\$ 4,713	\$ 3,346.32	\$ 3,204.92	\$ 3,134.23
41509050		Extended length ramps ST4.500/ST4175, length 66" (2 pcs)	\$ 6,644	\$ 4,717.35	\$ 4,518.03	\$ 4,418.37
OPVL16170		Extended length ramps ST4.500/ST4175, length 66" (2 pcs), instead of standard ramps	\$ 800	\$ 567.88	\$ 543.88	\$ 531.89
41509060		Extended length ramps ST4.500/ST4175, length 92" (2 pcs)	\$ 11,458	\$ 8,135.32	\$ 7,791.58	\$ 7,619.70
OPVL16171		Extended length ramps ST4.500/ST4175, length 92" (2 pcs), instead of standard ramps	\$ 6,530	\$ 4,636.08	\$ 4,440.18	\$ 4,342.24
41509070		Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs)	\$ 13,843	\$ 9,828.27	\$ 9,412.99	\$ 9,205.35
OPVL16172		Extended length ramps ST4.500/ST4175, length 104.75" (2 pcs), instead of standard ramps	\$ 7,064	\$ 5,015.73	\$ 4,803.80	\$ 4,697.83
42509020		Set short drive-on/off ramps, L = 510 mm / 20" (2 pcs)	\$ 3,038	\$ 2,157.08	\$ 2,065.94	\$ 2,020.37
OPVL15170		Hinged transition plates ST4.500/ST4175 & ST4.660/ST4250, instead of standard ramps	\$ (1,133)	\$ (804.23)	\$ (770.25)	\$ (753.26)
42519010		Set standard drive on/off ramps ST4.660/ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$ 4,889	\$ 3,471.44	\$ 3,324.76	\$ 3,251.42
42519050		Extended length ramps ST4.660/ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$ 5,993	\$ 4,255.35	\$ 4,075.55	\$ 3,985.64
OPVL16180		Extended length ramps ST4.660/ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$ 690	\$ 489.81	\$ 469.11	\$ 458.76
41407151	34007930 4175/4250	Remote Control, Not UL Approved, 32' 10" cable	\$ 2,959	\$ 2,100.96	\$ 2,012.19	\$ 1,967.80
41407150	34007940 4175/4250	Remote Control, UL Approved, 32' 10" cable	\$ 5,378	\$ 3,818.47	\$ 3,657.13	\$ 3,576.46
42600895	42500895	Height limit switch (set) for ST4.300/ST4120 & ST4.500/ST4175 & ST4.660/ST4250	\$ 1,175	\$ 834.17	\$ 798.93	\$ 781.30
41599013		Set chemical anchors and shims for ST4.500/ST 4175	\$ 828	\$ 588.20	\$ 563.35	\$ 550.92
42599013		Set chemical anchors and shims for ST4.660/ST 4250	\$ 1,005	\$ 713.32	\$ 683.18	\$ 668.11
42639170	42539170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 20' platform, 6 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 4,365	\$ 3,099.27	\$ 2,968.32	\$ 2,902.84
42619170	42519170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,343	\$ 3,793.35	\$ 3,633.06	\$ 3,552.92
42629170	42529170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 30' & 33' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 6,272	\$ 4,453.20	\$ 4,265.04	\$ 4,170.95
42649170	42549170	LED lighting set, UL approved for ST4.500/ST4175 & ST4.660/ST4250, 38' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 7,250	\$ 5,147.27	\$ 4,929.78	\$ 4,821.04
42619185	42519185	Optional additional power transformer for supply voltage ranges 400, 460 & 575	\$ 886	\$ 629.09	\$ 602.51	\$ 589.22

HEAVY DUTY SKYLIFT					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
Surface mounted version:					
Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops.					
41422000	SKY .624 / 200 - 62,400 lbs, platform length 23'	\$ 169,098	\$ 120,059.62	\$ 114,986.68	\$ 112,450.21
41423000	SKY .624 / 200 - 62,400 lbs, platform length 26'	\$ 173,071	\$ 122,880.62	\$ 117,688.48	\$ 115,092.41
41424000	SKY .624 / 200 - 62,400 lbs, platform length 30'	\$ 177,551	\$ 126,061.33	\$ 120,734.79	\$ 118,071.52
41425000	SKY .624 / 200 - 62,400 lbs, platform length 33'	\$ 181,773	\$ 129,058.85	\$ 123,605.66	\$ 120,879.06
41426000	SKY .624 / 200 - 62,400 lbs, platform length 40'	\$ 193,649	\$ 137,490.76	\$ 131,681.30	\$ 128,776.56
41427000	SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 207,545	\$ 147,357.05	\$ 141,130.70	\$ 138,017.52
41402000	SKY .780 / 250 - 78,000 lbs, platform length 23'	\$ 183,628	\$ 130,375.54	\$ 124,866.71	\$ 122,112.30
41403000	SKY .780 / 250 - 78,000 lbs, platform length 26'	\$ 186,516	\$ 132,426.06	\$ 126,830.60	\$ 124,032.86
41404000	SKY .780 / 250 - 78,000 lbs, platform length 30'	\$ 192,162	\$ 136,434.97	\$ 130,670.11	\$ 127,787.68
41405000	SKY .780 / 250 - 78,000 lbs, platform length 33'	\$ 194,986	\$ 138,439.98	\$ 132,590.40	\$ 129,665.61
41406000	SKY .780 / 250 - 78,000 lbs, platform length 40'	\$ 208,175	\$ 147,804.46	\$ 141,559.20	\$ 138,436.57
41407000	SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 223,499	\$ 158,684.35	\$ 151,979.38	\$ 148,626.89
Flush mounted version:					
Flush mounted version is equipped with 2 sets of hinged movable boards.					
41432000	SKY .624 / 200 - 62,400 lbs, platform length 23'	\$ 163,367	\$ 115,990.76	\$ 111,089.74	\$ 108,639.24
41433000	SKY .624 / 200 - 62,400 lbs, platform length 26'	\$ 167,677	\$ 119,050.46	\$ 114,020.15	\$ 111,505.00
41434000	SKY .624 / 200 - 62,400 lbs, platform length 30'	\$ 171,773	\$ 121,959.16	\$ 116,805.96	\$ 114,229.36
41435000	SKY .624 / 200 - 62,400 lbs, platform length 33'	\$ 176,084	\$ 125,019.96	\$ 119,737.43	\$ 117,096.16
41436000	SKY .624 / 200 - 62,400 lbs, platform length 40'	\$ 188,758	\$ 134,018.08	\$ 128,355.34	\$ 125,523.98
41437000	SKY .624 / 200 - 62,400 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 202,887	\$ 144,049.79	\$ 137,963.17	\$ 134,919.87
41412000	SKY .780 / 250 - 78,000 lbs, platform length 23'	\$ 177,176	\$ 125,794.88	\$ 120,479.60	\$ 117,821.96
41413000	SKY .780 / 250 - 78,000 lbs, platform length 26'	\$ 180,825	\$ 128,386.07	\$ 122,961.31	\$ 120,248.92
41414000	SKY .780 / 250 - 78,000 lbs, platform length 30'	\$ 186,428	\$ 132,363.89	\$ 126,771.05	\$ 123,974.63
41415000	SKY .780 / 250 - 78,000 lbs, platform length 33'	\$ 189,230	\$ 134,353.36	\$ 128,676.46	\$ 125,838.00
41416000	SKY .780 / 250 - 78,000 lbs, platform length 40'	\$ 202,377	\$ 143,687.86	\$ 137,616.54	\$ 134,580.89
41417000	SKY .780 / 250 - 78,000 lbs, platform length 48' (with extensions on both sides of the runways)	\$ 217,893	\$ 154,704.31	\$ 148,167.51	\$ 144,899.11
SKY.624BA	SKY .624 Buy America, additional price	\$ 17,120	\$ 12,155.38	\$ 11,641.77	\$ 11,384.97
SKY.780BA	SKY .780 Buy America, additional price	\$ 22,882	\$ 16,245.97	\$ 15,559.52	\$ 15,216.30

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
41409110	LED lighting set, UL approved for SKYLIFT, 23' & 26' platform, 8 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 5,597	\$ 3,973.86	\$ 3,805.95	\$ 3,721.99
41409120	LED lighting set, UL approved for SKYLIFT, 30' & 33' platform, 10 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 6,568	\$ 4,663.57	\$ 4,466.52	\$ 4,367.99
41409130	LED lighting set, UL approved for SKYLIFT, 40' platform, 12 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 7,593	\$ 5,390.97	\$ 5,163.18	\$ 5,049.29
41409145	LED lighting set, UL approved for SKYLIFT, 48' platform, 14 LED fixtures, 1 power transformer and cable set, 110-220V	\$ 9,211	\$ 6,539.74	\$ 6,263.41	\$ 6,125.25
41409135	LED lighting set, UL approved for SKYLIFT platform extension 19.2", 2 LED fixtures, brackets and cable set, 110-220V	\$ 1,621	\$ 1,151.05	\$ 1,102.41	\$ 1,078.09
41409150	Optional additional power transformer for supply voltage ranges 400, 460 & 575, for Maximum 12 LED lights	\$ 927	\$ 658.28	\$ 630.46	\$ 616.56
41409160	Second optional additional power transformer for supply voltage ranges 400, 460 & 575, for more than 12 LED lights	\$ 927	\$ 658.28	\$ 630.46	\$ 616.56
OPVL39100	Factory installation of light set on any length SKYLIFT	\$ 1,885	\$ 1,338.32	\$ 1,281.77	\$ 1,253.50
<i>For reversed roll off protection on a Flush Mounted SKYLIFT:</i>					
41310905	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension)	\$ 5,644	\$ 4,006.97	\$ 3,837.66	\$ 3,753.01
41310905-WB	Set of 2 reversed roll off protection 1 LEFT & 1 RIGHT version (not suitable for mounting on an extension) - Washbay	\$ 6,494	\$ 4,611.04	\$ 4,416.21	\$ 4,318.80
OPVL16190	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension)	\$ 2,041	\$ 1,449.09	\$ 1,387.86	\$ 1,357.24
OPVL16190-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps (not suitable for mounting on an extension) - Washbay	\$ 2,351	\$ 1,669.48	\$ 1,598.94	\$ 1,563.66
OPVL16191	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension)	\$ 3,924	\$ 2,786.27	\$ 2,668.54	\$ 2,609.67
OPVL16191-WB	Set of 2 reversed roll off protection instead of the end stops on a surface mounted SKYLIFT(not suitable for mounting on an extension) - Washbay	\$ 4,539	\$ 3,222.48	\$ 3,086.32	\$ 3,018.24
OPVL16200	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT	\$ 2,041	\$ 1,449.09	\$ 1,387.86	\$ 1,357.24
OPVL16200-WB	Set of 2 reversed roll off protection instead of the standard Set short drive-on/off ramps for a 14.5 mtr /48' SKYLIFT - Washbay	\$ 2,351	\$ 1,669.48	\$ 1,598.94	\$ 1,563.66
41300966	Set of 2 ramp spacers with chemical anchors to raise approach ramps to same height as the reversed roll off protections. Only for surface mounted lifts	\$ 2,030	\$ 1,441.09	\$ 1,380.20	\$ 1,349.76
42509020	Set short drive-on/off ramps , L = 510 mm / 20" (2 pcs)	\$ 3,038	\$ 2,157.04	\$ 2,065.90	\$ 2,020.33
OPVL15190	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps	\$ (2,271)	\$ (1,612.38)	\$ (1,544.25)	\$ (1,510.19)
OPVL15190-WB	Set short drive-on/off ramps, instead of the standard multi flexible approach ramps - Washbay	\$ (3,702)	\$ (2,628.68)	\$ (2,517.61)	\$ (2,462.08)
OPVL15191	Set short drive-on/off ramps, instead of the standard stop plates	\$ 2,076	\$ 1,474.21	\$ 1,411.92	\$ 1,380.77
41300420	Set fixed, extra long, drive on/off ramps (2 pcs), L = 2660 mm / 104 3/4 "(2 pcs)	\$ 10,736	\$ 7,622.27	\$ 7,300.20	\$ 7,139.17
OPVL16185	Set, extra long, fixed drive-on/off ramps instead of the standard flexible approach ramps	\$ 727	\$ 516.14	\$ 494.34	\$ 483.43
OPVL47185	Set of 2 stop plates for flush mounted SKYLIFT instead of the standard set short drive-on/off ramps	No charge	No charge	No charge	No charge
41407151	Remote control with 32' 10" cable	\$ 2,959	\$ 2,100.63	\$ 2,011.87	\$ 1,967.49
41407153	Remote control with 82' cable	\$ 4,297	\$ 3,050.55	\$ 2,921.65	\$ 2,857.21
41407150	Remote control UL approved with 32' 10" cable	\$ 5,378	\$ 3,818.32	\$ 3,656.98	\$ 3,576.31
41407152	Remote wall control with 30' cable	\$ 3,072	\$ 2,180.80	\$ 2,088.65	\$ 2,042.58
OPVL34180	Intrinsic Barrier For SKY lift to allow surface mounted lift to be installed in flush infloor pit	\$ 6,832	\$ 4,850.85	\$ 4,645.88	\$ 4,543.40
OPVL37185	Stainless steel control box instead of standard painted	\$ 10,382	\$ 7,371.05	\$ 7,059.60	\$ 6,903.87
OPVL50185	Set of four stainless steel floor plates instead of standard hot dip galvanized	\$ 9,111	\$ 6,468.94	\$ 6,195.60	\$ 6,058.93
41409161	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 208V/230V	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
41409162	SKYLIFT circuit breaker & thermal overload kit, SKY200/250 - 460V/575V	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
41409163	SKYLIFT circuit breaker & thermal overload kit, SKY200 - 575V	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
41409185	SKYLIFT additional E-stop on console	\$ 489	\$ 347.05	\$ 332.39	\$ 325.06
SKY575V	575 voltage power option when ordered from factory.	\$ 3,365	\$ 2,389.35	\$ 2,288.39	\$ 2,237.91
SKY WB-23	Wash bay model 23' (Galvanized runways and stainless steel control box)	\$ 38,434	\$ 27,288.29	\$ 26,135.27	\$ 25,558.75
SKY WB-26	Wash bay model 26' (Galvanized runways and stainless steel control box)	\$ 39,404	\$ 27,976.87	\$ 26,794.75	\$ 26,203.69
SKY WB-30	Wash bay model 30' (Galvanized runways and stainless steel control box)	\$ 40,372	\$ 28,664.30	\$ 27,453.13	\$ 26,847.55
SKY WB-33	Wash bay model 33' (Galvanized runways and stainless steel control box)	\$ 41,340	\$ 29,351.73	\$ 28,111.52	\$ 27,491.41
SKY WB-40	Wash bay model 40' (Galvanized runways and stainless steel control box)	\$ 43,668	\$ 31,004.08	\$ 29,694.05	\$ 29,039.03
SKY WB-48	Wash bay model 48' (Galvanized runways and stainless steel control box)	\$ 46,186	\$ 32,792.32	\$ 31,406.72	\$ 30,713.93

ACCESSORIES AND OPTIONS FOR SKYLIFT

Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
SKY GRW-23	Hot dip galvanized runways instead of painted 23'	\$ 15,295	\$ 10,859.37	\$ 10,400.52	\$ 10,171.10
SKY GRW-26	Hot dip galvanized runways instead of painted 26'	\$ 16,083	\$ 11,419.13	\$ 10,936.63	\$ 10,695.38
SKY GRW-30	Hot dip galvanized runways instead of painted 30'	\$ 16,872	\$ 11,978.89	\$ 11,472.74	\$ 11,219.67
SKY GRW-33	Hot dip galvanized runways instead of painted 33'	\$ 18,291	\$ 12,986.46	\$ 12,437.74	\$ 12,163.38
SKY GRW-40	Hot dip galvanized runways instead of painted 40'	\$ 19,710	\$ 13,994.03	\$ 13,402.73	\$ 13,107.09
SKY GRW-48	Hot dip galvanized runways instead of painted 48'	\$ 21,917	\$ 15,561.36	\$ 14,903.84	\$ 14,575.08
41400960	2 speed lowering, not in combination with synchronisation set	\$ 3,710	\$ 2,634.39	\$ 2,523.08	\$ 2,467.42
41409960	Park positioning system for Jacking Beam (Set), only one possible per lift	\$ 1,935	\$ 1,373.72	\$ 1,315.68	\$ 1,286.65
41400950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$ 15,403	\$ 10,936.10	\$ 10,474.01	\$ 10,242.97
41400950-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4" - Washbay	\$ 17,656	\$ 12,535.92	\$ 12,006.23	\$ 11,741.39
41400951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$ 18,758	\$ 13,318.13	\$ 12,755.39	\$ 12,474.02
41400951-WB	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11" - Washbay	\$ 21,561	\$ 15,308.49	\$ 14,661.65	\$ 14,338.23
41400953	Synchronization set for connected versions SKYLIFT S.M., without bridge part	\$ 3,451	\$ 2,450.55	\$ 2,347.00	\$ 2,295.23
41410950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$ 15,403	\$ 10,936.10	\$ 10,474.01	\$ 10,242.97
41410950-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4" - Washbay	\$ 17,692	\$ 12,561.04	\$ 12,030.29	\$ 11,764.92
41410951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$ 18,758	\$ 13,318.13	\$ 12,755.39	\$ 12,474.02
41410951-WB	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11" - Washbay	\$ 21,561	\$ 15,308.49	\$ 14,661.65	\$ 14,338.23
41312955	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$ 26,443	\$ 18,774.19	\$ 17,980.92	\$ 17,584.28
41313955	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$ 32,387	\$ 22,994.70	\$ 22,023.09	\$ 21,537.29
41314955	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$ 38,331	\$ 27,215.21	\$ 26,065.27	\$ 25,490.30
41315955	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$ 44,276	\$ 31,435.72	\$ 30,107.45	\$ 29,443.32
41316955	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$ 56,166	\$ 39,877.89	\$ 38,192.90	\$ 37,350.41
41300448	Set multifunctional flexible approach ramps 77"	\$ 8,711	\$ 6,184.60	\$ 5,923.28	\$ 5,792.62
41300448-WB	Set multifunctional flexible approach ramps 77" - WashBay	\$ 10,017	\$ 7,111.83	\$ 6,811.33	\$ 6,661.08
41300460	One piece middle section "C" length 19.75"	\$ 923	\$ 655.46	\$ 627.76	\$ 613.91
41300460-WB	One piece middle section "C" length 19.75" - WashBay	\$ 1,065	\$ 755.95	\$ 724.00	\$ 708.03
41300480	One piece middle section "C" length 10"	\$ 741	\$ 526.42	\$ 504.18	\$ 493.06
41300480-WB	One piece middle section "C" length 10" - WashBay	\$ 844	\$ 599.50	\$ 574.17	\$ 561.51
41300940	Platform Extension 4' (not for 48' version), (2 pcs)	\$ 9,412	\$ 6,682.47	\$ 6,400.12	\$ 6,258.94
41300940-WB	Platform Extension 4' (not for 48' version), (2 pcs) - WashBay	\$ 10,824	\$ 7,685.07	\$ 7,360.35	\$ 7,197.99
41310940	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection	\$ 13,061	\$ 9,273.48	\$ 8,881.64	\$ 8,685.72
41310940-WB	Platform Extension 4' (not for 48' version), (2 pcs), incl. reversed roll off protection - WashBay	\$ 15,048	\$ 10,683.74	\$ 10,232.31	\$ 10,006.60
OPVLRAL07	Extra price for 1 different color	\$ 3,690	\$ 2,619.68	\$ 2,508.99	\$ 2,453.65
OPVLRAL07-2	Extra price for 2 different colors	\$ 5,787	\$ 4,108.65	\$ 3,935.04	\$ 3,848.24
41300990	Set chemical anchors and shims for SKYLIFT	\$ 1,369	\$ 971.77	\$ 930.71	\$ 910.18
41300992	Set chemical anchors and shims for SKYLIFT, special for Seismic regions incl extra anchors	\$ 2,059	\$ 1,461.65	\$ 1,399.89	\$ 1,369.01

ACCESSORIES AND OPTIONS FOR SKYLIFT					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose	\$ 497	\$ 352.85	\$ 337.94	\$ 330.49
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet (Depending on length of lift, more than one kit may be needed)	\$ 674	\$ 478.46	\$ 458.24	\$ 448.14
OPVL39200	Factory installation of air kit on any length SKYLIFT, platform lengths up to 12 meter	\$ 1,640	\$ 1,164.30	\$ 1,115.11	\$ 1,090.51
61001022	Cleaner/assembly set for anti-skid aluminum diamond plate	\$ 433	\$ 307.17	\$ 294.20	\$ 287.71
66701106	Anti-skid, ALU diamond plate 23 3/5" x 49 1/5", 30' length platform lift requires a total of 14 plates, (Price per plate)	\$ 547	\$ 388.25	\$ 371.85	\$ 363.64
41302900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 7 mtr. / 23'	\$ 5,856	\$ 4,157.71	\$ 3,982.03	\$ 3,894.19
41303900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 8 mtr. / 26'	\$ 6,938	\$ 4,926.21	\$ 4,718.06	\$ 4,613.99
41304900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 9 mtr. / 30'	\$ 8,030	\$ 5,701.57	\$ 5,460.66	\$ 5,340.20
41305900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 10 mtr. / 33'	\$ 9,113	\$ 6,470.08	\$ 6,196.70	\$ 6,060.00
41306900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 12 mtr. / 40'	\$ 10,203	\$ 7,244.30	\$ 6,938.20	\$ 6,785.15
41307900	Anti-skid, ALU diamond plates complete set, mounted at the factory for platforms 14.5 mtr. / 48'. 4 plates for the extensions and a cleaner set are supplied separately.	\$ 12,368	\$ 8,781.31	\$ 8,410.27	\$ 8,224.75
OPVL44185	Steril-Guard Anti-skid, applied at the factory for short platforms lengths up to 7 mtr. / 23'	\$ 4,471	\$ 3,174.52	\$ 3,040.38	\$ 2,973.32
OPVL45185	Steril-Guard Anti-skid, applied at the factory for medium platforms lengths from 8 mtr. / 26' to 9 mtr. / 30'	\$ 5,980	\$ 4,245.63	\$ 4,066.24	\$ 3,976.54
OPVL46185	Steril-Guard Anti-skid, applied at the factory for longer platforms lengths from 10 mtr. / 33' and longer	\$ 9,209	\$ 6,538.59	\$ 6,262.32	\$ 6,124.18
WP SKY	Wider Platforms 32.68" instead of 29.5"	On request	On request	On request	On request
OPVL31050	6.5' hydraulic hose extension to connect lift to control box	\$ 2,048	\$ 1,454.34	\$ 1,392.89	\$ 1,362.17
OPVL31051	6.5' hydraulic hose extension to connect lift to control box for WashBay	\$ 2,526	\$ 1,793.31	\$ 1,717.54	\$ 1,679.65
OPVL31060	13' hydraulic hose extension to connect lift to control box	\$ 4,095	\$ 2,907.65	\$ 2,784.79	\$ 2,723.36
OPVL31061	13' hydraulic hose extension to connect lift to control box for WashBay	\$ 4,541	\$ 3,223.81	\$ 3,087.59	\$ 3,019.48
OPVL31070	20' hydraulic hose extension to connect lift to control box	\$ 6,059	\$ 4,301.87	\$ 4,120.10	\$ 4,029.22
OPVL31071	20' hydraulic hose extension to connect lift to control box for WashBay	\$ 6,563	\$ 4,659.49	\$ 4,462.61	\$ 4,364.17
Tapeswitch Outer Only	Tapeswitch Outer Only, price per foot both runways	\$ 375	\$ 266.40	\$ 255.15	\$ 249.52
Tapeswitch Inner/Outer	Tapeswitch Inner and Outer, price per foot for both runways	\$ 476	\$ 337.93	\$ 323.65	\$ 316.51

ECO LIFTS

Model Number	Old Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
ECO60-00		60,000 lbs capacity with two fixed lifting units	\$ 174,033	\$ 123,563.23	\$ 118,342.24	\$ 115,731.75
ECO60-10		60,000 lbs capacity with 10 ft. (120") travel range	\$ 227,914	\$ 161,818.61	\$ 154,981.20	\$ 151,562.50
ECO60-13		60,000 lbs capacity with 13 ft. (156") travel range	\$ 236,304	\$ 167,775.57	\$ 160,686.46	\$ 157,141.91
ECO60-17		60,000 lbs capacity with 17 ft. (204") travel range	\$ 246,833	\$ 175,251.58	\$ 167,846.59	\$ 164,144.09
ECO 90M-10		90,000 lbs capacity, 1 fixed and 2 movable mechanism, (Price based on 10 ft travel front pit and 10 ft travel rear pit)	\$ 357,250	\$ 253,647.27	\$ 242,929.78	\$ 237,571.03
EL13		Increase box length from 10 ft. to 13 ft (156") in travel range, price per box	\$ 5,401	\$ 3,834.68	\$ 3,672.66	\$ 3,591.64
EL17		Increase box length from 10 ft. to 17 ft (204") in travel range, price per box	\$ 16,203	\$ 11,504.05	\$ 11,017.97	\$ 10,774.92
89400000		Moveable scissor set with short travel range 1'. Without Quick Turn	On request	On request	On request	On request
89500000	39035-00	Moveable scissor set with short travel range 39". Without Quick Turn	On request	On request	On request	On request
OPVL89001	Q2200-00	Quick Turn (Shorter end of one moveable pit box to have Fixed and Moveable closer for tandem axes)	\$ 4,077	\$ 2,894.54	\$ 2,772.23	\$ 2,711.08
89930001	RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105 Note: Incl. remote control, 35 ft cable, military style quick disconnect	\$ 7,158	\$ 5,082.40	\$ 4,867.65	\$ 4,760.27
89910001		Automatic Wheel Base Positioning (AWBP) ECO 60	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
89910002		Automatic Wheel Base Positioning (AWBP) ECO 90	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
89010100	ST110-00	Adapter Cart ECO	\$ 2,959	\$ 2,101.24	\$ 2,012.45	\$ 1,968.06
89010101	AS100-00	Adapter Stand	\$ 2,675	\$ 1,899.04	\$ 1,818.80	\$ 1,778.68
Standard with lift: Extruded aluminum (hinged) for moveable mechanism, two each aluminum drop-in covers for fixed and moveable mechanism one 23.5" steel pit cover plate, one bridge bracket, one wall bracket and two end section covers for moveable box. All ECOLIFTS include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters.						
Optional Cover Plates for continuous pit:						
89020020		8.75" cover plate, price each	\$ 1,420	\$ 1,008.46	\$ 965.85	\$ 944.54
89020040		12" cover plate, price each	\$ 1,856	\$ 1,317.59	\$ 1,261.92	\$ 1,234.08
89020060		18" cover plate, price each	\$ 2,193	\$ 1,557.26	\$ 1,491.46	\$ 1,458.56
89020080		23.5" cover plate, price each	\$ 2,588	\$ 1,837.45	\$ 1,759.81	\$ 1,720.99
89020028	CW322	Additional wall mount bracket, price each	\$ 2,948	\$ 2,093.11	\$ 2,004.67	\$ 1,960.45
89020029	CB322	Additional bridge bracket, price each	\$ 1,911	\$ 1,356.96	\$ 1,299.62	\$ 1,270.96
575 Voltage		Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor	\$ 3,237	\$ 2,298.36	\$ 2,201.24	\$ 2,152.69
89920001		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 1,975	\$ 1,402.18	\$ 1,342.93	\$ 1,313.31
89920002		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 2,948	\$ 2,093.11	\$ 2,004.67	\$ 1,960.45
89930002	ECO-EHP	External Hand Pump Kit	\$ 4,966	\$ 3,525.95	\$ 3,376.96	\$ 3,302.47
Shims (Must be ordered with the lift to ship with lift):						
89000105	03112-01	FS1 0.063" thickness, price each	\$ 27	\$ 19.31	\$ 18.49	\$ 18.08
89000106	03112-02	FS2 0.125" thickness, price each	\$ 27	\$ 19.31	\$ 18.49	\$ 18.08
89000107	03112-03	FS4 0.250" thickness, price each	\$ 39	\$ 27.43	\$ 26.27	\$ 25.70
89000108	03112-04	FS8 0.500" thickness, price each	\$ 56	\$ 39.63	\$ 37.95	\$ 37.12
Hose		Add'l field installed hyd. hose over standard length provided (see ECO order form), price per ft. per hose	On request	On request	On request	On request
OPVL89001		Add'l pendant cable length over standard length provided, sold in 5' increments(see ECO order form), price per ft.	On request	On request	On request	On request

Model Number		Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
DIAMOND 64 MODELS, CASSETTE						
DIAMOND 64-00	64,000 lbs capacity with two fixed lifting units, incl. cassettes		\$ 150,573	\$ 106,907.11	\$ 102,389.91	\$ 100,131.31
DIAMOND 64-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes		\$ 199,332	\$ 141,526.04	\$ 135,546.06	\$ 132,556.08
DIAMOND 64-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes		\$ 206,671	\$ 146,736.43	\$ 140,536.30	\$ 137,436.23
DIAMOND 64-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes		\$ 215,881	\$ 153,275.67	\$ 146,799.23	\$ 143,561.01
DIAMOND 64 MODELS, CASSETTE, CONTINUOUS RECESS						
DIAMOND 64CR-10	64,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes		\$ 243,700	\$ 173,026.82	\$ 165,715.83	\$ 162,060.33
DIAMOND 64CR-13	64,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes		\$ 249,823	\$ 177,374.28	\$ 169,879.59	\$ 166,132.25
DIAMOND 64CR-17	64,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes		\$ 261,994	\$ 186,015.62	\$ 178,155.80	\$ 174,225.89
DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION						
DIAMOND 64F-00	64,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation		\$ 117,638	\$ 83,522.68	\$ 79,993.56	\$ 78,228.99
DIAMOND 64F-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation		\$ 145,308	\$ 103,168.84	\$ 98,809.59	\$ 96,629.97
DIAMOND 64F-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation		\$ 151,556	\$ 107,604.89	\$ 103,058.21	\$ 100,784.86
DIAMOND 64F-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation		\$ 160,481	\$ 113,941.80	\$ 109,127.35	\$ 106,720.13
DFIFL-64F	Increased frame length, price per ft.		\$ 2,204	\$ 1,565.09	\$ 1,498.96	\$ 1,465.89
DFSF-64F	Spacer frames for continuous pit installation, available in various lengths, price per ft.		\$ 1,306	\$ 927.46	\$ 888.27	\$ 868.68
DIAMOND 64 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS						
DIAMOND 64FCR-10	64,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation		\$ 183,270	\$ 130,122.01	\$ 124,623.90	\$ 121,874.84
DIAMOND 64FCR-13	64,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation		\$ 194,372	\$ 138,004.32	\$ 132,173.15	\$ 129,257.57
DIAMOND 64FCR-17	64,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation		\$ 210,496	\$ 149,452.09	\$ 143,137.21	\$ 139,979.77
DFCRIFL-64FCR	Increased frame length, price per ft.		\$ 4,096	\$ 2,908.15	\$ 2,785.27	\$ 2,723.83
DFCRSF-64FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.		\$ 1,876	\$ 1,332.13	\$ 1,275.84	\$ 1,247.70
DIAMOND 70 MODELS, CASSETTE						
DIAMOND 70-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes		\$ 229,671	\$ 163,066.55	\$ 156,176.41	\$ 152,731.35
DIAMOND 70-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes		\$ 238,125	\$ 169,068.49	\$ 161,924.75	\$ 158,352.89
DIAMOND 70-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes		\$ 248,738	\$ 176,603.69	\$ 169,141.57	\$ 165,410.50
DIAMOND 70 MODELS, CASSETTE, CONTINUOUS RECESS						
DIAMOND 70CR-10	70,000 lbs capacity with 10 ft. (120") travel range, incl. cassettes		\$ 288,457	\$ 204,804.31	\$ 196,150.61	\$ 191,823.76
DIAMOND 70CR-13	70,000 lbs capacity with 13 ft. (156") travel range, incl. cassettes		\$ 296,019	\$ 210,173.29	\$ 201,292.73	\$ 196,852.45
DIAMOND 70CR-17	70,000 lbs capacity with 17 ft. (204") travel range, incl. cassettes		\$ 310,397	\$ 220,381.90	\$ 211,069.99	\$ 206,414.03
DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION						
DIAMOND 70F-00	70,000 lbs capacity with two fixed lifting units, with frames for concrete pit installation		\$ 131,504	\$ 93,368.18	\$ 89,423.05	\$ 87,450.48
DIAMOND 70F-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation		\$ 167,424	\$ 118,871.11	\$ 113,848.39	\$ 111,337.02
DIAMOND 70F-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation		\$ 174,622	\$ 123,981.97	\$ 118,743.30	\$ 116,123.96
DIAMOND 70F-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation		\$ 184,908	\$ 131,284.62	\$ 125,737.38	\$ 122,963.76
DFIFL-70F	Increased frame length, price per ft.		\$ 2,204	\$ 1,565.09	\$ 1,498.96	\$ 1,465.89
DFSF-70F	Spacer frames for continuous pit installation, available in various lengths, price per ft.		\$ 1,306	\$ 927.46	\$ 888.27	\$ 868.68
DIAMOND 70 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS						
DIAMOND 70FCR-10	70,000 lbs capacity with 10 ft. (120") travel range, with frames for concrete pit installation		\$ 217,505	\$ 154,428.43	\$ 147,903.29	\$ 144,640.71
DIAMOND 70FCR-13	70,000 lbs capacity with 13 ft. (156") travel range, with frames for concrete pit installation		\$ 230,027	\$ 163,319.13	\$ 156,418.32	\$ 152,967.92
DIAMOND 70FCR-17	70,000 lbs capacity with 17 ft. (204") travel range, with frames for concrete pit installation		\$ 248,221	\$ 176,236.83	\$ 168,790.21	\$ 165,066.89
DFCRIFL-70FCR	Increased frame length, price per ft.		\$ 4,096	\$ 2,908.15	\$ 2,785.27	\$ 2,723.83
DFCRSF-70FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.		\$ 1,876	\$ 1,332.13	\$ 1,275.84	\$ 1,247.70

DIAMOND LIFTS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
DIAMOND 96 MODELS, CASSETTE					
DIAMOND 96-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 312,450	\$ 221,839.80	\$ 212,466.29	\$ 207,779.53
DEL13-96	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,376	\$ 3,106.75	\$ 2,975.47	\$ 2,909.84
DEL17-96	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 13,097	\$ 9,299.10	\$ 8,906.18	\$ 8,709.72
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
DIAMOND 96 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 96CR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 409,511	\$ 290,752.81	\$ 278,467.48	\$ 272,324.82
DIAMOND 96CR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, (10 ft travel for movable cylinder), incl. cassettes	On request	On request	On request	On request
DIAMOND 96CR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request
DEL13-96CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 6,638	\$ 4,712.98	\$ 4,513.84	\$ 4,414.27
DEL17-96CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 19,944	\$ 14,160.24	\$ 13,561.92	\$ 13,262.76
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION					
DIAMOND 96F-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$ 214,989	\$ 152,642.19	\$ 146,192.52	\$ 142,967.69
DIAMOND 96F-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On request	On request	On request	On request
DIAMOND 96F-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On request	On request	On request	On request
DFIFL-96F	Increased frame length, price per ft.	\$ 2,204	\$ 1,564.84	\$ 1,498.72	\$ 1,465.66
DFSF-96F	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,307	\$ 927.97	\$ 888.76	\$ 869.16
DIAMOND 96 FRAME MODELS FOR CONCRETE PIT INSTALLATION, CONTINUOUS RECESS					
DIAMOND 96FCR-10-10	96,000 lbs capacity, 1 fixed and 2 movable cylinder, with frames for concrete pit installation (price based on 10' travel front and rear)	\$ 287,023	\$ 203,786.33	\$ 195,175.64	\$ 190,870.30
DIAMOND 96FCR-10-00	96,000 lbs capacity, 2 fixed & 1 movable cylinder, with frames for concrete pit installation (10 ft travel for movable cylinder)	On request	On request	On request	On request
DIAMOND 96FCR-00-00	96,000 lbs capacity, 3 fixed & 0 movable cylinder, with frames for concrete pit installation	On request	On request	On request	On request
DFCRIFL-96FCR	Increased frame length, price per ft.	\$ 4,095	\$ 2,907.45	\$ 2,784.60	\$ 2,723.18
DFCRSF-96FCR	Spacer frames for continuous pit installation, available in various lengths, price per ft.	\$ 1,877	\$ 1,332.67	\$ 1,276.36	\$ 1,248.21
DIAMOND 105 MODELS, CASSETTE					
DIAMOND 105-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 360,005	\$ 255,603.55	\$ 244,803.40	\$ 239,403.33
DIAMOND 105-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On request	On request	On request	On request
DIAMOND 105-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request
DEL13-105	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 4,763	\$ 3,381.73	\$ 3,238.84	\$ 3,167.40
DEL17-105	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 13,842	\$ 9,827.82	\$ 9,412.56	\$ 9,204.93
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge
DIAMOND 105 MODELS, CASSETTE, CONTINUOUS RECESS					
DIAMOND 105CR-10-10	105,000 lbs capacity, 1 fixed and 2 movable cylinder, incl. cassettes (price based on 10' travel front and rear)	\$ 456,530	\$ 324,136.30	\$ 310,440.40	\$ 303,592.45
DIAMOND 105CR-10-00	105,000 lbs capacity, 2 fixed & 1 movable cyl., (10 ft travel for movable cyl.), incl. cassettes	On request	On request	On request	On request
DIAMOND 105CR-00-00	105,000 lbs capacity, 3 fixed & 0 movable cylinder, incl. cassettes	On request	On request	On request	On request
DEL13-105CR	Increase cassette length from 10 ft. to 13 ft (156") in travel range, price per cassette	\$ 7,218	\$ 5,124.78	\$ 4,908.24	\$ 4,799.97
DEL17-105CR	Increase cassette length from 10 ft. to 17 ft (204") in travel range, price per cassette	\$ 20,985	\$ 14,899.35	\$ 14,269.80	\$ 13,955.03
DEL3.25QT	Quick Turn with 39 inch travel range (To have Fixed and Moveable closer for tandem axles)	No charge	No charge	No charge	No charge

All DIAMOND LIFTS include comprehensive adapter package. At time of order specify Transit, School Bus or Truck Adapters

DIAMOND LIFTS						
Model Number	Old Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
89930001	RBV050-00	Optional detachable wired remote control for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 7,158	\$ 5,082.40	\$ 4,867.65	\$ 4,760.27
Note: Including remote control, 35 ft cable, military style quick disconnect						
89900050	BEACON-00	Red/Green stack light for HOME position for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 3,649	\$ 2,590.99	\$ 2,481.51	\$ 2,426.77
89900010	F40-00	Festoon for remote control, 40 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 8,966	\$ 6,365.70	\$ 6,096.73	\$ 5,962.24
89900020	F60-00	Festoon for remote control, 60 ft track, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 12,546	\$ 8,907.91	\$ 8,531.52	\$ 8,343.33
89900030	T12312-00	Remote Control Bracket for use with festoon, for ECO60 / ECO90 / DIA64 / DIA70 / DIA96 / DIA105	\$ 1,229	\$ 872.81	\$ 835.93	\$ 817.49
79900001		Automatic Wheel Base Positioning (AWBP) for Cassette with 1 moveable piston	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
79900002		Automatic Wheel Base Positioning (AWBP) for Cassette with 2 moveable pistons	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
79900005		Automatic Wheel Base Positioning (AWBP) for Frame with 1 moveable piston	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
79900006		Automatic Wheel Base Positioning (AWBP) for Frame with 2 moveable pistons	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
79900009		Automatic Wheel Base Positioning (AWBP) for CR Cassette with 1 moveable piston	\$ 5,188	\$ 3,683.27	\$ 3,527.63	\$ 3,449.82
79900010		Automatic Wheel Base Positioning (AWBP) for CR Cassette with 2 moveable pistons	\$ 9,339	\$ 6,630.89	\$ 6,350.72	\$ 6,210.63
575 Voltage		Additional charge for 575V 3 phase, 13 amp., includes thermal overload protection, Price is per lifting unit/motor	\$ 3,237	\$ 2,298.36	\$ 2,201.24	\$ 2,152.69
89920001		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 60 / DIAMOND 64 / DIAMOND 70	\$ 1,975	\$ 1,402.18	\$ 1,342.93	\$ 1,313.31
89920002		Factory Installed Circuit Breaker & Thermal Overload Kit ECO 90 / DIAMOND 96 / DIAMOND 105	\$ 2,948	\$ 2,093.11	\$ 2,004.67	\$ 1,960.45
79990000		5 Gallons of Panolin Oil Biodegradable Oil	\$ 1,159	\$ 823.02	\$ 788.24	\$ 770.86
79990001	D663P-00	Assembly Sump Pump DIA64 / DIA70 / DIA96 / DIA105. One Sump Pump per cassette. Price is for each Sump Pump.	\$ 5,755	\$ 4,086.05	\$ 3,913.40	\$ 3,827.08
79010100	ST130-00	Adapter Cart Diamond	\$ 2,959	\$ 2,101.24	\$ 2,012.45	\$ 1,968.06
89010101	AS100-00	Adapter Stand	\$ 2,675	\$ 1,899.04	\$ 1,818.80	\$ 1,778.68

DIAMOND AND ECO LIFT ADAPTERS

Model Number	Old Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
Adapter Kits (One kit included with purchase of lift):						
89001001		Transit Bus Adapter Package (2x89010002, 2x89010035 & 2x89010034)	\$ 4,408	\$ 3,129.51	\$ 2,997.27	\$ 2,931.16
89001002		School Bus & Truck Adapter Package (2x89010002, 2x89010015 & 2x89010022)	\$ 3,707	\$ 2,631.63	\$ 2,520.43	\$ 2,464.84
89001003		Universal Vehicle Adapter Package (2x89010001, 2x89010009 & 2x89010017)	\$ 2,977	\$ 2,113.43	\$ 2,024.13	\$ 1,979.48
Pick-Up Adapters:						
89010001	A06122-00	Adapter 4" extension, price each	\$ 587	\$ 416.91	\$ 399.29	\$ 390.49
89010002	A08122-00	Adapter 6" extension, price each	\$ 600	\$ 425.83	\$ 407.84	\$ 398.84
89010003	A09222-00	Adapter Tall Vertical 9 x 3.7", price each	\$ 851	\$ 604.19	\$ 578.66	\$ 565.89
89010004	A09222-00R1	Adapter Tall Vertical 9 x 4.23", price each	\$ 1,807	\$ 1,282.75	\$ 1,228.55	\$ 1,201.45
89010005	A09222-00R2	Adapter Tall Vertical, centered, 9 x 4.23", price each	\$ 1,807	\$ 1,283.06	\$ 1,228.85	\$ 1,201.74
89010006	A10122-00	Adapter 7" Extension, price each	\$ 681	\$ 483.79	\$ 463.35	\$ 453.13
89010007	A11122-00	Adapter 9" extension, price each	\$ 700	\$ 497.17	\$ 476.16	\$ 465.66
89010008	A15252-00	Adapter wide 14 x 11.77", price each	\$ 1,265	\$ 898.48	\$ 860.51	\$ 841.53
89010009	A16122-00	Adapter Cradle 3.7 x 6", price each	\$ 342	\$ 243.01	\$ 232.74	\$ 227.61
89010041	A17122-00	Adapter Wide Cradle 6" x 10", price each	\$ 1,610	\$ 1,142.79	\$ 1,094.51	\$ 1,070.36
89010042	A17132-00	Adapter Flat Accessory 6" x 10"(use with A17122), price each	\$ 1,428	\$ 1,013.77	\$ 970.93	\$ 949.52
89010010	A18122-00	Adapter Swivel Cradle 3.7 x 6", price each	\$ 372	\$ 264.19	\$ 253.03	\$ 247.45
89010011	A20122-00	Adapter swivel cradle, 6"x6", price each	\$ 914	\$ 648.78	\$ 621.36	\$ 607.66
89010012	A21122-00	Adapter vertical axle 9 x 3.7", price each	\$ 653	\$ 463.73	\$ 444.14	\$ 434.34
89010013	A22122-00	Adapter Vertical Centered Low 3.7 x 4", price each	\$ 719	\$ 510.55	\$ 488.98	\$ 478.19
89010014	A23122-00	Adapter vertical wider axle 9 x 7.7", price each	\$ 988	\$ 701.17	\$ 671.54	\$ 656.73
89010015	A24122-00	Adapter vertical wider axle 9 x 6.2", price each	\$ 871	\$ 618.68	\$ 592.54	\$ 579.47
89010016	A25122-00	Adapter low vertical 4 x 3.7", price each	\$ 617	\$ 438.09	\$ 419.58	\$ 410.32
89010017	A26122-00	Adapter Low Vertical Wide 6.2 x 4", price each	\$ 746	\$ 529.50	\$ 507.13	\$ 495.94
89010018	A27122-00	Adapter Front Orion 3.7 x 5.5", price each	\$ 617	\$ 438.09	\$ 419.58	\$ 410.32
89010019	A28122-00	Adapter vertical low wide 6.2 x 4", price each	\$ 791	\$ 561.83	\$ 538.09	\$ 526.22
89010020	A29122-00	Adapter vertical 3 x 7.8", price each	\$ 791	\$ 561.83	\$ 538.09	\$ 526.22
89010021	A30122-00	Adapter Flip-Up, 8.6" x 6", price each	\$ 1,594	\$ 1,131.45	\$ 1,083.65	\$ 1,059.74
89010022	A31122-00	Adapter Flat Top Block 3 x 6 x 2.75", price each	\$ 586	\$ 415.80	\$ 398.23	\$ 389.44
89010023	A32122-00	Adapter Cradle Wide, 6 x 10" (use with A32132-00 or A32142-00), price each	\$ 1,082	\$ 768.05	\$ 735.60	\$ 719.37
89010024	A32132-00	Adapter Flat Base, 6 x 10", price each	\$ 1,400	\$ 994.34	\$ 952.33	\$ 931.32
89010025	A32142-00	Adapter Flat Base, 6 x 10", price each	\$ 1,400	\$ 994.34	\$ 952.33	\$ 931.32
89010026	A32152-00	Adapter Centering Block, price each	\$ 1,427	\$ 1,013.29	\$ 970.48	\$ 949.07
89010027	A33122-00	Adapter vertical wider axle 9 x 7.7" SP pin, price each	\$ 1,003	\$ 712.32	\$ 682.22	\$ 667.17
89010028	A34122-00	Differential Adapter (only for DIAMOND LIFT)	\$ 4,891	\$ 3,472.40	\$ 3,325.68	\$ 3,252.31
89010029	A35122-00	Adapter slant top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 713	\$ 506.09	\$ 484.71	\$ 474.01
89010030	A38122-00	Adapter Vertical 6 x 7.9", price each	\$ 975	\$ 692.25	\$ 663.00	\$ 648.37
89010031	A41122-00	Adapter Vertical Narrow 7.1 x 3.7", price each	\$ 700	\$ 497.17	\$ 476.16	\$ 465.66
89010032	A43122-00	Adapter crown top block 3 x 6 x 3.12 (3/8 x 3/4 Bar), price each	\$ 593	\$ 421.37	\$ 403.57	\$ 394.66
89010033	A45110-00	Adapter Rear Transit 6.5 x 13" x 8.4" (3/8 x 3" Bar), price each	\$ 791	\$ 561.83	\$ 538.09	\$ 526.22
89010034	A50122-00	Adapter NOVA Rear 7.5 x 8.25", price each	\$ 958	\$ 679.99	\$ 651.26	\$ 636.89
89010035	A51122-00	Adapter Rear Transit 7.5 x 8.25", price each	\$ 995	\$ 706.74	\$ 676.88	\$ 661.95
89010036	A52122-00	Adapter New Flyer Rear 5 x 7.75", price each	\$ 958	\$ 679.99	\$ 651.26	\$ 636.89
89010037	A53142-00	Cradle Adapter Weldment	\$ 374	\$ 265.31	\$ 254.10	\$ 248.49
89010038	A56122-00	Adapter Vertical 0.75 x 4 x 9", price each	\$ 719	\$ 510.55	\$ 488.98	\$ 478.19
89010039	A57122-00	Adapter Pocket 7.75" x 10", price each	\$ 1,032	\$ 732.38	\$ 701.43	\$ 685.96
89010043	A67122-00	Adapter Cradle 6" x 6", price each	\$ 1,045	\$ 741.89	\$ 710.55	\$ 694.87
89010044	A71112-00	Adapter Flat, 5" x 5", with pad, for Protera	\$ 1,519	\$ 1,078.28	\$ 1,032.72	\$ 1,009.94

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder. The JB is standard equipped with two flat adapters and two 4" extensions.					
39617160	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94
39617110	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94
39617010	Set support arms for ST 4120	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39615250	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94
39615140	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 16,621	\$ 11,800.88	\$ 11,302.26	\$ 11,052.94
39615040	Set support arms for ST 4175 new style (for lifts manufactured from July 2015)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616160	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39616110	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39616010	Set support arms for ST 4250 20'/26'/30' platforms	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616020	Set support arms for ST 4250 33'/38' platforms	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39618160	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39618110	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28" w/mechanical lock	\$ 18,328	\$ 13,013.09	\$ 12,463.24	\$ 12,188.32
39616030	Set support arms for SKY 200 & 250 and 4250 after June 2015	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39615025	Set support arms for low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters flush with platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
39616510	Set support arms for extra low mounted Jacking Beam for SKY 200 & 250 (standard flat adapters 2" below platform)	\$ 1,961	\$ 1,392.61	\$ 1,333.77	\$ 1,304.35
Options for JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:					
9114300	LB 20T differential beam allows use of both rams to lift at one point	\$ 735	\$ 521.85	\$ 499.80	\$ 488.78
5866600	T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem piston versions	\$ 1,762	\$ 1,250.95	\$ 1,198.09	\$ 1,171.66
5866055	T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for tandem piston versions	\$ 4,164	\$ 2,956.65	\$ 2,831.72	\$ 2,769.26
9114100	FG100 4" metal extension adapter, capacity 22,000 lbs.	\$ 90	\$ 64.11	\$ 61.40	\$ 60.05
9114200	FG200 8" metal extension adapter, capacity 22,000 lbs.	\$ 113	\$ 80.51	\$ 77.11	\$ 75.41
9112700	FW2 V-shape adapter, capacity 22,000 lbs., width 4.00"	\$ 114	\$ 81.26	\$ 77.83	\$ 76.11
9112710	FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125"	\$ 130	\$ 92.44	\$ 88.54	\$ 86.58
9113210	US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00"	\$ 130	\$ 92.44	\$ 88.54	\$ 86.58
9113240	US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125"	\$ 171	\$ 121.52	\$ 116.38	\$ 113.81
5836700	Trolley for JB-80-2 - JB-200-2	\$ 628	\$ 446.00	\$ 427.16	\$ 417.74
5866340	VB1 Wall bracket for storage of up to 4 adapters	\$ 71	\$ 50.69	\$ 48.55	\$ 47.48
5866380	VB2 Wall bracket for storage of up to 8 adapters	\$ 114	\$ 81.26	\$ 77.83	\$ 76.11
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams	\$ 1,241	\$ 881.08	\$ 843.85	\$ 825.24

Air kit - See accessories for SKYLIFTS

AIR-HYDRAULIC PIT JACKS

Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
5876410	MPJ-100-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 22,000 lbs., cylinder stroke 16.5"	\$ 11,918	\$ 8,461.79	\$ 8,104.25	\$ 7,925.48
5877410	MPJ-100-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 22,000 lbs., cylinder stroke 16.5"	\$ 11,918	\$ 8,461.79	\$ 8,104.25	\$ 7,925.48
5876415	MPJ-150-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 33,000 lbs., cylinder stroke 16.5"	\$ 13,158	\$ 9,341.83	\$ 8,947.11	\$ 8,749.74
5877415	MPJ-150-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 33,000 lbs., cylinder stroke 16.5"	\$ 13,158	\$ 9,341.83	\$ 8,947.11	\$ 8,749.74
5876420	MPJ-200-2S, frame 23.23" - 35.00", mechanical locks, tandem single stage pistons, without support arms, cap. 44,000 lbs., cylinder stroke 16.5"	\$ 14,186	\$ 10,071.74	\$ 9,646.17	\$ 9,433.39
5877420	MPJ-200-2W, frame 33.50" - 45.28", mechanical locks, tandem single stage pistons, without support arms, cap. 44,000 lbs., cylinder stroke 16.5"	\$ 14,186	\$ 10,071.74	\$ 9,646.17	\$ 9,433.39
The support arms have to be ordered separately from the pit jack.					
39630010	Set support arms for pit jacks (always fill out pit specification form and send with order)	\$ 1,298	\$ 921.58	\$ 882.64	\$ 863.17
5900000	FPJ-150 F, Floor moving air hydraulic pit jack, single ram, with telescopic fixed cylinder, capacity 33,000 lbs., height 36' 0.25" - 86' 0.875", platform 33' 0.25" x 39' 0.50"	\$ 13,779	\$ 9,783.09	\$ 9,369.72	\$ 9,163.04
5901500	FPJ-150 U, Floor moving air hydraulic pit jack, single ram, with telescopic and sideways movable cylinder, capacity 33,000 lbs., height 36' 0.25" - 86' 0.875", platform 33' 0.25" x 42' 0.25"	\$ 14,420	\$ 10,238.20	\$ 9,805.60	\$ 9,589.30
Options for air-hydraulic pit jacks:					
5867010	AB, Support bridge, capacity 44,000 lbs., usable in combination with various adapters	\$ 2,864	\$ 2,033.19	\$ 1,947.28	\$ 1,904.33
5867500	ABT, Variable Support bridge, capacity 33,000 lbs., usable in combination with various adapters	\$ 3,581	\$ 2,542.69	\$ 2,435.25	\$ 2,381.53
5866500	T4-1 Crossbeam adapter, capacity 44,000 lbs., height 4.00", adjustable 7.80" - 29.50", only for single piston versions	\$ 1,761	\$ 1,250.58	\$ 1,197.74	\$ 1,171.32
5866550	T4-1W Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50", only for single piston versions	\$ 2,025	\$ 1,437.77	\$ 1,377.02	\$ 1,346.65
5866600	T4-2 Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 29.50", only for tandem piston versions	\$ 1,761	\$ 1,250.58	\$ 1,197.74	\$ 1,171.32
5866650	T4-2W Crossbeam adapter, capacity 44,000 lbs., height 5.70", adjustable 7.80" - 33.50", only for tandem piston versions	\$ 2,025	\$ 1,437.77	\$ 1,377.02	\$ 1,346.65
5866700	T5-1 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs, height 4.74", adjustable 36" - 59", only for single piston versions	\$ 3,224	\$ 2,288.74	\$ 2,192.03	\$ 2,143.68
5866800	T5-2 Crossbeam adapter, capacity 33,000 lbs. to 25,300 lbs, height 4.74", adjustable 36" - 59", only for twin piston versions	\$ 3,224	\$ 2,288.74	\$ 2,192.03	\$ 2,143.68
5866050	T6-1 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for single pistons versions	\$ 4,164	\$ 2,956.36	\$ 2,831.44	\$ 2,768.98
5866000	T6-1W Crossbeam adapter, capacity 28,600 lbs., adjustable 39.37" - 63.00" with wheel, height 3.54", only for single pistons versions	\$ 4,402	\$ 3,125.66	\$ 2,993.59	\$ 2,927.55
5866055	T6-2 Crossbeam adapter, capacity 28,600 lbs., adjustable 28.54" - 48.23" with wheel, height 3.54", only for twin piston versions	\$ 4,164	\$ 2,956.36	\$ 2,831.44	\$ 2,768.98
5866010	T6-2 W Crossbeam adapter, capacity 28,600 lbs., adjustable 44.10" - 67.72" with wheel, height 3.54", only for twin ram versions	\$ 4,402	\$ 3,125.66	\$ 2,993.59	\$ 2,927.55
5900500	AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units)	\$ 1,790	\$ 1,271.21	\$ 1,217.50	\$ 1,190.64
9114100	FG100 4" metal extension adapter, capacity 22,000 lbs.	\$ 90	\$ 63.86	\$ 61.16	\$ 59.82
9114200	FG200 8" metal extension adapter, capacity 22,000 lbs.	\$ 113	\$ 80.26	\$ 76.87	\$ 75.17
9112700	FW2 V-shape adapter, capacity 22,000 lbs., width 4.00"	\$ 114	\$ 81.12	\$ 77.70	\$ 75.98
9112710	FW2-130 V-shape adapter, capacity 13,200 lbs., width 5.125"	\$ 130	\$ 92.34	\$ 88.44	\$ 86.49
9113210	US U-saddle adapter, large model, capacity 22,000 lbs., width 4.00"	\$ 130	\$ 92.34	\$ 88.44	\$ 86.49
9113240	US-130 U-saddle adapter, capacity 13,200 lbs., width 5.125"	\$ 171	\$ 121.68	\$ 116.54	\$ 113.97
5866340	VB1 Wall bracket for storage of up to 4 adapters	\$ 72	\$ 50.92	\$ 48.77	\$ 47.69
5866380	VB2 Wall bracket for storage of up to 8 adapters	\$ 114	\$ 81.12	\$ 77.70	\$ 75.98
9114300	LB 20T differential beam allows use of both rams to lift at one point	\$ 735	\$ 522.12	\$ 500.06	\$ 489.03
5863400	GR Extra handle	\$ 124	\$ 88.03	\$ 84.31	\$ 82.45

HYDRAULIC TRANSMISSION JACK					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
9085000	SKVL3 660 lbs. pedal operated hydraulic transmission jack, height 44.29" - 76.77"	\$ 836	\$ 593.75	\$ 568.66	\$ 556.12
9086500	SKVLT6 1,300 lbs. low hydraulic 3-stage transmission jack with pneumatic high speed 29"-75" max	\$ 4,462	\$ 3,167.67	\$ 3,033.83	\$ 2,966.91
9065000	SKVLT12 2,600 lbs. hydraulic transmission jack with foot pump 2-stage telescopic cylinder 36" - 75" max	\$ 3,448	\$ 2,448.39	\$ 2,344.94	\$ 2,293.21
Options for hydraulic transmission jacks:					
9058800	AS1 660 lbs. light duty gearbox saddle	\$ 1,003	\$ 711.98	\$ 681.90	\$ 666.86
5900500	AS3 Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs. (for single-piston units)	\$ 1,790	\$ 1,271.21	\$ 1,217.50	\$ 1,190.64
9059500	S Black steel universal adapter without rubber pad	\$ 58	\$ 41.42	\$ 39.67	\$ 38.80
3601400	GS1 Rubber cushion for black steel mount	\$ 50	\$ 35.38	\$ 33.89	\$ 33.14

WHEEL DOLLIES					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
6005000	WDA-500 1,100 lbs. capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23"	\$ 2,986	\$ 2,120.06	\$ 2,030.48	\$ 1,985.69
6007000	WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP	\$ 351	\$ 249.21	\$ 238.68	\$ 233.42
6102300	WD-1500 NTB 3,300 lbs. capacity Wheel Dolly with 2 swivel casters with brake	\$ 7,079	\$ 5,026.09	\$ 4,813.72	\$ 4,707.54

AIR/HYDRAULIC FLOOR JACKS & ACCESSORIES					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
4480000	SKB-25-2 Portable 25/10T air/hydraulic jack	\$ 3,520	\$ 2,499.20	\$ 2,393.60	\$ 2,340.80
4487000	SBB Transport locking device and wall bracket (only for SKB-25)	\$ 297	\$ 210.87	\$ 201.96	\$ 197.51
4402000	F250 non-stackable adapter - extends the maximum height by 9.80" (B25-2 Only)	\$ 277	\$ 196.67	\$ 188.36	\$ 184.21
4563000	SK25-1 25T single-stage air/hydraulic floor jack for trucks/buses min collapsed height 7.10"	\$ 3,874	\$ 2,750.54	\$ 2,634.32	\$ 2,576.21
4560000	SK25-1H 25T single-stage air/hydraulic floor jack for high clearance vehicles, min. height 14.21"	\$ 4,787	\$ 3,398.77	\$ 3,255.16	\$ 3,183.36
4540000	SK25-2 25/10T 2-stage air/hydraulic floor jack, min. height 7.20"	\$ 3,800	\$ 2,698.00	\$ 2,584.00	\$ 2,527.00
4515000	SK40-4 40/27/16/10T 4-stage air/hydraulic jack for vehicles with extra low clearance, min. height of 3.90"	\$ 6,630	\$ 4,707.30	\$ 4,508.40	\$ 4,408.95
4520000	SK50-3 50/25/10T 3-stage air/hydraulic jack for vehicles with low clearance of 5.90"	\$ 5,490	\$ 3,897.90	\$ 3,733.20	\$ 3,650.85
4520020	SK65-1 65T Capacity air/hydraulic jack for ultra heavy-duty machinery, min. height 9.65"	\$ 5,610	\$ 3,983.10	\$ 3,814.80	\$ 3,730.65
4525000	SK65-1H 65T Capacity air/hydraulic jack for ultra heavy-duty machinery, long-stroke, min. height 16.65"	\$ 7,994	\$ 5,675.74	\$ 5,435.92	\$ 5,316.01
4402100	FW Round, black adapter with no rubber pad designed for lifting under bolts, differential gear etc.	\$ 174	\$ 123.54	\$ 118.32	\$ 115.71
6323100	FW1 Adapter for lifting under different types of axles	\$ 115	\$ 81.65	\$ 78.20	\$ 76.48

MANUAL FLOOR JACKS & ACCESSORIES					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
3604500	SKMFJ100 Manual Floor Jack, 10T capacity, lifting. range 5.875" - 23"	\$ 2,775	\$ 1,970.25	\$ 1,887.00	\$ 1,845.38
3606500	SKMFJ120 Manual Floor Jack, 12T capacity, lifting. range 5.875" - 23"	\$ 3,063	\$ 2,174.73	\$ 2,082.84	\$ 2,036.90
3605500	SKG4 pneumatic tires for Manual Floor Jacks	\$ 325	\$ 230.75	\$ 221.00	\$ 216.13
3601700	SKFDK2 Height Extension, 4 in.	\$ 146	\$ 103.66	\$ 99.28	\$ 97.09
HEAVY DUTY SHOP CRANES					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
2001000	SKWN20 4,400 lbs. HD Hydraulic workshop crane	\$ 5,057	\$ 3,590.47	\$ 3,438.76	\$ 3,362.91
2101000	SKWN25 5,500 lbs. HD Hydraulic workshop crane	\$ 5,937	\$ 4,215.27	\$ 4,037.16	\$ 3,948.11
AIRCRAFT APPLICATIONS					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
4591000	SK25-2AP 25T Air/hydraulic aircraft jack	\$ 5,914	\$ 4,198.95	\$ 4,021.53	\$ 3,932.82
4593000	SK65-1AP 65T Air/hydraulic aircraft jack	\$ 7,999	\$ 5,679.53	\$ 5,439.55	\$ 5,319.56
4594000	SK65-1APH 65T, Air/hydraulic aircraft jack with extra long stroke	\$ 9,216	\$ 6,543.59	\$ 6,267.10	\$ 6,128.86
6005300	WTA-500AP 1,100 lbs. capacity Wheel Dolly for wheel diameter 10.63" - 51.18", height 4.17" - 28.23", Aircraft Service	\$ 3,453	\$ 2,451.65	\$ 2,348.06	\$ 2,296.27
6007000	WTK 550 lbs. capacity crane assist arm for WDA-500 or WDA-500AP	\$ 351	\$ 249.00	\$ 238.48	\$ 233.22
COMMERCIAL WASTE OIL EQUIPMENT					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
30120	SK30120 31 gallon HD waste oil drain with standard funnel	\$ 1,301	\$ 923.73	\$ 884.70	\$ 865.19
30370	SK30370 31 gallon waste oil drain with cantilever tray	\$ 1,705	\$ 1,210.41	\$ 1,159.27	\$ 1,133.69
30475	SK30475 18.5 gallon waste oil drain with wash basin	\$ 1,048	\$ 744.08	\$ 712.64	\$ 696.92
31210	SK31210 Low Profile Oil Drain for Platform Lifts and Pits, Adjustable Sliding Rods w. Casters (35.43" - 51.57"), 29 Gal. Capacity	\$ 874	\$ 620.54	\$ 594.32	\$ 581.21
31125	SK31125 Low profile waste oil drain, 33 gallon capacity	\$ 987	\$ 701.09	\$ 671.47	\$ 656.66
92000	SK92000 Portable wash down system	\$ 1,203	\$ 853.97	\$ 817.89	\$ 799.84
ALIGNMENT ACCESSORIES					
Model Number	Description	List Price	29% for 1 lift	32% 2-7 lifts	33.5% 8-up lifts
CS-DT-069	Steril Koni portable alignment kit with drive through feature (does NOT include turnplates)	\$ 5,089	\$ 3,613.13	\$ 3,460.47	\$ 3,384.13
CS-360	Steril Koni portable alignment kit with wheel stop, drive on back off (does NOT include turnplates)	\$ 4,580	\$ 3,251.49	\$ 3,114.10	\$ 3,045.41
25-24-S	Stainless steel turnplates	\$ 4,427	\$ 3,143.00	\$ 3,010.20	\$ 2,943.79
WB-200-30	Deluxe Storage Cabinet for portable alignment kit	\$ 2,446	\$ 1,736.70	\$ 1,663.32	\$ 1,626.63
SKALIGN	Permanently installed, surface mounted alignment deck. Call for custom quote	On demand	On demand	On demand	On demand