

**MODIFIED****GM20REOZK
Kohler Diesel KDI2504M LIQUID
COOLED****UL 2200****Effective: 1/1/2026
Supersedes: 1/1/2025**

Item	Part	List Price	Date
<u>APPROVALS AND LISTINGS (Multi-Select)</u>			
X UL2200 Listing	GM91336-KA1	\$0	
X Canadian cUL Tank Listing	GM83763-KA1	\$250	
X Canadian cUL Tank Decals	GM83764-KA1	\$0	
X CSA Listing	GM91331-KA1	\$0	
IBC Seismic Certification	GM63599-KA148	\$630	
Seismic Anchor Plates	GM65599-KA18	\$0	
Seismic Anchor Plates	GM65599-KA15	\$0	
California OSHPD Approval	GM77090-KA91	\$630	
<u>ENGINE (MUST SELECT ONE)</u>			
X 20REOZK, 12V, 60Hz	GM119603-GA1	\$14,468	
<u>NAMEPLATE RATING (MUST SELECT ONE)</u>			
X Standby 130°C Rise	222661	\$0	
<u>VOLTAGE (MUST SELECT ONE)</u>			
X 60Hz, 120/208V, Wye, 3Ph, 4W	333700	\$0	
X 60Hz, 120/240V, 1Ph, 3W	333702	\$0	
X 60Hz, 120/240V, Delta, 3Ph, 4W	333703	\$0	
X 60Hz, 277/480V, Wye, 3Ph, 4W	333708	\$0	
60Hz, 347/600V, Wye, 3Ph, 4W	333709	\$0	
<u>ALTERNATOR & MOUNTING (MUST SELECT ONE)</u>			
X 4D3.8, Brushless, Reconnectable	GM88320-MA1	\$2,843	
X 4D5.0, Brushless, Reconnectable	GM88320-MA2	\$3,243	
X 4E5.6, 1Ph, Brushless	GM88320-MA10	\$3,100	
X 4D8.3, Brushless, Reconnectable	GM88320-MA12	\$3,744	
4D8.3, Brushless, 600V	GM88320-MA13	\$4,799	
<u>COOLING SYSTEM (MUST SELECT ONE)</u>			
X Unit Mounted Radiator, 50C	GM88199-MA1	\$1,116	

SKID & MOUNTING (MUST SELECT ONE)

X	Skid, 32"	GM88412-MA1	\$1,417
X	Skid, 32", for Enclosure	GM87960-MA1	\$1,344
X	Skid/Tank, 24 hour 80 Gallons	GM90278-MA1	\$6,955
X	Skid/Tank, 48 hour 123 Gallons	GM90278-MA2	\$7,607
X	Skid/Tank, 72 hour 164 Gallons	GM90278-MA3	\$8,330

24 HOUR SKID/TANK AND STATE ACCY., INSTALLED

X	Skid/Tank, State, 24 hour 87 Gallon	GM101991-MA1	\$7,738
---	-------------------------------------	--------------	---------

24 HOUR FUEL TANK STATE ACCY.,INSTALLED**FUEL FILL OPTIONS, INSTALLED**

5 Gallon Spill Fill Containment	GM58956-KA59	\$575
5 Gal Spill Containment w/95% Shutoff	GM58956-KA60	\$1,303
5 Gal Spill Containment, 6" from Bottom	GM58956-KA34	\$590
7.5 Gal Spill Containment w/95% Shutoff, FDEP Approved	GM58956-KA63	\$1,995
7.5 Gal Spill Containment w/90% Shutoff, FDEP Approved	GM58956-KA78	\$2,055
Containment Extension Kit	GM58956-KA65	\$220
5 Gallon Spill Fill Containment, IBC	GM58956-KA69	\$750
5 Gal Spill Containment w/95% Shutoff, IBC	GM58956-KA70	\$1,504

FUEL TANK OPTIONS, INSTALLED

Fuel in Basin Switch, FDEP Approved	GM61276-KA5	\$100
100% Engine Fluid Containment	GM87865-KA9	\$577

FUEL TANK OPTIONS, LOOSE**FUEL TANK VENT, INSTALLED**

X	Normal Vent, 12' Above Grade, w/o Spill Containment	GM85356-KA1	\$1,000
X	Normal Vent, 12' Above Grade,with Spill Containment	GM85356-KA2	\$1,000
X	Normal Vent, 12' Above Grade,with Spill Containment (Seismic)	GM85356-KA3	\$550
X	Support, Tank, Vents	GM94036-KP1	\$42
	Emergency Vent, 3", IBC	GM84330-KA2	\$1,000

HIGH FUEL SWITCH, INSTALLED

High Fuel Switch	GM61192-KA1	\$1,072
High Fuel Switch FDEP Approved	GM61192-KA3	\$1,105

FUEL SUPPLY OPTIONS, INSTALLED

Fire Safety Valve (Installed on Fuel Supply)	GM61192-KA5	\$145
--	-------------	-------

TANK MARKING OPTIONS, INSTALLED (Multi-Select)

Combustible Liquid, Keep Fire Away, Qty 2	GM61220-KA1	\$200
NFPA 704 Identification, Qty 2	GM61332-KA2	\$710
Tank Number & Safe Fill Height, Qty 2	GM61360-KA1	\$100

48 HOUR SKID/TANK AND STATE ACCY., INSTALLED

X	Skid/Tank, State, 48 hour 126 Gallon	GM101991-MA2	\$8,164
---	--------------------------------------	--------------	---------

48 HOUR FUEL TANK ACCY.,INSTALLED**FUEL FILL OPTIONS, INSTALLED**

5 Gallon Spill Fill Containment	GM58956-KA59	\$575
5 Gal Spill Containment w/95% Shutoff	GM58956-KA61	\$1,303
5 Gal Spill Containment, 6" from Bottom	GM58956-KA39	\$590
7.5 Gal Spill Containment w/95% Shutoff, FDEP Approved	GM58956-KA64	\$1,995
7.5 Gal Spill Containment w/90% Shutoff, FDEP Approved	GM58956-KA78	\$2,055
Containment Extension Kit	GM58956-KA65	\$220
5 Gallon Spill Fill Containment, IBC	GM58956-KA69	\$750
5 Gal Spill Containment w/95% Shutoff, IBC	GM58956-KA71	\$1,504

FUEL TANK OPTIONS, INSTALLED

Fuel in Basin Switch, FDEP Approved	GM61276-KA10	\$100
100% Engine Fluid Containment	GM87865-KA9	\$577

FUEL TANK OPTIONS, LOOSE**FUEL TANK VENT, INSTALLED**

X Normal Vent, 12' Above Grade, w/o Spill Containment	GM85356-KA1	\$1,000
X Normal Vent, 12' Above Grade,with Spill Containment	GM85356-KA2	\$1,000
Normal Vent, 12' Above Grade,with Spill Containment		
X (Seismic)	GM85356-KA3	\$550
X Support, Tank, Vents	GM94036-KP1	\$42
Emergency Vent, 3", IBC	GM84330-KA2	\$1,000

HIGH FUEL SWITCH, INSTALLED

High Fuel Switch	GM61192-KA1	\$1,072
High Fuel Switch FDEP Approved	GM61192-KA3	\$1,105

FUEL SUPPLY OPTIONS, INSTALLED

Fire Safety Valve (Installed on Fuel Supply)	GM61192-KA5	\$145
--	-------------	-------

TANK MARKING OPTIONS, INSTALLED (Multi-Select)

Combustible Liquid, Keep Fire Away, Qty 2	GM61220-KA1	\$200
NFPA 704 Identification, Qty 2	GM61332-KA2	\$710
Tank Number & Safe Fill Height, Qty 2	GM61360-KA1	\$100

72 HOUR SKID/TANK AND STATE ACCY., INSTALLED

X Skid/Tank, State, 72 hour 168 Gallon	GM101991-MA3	\$8,431
--	--------------	---------

72 HOUR FUEL TANK ACCY.,INSTALLED**FUEL FILL OPTIONS, INSTALLED**

5 Gallon Spill Fill Containment	GM58956-KA59	\$575
5 Gal Spill Containment w/95% Shutoff	GM58956-KA61	\$1,303
5 Gal Spill Containment, 6" from Bottom	GM58956-KA44	\$625
7.5 Gal Spill Containment w/95% Shutoff, FDEP Approved	GM58956-KA64	\$1,995
7.5 Gal Spill Containment w/90% Shutoff, FDEP Approved	GM58956-KA79	\$2,055

Containment Extension Kit	GM58956-KA65	\$220
5 Gallon Spill Fill Containment, IBC	GM58956-KA69	\$750
5 Gal Spill Containment w/95% Shutoff, IBC	GM58956-KA71	\$1,504

FUEL TANK OPTIONS, INSTALLED

Fuel in Basin Switch, FDEP Approved	GM61276-KA17	\$100
100% Engine Fluid Containment	GM87865-KA9	\$577

FUEL TANK OPTIONS, LOOSE

FUEL TANK VENT, INSTALLED

X Normal Vent, 12' Above Grade, w/o Spill Containment	GM85356-KA1	\$1,000
X Normal Vent, 12' Above Grade, with Spill Containment	GM85356-KA2	\$1,000
Normal Vent, 12' Above Grade, with Spill Containment		
X (Seismic)	GM85356-KA3	\$550
X Support, Tank, Vents	GM94036-KP1	\$42
Emergency Vent, 3", IBC	GM84330-KA2	\$1,000

HIGH FUEL SWITCH, INSTALLED

High Fuel Switch	GM61192-KA1	\$1,072
High Fuel Switch FDEP Approved	GM61192-KA3	\$1,105

FUEL SUPPLY OPTIONS, INSTALLED

Fire Safety Valve (Installed on Fuel Supply)	GM61192-KA5	\$145
--	-------------	-------

TANK MARKING OPTIONS, INSTALLED (Multi-Select)

Combustible Liquid, Keep Fire Away, Qty 2	GM61220-KA1	\$200
NFPA 704 Identification, Qty 2	GM61332-KA1	\$175
Tank Number & Safe Fill Height, Qty 2	GM61360-KA1	\$100

96 HOUR SKID/TANK AND STATE ACCY., INSTALLED

X Skid/Tank, State, 96 hour 221 Gallon	GM101991-MA4	\$9,653
--	--------------	---------

96 HOUR FUEL TANK ACCY., INSTALLED

FUEL FILL OPTIONS, INSTALLED

5 Gallon Spill Fill Containment	GM58956-KA59	\$575
5 Gal Spill Containment w/95% Shutoff	GM58956-KA61	\$1,303
5 Gal Spill Containment, 6" from Bottom	GM58956-KA50	\$625
7.5 Gal Spill Containment w/95% Shutoff, FDEP Approved	GM58956-KA64	\$1,995
7.5 Gal Spill Containment w/90% Shutoff, FDEP Approved	GM58956-KA80	\$2,055
Containment Extension Kit	GM58956-KA65	\$220
5 Gallon Spill Fill Containment, IBC	GM58956-KA69	\$750
5 Gal Spill Containment w/95% Shutoff, IBC	GM58956-KA71	\$1,504

FUEL TANK OPTIONS, INSTALLED

Fuel in Basin Switch, FDEP Approved	GM61276-KA21	\$100
100% Engine Fluid Containment	GM87865-KA9	\$577

FUEL TANK OPTIONS, LOOSE

FUEL TANK VENT, INSTALLED

X	Normal Vent, 12' Above Grade, w/o Spill Containment	GM85356-KA1	\$1,000
X	Normal Vent, 12' Above Grade, with Spill Containment	GM85356-KA2	\$1,000
X	Normal Vent, 12' Above Grade, with Spill Containment (Seismic)	GM85356-KA3	\$550
X	Support, Tank, Vents	GM94036-KP1	\$42
	Emergency Vent, 3", IBC	GM84330-KA2	\$1,000

HIGH FUEL SWITCH, INSTALLED

	High Fuel Switch	GM61192-KA1	\$1,072
	High Fuel Switch FDEP Approved	GM61192-KA3	\$1,105

FUEL SUPPLY OPTIONS, INSTALLED

	Fire Safety Valve (Installed on Fuel Supply)	GM61192-KA5	\$145
--	--	-------------	-------

TANK MARKING OPTIONS, INSTALLED (Multi-Select)

	Combustible Liquid, Keep Fire Away, Qty 2	GM61220-KA1	\$200
	NFPA 704 Identification, Qty 2	GM61332-KA1	\$175
	Tank Number & Safe Fill Height, Qty 2	GM61360-KA1	\$100

AIR INTAKE (MUST SELECT ONE)

X	Heavy Duty	GM88334-MA1	\$272
---	------------	-------------	-------

CONTROLLER (MUST SELECT ONE)

X	APM402, 3 Ph	GM119550-MA1-BLK	\$3,500
	APM402, 600V	GM119550-MA2-BLK	\$3,500
X	APM402, 1 Ph	GM119550-MA3-BLK	\$3,500
X	APM402, 3 Ph	GM119551-MA1-BLK	\$3,500
	APM402, 600V	GM119551-MA2-BLK	\$3,500
X	APM402, 1 Ph	GM119551-MA3-BLK	\$3,500

SILENCER, OPEN UNIT, LOOSE

X	Critical, 3" NPT, SIEO	PA-352663	\$740
---	------------------------	-----------	-------

OPEN UNIT ACCESSORIES, LOOSE

X	Flexible Exhaust, 2" NPT	GM91204-KP1	\$436
X	Adapter Bushing, 2"NPT - 3"NPT	GM93268-KP1	\$50

ENCLOSURE, INSTALLED

X	Weather Enclosure, Steel	GM88335-KA1	\$3,759
X	Sound Enclosure, Steel	GM88335-KA2	\$4,940
X	Sound Enclosure, Aluminum	GM88335-KA5	\$6,728
X	Sound Enclosure, Aluminum, SS Hardware	GM88335-KA6	\$7,216
X			

STARTING AIDS, INSTALLED

X	Block Heater, 600W, 110-120V	GM119607-KA1	\$329
---	------------------------------	--------------	-------

COOLING SYSTEM ACCESSORIES, INSTALLED

X	Radiator Duct Flange	GM91224-KA1	\$175
---	----------------------	-------------	-------

COMMUNICATION ACC, LOOSE**Remote Serial Annunciator III, Loose**

X	Remote Annunciator	GM91356-KP1	\$1,235	
X	Remote Annunciator w/ ATS	GM91356-KP2	\$1,405	
X	Remote Annunciator w/ Multiple ATS	GM91356-KP3	\$1,767	
X	Remote Annunciator Power Supply	GM62466-KP1	\$79	

Network Acc, Loose

X	Cable, PC Direct Connect	GM41144-KP1	\$84	3/4/2026
X	Converter, Modbus/Ethernet	GM41143-KP2	\$674	
X	Converter, RS232/RS485	GM41143-KP1	\$412	3/4/2026
	Modem, Device, 220V, 50Hz	GM41142-KP1	\$2,169	3/4/2026
X	Software, Monitor III	GM41141-KP1	\$417	3/4/2026
X	Software, Monitor III w/ Modem	GM41141-KP2	\$1,777	3/4/2026

Engine Start Circuit Monitor - Loose

X	Engine Start Circuit Mon. - ATS Module	GM109873-KP1	\$725	
X	Engine Start Circuit Mon. - GEN Module	GM109874-KP1	\$2,813	

ELECTRICAL ACCESSORIES, INSTALLED**Electrical Acc. For All Controllers, Installed**

X	Battery, 1/12V, Wet	256985	\$213	
X	Battery Charger, 12V-6A	GM106451-KA1	\$275	
X	Battery Charger, 10A	GM94621-KA1	\$996	
	Battery Heater, 120V, 65W	GM104703-KA1	\$190	
X	Gen. Heater, 120/240V, 170W	GM79104-KA2	\$189	
X	Run Relay, 12V	GM120529-KA3	\$87	
X	Governor, Electronic	GM120530-KA1	\$1,603	
X	Manual Speed Adjust	GM85971-KA1	\$174	

ELECTRICAL ACCESSORIES, LOOSE**Electrical Acc. For All Controllers, Loose**

X	Temperature Compensation for 10A Batt Charger	GM102253-KP1	\$186	
X	Battery Charger, 12V-6A	GM96388-KP1	\$248	
	Battery Heater, 120V, 65W	GM104703-KP1	\$188	
X	Remote Emergency Stop Switch	PA-293906	\$138	
X	APECS Governor Interface	GM100177-KP1	\$1,500	
	Lockable Emergency Stop	GM103279-KP1	\$127	

Add'l Elec.Acc.For Gensets w/APM402 Controllers, Loose

X	Governor, Electronic	GM120530-KP1	\$1,791	
---	----------------------	--------------	---------	--

DRY CONTACTS, INSTALLED

X	Dry Contact, 15 Relay	GM120529-KA1	\$675	
---	-----------------------	--------------	-------	--

CIRCUIT BREAKERS SINGLE/DUAL& ACCESSORIES**See IB49 Line Breakers for information**

If no line circuit breaker is selected, a standard cover kit will be auto-selected.

FUEL SYSTEM ACCESSORIES, INSTALLED

X	Fuel Pressure Gauge	GM91172-KA1	\$106
---	---------------------	-------------	-------

FUEL LINES, LOOSE

X	Flexible Fuel Lines	GM90288-KA1	\$79
---	---------------------	-------------	------

MISCELLANEOUS ACCESSORIES, INSTALLED

X	Air Cleaner Restriction Ind.	GM96296-KA1	\$86
X	Coolant in Genset	GM28625-KA1	\$114

TESTING, ADDITIONAL

X	Power Factor Test, 0.8, 3Ph Only	258811	\$195
---	----------------------------------	--------	-------

LITERATURE, LOOSE

X	Production	GM91299-KP	\$34
X	General Maintenance	GM91297-KP	\$41
X	Overhaul	GM91298-KP	\$77
X	NFPA-110	GM91296-KP	\$145

WARRANTY (MUST SELECT ONE)

X	1 Year Standard, Standby	GM50088	\$0
X	2 Year Basic	221661	\$312
X	5 Year Basic	221662	\$513
X	5 Year Comprehensive	221886	\$703