

T6 T4B ELECTRO COMMAND "VALUE" US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
 - FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Electro Command# Semi-power shift transmission
- Standard LED work lighting
- _Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)

STD. FRONT WHEEL DRIVE MODELS

- Long Stable 104" wheel base for all
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

OPT. 2 WHEEL DRIVE MODELS

- 95.8" wheel base
- 14' turning radius
- ECO 19 MPH at reduced engine speed

ENGINE

T6.145

Rated PTO HP # 95
 Rated Engine HP # 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
 Rated Engine HP # 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
 Rated Engine HP # 135
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
 ECOBlue# HI-eSCR Tier4B system
 Engine with Turbocharger and
 Air-to-Air Intercooler
 4 Valves Per Cylinder
 Bosch Common Rail Fuel Injection
 Pump (electronic)
 Power Management and Constant RPM
 Power Boost in PTO & Transport Modes
 Grid Heater Starting Aid
 Dual Element Air Filter with Pre-Cleaner
 (spin tube intakes)

**T6 T4B ELECTRO COMMAND "VALUE"
US PRICE LIST**

Standard Equipment

A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Foot and Hand Throttle

Drive Shaft Shield
Optional Heavy Duty 2WD Axle

TRANSMISSION

16x16 Electro Command# Semi-
powershift with 4 Gears and 4 Ranges
Clutchless Range Change Between
Ranges A/B and C/D
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement
with Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Rear Fender Mounted PTO Controls

ROAD SPEEDS

Std 4WD - 25 mph/40 kph
Optional 2WD - 19 mph/30 kph
(speeds varies by tire size)

HYDRAULIC SYSTEM

Fixed Displacement Gear Pumps
with closed center remote valves
Maximum Flow at Rated Engine Speed
21.1 gpm (80 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control#
Category II Flex Link Ends
Telescoping Stabilizers
8,338 lb. Lift Capacity (OECD)
with Dual 80mm External Rams

FRONT AXLE

STD Front FWD (limited slip)
Class 3 Heavy Duty FWD Axle
55 Degree Turning Angle -4WD
Dual Steering Cylinders
8 Degree Axle Oscillation(adjustable)
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
Limited Slip Differential

**T6 T4B ELECTRO COMMAND "VALUE"
US PRICE LIST**

Standard Equipment

DRAWBAR

Independent Swinging Drawbar

ELECTRICAL

(1) 12-volt 1300 cca Battery
120 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets
Battery Boost Terminals

LIGHTS

(4) Halogen front hood headlights
(2) LED front hood signature lights
(8) LED cab mounted work lights
(4) LED high front & rear cab
(4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display

CAB

Low Roof w/Fixed Visibility Panel
and Sunshade
Flat Deck Platform
Air Conditioner and Heater with
4-speed Pressurizer
Two Doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel
Air Suspension Seat with Operator
Presence Switch and Lap Belt
Instructor Seat
Radio Ready with Speakers, Antenna
and Wiring Harness
Digital Clock
Integral ROPS
Interior Dome Light
(2) External Courtesy Lights
(2) Fixed External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

**T6 T4B ELECTRO COMMAND "VALUE"
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 T4B ELECTRO COMMAND "VALUE"
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--------	--	--	--	----------

FUEL TANK GUARD

SD_T1400 FUEL TANK

	759128	Std Fuel Tank+Guard Standard fuel tank with guard - 52.2 gallons (197.5 L) Required for use with 34" rear wheels			No Charge
--	--------	--	--	--	-----------

TRANSMISSION

SD_T2800 SPEED

2WD Units					
	759375	30KPH 16X16 L/Autoshift 16x16 Electro Command semi-powershift for 2WD axle			(\$1,474.00)
FWD Units					
	392195	40KPH_16X16_L/Autoshift 16x16 Electro Command semi-powershift			No Charge

FRONT AXLE

SD_T4010 FRONT AXLE

2WD Heavy Duty Axle					
	759381	2WD Heavy Duty Axle			(\$9,185.00)
Class 3 Standard FWD Axle					
	392196	Class 3, L/Brakes Limited slip front axle			No Charge
	758420	Class 3 Hydraulic Lock With TerraLock traction management system with multi-plate differential			\$333.00

**T6 T4B ELECTRO COMMAND "VALUE"
US PRICE LIST**

REAR AXLE

SD_T3200 REAR AXLE

		758430	HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm)			No Charge
		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,489.00

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330446	Firestone			\$560.00
		330439	Continental			\$560.00
		330442	Michelin			\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Class 3 FWD Axle						
		8255404	420/85(16.9) R28 R1W MI-FI-TR Requires 20.8R38 R1W			\$3,429.00
		8299905	Front Shipping Wheels-4WD Requires rear shipping wheels			\$1,469.00
		8859604	320/85R34 R1W MI,FI Requires 320/90R50 R1W			\$3,420.00
		8240402	380/85(14.9)R24 A8 Requires 460/85(18.4)R34 R1W			\$2,369.00
		8258404	380/85(14.9)R30R1W MI,F,T,C,A Requires 18.4R42 R1W			\$3,251.00
2WD Heavy Duty Axle						
		8138401	11.00-16 10PR F2 GY			\$914.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange and Bar - Steel						
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle)			\$4,170.00

T6 T4B ELECTRO COMMAND "VALUE"
US PRICE LIST

		8328401	460/85(18.4)R38 R1W-MIFITRCO Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
Shipping Wheels						
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299905 (Class 3 Axle) - 8299906 (Class 4 Axle)			\$1,990.00

HYDRAULICS

REAR REMOTE VALVES

SD T8270 REAR REMOTES

Mechanical Rear Remotes

		743740	2 Mech Rear Remote Valves (2C) 2 Configurable Rear Remotes			No Charge
		743741	3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes			\$895.00

COMPLETE LOADER READY

SD T8110 LOADER BRACKETS

Mechanical Mid Mount

		758344	Loader Ready + 2Mech MMV +Joy Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$7,510.00
--	--	--------	---	--	--	------------

**T6 T4B ELECTRO COMMAND "VALUE"
 US PRICE LIST**

		758351	Loader Ready + 3Mech MMV+Joy Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$9,288.00
--	--	--------	---	--	--	------------

3-POINT HITCH

REAR 3 POINT HITCH

SD T8960 DRAWBAR AND 3 POINT HITCH

		758452	Cat II/III Flex Links			No Charge
--	--	--------	-----------------------	--	--	-----------

WEIGHTS

FRONT WEIGHTS

SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199 lbs (90.4 kg)			\$261.00
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)			\$1,758.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		X49601X	L/Wheel Weights			No Charge
		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00

T6 T4B ELECTRO COMMAND "VALUE"
US PRICE LIST
CAB OPTION

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

LIGHTS

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

RADIO

SD_T7612 BRACKET MONITOR

		758497	Bracket for Equipment Monitor Monitor mounting bracket			\$159.00
--	--	--------	--	--	--	----------

SD_T7620 SPEAKERS

		743714	Deluxe Radio with Bluetooth Deluxe Radio that includes AM, FM, Micro SD, USB, AUX and Bluetooth with noise cancelling microphone complete with wires and speakers in the cab.			No Charge
--	--	--------	---	--	--	-----------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm)			\$786.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 T4B ELECTRO COMMAND "PLUS" US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
 - FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Electro Command# Semi-powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)
- 2WD wheel base is 95.8" for all models
- 14' turning radius for 2WD versions
- ECO 19 MPH at reduced engine speed

ENGINE

T6.145

Rated PTO HP # 95
 Rated Engine HP # 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
 Rated Engine HP # 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110

Rated Engine HP # 135

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 169

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120

Rated Engine HP # 145

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 175

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125

Rated Engine HP # 145

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 175

Rated Speed - 2200 RPM

411 cu. in. (6.7L) - 6 Cylinder

Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant

ECOBBlue# HI-eSCR Tier4B system

Engine with Turbocharger and

Air-to-Air Intercooler

4 Valves Per Cylinder

Bosch Common Rail Fuel Injection

Pump (electronic)

Power Management and Constant RPM

Power Boost in PTO & Transport Modes

Grid Heater Starting Aid

Dual Element Air Filter with Pre-Cleaner (spin tube intakes)

A-Pillar Exhaust with Integral Muffler

Viscous Fan (5 blade)

Foot and Hand Throttle

T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST

Standard Equipment

TRANSMISSION

 16x16 Electro Command# Semi-
 powershift w/opt. AutoShift feature
 Clutchless Range Change Between
 Ranges A/B and C/D
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph
 Optional 4WD - 31 mph/50KPH
 Optional 2WD - 19 mph/30 kph
 (speeds varies by tire size)

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 SELECTION MUST BE MADE WHEN
 ORDERING. ENTRY LEVEL OPTION IS:
 Front FWD (TerraLock#)
 Class 4 Heavy Duty FWD Axle
 55 Degree Turning Angle
 Dual Steering Cylinders
 8 Degree Axle Oscillation
 Adjustable Tread Width from
 61.4 in. to 88.8 in.. (varies by tire size)
 Electrohydraulic FWD Engagement

TerraLock# Auto FWD/Diff-Lock
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement
 with Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 /pressure and flow compensated System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control#
 Category II Flex Link Ends
 Telescoping Stabilizers
 9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

**T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST**

Standard Equipment

DRAWBAR

Independent Swinging Drawbar

ELECTRICAL

(1) 12-volt 1300 cca Battery
ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
120 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon
Less ISO BUS Socket
Battery Boost Terminals

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
(8) LED high front & rear
(4) LED mid-mount front & rear
(2) taillights
Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor

Advanced instrumentation with ISO
socket

CAB

High Roof w/Opening Visibility Panel
and Sunshade
Flat Deck Platform w/Integral ROPS
Air Conditioner and Heater with
4-Speed Pressurizer
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt

Instructor Seat
Radio Ready with Speakers, Antenna
and Wiring Harness
Digital Clock
Interior Dome Light
(2) External Courtesy Lights
(2) Telescopic (manual adjustment)
External Mirrors

MISCELLANEOUS

Pivoting Engine Hood, SMV Emblem,
Toolbox, Horn

WARRANTY

New Holland Standard Warranty Applies

T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

CAB CONFIGURATION

FIXED OR SUSPENDED

SD T9200 OPERATOR STRUCTURE #1

	758479	Suspended_Cab Cab suspension reduces shock loads to the tractor by up to 25% utilizing two adjustable shocks to increase confort to the operator.			\$1,767.00
--	--------	---	--	--	------------

ENGINE

ALTERNATOR SELECTION

SD T1040 CHARGING SYSTEMS

	758557	150 AMP_Alternator			\$155.00
--	--------	--------------------	--	--	----------

COLD WEATHER AIDS

SD T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--------	--	--	--	----------

FUEL TANK GUARD

SD T1400 FUEL TANK

	759128	Std Fuel Tank+Guard Standard fuel tank with guard - 52.2 gallons (197.5 L) Required for use with 34" rear wheels			No Charge
	759130	Large Fuel Tank+Guard Standard fuel tank plus auxiliary tank - 58.6 gal (222 L) Incompatible with 34" rear wheels			\$235.00

TRANSMISSION

SD T2800 SPEED

2WD Units

	759375	30KPH 16X16 L/Autoshift 16x16 Electro Command semi-powershift for 2WD axle			(\$1,474.00)
--	--------	--	--	--	--------------

**T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST**

		759377	30KPH 16X16 W/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature for 2WD axle			(\$681.00)
		759379	30KPH 16X16 Autoshift+Creeper 16x16 Electro Command semi-powershift with AutoShift and creeper for 2WD axle			\$1,821.00
FWD Units						
		392195	40KPH_16X16_L/Autoshift 16x16 Electro Command semi-powershift			No Charge
		758413	40KPH_16X16_w/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature			\$794.00

FRONT AXLE

SD_T4010 FRONT AXLE

2WD Heavy Duty Axle						
		759381	2WD Heavy Duty Axle			(\$9,185.00)
Class 4 Standard FWD Axle						
		758425	Class 4 Hydraulic Lock -With TerraLock traction management system with multi-plate differential -Incompatible with 34" rear wheels			\$1,260.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mult-plate differential lock. Incompatible with Autoguidance			\$4,705.00
Class 4 Suspended FWD Axle						
		758427	Class 4 Suspension Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential. Requires advanced processor 758498 Incompatible with 34" rear wheels			\$7,037.00

REAR AXLE

SD_T3200 REAR AXLE

		758430	HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm)			No Charge
		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,489.00

T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST

TIRES
BRAND CHOICE

SD T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330446	Firestone			\$560.00
		330439	Continental			\$560.00
		330442	Michelin			\$560.00

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

2WD Heavy Duty Axle						
		8138401	11.00-16 10PR F2 GY			\$914.00
Class 4 FWD Axle						
		8299906	Front Shipping Wheels Scrap, no return refund			\$1,469.00
		8801601	520/60R28 R1W Fixed HD Requires 650/60R38			\$5,976.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
		8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00
		8852501	420/70R28 A8 R1W FI 8852501 Requires 520/70 R38			\$3,417.00

REAR WHEELS & TIRES

SD T4950 REAR WHEELS AND TIRES

		8907501	650/60R38 Fixed Rim - MI Matching Front Tire - 520/60R28 R1W - 8801301 (Class 3 Axle) - 8801601 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$6,969.00
Flange and Bar - Steel						
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00

T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST

Bar Axle - Cast					
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258404 (Class 3 Axle) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$7,584.00
Shipping Wheels					
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299905 (Class 3 Axle) - 8299906 (Class 4 Axle)		\$1,990.00

HYDRAULICS
REAR REMOTE VALVES
SD_T8270 REAR REMOTES

Mechanical Rear Remotes					
		743740	2 Mech Rear Remote Valves (2C) 2 Configurable Rear Remotes		No Charge
		743741	3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes		\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes		\$2,125.00

COMPLETE LOADER READY
SD_T8110 LOADER BRACKETS

Mechanical Mid Mount					
		758344	Loader Ready + 2Mech MMV +Joy Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.		\$7,510.00

**T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST**

		758351	<p>Loader Ready + 3Mech MMV+Joy</p> <p>Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick.</p> <p>Includes predisposition for Complete Loader Ready (758622)</p> <p>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.</p>			\$9,288.00
--	--	--------	---	--	--	------------

3-POINT HITCH

REAR 3 POINT HITCH

SD T8960 DRAWBAR AND 3 POINT HITCH

		758452	Cat II/III Flex Links			No Charge
--	--	--------	-----------------------	--	--	-----------

FRONT 3 POINT HITCH

SD T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
--	--	--------	--------------------	--	--	-----------

WEIGHTS

FRONT WEIGHTS

SD T2150 FRONT BALLAST

		758562	<p>Weight Carrier w/Hook</p> <p>Weight carrier with tow hook - 199 lbs (90.4 kg)</p>			\$261.00
		758518	<p>Weight Pack A w/Hook</p> <p>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</p>			\$1,129.00
		758519	<p>Weight Pack B w/Hook</p> <p>Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)</p>			\$1,758.00
		758520	<p>Weight Pack C w/Hook</p> <p>Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)</p> <p>Not compatible with two wheel drive (2WD) option</p> <p>Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351</p>			\$2,865.00

**T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST**

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		X49601X	L/Wheel Weights			No Charge
		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00

CAB OPTION

SD T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab)			\$344.00
--	--	--------	--	--	--	----------

CLIMATE CONTROL

SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

SEATS

SD T8500 SEAT

		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara			\$1,955.00
--	--	--------	--	--	--	------------

T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST
STORAGE
SD T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Incompatible with Autoguidance			\$224.00
--	--	--------	--	--	--	----------

LIGHTS
SD T9130 WORK LAMPS

		758594	12 LED High Power Hi-Roof 12 total LED cab mounted work lights: 8 high roof mounted; 4 front, 4 rear 4 mid-cab mounted; 2 front, 2 rear Total work light package emits 23,400 lumens			\$1,568.00
		758596	16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$3,136.00

SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

RADIO
SD T7612 BRACKET MONITOR

		758497	Bracket for Equipment Monitor Monitor mounting bracket			\$159.00
--	--	--------	--	--	--	----------

MISCELLANEOUS
FENDERS FRONT
SD T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm)			\$786.00
--	--	--------	--	--	--	----------



T6 T4B ELECTRO COMMAND "PLUS"
US PRICE LIST

OTHER

SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with isolator			\$438.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- 16x16 Electro Command#Semi-powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145

Rated PTO HP # 95
 Rated Engine HP # 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
 Rated Engine HP # 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
 Rated Engine HP # 135

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

 Tier 4B Emissions Compliant
 ECOBlue# HI-eSCR Tier4B system
 Engine with Turbocharger and
 Air-to-Air Intercooler
 4 Valves Per Cylinder
 Bosch Common Rail Fuel Injection
 Pump (electronic)
 Power Management and Constant RPM
 Power Boost in PTO & Transport Modes
 Grid Heater Starting Aid
 Dual Element Air Filter with Pre-Cleaner
 (spin tube intakes)
 A-Pillar Exhaust with Integral Muffler
 Viscous Fan (5 blade)
 Foot and Hand Throttle

T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

Standard Equipment

TRANSMISSION

16x16 Electro Command# Semi-
powershift with AutoShift feature
Auto Field and Road Modes
Clutchless Range Change between
Ranges A/B and C/D
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

Std 4WD - 25 mph/40 kph
Optional 4WD - 31 mph/50KPH
(speeds varies by tire size)

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

SELECTION MUST BE MADE WHEN
ORDERING. ENTRY LEVEL OPTION IS:
Front FWD (TerraLock#)
Class 4 Heavy Duty FWD Axle
55 Degree Turning Angle
Dual Steering Cylinders
8 Degree Axle Oscillation
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
TerraLock# Auto FWD/Diff-Lock
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement with
Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Auto PTO Management System
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

CCLS: Closed-Center-Load-Sensing
System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control#
Category II Flex Link Ends
Telescoping Stabilizers
11,650 lb. Lift Capacity (OECD)
with Dual 90mm External Rams

DRAWBAR

Independent Swinging Drawbar

T6 T4B ELECTRO COMMAND "ELITE" US PRICE LIST

Standard Equipment

CUSTOM HEADLAND MANAGEMENT SYSTEM

-
- Allows Programming of the Following
- Transmission Upshift/Downshift
 - Fast Raise/Lower of the 3-PT Hitch
 - Engine rpm Increase/Decrease
via Throttle
 - Engine rpm Increase/Decrease
via Constant RPM
 - Optional Electro-Hydraulic Remotes

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
- ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
- 150 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement
Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative
Terminals
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets for
beacon
- Less ISO BUS Socket
- Battery Boost Terminals

LIGHTS

-
- WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn

Indicators with Audiable Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor

CAB

High Roof w/ Opening Visibility Panel
and Sunshade

Flat Deck Platform with Integrated ROPS

Automatic Temperature Control with
Air Conditioner and Heater with
4-Speed Pressurizer

Two doors with Locks

Two-speed Intermittent Front
Wiper/Washer

Rear Intermittent Wiper/Washer

Hinged Rear Window

Tinted Glass with Sunshade

Tilt and Telescoping Steering Wheel

SEAT SELECTION MUST BE MADE

WHEN ORDERING. ENTRY LEVEL SEAT
FOR ELITE CONFIGURATION IS:

Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt

Instructor Seat

Deluxe Radio with BlueTooth, High
Performance Speakers & Antenna

Digital Clock

Interior Dome Light

(2) External Courtesy Lights

(2) Electronically Adjustment
Telescoping, Heated External Mirrors

Horn



T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST

Standard Equipment

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies

T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ENGINE

ALTERNATOR SELECTION

SD T1040 CHARGING SYSTEMS

	758557	150 AMP Alternator			\$155.00
	758558	200 AMP Alternator			\$240.00

COLD WEATHER AIDS

SD T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--------	--	--	--	----------

FUEL TANK GUARD

SD T1400 FUEL TANK

	759128	Std Fuel Tank+Guard Standard fuel tank with guard - 52.2 gallons (197.5 L) Required for use with 34" rear wheels			No Charge
	759130	Large Fuel Tank+Guard Standard fuel tank plus auxiliary tank - 58.6 gal (222 L) Incompatible with 34" rear wheels			\$235.00

TRANSMISSION

SD T2800 SPEED

FWD Units

	758413	40KPH_16X16_w/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature			\$794.00
	743764	40 KPH (17x16) ECO 17x16 Electro Command "Economy" Semipowershift with AutoShift			\$2,200.00

**T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST**

		743766	50 KPH (17x16) 17x16 Electro Command "Fast Mover" semi-powershift with AutoShift feature - 31 MPH (50 KPH) Requires: - Suspended front axle - 31 MPH (50KPH) Compatible Rear Tire Sizes (see rear tire options) - 758428 Class 4 suspended front axle with brakes			\$2,200.00
--	--	--------	--	--	--	------------

FRONT AXLE

SD_T4010 FRONT AXLE

Class 4 Standard FWD Axle						
		758425	Class 4 Hydraulic Lock -With TerraLock traction management system with multi-plate differential -Incompatible with 34" rear wheels			\$1,260.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes multi-plate differential lock. Incompatible with Autoguidance			\$4,705.00
Class 4 Suspended FWD Axle						
		758427	Class 4 Suspension Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential. Requires advanced processor 758498 Incompatible with 34" rear wheels			\$7,037.00
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Requires advanced processor 758498 and CCLS Hydraulics 758441 Incompatible with 34" rear wheels			\$7,602.00

REAR AXLE

SD_T3200 REAR AXLE

		758430	HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm)			No Charge
		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,489.00

T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST

TIRES
BRAND CHOICE

SD T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330446	Firestone			\$560.00
		330439	Continental			\$560.00
		330442	Michelin			\$560.00

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle

		8299906	Front Shipping Wheels Scrap, no return refund			\$1,469.00
		8801601	520/60R28 R1W Fixed HD Requires 650/60R38			\$5,976.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
		8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00
		8852501	420/70R28 A8 R1W FI 8852501 Requires 520/70 R38			\$3,417.00

REAR WHEELS & TIRES

SD T4950 REAR WHEELS AND TIRES

Flange and Bar - Steel

		8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00

**T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST**

		8907501	650/60R38 Fixed Rim - MI Matching Front Tire - 520/60R28 R1W - 8801301 (Class 3 Axle) - 8801601 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$6,969.00
Bar Axle - Cast						
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258404 (Class 3 Axle) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$7,584.00
Shipping Wheels						
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299905 (Class 3 Axle) - 8299906 (Class 4 Axle)			\$1,990.00

HYDRAULICS

REAR REMOTE VALVES

SD T8270 REAR REMOTES

Mechanical Rear Remotes						
		743685	4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes			\$2,125.00
		759397	3 MECH RR(1NC+2C)+PB 3 mechanical rear remotes, 2 configurable detents and flow control and Power Beyond			\$769.00

3-POINT HITCH

REAR 3 POINT HITCH

SD T8960 DRAWBAR AND 3 POINT HITCH

		758452	Cat II/III Flex Links			No Charge
--	--	--------	-----------------------	--	--	-----------

FRONT 3 POINT HITCH

SD T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
--	--	--------	--------------------	--	--	-----------

T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST
WEIGHTS
FRONT WEIGHTS

SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199 lbs (90.4 kg)			\$261.00
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg) Not compatible with two wheel drive (2WD) option Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		X49601X	L/Wheel Weights			No Charge
		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00

T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST
CAB OPTION

SD_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab)			\$344.00
--	--	--------	--	--	--	----------

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

STORAGE

SD_T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Incompatible with Autoguidance			\$224.00
--	--	--------	--	--	--	----------

LIGHTS

SD_T9130 WORK LAMPS

		758594	12 LED High Power Hi-Roof 12 total LED cab mounted work lights: 8 high roof mounted; 4 front, 4 rear 4 mid-cab mounted; 2 front, 2 rear Total work light package emits 23,400 lumens			\$1,568.00
		758596	16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$3,136.00

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

T6 T4B ELECTRO COMMAND "ELITE"
US PRICE LIST

RADIO

SD T7612 BRACKET MONITOR

		758497	Bracket for Equipment Monitor Monitor mounting bracket			\$159.00
--	--	--------	--	--	--	----------

MISCELLANEOUS

FENDERS FRONT

SD T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm)			\$786.00
--	--	--------	--	--	--	----------

OTHER

SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with isolator			\$438.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 ELECTRO COMMAND - STANDARD FASTPICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Electro Command# Semi-powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

ENGINE

T6.145

Rated PTO HP # 95
Rated Engine HP # 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
Rated Engine HP # 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
Rated Engine HP # 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant
- ECOBBlue# HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Engine Block Heater
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle

**T6 ELECTRO COMMAND - STANDARD FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 16x16 Electro Command# Semi-
 powershift with AutoShift feature
 Clutchless Range Change Between
 Ranges A/B and C/D
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design
 Transmission Heater

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 STD Front FWD (limited slip)
 Class 3 Heavy Duty FWD Axle
 55 Degree Turning Angle -4WD
 Dual Steering Cylinders
 8 Degree Axle Oscillation(adjustable)
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 Limited Slip Differential
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement
 with Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 /pressure and flow compensated System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control#
 Category II Flex Link Ends
 Telescoping Stabilizers
 9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

DRAWBAR

 Independent Swinging Drawbar

**T6 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

(1) 12-volt 1300 cca Battery
120 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets
Battery Boost Terminals

LIGHTS

(4) Halogen front hood headlights
(2) LED front hood signature lights
(8) LED cab mounted work lights
(4) LED high front & rear cab
(4) LED mid-mount front & rear
(2) taillights
Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display

CAB

Low Roof w/Fixed Visibility Panel
and Sunshade
Flat Deck Platform
Air Conditioner and Heater with
4-speed Pressurizer
Two Doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Monitor Mounting Bracket
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel
Air Suspension Seat with Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with Bluetooth
Digital Clock
Integral ROPS
Interior Dome Light
(2) External Courtesy Lights
(2) Telescopic External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies

**T6 ELECTRO COMMAND - STANDARD FASTPICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401) \$2,686.00			
460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0474XX	NAR NH PCK C STD Standard Fastpick Package Includes: 758402: Grid_Heater + 110V Pack 758413: 40KPH_16X16_w/Autoshift 758441: 113L/Min. CCLS Pump 759153: 2 Telescopic Mirrors 759153 758497: Bracket for Equipment Monitor			\$3,291.00
--	---------	--	--	--	------------

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Class 3 FWD Axle					
	8240402	380/85(14.9)R24 A8 Requires 460/85(18.4)R34 R1W			\$2,369.00
	8241401	380/85(14.9)R28 A8 Requires 460/85(18.4R38) R1W			\$2,686.00
	8258404	380/85(14.9)R30R1W MI,F,T,C,A Requires 18.4R42 R1W			\$3,251.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange and Bar - Steel					
	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle)			\$4,170.00
	8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00

**T6 ELECTRO COMMAND - STANDARD FASTPICK
 US PRICE LIST**

		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
--	--	---------	--	--	--	------------

HYDRAULICS
REAR REMOTE VALVES
SD T8270 REAR REMOTES
Mechanical Rear Remotes

		743741	3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes			\$2,125.00

COMPLETE LOADER READY
SD T8110 LOADER BRACKETS
Mechanical Mid Mount

		758344	Loader Ready + 2Mech MMV +Joy Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$7,510.00
		758351	Loader Ready + 3Mech MMV+Joy Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$9,288.00

**T6 ELECTRO COMMAND - STANDARD FASTPICK
 US PRICE LIST**
WEIGHTS
FRONT WEIGHTS
SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199 lbs (90.4 kg)			\$261.00
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg) Not compatible with two wheel drive (2WD) option Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00

REAR WHEEL WEIGHTS
SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00

**T6 ELECTRO COMMAND - STANDARD FASTPICK
 US PRICE LIST**
CAB OPTION
LIGHTS

SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 ELECTRO COMMAND - LESS FASTPICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
 - FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Electro Command# Semi-powershift
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

ENGINE

T6.145

Rated PTO HP # 95
 Rated Engine HP # 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
 Rated Engine HP # 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
 Rated Engine HP # 135
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
 ECOBlue# HI-eSCR Tier4B system
 Engine with Turbocharger and Air-to-Air Intercooler
 4 Valves Per Cylinder
 Bosch Common Rail Fuel Injection Pump (electronic)
 Power Management and Constant RPM
 Power Boost in PTO & Transport Modes
 Grid Heater Starting Aid
 Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
 A-Pillar Exhaust with Integral Muffler
 Viscous Fan (5 blade)
 Foot and Hand Throttle

**T6 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 16x16 Electro Command# Semi-
 powershift w/opt. AutoShift feature
 Clutchless Range Change Between
 Ranges A/B and C/D
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 STD Front FWD (limited slip)
 Class 3 Heavy Duty FWD Axle
 55 Degree Turning Angle -4WD
 Dual Steering Cylinders
 8 Degree Axle Oscillation(adjustable)
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 Limited Slip Differential
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement
 with Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 Fixed Displacement Gear Pumps
 with closed center remote valves
 Maximum Flow at Rated Engine Speed
 21.1 gpm (80 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control#
 Category II Flex Link Ends
 Telescoping Stabilizers
 9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

DRAWBAR

 Independent Swinging Drawbar

**T6 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

(1) 12-volt 1300 cca Battery
120 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets
Battery Boost Terminals

LIGHTS

(4) Halogen front hood headlights
(2) LED front hood signature lights
(8) LED cab mounted work lights
(4) LED high front & rear cab
(4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display

CAB

Low Roof w/Fixed Visibility Panel
and Sunshade
Flat Deck Platform
Air Conditioner and Heater with
4-speed Pressurizer
Two Doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel
Air Suspension Seat with Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with Bluetooth
Digital Clock
Integral ROPS
Interior Dome Light
(2) External Courtesy Lights
(2) Fixed External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies

**T6 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 ELEC COM T4B	15,245 LB		\$116,739.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.155 ELEC COM T4B	15,245 LB		\$124,583.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 ELEC COM T4B	15,245 LB		\$127,995.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 ELEC COM T4B	15,245 LB		\$134,701.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 ELEC COM T4B	15,245 LB		\$140,271.00
Includes the following Equipment			
380/85(14.9)R28 A8 (8241401)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0475XX	LESS PACKAGING			No Charge
--	--	---------	----------------	--	--	-----------

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

		392209	Base Color ISO High Roof with High Visibility Panel			\$1,524.00
--	--	--------	--	--	--	------------

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

		758479	Suspended_Cab Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.			\$1,767.00
--	--	--------	---	--	--	------------

ENGINE

ALTERNATOR SELECTION

SD_T1040 CHARGING SYSTEMS

		758557	150 AMP Alternator			\$155.00
		758558	200 AMP Alternator			\$240.00

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------

**T6 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

FUEL TANK GUARD

SD T1400 FUEL TANK

		759130	Large Fuel Tank+Guard Standard fuel tank plus auxiliary tank - 58.6 gal (222 L) Incompatible with 34" rear wheels			\$235.00
--	--	--------	---	--	--	----------

TRANSMISSION

SD T2800 SPEED

2WD Units						
		759375	30KPH 16X16 L/Autoshift 16x16 Electro Command semi-powershift for 2WD axle			(\$1,474.00)
		759377	30KPH 16X16 W/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature for 2WD axle			(\$681.00)
		759379	30KPH 16X16 Autoshift+Creeper 16x16 Electro Command semi-powershift with AutoShift and creeper for 2WD axle			\$1,821.00
FWD Units						
		758413	40KPH_16X16_w/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature			\$794.00
		758414	40KPH_32X32_Autoshift+Creeper 32x32 Electro Command semi-powershift with AutoShift and creeper			\$3,295.00
		743764	40 KPH (17x16) ECO 17x16 Electro Command "Economy" Semipowershift with AutoShift			\$2,200.00

FRONT AXLE

SD T4010 FRONT AXLE

2WD Heavy Duty Axle						
		759381	2WD Heavy Duty Axle			(\$9,185.00)
Class 3 Standard FWD Axle						
		758420	Class 3 Hydraulic Lock With TerraLock traction management system with multi-plate differential			\$333.00

**T6 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

Class 4 Standard FWD Axle						
		758425	Class 4 Hydraulic Lock -With TerraLock traction management system with multi-plate differential -Incompatible with 34" rear wheels			\$1,260.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock. Incompatible with Autoguidance			\$4,705.00

REAR AXLE

SD T3200 REAR AXLE

		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,489.00
--	--	--------	--	--	--	------------

TIRES

BRAND CHOICE

SD T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330446	Firestone			\$560.00
		330439	Continental			\$560.00
		330442	Michelin			\$560.00

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

Class 3 FWD Axle						
		8299905	Front Shipping Wheels-4WD Requires rear shipping wheels			\$1,469.00
		8240402	380/85(14.9)R24 A8 Requires 460/85(18.4)R34 R1W			\$2,369.00
		8241401	380/85(14.9)R28 A8 Requires 460/85(18.4R38) R1W			\$2,686.00
		8258404	380/85(14.9)R30R1W MI,F,T,C,A Requires 18.4R42 R1W			\$3,251.00
2WD Heavy Duty Axle						
		8138401	11.00-16 10PR F2 GY			\$914.00
Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRCO			\$2,686.00
		8299906	Front Shipping Wheels Scrap, no return refund			\$1,469.00

**T6 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**
REAR WHEELS & TIRES
SD T4950 REAR WHEELS AND TIRES
Flange and Bar - Steel

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle)			\$4,170.00
		8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
Shipping Wheels						
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299905 (Class 3 Axle) - 8299906 (Class 4 Axle)			\$1,990.00

HYDRAULICS
HYDRAULIC PUMP
SD T8230 HYD PUMP

		758441	113L/Min. CCLS Pump			\$1,656.00
--	--	--------	---------------------	--	--	------------

REAR REMOTE VALVES
SD T8270 REAR REMOTES
Mechanical Rear Remotes

		743741	3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes			\$895.00
		743685	4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes			\$2,125.00

**T6 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**
COMPLETE LOADER READY
SD T8110 LOADER BRACKETS
Mechanical Mid Mount

		758344	Loader Ready + 2Mech MMV +Joy Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$7,510.00
		758351	Loader Ready + 3Mech MMV+Joy Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$9,288.00

WEIGHTS
FRONT WEIGHTS
SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199 lbs (90.4 kg)			\$261.00
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)			\$1,758.00

**T6 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**

		758520	Weight Pack C w/Hook Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg) Not compatible with two wheel drive (2WD) option Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00
--	--	--------	--	--	--	------------

REAR WHEEL WEIGHTS
SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00

CAB OPTION
SD T9360 RR MIRRORS

		759153	2 Telescopic Mirrors 759153			\$277.00
		759154	2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab)			\$344.00

CLIMATE CONTROL
SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

**T6 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**
SEATS
SD T8500 SEAT

		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara			\$1,955.00
--	--	--------	--	--	--	------------

STORAGE
SD T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Incompatible with Autoguidance			\$224.00
--	--	--------	--	--	--	----------

LIGHTS
SD T9130 WORK LAMPS

		758594	12 LED High Power Hi-Roof 12 total LED cab mounted work lights: 8 high roof mounted; 4 front, 4 rear 4 mid-cab mounted; 2 front, 2 rear Total work light package emits 23,400 lumens			\$1,568.00
		758596	16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$3,136.00

SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

RADIO
SD T7612 BRACKET MONITOR

		758497	Bracket for Equipment Monitor Monitor mounting bracket			\$159.00
--	--	--------	--	--	--	----------

**T6 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**
MISCELLANEOUS
FENDERS FRONT

SD T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm)			\$786.00
--	--	--------	--	--	--	----------

OTHER

SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with isolator			\$438.00
		759140	Hvy Dty Bty Mech ISO			\$438.00

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 T4B DYNAMIC COMMAND US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command# Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145

Rated PTO HP # 95
 Rated Engine HP # 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
 Rated Engine HP # 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
 Rated Engine HP # 135

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
 Rated Engine HP # 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM # 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

 Tier 4B Emissions Compliant
 ECOBlue# HI-eSCR Tier4B system
 Engine with Turbocharger and
 Air-to-Air Intercooler
 4 Valves Per Cylinder
 Bosch Common Rail Fuel Injection
 Pump (electronic)
 Power Management and Constant RPM
 Power Boost in PTO & Transport Modes
 Grid Heater Starting Aid
 Dual Element Air Filter with Pre-Cleaner
 (spin tube intakes)
 A-Pillar Exhaust with Integral Muffler
 Viscous Fan (5 blade)
 Foot and Hand Throttle

T6 T4B DYNAMIC COMMAND US PRICE LIST

Standard Equipment

TRANSMISSION

23 X 23 Dynamic Command #
Powershift
Clutchless Range Change between
Ranges A/B, B/C
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

Std 4WD - 25 mph/40 kph
Optional 4WD - 31 mph/50KPH
(speeds varies by tire size)

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

SELECTION MUST BE MADE WHEN
ORDERING. ENTRY LEVEL OPTION IS:
Front FWD (TerraLock#)
Class 4 Heavy Duty FWD Axle
55 Degree Turning Angle
Dual Steering Cylinders
8 Degree Axle Oscillation
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
TerraLock# Auto FWD/Diff-Lock
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement with
Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Auto PTO Management System
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

CCLS: Closed-Center-Load-Sensing
System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control#
Category II Flex Link Ends
Telescoping Stabilizers
11,650 lb. Lift Capacity (OECD)
with Dual 90mm External Rams

DRAWBAR

Independent Swinging Drawbar

CUSTOM HEADLAND

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**

Standard Equipment

MANAGEMENT SYSTEM

-
- Allows Programming of the Following
- Transmission Upshift/Downshift
 - Fast Raise/Lower of the 3-PT Hitch
 - Engine rpm Increase/Decrease
via Throttle
 - Engine rpm Increase/Decrease
via Constant RPM
 - Optional Electro-Hydraulic Remotes

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
- ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
- 120 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement
Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative
Terminals
- ISO BUS Class 3 Basic
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets for
beacon
- Battery Boost Terminals

LIGHTS

-
- WORK LIGHT SELECTION MUST BE
MADE. STANDARD EQUIPMENT IS:
- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights

- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn
Indicators with Audible Warning

INSTRUMENTATION

-
- Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor
- CAB

-
- High Roof w/ Opening Visibility Panel
and Sunshade
- Flat Deck Platform with Integrated ROPS
- Automatic Temperature Control with
Air Conditioner and Heater with
4-Speed Pressurizer
- Two doors with Locks
- Two-speed Intermittent Front
Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel

- Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt
- Instructor Seat
- Deluxe Radio with Bluetooth, High
Performance Speakers & Antenna
- Digital Clock
- Interior Dome Light
- (2) External Courtesy Lights
- (2) Electronically Adjustment
Telescoping, Heated External Mirrors
- Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY

-
- New Holland Standard Warranty Applies

**T6 T4B DYNAMIC COMMAND
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB		\$126,997.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 DCT	15,245 LB		\$134,841.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 DCT	15,245 LB		\$138,252.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 DCT	19,268 LB		\$144,958.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 DCT	15,245 LB		\$150,528.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

CAB CONFIGURATION

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

	391610	Cab w/Fixed Front Screen Standard Cab - Does not include cab suspension.			No Charge
	758479	Suspended_Cab Suspended Cab includes two adjustable rear shocks Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.			\$1,767.00
	758480	Suspended Cab w/Heated Screens Includes 758479 Cab Suspension plus defrost elements on front and rear windows Requires 200 Amp alternator			\$2,274.00

ENGINE

ALTERNATOR SELECTION

SD_T1040 CHARGING SYSTEMS

	758557	150 AMP_Alternator			\$155.00
	758558	200 AMP_Alternator Required for units equipped wtih 758480 Suspended Cab w/Heated Screens			\$240.00

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater			\$405.00
--	--------	--	--	--	----------

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**
FUEL TANK GUARD
SD T1400 FUEL TANK

		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liters Capacity			\$235.00
--	--	--------	---	--	--	----------

TRANSMISSION
SD T2800 SPEED

		759110	40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges. 23 gear limited @ 2000 engine rpm both forward and reverse			No Charge
		759111	40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse			\$1,832.00
		759113	50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH			\$1,832.00
Creeper Transmissions						
		759131	40KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$2,501.00
		759112	40K ECO - DCT+CREEPE Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$4,333.00

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**

		759134	50KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) Requires 113l Hyd Pump (758441) which is base equipment			\$4,333.00
--	--	--------	---	--	--	------------

SD T2816 AUTO FEATURES

		759166	BASIC AUTO FEATURE Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch			No Charge
--	--	--------	--	--	--	-----------

FRONT AXLE

SD T4010 FRONT AXLE

Class 4 FWD Axle						
		758425	Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential Incompatible with 34" rear wheels			No Charge
		759109	Class 4 HD Std Axle			\$253.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock. Incompatible with Autoguidance			\$3,445.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes mult-plate differential and front brakes. Incompatible with 34" rear wheels			\$6,343.00

REAR AXLE

SD T3200 REAR AXLE

		758430	HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm)			No Charge
--	--	--------	--	--	--	-----------

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**

		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,489.00
		758434	HD Bar Cast Multi-Differential Heavy duty 98" bar axle for cast wheels			\$1,489.00

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330439	Continental			\$560.00
		330446	Firestone			\$560.00
		330442	Michelin			\$560.00
		330418	Trelleborg			\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Shipping Wheels						
		8299905	Front Shipping Wheels-4WD Requires rear shipping wheels			\$1,469.00
		8299906	Front Shipping Wheels Requires rear shipping wheels			\$1,469.00
Class 3 FWD Axle						
		8255404	420/85(16.9) R28 R1W MI-FI-TR Requires 20.8R38 R1W			\$3,429.00
		8801301	520/60R28 MAVT Rims - MI			\$4,992.00
		8801401	520/60R28 (R1W) FIXED RIM F/CL Requires 650/60 R38			\$4,872.00
		8858401	540/65R28 A8 R1W FI Requires 650/65 R38			\$5,017.00
		8859604	320/85R34 R1W MI,FI Requires 320/90R50 R1W			\$3,420.00
		8241401	380/85(14.9)R28 A8 Requires 460(18.4)R38			TBD
Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITR Requires: 460(18.4)R38 R1W			\$2,686.00
		8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$3,429.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00

**T6 T4B DYNAMIC COMMAND
 US PRICE LIST**

		8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00
--	--	---------	---	--	--	------------

REAR WHEELS & TIRES
SD T4950 REAR WHEELS AND TIRES

Shipping Wheels						
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299906 (Class 4 Axle)			\$1,990.00
Flange Axle						
		8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$7,584.00
		8998401	650/65R38 A8 R1W FI/MI/TR/CO Matching Front Tire - 540/65R28 R1W - 8858501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$6,968.00
		8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR			\$7,737.00
Flange and Bar - Steel						
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims			\$6,214.00

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**

		8907501	650/60R38 Fixed Rim - MI Matching Front Tire - 520/60R28 R1W - 8801301 (Class 3 Axle) - 8801601 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$6,969.00
		8907601	650/60R38 R1W F/Bar AXL - MI Matching Front Tire - 520/60R28 R1W - 8801301 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Adjustable Rims			\$6,969.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$7,875.00

HYDRAULICS
REAR REMOTES
SD T8270 REAR REMOTES

Mechanical Rear Remotes						
		743741	3 Mech Rear Remote Valves (2C) 3 mechanical rear remotes, 2 configurable detents and flow control			No Charge
		743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control			\$1,228.00
		759397	3 MECH RR(1NC+2C)+PB 3 mechanical rear remotes, 2 configurable detents and flow control and Power Beyond			\$769.00
Electro-Hydraulic Rear Remotes						
		743686	3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes			\$2,434.00
		743733	4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes			\$3,665.00
		759452	3 ELEC RR W/PB 3 electronic rear remotes and power beyond			\$3,203.00

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**
COMPLETE LOADER READY
SD T8110 LOADER BRACKETS

		758478	Engine Side Rails			\$973.00
		Electro-Hydraulic Mid Mount				
		759470	NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages			\$9,798.00
		759471	NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$11,306.00

REAR PTO
SD T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor)			\$290.00
--	--	--------	---	--	--	----------

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**
3-POINT HITCH
FRONT 3 POINT HITCH
SD T8100 FRONT THREE POINT HITCH

		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,777.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,571.00

SD T8300 HOSES FOR FHPL
Hoses less Front Couplers

		758473	Tubes FHPL Connect Mech RR Front hitch hoses to connect front hitch to mechanical rear remotes			No Charge
		758474	Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes			No Charge
		758475	Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready			No Charge

Hoses with Front Couplers

		758582	Tubes + Coupler Mech Rear Rem. Front couplers and hoses for front hitch to connect to mechanical rear remotes. Requires 4 rear remotes Incompatible with mid mount valve			\$193.00
		758544	Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready			\$193.00

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**
WEIGHTS
FRONT WEIGHTS
SD_T2150 FRONT BALLAST

		390444	Tow Hook-Only Tow hook with attachment hardware - 15.4 lbs.			No Charge
		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00

REAR WHEEL WEIGHTS
SD_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**

		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00
--	--	--------	--	--	--	------------

CAB OPTION

SD_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab)			\$66.00
--	--	--------	--	--	--	---------

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator			\$206.00
--	--	--------	--	--	--	----------

SEATS

SD_T8500 SEAT

		391284	DLX AIR SWIVEL HEAD Deluxe Air suspension seat with adjustable headrest			No Charge
		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara			\$1,955.00
		758486	MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alcantara/Leather, Up/Down Headrest (Maximo Evo)			\$3,832.00

STORAGE

SD_T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance			\$224.00
--	--	--------	---	--	--	----------

**T6 T4B DYNAMIC COMMAND
 US PRICE LIST**
LIGHTS
SD_T9130 WORK LAMPS

		758596	16 LED High Power Hi-Roof Work Lamp Package includes: 16 Cab mounted LED work lights 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$1,568.00
--	--	--------	--	--	--	------------

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MONITOR BRACKETS
SD_T9223 RH WINDOW BAR MOUNT

		390665	Fixings for Mounted Monitor No Bar or Monitor			No Charge
		758153	Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor			\$150.00
		758154	RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor			\$244.00
		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV			\$5,825.00

SD_T9228 RH ARMREST MOUNT

		759155	BASIC ARMREST MTD DOG Basic display of gears mounted on the armrest			No Charge
		758548	10" Color Touch Screen Display 10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest			\$5,844.00

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**
AUTO GUIDANCE
AUTO GUIDANCE READY
SD T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer CUSTOMSTEER# OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Incompatible with SuperSteer front axle			\$5,319.00

SD T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)			\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,502.00
		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$20,247.00

**T6 T4B DYNAMIC COMMAND
US PRICE LIST**
TELEMATICS

SD T7625 TELEMATICS

		391249	Less Telematics Unit does not have any wiring or the hardware required to utilize telematics or an NTRIP Accuracy signal			No Charge
--	--	--------	--	--	--	-----------

MISCELLANEOUS

FENDERS FRONT

SD T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic			\$786.00
--	--	--------	----------------------------	--	--	----------

FENDERS REAR

SD T8700 FENDERS

		743707	Full Cover Full Cover Rear Fender (92.1 in. / 2,340 mm)			\$725.00
--	--	--------	---	--	--	----------

RADAR

SD T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------

OTHER

SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.			\$438.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 DYNAMIC COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command# Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145

Rated PTO HP # 95
Rated Engine HP # 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
Rated Engine HP # 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
Rated Engine HP # 135

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Foot and Hand Throttle

T6 DYNAMIC COMMAND - DELUXE FASTPICK
US PRICE LIST

Standard Equipment

TRANSMISSION

 23 X 23 Dynamic Command #
 Powershift
 Clutchless Range Change between
 Ranges A/B, B/C
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design
 Basic Auto Features include: Smart
 Range Shift, Memory Shuttle,
 Smooth Shift, Pedal Kick Down, Auto
 Functions and Brake-To-Clutch

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph
 Optional 4WD - 31 mph/50KPH
 (speeds varies by tire size)

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 Front FWD (TerraLock#)
 Class 4 FWD Axle
 55 Degree Turning Angle
 Dual Steering Cylinders
 8 Degree Axle Oscillation
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 TerraLock# Auto FWD/Diff-Lock
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement with
 Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Auto PTO Management System
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control#
 Category II Flex Link Ends
 Telescoping Stabilizers
 11,650 lb. Lift Capacity (OECD)
 with Dual 90mm External Rams

DRAWBAR

 Independent Swinging Drawbar

**T6 DYNAMIC COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

(1) 12-volt 1300 cca Battery
120 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon

LIGHTS

(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
(8) LED high front & rear
(4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor

CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS
Automatic Temperature Control with
Air Conditioner and Heater with
4-Speed Pressurizer
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with Bluetooth, High
Performance Speakers & Antenna
Digital Clock
Interior Dome Light
(2) External Courtesy Lights
(2) Electronically Adjustment
Telescoping, Heated External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies

**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB		\$126,997.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 DCT	15,245 LB		\$134,841.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 DCT	15,245 LB		\$138,252.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 DCT	19,268 LB		\$144,958.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 DCT	15,245 LB		\$150,528.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0473XX	NAR NH PCK B DELUXE Deluxe Fastpick Package Includes: 759109 Class 4 HD Std Axle 758153 Monitor Mounting Bracket 758632 ISO CL2+9PIN IN CAB			\$404.00
--	--	---------	---	--	--	----------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle

		8241901	380/85(14.9)R28R1W HD-MIFITRCO Requires: 460(18.4)R38 R1W			\$2,686.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00

T6 DYNAMIC COMMAND - DELUXE FASTPICK
US PRICE LIST
REAR WHEELS & TIRES
SD_T4950 REAR WHEELS AND TIRES

Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$7,584.00
Flange and Bar - Steel					
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims		\$6,214.00

HYDRAULICS
REAR REMOTES
SD_T8270 REAR REMOTES

Mechanical Rear Remotes					
		743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control		\$1,228.00

COMPLETE LOADER READY
SD_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount					
		759470	NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages		\$9,798.00

**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

		759471	NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$11,306.00
--	--	--------	--	--	--	-------------

WEIGHTS
FRONT WEIGHTS
SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00

REAR WHEEL WEIGHTS
SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
--	--	--------	--	--	--	------------

**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**
CAB OPTION
LIGHTS

SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MISCELLANEOUS
OTHER

SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.			\$438.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 DYNAMIC COMMAND - PREMIUM FASTPICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command# Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145

Rated PTO HP # 95
Rated Engine HP # 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
Rated Engine HP # 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
Rated Engine HP # 135

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Foot and Hand Throttle

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

TRANSMISSION

23 X 23 Dynamic Command #
Powershift
Clutchless Range Change between
Ranges A/B, B/C
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design
Advanced Transmission features
including Ground Speed Management II

ROAD SPEEDS

Std 4WD - 25 mph/40 kph
Optional 4WD - 31 mph/50KPH
(speeds varies by tire size)

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

Front FWD (TerraLock#)
Class 4 FWD Axle
55 Degree Turning Angle
Dual Steering Cylinders
8 Degree Axle Oscillation
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
TerraLock# Auto FWD/Diff-Lock
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement with
Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Auto PTO Management System
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

CCLS: Closed-Center-Load-Sensing
System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control#
Category II Flex Link Ends
Telescoping Stabilizers
11,650 lb. Lift Capacity (OECD)
with Dual 90mm External Rams

DRAWBAR

Independent Swinging Drawbar

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

(1) 12-volt 1300 cca Battery
120 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
ISO BUS Class 3 Basic
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon

LIGHTS

(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
(8) LED high front & rear
(4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor

CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS
Automatic Temperature Control with
Air Conditioner and Heater with
4-Speed Pressurizer
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with Bluetooth, High
Performance Speakers & Antenna
Digital Clock
Interior Dome Light
(2) External Courtesy Lights
(2) Electronically Adjustment
Telescoping, Heated External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB		\$126,997.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 DCT	15,245 LB		\$134,841.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 DCT	15,245 LB		\$138,252.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 DCT	19,268 LB		\$144,958.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 DCT	15,245 LB		\$150,528.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0472XX	NAR NH PCK A PREMIUM Premium Fastpick Package Includes: 758557: 150 AMP_Alternator 758479: Suspended_Cab 759128: Std Fuel Tank+Guard 743680: Fender EDC/PTO/Rem Valv Contrl 758631: ADV TRANS AUTO FEAT 758432: HD Bar Steel Multi-Diff 758548: 10" Color Touch Screen Display 758485: Deluxe Seat Air Susp Heated 758409: HD Battery W/Isolator 176AH 759154: 2 Remote Adjustable Telescopic & Heated Mirrors 758154: Display Ready Monitor Mounting Bracket			\$16,107.00
--	---------	--	--	--	-------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater			\$405.00
--	--------	--	--	--	----------

TRANSMISSION

SD_T2800 SPEED

	759110	40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges. 23 gear limited @ 2000 engine rpm both forward and reverse			No Charge
--	--------	---	--	--	-----------

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

		759111	40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse			\$1,832.00
		759113	50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH			\$1,832.00

FRONT AXLE

SD_T4010 FRONT AXLE

Class 4 FWD Axle						
		759109	Class 4 HD Std Axle			\$253.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock. Incompatible with Autoguidance			\$3,445.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Incompatible with 34" rear wheels			\$6,343.00

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330439	Continental			\$560.00
		330446	Firestone			\$560.00
		330442	Michelin			\$560.00
		330418	Trelleborg			\$560.00

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle					
		8241901	380/85(14.9)R28R1W HD-MIFITRICO Requires: 460(18.4)R38 R1W		\$2,686.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W		\$3,225.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W		\$3,420.00

REAR WHEELS & TIRES

SD T4950 REAR WHEELS AND TIRES

Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITRICO Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$5,592.00
		8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR		\$7,737.00
Flange and Bar - Steel					
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$6,068.00
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims		\$6,214.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims		\$7,875.00

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

Electro-Hydraulic Rear Remotes

		743733	4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes			\$1,231.00
--	--	--------	--	--	--	------------

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount

		759470	NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages			\$9,798.00
		759471	NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$11,306.00

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
--	--	--------	--	--	--	----------

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00

CAB OPTION

CLIMATE CONTROL

SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator			\$206.00
--	--	--------	--	--	--	----------

**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**
STORAGE
SD_T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance			\$224.00
--	--	--------	---	--	--	----------

LIGHTS
SD_T9130 WORK LAMPS

		758596	16 LED High Power Hi-Roof Work Lamp Package includes: 16 Cab mounted LED work lights 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$1,568.00
--	--	--------	--	--	--	------------

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MONITOR BRACKETS
SD_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor			\$150.00
		758154	RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor			\$244.00

OPERATOR'S MANUALS
SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 DYNAMIC COMMAND - LESS FASTPICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command# Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145

Rated PTO HP # 95
Rated Engine HP # 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP # 105
Rated Engine HP # 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
Rated Engine HP # 135

Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Foot and Hand Throttle

T6 DYNAMIC COMMAND - LESS FASTPICK US PRICE LIST

Standard Equipment

TRANSMISSION

23 X 23 Dynamic Command #
Powershift
Clutchless Range Change between
Ranges A/B, B/C
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

Std 4WD - 25 mph/40 kph
Optional 4WD - 31 mph/50KPH
(speeds varies by tire size)

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

SELECTION MUST BE MADE WHEN
ORDERING. ENTRY LEVEL OPTION IS:
Front FWD (TerraLock#)
Class 4 Heavy Duty FWD Axle
55 Degree Turning Angle
Dual Steering Cylinders
8 Degree Axle Oscillation
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
TerraLock# Auto FWD/Diff-Lock
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement with
Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Auto PTO Management System
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

CCLS: Closed-Center-Load-Sensing
System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control#
Category II Flex Link Ends
Telescoping Stabilizers
11,650 lb. Lift Capacity (OECD)
with Dual 90mm External Rams

DRAWBAR

Independent Swinging Drawbar

**T6 DYNAMIC COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

CUSTOM HEADLAND

MANAGEMENT SYSTEM

Allows Programming of the Following
- Transmission Upshift/Downshift
- Fast Raise/Lower of the 3-PT Hitch
- Engine rpm Increase/Decrease
via Throttle
- Engine rpm Increase/Decrease
via Constant RPM
- Optional Electro-Hydraulic Remotes

ELECTRICAL

(1) 12-volt 1300 cca Battery
ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
120 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
ISO BUS Class 3 Basic
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon
Battery Boost Terminals

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. STANDARD EQUIPMENT IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
(8) LED high front & rear
(4) LED mid-mount front & rear
(2) taillights
Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor
CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS
Automatic Temperature Control with
Air Conditioner and Heater with
4-Speed Pressurizer
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with Bluetooth, High
Performance Speakers & Antenna
Digital Clock
Interior Dome Light
(2) External Courtesy Lights
(2) Electronically Adjustment
Telescoping, Heated External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	15,245 LB		\$126,997.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.155 DCT	15,245 LB		\$134,841.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.165 DCT	15,245 LB		\$138,252.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.175 DCT	19,268 LB		\$144,958.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 DCT	15,245 LB		\$150,528.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 DYNAMIC COMMAND - LESS FASTPICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

CAB CONFIGURATION

FIXED OR SUSPENDED

SD T9200 OPERATOR STRUCTURE #1

	391610	Cab w/Fixed Front Screen Standard Cab - Does not include cab suspension.			No Charge
	758479	Suspended_Cab Suspended Cab includes two adjustable rear shocks Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.			\$1,767.00
	758480	Suspended Cab w/Heated Screens Includes 758479 Cab Suspension plus defrost elements on front and rear windows Requires 200 Amp alternator			\$2,274.00

ENGINE

ALTERNATOR SELECTION

SD T1040 CHARGING SYSTEMS

	391192	120 AMP Alternator			No Charge
	758557	150 AMP Alternator			\$155.00
	758558	200 AMP_Alternator Required for units equipped wtih 758480 Suspended Cab w/Heated Screens			\$240.00

COLD WEATHER AIDS

SD T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater			\$405.00
--	--------	--	--	--	----------

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**
FUEL TANK GUARD
SD T1400 FUEL TANK

		759128	Std Fuel Tank+Guard Standard fuel tank with guards Compatible with 34" Rear Wheels 55 Gallon / 210 Liter Capacity			No Charge
		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liters Capacity			\$235.00

TRANSMISSION
SD T2800 SPEED

		759110	40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges. 23 gear limited @ 2000 engine rpm both forward and reverse			No Charge
		759111	40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse			\$1,832.00
		759113	50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH			\$1,832.00
Creeper Transmissions						
		759131	40KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$2,501.00
		759112	40K ECO - DCT+CREEPE Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$4,333.00

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

		759134	50KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) Requires 113l Hyd Pump (758441) which is base equipment			\$4,333.00
--	--	--------	---	--	--	------------

SD_T2816 AUTO FEATURES

		759166	BASIC AUTO FEATURE Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch			No Charge
		758631	ADV TRANS AUTO FEAT Ground Speed Management: Allows an operator to select a target ground speed.			\$1,669.00

FRONT AXLE
SD_T4010 FRONT AXLE

Class 4 FWD Axle						
		758425	Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential Incompatible with 34" rear wheels			No Charge
		759109	Class 4 HD Std Axle			\$253.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock. Incompatible with Autoguidance			\$3,445.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Incompatible with 34" rear wheels			\$6,343.00

**T6 DYNAMIC COMMAND - LESS FASTPICK
US PRICE LIST**

REAR AXLE

SD_T3200 REAR AXLE

		758430	HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm)			No Charge
		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,489.00
		758434	HD Bar Cast Multi-Differential Heavy duty 98" bar axle for cast wheels			\$1,489.00

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance			\$560.00
		330439	Continental			\$560.00
		330446	Firestone			\$560.00
		330442	Michelin			\$560.00
		330418	Trelleborg			\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Shipping Wheels						
		8299906	Front Shipping Wheels Requires rear shipping wheels			\$1,469.00
Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRCO Requires: 460(18.4)R38 R1W			\$2,686.00
		8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$3,429.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
		8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**
REAR WHEELS & TIRES
SD T4950 REAR WHEELS AND TIRES

Shipping Wheels					
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299906 (Class 4 Axle)		\$1,990.00
Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$7,584.00
		8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR		\$7,737.00
Flange and Bar - Steel					
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$6,068.00
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims		\$6,214.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims		\$7,875.00

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**
HYDRAULICS
REAR REMOTES
SD T8270 REAR REMOTES
Mechanical Rear Remotes

		743741	3 Mech Rear Remote Valves (2C) 3 mechanical rear remotes, 2 configurable detents and flow control			No Charge
		743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control			\$1,228.00

Electro-Hydraulic Rear Remotes

		743686	3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes			\$2,434.00
		743733	4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes			\$3,665.00

COMPLETE LOADER READY
SD T8110 LOADER BRACKETS

		758478	Engine Side Rails			\$973.00
Electro-Hydraulic Mid Mount						
		759470	NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages			\$9,798.00
		759471	NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$11,306.00

**T6 DYNAMIC COMMAND - LESS FASTPICK
US PRICE LIST**

REAR PTO

SD_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor)			\$290.00
--	--	--------	---	--	--	----------

3-POINT HITCH

FRONT 3 POINT HITCH

SD_T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,777.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,571.00

SD_T8300 HOSES FOR FHPL

		390926	Less Tubes for FHPL			No Charge
Hoses less Front Couplers						
		758473	Tubes FHPL Connect Mech RR Front hitch hoses to connect front hitch to mechanical rear remotes			No Charge
		758474	Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes			No Charge
		758475	Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready			No Charge

**T6 DYNAMIC COMMAND - LESS FASTPICK
US PRICE LIST**

Hoses with Front Couplers						
		758582	Tubes + Coupler Mech Rear Rem. Front couplers and hoses for front hitch to connect to mechanical rear remotes. Requires 4 rear remotes Incompatible with mid mount valve			\$193.00
		758544	Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready			\$193.00

WEIGHTS

FRONT WEIGHTS

SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
--	--	--------	--	--	--	------------

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00

CAB OPTION

SD T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab)			\$66.00
--	--	--------	--	--	--	---------

CLIMATE CONTROL

SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator			\$206.00
--	--	--------	--	--	--	----------

SEATS

SD T8500 SEAT

		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara			\$1,955.00
		758486	MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alcantara/Leather, Up/Down Headrest (Maximo Evo)			\$3,832.00

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**
STORAGE
SD_T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance			\$224.00
--	--	--------	---	--	--	----------

LIGHTS
SD_T9130 WORK LAMPS

		758596	16 LED High Power Hi-Roof Work Lamp Package includes: 16 Cab mounted LED work lights 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$1,568.00
--	--	--------	--	--	--	------------

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MONITOR BRACKETS
SD_T9223 RH WINDOW BAR MOUNT

		390665	Fixings for Mounted Monitor No Bar or Monitor			No Charge
		758153	Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor			\$150.00
		758154	RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor			\$244.00
		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV			\$5,825.00

SD_T9228 RH ARMREST MOUNT

		759155	BASIC ARMREST MTD DOG Basic display of gears mounted on the armrest			No Charge
--	--	--------	---	--	--	-----------

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

		758548	10" Color Touch Screen Display 10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest			\$5,844.00
--	--	--------	---	--	--	------------

ISO BUS CONNECTOR
SD T7642 ISO BUS

		758710	ISO CL3+9PIN+SPEED			\$392.00
--	--	--------	--------------------	--	--	----------

AUTO GUIDANCE
AUTO GUIDANCE READY
SD T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer CUSTOMSTEER# OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Incompatible with SuperSteer front axle			\$5,319.00

SD T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)			\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,502.00

**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$20,247.00
--	--	--------	---	--	--	-------------

MISCELLANEOUS
FENDERS FRONT

SD_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic			\$786.00
--	--	--------	----------------------------	--	--	----------

FENDERS REAR

SD_T8700 FENDERS

		743707	Full Cover Full Cover Rear Fender (92.1 in. / 2,340 mm)			\$725.00
--	--	--------	---	--	--	----------

RADAR

SD_T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------

OTHER

SD_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.			\$438.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command# Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Foot and Hand Throttle

TRANSMISSION

23 X 23 Dynamic Command # Powershift
Clutchless Range Change between Ranges A/B, B/C
Steering Column Mounted Left-hand Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

Std 4WD - 25 mph/40 kph
Optional 4WD - 31 mph/50KPH
(speeds varies by tire size)

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

T6 DYNAMIC COMMAND - BLUE POWER EDITION US PRICE LIST

Standard Equipment

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

SELECTION MUST BE MADE WHEN
ORDERING. ENTRY LEVEL OPTION IS:
Front FWD (TerraLock#)
Class 4 Heavy Duty FWD Axle
55 Degree Turning Angle
Dual Steering Cylinders
8 Degree Axle Oscillation
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
TerraLock# Auto FWD/Diff-Lock
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement with
Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Auto PTO Management System
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

CCLS: Closed-Center-Load-Sensing
System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down

Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control#
Category II Flex Link Ends
Telescoping Stabilizers
11,650 lb. Lift Capacity (OECD)
with Dual 90mm External Rams

DRAWBAR

Independent Swinging Drawbar

CUSTOM HEADLAND MANAGEMENT SYSTEM

Allows Programming of the Following
-Transmission Upshift/Downshift
- Fast Raise/Lower of the 3-PT Hitch
- Engine rpm Increase/Decrease
via Throttle
- Engine rpm Increase/Decrease
via Constant RPM
- Optional Electro-Hydraulic Remotes

ELECTRICAL

(1) 12-volt 1300 cca Battery
ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
200 amp Alternator
Geared Starter Motor (4.2 kW)
7-pin Outlet for Trailer/Implement
Lighting
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

Terminals

ISO BUS Class 3 Basic
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon
Battery Boost Terminals

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. STANDARD EQUIPMENT IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(16) LED cab mounted work lights
(12) LED high front & rear
(4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor

CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS

Automatic Temperature Control with
Air Conditioner and Heater with
4-Speed Pressurizer
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Leather Tilt and Telescoping Steering
Wheel
Alcant Blue PowerAir Suspension Seat
with Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with BlueTooth, High
Performance Speakers & Antenna
Digital Clock
Interior Dome Light
(2) External Courtesy Lights
(2) Electronically Adjustment
Telescoping, Heated External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.175 DCT	19,268 LB		\$144,958.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			
T6.180 DCT	15,245 LB		\$150,528.00
Includes the following Equipment 460/85(18.4)R38 R1W-MIFITR (8328401) \$5,592.00			

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0475XX	LESS PACKAGING			No Charge
--	---------	----------------	--	--	-----------

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

	758320	BLUE POW. SPEC. ED. Blue Power Special Edition Available on T6.175 or T6.180 ONLY Includes: Distinct Midnight Blue Color with Silver Accents 759154 2 Tele/Heat/Rem/Adj Mirrors 759384 SDLX HTD Alcant Blue Power Seat 758596 16 LED High Power Lights 758482 Air Conditioning w/ATC 758483 Leather Steering Wheel & Carpet Choice of 330442 Michelin or 330418 Treleborg brand tires			\$12,120.00
--	--------	---	--	--	-------------

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

	391610	Cab w/Fixed Front Screen Standard Cab - Does not include cab suspension.			No Charge
	758479	Suspended_Cab Suspended Cab includes two adjustable rear shocks Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.			\$1,767.00
	758480	Suspended Cab w/Heated Screens Includes 758479 Cab Suspension plus defrost elements on front and rear windows Requires 200 Amp alternator			\$2,274.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**
ENGINE
COLD WEATHER AIDS
SD T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------

FUEL TANK GUARD
SD T1400 FUEL TANK

		759128	Std Fuel Tank+Guard Standard fuel tank with guards Compatible with 34" Rear Wheels 55 Gallon / 210 Liter Capacity			No Charge
		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liters Capacity			\$235.00

TRANSMISSION
SD T2800 SPEED

		759110	40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges. 23 gear limited @ 2000 engine rpm both forward and reverse			No Charge
		759111	40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse			\$1,832.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

		759113	50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH			\$1,832.00
Creeper Transmissions						
		759131	40KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$2,501.00
		759112	40K ECO - DCT+CREEPE Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$4,333.00
		759134	50KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) Requires 113l Hyd Pump (758441) which is base equipment			\$4,333.00

SD T2816 AUTO FEATURES

		759166	BASIC AUTO FEATURE Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch			No Charge
		758631	ADV TRANS AUTO FEAT Ground Speed Management: Allows an operator to select a target ground speed.			\$1,669.00

FRONT AXLE
SD T4010 FRONT AXLE

Class 4 FWD Axle						
		758425	Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential Incompatible with 34" rear wheels			No Charge
		759109	Class 4 HD Std Axle			\$253.00
Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock. Incompatible with Autoguidance			\$3,445.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

Class 4 Suspended FWD Axle

		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Incompatible with 34" rear wheels			\$6,343.00
--	--	--------	---	--	--	------------

REAR AXLE

SD T3200 REAR AXLE

		758430	HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm)			No Charge
		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,489.00
		758434	HD Bar Cast Multi-Differential Heavy duty 98" bar axle for cast wheels			\$1,489.00

TIRES

BRAND CHOICE

SD T4900 TIRE CATEGORY CHOICE

		330442	Michelin			No Charge
		330418	Trelleborg			No Charge

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle

		8241901	380/85(14.9)R28R1W HD-MIFITRICO Requires: 460(18.4)R38 R1W			\$2,686.00
		8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$3,429.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
		8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

REAR WHEELS & TIRES

SD T4950 REAR WHEELS AND TIRES

Flange Axle					
		8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$7,584.00
		8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR		\$7,737.00
Flange and Bar - Steel					
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims		\$6,068.00
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims		\$6,214.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims		\$7,875.00

HYDRAULICS

REAR REMOTES

SD T8270 REAR REMOTES

Electro-Hydraulic Rear Remotes					
		743686	3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes		\$2,434.00
		743733	4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes		\$1,231.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**
COMPLETE LOADER READY
SD T8110 LOADER BRACKETS

		758478	Engine Side Rails			\$973.00
		Electro-Hydraulic Mid Mount				
		759470	NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages			\$9,798.00
		759471	NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$11,306.00

REAR PTO
SD T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor)			\$290.00
--	--	--------	---	--	--	----------

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

3-POINT HITCH

FRONT 3 POINT HITCH

SD T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,777.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,571.00

SD T8300 HOSES FOR FHPL

		390926	Less Tubes for FHPL			No Charge
		Hoses less Front Couplers				
		758474	Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes			No Charge
		758475	Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready			No Charge
		Hoses with Front Couplers				
		758544	Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready			\$193.00

WEIGHTS

FRONT WEIGHTS

SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
--	--	--------	--	--	--	----------

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,129.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,865.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
		759137	2X150KG + 2X250KG Wheel Weight Rear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$1,563.00
		759821	2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims			\$2,683.00

CAB OPTION

CLIMATE CONTROL

SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator			\$206.00
--	--	--------	--	--	--	----------

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**
STORAGE
SD T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance			\$224.00
--	--	--------	---	--	--	----------

LIGHTS
SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MONITOR BRACKETS
SD T9223 RH WINDOW BAR MOUNT

		390665	Fixings for Mounted Monitor No Bar or Monitor			No Charge
		758153	Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor			\$150.00
		758154	RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor			\$244.00
		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV			\$5,825.00

SD T9228 RH ARMREST MOUNT

		759155	BASIC ARMREST MTD DOG Basic display of gears mounted on the armrest			No Charge
		758548	10" Color Touch Screen Display 10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest			\$5,844.00

T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST
ISO BUS CONNECTOR

SD T7642 ISO BUS

		758710	ISO CL3+9PIN+SPEED			\$392.00
--	--	--------	--------------------	--	--	----------

AUTO GUIDANCE
AUTO GUIDANCE READY

SD T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer CUSTOMSTEER# OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Incompatible with SuperSteer front axle			\$5,319.00

SD T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)			\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,502.00

**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$20,247.00
--	--	--------	---	--	--	-------------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic			\$786.00
--	--	--------	----------------------------	--	--	----------

FENDERS REAR

SD_T8700 FENDERS

		743707	Full Cover Full Cover Rear Fender (92.1 in. / 2,340 mm)			\$725.00
--	--	--------	---	--	--	----------

RADAR

SD_T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------

OTHER

SD_T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.			\$438.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 T4B SERIES AUTO COMMAND US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Auto Command# CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

MODELS

T6.145

Rated PTO HP # 95
Rated Engine HP # 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
Rated Engine HP # 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)

Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
ENGINE Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command# CVT with
column-mounted power shuttle
Command Grip# multi-function controller
Infinite speed from 0 to 25 MPH
(Opt.31 MPH / 50 KPH)
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle
controls

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**

Standard Equipment

Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

Hydrostatic power steering
Hydraulic wet disc brakes
(self-equalizing/self-adjusting)
Parking brake (automotive style)

CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS
Standard Air Conditioner and Heater
with 4-Speed Pressurizer and
dual zone air conditioning
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel
IntelliView# IV disp. mtd. on arm rest
SEAT SELECTION MUST BE MADE
WHEN ORDERING. ENTRY LEVEL SEAT
FOR AC CONFIGURATION IS:
Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe radio
Digital clock
Integral ROPS
Interior dome light
(2) External courtesy lights
(2) External telescopic remote
adjustable, heated mirrors
Horn
Std steering wheel & floor mat
ISOBUS connector

STEERING & BRAKES

FRONT AXLE

Front FWD (TerraLock#)
Class 4 heavy-duty FWD axle
55-degree turning angle
Dual steering cylinders
8-degree axle oscillation
Adjustable tread width from 62.2 in. to
92 in. (varies by tire size)
Electrohydraulic FWD engagement
TerraLock# Auto FWD/Diff-Lock
Driveshaft shield

REAR AXLE

Heavy-duty flange axle
Wet plate differential lock
Electrohydraulic-engaged dif. lock

ELECTRICAL

(1) 12-volt 1300 CCA battery
ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
120-amp alternator
Geared starter motor (4.2 kW)
7-pin outlet for implement lighting
3-pin 40-amp implement socket
ISO/JD (30 amp) socket
15 amp screw-type +/- terminals
Single pin (8 amp) accessory outlet
Cigarette lighter
(2) single-pin outlets for beacon on roof
Battery boost terminals

T6 T4B SERIES AUTO COMMAND US PRICE LIST

Standard Equipment

ISOBUS Class 3 Basic Speed Control

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(3) electro-hydraulic rear remote valves
controlled in SideWinder II# console
(fully programmable)
Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

LIGHTS

3-POINT LIFT SYSTEM

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
(8) LED high front & rear
(4) LED mid-mount front & rear
(2) taillights

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control#
Category II flex link ends
Telescopic stabilizers
9,214 lb. Lift Capacity (OECD)
with Dual 80mm External Rams

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

MISCELLANEOUS

PTO

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

Independent 540/1000 RPM PTO with
reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
soft start/auto feathering
Hydraulic piston PTO brake w/override

WARRANTY

New Holland standard warranty applies

**T6 T4B SERIES AUTO COMMAND
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT T4B	15,245 LB		\$143,246.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 AC CVT T4B	15,245 LB		\$163,708.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 AC CVT T4B	15,245 LB		\$170,529.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 AC CVT T4B	15,245 LB		\$176,194.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

	392209	Base Color ISO High roof with visibility panel			No Charge
	758320	BLUE POW. SPEC. ED. Blue Power Special Edition Available on T6.175 or T6.180 ONLY Includes: Distinct Midnight Blue Color with Silver Accents 759154 2 Tele/Heat/Rem/Adj Mirrors 759384 SDLX HTD Alcant Blue Power Seat 758596 16 LED High Power Lights 758482 Air Conditioning w/ATC 758483 Leather Steering Wheel & Carpet 758558 200 AMP Alternator			\$9,686.00

SUSPENDED CAB

SD_T9200 OPERATOR STRUCTURE #1

	758479	Suspended_Cab Cab Suspension			No Charge
	758480	Suspended Cab w/Heated Screens Cab Suspension with defrost elements on front and rear windows Requires 200 Amp alternator			\$507.00

ENGINE

ALTERNATOR SELECTION

SD_T1040 CHARGING SYSTEMS

	391192	120 AMP_Alternator			No Charge
	758557	150 AMP_Alternator			\$155.00
	758558	200 AMP_Alternator Required when ordering 758480 Suspended Cab w/Heated Screens			No Charge

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**
COLD WEATHER AIDS
SD T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------

FUEL TANK GUARD
SD T1400 FUEL TANK

		759128	Std Fuel Tank+Guard Standard fuel tank with guard - 52.2 gallons (197.5 L) Required for use with 34" rear wheels			No Charge
		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liter compacity			\$235.00

TRANSMISSION
SD T2800 SPEED

		396247	40 KPH Economy			No Charge
		758549	50KPH ECO CVT Requires suspended front axle 758427 or 758428			\$1,410.00

FRONT AXLE
SD T4010 FRONT AXLE
Class 4 Standard FWD Axle

		758425	Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential. Incompatible with 34" rear wheels			No Charge
--	--	--------	---	--	--	-----------

Class 4 SuperSteer FWD Axle

		758429	Class 4 SuperSteer L/Water -SuperSteer front axle with TerraLock traction management system. -Includes mulit-plate differential lock. -Incompatible with Autoguidance			\$4,705.00
--	--	--------	---	--	--	------------

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**

Class 4 Suspended FWD Axle

		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and brakes. Incompatible with 34" rear wheels			\$7,602.00
--	--	--------	---	--	--	------------

REAR AXLE

SD T3200 REAR AXLE

		391223	Heavy-duty Rear Flange			No Charge
		758538	HD 98" Bar Axles - Steel Wheel			\$1,489.00

TIRES

BRAND CHOICE

SD T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330446	Firestone			\$560.00
		330439	Continental			\$560.00
		330442	Michelin			No Charge

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

Class 4						
		8299906	Front Shipping Wheels			\$1,469.00
Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRICO Requires 18.4 R38			\$2,686.00
		8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
		8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$3,429.00
		8866501	400/80R28 Fixed Cls 4 Alliance Requires 480/80 R38 Municipality			\$3,726.00
		8801601	520/60R28 R1W Fixed HD Requires 650/60R38			\$5,976.00

**T6 T4B SERIES AUTO COMMAND
 US PRICE LIST**
REAR WHEELS & TIRES
SD T4950 REAR WHEELS AND TIRES
Flange and Bar - Steel

	8975401	520/70R38 A8 R1W FI Matching Front Tire - 420/70R28 R1W - 8852501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$7,624.00
	8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims			\$7,737.00
	8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$7,875.00
	8998401	650/65R38 A8 R1W FI/MI/TR/CO Matching Front Tire - 540/65R28 R1W - 8858501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$6,968.00
	8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
	8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims			\$6,214.00
	8919401	480/80R38 Alliance Matching Front Tire - 400/80 R28 Municipality - 8866501 (Class 4 Axle)Fixed steel rims			\$7,006.00

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**

		8907501	650/60R38 Fixed Rim - MI Matching Front Tire - 520/60R28 R1W - 8801601 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$6,969.00
Bar Axle - Cast						
		8334406	460/85(18.4)R38 R1W- MI,FI,CM Matching Front Tire - 16.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$7,584.00
Shipping Wheels						
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299906 (Class 4 Axle)			\$1,990.00

HYDRAULICS
REAR REMOTE VALVES
SD T8270 REAR REMOTES

		743686	3 Elect Hyd. Rear Remote Valve 3 electro-hydraulic rear remotes			No Charge
		743733	4 Elect Hyd. Rear Remote Valve 4 electro-hydraulic rear remote valves			\$1,231.00
		758359	4-Elec Rear Remotes F/ Pwr Byd 4 electro-hydraulic rear remotes for power beyond Requires 758542 power beyond plus low pressure return			\$2,005.00

AUXILLARY FUNCTIONS
SD T8275 POWER BEYOND COUPLE

		758542	Power Beyond + Low-Pressure Power beyond coupler and low pressure return Incompatible with 743733 4 electro-hydraulic rear remote option			\$769.00
--	--	--------	--	--	--	----------

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**
COMPLETE LOADER READY
SD T8110 LOADER BRACKETS
Electro-Hydraulic Mid Mount

		758353	Loader Ready + 2 EH MMV + Joy Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$9,353.00
		758354	Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$10,862.00

Engine Side Rails

		758478	Engine Side Rails Not for loader mounting.			\$973.00
--	--	--------	--	--	--	----------

JOYSTICK CONTROL
SD T7780 JOYSTICK

		758069	Joystick with Rocker Switch Electro-hydraulic joystick Incompatible with Complete Loader Ready			
			if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy			No Charge
			if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy			No Charge

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**
MID MOUNT VALVES
SD T7790 MID-MOUNT VALVES

		743689	2 Electronic MMV 2 function electronic mid-mount valve Requires electronic joystick 758069 Incompatible with Complete Loader Ready Included in Complete Loader Ready option 758353			No Charge
		743690	3 Electronic MMV 3 function electronic mid mount valve (EMMV) Requires electronic joystick 758069 Incompatible with Complete Loader Ready Included in Complete Loader Ready 758354			No Charge

3-POINT HITCH
REAR 3 POINT HITCH
SD T8960 DRAWBAR AND 3 POINT HITCH

		758452	Cat II/III Flex Links			No Charge
--	--	--------	-----------------------	--	--	-----------

FRONT 3 POINT HITCH
SD T8100 FRONT THREE POINT HITCH

		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,777.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,571.00

SD T8300 HOSES FOR FHPL
Hoses less Front Couplers

		758474	Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes			No Charge
--	--	--------	--	--	--	-----------

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**

		758475	Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready			No Charge
Hoses with Front Couplers						
		758544	Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready			\$193.00

AUTO GUIDANCE

AUTO GUIDANCE READY

SD T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer CUSTOMSTEER# OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle			\$5,319.00

SD T7630 AUTOGUIDANCE

		392484	Less Autoguidance			No Charge
		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)			\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,502.00

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**

		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$20,247.00
--	--	--------	---	--	--	-------------

WEIGHTS
FRONT WEIGHTS

SD T2150 FRONT BALLAST

		390444	Tow Hook-Only			No Charge
		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
		758519	Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478			\$2,865.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		X49601X	L/Wheel Weights			No Charge
		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00

CAB OPTION
CLIMATE CONTROL

SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

**T6 T4B SERIES AUTO COMMAND
 US PRICE LIST**
SEATS
SD T8500 SEAT

		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara Seat swivel: 10 degrees left and 20 degrees right.			\$1,955.00
		759384	SDLX HTD ALCANT BP BLUE POWER Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara Seat swivel: 10 degrees left and 20 degrees right			No Charge

LIGHTS
SD T9130 WORK LAMPS

		758596	16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			No Charge
--	--	--------	--	--	--	-----------

SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MONITOR BRACKETS
SD T9223 RH WINDOW BAR MOUNT

		390665	Fixings for Mounted Monitor Predisposition for installing DIA monitor mounting bracket			No Charge
		758153	Monitor Mounting Bracket. Monitor mounting bracket			\$150.00

**T6 T4B SERIES AUTO COMMAND
US PRICE LIST**

		758154	RH Window Bar Display Ready. Monitor mounting bracket with wiring harness and monitor mount Requires ISOBUS socket 743795, 758561 or 758624			No Charge
		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV Requires ISOBUS socket 743795, 758561 or 758624			\$5,825.00

MISCELLANEOUS
FENDERS FRONT

SD T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm)			\$786.00
--	--	--------	--	--	--	----------

FENDERS REAR

SD T8700 FENDERS

		743707	Full Cover			\$725.00
--	--	--------	------------	--	--	----------

RADAR

SD T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------

OTHER

SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with isolator			\$438.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Auto Command# CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

MODELS

T6.145

Rated PTO HP # 95
Rated Engine HP # 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
Rated Engine HP # 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
ENGINE Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Engine Block Heater
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command# CVT with
column-mounted power shuttle
Command Grip# multi-function controller
Infinite speed from 0 to 31 MPH
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle controls
Right foot "go pedal"
31-MPH (50-KPH) (varies by tire size)
Transmission Heater

**T6 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

Standard Equipment

CAB

 High Roof w/ Opening Visibility Panel
 and Sunshade
 Flat Deck Platform with Integrated ROPS
 Standard Air Conditioner and Heater
 with 4-Speed Pressurizer and
 dual zone air conditioning
 Two doors with Locks
 Two-speed Intermittent Front
 Wiper/Washer
 Rear Intermittent Wiper/Washer
 Hinged Rear Window
 Tinted Glass with Sunshade
 Tilt and Telescoping Steering Wheel
 IntelliView# IV disp. mtd. on arm rest
 Deluxe Leather Heated Low Frequench
 Air Suspension Seat with Operator
 Presence Switch, Lap Belt and Swivel
 Headrest
 Instructor Seat
 Deluxe radio
 Digital clock
 Integral ROPS
 Interior dome light
 (2) External courtesy lights
 (2) External telescopic remote
 adjustable, heated mirrors
 Horn
 Std steering wheel & floor mat
 ISOBUS connector

STEERING & BRAKES

 Hydrostatic power steering
 Hydraulic wet disc brakes
 (self-equalizing/self-adjusting)
 Parking brake (automotive style)

FRONT AXLE

 Front FWD (TerraLock#)
 Class 4 Suspended FWD axle
 55-degree turning angle
 Dual steering cylinders
 8-degree axle oscillation
 Adjustable tread width from 62.2 in. to
 92 in. (varies by tire size)
 Electrohydraulic FWD engagement
 TerraLock# Auto FWD/Diff-Lock
 Driveshaft shield

REAR AXLE

 Heavy-duty flange axle
 Wet plate differential lock
 Electrohydraulic-engaged dif. lock

ELECTRICAL

 (1) 12-volt 1300 CCA battery
 150-amp alternator
 Geared starter motor (4.2 kW)
 7-pin outlet for implement lighting
 3-pin 40-amp implement socket
 ISO/JD (30 amp) socket
 15 amp screw-type +/- terminals
 Single pin (8 amp) accessory outlet
 Cigarette lighter
 (2) single-pin outlets for beacon on roof
 Battery boost terminals
 Battery Isolator
 ISOBUS Class 3 Basic Speed Control

**T6 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE

MADE. ENTRY LEVEL OPTION IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

PTO

Independent 540/1000 RPM PTO with
reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
soft start/auto feathering
Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(4) electro-hydraulic rear remote valves
controlled in SideWinder II# console
(fully programmable)
Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control#
Category II flex link ends
Telescopic stabilizers
9,214 lb. Lift Capacity (OECD)
with Dual 80mm External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox
Monitor Mounting Bracket
Dynamic Front Fenders

WARRANTY

New Holland standard warranty applies

**T6 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT T4B	15,245 LB		\$143,246.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 AC CVT T4B	15,245 LB		\$163,708.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 AC CVT T4B	15,245 LB		\$170,529.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 AC CVT T4B	15,245 LB		\$176,194.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		



T6 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0472XX	NAR NH PCK A PREMIUM Premium Fastpick Package Includes: 758557: 150 AMP_Alternator 758402: Grid_Heater + 110V Pack 759130: Large Fuel Tank+Guard 758549: 50KPH ECO CVT 758428: Class 4 Susp + Brake Hyd Lock 743733: 4 Elect Hyd. Rear Remote Valve 758485: Deluxe Seat Air Susp Heated 758153: Monitor Mounting Bracket 758505 Front Fender 420mm Dynamic 758409 HD Battery w/Isolator			\$15,092.00
--	---------	---	--	--	-------------

REAR AXLE

SD_T3200 REAR AXLE

	758538	HD 98" Bar Axles - Steel Wheel			\$1,489.00
--	--------	--------------------------------	--	--	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330446	Firestone			\$560.00
	330439	Continental			\$560.00
	330442	Michelin			\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle					
	8241901	380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38			\$2,686.00
	8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00

**T6 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

	8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
	8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
	8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$3,429.00
	8866501	400/80R28 Fixed CIs 4 Alliance Requires 480/80 R38 Municipality			\$3,726.00

REAR WHEELS & TIRES
SD T4950 REAR WHEELS AND TIRES
Flange and Bar - Steel

	8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
	8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims			\$7,737.00
	8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$7,875.00
	8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
	8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims			\$6,214.00
	8919401	480/80R38 Alliance Matching Front Tire - 400/80 R28 Municipality - 8866501 (Class 4 Axle)Fixed steel rims			\$7,006.00

**T6 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**
HYDRAULICS
COMPLETE LOADER READY
SD T8110 LOADER BRACKETS
Electro-Hydraulic Mid Mount

		758354	Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$10,862.00
--	--	--------	---	--	--	-------------

AUTO GUIDANCE
AUTO GUIDANCE READY
SD T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer CUSTOMSTEER# OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle			\$5,319.00

**T6 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**
SD_T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)			\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,502.00
		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$20,247.00

WEIGHTS
FRONT WEIGHTS
SD_T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
		758519	Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478			\$2,865.00

**T6 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**
REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
--	--	--------	--	--	--	------------

CAB OPTION
CLIMATE CONTROL

SD T9230 CLIMATE CONTROL

		758482	Air Conditioning W/ATC			\$729.00
--	--	--------	------------------------	--	--	----------

LIGHTS

SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MISCELLANEOUS
FENDERS REAR

SD T8700 FENDERS

		743707	Full Cover			No Charge
--	--	--------	------------	--	--	-----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

T6 AUTO COMMAND - LESS FASTPICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Auto Command# CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

MODELS

T6.145

Rated PTO HP # 95
Rated Engine HP # 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP # 110
Rated Engine HP # 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
ENGINE Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command# CVT with
column-mounted power shuttle
Command Grip# multi-function controller
Infinite speed from 0 to 25 MPH (Opt.31 MPH / 50 KPH)
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle controls
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

**T6 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**

Standard Equipment

CAB

 High Roof w/ Opening Visibility Panel
 and Sunshade
 Flat Deck Platform with Integrated ROPS
 Standard Air Conditioner and Heater
 with 4-Speed Pressurizer and
 dual zone air conditioning
 Two doors with Locks
 Two-speed Intermittent Front
 Wiper/Washer
 Rear Intermittent Wiper/Washer
 Hinged Rear Window
 Tinted Glass with Sunshade
 Tilt and Telescoping Steering Wheel
 IntelliView# IV disp. mtd. on arm rest
 Deluxe Low Frequency Air Suspension
 Seat with Operator Presence Switch,
 Lap Belt and Swivel Headrest
 Instructor Seat
 Deluxe radio
 Digital clock
 Integral ROPS
 Interior dome light
 (2) External courtesy lights
 (2) External telescopic remote
 adjustable, heated mirrors
 Horn
 Std steering wheel & floor mat
 ISOBUS connector

STEERING & BRAKES

 Hydrostatic power steering
 Hydraulic wet disc brakes
 (self-equalizing/self-adjusting)
 Parking brake (automotive style)

FRONT AXLE

 Front FWD (TerraLock#)
 Class 4 heavy-duty FWD axle
 55-degree turning angle
 Dual steering cylinders
 8-degree axle oscillation
 Adjustable tread width from 62.2 in. to
 92 in. (varies by tire size)
 Electrohydraulic FWD engagement
 TerraLock# Auto FWD/Diff-Lock
 Driveshaft shield

REAR AXLE

 Heavy-duty flange axle
 Wet plate differential lock
 Electrohydraulic-engaged dif. lock

ELECTRICAL

 (1) 12-volt 1300 CCA battery
 120-amp alternator
 Geared starter motor (4.2 kW)
 7-pin outlet for implement lighting
 3-pin 40-amp implement socket
 ISO/JD (30 amp) socket
 15 amp screw-type +/- terminals
 Single pin (8 amp) accessory outlet
 Cigarette lighter
 (2) single-pin outlets for beacon on roof
 Battery boost terminals
 ISOBUS Class 3 Basic Speed Control

**T6 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
 (8) LED high front & rear
 (4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

PTO

Independent 540/1000 RPM PTO with
 reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
 soft start/auto feathering
Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(3) electro-hydraulic rear remote valves
controlled in SideWinder II# console
(fully programmable)
Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
 operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control#
Category II flex link ends
Telescopic stabilizers
9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams
MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T6 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT T4B	15,245 LB		\$143,246.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.165 AC CVT T4B	15,245 LB		\$163,708.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.175 AC CVT T4B	15,245 LB		\$170,529.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 AC CVT T4B	15,245 LB		\$176,194.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0475XX	LESS PACKAGING			No Charge
--	--	---------	----------------	--	--	-----------

CAB CONFIGURATION

SUSPENDED CAB

SD_T9200 OPERATOR STRUCTURE #1

		758480	Suspended Cab w/Heated Screens Cab Suspension with defrost elements on front and rear windows Requires 200 Amp alternator			\$507.00
--	--	--------	---	--	--	----------

ENGINE

ALTERNATOR SELECTION

SD_T1040 CHARGING SYSTEMS

		758557	150 AMP_Alternator			\$155.00
		758558	200 AMP_Alternator Required when ordering 758480 Suspended Cab w/Heated Screens			\$240.00

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--	--------	--	--	--	----------

FUEL TANK GUARD

SD_T1400 FUEL TANK

		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liter compacity			\$235.00
--	--	--------	---	--	--	----------

**T6 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**
TRANSMISSION

SD_T2800 SPEED

		758549	50KPH ECO CVT Requires suspended front axle 758427 or 758428			\$1,410.00
--	--	--------	--	--	--	------------

FRONT AXLE

SD_T4010 FRONT AXLE

Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water -SuperSteer front axle with TerraLock traction management system. -Includes multi-plate differential lock. -Incompatible with Autoguidance			\$4,705.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and brakes. Incompatible with 34" rear wheels			\$7,602.00

REAR AXLE

SD_T3200 REAR AXLE

		758538	HD 98" Bar Axles - Steel Wheel			\$1,489.00
--	--	--------	--------------------------------	--	--	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330446	Firestone			\$560.00
		330439	Continental			\$560.00
		330442	Michelin			\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Class 4						
		8299906	Front Shipping Wheels			\$1,469.00
Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38			\$2,686.00

**T6 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**

	8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00
	8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
	8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
	8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$3,429.00
	8866501	400/80R28 Fixed CIs 4 Alliance Requires 480/80 R38 Municipality			\$3,726.00

REAR WHEELS & TIRES
SD T4950 REAR WHEELS AND TIRES
Flange and Bar - Steel

	8328401	460/85(18.4)R38 R1W-MIFITRICO Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
	8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims			\$7,737.00
	8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$7,875.00
	8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
	8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims			\$6,214.00
	8919401	480/80R38 Alliance Matching Front Tire - 400/80 R28 Municipality - 8866501 (Class 4 Axle)Fixed steel rims			\$7,006.00

**T6 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**
HYDRAULICS
REAR REMOTE VALVES
SD T8270 REAR REMOTES

		743686	3 Elect Hyd. Rear Remote Valve 3 electro-hydraulic rear remotes			No Charge
		743733	4 Elect Hyd. Rear Remote Valve 4 electro-hydraulic rear remote valves			\$1,231.00
		758359	4-Elec Rear Remotes F/ Pwr Byd 4 electro-hydraulic rear remotes for power beyond Requires 758542 power beyond plus low pressure return			\$2,005.00

AUXILLARY FUNCTIONS
SD T8275 POWER BEYOND COUPLE

		758542	Power Beyond + Low-Pressure Power beyond coupler and low pressure return Incompatible with 743733 4 electro-hydraulic rear remote option			\$769.00
--	--	--------	--	--	--	----------

COMPLETE LOADER READY
SD T8110 LOADER BRACKETS
Electro-Hydraulic Mid Mount

		758353	Loader Ready + 2 EH MMV + Joy Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and verticle two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$9,353.00
		758354	Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$10,862.00

**T6 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**
Engine Side Rails

		758478	Engine Side Rails Not for loader mounting.			\$973.00
--	--	--------	--	--	--	----------

3-POINT HITCH
FRONT 3 POINT HITCH
SD T8100 FRONT THREE POINT HITCH

		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,777.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,571.00

SD T8300 HOSES FOR FHPL
Hoses less Front Couplers

		758474	Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes			No Charge
		758475	Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready			No Charge

Hoses with Front Couplers

		758544	Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready			\$193.00
--	--	--------	--	--	--	----------

**T6 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**
AUTO GUIDANCE

AUTO GUIDANCE READY

SD T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer CUSTOMSTEER# OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle			\$5,319.00

SD T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)			\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,502.00
		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$20,247.00

**T6 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
		758519	Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478			\$2,865.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
--	--	--------	--	--	--	------------

CAB OPTION

CLIMATE CONTROL

SD T9230 CLIMATE CONTROL

		758482	Air Conditioning W/ATC			\$729.00
--	--	--------	------------------------	--	--	----------

SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

SEATS

SD T8500 SEAT

		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara Seat swivel: 10 degrees left and 20 degrees right.			\$1,955.00
--	--	--------	---	--	--	------------

**T6 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**
LIGHTS
SD_T9130 WORK LAMPS

		758596	16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$1,568.00
--	--	--------	---	--	--	------------

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

MONITOR BRACKETS
SD_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket. Monitor mounting bracket			\$150.00
		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV Requires ISOBUS socket 743795, 758561 or 758624			\$5,825.00

MISCELLANEOUS
FENDERS FRONT
SD_T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm)			\$786.00
--	--	--------	--	--	--	----------

FENDERS REAR
SD_T8700 FENDERS

		743707	Full Cover			\$725.00
--	--	--------	------------	--	--	----------

RADAR
SD_T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------



**T6 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

OTHER

SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with isolator			\$438.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue# HI-eSCR Tier4B emissions system
- Auto Command# CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

MODELS

T6.175

Rated PTO HP # 120
Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP # 125
ENGINE Rated Engine HP # 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM # 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue# HI-eSCR Tier4B system
Engine with Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command# CVT with column-mounted power shuttle
Command Grip# multi-function controller
Infinite speed from 0 to 25 MPH (Opt.31 MPH / 50 KPH)
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle controls
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS
Automatic Temperature Control
with 4-Speed Pressurizer and
dual zone air conditioning
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Leather Tilt and Telescoping Steering
Wheel
IntelliView# IV disp. mtd. on arm rest
Alcant Blue PowerAir Suspension Seat
with Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe radio
Digital clock
Integral ROPS
Interior dome light
(2) External courtesy lights
(2) External telescopic remote
adjustable, heated mirrors
Horn
Std steering wheel & floor mat
ISOBUS connector

STEERING & BRAKES

Hydrostatic power steering
Hydraulic wet disc brakes
(self-equalizing/self-adjusting)
Parking brake (automotive style)

FRONT AXLE

Front FWD (TerraLock#)
Class 4 heavy-duty FWD axle
55-degree turning angle
Dual steering cylinders
8-degree axle oscillation
Adjustable tread width from 62.2 in. to
92 in. (varies by tire size)
Electrohydraulic FWD engagement
TerraLock# Auto FWD/Diff-Lock
Driveshaft shield

REAR AXLE

Heavy-duty flange axle
Wet plate differential lock
Electrohydraulic-engaged dif. lock

ELECTRICAL

(1) 12-volt 1300 CCA battery
200-amp alternator
Geared starter motor (4.2 kW)
7-pin outlet for implement lighting
3-pin 40-amp implement socket
ISO/JD (30 amp) socket
15 amp screw-type +/- terminals
Single pin (8 amp) accessory outlet
Cigarette lighter
(2) single-pin outlets for beacon on roof
Battery boost terminals
ISOBUS Class 3 Basic Speed Control

**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(16) LED cab mounted work lights
 (12) LED high front & rear
 (4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

PTO

Independent 540/1000 RPM PTO with
 reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
 soft start/auto feathering
Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(3) electro-hydraulic rear remote valves
controlled in SideWinder II# console
(fully programmable)
Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
 operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control#
Category II flex link ends
Telescopic stabilizers
9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.175 AC CVT T4B	15,245 LB		\$170,529.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		
T6.180 AC CVT T4B	15,245 LB		\$176,194.00
Includes the following Equipment			
380/85(14.9)R28R1W HD-MIFI (8241901)	\$2,686.00		
460/85(18.4)R38 R1W-MIFITR (8328401)	\$5,592.00		

**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0475XX	LESS PACKAGING			No Charge
--	---------	----------------	--	--	-----------

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

	758320	BLUE POW. SPEC. ED. Blue Power Special Edition Available on T6.175 or T6.180 ONLY Includes: Distinct Midnight Blue Color with Silver Accents 759154 2 Tele/Heat/Rem/Adj Mirrors 759384 SDLX HTD Alcant Blue Power Seat 758596 16 LED High Power Lights 758482 Air Conditioning w/ATC 758483 Leather Steering Wheel & Carpet 758558 200 AMP Alternator			\$9,686.00
--	--------	---	--	--	------------

SUSPENDED CAB

SD_T9200 OPERATOR STRUCTURE #1

	758480	Suspended Cab w/Heated Screens Cab Suspension with defrost elements on front and rear windows Requires 200 Amp alternator			\$507.00
--	--------	---	--	--	----------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$405.00
--	--------	--	--	--	----------

**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

FUEL TANK GUARD

SD T1400 FUEL TANK

		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liter compacity			\$235.00
--	--	--------	---	--	--	----------

TRANSMISSION

SD T2800 SPEED

		758549	50KPH ECO CVT Requires suspended front axle 758427 or 758428			\$1,410.00
--	--	--------	--	--	--	------------

FRONT AXLE

SD T4010 FRONT AXLE

Class 4 SuperSteer FWD Axle						
		758429	Class 4 SuperSteer L/Water -SuperSteer front axle with TerraLock traction management system. -Includes mult-plate differential lock. -Incompatible with Autoguidance			\$4,705.00
Class 4 Suspended FWD Axle						
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes mult-plate differential and brakes. Incompatible with 34" rear wheels			\$7,602.00

REAR AXLE

SD T3200 REAR AXLE

		758538	HD 98" Bar Axles - Steel Wheel			\$1,489.00
--	--	--------	--------------------------------	--	--	------------

TIRES

BRAND CHOICE

SD T4900 TIRE CATEGORY CHOICE

		330442	Michelin			No Charge
--	--	--------	----------	--	--	-----------

T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST
FRONT WHEELS & TIRES
SD_T4940 FRONT WHEELS AND TIRES

Class 4 FWD Axle						
		8241901	380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38			\$2,686.00
		8825501	480/65R28 R1W MI-CM Requires 600/65 R38			\$3,048.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$3,225.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$3,420.00
		8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$3,429.00

REAR WHEELS & TIRES
SD_T4950 REAR WHEELS AND TIRES

Flange and Bar - Steel						
		8328401	460/85(18.4)R38 R1W-MIFITRCO Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$5,592.00
		8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims			\$7,737.00
		8949401	600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$7,875.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$6,068.00
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims			\$6,214.00

T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST
HYDRAULICS
REAR REMOTE VALVES
SD T8270 REAR REMOTES

		743686	3 Elect Hyd. Rear Remote Valve 3 electro-hydraulic rear remotes			No Charge
		743733	4 Elect Hyd. Rear Remote Valve 4 electro-hydraulic rear remote valves			\$1,231.00
		758359	4-Elec Rear Remotes F/ Pwr Byd 4 electro-hydraulic rear remotes for power beyond Requires 758542 power beyond plus low pressure return			\$2,005.00

AUXILLARY FUNCTIONS
SD T8275 POWER BEYOND COUPLE

		758542	Power Beyond + Low-Pressure Power beyond coupler and low pressure return Incompatible with 743733 4 electro-hydraulic rear remote option			\$769.00
--	--	--------	--	--	--	----------

COMPLETE LOADER READY
SD T8110 LOADER BRACKETS
Electro-Hydraulic Mid Mount

		758353	Loader Ready + 2 EH MMV + Joy Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and verticle two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$9,353.00
		758354	Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$10,862.00

**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**
Engine Side Rails

		758478	Engine Side Rails Not for loader mounting.			\$973.00
--	--	--------	--	--	--	----------

3-POINT HITCH
FRONT 3 POINT HITCH
SD T8100 FRONT THREE POINT HITCH

		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,777.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,571.00

SD T8300 HOSES FOR FHPL
Hoses less Front Couplers

		758474	Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes			No Charge
		758475	Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready			No Charge

Hoses with Front Couplers

		758544	Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready			\$193.00
--	--	--------	--	--	--	----------

**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**
AUTO GUIDANCE

AUTO GUIDANCE READY

SD T6300 STEERING OR AUTOGUIDANCE READY

		759186	Variable Ratio Steer CUSTOMSTEER# OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,888.00
		759185	Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle			\$5,319.00

SD T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1)			\$14,756.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,502.00
		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$20,247.00

**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD T2150 FRONT BALLAST

		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$261.00
		758519	Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700			\$1,758.00
		758520	Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478			\$2,865.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,198.00
--	--	--------	--	--	--	------------

CAB OPTION

CLIMATE CONTROL

SD T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$206.00
--	--	--------	-----------------------	--	--	----------

LIGHTS

SD T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$418.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$836.00

**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**
MONITOR BRACKETS
SD T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket. Monitor mounting bracket			\$150.00
		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV Requires ISOBUS socket 743795, 758561 or 758624			\$5,825.00

MISCELLANEOUS
FENDERS FRONT
SD T8740 FRONT FENDERS

		758505	Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm)			\$786.00
--	--	--------	--	--	--	----------

FENDERS REAR
SD T8700 FENDERS

		743707	Full Cover			\$725.00
--	--	--------	------------	--	--	----------

RADAR
SD T7580 RADAR

		758501	Radar NAR			\$818.00
--	--	--------	-----------	--	--	----------

OTHER
SD T7420 BATTERY

		758409	HD Battery W/Isolator 176AH Heavy duty battery with isolator			\$438.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS
SD T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge