

**T4F SERIES SPECIALTY TRACTORS
US PRICE LIST**

Standard Equipment

T4.80F
74 Gross Engine hp
65 PTO hp @ 1900 rpm
204 cu. in. (3.4L) Displacement
4 Cylinder Turbocharged Intercooled Engine

T4.90F
84 Gross Engine hp
75 PTO hp @ 1900 rpm
204 cu. in. (3.4L) Displacement
4 Cylinder Turbocharged Intercooled Engine

T4.100F
98 Gross Engine hp
86 PTO hp @ 1900 rpm
204cu. in. (3.4L) Displacement
4 Cylinder Turbocharged Intercooled Engine

T4.110F
106 Gross Engine hp
93 PTO hp @ 1900 rpm
204cu. in. (3.4L) Displacement
4 Cylinder Turbocharged Intercooled Engine

ALL MODELS
U.S. - EPA Tier 4A Emissions Compliant
Diesel Oxidation Catalyst
Bosch Fuel Injection Pump
Electric Engine Shutoff
Electric Battery Isolator
Constant Enging RPM Management
Hand and Foot Throttle Controls
Fuel Cooler & Grid Heater
Dual Element Air Filter
Under Hood Muffler
Horizontal Exhaust
25-gallon Fuel Capacity

CLUTCH/TRANSMISSION
11 in. Cerametallic Driveline Clutch
16F x 16R (4 ranges of 4 synchronized gears)
Synchronized Mechanical Shuttle

SUPERSTEER# FWD
Automatic FWD Management System
76° Turn Angle
11° Axle Oscillation
40 KPH

2WD FRONT AXLE
55° Turn Angle
11° Axle Oscillation
30 KPH

STEERING/BRAKES
Hydrostatic Power Steering
Hydraulic Wet Disc Brakes (equalizing and self-adjusting)
Independent Park Brake - hand operated

DIFFERENTIAL LOCK:
Electrohydraulic Engaged Front and Rear

REAR PTO
11 in. Cerametallic PTO Clutch
Independent, 540/540E RPM
Hydraulic Servo-Assist Engagement
Flip-up PTO Shaft Guard

3-POINT LIFT SYSTEM
(2) Lever Controls (one for position, one for draft)
4045 lbs. Lift Capacity (SAE) 24" behind Category II Fixed Link Ends
Telescopic Stabilizers
Lower Link Draft Sensing
Fast Raise/Lower Control:
Lift-O-Matic Plus (Cab Models Only)
Lift-O-Matic (ROPS Models Only)

**T4F SERIES SPECIALTY TRACTORS
US PRICE LIST**

Standard Equipment

INSTRUMENTATION

Electronic Instrument Cluster with Digital
Readout for PTO rpm and Ground
Speed

HYDRAULIC SYSTEM

Open Center System
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
16.9 gpm Implement Pump
9.2 gpm Steering Pump
(3) Rear Open Center Remote Valves
with Quick Release Couplers

OPERATOR'S STATION: ROPS

Foldable Midmount Roll Bar with 2
lift assist rams and 2 grab rails
Isolation Mounted Platform
Tilt and Telescopic Steering Wheel
Vinyl Seat Cover with Operator's
Presence Sensor
Retractable Seat Belt

OPERATOR'S STATION: CAB

BLUE CAB
Deluxe Cab with Heater and Air
Conditioner
(2) Cab External Air Filters (pollen filters)
(2) Cab Interior Recirculation Filters
Isolation Mounted Cab
Integral ROPS
(2) Doors with Locks
Tinted Glass
Hinged Rear Window
Rear Cab Access Panel for
Control/Monitor Box or Wiring harness
Front Wiper and Washer
Rear Wiper and Washer
Tilt and Telescoping Steering Wheel
Interior Rearview Mirror
Cloth Seat Cover with operator's
presence sensor
Retractable Seat Belt

LIGHTING

(2) Halogen Front Headlights
Turn Signals/Flashers
(1) Rear Worklight - ROPS
(2) Front and (2) Rear Worklights - CAB

ELECTRICAL

(1) 12-volt, 800 cca Battery
120 amp Alternator
7-Pin Outlet for Trailer/Implement
Lighting
4-Pin Power Outlet (40 amp)
Single Pin (8 amp) Accessory Power
Outlet

MISCELLANEOUS

Pivoting one piece Engine Hood
Swinging Drawbar with Clevis Hitch
Lower Fuel Tank Protection Shield
Front Weight Carrier + 6 88lb Weights
SMV Emblem
Toolbox

FRONT PTO/3-POINT LIFT SYSTEM

THIS IS NOT STANDARD EQUIPMENT
IT IS A FACTORY INSTALLED OPTION
Independent, 1000 rpm
6-spline Shaft (not interchangeable)
Push/Pull Engagement Switch
PTO Shaft Rotation Direction is
counterclockwise when facing shaft
(shaft rotation does not comply to
ASAE S203.13)
3-Point Lift System
Electronically-controlled (rocker switch)
Hydraulic Lift
Electronic-controlled Raise and Lower
Lift Positions
Open-end Ball Receiver-type Lift Link
and Top Link Ends
(1) Set of 3 Implement Attachment
Balls
Removable Lift Arms and Top Link
WARRANTY
New Holland Standard Warranty Applies

**T4F SERIES SPECIALTY TRACTORS
 US PRICE LIST**
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T4.80F T4A	Rops	6,834 LB		\$63,637.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				
T4.80F T4A	Cab	7,672 LB		\$76,416.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				
T4.90F T4A	Rops	7,672 LB		\$66,807.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				
T4.90F T4A	Cab	8,157 LB		\$79,586.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				
T4.100F T4A	Rops	7,672 LB		\$69,414.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				
T4.100F T4A	Cab	8,157 LB		\$82,193.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				
T4.110F T4A	Rops	7,672 LB		\$72,078.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				
T4.110F T4A	Cab	8,157 LB		\$84,857.00
Includes the following Equipment 280/70R20 HD RIMS NH (8811402) \$1,354.00 420/70R28 A8 (8951401) \$2,471.00				

**T4F SERIES SPECIALTY TRACTORS
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

POWER TRAIN

TRANSMISSION

SD T2810 TRANSMISSION

	743381	16x16 Synchro Shuttle 16x16 Mechanical Shuttle			No Charge
	743509	16x16 Power Shuttle			\$2,258.00
	330273	32+16 Hi-Lo&P.S.+Pw 32x16 - 16x16 with HiLo, de-clutch button NOT Compatible with 2WD			\$4,788.00

AXLES

SD T4010 FRONT AXLE

	743515	2WD Front Axle 30 KPH max speed			(\$5,810.00)
--	--------	---	--	--	--------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

Two Wheel Drive					
	8112301	7.00-12 6PR F2			\$562.00
	8122404	11L-15 8PR F3			\$737.00
	8110401	6.50-16 8PR F2			\$469.00
	8111401	7.50-16 8PR F2			\$517.00
	8199801	Non-Return Ship Wheels - 2WD			\$102.00
Four Wheel Drive					
	8808401	280/70R16 A8 Requires 380/70R20 Rear Tires NOT comptatible with front 3 point hitch			\$1,214.00
	8816401	280/70R16 .A8 Requires 380/70R24 Rear Tires			\$1,214.00
	8809401	280/70R18 A8 Requires 420/70R24 Rear Tires			\$1,380.00
	8811402	280/70R20 HD RIMS NH Requires 420/70R28 Rear Tires			\$1,354.00
	8214504	10.5/80-18 10PR (I3) Requires 19.5L24 R4 Rear Tires			\$1,760.00

**T4F SERIES SPECIALTY TRACTORS
 US PRICE LIST**

		8299801	Non-Return Ship Wheels - 4WD Shipping wheels for 20" rear shipping wheels			\$100.00
		8299802	Non-Return Shipping Wheels-4WD Shipping Wheels for 24", 28" or 30" rear shipping wheels			\$100.00

REAR
SD T4950 REAR WHEELS AND TIRES

		8921401	380/70R20 A8 Requires 280/70R16 4WD or 7.00-12 2WD Front Tires Requires rear fender extensions Requires hydraulic adjustable top link NOT compatible with front 3 point hitch NOT compatible with 540/540E PTO			\$2,302.00
		8938401	380/70R24 A8 Requires 280/70R16 4WD or 6.50-16 2WD Front Tires			\$1,920.00
		8940401	420/70R24 A8 Requires 280/70R18 4WD or 6.50-16 2WD Front Tires			\$2,300.00
		8951401	420/70R28 A8 Requires 280/70R20 4WD or 7.5-16 2WD Front Tires			\$2,471.00
		8391904	19.5L-24 10 PR R4 Requires 10.5/80-18 10PR 4WD or 11L-15 F3 2WD Front Tires			\$2,674.00
		8399701	Non-Returnable Ship Wh 20" Rear shipping wheels for 20" rear tires.			\$573.00
		8399801	Non-Returnable Shipping Wheel Rear shipping wheels for 24" 28" or 30" rear tires.			\$573.00

HYDRAULICS
REAR REMOTES
SD T8270 REAR REMOTES

		759023	3 Remotes - 6 Couplers 3 open center rear remotes - Flow control on 1st valve (6 total couplers)			No Charge
		759025	3 Remotes - 1 Diverter 3 Open center, load sensing rear remotes with 1 diverter (8 total couplers, 1 set of couplers operated by a diverter button on the remote lever) Requires 21.1 gpm pump Requires electronic draft control			\$1,633.00

**T4F SERIES SPECIALTY TRACTORS
 US PRICE LIST**
PUMP

SD T8230 HYD PUMP

		759011	SUPER MEGA HYD PUMP 21.1 gpm pump (Cab ONLY) Requires electronic draft control Requires 3 rear remotes with diverter NOT compatible with 2WD			\$699.00
--	--	--------	--	--	--	----------

MID-MOUNT

SD T8280 MID-MOUNT VALVES

		759863	2EL.HYD.MMV-TWO 8AMP Electronic mid mount valve and joystick with (2) 8 amp sockets for 16.9 gpm pump - 2 joystick controlled remotes (4 couplers) with flow control - 1 rocker switch controlled remote (2 couplers) dedicated for hydraulic motors with a max flow rate of 5 gpm Cab Only NOT compatible with Front-end Loader			\$5,150.00
		759864	2EL.HYD.MMV 80L.8AMP Electronic mid mount valve and joystick with (2) 8 amp sockets for 21.1 gpm pump - 2 joystick controlled remotes (4 couplers) with flow control - 1 rocker switch controlled remote (2 couplers) dedicated for hydraulic motors with a max flow rate of 5 gpm Cab Only Requires electronic draft control Requires 3 remotes with 1 diverter NOT compatible with Front-end Loader			\$5,150.00

ENGINE
MUFFLERS

SD T1510 ENGINE EXHAUST

		331151	Vert Exhaust w/guard			\$128.00
--	--	--------	----------------------	--	--	----------

PTO
REAR PTO

SD T8010 PTO

		333804	540/540 E Shiftable NOT Compatible with 20" rear tires			No Charge
--	--	--------	--	--	--	-----------

**T4F SERIES SPECIALTY TRACTORS
US PRICE LIST**

		330808	540/1000 RPM Mechanical PTO. 540/1000 RPM PTO			\$524.00
--	--	--------	---	--	--	----------

HITCH

REAR 3 POINT HITCH

SD T8200 HITCH

		743523	Electronic Draft Control_EDC Electronic Draft Control Cab ONLY			\$1,796.00
--	--	--------	--	--	--	------------

SD T8960 DRAWBAR AND 3 POINT HITCH

		336904	L/Three Point Hitch Linkage Deletes 3 point hitch, lower links, stabilizers and top link			(\$788.00)
--	--	--------	--	--	--	------------

CAB OR ROPS PLATFORM

CAB TRIM

SD T9200 OPERATOR STRUCTURE #1

		759031	CAB - Air Cond 759031 Cab with Level 2 Protection Cab Includes: Heat and air conditioning, tilt and telescopic steering wheel, internal mirror, radio ready, 2 openable doors and openable windshield			No Charge
		759033	CAB - Air Cond 759033 Blue Cab4 Cab with Level 4 Protection Cab protection complies with the following European Standards: EN 15695-2:2009 Category 4 Filter EN 15695-1:2009 Category 4 Cab Cab Includes: Double filtration system: Category 2 and Category 4 Filter Category 4 monitor Heat and air conditioning, tilt and telescopic steering wheel, internal mirror, radio, 2 openable doors and opening front windshield.			\$3,164.00

OPERATORS SEAT

SD T8500 SEAT

		337859	Deluxe Fabric Seat w/Air Susp Cab ONLY			\$998.00
--	--	--------	--	--	--	----------

**T4F SERIES SPECIALTY TRACTORS
 US PRICE LIST**

		759506	PREMIUM PNEUMAT.SEAT Premium Air Suspension Seat (Cab ONLY) This seat is bigger than the standard T4V seat and requires the following options to prevent control interference: - 743523 Electronic Draft Control - 759025 3 Rear remotes with 1 Diverter - 759011 21.1 GPM hydraulic pump			\$1,205.00
--	--	--------	---	--	--	------------

WEIGHTS

REAR

SD T4961 REAR BALLAST

		744134	Wheel weights NOT compatible with 20" wheels 6-70 lbs (420 lbs) weights on 24" wheels 4-110 lbs (440lbs) weights on 28" wheels			\$682.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		341343	402 - 702 NO341343 Spanish Operators Manual			No Charge
		341342	402 - 702 NO341342 French Operators Manual			No Charge

**T4V SERIES SPECIALTY TRACTORS
US PRICE LIST**

Standard Equipment

T4.80V
74 Gross Engine hp
65 PTO hp @ 1900 rpm
204 cu. in. (3.4L) Displacement
4 Cyl Turbocharged Intercooled Eng

FRONT AXLE:
2WD
57° Turn Angle
8° Axle Oscillation
30KPH

T4.90V
84 Gross Engine hp
75 PTO hp @ 1900 rpm
204 cu. in. (3.4L) Displacement
4 Cyl Turbocharged Intercooled Eng

FWD
Electrohydraulic FWD Engagement
55° Turn Angle
8° Axle Oscillation
40KPH

T4.100V
98 Gross Engine hp
86 PTO hp @ 1900 rpm
204 cu. in. (3.4L) Displacement
4 Cyl Turbocharged Intercooled Eng

STEERING/BRAKES:
Hydrostatic Power Steering
Hydraulic Wet Disc Brakes (equalizing
and self-adjusting)
Independent Park Brake - hand
operated

T4.110V
106 Gross Engine hp
93 PTO hp @ 1900 rpm
204 cu. in. (3.4L) Displacement
4 Cyl Turbocharged Intercooled Eng

DIFFERENTIAL LOCK:
2WD
Electrohydraulic Engaged Rear
FWD
Electrohydraulic Engaged
Front and Rear

ALL MODELS
U.S. - EPA Tier 4A Emissions Compliant
Diesel Oxidation Catalyst
Bosch Fuel Injection Pump
Electric Engine Shutoff
Electric Battery Isolator
Constant Engine RPM Management
Hand and Foot Throttle Controls
Fuel Cooler & Grid Heater
Dual Element Air Filter
Under Hood Muffler
Horizontal Exhaust
18 gallon Fuel Capacity

HYDRAULIC SYSTEM:
Open Center System
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
16.9 gpm Implement Pump
9.2 gpm Steering Pump
(3) Rear Open Center Remote Valves
with Quick Release Couplers

CLUTCH/TRANSMISSION:
11 in. Cerametallic Driveline Clutch
16F x 16R (4 ranges of 4 synchronized
gears)
Synchronized Mechanical Shuttle

PTO
11 in. Cerametallic PTO Clutch
Independent, 540/540E rpm
Hydraulic Servo-Assist Engagement
Fixed PTO Shaft Guard

**T4V SERIES SPECIALTY TRACTORS
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM

(2) Lever Controls (one for position,
one for draft)
4045 lbs. Lift Capacity (SAE)
Category II Fixed Link Ends - convertible
Width to Category I and IN
Adjustable Stabilizer Plates with screw
type limiters
Lower Link Draft Sensing
Fast Raise/Lower Control:
Lift-O-Matic Plus (Cab Models Only)
Lift-O-Matic (ROPS Models Only)

INSTRUMENTATION:

Electronic Instrument Cluster with Digital
Readout for PTO rpm and Ground
Speed

ELECTRICAL:

(1) 12-volt, 800 cca Battery
120 amp Alternator
7-Pin Outlet for Trailer/Implement
lighting
4-Pin Power Outlet (40 amp)
Single Pin (8 amp) Accessory Power
outlet

LIGHTING:

(2) Halogen Front Headlights
Turn Signals/Flashers
(1) Rear Worklight - ROPS
(2) Front and (2) Rear Halogen
Worklights - CAB

OPERATOR'S STATION: ROPS

Foldable Midmount Roll Bar with 2
lift assist rams and 2 grab rails
Isolation Mounted Platform
Tilt and Telescopic Steering Wheel
Vinyl Seat Cover with Operator's
Presence Sensor

OPERATOR'S STATION: CAB

BLUE CAB
Deluxe Cab with Heater and Air
Conditioner
(2) Cab External Air Filters
(pollen filters)
(2) Cab Interior Recirculation Filters
Isolation Mounted Cab
Integral ROPS
(2) Doors with Locks
Tinted Glass
Hinged Rear Window
Rear Cab Access Panel for
Control/Monitor Box
or Wiring Harness Entrance
Front Wiper and Washer
Tilt and Telescoping Steering Wheel
Interior Rearview Mirror
Radio Ready includes speakers,
antenna and wiring
Cloth Seat Cover with operator's
presence sensor

MISCELLANEOUS:

Pivoting Engine Hood
Engine Compartment Side Protection
Shields
Swinging Drawbar with Clevis Hitch
Front Weight Carrier + 6 55lb Weights
Lower Fuel Tank Protection Shield
SMV Emblem

WARRANTY:

New Holland Standard Warranty Applies

**T4V SERIES SPECIALTY TRACTORS
 US PRICE LIST**
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T4.80V T4A	Rops	6,096 LB		\$58,629.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				
T4.80V T4A	Cab	6,096 LB		\$70,518.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				
T4.90V T4A	Rops	7,672 LB		\$61,799.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				
T4.90V T4A	Cab	7,672 LB		\$73,688.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				
T4.100V T4A	Rops	8,000 LB		\$64,406.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				
T4.100V T4A	Cab	8,157 LB		\$76,295.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				
T4.110V T4A	Rops	7,672 LB		\$67,070.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				
T4.110V T4A	Cab	8,157 LB		\$78,959.00
Includes the following Equipment				
8.0/75-15 6PR R1 (8260301) \$815.00				
11.2R24 A8 (8337401) \$1,191.00				



**T4V SERIES SPECIALTY TRACTORS
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

POWER TRAIN

TRANSMISSION

SD T2810 TRANSMISSION

	743381	16x16 Synchro Shuttle 16x16 Mechanical Shuttle			No Charge
	743509	16x16 Power Shuttle			\$2,258.00
	330273	32+16 Hi-Lo&P.S.+Pw 32x16 - 16x16 with HiLo, de-clutch button NOT Compatible with 2WD			\$4,757.00

AXLES

SD T4010 FRONT AXLE

	743515	2WD Front Axle NOT Available on T4.110V NOT Compatible with 32x16 transmission NOT Compatible with 20" rear tires			(\$5,810.00)
--	--------	---	--	--	--------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

Two Wheel Drive					
	8199801	Non-Return Ship Wheels - 2WD Requires rear shipping wheel			\$102.00
	8112301	7.00-12 6PR F2 Requires 11.2R24 or 360/70R24 Rear Tires			\$562.00
	8109401	6.00-16 8PR F2 Requires 360/70R28 Rear Tires			\$328.00
Four Wheel Drive					
	8260301	8.0/75-15 6PR R1 Requires 11.2R24 Rear Tires			\$815.00
	8814401	240/70R16 A8 Requires 360/70R24 Rear Tires			\$1,261.00
	8808401	280/70R16 A8 Requires 360/70R28 Rear Tires			\$1,214.00
	8299801	Non-Return Ship Wheels - 4WD Requires rear shipping wheel			\$102.00

**T4V SERIES SPECIALTY TRACTORS
 US PRICE LIST**
REAR
SD_T4950 REAR WHEELS AND TIRES

		8337401	11.2R24 A8 280/85R24 Requires 8.0/75-15 4WD or 7.00-12 2WD Front Tires			\$1,191.00
		8935401	360/70R24 A8 Requires 240/70R16 4WD or 7.00-12 2WD Front Tires Requires rear fender extensions			\$2,284.00
		8948401	360/70R28 A8 4WD Front Tire - 280/70R16 (8808401) 2WD Front Tire - 6.00-16 (8109401)			\$1,957.00
		8399401	Non-Returnable Ship Wh 24" Rear shipping wheels for 24" rear tires			\$584.00
		8399801	Non-Returnable Shipping Wheel Rear shipping wheels for 28" rear tires			\$584.00

HYDRAULICS
REAR REMOTES
SD_T8270 REAR REMOTES

		759023	3 Remotes - 6 Couplers 3 open center rear remotes - Flow control on 1st valve (6 total couplers)			No Charge
		759025	3 Remotes - 1 Diverter 3 Open center rear remotes with 1 diverter (8 total couplers, 1 set of couplers operated by a diverter button on the remote lever) Cab ONLY Requires 21.1 gpm pump Requires electronic draft control			\$1,633.00

PUMP
SD_T8230 HYD PUMP

		759011	SUPER MEGA HYD PUMP 21.1 gpm pump (Cab ONLY) Requires electronic draft control Requires 3 rear remotes with diverter NOT compatible with 2WD			\$699.00
--	--	--------	--	--	--	----------

**T4V SERIES SPECIALTY TRACTORS
 US PRICE LIST**
MID-MOUNT
SD T8280 MID-MOUNT VALVES

		759863	2EL.HYD.MMV-TWO 8AMP Electronic mid mount valve and joystick with (2) 8 amp sockets for 16.9 gpm pump - 2 joystick controlled remotes (4 couplers) with flow control - 1 rocker switch controlled remote (2 couplers) dedicated for hydraulic motors with a max flow rate of 5 gpm Cab Only NOT compatible with Front-end Loader			\$5,150.00
		759864	2EL.HYD.MMV 80L.8AMP Electronic mid mount valve and joystick with (2) 8 amp sockets for 21.1 gpm pump - 2 joystick controlled remotes (4 couplers) with flow control - 1 rocker switch controlled remote (2 couplers) dedicated for hydraulic motors with a max flow rate of 5 gpm Cab Only Requires electronic draft control Requires 3 remotes with 1 diverter NOT compatible with Front-end Loader with (2) 8 amp sockets for			\$5,150.00

ENGINE
MUFFLERS
SD T1510 ENGINE EXHAUST

		331151	Vert Exhaust w/guard			\$128.00
--	--	--------	----------------------	--	--	----------

PTO
REAR PTO
SD T8010 PTO

		333804	540/540 E Shiftable			No Charge
		330808	540/1000 RPM Mechanical PTO. 540/1000 RPM PTO			\$524.00

**T4V SERIES SPECIALTY TRACTORS
 US PRICE LIST**
HITCH

REAR 3 POINT HITCH

SD T8200 HITCH

		743523	Electronic Draft Control_EDC Electronic Draft Control Cab ONLY			\$1,796.00
--	--	--------	--	--	--	------------

CAB OR ROPS PLATFORM

CAB TRIM

SD T9200 OPERATOR STRUCTURE #1

		759031	CAB - Air Cond 759031 Cab with Level 2 Protection Cab Includes: Heat and air conditioning, tilt and telescopic steering wheel, internal mirror, radio ready, 2 openable doors and openable windshield			No Charge
		759033	CAB - Air Cond 759033 Blue Cab4 Cab with Level 4 Protection Cab protection complies with the following European Standards: EN 15695-2:2009 Category 4 Filter EN 15695-1:2009 Category 4 Cab Cab Includes: Double filtration system: Category 2 and Category 4 Filter Category 4 monitor Heat and air conditioning, tilt and telescopic steering wheel, internal mirror, radio, 2 openable doors and opening front windshield.			\$3,164.00

OPERATORS SEAT

SD T8500 SEAT

		337859	Deluxe Fabric Seat w/Air Susp Cab ONLY			\$998.00
		759506	PREMIUM PNEUMAT.SEAT Premium Air Suspension Seat (Cab ONLY)			\$1,205.00

**T4V SERIES SPECIALTY TRACTORS
 US PRICE LIST**
WEIGHTS

REAR

SD T4961 REAR BALLAST

		744134	Wheel weights NOT compatible with 20" wheels 6-70 lbs (420 lbs) weights on 24" wheels 4-110 lbs (440lbs) weights on 28" wheels			\$682.00
--	--	--------	--	--	--	----------

MISCELLANEOUS

FENDERS REAR

SD T8700 FENDERS

		744478	Rear Fender & Extension Rear fenders with extensions			No Charge
--	--	--------	--	--	--	-----------

OTHER

SD T8920 VENTRAL IMPLEMENTS

		759488	VENTRAL IMPLEMENTS B Ventral Implement Bracket Cab Models ONLY When this option is selected a SMALLER capacity Fuel tank is installed (-2.4 gal). Total Fuel tank size = 15.5 gallons			\$160.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		341342	402 - 702 NO341342 French Operators Manual			No Charge
		341343	402 - 702 NO341343 Spanish Operators Manual			No Charge