

**BOOMER 24
US PRICE LIST**

Standard Equipment

BOOMER 24

24.0 Gross Engine hp @ 2500 rpm
18.5 PTO hp @ 2500 rpm (HST)

ALL MODELS

Mitsubishi S3L 3 Cyl. Diesel Engine
3 Cylinder Naturally Aspirated
Tier 4 compliant
80.4 cu. in. (1.3L) Displacement
Under Hood Muffler / Exhaust
Single Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood
6.6 gallon (25L) Fuel Tank

TRANSMISSION OPTIONS

2-Range Hydrostatic with Cruise Control
and Two-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Lever Engaged
Fixed Position Rims
Tread Setting with R4 tires
- 35.9 in. (912 mm)

REAR AXLE

Rear Differential Lock
Flange Type Axle
Fixed Position Rims
Tread Setting with R4 tires
- 38 in. (966 mm)

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Single Brake Pedal
Foot-Assist Parking Brake Latch

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 6.7 gpm (24 L/min)
Steering Pump Capacity:
- 2.5 gpm (9.5 L/min)

3-POINT LIFT SYSTEM

Lift Capacity @ 3-Point Ends:
- 1433 (lbs.) / 650 (kg)
Category I, 3-point Linkage
3-Point Control Lever
Drop Rate Control Knob
Turn-Buckle Type Leveling Mechanism
Chain Stabilizers
Fixed Link Ends

PTO

Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap
Mid PTO
- Independent 2000 rpm
- Electro-hydraulic engagement

DRAWBAR

Fixed
1-Position Extendable

ROPS PLATFORM

2-Post, Foldable Roll Bar
Contoured Cushion Seat
- Fore / Aft Adjustable
- Spring Suspension
- Seat Belt
Deluxe Floor Mat
Left Side Step
Left Side Grab Handle
Cupholder & Tray
Slow Moving Vehicle Emblem

**BOOMER 24
US PRICE LIST**

Standard Equipment

INSTRUMENT PANEL

Deluxe Automotive-Style Dash
Digital Tachometer
Analog Fuel Gauge
Analog Engine Temperature Gauge
Digital Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Quick Glow Plug Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator

ELECTRICAL

12-volt, 45Ah, 560 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
50 amp Alternator
Operator Presence System

LIGHTING

(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn
Signals

BOOMER GUARD-6 WARRANTY

Full Coverage
- 24 months or 750 total hours
Powertrain
- Additional 48 months (72 total
months) or 1500 total hours

Boomer 24 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes the installation of any 235TL loader order linked to a Boomer 24 order.

Tractor assembly and loader installation are free of charge. Freight charges will apply.

Current Inventory Only

BOOMER 24 US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
BOOMER 24	1,702 LB		\$14,904.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0283XX	BMR 24 Fast Pick			(\$318.00)
		FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 24 Package Contains: - Boomer 24 with 2 Range Hydrostatic Transmission - R4 Industrial Tires - 8266604 (Front 23x8.50-12 4 Ply) - 8317604 (Rear 12-16.5 6 Ply) Fast-Pick Implement Packages are available. Please consider the following when ordering your Boomer 24: - Loader (235TL Fast-Pick) - Mid-Mount Mower (260GMS Fast-Pick) - Front Mount Snow Blower (836GA Fast-Pick)			

FACTORY SUPPLIED OPTIONS

SD_T4940 FRONT WHEELS AND TIRES

	8151604	23 x 8.50-12 4PR R3			\$347.00
	8266604	23X8.50-12 4PR R4 Ind			\$347.00
	8199907	Less Front Wheels and Tires.			No Charge
		WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			

SD_T4950 REAR WHEELS AND TIRES

	8306804	33 x 12-16.5 4PR R3			\$661.00
	8317604	12-16.5 6PR R4 IND			\$661.00



**BOOMER 24
US PRICE LIST**

		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR TIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge
--	--	---------	---	--	--	-----------

Current Inventory Only



BOOMER 24
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	815160406	23X8.50-12 4PR R3 TURF	114 LB		\$357.00
	830680406	33X12.00-16.5 4PR R3 TURF	225 LB		\$681.00

Current Inventory Only

**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

Changes contained in 10/1/2019 pages

The following high-take-rate options
have been made standard equipment

- 720347 (2 Rear Remotes)

*Note Mid-PTO, which was previously in
standard equipment, is now a Factory
Installed Option. For Mid-PTO order
- 728025 (Mid-PTO for Boomer 35/40)

BOOMER 35 (Tier 4B Final)

35.0 Gross Engine hp @ 2600 rpm

29.7 PTO hp @ 2600 rpm (Gear)

28.0 PTO hp @ 2600 rpm (Hydro)

BOOMER 40 (Tier 4B Final)

40.0 Gross Engine hp @ 2600 rpm

34.0 PTO hp @ 2600 rpm (Gear)

32.0 PTO hp @ 2600 rpm (Hydro)

ALL MODELS

LS Model L32L19 Diesel Engine
3 Cylinder, Turbocharged Engine
Common Rail / Direct Fuel Injection
Tier 4b Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
Fuel Tank Capacity
ROPS - 10.5 gallon (40L)
Cab - 12.4 gallon (47L)

TRANSMISSION OPTIONS

12x12 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Fixed Position Rims
Tread Setting with R4 tires
- 45.6 in. (1159 mm)

REAR AXLE

Flange Type Axle
Rear Differential Lock
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
Tread Setting with R4 tires
- 46.5 in. (1283 mm)

STEERING

Hydrostatic Power Steering
Tilt Steering Column

BRAKES

Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.2 gpm (15.9 L/min)
- HST models = 5.3 gpm (19.9 L/min)
Mid-mount Hydraulic Valve & Joystick
2 Open Center Rear Remote Valves

3-POINT LIFT SYSTEM

Lift Capacity @ ball ends:
- 1808 (lbs.) / 820 (kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Turnbuckle-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

PTO - Electro-hydraulic Engagement

Rear PTO

- Independent 540 rpm
- Flip-up Shield
- Shaft Cap

Mid PTO (OPTIONAL)

- Independent 2000 rpm

DRAWBAR

Swinging

2-Position Extendable

ROPS PLATFORM

2 Post Foldable ROPS

Deluxe Vinyl Covered Seat

- Full suspension w/weight adjustment
- Fore/Aft adjustment
- Seat Belt
- Adjustable Arm Rests

Floor Mat

Left and Right Side Steps

Toolbox & Slow Moving Vehicle Emblem

CAB PLATFORM (Boomer 40)

(2) Doors

Opening Rear Window

Air Conditioning

Heater

3-speed Fan Control for heat and A/C

Single Cab Air Filter

Radio-ready with (2) speakers, wiring and antenna

Deluxe Cloth Covered Seat

- Full suspension w/weight adjustment
- Fore/Aft adjustment
- Seat Belt
- Adjustable Arm Rests

Floor Mat

Cloth Covered Headliner

Left and Right External Mounted Mirrors

Front Windshield Wiper and Washer

Left and Right Side Steps

Toolbox & Slow Moving Vehicle Emblem

INSTRUMENT PANEL

Analog Tachometer

Fuel Gauge

Coolant Temperature Gauge

Hour Meter

Engine Oil Pressure Warning Light

Battery Charge Warning Light

Cold Starting Aid Indicator Light

PTO ON Indicator Light

Parking Brake Indicator Light

Turn Indicator Lights

Hazard Flasher Indicator Lights

High Beam Headlights Indicator

Emmission Activation Indicator

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

70 amp Alternator

Operator Presence System

LIGHTING - Cab / ROPS

(2) Halogen Corner Work Lights

(2) Halogen Headlights (high/low beam)

(2) Taillights

(2) Flashers / Turn Signals

LIGHTING - Additional Cab lighting

(2) Front-mounted Cab Work Lights

(2) Rear-mounted Cab Work Lights

BOOMER GUARD-6 WARRANTY

Full Coverage

- 24 months or 750 total hours

Powertrain

- Additional 48 months (72 total months) or 1500 total hours

Boomer 35 or 40 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes the installation of any 250TLA2 loader order linked to a Boomer 35 or 40 order. Tractor assembly & loader installation are free of charge. Freight charges will apply



**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
BOOMER 35 T4B	Rops	2,870 LB		\$22,622.00
BOOMER 40 T4B	Cab	3,574 LB		\$30,003.00
BOOMER 40 T4B	Rops	2,870 LB		\$24,486.00

**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0331XX	BMR 40 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 40 Cab (T4B) Package Contains: - Boomer 40 Cab (T4B) - 729290 (3 Range Hydrostatic Transmission) - 720347 (2 Rear Remote Valves) - 728025 (Mid-PTO) - R4 Industrial Tires - 8266304 (Front 25x8.50-14 6 Ply) - 8364564 (Rear 43x16.00-20 6 Ply) Fast-Pick Implement Packages are available. Consider ordering the following with your Boomer 40 Cab (T4B): - Loader (250TLA2 Fast-Pick) - Backhoe (925GBH Backhoe Fast-Pick) - Front Mount Snow Blower (63CSHB Fast-Pick)			(\$680.00)

FACTORY SUPPLIED OPTIONS

SD_T2810 TRANSMISSION

	720110	12 x 12 Synchro-shuttle			No Charge
	729290	Hydrostatic Transmission			\$1,835.00

SD_T4940 FRONT WHEELS AND TIRES

	8199907	Less Front Wheels and Tires. WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			No Charge
	8204604	7 x 14 6PR R1 Ag Bar			\$375.00
	8266304	25 x 8.50 - 14 6PR R4			\$489.00
	8267104	25x8.50-14 10PR R3 T			\$375.00

SD_T4950 REAR WHEELS AND TIRES

	8304804	41 x 14.00-20 4PR R3			\$1,466.00
--	---------	----------------------	--	--	------------



**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

		8332604	11.2 x 24 4PR R1 Ag Bar			\$958.00
		8364564	43 x 16.00-20 R4			\$1,270.00
		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR TIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge

SD T8073 MID PTO KIT

		728025	MID PTO Mid-PTO for - Boomer 35 ROPS (Gear or HST Transmission) - Boomer 40 ROPS or Cab (Gear or HST Transmission) - Boomer 45 ROPS or Cab (Gear or HST Transmission) - Boomer 50 ROPS or Cab (Gear or HST Transmission) - Boomer 55 ROPS or Cab (Gear or HST Transmission)			\$406.00
--	--	--------	--	--	--	----------



**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	820460446	7X14 6PR R1 NH	275 LB		\$372.00
	826630476	25x8.50-14 6PR R4 NH	109 LB		\$489.00
	826710426	25X8.50-14 10 PLY TURF R3	98 LB		\$375.00
	830480486	41X14.00-20 4PR R3	581 LB		\$1,466.00
	833260436	11.2X24 4PR R1 NH	275 LB		\$949.00
	836456406	43X16-20 4PLY TL R4 NH	275 LB		\$1,270.00

**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

Changes contained in 10/1/2019 pages

The following high-take-rate options
have been made standard equipment

- 720347 (2 Rear Remotes)

*Note Mid-PTO, which was previously in
standard equipment, is now a Factory
Installed Option. For Mid-PTO order
- 728025 (Mid-PTO for Boomer 45-55)

BOOMER 45 (Tier 4B Final)

45.0 Gross Engine hp @ 2600 rpm

38.2 PTO hp @ 2600 rpm (Gear)

36.0 PTO hp @ 2600 rpm (Hydro)

BOOMER 50 (Tier 4B Final)

50.0 Gross Engine hp @ 2600 rpm

42.5 PTO hp @ 2600 rpm (Gear)

40.0 PTO hp @ 2600 rpm (Hydro)

BOOMER 55 (Tier 4B Final)

55.0 Gross Engine hp @ 2600 rpm

46.7 PTO hp @ 2600 rpm (Gear)

44.0 PTO hp @ 2600 rpm (Hydro)

ALL MODELS

LS Model L32L19 Diesel Engine

3 Cyl. Turbocharged Engine

Common Rail /Direct Fuel Injection

Tier 4b Final Emissions Compliant

114.7 cu. in. (1.9L) Displacement

Under Hood Muffler / Exhaust

Two-stage Dual Element Air Cleaner

Full-flow, Spin-on Oil Filter

Fuel Filter with water separator

Quick Glow Plug Starting Aid

Flip-up Hood w/ Gas Strut

Fuel Tank Capacity

ROPS - 10.5 gallon (40L)

Cab - 12.4 gallon (47L)

TRANSMISSION OPTIONS

16x16 Synchronized Shuttle Shift (SSS)

Left-hand, dash mounted,
synchronized shuttle

(4) Synchronized gears

(4) Non-synchronized ranges

3- Range Hydrostatic with Cruise
Control and Dual Pedal direction
control for forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)

Fixed position rims

Tread Setting with R4 tires

- 51.7 in. (1314 mm)

REAR AXLE

Rear differential lock

Flange Type Axle

Reversible Position Rims - R1 only

Fixed Position Rims - R3, R4

Tread Setting with R4 tires

- 47.7 in. (1211 mm)

STEERING

Hydrostatic Power Steering

Tilt Steering Column

BRAKES

Wet Disc

Dual Brake Pedals

Foot-assist Parking Brake Lever

HYDRAULIC SYSTEM

Open Center Hydraulic System

Dual Gear-type Pumps

Implement Pump Capacity:

- 8.2 gpm (31.2 L/min)

Steering Pump Capacity:

- Gear models = 4.2 gpm (15.9 L/min)

- HST models = 5.3 gpm (19.9 L/min)

Mid-mount Hydraulic Valve & Joystick

2 Open Center Rear Remote Valve

**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM

Lift Capacity @ ball ends:

- 2756 (lbs.) / 1250 (kg)

Category I, 3-point Linkage

Position Control Lever

Drop Rate Control Knob

Turnbuckle-type Leveling Mechanism

Telescoping Stabilizers

Flexible Link Ends

- Full suspension w/weight adjustment

- Fore/Aft adjustment

- Seat Belt

- Adjustable Arm Rests

Floor Mat

Cloth Covered Headliner

Left and Right External Mounted Mirrors

Front Windshield Wiper and Washer

Left and Right Side Steps

Toolbox & Slow Moving Vehicle Emblem

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid PTO (OPTIONAL)

- Independent 2000 rpm
- Electro-hydraulic engagement

INSTRUMENT PANEL

Analog Tachometer

Fuel Gauge

Coolant Temperature Gauge

Hour Meter

Engine Oil Pressure Warning Light

Battery Charge Warning Light

Cold Starting Aid Indicator Light

PTO ON Indicator Light

Parking Brake Indicator Light

Turn Indicator Lights

Hazard Flasher Indicator Lights

High Beam Headlight Indicator

Emissions Indicator

DRAWBAR

Swinging

2-Position Extendable

ROPS PLATFORM

2 Post Foldable ROPS

Deluxe Vinyl Covered Seat

- Full suspension w/weight adjustment
- Fore/Aft adjustment
- Seat Belt
- Adjustable Arm Rests

Floor Mat

Left and Right Side Steps

Slow Moving Vehicle Emblem

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

70 amp Alternator

Operator Presence System

CAB PLATFORM

(2) Doors

Opening Rear Window

Air Conditioning

Heater

3-speed Fan Control for heat and A/C

Single Cab Air Filter

Radio-ready with (2) speakers, wiring
and antenna

Deluxe Cloth Covered Seat

LIGHTING - Cab / ROPS

(2) Halogen Corner Work Lights

(2) Halogen Headlights (high/low beam)

(2) Taillights

(2) Flashers / Turn Signals

LIGHTING - Additional Cab lighting

(2) Front-mounted Cab Work Lights

(2) Rear-mounted Cab Work Lights



**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

BOOMER GUARD-6 WARRANTY

Full Coverage

- 24 months or 750 total hours

Powertrain

- Additional 48 months (72 total months) or 1500 total hours

Boomer 45 - 55 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes the installation of any 260TLA2 loader order linked to a Boomer 45-55 order. Tractor assembly & loader installation are free of charge. Freight charges will apply



**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
BOOMER 45 T4B	Cab	4,194 LB		\$33,039.00
BOOMER 45 T4B	Rops	3,490 LB		\$27,612.00
BOOMER 50 T4B	Cab	4,194 LB		\$36,333.00
BOOMER 50 T4B	Rops	3,490 LB		\$30,792.00
BOOMER 55 T4B	Cab	4,194 LB		\$39,403.00
BOOMER 55 T4B	Rops	3,490 LB		\$33,862.00

**BOOMER 45 50 AND 55 TIER 4B FINAL
 US PRICE LIST**
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 50 ROPS (T4B) Package Contains: - Boomer 50 ROPS (T4B) - 330014 (3 Range Hydrostatic Transmission) - 728025 (Mid-PTO) - R4 Industrial Tires - 8276504 (Front 12x16.5 6 Ply) - 8396704 (Rear 17.5Lx24 6 Ply) Fast-Pick Implement Packages are available. Consider ordering the following with your Boomer 50 ROPS (T4B): - Loader (260TLA2 Fast-Pick) - Backhoe (925GBH Backhoe Fast-Pick) - Mid-Mount Mower (372GMS Fast-Pick) - Front Mount Snow Blower (74CSHA Fast-Pick)			(\$708.00)
	X0333XX	BMR 50 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 50 Cab (T4B) Package Contains: - Boomer 50 Cab - 330014 (3 Range Hydrostatic Transmission) - 720347 (2 Rear Remote Valves) - 728025 (Mid-PTO) - R4 Industrial Tires - 8276504 (Front 12x16.5 6 Ply) - 8396704 (Rear 17.5Lx24 6 Ply) Fast-Pick Implement Packages are available. Consider ordering the following with your Boomer 50 Cab (T4B): - Loader (260TLA2 Fast-Pick) - Backhoe (925GBH Backhoe Fast-Pick) - Front Mount Snow Blower (74CSHA Fast-Pick)			(\$827.00)

**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

FACTORY SUPPLIED OPTIONS

SD_T2810 TRANSMISSION

		330014	HST + 3 Range			\$1,835.00
		330271	16x16 Synchro Shuttle 330271			No Charge

SD_T4940 FRONT WHEELS AND TIRES

		8199907	Less Front Wheels and Tires. WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			No Charge
		8253304	9.5 x 16 4PR R1			\$747.00
		8267204	28x8.50-15 6PR R3 T			\$747.00
		8276504	12 x 16.5 6PR R4			\$878.00

SD_T4950 REAR WHEELS AND TIRES

		8304804	41 x 14.00-20 4PR R3			\$1,466.00
		8338604	13.6-24 4PR R1			\$1,097.00
		8396704	17.5Lx24 6PR R4			\$1,896.00
		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR TIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge

SD_T8073 MID PTO KIT

		728025	MID PTO Mid-PTO for - Boomer 35 ROPS (Gear or HST Transmission) - Boomer 40 ROPS or Cab (Gear or HST Transmission) - Boomer 45 ROPS or Cab (Gear or HST Transmission) - Boomer 50 ROPS or Cab (Gear or HST Transmission) - Boomer 55 ROPS or Cab (Gear or HST Transmission)			\$406.00
--	--	--------	--	--	--	----------



**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	825330436	9.5X16 4PR R1	171 LB		\$747.00
	826720406	28X8.50-15 6 PLY TURF R3 NH	152 LB		\$747.00
	827650406	12 X 16.5 6PR R4	177 LB		\$878.00
	830480486	41X14.00-20 4PR R3	581 LB		\$1,466.00
	833860426	13.6X24 4PR R1 NH	275 LB		\$1,097.00
	839670406	17.5Lx24 6PR R4	581 LB		\$1,896.00

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Standard Equipment

WORKMASTER 25S

24.7 Gross Engine hp @ 3000 rpm
17.2 PTO hp @ 2933 rpm (HST)

*Available Packages:

- #1 (WM25S + 100LC)
- #2 (WM25S + 100LC + 160GMS)
- #3 (WM25S + 100LC + 905GBL)
- #4 (WM25S + 160GMS)

*Note WORKMASTER 25S is not
orderable as a bare tractor

ALL MODELS

Yanmar 3TNV80F Diesel Engine
3 Cylinder Naturally Aspirated
Tier 4 compliant
77.3 cu. in. (1.26L) Displacement
Under Hood Muffler / Exhaust
Single Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood
6.6 gallon (25L) Fuel Tank

TRANSMISSION

2-Range Hydrostatic with Cruise Control
and Two-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Color Coded Engagement Lever
Fixed Position Rims
Tread Setting with R4 tires
- 36.1 in. (916 mm)

REAR AXLE

Rear Differential Lock
Flange Type Axle
Fixed Position Rims
Tread Setting with R4 tires
- 34.6 in. (880 mm)

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Single Brake Pedal
Foot-Assist Parking Brake Latch

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 4.6 gpm (17.4 L/min)
Steering Pump Capacity:
- 2.1 gpm (8 L/min)
Mid-Mount Valve w/ Joystick

3-POINT LIFT SYSTEM

Lift Capacity @ 3-Point Ends:
- 992 (lbs.) / 450 (kg)
Category I, 3-point Linkage
3-Point Control Lever
Drop Rate Control Knob
Turn-Buckle Type Leveling Mechanism
Chain Stabilizers
Fixed Link Ends
Rotary Length of Cut Knob
(for use with 160GMS mower)

PTO

Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Fixed Shield
- Shaft Cap
Mid PTO
- Independent 2500 rpm
- Mechanical /Electro-hydraulic
engagement

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Standard Equipment

ROPS PLATFORM

- 2-Post, Foldable Roll Bar
- Contoured Cushion Seat
 - Fore / Aft Adjustable
 - Adjustable Backrest
 - Spring Suspension
 - Arm Rests
 - Retractable Seat Belt

Deluxe Floor Mat

Left & Right Side Grab Handles

Cupholder & Small Storage Area

Power Outlet

Slow Moving Vehicle Emblem

INSTRUMENT PANEL

Deluxe Automotive-Style Dash

Digital Tachometer

Analog Fuel Gauge

Analog Engine Temperature Gauge

Digital Hour Meter

Engine Oil Pressure Warning Light

Coolant Temperature Warning Light

Battery Charge Warning Light

Quick Glow Plug Indicator Light

PTO ON Indicator Light

Cruise Control Engagement

Parking Brake Indicator Light

Turn Indicator Lights

Hazard Flasher Indicator Lights

ELECTRICAL

12-volt, 45Ah, 430 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

40 amp Alternator

Operator Presence System

LIGHTING

(2) Halogen Headlights

(2) Taillights / Brakelights

(2) Flashing Warning Lights / Turn
Signals

100LC Front End Loader

- Included in Package #1, #2 and #3
- Quick attach Design
- 50" Pin on Bucket

Specifications:

Lift Capacity to Maximum Height

- @ Bucket Pivot Pins (lbs.): 1005
- @ 500mm forward (lbs.): 693

Lift Capacity to 1500 mm Height

- @ Bucket Pivot Pins (lbs.): 1142
- @ 500mm forward (lbs.): 823

Breakout Force

- @ Bucket Pivot Pins (lbs.): 2079
- @ 500mm forward (lbs.): 1426

Max Lift Height @ Pivot Pin (in.): 72

Clearance w/Bucket Dumped (in.): 51

Reach at Maximum Height (in.): 23.4

Maximum Dump Angle (deg.): 46

Maximum Rollback Angle (deg.): 28

Digging Depth (in.): 4.6

Height in Carry Position (in.): 41.5

Bucket Size and Capacity

- Width: 50 Inch
- Capacity (cu. ft.)
 - Struck: 5.3
 - Heaped: 7.4

Cycle Times (sec)

- Raise: 3.6
- Lower: 2.1
- Bucket Dump: 2.3
- Bucket Rollback: 1.5

Approx. Weight w/ Bucket (lbs.): 363

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Standard Equipment

905GBL Backhoe (6.5 ft.)
- Included in Package #3
- 9 Inch Bucket
- Reversible Tractor Seat

Specifications:

Transport Height (in.): 74.7
Loading Height (in.): 59.6
Overall Width (in.): 45.3
Ground Clearance (in.): 12.8
Maximum Digging Depth (in.): 79.4
Reach from Centerline of Swing Pivot
(in.): 114.9
Swing Arc (deg.): 135
Bucket Rotating (deg.): 169.4
Stabilizer Spread (Down) (in.): 78.6
Stabilizer Spread (Up) (in.): 53.2
Bucket Digging Forceper SAE J49 (lbs.)
w/ Bucket Cylinder: 2,194
w/ Dipperstick Cylinder: 1332
Shipping Weight (lbs.): 707

160GMS Mid Mount Mower
- Included in Packages #2 and #4
- Side Discharge Design

Specifications

Cutting Width (in.): 60
Overall Width (in.): 75.6
Cutting Height Range (in.): 1 to 4
Deck Shell Thickness (in.): 0.126
Spindle Speed at 3000 RPM: 2,640
Blade Tip Speed (ft./min.): 14,144
Number of Blades: 3
Blade Length (in.): 20.5
Blade Width (in.): 2.48
Blade Thickness (in.): 0.236
Weight of Base 60" Deck (lbs.): 285

WARRANTIES

(WORKMASTER 25S) BOOMER GUARD-6
Full Coverage
- 24 months or 750 total hours
Powertrain
- Additional 48 months (72 total
months) or 1500 total hours

(100LC LDR, 905GBL BH, 160GMS M)
New Holland Standard Warranty Applies

WORKMASTER 25S compacts will
arrive at your dealership fully assembled
(Roll on / Roll off) and ready to sell. This
includes the installation of any 100LC
loader, 905GBL Backhoe or 160GMS
Mower Deck included in Packages 1-4.

Tractor assembly and loader installation
are free of charge. Freight charges will
apply



**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKMASTER 25S	7,000 LB		\$16,124.00
Includes the following Equipment			
FRONT END LOADER (728036)	\$2,911.00		

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE

SD_T9981 CONFIGURATION

	X0362XX	<p>Tractor + Loader</p> <p>Package 1: WORKMASTER 25S + 100LC Loader</p> <p>Package Contains: - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 728036006 (100LC Loader with 50 inch pin on bucket)</p> <p>This package does not include tires.</p> <p>Select one of the following tire packages: R4 Industrial: (Front 820780406 / Rear 830690406) or R3 Turf: (Front 820790406 / Rear 830700406)</p>			No Charge
	X0363XX	<p>Tractor + Loader + Mower</p> <p>Package 2: WORKMASTER 25S + 100LC Loader + 160GMS Mid-Mount Mower</p> <p>Package Contains: - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 728036006 (100LC Loader with 50 inch pin on bucket) - 728099006 (160GMS 60 inch Mid-Mount Mower)</p> <p>This package does not include tires.</p> <p>Select one of the following tire packages: R4 Industrial: (Front 820780406 / Rear 830690406) or R3 Turf: (Front 820790406 / Rear 830700406)</p>			No Charge

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

		X0364XX	<p>Tractor + Loader + Backhoe</p> <p>Package 3: WORKMASTER 25S + 100LC Loader + 905GBL Backhoe</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 728036006 (100LC Loader with 50 inch pin on bucket) - 728035006 (905GBL Backhoe with 9" bucket) <p>This package does not include tires.</p> <p>Select one of the following tire packages: R4 Industrial: (Front 820780406 / Rear 830690406) or R3 Turf: (Front 820790406 / Rear 830700406)</p>			No Charge
		X0365XX	<p>Tractor + Mower</p> <p>Package 4: WORKMASTER 25S + 160GMS Mid-Mount Mower</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 728099006 (160GMS 60 inch Mid-Mount Mower) <p>This package does not include tires.</p> <p>Select one of the following tire packages: R4 Industrial: (Front 820780406 / Rear 830690406) or R3 Turf: (Front 820790406 / Rear 830700406)</p>			No Charge

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

		8207804	18X8.50-10 R4			No Charge
		8207904	18X8.50-10 R3 TURF			No Charge

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

		8306904	26X12.00-12 R4			No Charge
		8307004	26X12.00-12 R3 TURF			No Charge

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

Changes contained in 10/1/2019 pages

The following high-take-rate options
have been made standard equipment

- 720366 (1 Rear Remotes)

*Note Mid-PTO, which was previously in
standard equipment on HST models, is
now a Factory Installed Option for
both gear and HST models.

For Mid-PTO order

- 728025 (Mid-PTO for WM 25)

WORKMASTER# 25 (Tier 4B)

24.4 Gross Engine hp @ 2500 rpm

19.2 PTO hp @ 2500 rpm (Gear)

17.1 PTO hp @ 2500 rpm (Hydro)

ALL MODELS

Mitsubishi S3L 3 Cyl. Diesel Engine

3 Cylinder Naturally Aspirated

Tier 4 compliant

80.4 cu. in. (1.3L) Displacement

Under Hood Muffler / Exhaust

Single Element Air Cleaner

Full-flow, Spin-on Oil Filter

Fuel Filter with water separator

Quick Glow Plug Starting Aid

Flip-up Hood

7.4 (28L) gallon Fuel Tank

TRANSMISSION OPTIONS

12 x 12 Shuttle Shift Transmission

Left-hand, dash mounted,

synchronized shuttle

(4) Non-Synchronized gears

(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)

Fixed Position Rims

Tread Setting with R4 tires

- 45.6 in. (1159 mm)

REAR AXLE

Flange Type Axle

Rear Differential Lock

Reversible Position Rims - R1 tires only

Fixed Position Rims - R3, R4 tires

Tread Setting with R4 tires

- 50.5 in. (1283 mm)

STEERING

Hydrostatic Power Steering

Fixed Steering Column

BRAKES

Wet Disc

Dual Brake Pedals

Foot-assist Parking Brake Lever

HYDRAULIC SYSTEM

Open Center Hydraulic System

Dual Gear-type Pumps

Total Pump Capacity:

- Gear 12.5 gpm (47.5 L/min)

- HST 12.5 gpm (47.5 L/min)

1 Rear Remote Valve

3-POINT LIFT SYSTEM

Lift Capacity @ link ends:

- 1808 (lbs.) / 820 (kg)

Category I, 3-point Linkage

Position Control Lever

Drop Rate Control Knob

Turnbuckle Leveling Mechanism

Telescoping Stabilizers

Fixed Link Ends

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield /Shaft Cap

Mid PTO (OPTIONAL)

- Independent 2000 RPM

DRAWBAR

- 2-Position Extendable
- Safety chain hook

OPERATOR'S AREA

- 2 Post Foldable ROPS
- Contoured Cushion Seat
 - Fore / Aft
 - Flip up
 - Spring Suspension
 - Seat Belt

- Foot Throttle (gear transmission)
- Left Side Step
- Left Side Grab Handle
- Slow Moving Vehicle Emblem

INSTRUMENT PANEL

- Deluxe Automotive-Style Dash
- Digital Tachometer
- Analog Fuel Gauge
- Analog Engine Temperature Gauge
- Digital Hour Meter
- Engine Oil Pressure Warning Light
- Coolant Temperature Warning Light
- Battery Charge Warning Light
- Quick Glow Plug Indicator Light
- PTO ON Indicator Light
- Parking Brake Indicator Light
- Turn Indicator Lights
- Hazard Flasher Indicator Lights

ELECTRICAL

- 12-volt, 80Ah, 660 CCA Battery
- Safety Start Switch
- Key Start/Fuel Shutoff
- 50 amp Alternator
- Operator Presence System

LIGHTING

- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Warning Lights /Turn Signals

BOOMER GUARD-6 WARRANTY

Full Coverage

- 24 months or 750 total hours

Powertrain

- Additional 48 months (72 total months) or 1500 total hours

WORKMASTER 25 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes the installation of any LC200 loader order linked to a WORKMASTER 25 order.

Tractor assembly and loader installation are free of charge. Freight charges will apply

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

Changes contained in 10/1/2019 pages

The following high-take-rate options have been made standard equipment

- 720366 (1 Rear Remotes)

*Note Mid-PTO, which was previously in standard equipment on HST models, is now a Factory Installed Option for both gear and HST models.

For Mid-PTO order

- 728025 (Mid-PTO for WM 35/40)

WORKMASTER# 35 (Tier 4B Final)
35.0 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28.0 PTO hp @ 2600 rpm (Hydro)

WORKMASTER# 40 (Tier 4B Final)
40.0 Gross Engine hp @ 2600 rpm
34.0 PTO hp @ 2600 rpm (Gear)
32.0 PTO hp @ 2600 rpm (Hydro)

ALL MODELS

LS Model L32L19 Diesel Engine
3 Cylinder, Turbcharged Engine
Common Rail / Direct Fuel Injection
Tier 4b Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
7.4 (28L) gallon Fuel Tank

TRANSMISSION OPTIONS

12 x 12 Shuttle Shift Transmission
Left-hand, dash mounted,
synchronized shuttle
(4) Non-Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Fixed Position Rims
Tread Setting with R4 tires
- 45.6 in. (1159 mm)

REAR AXLE

Flange Type Axle
Rear Differential Lock
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
Tread Setting with R4 tires
- 50.5 in. (1283 mm)

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Total Pump Capacity:
- Gear 12.4 gpm (46.8 L/min)
- HST 13.5 gpm (50.8 L/min)
Mid-Mount Valve and Joystick
1 Rear Remote Valve

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

3-POINT LIFT SYSTEM

Lift Capacity @ link ends:

- 1808 (lbs.) / 820 (kg)

Category I, 3-point Linkage

Position Control Lever

Drop Rate Control Knob

Turnbuckle Leveling Mechanism

Telescoping Stabilizers

Fixed Link Ends

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield / Shaft Cap

Mid PTO (OPTIONAL)

- Independent 2000 RPM

DRAWBAR

2-Position Extendable

Safety chain hook

OPERATOR'S AREA

2 Post Foldable ROPS

Contoured Cushion Seat

- Fore / Aft
- Flip up
- Spring Suspension
- Seat Belt

Foot Throttle (gear transmission)

Left Side Step

Left Side Grab Handle

Slow Moving Vehicle Emblem

INSTRUMENT PANEL

Digital Tachometer

Fuel Gauge

Coolant Temperature Gauge

Hour Meter

Engine Oil Pressure Warning Light

Battery Charge Warning Light

Cold Starting Aid Indicator Light

PTO ON Indicator Light

Parking Brake Indicator Light

Turn Indicator Lights

Hazard Flasher Indicator Lights

High Beam Headlights Indicator

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

70 amp Alternator

Operator Presence System

LIGHTING

(2) Halogen Headlights

(2) Halogen Corner Work Lights

(2) Taillights / Brakelights

(2) Flashing Warning Lights / Turn Signals

BOOMER GUARD-6 WARRANTY

Full Coverage

- 24 months or 750 total hours

Powertrain

- Additional 48 months (72 total months) or 1500 total hours

WORKMASTER 35 or 40 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes the installation of any 140TLA2 loader order linked to a WORKMASTER 35 or 40 order.

Tractor assembly and loader installation are free of charge. Freight charges will apply



WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKMASTER 25 T4B	2,469 LB		\$15,259.00
WORKMASTER 35 T4B	3,067 LB		\$19,858.00
WORKMASTER 40 T4B	3,067 LB		\$21,496.00



**WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick WORKMASTER 35 ROPS (T4B) Package Contains: - WORKMASTER 35 ROPS (T4B) - 720110 (12x12 Gear Transmission w/ Mechanical Shuttle) - 728025 (Mid-PTO) - 720366 (1 Rear Remote) - R1 AG Tires - 8204604 (Front 7x14 6 Ply) - 8332604 (Rear 11.2x24 4 Ply) Fast-Pick Implement Packages are available. Consider ordering the following with your WORKMASTER 35 (T4B): - Loader (140TLA2 Fast-Pick) - Backhoe (925GBH Backhoe Fast-Pick) - Mid-Mount Mower (366GMS Mover Fast Pick) - Front Mount Snow Blower (63CSHB Fast-Pick)			(\$417.00)

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

		X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick WORKMASTER 35 ROPS (T4B) Package Contains: - WORKMASTER 35 ROPS (T4B) - 720110 (12x12 Gear Transmission w/ Mechanical Shuttle) - 728025 (Mid-PTO) - 720366 (1 Rear Remote) - R4 Industrial Tires - 8266304 (Front 25x8.50-14 6 Ply) - 8364564 (Rear 43x16.00-20 6 Ply) Fast-Pick Implement Packages are available. Consider ordering the following with your WORKMASTER 35 (T4B): - Loader (140TLA2 Fast-Pick) - Backhoe (925GBH Backhoe Fast-Pick) - Mid-Mount Mower (366GMS Mover Fast Pick) - Front Mount Snow Blower (63CSHB Fast-Pick)			(\$424.00)
		X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick WORKMASTER 40 ROPS (T4B) Package Contains: - WORKMASTER 40 ROPS (T4B) - 729290 (3 Range Hydrostatic Transmission) - 728025 (Mid-PTO) - 720366 (1 Rear Remote) - R4 Industrial Tires - 8266304 (Front 25x8.50-14 6 Ply) - 8364564 (Rear 43x16.00-20 6 Ply) Fast-Pick Implement Packages are available. Consider ordering the following with your WORKMASTER 40 (T4B): - Loader (140TLA2 Fast-Pick) - Backhoe (925GBH Backhoe Fast-Pick) - Mid-Mount Mower (366GMS Mover Fast Pick) - Front Mount Snow Blower (63CSHB Fast-Pick)			(\$483.00)

FACTORY SUPPLIED OPTIONS

SD T2810 TRANSMISSION

		720110	12 x 12 Synchro-shuttle			No Charge
		729290	Hydrostatic Transmission			\$1,331.00

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

SD_T4940 FRONT WHEELS AND TIRES

		8199907	Less Front Wheels and Tires. WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			No Charge
		8204604	7 x 14 6PR R1 Ag Bar			\$372.00
		8266304	25 x 8.50 - 14 6PR R4			\$484.00
		8267104	25x8.50-14 10PR R3 T			\$372.00

SD_T4950 REAR WHEELS AND TIRES

		8304804	41 x 14.00-20 4PR R3			\$1,409.00
		8332604	11.2 x 24 4PR R1 Ag Bar			\$949.00
		8364564	43 x 16.00-20 R4			\$1,222.00
		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR TIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge

SD_T8073 MID PTO KIT

		728025	MID PTO Mid-PTO Option for WM 25/35/40 (T4B) gear and HST models			\$324.00
		XT8073X	LESS MID PTO			No Charge



WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	820460446	7X14 6PR R1 NH	275 LB		\$372.00
	826630446	25X8.50-14 6PR R4 NH	275 LB		\$470.00
	826710406	25X8.50-14 10 PLY TURF R3	98 LB		\$372.00
	830480436	41X14.00-20 4PR R3 TURF NH	275 LB		\$1,409.00
	833260436	11.2X24 4PR R1 NH	275 LB		\$949.00
	836456446	43X16-20 R4	275 LB		\$1,222.00