

RHINOAGTM

WHOLEGOODS PRICE LIST | JULY 29, 2019



Ask about our
PARTNERED PROGRAMS

HGACBuy
THE SMART PURCHASING SOLUTION

Sourcewell
Formerly ALMA
Awarded Contract
Contract # 052417-RHA



Cattlemen. American
Dairymen. American

RHINOAG.COM

1020 S SANGAMON AVE, GIBSON CITY, IL 60936
800-221-2855 (OPTION 1)



© 2019 ALAMO GROUP INC
7.29.19

IMPORTANT NOTICE

Prices shown in this book are list prices and do not include freight, setup, or handling unless specifically noted. Shipping weights listed in this book are approximate and include crating or skids where applicable. All prices are F.O.B factory, freight shipments arranged by Rhino® will be per the published rate chart and subject to change. Rhino® reserves the right to ship items via motor freight collect at its discretion. Freight invoices are due 15 days after invoice date.

Prices, terms, and discounts are subject to change without notice. Orders placed will be accepted based on the price in effect at the time of shipment unless otherwise specified. Prices shown in this book do not include any applicable federal, provincial, state, or local taxes, or levies.

Some products included in this book are only available to dealers authorized for the specific Alamo Group brand. Please contact your Alamo Ag sales representative with questions about availability or to inquire about adding the Rhino® or EarthMaster® brands to your account.

Machines included in this price book conform to safety standards applicable to the products at the time of manufacture and may include safety devices such as shields, guards, or operator protective devices. Under no circumstances should machines be operated without the safety devices in place.

This document is confidential and is for use by authorized Rhino® or EarthMaster® dealership personnel only. It is not to be distributed for any purpose other than selling Rhino® or EarthMaster® branded products.

Rhino® and EarthMaster® reserve the right to make changes and/or improvements in design and construction of parts or machines shown herein without notice or obligation. Rhino® and EarthMaster® guarantee each piece of equipment against defective materials and workmanship for a period of one year from date of delivery unless otherwise noted.

ROTARY CUTTER OR FLAIL MOWER THROWN OBJECT PROTECTION

Rhino® offers three types of shielding to protect the operator, passersby, livestock, and property from mower thrown objects: deflectors, single chain guards, and double chain guards. Shielding should be selected based on the intended use of the mower. Double chain guards or deflectors should be used for highway, right-of-way, parks, or greenbelt mowing or other mowing where human dwellings, vehicles, or livestock could be within 300 feet of the mower. Chain guards are more durable, provide longer service life, and require less maintenance than deflectors. Single chain guards should be sufficient for agricultural and other mowing where passersby or property are not within 300 feet of the mower during operation.

No shielding is completely effective in preventing thrown objects. The possibility of injury or property damage from this hazard can be substantially reduced by selecting proper shielding, maintaining the mower and shielding in good operating condition, inspecting the area for foreign debris before mowing, operating the mower at a minimum cutting height of 4", and keeping people at least 300 feet from the mower at all times during operation.

GENERAL PROVISIONS OF SALE

1. No credit will be allowed for the return on any equipment or parts for Warranty unless arrangements for such are made prior to their return and Warranty Registration has been completed for the machine. Warranty registration must be done online at the following web address: www.alamoagservicecenter.com.
2. In order to meet competitive situations, Rhino reserves the option to sell directly to Governmental Agencies or Private Experimental Organizations engaged in research and development without obligation to local Dealers or Distributors.
3. It is understood that the Dealer or Distributor will promptly unload implements from company trucks upon arrival at their place of business. Rhino must be notified within 30 days if shortages or overages are discovered.
4. It is understood that the Dealer or Distributor will promptly pick up Will-Call orders when notified that the order is ready.
5. Extra equipment and options listed in this Price Catalog may be ordered with Wholegoods units only.
6. Safety equipment may not be returned for credit.

TABLE OF CONTENTS

Implement Set-Up Time	6 - 8
Product Warranty Information	9 - 12
Landscape Equipment Multiple Unit Freight Discounts	12
FLAIL MOWERS & SHREDDERS	
RHD96 Heavy-Duty Flail Mowers - <i>Built to Order</i>	13
RC115, RC118 Row Crop Flail Shredders	14 - 15
RC120 Row Crop Flail Shredder	16 - 17
RC125 Row Crop Flail Shredder	18 - 20
FINISHING MOWERS	
FA513, FA613, FA713 Finishing Mowers	21
SINGLE SPINDLE ROTARY CUTTERS	
TW10 Series (4', 5', & 6' Single Spindle Rotary Cutters)	22 - 23
TW20 Series (5', 6', & 7' Single Spindle Rotary Cutters)	24 - 25
TW30 Series (5', 6', & 7' Single Spindle Rotary Cutters)	26 - 27
6' Single Spindle Rotary Cutters (472) - <i>Limited Availability</i>	28 - 29
7' Single Spindle Rotary Cutters (284, 484) - <i>Limited Availability</i>	30 - 32
GR Series Cutters (GR472, GR484) - <i>Limited Availability</i>	33 - 35
MULTI SPINDLE ROTARY CUTTERS	
TR208 8' Medium-Duty Rotary Cutter	36 - 37
TR210 10' Medium-Duty Rotary Cutter	38 - 39
TR308 8' Heavy-Duty Rotary Cutter	40 - 42
TR310 10' Heavy-Duty Rotary Cutter - <i>Coming Soon!</i>	43 - 45
SE10A 10' Rotary Cutter - <i>Limited Availability</i>	46 - 47
TW120 10' Heavy-Duty Rotary Cutter - <i>Limited Availability</i>	48 - 49
TURBO 120 10' Super-Duty Rotary Cutter - <i>Limited Availability</i>	50 - 52
TW144 12' Heavy-Duty Rotary Cutter - <i>Limited Availability</i>	53 - 55
TW168 14' Heavy-Duty Rotary Shredder	56 - 57
FLEX-WING ROTARY CUTTERS	
TS10 10' Flex-Wing Rotary Cutter	58 - 59
TS12 Stealth 12' Flex-Wing Rotary Cutter	60 - 61
2150 15' Medium-Duty Flex-Wing Rotary Cutter	62 - 64
3100 10' Medium-Duty Offset Flex-Wing Rotary Cutter	65 - 67
3150 15' Medium-Duty Flex-Wing Rotary Cutter	68 - 70
HEAVY-DUTY 10' & 15' FLEX-WING ROTARY CUTTERS	
4105 "PRO" 10' Heavy-Duty Offset Flex-Wing Rotary Cutter	71 - 73
4150 "Ag" 15' Heavy-Duty Flex-Wing Rotary Cutter	74 - 75
4155 "PRO" 15' Heavy-Duty Flex-Wing Rotary Cutter	77 - 79
SUPER DUTY 10' & 15' FLEX-WING ROTARY CUTTERS	
5100 10' Super-Duty Offset Flex-Wing Rotary Cutter	80 - 82
5150 15' Super-Duty Flex-Wing Rotary Cutter	83 - 85

New!

TABLE OF CONTENTS (CONTINUED)

HEAVY-DUTY 20' FLEX-WING ROTARY CUTTERS

6140 14' Heavy-Duty Offset Flex-Wing Rotary Cutter	86 - 88
6200 20' Heavy-Duty Flex-Wing Rotary Cutter	89 - 91

DITCH BANK & BOOM MOWERS

MDB130 Mechanically Driven Ditch Bank Mower	92
DB150 Hydraulic Ditch Bank Rotary Cutter	93
2160 Hydraulic Boom Rotary Cutter - <i>Built to Order</i>	94

LANDSCAPE EQUIPMENT

Pulverizers (Single Roller)	95
Pulverizers (Double Roller)	96
PG Series Plugger	97
MPG Series Plugger	98
PA Series Pasture Aerator	99 - 100
LLR Landscape Rakes	101
CBX Compact Box Blades	102
SBX Medium-Duty Box Blades	103 - 104
MBX Heavy-Duty Box Blades	105 - 106
RO Roll-Over Box Blades	107
DSP Pull-Type Dirt Scrapers	108
GS60, GS72, GS84, HDGS84, HDGS96 Grading Scrapers	109
AP Plow	110
Subsoiler Heavy-Duty (1 Shank)	111
Subsoiler Heavy-Duty (2 Shanks)	112
Subsoiler Standard Duty	113
Lay Off Plow	114
One Row Cultivator	115
Lift- Type Compact Disc Harrow (1D, 2D, 3D)	116 - 122
Pull- Type Compact Disc Harrow (DHP8, DHP10, DHP12)	123 - 126
Rebel Rotary Tillers (Forward & Reverse)	127 - 128
SRT, SRM Rotary Tillers	129
3-Point Posthole Diggers 130P, 240P, 340P, 440P	130
N15, N20, N30 Medium-Duty Planetary Drive Diggers	132 - 133
H200, H300, H350 Heavy-Duty Planetary Drive Diggers	134 - 137

REAR BLADES

35, 50, 70 Rear Blades	138 - 141
850 Rear Blade	142
950 Rear Blade	143 - 144
1540 Rear Blade	145 - 146
2500, 3500 Rear Blades	147 - 148

TABLE OF CONTENTS (CONTINUED)

HAYING EQUIPMENT

PT207, PT405, PT405H, PT419H, PT625H - Pull-Type Hay Tedders	149
VR Rakes	150
VRX Rakes	151
Revolution Dual Fold Heavy-Duty Pull-Type Wheel Rakes	152
ACG Accumagrapple	153
MBS Mega Bale Splitter	154
Bale Unroller	155
Bale Spears	156

GRAPPLES & PALLET FORKS

AGR	157 - 158
BRGR	159
BGR	160
PF Series	161

Partnered Programs - Large Accounts

163

Rhino Contact Numbers

164



*RhinoAg believes quality is from the inside out.
Our equipment is now factory filled with Lucas Oil Products, a premium line of oil.*

Model	Base Eq. Set-up	ADD Time For Optional Equipment Installation
Flail Mowers and Shredders		
RSM5 Flail Mower	1 Hr	No Options
RSM6 Flail Mower	1 Hr	No Options
RSM6H Flail Mower	1.5 Hrs	No Options
RSM7H Flail Mower	1.5 Hrs	No Options
RHD96 Heavy-Duty Flail Mower	1 Hr	No Options
RC115 Row Crop Shredder	1 Hr	No Options
RC118 Row Crop Shredder	1 Hr	No Options
RC120 Row Crop Shredder	2 Hrs	1 Hr for Pull-Type or Lift-Type End Tow Kit
RC125 Row Crop Shredder	2 Hrs	1 Hr for Pull-Type or Lift-Type End Tow Kit, 1 Hr for Axle Arms and Tires
Finishing Mowers		
FA513 Finishing Mower	2.5 Hrs	No Options
FA613 Finishing Mower	2.5 Hrs	No Options
FA713 Finishing Mower	2.5 Hrs	No Options
TX1500 Turf-Flex Finishing Mower	1 Hr	No Options
TX1700 Turf-Flex Finishing Mower	1 Hr	No Options
FX17 Flex-Flail Finishing Mower	1 Hr	No Options
FX21 Flex-Flail Finishing Mower	1 Hr	No Options
Single Spindle Rotary Cutters		
Note: Slip Clutch Maintenance needs to be performed if unit has been inactive for 30 days.		
TW10 Series	1 Hr	.5 Hr to Modify PTO Length
TW20 Series	1 Hr	.5 Hr to Modify PTO Length
TW30 Series	1 Hr	.5 Hr to Modify PTO Length
RH4 Economy Rotary Mower	1 Hr	.5 Hr to Modify PTO Length
RH5 Economy Rotary Mower	1 Hr	.5 Hr to Modify PTO Length
RH6 Economy Rotary Mower	1 Hr	.5 Hr to Modify PTO Length
5' Rotary Cutter (160, 260)	1 Hr	.5 Hr for Offset Adaptor
6' Rotary Cutter (172, 272, 472)	1 Hr	.5 Hr for Offset Adaptor
7' Rotary Cutter (184, 284, 484)	1 Hr	1 Hr for Pull-Type
GR Series (GR260, GR472, GR484)	1 Hr	1 Hr For Pull-Type, 1.5 Hrs for Shredder Kit
Multi Spindle Rotary Cutters		
Note: Slip Clutch Maintenance needs to be performed if unit has been inactive for 30 days.		
SE8A Rotary Mower	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Spring Shock, .25 Hr for Check Chain
TURBO 96 Super Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain, .5 Hr for Offset Hitch
TR200 Series	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Spring Shock, .25 Hr for Check Chain
TR300 Series	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Spring Shock, .25 Hr for Check Chain
SE10A Rotary Mower	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Spring Shock, .25 Hr for Check Chain
TW120 Heavy-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain
TR120 Super-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain
TW144 Heavy-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, .25 Hr for Check Chain, .5 Hr Aux. Spindle Kit, .75 Hr Aux Arm Kit
TW168 Heavy-Duty Rotary Cutter	1.5 Hrs	1 Hr for Pull-Type, 1 Hr Shredder Kit, .75 Hr for Axle Arm/Tire Kit
Flex-Wing Rotary Cutters		
Note: Slip Clutch Maintenance needs to be performed if unit has been inactive for 30 days.		
TS10 10' Flex-Wing Cutter	2 Hrs	.25 Hr for 2-Funct. Hyd. Kit, .5 Hr for 3-Funct. Hyd Kit
TS12 Stealth 12' Flex-Wing Cutter	2 Hrs	.25 Hr for 2-Funct. Hyd. Kit, .5 Hr for 3-Funct. Hyd Kit
2150 15 Medium-Duty Flex-Wing	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch

Model	Base Eq. Set-Up	ADD Time For Optional Equipment Installation
Flex-Wing Rotary Cutters Continued		
Note: Slip Clutch Maintenance needs to be performed if unit has been inactive for 30 days.		
3100 10' Medium-Duty Offset Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch
3150 15' Medium-Duty Flex-Wing	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch
4105 10' Heavy-Duty Offset Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch
4150 15' "AG" Heavy-Duty Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch
4155 15' "Pro" Heavy-Duty Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch
5100 10' Super-Duty Offset Cutter	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch
5150 15' Super-Duty Flex-Wing	2 Hrs	.25 Hr for Hydraulic Splitter Kit, .5 Hr for Precision Hitch
6140 14' Heavy-Duty Offset Cutter	2 Hrs	1.5 Hrs for Winch and Stand, .25 Hr for Ball Hitch, .5 Hr for Pintle Hitch
6200 20' Heavy-Duty Flex-Wing	2 Hrs	1.5 Hrs for Winch and Stand, .75 Hr for Baffle Kit, .25 Hr for Ball Hitch, .5 Hr for Pintle Hitch, .25 Hr for Hydraulic Splitter Kit
Ditch Bank & Boom Mowers		
MDB130 Mechanically Driven Ditch Bank Mower	1 Hr	.75 Hr for Side Mount Gauge Wheel
DB150 Hydraulic Ditch Bank Cutter	2 Hrs	.5 Hr for Closed Center 3 Spool Valve, .5 Hr for Open Center 3 Spool Valve, .5 Hr for Front and Rear Double Chain Guards, .25 Hr for Rear Tail Wheel, .25 Hr for Side Gauge Wheel, .25 Hr for Hyd Valve Mounting Plate, .5 Hr for Hitch Adaptor Kit
2160 Hydraulic Boom Cutter	3 Hrs	1 Hr for Hyd Relief Arm Kit, .25 Hr for Side Mount Gauge Wheel
Landscape Equipment		
Pulverizer (Single Roller)	0	No Options
Pulverizer (Double Roller)	0	No Options
PG Series Plugger	0	No Options
MPG Series Plugger	0	No Options
PA Series Pasture Aerator	1.5 Hrs	No Options
LLR Landscape Rake	0	No Options
CBX Compact Box Blade	0	No Options
SBX Medium-Duty Box Blade	0	No Options
MBX Heavy-Duty Box Blade	0	No Options
RO Roll-Over Box Blades	0	No Options
DSP Pull-Type Dirt Scraper	1.5 Hrs	.25 Hr for Weight Box
GS60, GS72, GS84, HDGS84, HDGS96 Grading Scrapers	1 Hr	No Options
AP Plow	0	No Options
Subsoiler Heavy-Duty (1 Shank)	0	No Options
Subsoiler Heavy-Duty (2 Shank)	0	No Options
Subsoiler Standard-Duty	0	No Options
Lay Off Plow	0	No Options
One Row Cultivator	0	No Options
Lift-Type Disk Harrow (1D, 2D, 3D)	0	.5 Hr for Scraper Kit
DHP8 Pull-Type Disk Harrow	2 Hrs	.75 Hr for Scraper Kit, .5 Hr for Dual Wheel Transport Kit
DHP10 Pull-Type Disk Harrow	2.5 Hrs	.75 Hr for Scraper Kit, .5 Hr for Dual Wheel Transport Kit
DHP12 Pull-Type Disk Harrow	2.75 Hrs	.75 Hr for Scraper Kit, .5 Hr for Dual Wheel Transport Kit
Fuerst Broadcast Seeder/Spreader	2 Hrs	No Options
Rebel Rotary Tillers	1 Hr	
SRT, SRD, SRM Rotary Tiller	1 Hr	.5 Hr for PTO Length Modification

Model	Base Eq. Set Up	ADD Time For Optional Equipment Installation
Post Hole Diggers		
"P" Series 3-Point Post Hole Digger	1 Hr	.25 Hr for Parking Stand, .5 Hr for Hyd. Down Force Kit, .25 Hr for Auger Extension
"N" Series Medium-Duty PHD	1 Hr	.25 Hr for Hyd. Hose Kit.
"H" Series Heavy-Duty PHD	1 Hr	.25 Hr for Auger Extension
Rear Blades		
35, 50, 70 Rear Blades	1 Hr	.25 Hr for Skid Shoe Kit
850 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for Hose Holder Kit, .25 Hr for End Plate Kit, .25 Hr for Cushion Valve
950 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Gauge Wheel w/ Cylinder, .5 Hr for Gauge Wheel w/ Ratchet
1540 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Dual Gauge Wheels
2500 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Dual Gauge Wheels
3500 Rear Blade	2 Hrs	.25 Hr for Skid Shoes, .25 Hr for End Plate Kit, .5 Hr for Dual Gauge Wheels
Haying Equipment		
PT207 Tedder	2 Hrs	
PT405 Tedder	4 Hrs	
PT405H Tedder	4.5 Hrs	.5 Hr for Hydraulic Tilt Kit
PT419H Tedder	4.5 Hrs	
PT625H Tedder	7 Hrs	
ER Pull-Type Rakes	3 Hrs	
RHP8 Patriot Rake	3 Hrs	.75 Hr for Center Kicker Wheel, .5 Hr for Wind Shield Covers, 1.5 Hr Convert to 10 or 12 Wheel
RHP10 Patriot Rake	4 Hrs	.75 Hr for Center Kicker Wheel, .5 Hr for Wind Shield Covers
RHP12 Patriot Rake	4.5 Hrs	.75 Hr for Center Kicker Wheel, .5 Hr for Wind Shield Covers
VR8/VR10/VR12	6 Hrs	
VRX12/VRX14	8 Hrs	
BF Rake	12 Hrs	1 Hr for Dual Center Kicker Wheel, .75 Hr for Hyd Wing Kit, .5 Hr for Wind Shield Covers
RDF Rake	12 Hrs	1 Hr for Dual Center Kicker Wheel, .5 Hr for Rear Tandem Wheel Kit, .75 Hr for Rear Hyd. Opening Kit, .75 Hr for Hyd. Wing Kit, .5 Hr for Hyd. Double Acting Wheel Kit, .5 Hr for Wind Shield Covers
ACG Accumagrapple	0	
MBS Mega Bale Splitter	0	
Bale Unroller	0	
Bale Spears	0	
Grapples & Pallet Forks		
AGR	15 Min	
Skid Steer Grapples	15 Min	
ISO Euro Grapples	15 Min	
BRGR	15 Min	
BGR	15 Min	
PF Series	15 Min	

*Note: Base equipment set-up includes: Remove from shipping configuration, assemble unit, Check all oils and Grease entire machine, Preset machine for operation, Operate machine.

*Note: Some equipment requires in-field adjustment for customer satisfaction. This chart does NOT include time for this service.

*Note: Items with "0" set-up time are shipped fully assembled.

*Note: As a service to our dealers, RHINO ships all wholegoods gearboxes WITH oil. (Level needs to be verified at set-up)

Product Warranty Information

Model	Warranty
RSM5, RSM6, RSM6H Flail Mowers	1 Year Machine
RSM7H Flail Mowers	1 Year Machine
RHD96 Heavy-Duty Flail Mower	1 Year Machine
RC115 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox
RC118 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox
RC120 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox
RC125 Row Crop Shredder	1 Year Machine, 5 Year Ltd Gearbox
FA513 Finishing Mower	1 Year Machine
FA613 Finishing Mower	1 Year Machine
FA713 Finishing Mower	1 Year Machine
TX1500 Turf-Flex Finishing Mower	1 Year Machine
TX1700 Turf-Flex Finishing Mower	1 Year Machine
FX17 Flex-Flail Flex-Wing Finishing Mower	1 Year Machine
FX21 Flex-Flail Flex-Wing Finishing Mower	1 Year Machine
TW10 Series	1 Year Machine, 3 Year Ltd Gearbox
TW20 Series	1 Year Machine, 5 Year Ltd Gearbox
TW30 Series	1 Year Machine, 5 Year Ltd Gearbox
5' Rotary Cutter (160, 260)	1 Year Machine, 5 Year Ltd Gearbox
6' Rotary Cutter (172, 272, 472)	1 Year Machine, 5 Year Ltd Gearbox
7' Rotary Cutter (184, 284, 484)	1 Year Machine, 5 Year Ltd Gearbox
GR Series (GR260, GR472, GR484)	1 Year Machine, 5 Year Ltd Gearbox
SE8A Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox
TR200 Series	1 Yr Machine, 1 Yr Ltd Driveline, 5 Yr Ltd Gearbox
TR300 Series	1 Yr Machine, 1 Yr Ltd Driveline, 6 Yr Ltd Gearbox, 2 Yr Seals
TURBO 96 Super Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox
SE10A Rotary Mower	1 Year Machine, 5 Year Ltd Gearbox
TW120 Heavy-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox
TR120 Super-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox
TW144 Heavy-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox
TW168 Heavy-Duty Rotary Cutter	1 Year Machine, 5 Year Ltd Gearbox

Model	Warranty
TS10 10' Flex-Wing Cutter	1 Yr Machine, 1 Yr Ltd Driveline, 5 Yr Ltd Gearbox (Non-Commercial)
TS12 Stealth 12' Flex-Wing Cutter	1 Yr Machine, 1 Yr Ltd Driveline, 5 Yr Ltd Gearbox (Non-Commercial)
2150 15" Medium-Duty Flex-Wing Cutter	1 Yr Machine, 1 Yr Ltd Driveline, 6 Yr Ltd Gearbox, 2 Yr Seals
3100 10' Medium-Duty Offset Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
3150 15' Medium-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
4105 10' Heavy-Duty Offset Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
4150 15' "AG" Heavy-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
4155 15' "Pro" Heavy-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
5100 10' Super-Duty Offset Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
5150 15' Super-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
6140 14' Heavy-Duty Offset Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
6200 20' Heavy-Duty Flex-Wing Cutter	1 Yr Machine, 2 Yr Ltd Driveline, 6 Yr Gearbox, 2 Yr Seals
MDB130 Mechanically Driven Ditch Bank Mower	1 Year Machine, 5 Year Gearbox
DB150 Hydraulic Ditch Bank Cutter	1 Year Machine
2160 Hydraulic Boom Cutter	1 Year Machine (Non-Commercial)
Pulverizer (Single Roller)	1 Year Machine
Pulverizer (Double Roller)	1 Year Machine
PG Series Plugger	1 Year Machine
MPG Series Plugger	1 Year Machine
PA Series Pasture Aerator	1 Year Machine
LLR Landscape Rake	1 Year Machine
CBX Compact Box Blade	1 Year Machine
SBX Medium-Duty Box Blade	1 Year Machine
MBX Heavy-Duty Box Blade	1 Year Machine
RO Roll-Over Box Blades	1 Year Machine
DSP Pull-Type Dirt Scraper	1 Year Machine
GS60, GS72, GS84, HDGS84, HDGS96 Grading Scrapers	1 Year Machine
AP Plow	1 Year Machine
Subsoiler Heavy-Duty (1 & 2 Shank)	1 Year Machine
Lay Off Plow	1 Year Machine
One Row Cultivator	1 Year Machine
Lift-Type Disk Harrow (1D, 2D, 3D)	1 Year Machine
DHP8 Pull-Type Disk Harrow	1 Year Machine
DHP10 Pull-Type Disk Harrow	1 Year Machine

Model	Warranty
DHP8 Pull-Type Disk Harrow	1 Year Machine
DHP10 Pull-Type Disk Harrow	1 Year Machine
DHP12 Pull-Type Disk Harrow	1 Year Machine
Fuerst Broadcast Seeder/Spreader	1 Year Machine
Rebel Rotary Tillers	1 Year Machine
SRT, SRD, SRM Rotary Tiller	1 Year Machine
"P" Series 3-Point Post Hole Digger	1 Year Machine
"N" Series Medium-Duty Post Hole Digger	1 Year Machine
"H" Series Heavy-Duty Post Hole Digger	1 Year Machine
Fuerst Flex Harrows	1 Year Machine
35, 50, 70 Rear Blades	1 Year Machine
850 Rear Blade	1 Year Machine
950 Rear Blade	1 Year Machine
1540 Rear Blade	1 Year Machine
2500 Rear Blade	1 Year Machine (Track Tractors Void Warranty)
3500 Rear Blade	1 Year Machine (Track Tractors Void Warranty)
PT207 Tedder	1 Year Machine
PT405 Tedder	1 Year Machine
PT405H Tedder	1 Year Machine
PT419H Tedder	1 Year Machine
PT625H Tedder	1 Year Machine
ER Pull-Type Rakes	1 Year Machine
RHP8 Patriot Rake	1 Year Machine
RHP10 Patriot Rake	1 Year Machine
RHP12 Patriot Rake	1 Year Machine
VR8 Rake	1 Year Machine
VR10 Rake	1 Year Machine
VR12 Rake	1 Year Machine
VRX12Rake	1 Year Machine
VRX14 Rake	1 Year Machine
BF Rake	1 Year Machine
RDF Rake	1 Year Machine
ACG Accumagrapple	1 Year Machine
MBS Mega Bale Splitter	1 Year Machine
Bale Unroller	1 Year Machine
Bale Spears	1 Year Machine

AGR	1 Year Machine
Skid Steer Grapples	1 Year Machine
ISO Euro Grapples	1 Year Machine
BRGR	1 Year Machine
BGR	1 Year Machine
PF Series	1 Year Machine
3000 25' Series Earthmaster VT	1 Year Machine, 3 Year Ltd Frame
3000 31' Series Earthmaster VT	1 Year Machine, 3 Year Ltd Frame
3000 34' Series Earthmaster VT	1 Year Machine, 3 Year Ltd Frame
65 Series Earthmaster 1165, 1465	1 Year Machine, 3 Year Ltd Frame
10 Series Earthmaster 1710, 2210F, 2510F	1 Year Machine, 3 Year Ltd Frame

LANDSCAPE EQUIPMENT MULTIPLE UNIT FREIGHT DISCOUNTS

PRODUCT FAMILY	MAX QTY PER PALLET	NOTES	FREIGHT
CBX- Box Blade	2	Any combination, any width	30% Discount
SBX - Box Blade			
MBX - Box Blade			
LLR - Landscape Rake	3	Any combination, any width	30% Discount
35 - Rear Blade	2	Same model, any width	30% Discount
50 - Rear Blade	2	Same model, any width	30% Discount
70 - Rear Blade	2	Same model, any width	30% Discount
850 - Rear Blade	2	Same model, any width; total of 3 pallets	30% Discount
GS - Grading Scraper	2	Same model, any width	30% Discount
HDGS - HD Grading Scraper	2	Same model, any width	30% Discount
AP - All Purpose Plow	2	Same model, any width	30% Discount
1D Disc	2	Any combination, any width	30% Discount
2D Disc			
3D Disc			
SS & HDSS - Sub Soiler All Types	6	Any combination	30% Discount
LP - Layoff Plow			
Grapples	2	Any combination	30% Discount
Pallet Fork	6	Any combination	30% Discount
1RCV - One Row Cultivator	2	Any combination, any width	30% Discount
Bale Spears	6	Any combination, any width	30% Discount
Bale Unroller	2	Any combination	30% Discount

RHD96

Flail Mower



Note: RHD96 Models are Built to Order.
Contact Customer Service for Lead Time.

STANDARD EQUIPMENT & SPECIFICATION

Model	RHD96
Mowing Width:	96"
Overall Width:	104"
Overall Length:	40"
Mowing Height:	1" - 6"
Hitch:	CAT 1 & 2
Cuttershaft Diameter:	4 1/2"
Blades:	Fine or Coarse Cut
Blade Rotation:	Forward
HP Required:	50
Gearbox Rating (540 RPM):	60
Knife Tip Speed (FPM):	9,000
Mowing Capacity:	1"
Number of Knives:	Fine Cut 118 Pairs Coarse Cut 48 Pairs
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Drive Belt:	"C" Size
Deck Thickness:	10 Ga
Rear Roller Diameter:	6"
Skid Shoes:	Std
Weight (Approx):	1,170 lbs

ORDERING SECTION

Part Numbers shown are for a complete machine, less extra equipment.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
BASE UNIT - RHD96			
07041750	RHD96, Fine Cut, Center Mount Hitch	1,170	\$9,781
07041751	RHD96, Fine Cut, 12 1/2" Right Offset Hitch	1,170	\$9,781
07041752	RHD96, Fine Cut, 24 1/2" Right Offset Hitch	1,170	\$9,781
07041770	RHD96, Coarse Cut, Center Mount Hitch	1,170	\$9,781
07041771	RHD96, Coarse Cut, 12 1/2" Right Offset Hitch	1,170	\$9,781
07041772	RHD96, Coarse Cut, 24 1/2" Right Offset Hitch	1,170	\$9,781
EXTRA EQUIPMENT			
701150	Lift Chains	7	\$112
701057M	Caster Brackets w/ Laminated Tires and Wheels	233	\$1,967
701056M	Caster Brackets w/ Pneumatic Tires and Wheels	165	\$1,656

1 YEAR MACHINE *Warranty*

RHINOAG

RC115 & RC118

Row Crop Flail Shredders

STANDARD EQUIPMENT & SPECIFICATIONS

Model	RC115	RC118
Cutting Width:	180"	216"
Overall Width:	204"	240"
Cutting Height:	1"-18"	1"-18"
Hitch:	CAT 2 & 3 QH Lift*	CAT 2 & 3 QH Lift*
	Semi-Mount or Pull-Type*	Semi-Mount or Pull-Type*
Cuttershaft Diameter:	10 3/4"	10 3/4"
Blades:	Hard-Surfaced	Hard-Surfaced
HP Required:	Lift 120 Semi-Mount 100 Pull 100	130 110 110
Tires:	(4) 6.70 x 15	(4) 6.70 x 15
Wheel Hubs:	5-Bolt	5-Bolt
Gearbox Rating (1000 RPM):	207 HP	207 HP
Gearbox Warranty:	5 Year Limited	5 Year Limited
Gearbox Oil (85W-140):	Factory Filled	Factory Filled
Knife Tip Speed:	12,620 FPM (Reverse Rotation)	12,620 FPM (Reverse Rotation)
Number of Blades:	168	200
Driveline Size:	CAT 5 or 6	CAT 5 or 6
Driveline Protection:	5 x 5 V, Banded Belt	5 x 5 V, Banded Belt
Rotor Bearing Protection:	Anti-Wrap Seal Protector	Anti-Wrap Seal Protector
Cuttershaft Bearings:	2 9/16" Triple Sealed	2 9/16" Triple Sealed
Hood Thickness:	3/16", w/ Wear Liner	3/16", w/ Wear Liner
End Plate Thickness:	1/4"	1/4"
Safety Deflector- Lights:	Std	Std
Weight (Approx):	4,425 lbs	4,785 lbs

*Lift-Type and Semi-Mount units must be used on tractors equipped with Quick Hitches.



Unit shown with extra equipment.

RC115 & RC118 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1- 4.
Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - RC115, RC118			
00727121	RC115 Base Unit, 15' Row Crop Flail Shredder	4,425	\$24,582
00727122	RC118 Base Unit, 18' Row Crop Flail Shredder	4,785	\$26,755
GROUP 2. HITCH SELECTION - RC115, RC118			
00727125	Lift-Type Hitch w/ 4 Fixed Axles*		\$4,627
00727126	Pull-Type Hitch w/ 4 Fixed Axles	210	\$6,702
00727127	Semi-Mount or Lift Type Hitch w/ 4 Swivel Axles*		\$7,359
GROUP 3. DRIVELINE SELECTION - RC115, RC118			
00726673A	Lift or Semi-Mount, CAT 6 w/ 1 3/8" PTO Yoke	175	\$1,010
00726672A	Lift or Semi-Mount, CAT 6 w/ 1 3/4" PTO Yoke	185	\$1,217
00786844	Pull-Type, CAT 5 CV Driveline, 1 3/8" PTO Yoke	210	\$1,294
00786845	Pull-Type, CAT 5 CV Driveline, 1 3/4" PTO Yoke	240	\$1,294
GROUP 4. LIFT SELECTION - RC115, RC118			
00554600P	Ratchet Jack Manual Lift Kit	12	\$140
00725933	Hydraulic Cylinder Lift Kit	50	\$440
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$300 Net
00888892	Container Loading Fee (Single Charge Per Container Load)		\$325 Net

*Lift-Type and Semi-Mount units must be used on tractors equipped with Quick Hitches.

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG

RC120

Row Crop Flail Shredders

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	240"
Overall Width:	264"
Cutting Height:	1" - 18"
Hitch:	CAT 2 & 3 QH Lift*
	Semi-Mount or Pull-Type*
Cuttershaft Diameter:	10 3/4"
Blades:	Hard-Surfaced w/ Tungsten Carbide
HP Required:	Lift 130
	Semi-Mount 120
	Pull 120
Tires:	(4) 9.5L-15"
Wheel Hubs:	6-Bolt
Gearbox Rating (1000 RPM):	207 HP
Gearbox Oil (85W-140):	Factory Filled
Knife Tip Speed:	12620 FPM, Reverse Rotation
Number of Blades:	216
Driveline Size:	CAT 5 or 6
Driveline Protection:	5 x 5 V, Banded Belt
Rotor Bearing Protection:	Anti-Wrap Seal Protector
Cuttershaft Bearings:	2 9/16"
Hood Thickness:	3/16", w/ 3/16" Internal Wear Liners
End Plate Thickness:	1/4"
Safety Deflector- Light Kit:	Std
Weight (Approx):	4,950 lbs

*Tractor Quick Hitch must be used for Lift-type and Semi-Mount units.



Unit shown with extra equipment.

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4.
Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - RC120			
00727123	RC120 Base Unit, 20' Row Crop Flail Shredder	4,950	\$30,119
GROUP 2. HITCH SELECTION - RC120			
00727128	Lift-Type Hitch w/ 4 Fixed Axles*		\$4,710
00727129	Lift-Type Hitch w/ End Tow & w/ 4 Fixed Axles*	660	\$8,550
00727130	Pull-Type Hitch w/ 4 Fixed Axles	210	\$4,399
00727131	Pull-Type Hitch w/ End Tow & w/ 4 Fixed Axles	870	\$7,380
00727132	Semi-Mount or Lift Type Hitch w/ 4 Swivel Axles*		\$7,365
00727133	Semi-Mount or Lift Type Hitch w/ End Tow & w/ 4 Swivel Axles*	660	\$9,947
GROUP 3. DRIVELINE SELECTION - RC120			
00726673A	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/8" PTO Yoke	175	\$1,010
00726672A	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/4" PTO Yoke	185	\$1,217
00727151	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/4" PTO Yoke - Extended Length (for use w/ 50" wheel package)		\$1,671
00786844	Pull-Type, CAT 5 CV Driveline, 1 3/8" PTO Yoke	210	\$1,294
00786845	Pull-Type, CAT 5 CV Driveline, 1 3/4" PTO Yoke	240	\$1,294
GROUP 4. LIFT SELECTION - RC120			
00554600P	Ratchet Jack Manual Lift Kit	12	\$140
00725933	Hydraulic Cylinder Lift Kit	Included	\$440
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250
EXTRA EQUIPMENT (MUST ORDER SEPARATELY)			
00727009	End Tow Kit, RC120 Pull-Type (Field Installation)	660	\$7,106
00727010	End Tow Kit, RC120 Semi-Mt or Lift-Type (Field Installation)	500	\$7,109
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$300 Net
00888892	Container Loading Fee (Single Charge Per Container Load)		\$325 Net

*Tractor Quick Hitch must be used for Lift-type and Semi-Mount units.

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG

RC125

Row Crop Flail Shredders

STANDARD EQUIPMENT & SPECIFICATIONS		
Cutting Width:		300"
Overall Width:		324"
Cutting Height:		1"-18"
Hitch:		Lift, Pull, or Semi-Mount Type*
Cuttershaft Diameter:		10 3/4"
Blades:		Hard-Surfaced
HP Required:	Lift	160
	Semi-Mount	150
	Pull	140
PTO Type:		1000 RPM
Tires:		(4) 9.5L-15
Gearbox Rating:		207 HP
Gearbox Oil (85W-140):		Factory Filled
Knife Tip Speed:		12,620 FPM, Reverse Rotation
Number of Blades:		272
Driveline Size:		CAT 5 or 6
Driveline Protection:		5 x 5 V, Banded Belt
Rotor Bearing Protection:		Anti-Wrap Seal Protector
Cuttershaft Bearings:		2 9/16"
Hood Thickness:		3/16", w/ 3/16" Internal Wear Liners
End Plate Thickness:		1/4"
Safety Deflector - Light Kit:		Std
Weight (Approx):		6,300 lbs

*Tractor Quick Hitch must be used for Lift-Type and Semi-Mount units.



Unit shown with extra equipment.



RC125 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4. Order special paint and extra equipment as needed to complete machine. End tow kits shown in "Extra Equipment" must be ordered separately.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - RC125			
00727124	RC125 Base Unit, 25' Row Crop Flail Shredder	6150	\$38,037
GROUP 2. HITCH SELECTION - RC125			
00727128	Lift-Type Hitch w/ 4 Fixed Axles*	In Base	\$4,710
00727134	Lift-Type Hitch w/ End Tow & w/ 4 Fixed Axles*	450	\$8,565
00727130	Pull-Type Hitch w/ 4 Fixed Axles	150	\$4,399
00727135	Pull-Type Hitch w/ End Tow & w/ 4 Fixed Axles	780	\$7,385
00727132	Semi-Mount or Lift Type Hitch w/ 4 Swivel Axles*	100	\$7,365
00727136	Semi-Mount or Lift Type Hitch w/ End Tow & w/ 4 Swivel Axles*	450	\$9,952
GROUP 3. LIFT KIT - RC125 - AUTOMATICALLY ADDED TO SALES ORDER			
00725933	Hydraulic Cylinder Lift Kit	In Base	\$440
GROUP 4. DRIVELINE SELECTION - RC125			
00726673A	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/8" PTO Yoke	175	\$1,010
00726672A	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/4" PTO Yoke	185	\$1,217
00727151	Lift or Semi-Mount, CAT 6 Driveline w/ 1 3/4" PTO Yoke - Extended Length (for use w/ 50" wheel package)		\$1,671
00786844	Pull-Type, CAT 5 CV Driveline, 1 3/8" PTO Yoke	210	\$1,294
00786845	Pull-Type, CAT 5 CV Driveline, 1 3/4" PTO Yoke	240	\$1,294
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250

RC125 Continued on Next Page

*Tractor Quick Hitch must be used for Lift-Type and Semi-Mount units.

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINO AG



RC125 Continued

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
EXTRA EQUIPMENT			
00727042	Pair of Fixed Axles for Pull & Lift-Type - Complete w/ Tires & Wheels (May Not Fit all Row Spacings) Not Recommended w/ End Tow Kit	199	\$1,988
00727141	Pair of Swivel Axles for Semi-Mount or Lift-Type - Complete w/ Tires & Wheels (May not fit all row spacings) Not Recommended w/ End Tow Kit	229	\$2,795
00726952	End Tow Kit, Pull-Type, (For Field Installation) (Order separately from machine)	580	\$7,038
00726953	End Tow Kit, Semi-Mount or Lift, (For Field Installation) (Order separately from machine)	420	\$7,038
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$300 Net
00888892	Container Loading Fee (Single Charge Per Container Load)		\$325 Net


RHINO AG
**1 YEAR MACHINE
5 YEAR LTD GEARBOX** *Warranty*

FA513, FA613, FA713

3-Pt Finishing Mowers

STANDARD EQUIPMENT & SPECIFICATIONS

Model	FA513	FA613	FA713
Mowing Width:	59"	71"	83"
Overall Width:	63"	75"	87"
Blade Number:	3	3	3
Cutting Height:	3/4" - 4 1/4"	3/4" - 4 1/4"	1-1/2" - 4 1/2"
Height Adjustment:	Bushing	Bushing	Bushing
Hitch:	CAT 1	CAT 1	CAT 1
Blades:	6mm x 60mm	6mm x 60mm	6mm x 60mm
Blade Overlap:	1"	1"	1"
PTO HP Required:	16 - 40	22 - 50	30 - 60
Gearbox Ratio:	1:2.8	1:2.8	1:2.8
Blade Tip Speed:	14,070 FPM	14,183 FPM	15,257 FPM
Cutting Capacity (Max.):	Grass	Grass	Grass
Driveline Size:	CAT 3 ASAE	CAT 3 ASAE	CAT 3 ASAE
Drive Belt Section:	"B"	"B"	"B"
Number of Drive Belts:	2	2	2
Deck Thickness:	4mm (.157")	4mm (.157")	5mm (.197")
Tires & Wheels:	Solid	Solid	Solid
Anti-Scalp Roller:	Standard	Standard	Standard
Discharge:	Rear	Rear	Rear
Weight (Approx):	432 lbs	472 lbs	816 lbs



ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
BASE UNIT - FA513, FA613, FA713			
FA513001	FA Finish Mower, 60" - Rhino Orange	432	\$3,234
FA613001	FA Finish Mower, 72" - Rhino Orange	472	\$3,400
FA713001	FA Finish Mower, 84" - Rhino Orange	816	\$4,766

1 YEAR MACHINE *Warranty*

RHINOAG

New! TWISTER

10 SERIES

4, 5, & 6 Economy

***Sold in 2 Packs
of Identical Units***



STANDARD EQUIPMENT & SPECIFICATIONS

Model	TW14	TW15	TW16
Cutting Width:	48"	60"	72"
Overall Width:	52 1/2"	64"	76 1/4"
Overall Length:	87"	99"	111"
Cutting Height (Min):	1 1/2"	1 1/2"	1 1/2"
Hitch:	CAT 1 - Std	CAT 1 - Std	CAT 1 - Std
Blade Carrier:	Infinity - Steel	Infinity - Steel	Infinity - Steel
Blades :	1/2" x 3"	1/2" x 3"	1/2" x 3"
PTO HP Required (Min):	20	20	25
Gearbox Rating: *	60 HP	60 HP	60 HP
Blade Tip Speed (FPM):	15,608 FPM	16,117 FPM	14,963 FPM
Cutting Capacity:	1"	1"	1"
Driveline Size:	CAT 3	CAT 3	CAT 3
Driveline Protection:	Shear Bolt or Slip Clutch	Shear Bolt or Slip Clutch	Shear Bolt or Slip Clutch
Deck Thickness:	12 Ga	12 Ga	12 Ga
Side Skirt:	10 Ga	10 Ga	10 Ga
Tire and Wheel:	3.75" x 15" Solid Rubber Tire	3.75" x 15" Solid Rubber Tire	3.75" x 15" Solid Rubber Tire
Safety Deflector:	Front Belt / Rear Steel Band	Front Belt / Rear Steel Band	Front Belt / Rear Steel Band
Weight (Approx):	460 lbs	530 lbs	630 lbs

* Gearbox Rating Based on Field Performance



RHINOAG

**1 YEAR MACHINE
3 YEAR LTD GEARBOX** *Warranty*

TWISTER 10 Series Continued

ORDERING SECTION - TW14

Order a base unit from Group 1 and a driveline from Group 2 to complete your TW14.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE EACH (\$US)
GROUP 1. BASE UNIT - TW14 (Sold in 2 packs of identical units)			
TW14-1OR1	48" Economy Rotary Mower - Rhino Orange	460	\$1,358
TW14-1GR1	48" Economy Rotary Mower - JD Green	460	\$1,378
TW14-1OR2	48" Economy Rotary Mower - Kubota Orange	460	\$1,378
TW14-1RD3	48" Economy Rotary Mower - MF Red	460	\$1,378
TW14-1BL1	48" Economy Rotary Mower - NH Blue	460	\$1,378
TW14-1RD2	48" Economy Rotary Mower - Case IH Red	460	\$1,378
GROUP 2. DRIVELINE - TW14			
00789314	Shear Bolt CAT 3 Driveline		\$111
00759318C	Slip Clutch CAT 3 Driveline		\$270

ORDERING SECTION - TW15

Order a base unit from Group 1 and a driveline from Group 2 to complete your TW15.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE EACH (\$US)
GROUP 1. BASE UNIT - TW15 (Sold in 2 packs of identical units)			
TW15-1OR1	60" Economy Rotary Mower - Rhino Orange	530	\$1,516
TW15-1GR1	60" Economy Rotary Mower - JD Green	530	\$1,536
TW15-1OR2	60" Economy Rotary Mower - Kubota Orange	530	\$1,536
TW15-1RD3	60" Economy Rotary Mower - MF Red	530	\$1,536
TW15-1BL1	60" Economy Rotary Mower - NH Blue	530	\$1,536
TW15-1RD2	60" Economy Rotary Mower - Case IH Red	530	\$1,536
GROUP 2. DRIVELINE - TW15			
00789318	Shear Bolt CAT 3 Driveline		\$129
00759318C	Slip Clutch CAT 3 Driveline		\$270

ORDERING SECTION - TW16

Order a base unit from Group 1 and a driveline from Group 2 to complete your TW16.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE EACH (\$US)
GROUP 1. BASE UNIT - TW16 (Sold in 2 packs of identical units)			
TW16-1OR1	72" Economy Rotary Mower - Rhino Orange	630	\$1,744
TW16-1GR1	72" Economy Rotary Mower - JD Green	630	\$1,764
TW16-1OR2	72" Economy Rotary Mower - Kubota Orange	630	\$1,764
TW16-1RD3	72" Economy Rotary Mower - MF Red	630	\$1,764
TW16-1BL1	72" Economy Rotary Mower - NH Blue	630	\$1,764
TW16-1RD2	72" Economy Rotary Mower - Case IH Red	630	\$1,764
GROUP 2. DRIVELINE - TW16			
00789318	Shear Bolt CAT 3 Driveline		\$129
00759318C	Slip Clutch CAT 3 Driveline		\$270

New!

TWISTER

20 SERIES

5', 6', & 7' Medium-Duty

STANDARD EQUIPMENT & SPECIFICATIONS

Model	TW25	TW26	TW27	TW27DTW
Cutting Width:	60"	72"	84"	84"
Overall Width:	64 1/4"	76 1/4"	88 1/4"	88 1/4"
Overall Length:	108"	118"	135"	135"
Cutting Height (Min):	1 1/2"	1 1/2"	1 1/2"	1 1/2"
Hitch:	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™ *	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™ *	CAT 2/ CAT 3 Std. CAT 2/ CAT 3 Q.H.	CAT 2/ CAT 3 Std. CAT 2/ CAT 3 Q.H.
Blade Carrier:	Infinity - Steel	Infinity - Steel	Infinity - Steel	Infinity - Steel
Blades:	1/2" x 3"	1/2" x 3"	1/2" x 3"	1/2" x 3"
PTO HP Required (Min):	25	35	45	45
Gearbox Rating: **	65 HP	65 HP	130 HP	130 HP
Blade Tip Speed (FPM):	14,335	14,963	14,369	14,369
Cutting Capacity:	2"	2"	2"	2"
Driveline Size:	CAT 3	CAT 3	CAT 4	CAT 4
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch
Deck Thickness:	12 Ga	12 Ga	12 Ga	12 Ga
Side Skirt:	7 Ga	7 Ga	7 Ga	7 Ga
Tire and Wheel:	4" x 8" Laminated	4" x 8" Laminated	4" x 8" Laminated	(2) 4" x 8" Laminated
Safety Deflector:	Deflectors or Chains	Deflectors or Chains	Deflectors or Chains	Deflectors or Chains
Weight (Approx): w/ Rubber Deflectors w/ Chains	720 lbs 760 lbs	800 lbs 865 lbs	1105 lbs 1180 lbs	1255 lbs 1330 lbs

* Gearbox Rating Based on Field Performance

** iMatch™ is a trademark of Deere & Company



RHINOAG

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

TWISTER 20 Series Continued

ORDERING SECTION - TW25

Order a base unit from Group 1 and a guarding from Group 2 to complete your TW25.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW25			
TW25-1OR1	60" Medium-Duty Rotary Mower - Rhino Orange	700	\$2,276
TW25-1GR1	60" Medium-Duty Rotary Mower - JD Green	700	\$2,376
TW25-1OR2	60" Medium-Duty Rotary Mower - Kubota Orange	700	\$2,376
TW25-1RD3	60" Medium-Duty Rotary Mower - MF Red	700	\$2,376
TW25-1BL1	60" Medium-Duty Rotary Mower - NH Blue	700	\$2,376
TW25-1RD2	60" Medium-Duty Rotary Mower - Case IH Red	700	\$2,376
GROUP 2. GUARDING - TW25			
00792286	Rubber Deflector	20	\$109
00792291	Single Chain Guards	60	\$212

ORDERING SECTION - TW26

Order a base unit from Group 1 and a guarding from Group 2 to complete your TW26.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW26			
TW26-1OR1	72" Medium-Duty Rotary Mower - Rhino Orange	780	\$2,696
TW26-1GR1	72" Medium-Duty Rotary Mower - JD Green	780	\$2,796
TW26-1OR2	72" Medium-Duty Rotary Mower - Kubota Orange	780	\$2,796
TW26-1RD3	72" Medium-Duty Rotary Mower - MF Red	780	\$2,796
TW26-1BL1	72" Medium-Duty Rotary Mower - NH Blue	780	\$2,796
TW26-1RD2	72" Medium-Duty Rotary Mower - Case IH Red	780	\$2,796
GROUP 2. GUARDING - TW26			
00792365	Rubber Deflector	20	\$119
00792370	Single Chain Guards	65	\$362

ORDERING SECTION - TW27

Order a base unit from Group 1, guarding from Group 2, and tail wheel from Group 3 to complete your TW27.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW27			
TW27-1OR1	84" Medium-Duty Rotary Mower - Rhino Orange	1080	\$3,685
TW27-1GR1	84" Medium-Duty Rotary Mower - JD Green	1080	\$3,785
TW27-1OR2	84" Medium-Duty Rotary Mower - Kubota Orange	1080	\$3,785
TW27-1RD3	84" Medium-Duty Rotary Mower - MF Red	1080	\$3,785
TW27-1BL1	84" Medium-Duty Rotary Mower - NH Blue	1080	\$3,785
TW27-1RD2	84" Medium-Duty Rotary Mower - Case IH Red	1080	\$3,785
GROUP 2. GUARDING - TW27			
00792436	Rubber Deflector	25	\$212
00792441	Single Chain Guards	100	\$533
GROUP 3. TIRE & WHEEL - TW27			
00792618	Single Tail Wheel 4" X 8" Laminated		\$383
00792619	Dual Tail Wheel (2) 4" X 8" Laminated		\$745

New!

TWISTER**30 SERIES***5' & 6' Heavy-Duty***STANDARD EQUIPMENT & SPECIFICATIONS**

Model	TW35	TW36
Cutting Width:	60"	72"
Overall Width:	66 1/2"	78 1/2"
Overall Length:	105"	121"
Cutting Height (Min):	1 1/2"	1 1/2"
Hitch:	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™ *	CAT 1/ CAT 2 Std. CAT 1/ CAT 2 Q.H. iMatch™ *
Blade Carrier:	Infinity - Cast	Infinity - Cast
Blades:	1/2" x 4" Updraft	1/2" x 4" Updraft
PTO HP Required (Min):	35	45
Gearbox Rating: **	130 HP	130 HP
Blade Tip Speed (FPM):	14,497	14,854
Cutting Capacity:	3"	3"
Driveline Size:	CAT 4	CAT 4
Driveline Protection:	Slip Clutch	Slip Clutch
Deck Thickness:	10 Ga	10 Ga
Side Skirt:	1/4"	1/4"
Tire and Wheel:	Laminated	Laminated
Safety Deflector:	Deflectors or Chains	Deflectors or Chains
Weight (Approx):		
w/ Rubber Deflectors	920 lbs	1075 lbs
w/ Chains	975 lbs	1140 lbs

* iMatch™ is a trademark of Deere & Company

** Gearbox Rating Based on Field Performance

**RHINOAG**
1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

TWISTER 30 Series Continued

ORDERING SECTION - TW35


Order a base unit from Group 1 and a guarding from Group 2 to complete your TW35.
Order extra equipment as needed

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW35			
TW35-1OR1	60" Heavy-Duty Rotary Mower - Rhino Orange		\$3,209
TW35-1GR1	60" Heavy-Duty Rotary Mower - JD Green		\$3,329
TW35-1OR2	60" Heavy-Duty Rotary Mower - Kubota Orange		\$3,329
TW35-1RD3	60" Heavy-Duty Rotary Mower - MF Red		\$3,329
TW35-1BL1	60" Heavy-Duty Rotary Mower - NH Blue		\$3,329
TW35-1RD2	60" Heavy-Duty Rotary Mower - Case IH Red		\$3,329
GROUP 2. GUARDING - TW35			
00792518	Rubber Deflector		\$279
00792521	Single Chain Guards		\$569
00792524	Double Chain Guards		\$802
EXTRA EQUIPMENT - TW35			
00791628	Round Pan Blade Carrier		\$274

ORDERING SECTION - TW36

Order a base unit from Group 1 and a guarding from Group 2 to complete your TW36.
Order extra equipment as needed

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW36			
TW36-1OR1	72" Heavy-Duty Rotary Mower - Rhino Orange		\$3,623
TW36-1GR1	72" Heavy-Duty Rotary Mower - JD Green		\$3,743
TW36-1OR2	72" Heavy-Duty Rotary Mower - Kubota Orange		\$3,743
TW36-1RD3	72" Heavy-Duty Rotary Mower - MF Red		\$3,743
TW36-1BL1	72" Heavy-Duty Rotary Mower - NH Blue		\$3,743
TW36-1RD2	72" Heavy-Duty Rotary Mower - Case IH Red		\$3,743
GROUP 2. GUARDING - TW36			
00792562	Rubber Deflector		\$305
00792565	Single Chain Guards		\$725
00792568	Double Chain Guards		\$978
EXTRA EQUIPMENT - TW36			
00791628	Round Pan Blade Carrier		\$274



Blade Bolt Access Hole

472 *Limited Availability!*

6' Single Spindle Rotary Cutters

STANDARD EQUIPMENT & SPECIFICATIONS

Model:	472
Mowing Width:	72"
Overall Width:	79 1/2"
Overall Length:	121"
Min Cutting Height:	1 1/2"
Hitch*:	CAT 1 & 2 / CAT 1 & 2 QH
PTO Type:	540 RPM
Blade Carrier:	Reinforced Pan
Blades:	1/2" x 4" Updraft
Min PTO HP Required:	55
Gearbox Rating**:	210 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2 3/8"
Blade Tip Speed:	16,286 FPM
Cutting Capacity:	4 1/2" Max
Driveline Size:	CAT 5
Driveline Protection:	Slip Clutch
Side Skirt:	1/4" x 11"
Tires & Wheels:	Laminated
Safety Deflector:	Single or Double Chains
Weight (Approx):	1,560 lbs
*Requires adaptor bushing sold seperately (Top Link)	
** Gearbox Rating Based on Field Performance	



Model 472

Limited Availability!

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 472			
00472-1OR1	472 Rotary Cutter, 72", 540 RPM - Rhino Orange	1,560	\$5,486
GROUP 2. HITCH SELECTION - 472			
00787565	Standard Hitch (QH Compatible)		\$233
GROUP 3. GUARDING SELECTION - 472			
00787563	Single Chain Guards	100	\$699
00787564	Double Chain Guards	160	\$973

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
00780882	Blades, Updraft CCW	2
B571044	Blade Bolt Kit	1
00778047	Washer	2
571045	Shoulder Bolt Washer	2
00781256	Front Single Chain Guard	1
00785231	Rear Single Chain Guard	1
00785246	Front Double Chain Guard	1
00785247	Rear Double Chain Guard	1
3570	Check Chains	1



**1 YEAR MACHINE
5 YEAR LTD GEARBOX** *Warranty*

Limited Availability! **284 & 484**
7' Single Spindle Rotary Cutters

STANDARD EQUIPMENT & SPECIFICATIONS

Model:	284	484
Mowing Width:	84"	84"
Overall Width:	90 1/2"	90 1/2"
Overall Length:	138 1/2" Lift	138 1/2" Lift
	154 1/2" Pull	154 1/2" Pull
Min Cutting Height:	1 1/2"	1 1/2"
Hitch*:	CAT 2 & 3, CAT 1, 2, & 3 QH	CAT 2 & 3, CAT 1, 2, & 3 QH
PTO Type:	540 RPM	540 RPM
Blade Carrier:	Reinforced Pan	Reinforced Pan
Blades:	1/2" x 4" Updraft	1/2" x 4" Updraft
Min PTO HP Required:	60 (Lift)	60 (Lift)
	45 (Pull)	50 (Pull)
Gearbox Rating**:	130 HP	210 HP
Gearbox Oil (85W-140):	Factory Filled	Factory Filled
Output Shaft Diameter:	2"	2 3/8"
Blade Tip Speed:	16,328 FPM	15,675 FPM
Cutting Capacity:	2 1/2" Max	4 1/2" Max
Driveline Size:	CAT 4	CAT 5
Driveline Protection:	Slip Clutch	Slip Clutch
Side Skirt:	1/4" x 11"	1/4" x 11"
Tires & Wheels:	Optional	Optional
Safety Deflector:	Deflectors or Chains	Single or Double Chains
Weight (Approx):	1,265 lbs Lift / 1,427 lbs Pull	1,823 lbs

*Requires adaptor bushing sold separately (Top Link)

** Gearbox Rating Based on Field Performance



1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG

Model 284

*Limited Availability!***ORDERING SECTION**

To order complete machine, select one item each from groups 1, 2, 3 & 4.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 284			
00284-3OR1	284 Rotary Cutter, 84", 540 RPM - Rhino Orange	1,198	\$4,658
GROUP 2. HITCH SELECTION - 284			
00787587	Lift-Type Hitch (QH Compatible)		\$398
00787588	Pull-Type Hitch (Includes Tongue, Jack, Driveline, Intermediate Driveline w/ Clutch & Shielding, Spring Shock Absorber)	128	\$3,395
GROUP 3A. AXLE & TIRE SELECTION - 284 LIFT-TYPE ONLY (INCLUDES TIRES & WHEELS)			
00787589	1 Laminated Tire & Axle, 15"	75	\$362
00787590	2 Laminated Tires & Axles, 15"	150	\$730
GROUP 3B. AXLE & TIRE SELECTION - 284 - PULL-TYPE ONLY (INCLUDES AXLE, HUB & SPINDLE, HYDRAULIC LIFT)			
00787575	2 Laminated Tires & Wheels 6" x 9" x 20.75"	150	\$523
00787576	2 RhinoTrax Tires & Wheels 25.6" x 7" x 18"	240	\$838
00787577	2 Pneumatic Used Airplane Tires & Wheels 27.75" x 8.75" x 14.5" 24 ply	150	\$693
GROUP 4. GUARDING SELECTION - 284			
00787584	Rubber Deflector	38	\$212
00787571	Single Chain Guards	95	\$781
00787572	Double Chain Guards	110	\$999

REPLACEMENT ITEMS (SEE NOTE)

NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.

PART NUMBER	DESCRIPTION	QUANTITY REQUIRED
0582010330	Blades, Updraft CCW	2
B571044	Blade Bolt Kit	1
00778047	Washer, Square ID	2
571045	Washer, Shoulder Bolt	2



**1 YEAR MACHINE
5 YEAR LTD GEARBOX** *Warranty*

*Limited Availability!***Model 484****ORDERING SECTION**

To order complete machine, select one item each from groups 1, 2, 3 (Pull-Type Only) & 4.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 484			
00484-1OR1	484 Rotary Cutter, 84", 540 RPM - Rhino Orange	1,823	\$5,247
GROUP 2. HITCH SELECTION - 484			
00787573	Lift-Type Hitch (Includes 2 Laminated Tires & Wheels, Driveline)		\$1,749
00787574	Pull-Type Hitch (Includes Tongue, Jack, Driveline, Intermediate Driveline w/ Clutch & Shielding, Spring Shock Absorber)	128	\$3,628
GROUP 3. TIRE SELECTION - 484 - PULL-TYPE ONLY (INCLUDES AXLE, HUB & SPINDLE, HYDRAULIC LIFT)			
00787575	2 Laminated Tires & Wheels 6" x 9" x 20.75"	150	\$523
00787576	2 RhinoTrax Tires & Wheels 25.6" x 7" x 18"	240	\$838
00787577	2 Pneumatic Used Airplane Tires & Wheels 27.75" x 8.75" x 14.5" 24 ply	150	\$693
GROUP 4. GUARDING SELECTION - 484			
00787571	Single Chain Guards	95	\$781
00787572	Double Chain Guards	110	\$999
REPLACEMENT ITEMS (SEE NOTE)			
NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
0582010330	Blades, Updraft CCW	2	
B571044	Blade Bolt Kit	1	
00778047	Washer, Square ID	2	
571045	Washer, Shoulder Bolt	2	
00781265	Front Chain Guard	1	
00781264	Rear Chain Guard	1	
00785248	Front Double Chain Guard	1	
00785249	Rear Double Chain Guard	1	

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*
RHINOAG

Limited Availability!

EFFECTIVE JULY 29, 2019

33

GR SERIES

Rotary Cutters

STANDARD EQUIPMENT & SPECIFICATIONS

Model:	GR472	GR484 Lift	GR484 Pull
Cutting Width:	72"	84"	84"
Overall Width:	79 1/2"	90 1/2"	90 1/2"
Overall Length:	121"	138 1/2"	154 1/2"
Min Cutting Height:	1 1/2"	1 1/2"	1 1/2"
Hitch*:	CAT 1 & 2 / CAT 1 & 2 QH	CAT 1 & 2 / CAT 1, 2, & 3 QH	Pull
Blade Carrier:	Shredder Bar	Shredder Bar	Shredder Bar
Blades:	1/2" x 4" Flat	1/2" x 4" Flat	1/2" x 4" Flat
Min PTO HP Required:	55	60	45
Gearbox Rating**:	210 HP	210 HP	210 HP
Gearbox Oil (85W-140):	Factory Filled	Factory Filled	Factory Filled
Output Shaft Diameter:	2 3/8"	2 3/8"	2 3/8"
PTO Type:	540 RPM	540 RPM	540 RPM
Blade Tip Speed:	11,705 FPM	10,326 FPM	10,326 FPM
Cutting Capacity (Max):	4 1/2"	4 1/2"	4 1/2"
Driveline Size:	CAT 4	CAT 5	CAT 5
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch
Deck Thickness:	7 Ga	7 Ga	7 Ga
Side Skirt***:	1/4" x 11"	1/4" x 11"	1/4" x 11"
Tires & Wheels:	Laminated	Optional	Optional
Suspension:	N/A	N/A	Spring Pod
Safety Deflector:	Single or Double Chains	Single or Double Chains	Single or Double Chains
Weight (Approx):	1,560 lbs	1,860 lbs	2,250 lbs

*Requires adaptor bushing sold seperately (Top Link)

**Gearbox Rating Based on Field Performance

***1/2" Thick Impact Zone



Unit shown with extra equipment.

RHINOAG

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

Limited Availability!

Model GR472



ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.
Order shredder kit from group 4 if needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - GR472			
GR472-1OR1	GR472 Rotary Cutter, 72", 540 RPM - Rhino Orange	1,560	\$6,044
GROUP 2. HITCH SELECTION - GR472			
00787565	Quick Hitch		\$233
GROUP 3. GUARDING SELECTION - GR472			
00787563	Single Chain Guards		\$699
00787564	Double Chain Guards		\$973
GROUP 4. SHREDDER KIT - GR472			
00787464	Shredder Kit		\$730
REPLACEMENT ITEMS (SEE NOTE)			
NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
00757827	Blades, Flat Revolving	2	
B571044	Blade Bolt Kit	1	
571045	Washer, Shoulder Bolt	2	
3571MSP	Check Chain	1	

Model GR484

Limited Availability!


ORDERING SECTION

To order complete machine, select one item each from groups 1, 2, 3 (Pull-Type Only) & 4.
Order shredder kit from group 5 if needed.


CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - GR484			
GR484-1OR1	GR484 Rotary Cutter, 84", 540 RPM - Rhino Orange		\$6,339
GROUP 2. HITCH SELECTION - GR484			
00787573	Lift-Type Hitch (Includes Laminated Tires)		\$1,749
00787574	Pull-Type Hitch (Includes Tongue, Jack, Driveline, Intermediate Driveline w/ Clutch & Shielding, Spring Shock Absorber)		\$3,628
GROUP 3. TIRE SELECTION - GR484 - PULL-TYPE ONLY (INCLUDES AXLE & HYDRAULIC LIFT)			
00787575	2 Laminated Tires & Wheels 6" x 9" x 20.75"	150	\$523
00787576	2 RhinoTrax Tires & Wheels 25.6" x 7" x 18"	240	\$838
00787577	2 Pneumatic Used Airplane Tires & Wheels 27.75" x 8.75" x 14.5" 24 ply	150	\$693
GROUP 4. GUARDING SELECTION - GR484			
00787571	Single Chain Guards		\$781
00787572	Double Chain Guards		\$999
GROUP 5. SHREDDER KIT SELECTION - GR484			
00787465	Shredder Kit		\$740
REPLACEMENT ITEMS (SEE NOTE)			
NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
00757827	Blades, Flat Revolving CCW	2	
B571044	Blade Bolt Kit	1	
571045	Washer, Shoulder Bolt	2	

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG



BLADE ROTATION



TURBO | TR208

Medium-Duty

New!

STANDARD EQUIPMENT & SPECIFICATIONS

Model	TR208
Cutting Width:	96"
Overall Width:	103"
Overall Length:	91" (Lift) 138" (Pull)
Cutting Height:	1" – 16"
Height Adjustment:	2.5" x 8" Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	CAT 2/ CAT 3 Std. CAT 2/ CAT 3 Q.H., Pull
Blade Carrier:	Infinity - Steel
Blades:	1/2" x 3" Parallel Updraft
Blade Overlap:	4"
HP Required:	45 (Lift) 30 (Pull)
Gearbox Rating*:	Center Outboard
	100 HP 65 HP
Gearbox Oil:	85W-140 Factory Filled Lucas Oil
Output Shaft Dia.:	1 9/16" (40mm)
Blade Tip Speed:	540 RPM 14,661 FPM
Cutting Capacity:	2"
Driveline Size:	CAT 4 (Lift, Pull)
Driveline Protection:	Slip Clutch
Deck Thickness:	12 Ga
Side Skirt:	7 Ga
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Safety Deflector:	Single Chain Guards

*Gearbox Rating Based on Field Performance

Note:

Lift Type: (2) Laminated Tires 4" x 8"
Pull Type: See Group 2

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX

Warranty

RHINOAG

ORDERING SECTION - TR208 LIFT TYPE

Order one item from Group 1 to complete your TR208 Lift Type.
Order special paint as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR208 LIFT TYPE - SINGLE CHAIN GUARDS - (2) 4" X 8" LAMINATED TIRES			
TR208LT540	96" TR208 540 RPM Lift Type Rotary Cutter, Rhino Orange		\$6,870
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250

ORDERING SECTION - TR208 PULL TYPE

Order one item each from Groups 1 & 2 to complete your TR208 Pull Type.
Order special paint as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR208 PULL TYPE- SINGLE CHAIN GUARDS			
TR208PT540	96" TR208 540 RPM Pull Type Rotary Cutter, Rhino Orange		\$8,600
GROUP 2. TIRE SELECTION - TR208 - PULL TYPE			
00025200	(2) Laminated 6" x 9" x 20.75"		\$520
00793165	(2) RhinoTrax Foam Filled 7" x 12" x 20.5"		\$704
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250


RHINOAG

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX

Warranty


New!

TURBO | TR210


Medium-Duty



BLADE ROTATION



STANDARD EQUIPMENT & SPECIFICATIONS

Model	TR208
Cutting Width:	96"
Overall Width:	103"
Overall Length:	91" (Lift) 138" (Pull)
Cutting Height:	1" – 16"
Height Adjustment:	2.5" x 8" Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	CAT 2 & 3 Q.H., Pull
Blade Carrier:	Infinity - Steel 
Blades:	1/2" x 3" Parallel Updraft
Blade Overlap:	4"
HP Required:	45 (Lift) 30 (Pull)
Gearbox Rating*:	Center Outboard
	100 HP 65 HP
Gearbox Oil:	85W-140 Factory Filled Lucas Oil
Output Shaft Dia.:	1 9/16" (40mm)
Blade Tip Speed:	540 RPM
	14,661 FPM
Cutting Capacity:	2"
Driveline Size:	Cat 4 (Lift, Pull)
Driveline Protection:	Slip Clutch
Deck Thickness:	12 Ga
Side Skirt:	7 Ga
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Safety Deflector:	Single Chain Guards

**Gearbox Rating Based on Field Performance

Note:

Lift Type: (2) 4" x 8" Laminated Tires
Pull Type: See Group 2

RHINOAG

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX

Warranty

TR210 Continued

ORDERING SECTION - TR210 LIFT TYPE

Order one item from Groups 1 & 2 to complete your TR210 Lift Type.
Order special paint as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR210 - LIFT TYPE - (2) 4" X 8" LAMINATED TIRES			
TR210LT540	120" TR210 540 RPM w/ 1 3/8" 6 Spline Driveline - Lift Type Rotary Cutter, Rhino Orange		\$8,700
TR210LT1000	120" TR210 1000 RPM w/ 1 3/8" 21 Spline Driveline - Lift Type Rotary Cutter, Rhino Orange		\$8,700
GROUP 2. GUARDING SELECTION - TR210 - LIFT TYPE			
00793569	Single Chain Guards		\$799
00793570	Double Chain Guards		\$1,150
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250

ORDERING SECTION - TR210 PULL TYPE

Order one item each from Group 1,2 & 3 to complete your TR210 Pull Type.
Order special paint as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR210 - PULL TYPE			
TR210PT540	120" TR210 540 RPM Pull Type Rotary Cutter, Rhino Orange		\$10,550
GROUP 2. TIRE SELECTION - TR210 - PULL TYPE			
00025200	(2) Laminated 6" x 9" x 20.75"		\$520
00793165	(2) HD RhinoTrax Foam Filled 7" x 12" x 20.5"		\$704
GROUP 3. GUARDING SELECTION - TR210 - PULL TYPE			
00793569	Single Chain Guards		\$799
00793570	Double Chain Guards		\$1,150
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250




1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX *Warranty*

New!

TURBO | TR308

Heavy-Duty



STANDARD EQUIPMENT & SPECIFICATIONS

Model	TR308
Cutting Width:	96"
Overall Width:	103"
Overall Length:	94 1/2" (Lift) 97 1/2" (Semi) 143" (Pull)
Cutting Height:	1" – 15"
Height Adjustment:	Cylinder (Pull, Semi)
Jack Stand:	Std (Pull)
Hitch:	CAT 2/ CAT 3 Std. CAT 2/ CAT 3 Q.H., Pull
Blade Carrier:	Infinity - Steel
Blades:	1/2" x 4" Parallel Updraft
Blade Overlap:	4"
HP Required:	55 (Lift) 35 (Pull, Semi)
Gearbox Rating*:	
Center:	100 HP
Outboard:	130 HP
Gearbox Oil:	85W-140 Factory Filled Lucas Oil
Output Shaft Dia.:	2" (50mm)
Blade Tip Speed:	
540 RPM	16,512 FPM
1000 RPM	16,378 FPM
Cutting Capacity:	3"
Driveline Size:	CAT 4 (Lift, Semi) CAT 5 (Pull)
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4"
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Safety Deflector:	Single or Double Chain Guards

*Gearbox Rating Based on Field Performance

Note:

Lift Type: (2) 4" x 8" Laminated Tires
Semi Mount: See Group 2
Pull Type: See Group 3

Warranty

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
6 YEAR LTD GEARBOX
2 YEAR SEALS

RHINOAG

ORDERING SECTION - TR308 LIFT TYPE

To order complete machine, select as follows:
 Lift Type 540 RPM: order one item each from groups 1 & 3.
 Lift Type 1000 RPM: order one item each from groups 1,2 & 3.
 Order special paint as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR308 - LIFT TYPE - (2) 4" X 8" LAMINATED TIRES			
TR308LT540	96" TR308 540 RPM Lift Type Rotary Cutter, Rhino Orange		\$7,500
TR308LT1000	96" TR308 1000 RPM Lift Type Rotary Cutter, Rhino Orange		\$7,150
GROUP 2. DRIVELINE SELECTION - TR308 - LIFT TYPE - 1000 RPM UNITS ONLY			
00793198	1 3/8" Driveline, 1000 RPM (Lift Type Only)		\$700
00793199	1 3/4" Driveline, 1000 RPM (Lift Type Only)		\$750
GROUP 3. GUARDING SELECTION - TR308 - LIFT TYPE			
00793576	Single Chain Guards		\$440
00793577	Double Chain Guards		\$799
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250

ORDERING SECTION - TR308 SEMI MOUNT

Order one item from Group 1,2 & 3 to complete your TR308 Semi Mount.
 Order special paint as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR308 SEMI MOUNT			
TR308SM540	96" TR308 540 RPM Semi Mount Rotary Cutter, Rhino Orange		\$7,500
GROUP 2. TIRE SELECTION - TR308 - SEMI MOUNT			
00025200	(2) Laminated 6" x 9" x 20.75"		\$520
00793165	(2) HD RhinoTrax Foam Filled 7" x 12" x 20.5"		\$704
GROUP 3. GUARDING SELECTION - TR308 - SEMI MOUNT			
00793576	Single Chain Guards		\$440
00793577	Double Chain Guards		\$799
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250



ORDERING SECTION - TR308 PULL TYPE

To order complete machine, select as follows:

Pull Type 540 RPM: order one item each from groups 1, 3 & 4.

Pull Type 1000 RPM: order one item each from groups 1, 2, 3 & 4.

Order special paint as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR308 PULL TYPE			
TR308PT540	96" TR308 540 RPM Pull Type Rotary Cutter, Rhino Orange		\$9,250
TR308PT1000	96" TR308 1000 RPM Pull Type Rotary Cutter, Rhino Orange		\$8,500
GROUP 2. DRIVELINE SELECTION - TR308 - PULL TYPE - 1000 RPM UNITS ONLY			
00791882	1 3/8" Driveline, 1000 RPM (Pull Type Only)		\$1,190
00791883	1 3/4" Driveline, 1000 RPM (Pull Type Only)		\$1,371
GROUP 3. TIRE SELECTION - TR308 - PULL TYPE			
00791863	(2) Laminated 6.5" x 14" x 25.5"		\$574
00791365A	(2) HD RhinoTrax Foam Filled 25.6" x 7" x 18"		\$880
GROUP 4. GUARDING SELECTION - TR308 - PULL TYPE			
00793576	Single Chain Guards		\$440
00793577	Double Chain Guards		\$799
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250




Warranty
1 YEAR MACHINE
1 YEAR LTD DRIVELINE
6 YEAR LTD GEARBOX
2 YEAR SEALS

RHINOAG

TURBO | TR310

Heavy-Duty

Coming Soon!



TURBO | TR310

Heavy-Duty

Coming Soon!



TURBO | TR310
Heavy-Duty
Coming Soon!



SE10A

Rotary Mower

Limited Availability!



SE10A Lift-Type



SE10A Pull-Type

Units shown with extra equipment.

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	118"
Overall Width:	124 3/8"
Overall Length:	116"
Cutting Height:	1 1/4" - 12"
Height Adjustment:	Ratchet Jack (Lift) Cylinder (Pull, Semi-Mt)
Jack Stand:	Std (Pull)
Hitch:	CAT 2 & 3 QH Pull, Semi-Mt
Blade Carrier:	Pan
Blades:	.401" x 3" Updraft
Blade Overlap:	4"
HP Required:	55 (Lift) 45 (Pull)
Gearbox Rating*:	Center Outboard
	100 HP 70 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia.:	2"
Blade Tip Speed:	15,339 FPM
Cutting Capacity:	1"
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	10 Ga x 9 1/2"
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Safety Deflector:	See Group 3

*Gearbox Rating Based on Field Performance

Note: Machines with Lift and Semi-Mount Type hitch use 4 x 8 x 20 Laminated tires. Pull-Type hitch models use 21" Foam Filled Tires or Laminated 6x9x20.75.

ORDERING SECTION

To order complete machine, select one item each from groups 1, 2 & 3.
Order extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - SE10A			
00787839	SE10A Rotary Cutter, 120", 540 RPM, Pull-Type Hitch	1,933	\$7,142

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG



CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 2. TIRE & AXLE SELECTION - SE10A			
00787842	21" New Foam Filled Tire & Axle		\$2,500
00788188	Laminated Tire & Axle	150	\$2,391
GROUP 3. GUARDING SELECTION - SE10A			
00787843	Rubber Deflectors	In Base	\$378
00787844	Single Chain Guard	169	\$952
EXTRA EQUIPMENT (DEALER INSTALLED OPTIONS)			
00759191	Spring Shock Absorber - Pull-Type Only	25	\$264
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load)		\$275 Net
REPLACEMENT ITEMS (SEE NOTE)			
NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
00761977	Blades, CCW Suction	2	
00761985	Blades, CW Suction	2	
00761402	Blade Bolt, 7/8" x 3"	4	
00761535	Washer, 7/8"	4	
00750226	Nut, 7/8" Toplock	4	
00771911	Front Chain Guard	1	
00771914	Rear Chain Guard	1	

TW120

Heavy-Duty Rotary Cutter

Limited Availability!



Pull-Type
Unit shown with extra equipment.

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	120"
Overall Width:	127"
Overall Length:	116" (Lift), 156" (Pull)
Cutting Height:	2" - 12"
Height Adjustment:	Ratchet Jack (Lift) Hydraulic Cylinder (Pull)
Jack Stand:	Standard (Pull)
Hitch:	CAT 2 & 3 QH, Pull
Blade Carrier:	Pan
Blades:	1/2" x 4" Updraft
Blade Overlap:	4"
HP Required:	60 (Lift) 50 (Pull)
Gearbox Rating*:	Center: 120 HP Outboard: 100 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia:	2 3/8"
Blade Tip Speed:	540 RPM 15,423 FPM 1000 RPM 16,166 FPM
Axle Protection:	Spring Shock Absorber (Pull)
Cutting Capacity (Max):	2"
Driveline Size:	CAT 4 w/ 1 3/8" PTO Yoke
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4" x 10"
Tires & Wheels:	2 Laminated (Lift) 2 or 4 Foam Filled Aircraft (Pull)
Safety Tow Chain:	Standard (Pull)
Safety Deflector:	See Group 5

*Gearbox Rating Based on Field Performance

ORDERING SECTION

To order complete Pull-Type machine, order one item each from groups 1, 2, 3, 4, & 5.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW120			
00787849	TW120 Rotary Cutter, 120", 540 RPM, Pull-Type Hitch	2,321	\$7,763
GROUP 2. GEARBOX RPM SELECTION - TW120			
00787858	540 RPM Pull-Type		\$2,867

**1 YEAR MACHINE
5 YEAR LTD GEARBOX** *Warranty*

RHINOAG

TW120 Continued

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 3. DRIVELINE SELECTION - TW120			
00787856	Pull-Type, 540 RPM	210	\$916
00787857	Pull-Type, 540 CV RPM	240	\$916
GROUP 4. TIRE SELECTION - TW120			
00787659	21" New Foam Filled Tire, Wheel & Hub (Order 2 or 4 - Price Shown is for quantity of 1)		\$440
00778803	Auxiliary Spindle Kit - Required when ordering 4 Tires & Wheels	38	\$388
GROUP 5. GUARDING SELECTION - TW120			
00787853	Rubber Deflectors		\$285
00787854	Single Chain Guards	141	\$709
00787855	Double Chain Guards (Available on "Build-to-Order" basis.)	159	\$1,035
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load)		\$275 Net
REPLACEMENT ITEMS - AVAILABLE THROUGH RHINOAG E-COMMERCE			
Model TW120 Replacement Items: (See RhinoAg e-commerce site for terms and latest price information)			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
00762181	Front Chain Guard	1	
00762182	Rear Chain Guard	1	
00769005	Front Double Chain Guard	1	
00769006	Rear Double Chain Guard	1	
8589	Blades, Updraft (Pair) CCW	1	
8590	Blades, Updraft (Pair) CW	1	
8264	Blade Bolt Kit	2	
00758579	Washer, Blade Bolt	4	
00778803	Auxiliary Spindle Kit (Pull-Type, Requires 2 Additional Tires & Wheels)	1	
00766898	Axle Arm Assembly Kit (Pull-Type, Requires 2 Additional Tires & Wheels)	1	

TURBO 120

Super-Duty Rotary Cutter

Limited Availability!



Semi-Mount with Hydraulic Offset Unit shown with extra equipment.

Note: Machines with Lift-Type, Semi-Mount, and Semi-Mount with hydraulic offset hitch use 4 x 8 x 20 Laminated tires. Pull-Type hitch models use 21" Foam Filled tires.

*Pull-Type & Semi-Mt configurations include Spring Shock Absorber and Hydraulic Lift Cylinder as standard equipment.



STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	120"
Overall Width:	127"
Overall Length:	116" (Lift); 156" (Pull), 116" (Offset)
Cutting Height:	1" - 12"
Height Adjustment:	Ratchet Jack (Lift) Hydraulic Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	CAT 2 & 3 QH, Pull, Semi-Mt
Offset (S-M Hitch):	15" R or L
Blade Carrier:	Pan
Blades:	1/2" x 4", Updraft
Blade Overlap:	4"
HP Required:	80 (Lift) 55 (Pull/Semi)
Gearbox Rating*:	Center Outboard
	210 HP 205 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2 3/8"
Blade Tip Speed:	
540 RPM	16,063 FPM
1000 RPM	16,167 FPM
Cutting Capacity (Max):	3"
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga (Upper & Lower)
Side Skirt:	1/4" x 10"
Tires & Wheels:	See Note
Axle Protection:	Spring Shock Absorber (Pull)
Safety Tow Chain:	Std (Pull)
Safety Deflector:	See Group 5

*Gearbox Rating Based on Field Performance

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG



TR120 Continued

ORDERING SECTION

To order complete machine, select as follows:
 Pull-Type: order one item each from groups 1, 2, 3, 4 & 5.
 Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TR120 - PULL-TYPE			
00787733	TR120 Rotary Cutter, 120", 540/540 CV RPM Pull-Type Hitch	2,889	\$9,061
GROUP 2. GEARBOX RPM SELECTION - TR120 - PULL-TYPE			
00787731	540 RPM		\$2,763
GROUP 3. DRIVELINE SELECTION - TR120 - PULL-TYPE			
00778130	Driveline, 540 RPM	210	\$554
00787965	Driveline, 540 RPM CV	240	\$957
GROUP 4. TIRE SELECTION - TR120 - PULL-TYPE ONLY			
00787659	21" New Foam Filled Tire, Wheel & Hub (Order 2 or 4 - Price Shown is for quantity of 1)		\$440
GROUP 5. GUARDING SELECTION - TR120 - PULL-TYPE			
00787724	Rubber Deflectors		\$326
00787725	Single Chain Guards	141	\$781
00788305	Double Chain Guards	159	\$1,102



1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*



TR120 Continued

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
EXTRA EQUIPMENT (DEALER INSTALLED OPTIONS)			
3571M	Check Chains (Lift-Type)		\$254
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load)		\$275 Net
REPLACEMENT ITEMS - AVAILABLE THROUGH RHINOAG E-COMMERCE			
Model TR120 Replacement Items: (See RhinoAg e-commerce site (www.rhinoparts.com) for terms and latest price information)			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
00778541	Front Chain Guard	1	
00762182	Rear Chain Guard	1	
00778542	Front Double Chain Guard	1	
00769006	Rear Double Chain Guard	1	
8589	Blades, Updraft (Pair) CCW	1	
8590	Blades, Updraft (Pair) CW	1	
8264	Blade Bolt Kit	2	
00778047	Washer, Blade Bolt	4	

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*



TW144

Heavy-Duty Rotary Cutter

Limited Availability!

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	144"
Overall Width:	151"
Overall Length:	130" (Lift), 168" (Pull)
Cutting Height:	2" - 12"
Self-Leveling Height Adjustment:	Ratchet Jack (Lift) Hydraulic Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	CAT 2 & 3 QH, Pull
Blade Carrier:	Pan
Blades:	1/2" x 4" Updraft
Blade Overlap:	4"
HP Required:	70 (Lift) 55 (Pull)
Gearbox Rating*:	
Center:	120 HP
Outboard:	100 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2 3/8"
Blade Tip Speed:	15,523 FPM
Cutting Capacity :	2"
Axle Protection:	Spring Shock Absorber (Pull)
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4" x 10"
Tires & Wheels:	See Note
Safety Tow Chain:	Std (Pull)
Light Kit:	Std

*Gearbox Rating Based on Field Performance

Note: Machines with Lift-Type hitch use 4 x 8 x 20 Laminated tires. Pull-Type hitch models use 21" Foam Filled tires.

*Pull-Type configurations include Spring Shock Absorber and Hydraulic Lift Cylinder as standard equipment.



Lift-Type
Unit shown with extra equipment.

RHINOAG

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*



TW144 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.
Order extra equipment as needed

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW144			
00787814	TW144 Rotary Cutter Base, 540 RPM	2,177	\$8,715
00788051	TW144 Rotary Cutter, Base 1000 RPM	2,177	\$8,715
GROUP 2. HITCH SELECTION - TW144			
00787812	TW144 Lift-Type Hitch (Includes Driveline)		\$3,136
00787813	TW144 Pull-Type Hitch (Includes Driveline)	275	\$4,435
GROUP 2B. DRIVELINE SELECTION - TW144 - (AUTOMATICALLY CHOSEN DEPENDING ON CHOICES FROM GROUP 1 AND GROUP 2 ABOVE. PRICE IS INCLUDED IN GROUP 2.)			
00775369	Driveline, 540 RPM, Lift-Type Hitch		
00775351	Driveline, 540 RPM, Pull-Type Hitch		
00775435	Driveline, 1000 RPM, 1 3/8" - 21 Lift-Type Hitch		
00775352	Driveline, 1000 RPM, 1 3/8" - 21 Pull-Type Hitch		
GROUP 3. GUARDING SELECTION - TW144			
00787815	Rubber Deflectors		\$362
00787816	Single Chain Guards	95	\$823
00787821	Double Chain Guards	109	\$1,294

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG



TW144 Continued

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
EXTRA EQUIPMENT			
3571M	Check Chains (Lift-Type)	8	\$254
00778803	Auxiliary Spindle & Tire Kit (Pull-Type Only, converts unit to 2 tires per axle)	38	\$388
00766898	Axle Arm Assembly Kit (Pull-Type Only, converts unit to 4 axles w/ 1 tire each)	103	\$1,371
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load)		\$275 Net
REPLACEMENT ITEMS - AVAILABLE THROUGH RHINOAG E-COMMERCE			
Model TW144 Replacement Items: (See RhinoAg e-commerce site (www.rhinoparts.com) for terms and latest price information)			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
8588	Blades, Updraft (Pair) CCW	1	
00761273	Single Blades, Updraft, CW	2	
8264	Blade Bolt Kit	2	
00758579	Washer, Blade Bolt	4	
00761239	Front Chain Guard	1	
00761242	Rear Chain Guard	1	
00769007	Front Double Chain Guard	1	
00769008	Rear Double Chain Guard	1	

TW168

Heavy-Duty Rotary Shredder



Unit shown with extra equipment.

*Pull-Type configurations include Spring Shock Absorber and Hydraulic Lift Cylinder as standard equipment.

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	168"
Overall Width:	176"
Overall Length:	112" (Lift) 155" (Pull)
Cutting Height:	1" - 14"
Height Adjustment:	Ratchet Jack (Lift) Cylinder (Pull)
Jack Stand:	Std (Pull)
Hitch:	Lift CAT 2 QH & 3 QH, or Pull
Blade Carrier:	Bar
Blades:	1/2" x 4" Flat (Others Optional)
Blade Overlap:	4"
HP Required:	80 (Lift) 50 (Pull)
Gearbox Rating*: (540 RPM) (1000 RPM)	125 HP 140 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2 3/8"
Blade Tip Speed: (540 RPM) (1000 RPM)	13,300 FPM 13,200 FPM
Cutting Capacity (Max):	2"
Axle Protection (Pull-Type):	Spring Shock Absorber
Driveline Size:	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4" x 11"
Tires & Wheels:	Foam Filled 21" x 7" 12"
Safety Tow Chain:	Std (Pull)
Light Kit:	Std

*Gearbox Rating Based on Field Performance

1 YEAR MACHINE
5 YEAR LTD GEARBOX *Warranty*

RHINOAG



TW168 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.
Order special paint and extra equipment as needed

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TW168			
00787803	TW168 - Lift-Type Hitch		\$12,161
00787804	TW168 - Pull-Type Hitch		\$12,110
GROUP 2. GEARBOX RPM SELECTION - TW168			
00787808	540 RPM - Pull-Type		\$2,448
00787809	1000 RPM - Lift or Pull-Type		\$2,494
GROUP 3. DRIVELINE SELECTION - TW168			
00775390	Lift-Type, 1000 RPM Driveline, 1 3/8" - 21 Spline		\$657
00793199	Lift-Type 1000 RPM Driveline 1 3/4" -20 Spline		\$750
00775351	Pull-Type, 540 RPM Driveline, 1 3/8" - 6 Spline		\$657
00775352	Pull-Type, 1000 RPM Driveline, 1 3/8" - 21 Spline		\$657
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250
EXTRA EQUIPMENT			
00763464	Shredding Attachment (30", 38", & 40" Rows)	250	\$1,268
00763511	Lift-Type - Axle Arms w/ (2) Foam Filled tires. Converts unit to 4 axles w/ 1 tire each.	365	\$2,712
00763510	Pull-Type - Axle Arms w/ (2) Foam Filled tires. Converts unit to 4 axles w/ 1 tire each.	352	\$1,346
CONTAINER FEES - INTERNATIONAL SHIPMENTS			
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)		\$100 Net
00888892	Container Loading Fee (Single Charge per Container Load)		\$275 Net


TS10

Flex-Wing Rotary Cutter



Unit shown with extra equipment.

*Cutting Height dependent on Tire Size.



BLADE ROTATION

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	120"
Transport Width:	93"
Transport Height:	68"
Overall Width:	126"
Overall Length:	162"
Cutting Height: *	1" - 15"
Height Adjustment:	3 1/2" x 8" Hyd Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull Type, Parallel Clevis
Blade Carrier:	Infinity - Steel
Blades:	1/2" x 3" High Lift
Blade Overlap:	6"
Tractor PTO HP Range:	25 - 60
Gearbox Rating: **	
Divider	160 HP
Center & Wing	65 HP
Gearbox Oil (85W-140):	Factory Filled Lucas Oil
Output Shaft Diameter:	1 9/16"
Blade Tip Speed:	
Center 540 RPM	13,028
Wing 540 RPM	13,680
Cutting Capacity:	2"
Driveline Protection:	Slip Clutch
Driveline ASABE:	
Main	CAT 4 CV
Wing	CAT 3 SC
Deck Thickness:	12 Ga
Side Skirt:	1/4" x 10"
Tires & Wheels:	See Group 2
(4 or 6)	
Wing Lift:	2" x 14" Hyd Cylinder
Wing Flex:	90° Up/ 25° Down
Operational Wing Flex:	45° Up/ 25° Down
Safety Tow Chain:	Std
Safety Deflectors:	See Group 3
Tongue Weight (Approx):	720 lbs
Weight (Approx):	2,190 lbs

TS10 is NOT intended for Commercial or Government use.

RHINOAG

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX *Warranty*

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.
Order extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1A. BASE UNIT - TS10		
<i>Features 1 Year Machine Warranty, 1 Year Ltd Driveline & 5 Year Gearbox Warranty!</i>		
TS10-3OR1	TS10 Flex-Wing Cutter, Rhino Orange	\$11,359
TS10-3GR1	TS10 Flex-Wing Cutter, JD Green	\$11,550
TS10-3OR2	TS10 Flex-Wing Cutter, Kubota Orange	\$11,550
TS10-3RD2	TS10 Flex-Wing Cutter, Case IH Red	\$11,550
TS10-3RD3	TS10 Flex-Wing Cutter, MF Red	\$11,550
TS10-3BL1	TS10 Flex-Wing Cutter, NH Blue	\$11,550
GROUP 1B. SPECIAL EDITION BASE UNIT - TS10		
<i>Features 2 Year Machine, 2 Year Ltd Driveline & 7 Year Gearbox Warranty!</i>		
TS10-3BK1	TS10 Flex-Wing Cutter, Black Rhino Edition	\$13,050
GROUP 2. TIRE SELECTION - TS10		
00025200	Laminated 6" x 9" x 20.75"	
	4 Tires (2 Center, 2 Wing)	\$1,040
	6 Tires (4 Center, 2 Wing)	\$1,560
00793165	RhinoTrax Foam Filled 7" x 12" x 20.5"	
	4 Tires (2 Center, 2 Wing)	\$1,408
	6 Tires (4 Center, 2 Wing)	\$2,112
GROUP 3. GUARDING SELECTION - TS10		
00793127	Rubber Deflectors	\$585
00793128	Single Chain Guards	\$952
EXTRA EQUIPMENT (DEALER INSTALLED OPTIONS)		
00790287	2-Function Hydraulic Kit - 2 remote - wings plumbed together	\$102
00790288	3-Function Hydraulic Kit - 3 remote - all cylinders function seperately	\$166
<p>Attention: The TS10 is plumbed to require 1 tractor remote valve. Hydraulics are phased so the entire unit level lifts before the wings raise. The above kits allow hydraulic functions to be operated separately, but require 2 or 3 tractor remote valves.</p>		
REPLACEMENT ITEMS (SEE NOTE)		
<p>NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.</p>		
Part Number	Description	
00781343	Blades, Updraft CCW	
00793152	Blades, Updraft CCW	
00793133	Blades, Updraft CW	
00786548	Blade Bolt Kit	

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX *Warranty*

TS12


Flex-Wing Rotary Cutter



Unit shown with extra equipment.


*Cutting Height dependent on Tire Size.

TS12 is NOT intended for Commercial or Government use.



BLADE ROTATION

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	144"
Transport Width:	97"
Transport Height:	65"
Overall Width:	155"
Overall Length:	148"
Cutting Height: *	2" - 12"
Self-Leveling Height Adjustment:	3 1/2" x 8" Hyd Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull - Swivel
Blade Carrier:	Infinity - Steel 
Blades:	1/2" x 3"
Blade Overlap:	6"
HP Required:	35 - 60 PTO
Gearbox Rating: **	
Divider	160 HP
Center & Wing	65 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	1 9/16"
Blade Tip Speed:	
Center 540 RPM	14,504 FPM
Wing 540 RPM	13,925 FPM
Cutting Capacity:	1 1/2" Diameter
Driveline Size:	
Main	CAT 4 Equal Angle
Wing	CAT 3
Driveline Protection:	Slip Clutch
Deck Thickness:	12 Ga
Center:	10 Ga Bottom, 12 Ga Top
Wings:	Double 12 Ga
Side Skirt:	1/4" x 11 1/2"
Tires & Wheels:	Foam Filled RhinoTrax or Laminated Tires
(4 or 6)	
Wing Flex:	88° Up / 25° Down
Operational Wing Flex:	45° Up/ 25° Down
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	Chain Guards
Wheel Base:	126 1/4"
Tongue Weight:	748 lbs
Weight (Approx):	2,750 lbs

**Gearbox Rating Based on Field Performance

RHINOAG

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX

Warranty



ORDERING SECTION

To order complete machine, select one item each from groups 1 - 3.
Order special paint & extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - TS12		
TS125403	TS12 Flex-Wing Cutter, 540 RPM	\$13,377
GROUP 2. TIRE SELECTION - TS12		
00025200	Laminated 6" x 9" x 20.75"	
	4 Tires (2 Center, 2 Wing)	\$1,040
	6 Tires (4 Center, 2 Wing)	\$1,560
00793165	RhinoTrax Foam Filled 7" x 12" x 20.5"	
	4 Tires (2 Center, 2 Wing)	\$1,408
	6 Tires (4 Center, 2 Wing)	\$2,112
GROUP 3. GUARDING SELECTION - TS12		
00790297	Single Chain Guards	\$1,071
SPECIAL PAINT COLOR SELECTION (RHINO ORANGE IS STANDARD)		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
EXTRA EQUIPMENT (DEALER INSTALLED OPTIONS)		
00790287	2-Function Hydraulic Kit	\$102
00790288	3-Function Hydraulic Kit	\$166
Attention: The standard TS12 is plumbed to require 1 tractor remote valve. Hydraulics are phased so the entire unit level lifts before the wings raise. The above kits allow hydraulic functions to be operated separately, but require 2 or 3 tractor remote valves.		
REPLACEMENT ITEMS (SEE NOTE)		
NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See RhinoAg E-Commerce site (www.rhinoparts.com) for latest price and terms information.		
Part Number	Description	
00781341	Blades, Updraft CCW	
00790107	Blades, Updraft CW	
00786548	Blade Bolt Kit	



1 YEAR MACHINE
1 YEAR LTD DRIVELINE
5 YEAR LTD GEARBOX *Warranty*


2150

Medium-Duty Flex-Wing Rotary Cutter



Unit shown with extra equipment.


BLADE ROTATION



Warranty

1 YEAR MACHINE
1 YEAR LTD DRIVELINE
6 YEAR LTD GEARBOX
2 YEAR SEALS

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	180"
Transport Width:	116"
Transport Height:	75"
Overall Width:	187"
Overall Length:	172"
Cutting Height*:	2" - 14"
Height Adjustment:	2 1/2" x 8" Hyd Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Clevis
Blade Carrier:	Infinity 
Blades:	1/2" x 4" Parallel Lift
Blade Overlap:	6"
HP Required:	50
Gearbox Rating**:	
Divider	160 HP
Center & Wing	130 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia:	2"
Blade Tip Speed:	
Center 540 RPM	14,861 FPM
1000 RPM	15,570 FPM
Wing 540 RPM	14,861 FPM
1000 RPM	15,776 FPM
Cutting Capacity:	2 1/2"
Driveline Size:	
Main	CAT 5 CV
Wing	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Center	10 Ga (Top), 7 Ga (Bot- tom)
Wing	10 Ga (Top & Bottom)
Side Skirt:	1/4" x 12 3/8"
Tire Selections:	See Group 3
Wing Flex (Degrees):	87° Up/ 25° Down
Operational Wing Flex:	45° Up/ 25° Down
Weight (Approx):	4,290 lbs (w/ Single Chains & 6 RhinoTrax Tires)
Tongue Weight:	1,430 lbs
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	See Group 4

*Cutting Height dependent on Tire Size.

**Gearbox Rating Based on Field Performance

RHINOAG

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4.
Order special paint & extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 2150		
2150N5403	2150 Flex-Wing Cutter, 540 RPM	\$14,283
2150R5403	2150 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$14,775
2150N1003	2150 Flex-Wing Cutter, 1000 RPM	\$14,283
2150R1003	2150 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$14,775
GROUP 2. DRIVELINE SELECTION - 2150		
00789371	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,242
00789372	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,242
00778932	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,510
GROUP 3. TIRE & WHEEL SELECTION - 2150 (INCLUDES 00790303 HUB & SPINDLE BUNDLE)		
00791365	RhinoTrax Foam Filled 25.6" x 7" x 18"	
	4 Tires (2 Center, 2 Wing)	\$1,760
	6 Tires (4 Center, 2 Wing)	\$2,640
	8 Tires (4 Center, 4 Wing)	\$3,520
00787512	Foam Filled 21" x 7" x 12"	
	4 Tires (2 Center, 2 Wing)	\$1,408
	6 Tires (4 Center, 2 Wing)	\$2,112
	8 Tires (4 Center, 4 Wing)	\$2,816
00788719	Foam Filled 25.5" x 8" x 14"	
	4 Tires (2 Center, 2 Wing)	\$1,844
	6 Tires (4 Center, 2 Wing)	\$2,766
	8 Tires (4 Center, 4 Wing)	\$3,688
00025200	Laminated 6" x 9" x 20"	
	4 Tires (2 Center, 2 Wing)	\$1,040
	6 Tires (4 Center, 2 Wing)	\$1,560
	8 Tires (4 Center, 4 Wing)	\$2,080
00791863	Laminated 6.5" x 14" x 25.5"	
	4 Tires (2 Center, 2 Wing)	\$1,148
	6 Tires (4 Center, 2 Wing)	\$1,722
	8 Tires (4 Center, 4 Wing)	\$2,296
00791638	20 Ply Pneumatic 25.5" x 8" x 14"	
	4 Tires (2 Center, 2 Wing)	\$1,344
	6 Tires (4 Center, 2 Wing)	\$2,016
	8 Tires (4 Center, 4 Wing)	\$2,688

2150 Continued




CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 4. GUARDING SELECTION - 2150		
00790576	Rubber Deflectors	\$838
00790577	Single Chain Guards	\$1,615
00790578	Front Chain Guard & Rear Deflectors	\$1,397
SPECIAL PAINT COLOR SELECTION (RHINO ORANGE IS STANDARD)		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Ferguson Red	\$250
00787657	NH Blue	\$250
00789484	Galvanizing	\$2,743
EXTRA EQUIPMENT - 2150		
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 2150 applications.)	\$274 Each
00787326	Hydraulic Splitter Kit (Plumbs both wings to 1 tractor remote valve)	\$51
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net

Warranty
1 YEAR MACHINE
1 YEAR LTD DRIVELINE
6 YEAR LTD GEARBOX
2 YEAR SEALS

RHINOAG

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	126"
Transport Width:*	88"
Transport Height:*	80"
Overall Width:*	133"
Overall Length:*	176"
Cutting Height:*	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity 
Blades:	1/2" x 4" Parallel Lift
Blade Overlap:	6"
HP Required:	50
Gearbox Rating**:	
Divider	160 HP
Center & Wing	110 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia:	2"
Blade Tip Speed:	
Center 540 RPM	14,861 FPM
1000 RPM	15,570 FPM
Wing 540 RPM	14,861 FPM
1000 RPM	15,776 FPM
Cutting Capacity:	3"
Driveline Size:	
Main	CAT 4 CV
Wing	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4" x 9 5/8"
Tires & Wheels:	See Group 4
Wing Flex:	90° Up / 25° Dn
Operational Wing Flex:	45° Up/ 25° Down
Weight (Approx):	4,830 lbs
Tongue Weight:	1,790 lbs
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	See Group 5

* Dependent on tire size

**Gearbox Rating Based on Field Performance

Warranty

1 YEAR MACHINE

2 YEAR LTD DRIVELINE

6 YEAR GEARBOX


2 YEAR SEALS

3100**Medium-Duty Offset Flex-Wing Rotary Cutter**

Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, green-belt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.

Blade Rotation for offset Flex-Wing Rotary Cutters has been designed to move cut material toward the wing for highway mowing purposes.

**BLADE ROTATION
10' OFFSET FLEX-WINGS****RHINOAG**

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 5.
Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 3100		
3100N5404	3100 Offset Flex-Wing Cutter, 540 RPM	\$15,142
3100R5404	3100 Offset Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$15,577
3100N1004	3100 Offset Flex-Wing Cutter, 1000 RPM	\$15,142
3100R1004	3100 Offset Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$15,577
GROUP 2. HITCH SELECTION - 3100		
00791558	Std Pivoting Hitch	\$305
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$311
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,097
GROUP 3. DRIVELINE SELECTION - 3100		
00791881	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,190
00791882	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,190
00791883	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,371
GROUP 4. TIRE & WHEEL SELECTION - 3100 (INCLUDES 00790303 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	5 Tires (4 Center, 1 Wing)	\$2,200
	6 Tires (4 Center, 2 Wing)	\$2,640
00787512	Foam Filled 21" x 7" x 12"	
	5 Tires (4 Center, 1 Wing)	\$1,760
	6 Tires (4 Center, 2 Wing)	\$2,112
00788719	Foam Filled 25.5" x 8" x 14"	
	5 Tires (4 Center, 1 Wing)	\$2,305
	6 Tires (4 Center, 2 Wing)	\$2,766
00025200	Laminated 6" x 9" x 20"	
	5 Tires (4 Center, 1 Wing)	\$1,300
	6 Tires (4 Center, 2 Wing)	\$1,560
00791863	Laminated 6.5" x 14" x 25.5"	
	5 Tires (4 Center, 1 Wing)	\$1,435
	6 Tires (4 Center, 2 Wing)	\$1,722
GROUP 5. GUARDING SELECTION - 3100		
00791586	Rubber Deflectors	\$502
00791526	Single Chain Guards	\$1,397
00791527	Double Chain Guards	\$1,972





3100 Continued

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLE OPTION		
00791673	Center Walking Axle Only (Select 5 or 6 Tire Option)	\$844
00791674	Center & Wing Walking Axle (Select 6 Tire Option)	\$1,258
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
EXTRA EQUIPMENT		
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 2 for 3100 applications.)	\$274
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net



Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS


3150

Medium-Duty Flex-Wing Rotary Cutter




Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, green-belt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.



BLADE ROTATION
15' FLEX-WINGS

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	180"
Transport Width:*	96"
Transport Height:*	80"
Overall Width:*	187"
Overall Length:*	176"
Cutting Height:*	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity 
Blades:	1/2" x 4" Parallel Lift
Blade Overlap:	6"
PTO HP Required:	50
Gearbox Rating**:	
Divider	160 HP
Center & Wing	130 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	2"
Blade Tip Speed:	
Center 540 RPM	14,861 FPM
1000 RPM	15,570 FPM
Wing 540 RPM	14,861 FPM
1000 RPM	15,776 FPM
Cutting Capacity:	3"
Driveline Size:	
Main	CAT 5 CV TR
Wing	CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	1/4"
Tires & Wheels:	See Group 4
Wing Flex:	90° Up / 25° Dn
Operational Wing Flex:	45° Up/ 25° Down
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	See Group 5
Tongue Weight:	1,610 lbs
Weight (Approx):	5,190 lbs

* Dependent on tire size

**Gearbox Rating Based on Field Performance

RHINOAG

Warranty

1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



3150 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 5.
Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 3150		
3150N5404	3150 Flex-Wing Cutter, 540 RPM	\$16,467
3150R5404	3150 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$17,129
3150N1004	3150 Flex-Wing Cutter, 1000 RPM	\$16,467
3150R1004	3150 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$17,129
GROUP 2. HITCH SELECTION - 3150		
00791558	Std Pivoting Hitch	\$305
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$311
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,097
GROUP 3. DRIVELINE SELECTION - 3150		
00791881	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,190
00791882	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,190
00791883	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,371
GROUP 4. TIRE & WHEEL SELECTION - 3150 (INCLUDES 00790303 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	6 Tires (4 Center, 2 Wing)	\$2,640
	8 Tires (4 Center, 4 Wing)	\$3,520
00787512	Foam Filled 21" x 7" x 12"	
	6 Tires (4 Center, 2 Wing)	\$2,112
	8 Tires (4 Center, 4 Wing)	\$2,816
00788719	Foam Filled 25.5" x 8" x 14"	
	6 Tires (4 Center, 2 Wing)	\$2,766
	8 Tires (4 Center, 4 Wing)	\$3,688
00025200	Laminated 6" x 9" x 20"	
	6 Tires (4 Center, 2 Wing)	\$1,560
	8 Tires (4 Center, 4 Wing)	\$2,080
00791863	Laminated 6.5" x 14" x 25.5"	
	6 Tires (4 Center, 2 Wing)	\$1,722
	8 Tires (4 Center, 4 Wing)	\$2,296
GROUP 5. GUARDING SELECTION - 3150		
00791587	Rubber Deflectors	\$652
00791528	Single Chain Guards	\$1,625
00791529	Double Chain Guards	\$2,308




3150 Continued

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLE OPTION		
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$844
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,687
SPECIAL PAINT COLOR SELECTION (RHINO ORANGE IS STANDARD)		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
00789484	Galvanizing	\$2,743
EXTRA EQUIPMENT		
00787326	Hydraulic Splitter Kit (Plumbs both wings to 1 tractor remote valve)	\$51
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 3150 applications.)	\$274
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net

Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

RHINOAG

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	126"
Transport Width:*	88"
Transport Height:*	80"
Overall Width:*	133"
Overall Length:*	183"
Cutting Height:*	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity 
Blades:	1/2" x 4" Parallel Lift
Blade Overlap:	6"
HP Required:	60 PTO
Gearbox Rating**:	
Divider	250 HP
Center & Wing	225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	3"
Blade Tip Speed:	
Center 540 RPM	16,286 FPM
1000 RPM	16,380 FPM
Wing 540 RPM	16,422 FPM
1000 RPM	15,983 FPM
Cutting Capacity:	4 1/2"
Driveline Size:	
Main	CAT 5 CV
Wing	CAT 5
Driveline Protection:	Slip Clutch
Deck Thickness:	7 Ga
Side Skirt:	1/4"
	AR400 Military Grade Steel
Skid Shoes:	Bolt on replaceable 3/8"
	AR400 military grade steel
Wheel Hubs:	Service Free
Tires & Wheels:	See Group 4
Wing Flex:	90° Up/ 25° Dn
Operational Wing Flex:	45° Up/ 25° Down
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	See Group 5
Weight (Approx):	5,400 lbs

* Dependent on tire size


**Gearbox Rating Based on Field Performance

"PRO" Heavy-Duty Offset Flex-Wing Rotary Cutter

Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, green-belt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.

Blade rotation on offset Flex-Wing cutters is designed to move cut material toward the wing for highway mowing applications.

**BLADE ROTATION
10' OFFSET FLEX-WINGS**

Warranty **1 YEAR MACHINE**
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

4105 Continued



ORDERING SECTION

To order complete machine, select one item each from groups 1 - 5.
Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 4105		
4105N5404	4105 Flex-Wing Cutter, 540 RPM	\$19,660
4105R5404	4105 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$20,364
4105N1004	4105 Flex-Wing Cutter, 1000 RPM	\$19,660
4105R1004	4105 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$20,364
GROUP 2. HITCH SELECTION - 4105		
00791558	Std Pivoting Hitch	\$305
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$311
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,097
GROUP 3. DRIVELINE SELECTION - 4105		
00791581	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,356
00791582	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,356
00791583	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,397
GROUP 4. TIRE & WHEEL SELECTION - 4105 (INCLUDES 00790303 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	5 Tires (4 Center, 1 Wing)	\$2,200
	6 Tires (4 Center, 2 Wing)	\$2,640
00788719	Foam Filled 25.5" x 8" x 14"	
	5 Tires (4 Center, 1 Wing)	\$2,305
	6 Tires (4 Center, 2 Wing)	\$2,766
00791863	Laminated 6.5" x 14" x 25.5"	
	5 Tires (4 Center, 1 Wing)	\$1,435
	6 Tires (4 Center, 2 Wing)	\$1,722
GROUP 5. GUARDING SECTION - 4105		
00791526	Single Chain Guards	\$1,397
00791527	Double Chain Guards	\$1,972

Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

RHINOAG



4105 Continued

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLE OPTION		
00791673	Center Walking Axle Only (Select 5 or 6 Tire Option)	\$844
00791674	Center & Wing Walking Axle (Select 6 Tire Option)	\$1,258
SPECIAL PAINT COLOR SELECTION (RHINO ORANGE IS STANDARD)		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
EXTRA EQUIPMENT		
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 2 for 4105 applications.)	\$274
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net



Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS


4150

“Ag” Heavy-Duty Flex-Wing Rotary Cutter




Unit shown with extra equipment.

Double Chain Guards are highly recommended if the intended use is for highway, right of way, parks, green-belt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.



STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	180"
Transport Width:*	96"
Transport Height:*	80"
Overall Width:*	187"
Overall Length:*	183"
Cutting Height:*	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity 
Blades:	1/2" x 4" Parallel Lift
Blade Overlap:	6"
PTO HP Required:	60
Gearbox Rating**:	
Divider	250 HP
Center & Wing	225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia:	3"
Blade Tip Speed:	
Center 540 RPM	16,286 FPM
1000 RPM	16,380 FPM
Wing 540 RPM	16,422 FPM
1000 RPM	15,983 FPM
Cutting Capacity:	4"
Driveline Size:	
Main Wing	CAT 5 CV CAT 4
Driveline Protection:	Slip Clutch
Deck Thickness:	7 Ga
Side Skirt:	1/4"
Tires & Wheels:	See Group 4
Wing Flex:	90° Up / 25° Dn
Operational Wing Flex:	45° Up/ 25° Down
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	See Group 5
Tongue Weight:	1,840 lbs
Weight (Approx):	5,395 lbs

* Dependent on tire size

**Gearbox Rating Based on Field Performance

RHINOAG

Warranty

1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



ORDERING SECTION

To order complete machine, select one item each from groups 1 - 5.
Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 4150		
4150N5404	4150 Flex-Wing Cutter, 540 RPM	\$20,198
4150R5404	4150 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$20,881
4150N1004	4150 Flex-Wing Cutter, 1000 RPM	\$20,198
4150R1004	4150 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$20,881
GROUP 2. HITCH SELECTION - 4150		
00791558	Std Pivoting Hitch	\$305
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$311
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,097
GROUP 3. DRIVELINE SELECTION - 4150		
00791578	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,299
00791579	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,299
00791580	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,356
GROUP 4. TIRE & WHEEL SELECTION - 4150 (INCLUDES 00790303 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	6 Tires (4 Center, 2 Wing)	\$2,640
	8 Tires (4 Center, 4 Wing)	\$3,520
00788719	Foam Filled 25.5" x 8" x 14"	
	6 Tires (4 Center, 2 Wing)	\$2,766
	8 Tires (4 Center, 4 Wing)	\$3,668
00791863	Laminated 6.5" x 14" x 25.5"	
	6 Tires (4 Center, 2 Wing)	\$1,722
	8 Tires (4 Center, 4 Wing)	\$2,296
GROUP 5. GUARDING SELECTION - 4150		
00791528	Single Chain Guards	\$1,625
00791529	Double Chain Guards	\$2,308



Warranty **1 YEAR MACHINE**
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



4150 Continued




CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLE OPTION		
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$844
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,687
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
00789484	Galvanizing	\$2,743
EXTRA EQUIPMENT		
00787326	Hydraulic Splitter Kit (operates both wings from 1 tractor remote)	\$51
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 4150 applications)	\$274
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net

Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

4155

“PRO” Heavy-Duty Flex-Wing Rotary Cutter

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	180"
Transport Width:*	96"
Transport Height:*	80"
Overall Width:*	187"
Overall Length:*	183"
Cutting Height: *	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity 
Blades:	1/2" x 4" Parallel Lift
Blade Overlap:	6"
PTO HP Required:	60
Gearbox Rating**:	
Divider	250 HP
Center & Wing	225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Dia.:	3"
Blade Tip Speed:	
Center 540 RPM	16,286 FPM
1000 RPM	16,380 FPM
Wing 540 RPM	16,422 FPM
1000 RPM	15,983 FPM
Cutting Capacity:	4 1/2"
Driveline Size:	"Lube 4 Life"
Main	CAT 5 CV
Wing	CAT 5
Driveline Protection:	Slip Clutch
Deck Thickness:	7 Ga
Side Skirt:	1/4"
	AR400 Military Grade Steel
Skid Shoes:	Bolt on replaceable 3/8"
	AR400 military grade steel
Tires & Wheels:	See Group 4
Wing Flex:	90° Up / 25° Down
Operational Wing Flex:	45° Up/ 25° Down
Safety Tow Chain:	Std
Safety Deflectors:	See Group 5
LED Light Kit:	Std
Tongue Weight:	1,870 lbs
Weight (Approx):	5,455 lbs


* Dependent on tire size

**Gearbox Rating Based on Field Performance



Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.



BLADE ROTATION
15' FLEX-WINGS

Warranty 1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



4155 Continued

**ORDERING SECTION**

To order complete machine, select one item each from groups 1 - 5.
Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 4155		
4155N5404	4155 Flex-Wing Cutter, 540 RPM	\$23,029
4155R5404	4155 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$23,960
4155N1004	4155 Flex-Wing Cutter, 1000 RPM	\$23,029
4155R1004	4155 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$23,960
GROUP 2. HITCH SELECTION - 4155		
00791558	Std Pivoting Hitch	\$305
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$311
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,097
GROUP 3. DRIVELINE SELECTION - 4155		
00791581	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,356
00791582	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,356
00791583	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,397
GROUP 4. TIRE & WHEEL SELECTION - 4155 (INCLUDES 00790303 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	6 Tires (4 Center, 2 Wing)	\$2,640
	8 Tires (4 Center, 4 Wing)	\$3,520
00788719	Foam Filled 25.5" x 8" x 14"	
	6 Tires (4 Center, 2 Wing)	\$2,766
	8 Tires (4 Center, 4 Wing)	\$3,688
00791863	Laminated 6.5" x 14" x 25.5"	
	6 Tires (4 Center, 2 Wing)	\$1,722
	8 Tires (4 Center, 4 Wing)	\$2,296
GROUP 5. GUARDING SELECTION - 4155		
00791528	Single Chain Guards	\$1,625
00791529	Double Chain Guards	\$2,308

Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS





CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLE OPTION		
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$844
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,687
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
00789484	Galvanizing	\$2,743
EXTRA EQUIPMENT		
00787326	Hydraulic Splitter Kit (operates both wings from 1 tractor remote)	\$51
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 4155 applications.)	\$274
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net



New Full length 3/8" AR400 Skid Shoe shown



Warranty **1** YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

5100

Super-Duty Offset Flex-Wing Rotary Cutter




Unit shown with extra equipment.


Double chain guards are highly recommended if the intended use is for highway, right of way, parks, green-belt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.

Blade Rotation for offset Flex-Wing rotary cutters has been designed to move cut material toward the wing for highway mowing purposes.

BLADE ROTATION 10' OFFSET FLEX-WINGS



STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	126"
Transport Width:	88"
Transport Height:*	80"
Overall Width:	133"
Overall Length:	187"
Cutting Height:	2" - 14"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Infinity 
Blades:	1/2" x 5" Parallel Lift
Blade Overlap:	6"
HP Required:	70 PTO
Gearbox Rating**:	
Divider	250 HP
Center & Wing	225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	3"
Blade Tip Speed:	
Center 540 RPM	13,436 FPM
1000 RPM	13,704 FPM
Wing 540 RPM	13,169 FPM
1000 RPM	13,367 FPM
Cutting Capacity:	5"
Driveline Size:	
Main	CAT 6 CV
Wing	CAT 6
Driveline Protection:	Slip Clutch
Deck Thickness:	1/4"
Side Skirt:	1/4"
Tires & Wheels:	See Group 4
Wing Flex:	90° Up/ 25° Dn
Operational Wing Flex:	45° Up/ 25° Down
Safety Tow Chain:	Std
LED Light Kit:	Std
Safety Deflectors:	See Group 5

* Dependent on tire size

**Gearbox Rating Based on Field Performance

Warranty

1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

RHINOAG



ORDERING SECTION

To order complete machine, select one item each from groups 1 - 5.
Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 5100		
5100N5404	5100 Flex-Wing Cutter, 540 RPM	\$21,766
5100R5404	5100 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$22,491
5100N1004	5100 Flex-Wing Cutter, 1000 RPM	\$21,766
5100R1004	5100 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$22,491
GROUP 2. HITCH SELECTION - 5100		
00791558	Std Pivoting Hitch	\$305
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$311
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,097
GROUP 3. DRIVELINE SELECTION - 5100		
00791368	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,397
00791369	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,397
00791370	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,449
GROUP 4. TIRE & WHEEL SELECTION - 5100 (INCLUDES 00787716 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	5 Tires (4 Center, 1 Wing)	\$2,200
	6 Tires (4 Center, 2 Wing)	\$2,640
00788719	Foam Filled 25.5" x 8" x 14"	
	5 Tires (4 Center, 1 Wing)	\$2,305
	6 Tires (4 Center, 2 Wing)	\$2,766
00791863	Laminated 6.5" x 14" x 25.5"	
	5 Tires (4 Center, 1 Wing)	\$1,435
	6 Tires (4 Center, 2 Wing)	\$1,722
GROUP 5. GUARDING SELECTION - 5100		
00791526	Single Chain Guards	\$1,397
00791527	Double Chain Guards	\$1,972



Warranty **1 YEAR MACHINE**
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLE OPTION		
00791673	Center Walking Axle Only (Select 5 or 6 Tire Option)	\$844
00791674	Center & Wing Walking Axle (Select 6 Tire Option)	\$1,258
SPECIAL PAINT COLOR SELECTION (RHINO ORANGE IS STANDARD)		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
EXTRA EQUIPMENT		
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 2 for 5100 applications.)	\$274
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net

Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS


RHINO AG

Super-Duty Flex-Wing Rotary Cutter



Unit shown with extra equipment.


Double chain guards are highly recommended if the intended use is for highway, right of way, parks, greenbelt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.

STANDARD EQUIPMENT & SPECIFICATIONS		
Cutting Width:	180"	
Transport Width:*	96"	
Transport Height:*	80"	
Overall Width:*	187"	
Overall Length:*	183"	
Cutting Height:*	2" - 14"	
Height Adjustment:	Hydraulic Cylinder	
Hydraulic Hose Ends:	Std	
Jack Stand:	Std	
Hitch:	Pull	
Blade Carrier:	Infinity	
Blades:	1/2" x 5" Parallel Lift	
Blade Overlap:	6"	
PTO HP Required:	70	
Gearbox Rating**:		
Divider	250 HP	
Center & Wing	225 HP	
Gearbox Oil (85W-140):	Factory Filled	
Output Shaft Dia.:	3"	
Blade Tip Speed:		
Center 540 RPM	13,436 FPM	
1000 RPM	13,704 FPM	
Wing 540 RPM	13,169 FPM	
1000 RPM	13,367 FPM	
Cutting Capacity:	5"	
Driveline Size:		
Main	CAT 6 CV	
Wing	CAT 6	
Driveline Protection:	Slip Clutch	
Deck Thickness:	1/4"	
Side Skirt:	1/4"	
Tires & Wheels:	See Group 4	
Wing Flex:	90° Up / 25° Dn	
Operational Wing Flex:	45° Up/ 25° Down	
Safety Tow Chain:	Std	
LED Light Kit:	Std	
Safety Deflectors:	See Group 5	
Tongue Weight:	1,970 lbs	
Weight (Approx):	5,635 lbs	

* Dependent on tire size

**Gearbox Rating Based on Field Performance

BLADE ROTATION 15' FLEX-WINGS



RHINOAG

Warranty **1 YEAR MACHINE**
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



5150 Continued

**ORDERING SECTION**

To order complete machine, select one item each from groups 1 - 5.
Order walking axle, special paint, and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 5150		
5150N5404	5150 Flex-Wing Cutter, 540 RPM	\$26,807
5150R5404	5150 Flex-Wing Cutter, 540 RPM w/ Deck Rings	\$27,583
5150N1004	5150 Flex-Wing Cutter, 1000 RPM	\$26,807
5150R1004	5150 Flex-Wing Cutter, 1000 RPM w/ Deck Rings	\$27,583
GROUP 2. DRIVE SELECTION - 5150		
00791558	Std Pivoting Hitch	\$305
00791652	Pintle Hitch (Does NOT Include Tractor Half)	\$311
00791728	Precision Hitch (Attaches to Tractor Drawbar)	\$1,097
GROUP 3. DRIVELINE SELECTION - 5150		
00791368	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,397
00791369	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,397
00791370	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,449
GROUP 4. TIRE & WHEEL SELECTION - 5150 (INCLUDES 00787716 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	6 Tires (4 Center, 2 Wing)	\$2,640
	8 Tires (4 Center, 4 Wing)	\$3,520
00788719	Foam Filled 25.5" x 8" x 14"	
	6 Tires (4 Center, 2 Wing)	\$2,766
	8 Tires (4 Center, 4 Wing)	\$3,688
00791863	Laminated 6.5" x 14" x 25.5"	
	6 Tires (4 Center, 2 Wing)	\$1,722
	8 Tires (4 Center, 4 Wing)	\$2,296
GROUP 5. GUARDING SELECTION - 5150		
00791528	Single Chain Guards	\$1,625
00791529	Double Chain Guards	\$2,308

Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS





5150 Continued

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
WALKING AXLE OPTION		
00791673	Center Walking Axle Only (Select 6 or 8 Tire Option)	\$844
00791675	Center & Wing Walking Axle (Select 8 Tire Option)	\$1,687
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
00789484	Galvanizing	\$2,743
EXTRA EQUIPMENT		
00787326	Hydraulic Splitter Kit (operates both wings from 1 tractor remote)	\$51
00791628	Round Pan Blade Carrier (Price shown is for quantity of 1. Order quantity of 3 for 5150 applications)	\$274
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net



Warranty **1** YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS


6140

14' Heavy-Duty Offset Flex-Wing Rotary Cutter



Unit shown with extra equipment.

Double chain guards are highly recommended if the intended use is for highway, right of way, parks, green-belt mowing, and all other applications where humans, dwellings, vehicles, or livestock could be within 300 feet of the mower.



BLADE ROTATION
14' OFFSET FLEX-WINGS

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	162"
Transport Width:	106"
Transport Height:	100"
Overall Width:	170"
Overall Length:	216"
Cutting Height:*	2" - 16"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Wing Pan or Oval Pan
Blades:	1/2" x 4"
Blade Types Available:	Updraft, Flat
Blade Overlap:	6"
HP Required:	80 PTO Min
Gearbox Rating**:	
Power Divider	250 HP
Center & Wing	225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	3"
Blade Tip Speed:	
Center 540 RPM	15,675 FPM
1000 RPM	16,054 FPM
Wing 540 RPM	15,703 FPM
1000 RPM	15,804 FPM
Cutting Capacity (Max):	4 1/2" Dia
Driveline Size:	
Main	CAT 6 CV
Wing	CAT 6
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga Top/ Bottom
Side Skirt:	1/4" x 12"
Tires & Wheels:	See Group 4
Wing Flex:	90° Up/ 22° Down
Operational Wing Flex:	45° Up, 22° Down
Deck Rings:	Std
Safety Tow Chain:	Std
Safety Deflectors:	See Group 3
LED Light Kit:	Std

* Dependent on tire size

**Gearbox Rating Based on Field Performance

RHINOAG

Warranty

1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



6140 Continued

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4.
Order special paint & extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 6140		
6140W5403	6140 Flex-Wing Cutter, 540 RPM, Dog Bone Pan Carrier	\$21,890
6140P5403	6140 Flex-Wing Cutter, 540 RPM, Oval Pan Carrier	\$23,236
6140W10003	6140 Flex-Wing Cutter, 1000 RPM, Dog Bone Pan Carrier	\$22,542
6140P10003	6140 Flex-Wing Cutter, 1000 RPM, Oval Pan Carrier	\$23,867
GROUP 2. DRIVELINE SELECTION - 6140		
00786843	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,304
00786844	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,294
00786845	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,294
GROUP 3. GUARDING SELECTION - 6140		
00787750	Single Chain Guards	\$1,532
00787751	Double Chain Guards	\$3,457
GROUP 4. TIRE & WHEEL SELECTION - 6140 (INCLUDES 00787716 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	5 Tires (4 Center, 2 Wing)	\$2,200
	6 Tires (4 Center, 4 Wing)	\$2,640
00788719	Foam Filled 25.5" x 8" x 14"	
	5 Tires (4 Center, 1 Wing)	\$2,305
	6 Tires (4 Center, 2 Wing)	\$2,766
00791863	Laminated 6.5" x 14" x 25.5"	
	5 Tires (4 Center, 1 Wing)	\$1,435
	6 Tires (4 Center, 2 Wing)	\$1,722
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250



Warranty **1** YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



6140 Continued



CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
EXTRA EQUIPMENT- REVERSE ROTATION DRIVE		
00788906	Reverse Rotation Exchange Kit-540 PTO RPM	\$595
00788907	Reverse Rotation Exchange Kit-1000 PTO RPM	\$595
*Reverse Rotation Kit moves cut material to the wing. NOTE: Machines with Reverse Rotation Kits above cannot be ordered through the online order system. Contact Rhino Customer Service to order machines with the Reverse Rotation drive.		
EXTRA EQUIPMENT - FACTORY INSTALLED OPTIONS		
00778917	Center Section Walking Axle Kit (5 Tires Required)	\$880
0811270500	Winch & Stand (to Manually Fold Wing)	\$828
00769178	Ball Hitch (2 5/16" Ball)	\$647
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	\$911
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net



Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

RHINOAG

6200**Heavy-Duty
Flex-Wing Rotary Cutter**

Unit shown with extra equipment.


STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	240"
Transport Width:	115"
Transport Height:	100"
Overall Width:	248"
Overall Length:	216"
Cutting Height:*	2" - 16"
Height Adjustment:	Hydraulic Cylinder
Hydraulic Hose Ends:	Std
Jack Stand:	Std
Hitch:	Pull
Blade Carrier:	Wing Pan, Oval Pan, or Shredder Bar
Blades:	1/2" x 4" Updraft
Blade Overlap:	6"
HP Required:	80 PTO Min
Tractor Drawbar Load:	2920 lbs
Gearbox Rating**:	
Power Divider	250 HP
Center & Wing	225 HP
Gearbox Oil (85W-140):	Factory Filled
Output Shaft Diameter:	3"
Blade Tip Speed:	
Center 540 RPM	15675 FPM
1000 RPM	16054 FPM
Wing 540 RPM	15703 FPM
1000 RPM	15804 FPM
Cutting Capacity (Max):	4-1/2"
Driveline Size:	
Main	CAT 6 CV
Wing	CAT 6 HD
Driveline Protection:	Slip Clutch
Deck Thickness:	10 Ga Top / Bottom
Side Skirt:	1/4" x 12"
Tires & Wheels:	See Group 4
Wing Flex (Degrees):	90° Up/ 22° Down
Operational Wing Flex:	45° Up, 22° Down
Deck Rings:	Std
Safety Tow Chain:	Std
Safety Deflectors:	See Group 3
LED Light Kit:	Std

* Dependent on tire size

**Gearbox Rating Based on Field Performance

These rotary cutters may be set up with single or double chain guards. For most agricultural applications, single chain guards may be used. If the intended use is for highway, right of way, parks, or greenbelt mowing, or all other mowing where human, dwellings, vehicles, or livestock could be within 300 feet of the mower, double chain guards should be ordered and used.

**BLADE ROTATION
20' FLEX-WINGS****RHINOAG**

Warranty **1 YEAR MACHINE**
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS



6200 Continued



ORDERING SECTION

To order complete machine, order one item each from groups 1 - 4.
Order special paint & extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 6200		
6200W5403	6200 Flex-Wing Cutter, 540 RPM, Dog Bone Pan Carrier	\$27,221
6200P5403	6200 Flex-Wing Cutter, 540 RPM, Oval Pan Carrier	\$28,126
6200W10003	6200 Flex-Wing Cutter, 1000 RPM, Dog Bone Pan Carrier	\$27,867
6200P10003	6200 Flex-Wing Cutter, 1000 RPM, Oval Pan Carrier	\$28,799
6200S10003	6200 Flex-Wing Cutter, 1000 RPM, Shredder Bar Carrier, Baffle kit	\$28,126
6200R10003	6200 Flex-Wing Cutter, 1000 RPM, Row Crop (30" Row Spacing), Bar Carrier, Baffle Kit, 9.5L-15 FL-D Highway Implement Tires qty 4)	\$30,093
GROUP 2. DRIVE SELECTION - 6200		
00786843	540 RPM w/ 1 3/8" - 6 Spline Driveline	\$1,304
00786844	1000 RPM w/ 1 3/8" - 21 Spline Driveline	\$1,294
00786845	1000 RPM w/ 1 3/4" - 20 Spline Driveline	\$1,294
GROUP 3. GUARDING SELECTION - 6200		
00787745	Single Chain Guards	\$1,734
00787746	Double Chain Guards	\$4,223
GROUP 4. TIRE & WHEEL SELECTION - 6200 - (NOT REQUIRED FOR 6200R10003) (INCLUDES 00787716 HUB & SPINDLE BUNDLE)		
00791365A	HD RhinoTrax Foam Filled 25.6" x 7" x 18"	
	6 Tires (4 Center, 2 Wing)	\$2,640
	8 Tires (4 Center, 4 Wing)	\$3,520
00788719	Foam Filled 25.5" x 8" x 14"	
	6 Tires (4 Center, 2 Wing)	\$2,766
	8 Tires (4 Center, 4 Wing)	\$3,688
00791863	Laminated 6.5" x 14" x 25.5"	
	6 Tires (4 Center, 2 Wing)	\$1,722
	8 Tires (4 Center, 4 Wing)	\$2,296
SPECIAL PAINT COLOR SELECTION (RHINO ORANGE IS STANDARD)		
00787653	JD Green	\$250
00787654	Kubota Orange	\$250
00787655	Case IH Red	\$250
00787656	MF Red	\$250
00787657	NH Blue	\$250
00789486	Galvanizing	\$3,623

Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS





CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
EXTRA EQUIPMENT (FACTORY INSTALLED OPTIONS)		
0811270500	Winch & Stand (To Manually Fold Wings)	\$828
00778712	Baffle Kit Assembly	\$704
00769178	Ball Hitch (2 5/16" Ball)	\$647
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	\$911
00778917	Center Section Walking Axle Kit (6 Tires Required)	\$880
00787326	Hydraulic Splitter Kit (Operates both wings from 1 tractor remote)	\$51
CONTAINER FEES - INTERNATIONAL SHIPMENTS		
00888891	Container Processing Fee (Each Unit is Processed to Accommodate Loading)	\$410 Net
00888892	Container Loading Fee (Single Charge per Container Load)	\$275 Net



Warranty
1 YEAR MACHINE
2 YEAR LTD DRIVELINE
6 YEAR GEARBOX
2 YEAR SEALS

MDB130

Mechanically Driven Ditch Bank Mower



Shown with optional front right gauge wheel.

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	60"
Transport Width:	60"
Overall Width (Skid to Skid):	69 1/2"
Overall Length (Guard - Guard):	83 1/4"
Cutting Height:	1 1/2" - 12"
Hitch:	CAT 2 Std & CAT 3 Std
Blade Carrier:	Infinity - Cast
Blades:	1/2" x 4"
Blade Rotation:	Counter Clockwise
PTO HP Required (Min):	90 w/ 25% of Weight on Front Wheels
Min Tractor Weight:	8,000 lbs
Gearbox Rating*:	Center Deck 100 HP 130 HP
Tractor PTO Speed:	540 RPM 1000 RPM
Drive Type:	Mechanical
Mechanical Breakaway:	Std
Blade Tip Speed:	540 RPM 13,904 1000 RPM 14,128
Horizontal Reach (Max):	130"
Cutting Capacity (Max):	2"
Driveline Size:	CAT 4
Overload Protection:	Slip Clutch
Deck Thickness:	10 Ga
Side Skirt:	7 Ga x 9 1/8"
Range of Head Movement:	40° Up / 40° Down
Skid Shoes:	Replaceable/ Bolt on
Optional Gauge Wheel(s) (Max 3)	See Extra Equipment
Safety Guarding:	Single Chains
Weight (Approx):	1,900 lbs

**Gearbox Rating Based on Field Performance*

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
BASE UNIT - MDB130			
MDB130540	MDB130 Ditch Bank Mower, w/ Chain Guards - 540 RPM 1 3/8 6 Spline	2,150	\$11,100
MDB130100	MDB130 Ditch Bank Mower, w/ Chain Guards - 1000 RPM 1 3/8 21 Spline	2,150	\$11,100
EXTRA EQUIPMENT			
00792126	Side Mount Gauge Wheel (4" x 8" Laminated) - Front Right	75	\$626
00792140	Side Mount Gauge Wheel (4" x 8" Laminated) - Rear Right or Rear Left **For use on Serial #10058 or greater**	72	\$518
00791628	Round Pan for Infinity Carrier	70	\$274

RHINOAG

**1 YEAR MACHINE
5 YEAR LTD GEARBOX** *Warranty*

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	60"
Transport Width:	119"
Overall Width (Head):	65 1/4"
Overall Length (Head):	71 3/8"
Cutting Height (Min):	1"
Hitch:	CAT 2 & 3 QH Compatible w/ Adapter kit (See Extra Equipment)
Speed Inserter:	Driveline Mounted
Blade Carrier:	Pan
Blades:	1/2" x 4" Updraft
Blade Rotation:	Clockwise
HP Required:	60 w/ Adequate Front Wt.
Tractor PTO Speed:	540 RPM
Oil Reservoir Capacity:	55 Gallons-Factory Filled
Max System Pressure:	3,000 PSI
Blade Tip Speed:	16,870 FPM
Horizontal Reach (Max):	158" From Center of Tractor
Extension Cylinder Stroke:	30"
Cutting Capacity (Max):	1"
Driveline Size:	CAT 4
Overload Protection:	Relief Valve
Deck Thickness:	10 Ga
Side Skirt:	10 Ga x 9 1/4"
Range of Head Movement:	85° Up / 90° Dn
Hydraulic Pump Capacity:	18.32 GPM
Skid Shoes:	Replaceable
Safety Deflectors:	Rubber Deflectors or Chain Guards
Weight (Approx):	2,140 lbs w/ Oil

**DB150 Units are built to order.
Contact Customer Service for Availability.**

EFFECTIVE JULY 29, 2019

93

DB150

Hydraulic Ditch Bank Rotary Cutter



Unit shown with extra equipment.

RHINOAG

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
BASE UNIT - DB150			
DB156101	DB150 Ditch Bank Mower, w/ Rubber Deflectors	2,050	\$15,524
DB156501	DB150 Ditch Bank Mower, w/ Chain Guards	2,140	\$15,991
DB156701	DB150 Ditch Bank Mower, w/ Double Chain Guards	2,240	\$16,519
EXTRA EQUIPMENT			
00777523	Rear Mount Tailwheel	85	\$647
00775786	Side Mount Gauge Wheel	40	\$745
00776352	Lower Hitch Position Quick-Hitch Adapter Kit	12	\$492

1 YEAR MACHINE *Warranty*

2160

Hydraulic Boom Rotary Cutter

Not Intended for Commercial Contractor Use.



Unit shown with extra equipment.

Rhino 2160 Models are built to order.
Contact Customer Service for Availability.

A Protective Cage is required for use on non-cab tractor applications and may require some tractor modifications. Order Protective Cage Kit below for all Non-Cab tractor applications.

1 YEAR MACHINE *Warranty*

STANDARD EQUIPMENT & SPECIFICATIONS

Cutting Width:	60"
Transport Width:	113"
Overall Width (Head):	69"
Overall Length (Head):	71 3/8"
Cutting Height (Min):	1 3/4"
Support Stand:	Std
Hitch:	CAT 2 & 3 QH
Blade Carrier:	Pan
Blades:	1/2" x 4" Updraft
Blade Rotation:	Clockwise
HP Required:	110 PTO w/ Adequate Front & Side Weights
PTO Type:	540 RPM Only
Oil Reservoir Capacity:	55 Gallons Factory Filled
Max Operating Pressure:	3,000 PSI
Breakaway Pressure:	2,750 PSI
Blade Tip Speed:	16,870 FPM
Horizontal Reach (Max):	21'
Vertical Reach (Max):	22' 6"
Down Reach (Max):	11' 6"
Cutting Capacity (Max):	2"
Driveline Size:	CAT 4
Overload Protection:	Hydraulic Relief Valve
Deck Thickness:	10 Ga
Side Skirt:	10 Ga x 9 1/4"
Range of Head Movement:	190 Degrees
Hydraulic Pump Rating:	18.32 GPM
Protective Cage*:	Required for Non-Cab Tractors
Safety Deflectors:	Rubber Belting
Weight (Approx):	2,700 lbs (w/ Oil)

Gearbox Rating Based on Field Performance

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 2.
Order operator protective cage for non-cab tractor applications.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 2160			
07226054	Rhino 2160, 60" Cutter, 540 RPM	2,460	\$27,091
GROUP 2. HYDRAULIC VALVE KIT SELECTION - 2160			
00765473	Direct Connect - Needs 4 tractor remotes	5	\$1,475
00770017	Electro-Hydraulic Cylinder Control Valve Kit - Needs 1 tractor remote and uses 4 solenoids with joystick control (Tractors must have mechanical levers for hydraulic activation)	40	\$3,416
OPERATOR PROTECTIVE CAGE - 2160 - REQUIRED FOR NON-CAB TRACTORS			
00765754K	Operator Protective Cage for Non-Cab Tractors	174	\$1,894
EXTRA EQUIPMENT			
00765478	Hyd. Relief Arm Kit (Required for Non-Quick Hitch Tractors to lock 3pt in place)	91	\$761
00775786	Side Mount Gauge Wheel	40	\$745

PULVERIZERS

(SINGLE ROLLER)



PVS (Spike Shanks)



PVB (Bar Shanks)

SPECIFICATIONS	PVS (Single Roller)	PVB (Single Roller)
Overall Height:	34 7/8"	34 7/8"
Overall Width:	60", 66", 72", 84"	60", 66", 72", 84"
Overall Depth:	24"	24"
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH
Lower Hitch Pin Height:	15 3/8"	15 3/8"
Weight (Approx):	530 lbs (60") 560 lbs (66") 590 lbs (72") 650 lbs (84")	550 lbs (60") 580 lbs (66") 610 lbs (72") 670 lbs (84")
Type of Shanks:	Spikes (Non-Reversible)	Bars (Reversible)
Shank Size:	5/8" Square x 8"	1/2" x 2 x 12 1/2"
Number of Shanks:		
Spikes (PVS)	27 (60") 29 (66") 33 (72") 37 (84")	N/A
Bars (PVB)	N/A	21 (60") 23 (66") 25 (72") 29 (84")
Spike/Bar Spacing	4 1/4"	5 1/2"
Horse Power (2WD-4WD):	Up to 60	Up to 60
Roller Bearing Size:	1"	1"

Pulverizers are priced as complete units and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - PVS & PVB				
PVS600-CY1	PVS	Pulverizer, Single Roller, 60" Wide (Spike Shanks)	530	\$1,931
PVS660-CY1		Pulverizer, Single Roller, 66" Wide (Spike Shanks)	560	\$2,111
PVS720-CY1		Pulverizer, Single Roller, 72" Wide (Spike Shanks)	590	\$2,311
PVS840-CY1		Pulverizer, Single Roller, 84" Wide (Spike Shanks)	650	\$2,754
PVB600-CY1	PVB	Pulverizer, Single Roller, 60" Wide (Bar Shanks)	550	\$1,931
PVB660-CY1		Pulverizer, Single Roller, 66" Wide (Bar Shanks)	580	\$2,111
PVB720-CY1		Pulverizer, Single Roller, 72" Wide (Bar Shanks)	610	\$2,311
PVB840-CY1		Pulverizer, Single Roller, 84" Wide (Bar Shanks)	670	\$2,754

1 YEAR MACHINE *Warranty*

RHINOAG

PULVERIZERS

(DOUBLE ROLLER)

SPECIFICATIONS	PVS (Double Roller)	PVB (Double Roller)
Overall Height:	34 7/8"	34 7/8"
Overall Width:	60", 66", 72", 84"	60", 66", 72", 84"
Overall Depth:	24"	24"
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH
Lower Hitch Pin Height:	15 3/8"	15 3/8"
Weight (Approx):	640 lbs (60") 680 lbs (66") 720 lbs (72") 790 lbs (84")	660 lbs (60") 700 lbs (66") 740 lbs (72") 810 lbs (84")
Type of Shanks:	Spikes (Non-Reversible)	Bars (Reversible)
Shank Size:	5/8" Square x 8"	1/2" x 2 x 12 1/2"
Number of Shanks:		
Spikes (PVS)	27 (60") 29 (66") 33 (72") 37 (84")	N/A
Bars (PVB)	N/A	21 (60") 23 (66") 25 (72") 29 (84")
Spike/Bar Spacing	4 1/4"	5 1/2"
Horse Power (2WD-4WD):	Up to 60	Up to 60
Roller Bearing Size:	1"	1"

Pulverizers are priced as complete machines and are shipped fully assembled.



PVS (Spike Shanks)



PVB (Bar Shanks)

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - PVS & PVB				
PVS602-CY1	PVS	Pulverizer, Double Roller, 60" Wide (Spike Shanks)	640	\$2,439
PVS662-CY1		Pulverizer, Double Roller, 66" Wide (Spike Shanks)	680	\$2,631
PVS722-CY1		Pulverizer, Double Roller, 72" Wide (Spike Shanks)	720	\$2,978
PVS842-CY1		Pulverizer, Double Roller, 84" Wide (Spike Shanks)	790	\$3,490
PVB602-CY1	PVB	Pulverizer, Double Roller, 60" Wide (Bar Shanks)	660	\$2,439
PVB662-CY1		Pulverizer, Double Roller, 66" Wide (Bar Shanks)	700	\$2,631
PVB722-CY1		Pulverizer, Double Roller, 72" Wide (Bar Shanks)	740	\$2,978
PVB842-CY1		Pulverizer, Double Roller, 84" Wide (Bar Shanks)	810	\$3,490

PG SERIES

PLUGGERS

(CORE TYPE AERATOR)

SPECIFICATIONS	PG600	PG720
Overall Height:	39 1/4"	39 1/4"
Overall Width:	64 1/2"	76 1/2"
Overall Depth:	25"	25"
Working Width:	60"	72"
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH
Lower Hitch Pin Height:	19 3/4"	19 3/4"
Weight (Approx):	350 lbs	390 lbs
Number of Hubs:	8	10
Type of Spoons:	3/4" Closed Design Hardened Spoons	
Number of Spoons:	64	80
Spoon Spacing:	8"	8"
Horse Power (2WD-4WD):	Up to 60	Up to 60
Axle Shaft Diameter:	1 1/4"	1 1/4"
Weight Rack:	Std	Std

The PG Series Pluggers are priced as complete units and are shipped fully assembled.



ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - PG			
PG600-1CY1	PG Plugger, Lift-Type, 60" Wide (8 Hubs, 64 Spoons)	350	\$3,433
PG720-1CY1	PG Plugger, Lift-Type, 72" Wide (10 Hubs, 80 Spoons)	390	\$3,891
EXTRA EQUIPMENT			
95159	Knife, Slicing (Requires 4 per Hub)		\$28

1 YEAR MACHINE *Warranty*

RHINOAG

MPG SERIES PLUGGERS

(HEAVY-DUTY CORE AERATOR)

SPECIFICATIONS	MPG600	MPG720
Overall Height:	41 7/8"	41 7/8"
Overall Width:	67 1/2"	79 1/2"
Overall Depth:	25"	25"
Working Width:	60"	72"
Hitch:	3 pt CAT 1 & CAT 1 QH	3 pt CAT 1 & CAT 1 QH
Lower Hitch Pin Height:	22 3/8"	22 3/8"
Weight (Approx):	460 lbs	500 lbs
Number of Hubs:	10	12
Type of Spoons:	3/4" Closed Design Hardened Spoons	
Number of Spoons:	80	96
Spoon Spacing:	7"	7"
Horse Power (2WD-4WD):	Up to 60	Up to 60
Axle Shaft Diameter:	1 1/4"	1 1/4"
Weight Rack:	Std	Std
Parking Stand:	Std	Std

The MPG Series Pluggers are priced as complete units and are shipped fully assembled.



ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - MPG			
MPG600-CY1	MPG Plugger, Lift-Type, 60" Wide (10 Hubs, 80 Spoons)	460	\$3,588
MPG720-CY1	MPG Plugger, Lift-Type, 72" Wide (12 Hubs, 96 Spoons)	500	\$4,101
EXTRA EQUIPMENT			
95159	Knife, Slicing (Requires 4 per Hub)		\$28

PA SERIES

PASTURE AERATORS

SPECIFICATIONS	PA8	PA10
Tractor HP Required:	40-90	
Working Width:	86"	116"
Overall Height (w/ tines on ground):	44.25"	
Overall Width:	97.38"	127.63"
Overall Length:	136" in transport position	
Weight (Approx) (w/o added weight):	1,700 lbs	2,200 lbs
Weight Box:	Std (Welded to Frame)	Std (Welded to Frame)
Max Weight Box Capacity:	2,200 lbs (Not Supplied)	2,900 lbs (Not Supplied)
Number of Tines:	24 LH & 24 RH	32 LH & 32 RH
Tine Material:	Forged & Heat Treated Steel	
Tine Hub Spacing:	7.5"	
Tine Penetration:	Up to 8.125" depending on ground condition	
Frame Construction:	4" Square Tubing; All Welded Construction	
Hitch Type:	Heavy-Duty Pull-Type w/ Clevis Hitch - 1.25" Max Pin Dia	
Main Tongue Beam:	4" Square	
Hitch Jack:	10" Top Wind Jack - Mounted to Frame	
Rotor Tine Support Hangers:	1" x 7" Heavy-Duty Hangers	
Rotor Bearings:	Heavy-Duty Greasable Bearings	
Rotor Bearing Protection:	.375" x 3.5" Metal Housing	
Rotor Angle Adjustment:	2.5 Degrees, 5 Degrees, 7.5 Degrees	
Tire and Wheel:	9.5L x 15 8 Ply Tires on 15"- 5 Bolt Wheels	
Tine Depth Control:	Add Spacer Donuts to Cylinder Rod - Included	
Hydraulic Cylinder:	3.5" x 8"	
Transport Lock	Manual Cylinder Lock	
Rear Axle Pivot:	Greaseable	
The PA Series Pasture Aerator Units are shipped in one crate for dealer assembly.		



1 YEAR MACHINE *Warranty*

RHINOAG

PA Series Continued

ORDERING SECTION

CATALOG NUMBER		DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - PA8 & PA10				
PA8-1OR1	PA8	Pasture Aerator, 8 Ft. Wide - Rhino Orange	1,700	\$12,534
PA8-1RD3		Pasture Aerator, 8 Ft. Wide - MF Red	1,700	\$12,534
PA8-1GR1		Pasture Aerator, 8 Ft. Wide - JD Green	1,700	\$12,534
PA8-1OR2		Pasture Aerator, 8 Ft. Wide - Kubota Orange	1,700	\$12,534
PA8-1BL1		Pasture Aerator, 8 Ft. Wide - NH Blue	1,700	\$12,534
PA8-1CY1		Pasture Aerator, 8 Ft. Wide - CAT Yellow	1,700	\$12,534
PA10-1OR1	PA10	Pasture Aerator, 10 Ft. Wide - Rhino Orange	2,200	\$15,044
PA10-1RD3		Pasture Aerator, 10 Ft. Wide - MF Red	2,200	\$15,044
PA10-1GR1		Pasture Aerator, 10 Ft. Wide - JD Green	2,200	\$15,044
PA10-1OR2		Pasture Aerator, 10 Ft. Wide - Kubota Orange	2,200	\$15,044
PA10-1BL1		Pasture Aerator, 10 Ft. Wide - NH Blue	2,200	\$15,044
PA10-1CY1		Pasture Aerator, 10 Ft. Wide - CAT Yellow	2,200	\$15,044



LLR

Landscape Rakes


STANDARD EQUIPMENT & SPECIFICATIONS

Model	LLR60	LLR72	LLR84
Rake Width:	60"	72"	84"
Rake Height:	15"	15"	15"
Hitch:	CAT 1 QH	CAT 1 QH	CAT 1 QH
Max PTO HP:	35	35	35
Kingpin Diameter:	1 1/4"	1 1/4"	1 1/4"
Adjustment Type:	Manual	Manual	Manual
Pivot:			
Forward	5 - Up to 30 Degrees	5 - Up to 30 Degrees	5 - Up to 30 Degrees
Reverse	3 - Up to 18 Degrees	3 - Up to 18 Degrees	3 - Up to 18 Degrees
Tine Material:	High Carbon Spring Steel	High Carbon Spring Steel	High Carbon Spring Steel
Tine Size:	5/16" x 1"	5/16" x 1"	5/16" x 1"
Tine Spacing:	1"	1"	1"
Weight (Approx):	205 lbs	225 lbs	245 lbs

The LLR Rakes are priced as complete units and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - LLR			
LLR60-1CY1	60 Landscape Rake - CAT Yellow	205	\$963
LLR72-1CY1	72" Landscape Rake - CAT Yellow	225	\$1,041
LLR84-1CY1	84" Landscape Rake - CAT Yellow	245	\$1,195
EXTRA EQUIPMENT			
50047898	Gauge Wheel Kit	20	\$340
FREIGHT DISCOUNTS ON PACKS OF 3 (See page 12 for details)			



1 YEAR MACHINE *Warranty*

RHINOAG

CBX

Compact Box Blade

STANDARD EQUIPMENT & SPECIFICATIONS

Model	CBX48	CBX60
Overall Height	29 1/2"	29 1/2"
Overall Width	48"	60"
Overall Depth	23 1/2"	23 1/2"
Box Depth	17 11/16"	17 11/16"
Number of Scarifiers	4	5
Number of Plow Bolts	8	10
Weight	240 lbs	280 lbs
Lower Hitch Pin Height	13 5/8"	
Cutting Edge	2 - 3/8" x 6" Bolt on, Reversible, & Replaceable	
Hitch	3 pt CAT 0 & CAT 1 Q.H.	
HP Required	24 - 40	
Side Plates	3/16"	

The CBX Box Blades are priced as complete units and are shipped fully assembled.



ORDERING SECTION

CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)
CBX48			
CBX48-1OR1	3 PT	Compact 4' Box Blade - Rhino Orange	\$885
CBX48-1GR1	3 PT	Compact 4' Box Blade - JD Green	\$885
CBX48-1OR2	3 PT	Compact 4' Box Blade - Kubota Orange	\$885
CBX48-1RD3	3 PT	Compact 4' Box Blade - MF Red	\$885
CBX48-1BL1	3 PT	Compact 4' Box Blade - NH Blue	\$885
CBX60			
CBX60-1OR1	3 PT	Compact 5' Box Blade - Rhino Orange	\$990
CBX60-1GR1	3 PT	Compact 5' Box Blade - JD Green	\$990
CBX60-1OR2	3 PT	Compact 5' Box Blade - Kubota Orange	\$990
CBX60-1RD3	3 PT	Compact 5' Box Blade - MF Red	\$990
CBX60-1BL1	3 PT	Compact 5' Box Blade - NH Blue	\$990
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			

SBX

Medium Duty Box Blades

STANDARD EQUIPMENT & SPECIFICATIONS

Model	SBX48	SBX60	SBX65	SBX72	SBX78	SBX84
Working Width:	48"	60"	65"	72"	78"	84"
Overall Width:	49"	61"	66"	73"	79"	85"
Moldboard Height:	18"	18"	18"	18"	18"	18"
Box Depth:	24"	24"	24"	24"	24"	24"
Overall Depth:	27 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"
Overall Height:	35 1/4"	35 1/4"	35 1/4"	35 1/4"	35 1/4"	35 1/4"
Cutting Edges:	1/2" x 6"	1/2" x 6"	1/2" x 6"	1/2" x 6"	1/2" x 6"	1/2" x 6"
Scarifier Size:	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"
Number of Scarifiers:	4	5	5	6	6	6
Hitch:	CAT 1 QH	CAT 1 QH	CAT 1 QH	CAT 1 QH	CAT 1 QH	CAT 1 QH
Max Tractor HP (2WD):	50	50	50	50	50	50
Max Tractor HP (FWA):	45	45	45	45	45	45
End Plate Thickness:	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Weight (Approx):	430 lbs	490 lbs	510 lbs	550 lbs	580 lbs	610 lbs

SBX Box Blades are priced as complete units and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - SBX				
SBX48-1OR1	SBX48	4' Blade, w/ Scarifier Shanks - Rhino Orange	430	\$1,064
SBX48-1GR1		4' Blade, w/ Scarifier Shanks - JD Green	430	\$1,064
SBX48-1OR2		4' Blade, w/ Scarifier Shanks - Kubota Orange	430	\$1,064
SBX48-1RD3		4' Blade, w/ Scarifier Shanks - MF Red	430	\$1,064
SBX48-1BL1		4' Blade, w/ Scarifier Shanks - NH Blue	430	\$1,064
SBX48-1BK1		4' Blade, w/ Scarifier Shanks - Black	430	\$1,064
SBX60-1OR1	SBX60	5' Blade, w/ Scarifier Shanks - Rhino Orange	490	\$1,201
SBX60-1GR1		5' Blade, w/ Scarifier Shanks - JD Green	490	\$1,201
SBX60-1OR2		5' Blade, w/ Scarifier Shanks - Kubota Orange	490	\$1,201
SBX60-1RD3		5' Blade, w/ Scarifier Shanks - MF Red	490	\$1,201
SBX60-1BL1		5' Blade, w/ Scarifier Shanks - NH Blue	490	\$1,201
SBX60-1BK1		5' Blade, w/ Scarifier Shanks - Black	490	\$1,201
SBX65-1OR1	SBX65	5' 5" Blade, w/ Scarifier Shanks - Rhino Orange	510	\$1,272
SBX65-1GR1		5' 5" Blade, w/ Scarifier Shanks - JD Green	510	\$1,272
SBX65-1OR2		5' 5" Blade, w/ Scarifier Shanks - Kubota Orange	510	\$1,272
SBX65-1RD3		5' 5" Blade, w/ Scarifier Shanks - MF Red	510	\$1,272
SBX65-1BL1		5' 5" Blade, w/ Scarifier Shanks - NH Blue	510	\$1,272
SBX65-1BK1		5' 5" Blade, w/ Scarifier Shanks - Black	510	\$1,272

1 YEAR MACHINE *Warranty*

RHINOAG

SBX Box Blades Continued

ORDERING SECTION				
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - Continued - SBX				
SBX72-1OR1	SBX72	6' Blade w/ Scarifier Shanks - Rhino Orange	550	\$1,331
SBX72-1GR1		6' Blade w/ Scarifier Shanks - JD Green	550	\$1,331
SBX72-1OR2		6' Blade w/ Scarifier Shanks - Kubota Orange	550	\$1,331
SBX72-1RD3		6' Blade w/ Scarifier Shanks - MF Red	550	\$1,331
SBX72-1BL1		6' Blade w/ Scarifier Shanks - NH Blue	550	\$1,331
SBX72-1BK1		6' Blade w/ Scarifier Shanks - Black	550	\$1,331
SBX78-1OR1	SBX78	6' 6" Blade w/ Scarifier Shanks - Rhino Orange	580	\$1,420
SBX78-1GR1		6' 6" Blade w/ Scarifier Shanks - JD Green	580	\$1,420
SBX78-1OR2		6' 6" Blade w/ Scarifier Shanks - Kubota Orange	580	\$1,420
SBX78-1RD3		6' 6" Blade w/ Scarifier Shanks - MF Red	580	\$1,420
SBX78-1BL1		6' 6" Blade w/ Scarifier Shanks - NH Blue	580	\$1,420
SBX78-1BK1		6' 6" Blade w/ Scarifier Shanks - Black	580	\$1,420
SBX84-1OR1	SBX84	7' Blade w/ Scarifier Shanks - Rhino Orange	610	\$1,529
SBX84-1GR1		7' Blade w/ Scarifier Shanks - JD Green	610	\$1,529
SBX84-1OR2		7' Blade w/ Scarifier Shanks - Kubota Orange	610	\$1,529
SBX84-1RD3		7' Blade w/ Scarifier Shanks - MF Red	610	\$1,529
SBX84-1BL1		7' Blade w/ Scarifier Shanks - NH Blue	610	\$1,529
SBX84-1BK1		7' Blade w/ Scarifier Shanks - Black	610	\$1,529
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)				



MBX

Heavy-Duty Box Blades

STANDARD EQUIPMENT & SPECIFICATIONS

Model	MBX60	MBX72	MBX84	MBX96
Overall Width:	61"	73"	85"	97"
Working Width:	60"	72"	84"	96"
Moldboard Height:	18"	18"	18"	18"
Box Depth:	24"	24"	24"	24"
Overall Depth:	27 1/2"	27 1/2"	27 1/2"	27 1/2"
Overall Height:	35 1/4"	35 1/4"	35 1/4"	35 1/4"
Cutting Edges:	1/2" x 6"	1/2" x 6"	1/2" x 6"	1/2" x 6"
Scarifier Size:	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"
Number of Scarifiers:	5	6	6	6
Hitch:	CAT 1, 2 QH	CAT 1, 2 QH	CAT 1, 2 QH	CAT 1, 2 QH
Max Tractor HP (2WD):	65	65	65	65
Max Tractor HP (FWA):	55	55	55	55
End Plate Thickness:	3/8"	3/8"	3/8"	3/8"
Weight (Approx):	580 lbs	640 lbs	710 lbs	790 lbs

The MBX Box Blades are priced as complete units and are shipped fully assembled.



1 YEAR MACHINE *Warranty*

RHINOAG

MBX

Heavy-Duty Box Blades

ORDERING SECTION				
CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - MBX				
MBX60-1OR1	MBX60	5' HD Blade, w/ Scarifier Shanks - Rhino Orange	580	\$1,435
MBX60-1GR1		5' HD Blade, w/ Scarifier Shanks - JD Green		\$1,435
MBX60-1OR2		5' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$1,435
MBX60-1RD3		5' HD Blade, w/ Scarifier Shanks - MF Red		\$1,435
MBX60-1BL1		5' HD Blade, w/ Scarifier Shanks - NH Blue		\$1,435
MBX60-1CY1		5' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$1,435
MBX72-1OR1	MBX72	6' HD Blade, w/ Scarifier Shanks - Rhino Orange	640	\$1,699
MBX72-1GR1		6' HD Blade, w/ Scarifier Shanks - JD Green		\$1,699
MBX72-1OR2		6' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$1,699
MBX72-1RD3		6' HD Blade, w/ Scarifier Shanks - MF Red		\$1,699
MBX72-1BL1		6' HD Blade, w/ Scarifier Shanks - NH Blue		\$1,699
MBX72-1CY1		6' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$1,699
MBX84-1OR1	MBX84	7' HD Blade, w/ Scarifier Shanks - Rhino Orange	710	\$1,990
MBX84-1GR1		7' HD Blade, w/ Scarifier Shanks - JD Green		\$1,990
MBX84-1OR2		7' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$1,990
MBX84-1RD3		7' HD Blade, w/ Scarifier Shanks - MF Red		\$1,990
MBX84-1BL1		7' HD Blade, w/ Scarifier Shanks - NH Blue		\$1,990
MBX84-1CY1		7' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$1,990
MBX96-1OR1	MBX96	8' HD Blade, w/ Scarifier Shanks - Rhino Orange	790	\$2,237
MBX96-1GR1		8' HD Blade, w/ Scarifier Shanks - JD Green		\$2,237
MBX96-1OR2		8' HD Blade, w/ Scarifier Shanks - Kubota Orange		\$2,237
MBX96-1RD3		8' HD Blade, w/ Scarifier Shanks - MF Red		\$2,237
MBX96-1BL1		8' HD Blade, w/ Scarifier Shanks - NH Blue		\$2,237
MBX96-1CY1		8' HD Blade, w/ Scarifier Shanks - CAT Yellow		\$2,237
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)				

RO

Roll-Over Box Blades

STANDARD EQUIPMENT & SPECIFICATIONS

Model	RO600	RO650	RO720	RO840
Working Width:	60"	65"	72"	84"
Overall Width:	61"	66"	73"	85"
Box Depth:	22 3/4"	22 3/4"	22 3/4"	22 3/4"
Overall Depth:	43"	43"	43"	43"
Overall Height:	34 1/4"	34 1/4"	34 1/4"	34 1/4"
Cutting Edges (2 Ea):	1/2" x 6"	1/2" x 6"	1/2" x 6"	1/2" x 6"
Scarifier Size:	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"	3/4" x 2 1/2"
Number of Scarifiers:	5	6	6	6
Hitch:	CAT 1 QH	CAT 1 QH	CAT 1 QH	CAT 1 QH
Max Tractor HP (2WD - 4WD):	60 - 40	60 - 40	60 - 40	60 - 40
Weight (Approx):	630 lbs	680 lbs	710 lbs	780 lbs

The RO Box Blades are priced as complete units and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT- RO			
RO600-1CY1	Roll-Over Box Blade, 60" - CAT Yellow	630	\$2,490
RO650-1CY1	Roll-Over Box Blade, 65" - CAT Yellow	680	\$2,705
RO720-1CY1	Roll-Over Box Blade, 72" - CAT Yellow	710	\$2,891
RO840-1CY1	Roll-Over Box Blade, 84" - CAT Yellow	780	\$3,308



1 YEAR MACHINE *Warranty*

RHINOAG

Pull-Type Dirt Scrapers**STANDARD EQUIPMENT & SPECIFICATIONS**

Model	DSP10	DSP12
Tractor HP (Min - Max):	70 - 125	70 - 125
Working Width:	120 3/16"	144 3/16"
Transport Width:	121"	145"
Moldboard Height:	18"	18"
Box Capacity:	2 1/4 CU YDS	2 3/4 CU YDS
Box Depth:	39"	39"
Max Cutting Depth:	5" Below Grade	5" Below Grade
Dump Clearance:	21"	21"
Tilt Axle:	Fixed or Hydraulic	
Max Tilt Depth to the Right:	7 5/8"	8 1/4"
Max Tilt Angle:	3 1/2 Degrees	3 1/2 Degrees
Tongue Construction:	4" x 4" Tube	4" x 4" Tube
End Plate Construction:	3/8" Plate	3/8" Plate
Cutting Edge:	1/2" x 6"	1/2" x 6"
Tires (Quantity 2):	9.5L x 15 8 Ply	9.5L x 15 8 Ply
Weight Box:	Optional	Optional
Weight (Approx):	1,645 lbs	1,700 lbs



Unit shown with extra equipment.

DSP Scrapers will require dealer assembly of the tongue, tail wheels, and options.

DSP Pull-Type Dirt Scrapers can be equipped with your choice of a fixed axle or hydraulic tilt axle.

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - DSP				
DSP10-1OR1	DSP10	10' Pull-Type Dirt Scraper - Rhino Orange	1,645	\$3,585
DSP10-1GR1		10' Pull-Type Dirt Scraper - JD Green		\$3,585
DSP10-1OR2		10' Pull-Type Dirt Scraper - Kubota Orange		\$3,585
DSP10-1RD3		10' Pull-Type Dirt Scraper - MF Red		\$3,585
DSP10-1BL1		10' Pull-Type Dirt Scraper - NH Blue		\$3,585
DSP10-1CY1		10' Pull-Type Dirt Scraper - CAT Yellow		\$3,585
DSP12-1OR1	DSP12	12' Pull-Type Dirt Scraper - Rhino Orange	1,700	\$4,134
DSP12-1GR1		12' Pull-Type Dirt Scraper - JD Green		\$4,134
DSP12-1OR2		12' Pull-Type Dirt Scraper - Kubota Orange		\$4,134
DSP12-1RD3		12' Pull-Type Dirt Scraper - MF Red		\$4,134
DSP12-1BL1		12' Pull-Type Dirt Scraper - NH Blue		\$4,134
DSP12-1CY1		12' Pull-Type Dirt Scraper - CAT Yellow		\$4,134
GROUP 2. AXLE TYPE - DSP				
50072337		Fixed Gauge Wheel Bundle		\$1,833
50072336		Hydraulic Tilt Bundle		\$2,331
OPTIONAL EQUIPMENT				
50072350		Weight Box, Bolt On (No weights included)		\$343

GS60, GS72, GS84, HDGS84, HDGS96

STD & Heavy-Duty Grading Scrapers

STANDARD EQUIPMENT & SPECIFICATIONS

Model	GS60	GS72	GS84	HDGS84	HDGS96
Hitch:	3 pt CAT 1 & CAT 1 QH			CAT 1 & 2 QH	CAT 1 & 2 QH
Working Width:	60"	72"	84"	84"	96"
Overall Width:	65 3/16"	77 3/16"	89 3/16"	90"	102"
Overall Height:	31 1/2"			34 7/16"	
Overall Length:	49 1/2"			54 7/16"	
Box Height:	13 3/4"			15 7/8"	
Side Panel Thickness:	3/16"			3/16"	
Front Beam Size:	4" x 4" x 5/16" Wall			4" x 4" x 3/8" Wall	
Rear Beam Size:	2 1/2" x 2 1/2" x 3/16" Wall			4" x 4" x 1/4" Wall	
Skid Shoes:	3/8" x 2 1/2" x 46 3/4" Long			1/2" x 2 1/2" x 52" Long	
Scarifier Shanks:	3 Position w/ dimpled-on hardened tips			3/4" x 2 1/2" x 19 1/8" 4 holes, heat treated plow point	
Number of Shanks:	4	6	6	6	8
Cutting Edge:	1/2" x 6" bolt-on, replaceable, reversible heat treated blades			1/2" x 6" Bolt-on, replaceable & reversible heat treated blades	
Cutting Edge Angle:	6 Degrees			6 Degrees	
Cutting Edge Spacing:	20 3/16"			20 5/16"	
Tractor Min HP:	50 - 2WD / 40 - FWA			90 - 2WD / 72 - 4WD	
Weight (Approx):	500 lbs	571 lbs	642 lbs	750 lbs	828 lbs

The Machines noted below are complete machines.
Rhino Grading Scrapers come in Rhino Orange color.



ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - STANDARD DUTY GRADER SCRAPER				
GS601000	GS60	5' Blade, w/ Scarifier Shanks	500	\$1,706
GS721000	GS72	6' Blade, w/ Scarifier Shanks	571	\$1,851
GS841000	GS84	7' Blade, w/ Scarifier Shanks	642	\$1,988

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT- HEAVY-DUTY GRADER SCRAPER				
HDGS8400	HDGS84	7' Blade, w/ Scarifier Shanks- Heavy-Duty	750	\$2,475
HDGS9600	HDGS96	8' Blade, w/ Scarifier Shanks- Heavy-Duty	828	\$2,872

FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)

1 YEAR MACHINE *Warranty*

RHINOAG

AP PLOW

All Purpose Plow



STANDARD EQUIPMENT & SPECIFICATIONS

Model	AP48-3	AP60-5	AP66-5	AP66-7	AP85-7	AP85-9
Working Width:	44"	56"	62"	62"	80"	80"
Overall Width:	49 5/8"	61 5/8"	67 5/8"	67 5/8"	85 5/8"	85 5/8"
Depth:	39 3/4"					
Height:	40 3/8"					
Weight (Approx):	206 lbs	228 lbs	284 lbs	367 lbs	386 lbs	455 lbs
Type of Shanks:	Spring Loaded Auto Reset Shanks					
Number of Shanks:	3	5	5	7	7	9
Angle Iron Size:	2 1/2" x 2 1/2" x 3/8" Steel Frame					
Hole Spacing:	Easily Adjustable - 1" Hole Spacing					
Hitch:	3 pt CAT 1 & CAT 1 QH					
Points:	5/16" x 2" x 10 1/8" High Carbon Reversible					
Min PTO HP:	24	35	35	49	49	55


The AP Plows are priced as complete units and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - AP PLOW			
APP483-OR1	All Purpose Plow, 48", 3-Shanks	206	\$822
APP605-OR1	All Purpose Plow, 60", 5-Shanks	228	\$1,172
APP665-OR1	All Purpose Plow, 66", 5-Shanks	284	\$1,292
APP667-OR1	All Purpose Plow, 66", 7-Shanks	367	\$1,513
APP857-OR1	All Purpose Plow, 85", 7-Shanks	386	\$1,567
APP859-OR1	All Purpose Plow, 85", 9-Shanks	455	\$1,802

FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)

Spring Loaded Auto Reset Shanks With High Carbon Reversible Points



RHINOAG

1 YEAR MACHINE *Warranty*

SUBSOILER HEAVY-DUTY

1 Shank



STANDARD EQUIPMENT & SPECIFICATIONS

Model	SSHD1S	SSHD1L
Description:	Subsoiler Heavy-Duty 1 Shank-Short	Subsoiler Heavy-Duty 1 Shank-Long
Hitch:	3 pt CAT 1, CAT 2 & CAT 1, CAT 2 QH	
Shear Bolt Protection:	3/4" x 4" Grade 2	
Overall Width:	41"	
Overall Height:	39 1/2"	43 1/2"
Horse Power:	Approximately 35 Per Shank - Up to 85	
Weight (Approx):	261 lbs	276 lbs
Shank Size:	1 1/4" x 9 7/16" x 22 1/8"	1 1/4" x 9 7/16" x 26 1/8"
Number of Shanks:	1	
Cutting Point:	1" x 2 1/2" x 9 3/8"	
Max Cutting Depth:	19 1/8"	23 1/8"

The Heavy-Duty Subsoilers with one Shank are priced as complete units and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - SSHD1S, SSHD1L				
HDSS1S-OR1	SSHD1S	HD Subsoiler, 1 Short Shank - Rhino Orange	261	\$1,287
HDSS1S-GR1		HD Subsoiler, 1 Short Shank - JD Green	261	\$1,287
HDSS1S-OR2		HD Subsoiler, 1 Short Shank - Kubota Orange	261	\$1,287
HDSS1S-RD3		HD Subsoiler, 1 Short Shank - MF Red	261	\$1,287
HDSS1S-BL1		HD Subsoiler, 1 Short Shank - NH Blue	261	\$1,287
HDSS1S-CY1		HD Subsoiler, 1 Short Shank - CAT Yellow	261	\$1,287
HDSS1L-OR1	SSDH1L	HD Subsoiler, 1 Long Shank - Rhino Orange	276	\$1,313
HDSS1L-GR1		HD Subsoiler, 1 Long Shank - JD Green	276	\$1,313
HDSS1L-OR2		HD Subsoiler, 1 Long Shank - Kubota Orange	276	\$1,313
HDSS1L-RD3		HD Subsoiler, 1 Long Shank - MF Red	276	\$1,313
HDSS1L-BL1		HD Subsoiler, 1 Long Shank - NH Blue	276	\$1,313
HDSS1L-CY1		HD Subsoiler, 1 Long Shank - CAT Yellow	276	\$1,313
FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)				

1 YEAR MACHINE *Warranty*

RHINOAG

SUBSOILER HEAVY-DUTY 2 Shanks

STANDARD EQUIPMENT & SPECIFICATIONS

Model	SSHD2S	SSHD2L
Description:	Subsoiler Heavy-Duty 2 Shank-Short	Subsoiler Heavy-Duty 2 Shank-Long
Hitch:	3 pt CAT 1, CAT 2 & CAT 1, CAT 2 QH	
Shear Bolt Protection:	3/4" x 4" Grade 2	
Overall Width:	49"	
Overall Height:	39 1/2"	43 1/2"
Horse Power:	Approx 35 Per Shank - Up to 85	
Weight (Approx):	420 lbs	450 lbs
Shank Size:	1 1/4" x 9 7/16" x 22 1/8"	1 1/4" x 9 7/16" x 26 1/8"
Number of Shanks:	2	
Cutting Point:	1" x 2 1/2" x 9 3/8"	
Max Cutting Depth:	19 1/8"	23 1/8"

The Heavy-Duty Subsoilers with two Shanks are priced as complete machines and are shipped fully assembled.



ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - SSHD2S, SSHD2L				
HDSS2S-OR1	SSHD2S	HD Subsoiler, 2 Short Shanks - Rhino Orange	420	\$2,449
HDSS2S-GR1		HD Subsoiler, 2 Short Shanks - JD Green	420	\$2,449
HDSS2S-OR2		HD Subsoiler, 2 Short Shanks - Kubota Orange	420	\$2,449
HDSS2S-RD3		HD Subsoiler, 2 Short Shanks - MF Red	420	\$2,449
HDSS2S-BL1		HD Subsoiler, 2 Short Shanks - NH Blue	420	\$2,449
HDSS2S-CY1		HD Subsoiler, 2 Short Shanks - CAT Yellow	420	\$2,449
HDSS2L-OR1	SSHD2L	HD Subsoiler, 2 Long Shanks - Rhino Orange	450	\$2,475
HDSS2L-GR1		HD Subsoiler, 2 Long Shanks - JD Green	450	\$2,475
HDSS2L-OR2		HD Subsoiler, 2 Long Shanks - Kubota Orange	450	\$2,475
HDSS2L-RD3		HD Subsoiler, 2 Long Shanks - MF Red	450	\$2,475
HDSS2L-BL1		HD Subsoiler, 2 Long Shanks - NH Blue	450	\$2,475
HDSS2L-CY1		HD Subsoiler, 2 Long Shanks - CAT Yellow	450	\$2,475

FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)

SUBSOILER

STANDARD DUTY



STANDARD EQUIPMENT & SPECIFICATIONS

Model	SS1
Overall Width:	32 3/8"
Overall Height:	50"
Hitch:	3 pt CAT 1 & CAT 1 QH
Horse Power:	25 - 45
Weight (Approx):	113 lbs
Shank Size:	3/4" x 6"
Number of Shanks:	1
Cutting Point:	1/2" x 2 1/2" x 12"
Max Cutting Depth:	25 5/8"

The Standard Duty Subsoilers are priced as complete machines and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - SD SUBSOILER			
SS1-1OR1	SD Subsoiler, 1 Shank - Rhino Orange	113	\$436
SS1-1GR1	SD Subsoiler, 1 Shank - JD Green	113	\$436
SS1-1OR2	SD Subsoiler, 1 Shank - Kubota Orange	113	\$436
SS1-1RD3	SD Subsoiler, 1 Shank - MF Red	113	\$436
SS1-1BL1	SD Subsoiler, 1 Shank - NH Blue	113	\$436
SS1-1CY1	SD Subsoiler, 1 Shank - CAT Yellow	113	\$436
FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)			

1 YEAR MACHINE *Warranty*

RHINOAG

LAY OFF PLOW

Light Duty

STANDARD EQUIPMENT & SPECIFICATIONS

Model	LP
Overall Width:	32 3/8"
Overall Height:	38"
Hitch:	3 pt CAT 1 & CAT 1 QH
Horse Power:	25 - 45
Weight (Approx):	75 lbs
Shank Size:	3/4" x 4"
Number of Shanks:	1
Cutting Point:	16" x 4.75mm

The Lay Off Plows are priced as complete machines and are shipped fully assembled.



ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - LAY OFF PLOW			
LP-1OR1	Lay Off Plow, Light-Duty - Rhino Orange	75	\$253
LP-1GR1	Lay Off Plow, Light-Duty - JD Green	75	\$253
LP-1OR2	Lay Off Plow, Light-Duty - Kubota Orange	75	\$253
LP-1RD3	Lay Off Plow, Light-Duty - MF Red	75	\$253
LP-1BL1	Lay Off Plow, Light-Duty - NH Blue	75	\$253
LP-1CY1	Lay Off Plow, Light-Duty - CAT Yellow	75	\$253
FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)			

ONE ROW CULTIVATOR



STANDARD EQUIPMENT & SPECIFICATIONS

Model	1RCV
Width:	58"
Length:	40"
Height:	41 3/16"
Hitch:	3 pt CAT 1 & CAT 1 QH
Horse Power:	25 - 45
Weight (Approx):	171 lbs
Number of Shanks:	6
Shank Size:	3/8" x 1 3/4"
Row Widths:	Adjustable
Point Dimensions:	1.25" x 8" Reversible Curved Points
Cutting Point:	1/4" x 2 1/2" x 11"

The One Row Cultivators are priced as complete machines and are shipped fully assembled.

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 1RCV			
1RCV-1OR1	One Row Cultivator, Light-Duty - Rhino Orange	171	\$581
1RCV-1GR1	One Row Cultivator, Light-Duty - JD Green	171	\$581
1RCV-1OR2	One Row Cultivator, Light-Duty - Kubota Orange	171	\$581
1RCV-1RD3	One Row Cultivator, Light-Duty - MF Red	171	\$581
1RCV-1BL1	One Row Cultivator, Light-Duty - NH Blue	171	\$581
1RCV-1CY1	One Row Cultivator, Light-Duty - CAT Yellow	171	\$581
EXTRA EQUIPMENT			
50072481	Kit, Middle Tine	21	\$112
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			

1 YEAR MACHINE *Warranty*

RHINOAG

1D, 2D, 3D

Lift-Type

Compact Disk Harrows

STANDARD EQUIPMENT & SPECIFICATIONS

Model Number	1D60		1D78		2D78		2D96		3D96		3D118	
Hitch:	3 pt CAT 1 & CAT 1 QH				3 pt CAT 1 & CAT 1 QH				3 pt CAT 1, CAT 2 & CAT 1, CAT 2 QH			
Working Width:	60"		78"		78"		96"		96"		118"	
Recommended HP:	35				65				95			
Disc Size:	16"	18"	16"	18"	18"	20"	18"	20"	20"	22"	20"	22"
Number of Disc Blades:												
7.5" Frt & Rear	16		24		20		24		24		28	
9" Frt & Rear	12		20		16		20		20		24	
9" Frt, 7.5" Rear	14		18		18		22		22		26	
Weight (lbs):												
7.5" Frt & Rear	483	530	672	720	700	770	912	984	1186	1311	1344	1484
9" Frt & Rear	384	420	640	700	672	740	740	815	1152	1275	1246	1381
9" Frt, 7.5" Rear	490	525	535	580	695	766	858	902	1173	1299	1356	1485
Weight per Disk:												
7.5" Frt & Rear	30	33	28	30	35	39	38	41	49	55	48	53
9" Frt & Rear	32	35	32	35	42	46	37	41	58	64	52	62
9" Frt, 7.5" Rear	35	38	30	32	39	43	39	41	53	59	52	57
Bearing Hanger:	3/8" x 6" Plate, w/ Dual 1/2" U-Bolts				3/8" x 6" Plate, w/ Dual 5/8" U-Bolts				1/2" x 7" Plate, w/ Dual 5/8" U-Bolts			
Ball Bearing Type:	Self-Aligning, Sealed				Self-Aligning, Sealed				Self-Aligning, Sealed			
Disc Gang Angles:	Frt & Rear: 0, 7, 14, 21 Degrees				Frt & Rear: 0, 7, 14, 21 Degrees				Frt & Rear: 0, 7, 14, 21 Degrees			
Frame Tubes:	2" Square				2 1/2" Square				3" Square			
Gang Tube:	3" x 1 1/2"				3" x 2"				4" x 3"			
Gang Axle:	1" Square High Carbon Steel				1" Square High Carbon Steel				1 1/8" Square High Carbon Steel			

Units are shipped fully assembled.
Extra equipment will require dealer assembly.

1D60

1D Lift-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 1D60			
1D60-1OR1	1D60	Disk Harrow, Lift-Type, 1D Series, 60" - Rhino Orange	\$444
1D60-1GR1		Disk Harrow, Lift-Type, 1D Series, 60" - JD Green	\$444
1D60-1OR2		Disk Harrow, Lift-Type, 1D Series, 60" - Kubota Orange	\$444
1D60-1RD3		Disk Harrow, Lift-Type, 1D Series, 60" - MF Red	\$444
1D60-1BL1		Disk Harrow, Lift-Type, 1D Series, 60" - NH Blue	\$444
1D60-1CY1		Disk Harrow, Lift-Type, 1D Series, 60" - CAT Yellow	\$444
GROUP 2. DISK GANGS - 1D60			
50072592	1D60	16" Disk Gang, 7.5" Front & Rear Spacing	\$1,428
50072593		16" Disk Gang, 9" Front & Rear Spacing	\$1,329
50072594		16" Disk Gang, 9" Front, 7.5" Rear Spacing	\$1,389
50072595		18" Disk Gang, 7.5" Front & Rear Spacing	\$1,499
50072596		18" Disk Gang, 9" Front & Rear Spacing	\$1,382
50072597		18" Disk Gang, 9" Front, 7.5" Rear Spacing	\$1,448
EXTRA EQUIPMENT			
50073441	1D60	Scraper Kit, 7.5" Front & Rear Spacing	\$521
50073442		Scraper Kit, 9" Front & Rear Spacing	\$411
50069898		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$491
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			

Unit shown with extra equipment.



1 YEAR MACHINE *Warranty*

RHINOAG

1D78

*1D Lift-Type Compact Disk Harrow Continued***ORDERING SECTION**

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 1D78			
1D78-1OR1	1D78	Disk Harrow, Lift-Type, 1D Series, 78" - Rhino Orange	\$444
1D78-1GR1		Disk Harrow, Lift-Type, 1D Series, 78" - JD Green	\$444
1D78-1OR2		Disk Harrow, Lift-Type, 1D Series, 78" - Kubota Orange	\$444
1D78-1RD3		Disk Harrow, Lift-Type, 1D Series, 78" - MF Red	\$444
1D78-1BL1		Disk Harrow, Lift-Type, 1D Series, 78" - NH Blue	\$444
1D78-1CY1		Disk Harrow, Lift-Type, 1D Series, 78" - CAT Yellow	\$444
GROUP 2. DISK GANGS - 1D78			
50072598	1D78	16" Disk Gang, 7.5" Front & Rear Spacing	\$1,552
50072599		16" Disk Gang, 9" Front & Rear Spacing	\$1,478
50072600		16" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,519
50072601		18" Disk Gang, 7.5" Front & Rear Spacing	\$1,654
50072602		18" Disk Gang, 9" Front & Rear Spacing	\$1,559
50072603		18" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,603
EXTRA EQUIPMENT			
50073443	1D78	Scraper Kit, 7.5" Front & Rear Spacing	\$606
50073444		Scraper Kit, 9" Front & Rear Spacing	\$561
50070558		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$591
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			

Handle for Easy Disk Adjustment.



2D78

2D Lift-Type Compact Disk Harrow

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 2D78			
2D78-1OR1	2D78	Disk Harrow, Lift-Type, 2D Series, 78" - Rhino Orange	\$736
2D78-1GR1		Disk Harrow, Lift-Type, 2D Series, 78" - JD Green	\$736
2D78-1OR2		Disk Harrow, Lift-Type, 2D Series, 78" - Kubota Orange	\$736
2D78-1RD3		Disk Harrow, Lift-Type, 2D Series, 78" - MF Red	\$736
2D78-1BL1		Disk Harrow, Lift-Type, 2D Series, 78" - NH Blue	\$736
2D78-1CY1		Disk Harrow, Lift-Type, 2D Series, 78" - CAT Yellow	\$736
GROUP 2. DISK GANGS - 2D78			
50072738	2D78	18" Disk Gang, 7.5" Front & Rear Spacing	\$1,844
50072739		18" Disk Gang, 9" Front & Rear Spacing	\$1,702
50072740		18" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,716
50072741		20" Disk Gang, 7.5" Front & Rear Spacing	\$2,093
50072742		20" Disk Gang, 9" Front & Rear Spacing	\$1,917
50072743		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$1,943
EXTRA EQUIPMENT			
50073445	2D78	Scraper Kit, 7.5" Front & Rear Spacing	\$662
50073446		Scraper Kit, 9" Front & Rear Spacing	\$597
50069897		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$649
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			

Unit shown with extra equipment.



1 YEAR MACHINE *Warranty*

RHINOAG

2D96

2D Lift-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 2D96			
2D96-1OR1	2D96	Disk Harrow, Lift-Type, 2D Series, 96" - Rhino Orange	\$736
2D96-1GR1		Disk Harrow, Lift-Type, 2D Series, 96" - JD Green	\$736
2D96-1OR2		Disk Harrow, Lift-Type, 2D Series, 96" - Kubota Orange	\$736
2D96-1RD3		Disk Harrow, Lift-Type, 2D Series, 96" - MF Red	\$736
2D96-1BL1		Disk Harrow, Lift-Type, 2D Series, 96" - NH Blue	\$736
2D96-1CY1		Disk Harrow, Lift-Type, 2D Series, 96" - CAT Yellow	\$736
GROUP 2. DISK GANGS - 2D96			
50072744	2D96	18" Disk Gang, 7.5" Front & Rear Spacing	\$2,215
50072745		18" Disk Gang, 9" Front & Rear Spacing	\$2,099
50072746		18" Disk Gang, 9" Front & 7.5" Rear Spacing	\$2,133
50072747		20" Disk Gang, 7.5" Front & Rear Spacing	\$2,616
50072748		20" Disk Gang, 9" Front & Rear Spacing	\$2,387
50072749		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$2,400
EXTRA EQUIPMENT			
50073447	2D96	Scraper Kit, 7.5" Front & Rear Spacing	\$761
50073448		Scraper Kit, 9" Front & Rear Spacing	\$689
50070559		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$748

FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)

Unit shown with extra equipment.



RHINOAG

1 YEAR MACHINE *Warranty*

3D Lift-Type Compact Disk Harrow

3D96

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 3D96			
3D96-1OR1	3D96	Disk Harrow, Lift-Type, 3D Series, 96" - Rhino Orange	\$1,326
3D96-1GR1		Disk Harrow, Lift-Type, 3D Series, 96" - JD Green	\$1,326
3D96-1OR2		Disk Harrow, Lift-Type, 3D Series, 96" - Kubota Orange	\$1,326
3D96-1RD3		Disk Harrow, Lift-Type, 3D Series, 96" - MF Red	\$1,326
3D96-1BL1		Disk Harrow, Lift-Type, 3D Series, 96" - NH Blue	\$1,326
3D96-1CY1		Disk Harrow, Lift-Type, 3D Series, 96" - CAT Yellow	\$1,326
GROUP 2. DISK GANGS - 3D96			
50072750	3D96	20" Disk Gang, 7.5" Front & Rear Spacing	\$3,546
50072751		20" Disk Gang, 9" Front & Rear Spacing	\$3,496
50072752		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$3,433
50072753		22" Disk Gang, 7.5" Front & Rear Spacing	\$3,936
50072754		22" Disk Gang, 9" Front & Rear Spacing	\$3,683
50072755		22" Disk Gang, 9" Front & 7.5" Rear Spacing	\$3,782
EXTRA EQUIPMENT			
50073447	3D96	Scraper Kit, 7.5" Front & Rear Spacing	\$761
50073448		Scraper Kit, 9" Front & Rear Spacing	\$689
50070559		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$748
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			

Unit shown with extra equipment.



1 YEAR MACHINE *Warranty*

RHINOAG

3D118

3D Lift-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 3D118			
3D118-1OR1	3D118	Disk Harrow, Lift-Type, 3D Series, 118" - Rhino Orange	\$1,326
3D118-1GR1		Disk Harrow, Lift-Type, 3D Series, 118" - JD Green	\$1,326
3D118-1OR2		Disk Harrow, Lift-Type, 3D Series, 118" - Kubota Orange	\$1,326
3D118-1RD3		Disk Harrow, Lift-Type, 3D Series, 118" - MF Red	\$1,326
3D118-1BL1		Disk Harrow, Lift-Type, 3D Series, 118" - NH Blue	\$1,326
3D118-1CY1		Disk Harrow, Lift-Type, 3D Series, 118" - CAT Yellow	\$1,326
GROUP 2. DISK GANGS - 3D118			
50072756	3D118	20" Disk Gang, 7.5" Front & Rear Spacing	\$4,079
50072757		20" Disk Gang, 9" Front & Rear Spacing	\$3,901
50072758		20" Disk Gang, 9" Front & 7.5" Rear Spacing	\$3,975
50072759		22" Disk Gang, 7.5" Front & Rear Spacing	\$4,537
50072760		22" Disk Gang, 9" Front & Rear Spacing	\$4,321
50072761		22" Disk Gang, 9" Front & 7.5" Rear Spacing	\$4,399
EXTRA EQUIPMENT			
50073449	3D118	Scraper Kit, 7.5" Front & Rear Spacing	\$805
50073450		Scraper Kit, 9" Front & Rear Spacing	\$743
50069896		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$797
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			



DHP

Pull-Type Compact Disk Harrows

STANDARD EQUIPMENT & SPECIFICATIONS

Model	DHP8	DHP10	DHP12
Tractor Drawbar HP:	40 - 65	45 - 100	55 - 100
Hitch Type:	Pull-Type w/ Clevis and Hole for 1 1/4" Pin		
Approx Transport Width:	8' 10"	10' 10"	12' 4"
Max Cultivation Width:	8' 6"	10' 6"	12'
Main Frame Width:	60"	93.5"	93.5"
Cutting Edge	Reversible & Replaceable		
Weight (Approx) Per Disc:	95 - 114 lbs	84 - 98 lbs	78 - 90 lbs
Disc Blade Size & Type:	20" or 22" Notched		
Disc Spacing:	7.5", 9", or Combination		
Disc Bearing Type:	Greaseable Triple Lip Sealed Ball Bearing		
Number of Bearings:	8	12	12
Forward Gang Angle Adjustment:	15, 16.5, 18, 19.5, 21 Degrees		
Rear Gang Angle Adjustment:	12, 13.5, 15, 16.5, 18		
Hitch Frame Construction:	4" x 4" x 1/4" Tubing		
Slide Frame Construction:	4" x 3" x 1/4" Tubing		
Gang Arm Construction:	4" x 3" x 1/4" Tubing		
Gang Axles:	1 1/8" Square High Carbon Steel		
Front to Rear Leveling System:	Manual Crank Adjustment		
Depth Control:	Cylinder Stroke Control Spacers		
Hydraulic CyLnder:	3 1/2" x 8" ASABE		
Transport Tires & Wheels:	(2) - 9.5L x 15 w/ 5 - Bolt Wheels		
Parking Jack:	Standard		
Options:	Disk Scrapers, Dual Wheel Transport Kit		
Units are shipped in three crates for dealer assembly.			

1 YEAR MACHINE *Warranty*


RHINOAG

DHP8 Pull-Type Compact Disk Harrow Continued

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - DHP8			
DHP8-1OR1	DHP8	Disk Harrow, Pull-Type, 8' - Rhino Orange	\$6,111
DHP8-1GR1		Disk Harrow, Pull-Type, 8' - JD Green	\$6,111
DHP8-1OR2		Disk Harrow, Pull-Type, 8' - Kubota Orange	\$6,111
DHP8-1RD3		Disk Harrow, Pull-Type, 8' - MF Red	\$6,111
DHP8-1BL1		Disk Harrow, Pull-Type, 8' - NH Blue	\$6,111
DHP8-1CY1		Disk Harrow, Pull-Type, 8' - CAT Yellow	\$6,111
GROUP 2. DISK GANGS - DHP8			
50072135	DHP8	20" Disk Gang Asy, 7.5" Front & Rear Spacing	\$4,443
50072136		20" Disk Gang Asy, 9" Front & Rear Spacing	\$4,249
50072137		20" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$4,314
50072138		22" Disk Gang Asy, 7.5" Front & Rear Spacing	\$4,698
50072139		22" Disk Gang Asy, 9" Front & Rear Spacing	\$4,504
50072140		22" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$4,596
EXTRA EQUIPMENT			
50072310	DHP8	Scraper Kit, 7.5" Front & Rear Spacing	\$1,139
50072311		Scraper Kit, 9" Front & Rear Spacing	\$952
50072312		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$1,013
50072233		Dual Wheel Transport Kit	\$878



*DHP10 Pull-Type Compact Disk Harrow***ORDERING SECTION**

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - DHP10			
DHP10-1OR1	DHP10	Disk Harrow, Pull-Type, 10' - Rhino Orange	\$6,177
DHP10-1GR1		Disk Harrow, Pull-Type, 10' - JD Green	\$6,177
DHP10-1OR2		Disk Harrow, Pull-Type, 10' - Kubota Orange	\$6,177
DHP10-1RD3		Disk Harrow, Pull-Type, 10' - MF Red	\$6,177
DHP10-1BL1		Disk Harrow, Pull-Type, 10' - NH Blue	\$6,177
DHP10-1CY1		Disk Harrow, Pull-Type, 10' - CAT Yellow	\$6,177
GROUP 2. DISK GANGS - DHP10			
50072141	DHP10	20" Disk Gang Asy, 7.5" Front & Rear Spacing	\$5,358
50072142		20" Disk Gang Asy, 9" Front & Rear Spacing	\$5,096
50072143		20" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$5,278
50072144		22" Disk Gang Asy, 7.5" Front & Rear Spacing	\$5,664
50072145		22" Disk Gang Asy, 9" Front & Rear Spacing	\$5,406
50072146		22" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$5,535
EXTRA EQUIPMENT			
50072313	DHP10	Scraper Kit, 7.5" Front & Rear Spacing	\$1,429
50072314		Scraper Kit, 9" Front & Rear Spacing	\$1,378
50072315		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$1,327
50072233		Dual Wheel Transport Kit	\$878



Unit shown with extra equipment.

1 YEAR MACHINE *Warranty*

RHINOAG

DHP12 Pull-Type Compact Disk Harrow

ORDERING SECTION

To order complete machine, order one item each from groups 1 - 2.
Order extra equipment as needed.

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
GROUP 1. BASE UNIT - DHP12			
DHP12-1OR1	DHP12	Disk Harrow, Pull-Type, 12' - Rhino Orange	\$6,177
DHP12-1GR1		Disk Harrow, Pull-Type, 12' - JD Green	\$6,177
DHP12-1OR2		Disk Harrow, Pull-Type, 12' - Kubota Orange	\$6,177
DHP12-1RD3		Disk Harrow, Pull-Type, 12' - MF Red	\$6,177
DHP12-1BL1		Disk Harrow, Pull-Type, 12' - NH Blue	\$6,177
DHP12-1CY1		Disk Harrow, Pull-Type, 12' - CAT Yellow	\$6,177
GROUP 2. DISK GANGS - DHP12			
50072147	DHP12	20" Disk Gang Asy, 7.5" Front & Rear Spacing	\$7,207
50072148		20" Disk Gang Asy, 9" Front & Rear Spacing	\$6,949
50072149		20" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$7,080
50072230		22" Disk Gang Asy, 7.5" Front & Rear Spacing	\$7,659
50072231		22" Disk Gang Asy, 9" Front & Rear Spacing	\$7,425
50072232		22" Disk Gang Asy, 9" Front & 7.5" Rear Spacing	\$7,527
EXTRA EQUIPMENT			
50072316	DHP12	Scraper Kit, 7.5" Front & Rear Spacing	\$1,581
50072317		Scraper Kit, 9" Front & Rear Spacing	\$1,504
50072318		Scraper Kit, 9" Front & 7.5" Rear Spacing	\$1,530
50072233		Dual Wheel Transport Kit	\$878



Unit shown with extra equipment.

REBEL

Rotary Tillers

(Standard & Reverse)

STANDARD EQUIPMENT & SPECIFICATIONS

	Standard			Reverse		
	REB60	REB72	REB84	REB60R	REB72R	REB84R
Tilling Width:	59"	70.5"	82.5"	59"	70.5"	82.5"
Overall Width:	66"	78"	90"	66"	78"	90"
Tilling Depth (Max)*:	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"	7 1/2"
Hitch:						
Standard	CAT 1	CAT 1	Cat 1 & 2	CAT 1	CAT 1	Cat 1 & 2
Quick Hitch	CAT 1 QH	CAT 1 QH	CAT 1 & 2 QH	CAT 1 QH	CAT 1 QH	CAT 1 & 2 QH
Knife Type:	"L"	"L"	"L"	"L"	"L"	"L"
Number of Knives:	42	54	66	42	54	66
Number of Flanges:	7	9	11	7	9	11
Recommended PTO HP (Min/Max):	25 / 45	35 / 55	45 / 65	25 / 45	35 / 55	45 / 65
Rotor Speed:	211 RPM	211 RPM	211 RPM	211 RPM	211 RPM	211 RPM
Driveline Size:	CAT 4	CAT 4	CAT 4	CAT 4	CAT 4	CAT 4
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch
Gearbox Housing:	Cast	Cast	Cast	Cast	Cast	Cast
End Plate Thickness:	1/2"	1/2"	1/2"	1/2"	1/2"	1/2"
Rotor/ Blade Rotation Dia:	17"	17"	17"	17"	17"	17"
Rotor Shaft Dia:	3"	3"	3"	3"	3"	3"
Rotor Drive Type:	Gear Driven	Gear Driven	Gear Driven	Gear Driven	Gear Driven	Gear Driven
Tine Rotation:	Standard	Standard	Standard	Reverse	Reverse	Reverse
Weight (Approx):	673 lbs	747 lbs	817 lbs	683 lbs	759 lbs	831 lbs
Gearbox Oil:	85W 140 (Not Factory Filled)					
Freight Discount when Ordered in Multiples of 3						

REB60



*Requires multiple passes

REB72



1 YEAR MACHINE *Warranty*

RHINOAG

REB Standard Rotation

ORDERING SECTION - REBEL STANDARD ROTATION

Select tiller model from the selections below. Units are priced complete.

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
REB60-1OR	REB60 Standard	60" Rotary Tiller Standard Rotation - Rhino Orange	798	\$2,696
REB60-1RD	REB60 Standard	60" Rotary Tiller Standard Rotation - MF Red	798	\$2,696
REB60-1GR	REB60 Standard	60" Rotary Tiller Standard Rotation - JD Green	798	\$2,696
REB60-2OR	REB60 Standard	60" Rotary Tiller Standard Rotation - Kubota Orange	798	\$2,696
REB60-1BL	REB60 Standard	60" Rotary Tiller Standard Rotation - NH Blue	798	\$2,696
REB72-1OR	REB72 Standard	72" Rotary Tiller Standard Rotation - Rhino Orange	877	\$3,123
REB72-1RD	REB72 Standard	72" Rotary Tiller Standard Rotation - MF Red	877	\$3,123
REB72-1GR	REB72 Standard	72" Rotary Tiller Standard Rotation - JD Green	877	\$3,123
REB72-2OR	REB72 Standard	72" Rotary Tiller Standard Rotation - Kubota Orange	877	\$3,123
REB72-1BL	REB72 Standard	72" Rotary Tiller Standard Rotation - NH Blue	877	\$3,123
REB84-1OR1	REB84 Standard	84" Rotary Tiller Standard Rotation - Rhino Orange	952	\$3,676
REB84-1RD3	REB84 Standard	84" Rotary Tiller Standard Rotation - MF Red	952	\$3,676
REB84-1GR1	REB84 Standard	84" Rotary Tiller Standard Rotation - JD Green	952	\$3,676
REB84-1OR2	REB84 Standard	84" Rotary Tiller Standard Rotation - Kubota Orange	952	\$3,676
REB84-1BL1	REB84 Standard	84" Rotary Tiller Standard Rotation - NH Blue	952	\$3,676

REB Reverse Rotation

ORDERING SECTION - REBEL REVERSE ROTATION

Select tiller model from the selections below. Units are priced complete.

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
REB60R-1OR	REB60 Reverse	60" Rotary Tiller Reverse Rotation - Rhino Orange	808	\$2,887
REB60R-1RD	REB60 Reverse	60" Rotary Tiller Reverse Rotation - MF Red	808	\$2,887
REB60R-1GR	REB60 Reverse	60" Rotary Tiller Reverse Rotation - JD Green	808	\$2,887
REB60R-2OR	REB60 Reverse	60" Rotary Tiller Reverse Rotation - Kubota Orange	808	\$2,887
REB60R-1BL	REB60 Reverse	60" Rotary Tiller Reverse Rotation - NH Blue	808	\$2,887
REB72R-1OR	REB72 Reverse	72" Rotary Tiller Reverse Rotation - Rhino Orange	889	\$3,314
REB72R-1RD	REB72 Reverse	72" Rotary Tiller Reverse Rotation - MF Red	889	\$3,314
REB72R-1GR	REB72 Reverse	72" Rotary Tiller Reverse Rotation - JD Green	889	\$3,314
REB72R-2OR	REB72 Reverse	72" Rotary Tiller Reverse Rotation - Kubota Orange	889	\$3,314
REB72R-1BL	REB72 Reverse	72" Rotary Tiller Reverse Rotation - NH Blue	889	\$3,314
REB84R-1OR1	REB84 Reverse	84" Rotary Tiller Reverse Rotation - Rhino Orange	966	\$3,867
REB84R-1RD3	REB84 Reverse	84" Rotary Tiller Reverse Rotation - MF Red	966	\$3,867
REB84R-1GR1	REB84 Reverse	84" Rotary Tiller Reverse Rotation - JD Green	966	\$3,867
REB84R-1OR2	REB84 Reverse	84" Rotary Tiller Reverse Rotation - Kubota Orange	966	\$3,867
REB84R-1BL1	REB84 Reverse	84" Rotary Tiller Reverse Rotation - NH Blue	966	\$3,867

SRT & SRM

Rotary Tillers



STANDARD EQUIPMENT & SPECIFICATIONS

Model	SRT48	SRM81V	SRM91V
Tilling Width:	48"	81"	91"
Overall Width:	53"	87"	96"
Tilling Depth (Max):	7"	8"	8"
Support Stand:	Std	Std	Std
Hitch:	CAT 1	CAT 1 & 2, CAT 1 QH	CAT 1 & 2, CAT 1 QH
Knife Type:	"C"	"C"	"C"
Number of Knives:	20	48	54
Number of Flanges:	5	8	9
Recommended PTO HP (Min/Max):	16 / 30	40 / 70	40 / 70
Rotor Speed (at 540 RPM):	370	185 / 208 / 235 / 266**	
Driveline Size:	CAT 3	CAT 4	CAT 4
Driveline Protection:	Slip Clutch	Slip Clutch	Slip Clutch
Housing Thickness:	4mm	4mm	4mm
End Plate Thickness:	5mm	8mm	8mm
Rotor Drive Type:	Chain	Gear	Gear
Tine Rotation:	Forward	Forward	Forward
Weight (Approx):	318 lbs	981 lbs	992 lbs

**4-Speed Gearbox

ORDERING SECTION

Order machine model from appropriate base machine group below. Machines noted are complete.

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
SRT				
SRT48001	SRT48	48" Tiller	318	\$2,707
SRM				
SRM81V01	SRM81V	81" Tiller w/ 4-Speed Gearbox	981	\$8,145
SRM91V01	SRM91V	91" Tiller w/ 4-Speed Gearbox	992	\$8,772

1 YEAR MACHINE *Warranty*

RHINOAG

130P, 240P, 340P, 440P

3-Point Mounted Post Hole Diggers

STANDARD EQUIPMENT & SPECIFICATIONS				
Model	130P	240P	340P	440P
Max PTO HP:	25	35	65	95
PTO Speed:	540 RPM	540 RPM	540 RPM	540 RPM
Output Shaft Diameter:	2" Round	2" Round	2" Round	2" Round
Hitch Category:	CAT 0 Std	CAT 1 Std & CAT 2 Std	CAT 1 Std & CAT 2 Std	CAT 1 Std & CAT 2 Std
Auger Diameters:	6", 9", 12"	6", 9", 12", 15", 18", 24"		
Auger Overall Length:	30"	48"	48"	48"
Driveline Protection:	Shear Bolt	Shear Bolt	Shear Bolt	Shear Bolt
Yoke Size:	1/2" x 3"	3"	3"	3"
Boom Tubing:	2 7/8"	2 7/8"	3 1/2"	3 1/2"
Down Force Kit:	N/A	Optional	Optional	Optional
Gearbox Ratio:	3:1	3:1	3.18:1	4.1:1
Weight (Approx):	149 lbs	160 lbs	206 lbs	210 lbs

ORDERING SECTION - 130P

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 130P			
PHD13001	130P Compact Digger, 2 7/8" Boom, 25 HP Max	149	\$1,125
GROUP 2. AUGER - 130P			
00788402	6" Diameter x 30" Long, Std Duty, w/ Fishtail Replaceable Points		\$179
00788403	9" Diameter x 30" Long, Std Duty, w/ Fishtail Replaceable Points		\$199
00788404	12" Diameter x 30" Long, Std Duty, w/ Fishtail Replaceable Points		\$219
EXTRA EQUIPMENT			
00788401	Parking Stand, 130P		\$150

3-Pt PHD's Continued

ORDERING SECTION - 240P/340P/440P

CATA-LOG NUMBER	DESCRIPTION		APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 240P, 340P, 440P				
PHD24001	240P Standard Duty Digger, 2 7/8" Boom, 35 HP Max		160	\$1,163
PHD34001	340P Heavy-Duty Digger, 3.5" Boom, 65 HP Max		206	\$1,563
PHD44001	440P Industrial Duty Digger, 3.5" Boom, 95 HP Max		210	\$2,010
GROUP 2. AUGER - 240P, 340P, 440P				
00780367	6" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	42	\$311
00780368	9" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	57	\$368
00780369	12" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	64	\$389
00780370	15" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	77	\$518
00780371	18" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	82	\$549
00780372	24" Auger	Heavy-Duty w/ Aggressor Bit Point x 48" Long	109	\$642
EXTRA EQUIPMENT				
50072108	Parking Stand, 240P/340P		12	\$171
50072111	Parking Stand, 440P		13	\$188
50072109	Hydraulic Down Force Kit - 240P		26	\$683
50072110	Hydraulic Down Force Kit - 340P		46	\$683
50072112	Hydraulic Down Force Kit - 440P		46	\$667
01A01030	7" Auger Extension		4	\$254
01A01040	14" Auger Extension		7	\$321

Units shown with extra equipment.

1 YEAR MACHINE *Warranty***RHINOAG**

N15, N20, N30

Planetary Drive Posthole Diggers

STANDARD EQUIPMENT & SPECIFICATIONS

Model	N15	N20	N30
Drive Type:	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor
Output Shaft Size:	2" Hex	2" Hex	2" Hex
Mount Types:	Skid Steer Universal, Loader Bucket, Euro Style QA	Skid Steer Universal, Loader Bucket, Euro Style QA	Skid Steer Universal, Loader Bucket, Euro Style QA
Max Auger Diameter: (HSDA: Dirt)	18"	18"	36"
Max Auger Diameter: (HRAD: Rock)	--	9"	12"
Max Output Torque:	1,419 Ft - lbs	1,777 Ft - lbs	2,600 Ft - lbs
Recommended Hyd Flow:	6 -15 GPM	10 - 20 GPM	15 - 30 GPM
Max System Pressure:	3,000 PSI	3,000 PSI	3,000 PSI
Digging Depth (w/ Std Auger):	48"	48"	48"
Drive Protection:	Hydraulic Relief Valve	Hydraulic Relief Valve	Hydraulic Relief Valve
Hydraulic Hoses:	1/2" x 108" - Included	1/2" x 108" - Included	1/2" x 108" - Included

ORDERING SECTION

CATA- LOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. DRIVE UNIT SELECTION - N15, N20, N30			
07720015	N15: For Systems Delivering 6-15 GPM; 1419 Ft Lbs Torque at Max Operating Pressure of 3000 PSI	130	\$2,252
07720020	N20: For Systems Delivering 10-20 GPM; 1777 Ft Lbs Torque at Max Operating Pressure of 3000 PSI	130	\$2,272
07720030	N30: For Systems Delivering 15-30 GPM; 2600 Ft Lbs Torque at Max Operating Pressure of 3000 PSI	130	\$2,469
GROUP 2. MOUNTING KIT SELECTION - N15, N20, N30			
00776622	Universal Skid Steer Quick Attach Frame (Centered)	146	\$565
00776623	Front End Loader Mounting Bracket (Requires Drilling 2 Holes in Bucket) (Hoses Not Included)	75	\$399
00785966	Universal Skid Steer Quick Attach Frame (Offset to the Right 15")	146	\$565
00785967	Euro Style Quick Attach Front End Loader Frame (Offset to the Right 15")	142	\$632

NOTES:

- N Series Diggers are Intermediate-Duty, designed for use with Tractor Front End Loaders or small Skid Steer Loaders.
- Mounting brackets with frames offset to the right are designed for use on a Tractor Front End Loader to provide visibility to the auger.
- To order a complete unit, select one item each from Groups 1 & 2. Add an Auger and any desired Extra Equipment to complete.



1 YEAR MACHINE *Warranty*

N Series PHD's Continued

CATALOG NUMBER	DESCRIPTION		APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 3A. AUGER SELECTION - N15, N20, N30 - DRIVE-IN TEETH HSDA AUGERS (SOIL, CLAY, LOOSE ROCK) (48" LONG)				
00789048	HSDA60	6" Auger w/ Drive-In Teeth	68	\$332
00789049	HSDA90	9" Auger w/ Drive-In Teeth	69	\$471
00789050	HSDA120	12" Auger w/ Drive-In Teeth	108	\$534
00789051	HSDA180	18" Auger, w/ Drive-In Teeth	159	\$792
00789052	HSDA240	24" Auger (N30 Only) w/ Drive-In Teeth	245	\$999
00789053	HSDA300	30" Auger (N30 Only) w/ Drive-In Teeth	303	\$1,305
00789054	HSDA360	36" Auger (N30 Only) w/ Drive-In Teeth	333	\$1,605
GROUP 3B. AUGER SELECTION - N15, N20, N30 - BOLT-ON TEETH HSDA AUGERS				
00776635	HSDA90	9" Auger w/ Bolt-On Teeth	69	\$471
00776636	HSDA120	12" Auger w/ Bolt-On Teeth	108	\$528
00789217	HSDA150	15" Auger w/ Bolt-On Teeth	159	\$704
00789055	HSDA954	9" x 18" Tree Auger w/ Bolt-On Teeth	136	\$860
00789056	HSDA1254	12" x 24" Tree Auger w/ Bolt-On Teeth	287	\$927
00789057	HSDA1854	18" x 36" Tree Auger (N30 Only) w/ Bolt-On Teeth	322	\$1,574
GROUP 3C. AUGER SELECTION - N15, N20, N30 - T-POST PUFF AUGER (SOIL, CLAY, COMPACTED SOIL)				
00776653	HRP 2" Auger		25	\$482
AUGER EXTENSIONS AND ADAPTERS				
00776654	24" Variable Length Auger Extension		33	\$311
00776655	48" Variable Length Auger Extension		57	\$518
00785968	2" Hex (Female) to 2" Round (Male)		15	\$259
00786085	2" Round (Female) to 2" Hex (Male) (3/4" Hole)		14	\$259
EXTRA EQUIPMENT				
00768105	Hydraulic Hose Kit for Bolt-On Bucket Mount Kit (Hoses are 25' Long)		25	\$440

H200, H300, H350

Planetary Drive Posthole Diggers

STANDARD EQUIPMENT & SPECIFICATIONS

Model	H200	H300	H350
Drive Type:	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor	Planetary w/ Reversible Motor
Output Shaft Size:	2" Hex	2" Hex	2" Hex
Mount Types:	Skid Steer Universal, Backhoe, Mini-Excavator, Front End Loader	Skid Steer Universal, Backhoe, Mini-Excavator, Front End Loader	Skid Steer Universal, Backhoe, Mini-Excavator, Front End Loader
Max Auger Dia: (HSDA: Dirt)	30"	36"	36"
Max Auger Dia: (HRAD: Rock)	24"	36"	36"
Max Output Torque:	2,008 Ft-Lbs	2,937 Ft-Lbs	3,582 Ft-Lbs
Recommended Hyd Flow:	10 - 20 GPM	15 - 30 GPM	20 - 35 GPM
Max System Pressure:	3,000 PSI	3,000 PSI	3,000 PSI
Digging Depth:	48"	48"	48"
Drive Protection:	Hyd Relief Valve	Hyd Relief Valve	Hyd Relief Valve
Hydraulic Hoses:	1/2" x 108" (Included)	1/2" x 108" (Included)	1/2" x 108" (Included)

Unit shown with extra equipment.



H Series Diggers are Heavy-Duty, designed for use with Skid Steer Loaders, Tractor Loaders Backhoes, and Mini-Excavators.

Case, Ford, JCB, John Deere, and CAT are trade names &/or registered trademarks which are the intellectual property of the entity listed or of the entity's successor(s). These names are used only to clarify the identification of skid steer loaders.

To order a complete unit, select a drive unit from Group 1, and a mounting kit from Group 2A or 2B. Add augers from Group 3A-E and any desired extra equipment as needed to complete the unit.

See instructions at the end of the Ordering Section for Backhoe or Excavator Mounting Kits that are not listed.

H Series PHD's Continued

ORDERING SECTION			
CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. DRIVE UNIT SELECTION - H200, H300, H350			
07710019	H200: For Systems Delivering 10-20 GPM; 2008 Ft. Lbs Torque at Max Operating Pressure of 3000 PSI.	211	\$2,981
07710020	H300: For Systems Delivering 15-30 GPM; 2937 Ft. Lbs Torque at Max Operating Pressure of 3000 PSI.	211	\$3,142
07710021	H350: For Systems Delivering 20-35 GPM; 3582 Ft. Lbs Torque at Max Operating Pressure of 3000 PSI.	211	\$3,400
GROUP 2A. MOUNTING KIT - SKID STEER - H200, H300, H350			
00776622	Universal Skid Steer Quick Attach Frame (Centered Hitch)	146	\$565
00776623	Front End Loader Mounting Bracket (Requires Drilling 2 Holes in Bucket) (Hoses Not Included)	75	\$399
00785966	Universal Skid Steer Quick Attach Frame (Offset to the Right 15")	146	\$565
GROUP 2B. BACKHOE AND MINI-EXCAVATOR MOUNTING KITS - H200, H300, H350			
SEE INSTRUCTIONS AT END OF ORDERING SECTION			
00776624	Case 580, 580E, 580SE	32	\$394
00776625	Case 780	32	\$394
00776626	Ford CL55, 555 Series Deere 12, B, C; 410A, B, C, D; 9300, 9305, 210C, 300B, D; 310A, B, C, D, E, 500C, 510B, 510C, 510D; 610B, 610C	32	\$394
00776627	JCB 1400B, 1500, 215, 217, 214	32	\$394
00776628	Deere 510, 710B, 710C, 710D	32	\$394
00776629	Deere 9450, 9550, 401C	32	\$394
00776630	Deere 310SE, 410E	32	\$394
00776631	Cat 410, 416, 426	32	\$394
00788379	Kubota KX91	32	\$394
Mounting Kits for most Backhoe and Excavator models are available. See Instructions at the end of this Ordering Section for Backhoe or Excavator models not listed above.			
GROUP 3A. T-POST "PUFF" AUGER - H200, H300, H350 (SOLID ROCK)			
00776653	HRP 2" Auger	25	\$482

H Series PHD's Continued

ORDERING SECTION - Continued

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 3B. HSDA AUGERS - H200, H300, H350 - DRIVE-IN TEETH (SOIL, CLAY, LOOSE ROCK)			
00789048	HSDA60 6" Auger w/ Drive-In Teeth	68	\$332
00789049	HSDA90 9" Auger w/ Drive-In Teeth	69	\$471
00789050	HSDA120 12" Auger w/ Drive-In Teeth	108	\$534
00789051	HSDA180 18" Auger w/ Drive-In Teeth	159	\$792
00789052	HSDA240 24" Auger w/ Drive-In Teeth	245	\$999
00789053	HSDA300 30" Auger w/ Drive-In Teeth	303	\$1,305
00789054	HSDA360 36" Auger w/ Drive-In Teeth	333	\$1,605
GROUP 3C. AUGER SELECTION - H200, H300, H350 - BOLT-ON TEETH BOLT- ON TEETH HSDA AUGERS			
00776635	HSDA90 9" Auger w/ Bolt-On Teeth	69	\$471
00776636	HSDA120 12" Auger w/ Bolt-On Teeth	108	\$528
00789217	HSDA150 15" Auger w/ Bolt-On Teeth	159	\$704
00789055	HSDA954 9" x 18" Tree Auger w/ Bolt-On Teeth	136	\$860
00789056	HSDA1254 12" x 24" Tree Auger w/ Bolt-On Teeth	287	\$927
00789057	HSDA1854 18" x 36" Tree Auger w/ Bolt-On Teeth	322	\$1,574
GROUP 3D. HSRA AUGERS - H200, H300, H350 (LOOSE ROCK, SOLID ROCK, CONCRETE)			
00776632	HSRA45 4 1/2" Auger	60	\$906
00776633	HSRA60 6" Auger	53	\$1,263
GROUP 3E. HRAD AUGERS - H200, H300, H350 (SOIL, HARD CLAY, LOOSE OR SOLID ROCK, CONCRETE)			
00776644	HRAD90 9" Auger	102	\$1,469
00776645	HRAD120 12" Auger	107	\$1,879
00776646	HRAD180 18" Auger	201	\$2,412
00776647	HRAD240 24" Auger	291	\$2,769
00776648	HRAD300 30" Auger	340	\$3,183
00776649	HRAD360 36" Auger	395	\$3,918
GROUP 3F. T-POST AUGER - H200, H300, H350 (SOLID ROCK)			
00776653	HRP 2" Auger	25	\$482
AUGER EXTENSIONS			
00776654	24" Variable Length Auger Extension	33	\$311
00776655	48" Variable Length Auger Extension	57	\$518
00776656	72" Variable Length Auger Extension - (Special Order Only)	80	\$611

BACKHOE & EXCAVATOR MOUNTING BRACKET INFORMATION
(See Section 2B for Weight and Price)

Step 1: Choose H series digger that matches the hydraulic flow and pressure of the Backhoe or Excavator.

Step 2: Measure the width of the Backhoe or Excavator Dipper (outer boom section) at the connection point.

Step 3: Measure the pin diameter required to connect the digger to the Backhoe or Excavator.

Step 4: If the Dipper Width and Pin Diameter are the same as those listed in the chart below, order the part number that corresponds. If Part number is not shown for the size you need, contact Rhino Customer Service Department with your Dipper Width and Pin Diameter information so they can determine availability.

Dipper Width & Pin Diameters for Mount Kits Listed in Section 2B

Part Number	Dipper Width	Pin Diameter	Typical Application
00776624	10"	1 3/4"	Case 580, 580E, 580SE
00776625	8"	2 1/2"	Case 780
00776626	8"	1 3/4"	Ford CL55, 555 Series, Deere 12, B, C, 410A, B, C, D, 9300, 9305
00776627	6 3/4"	1 3/4"	JCB 1400B, 1500, 215, 217, 214
00776629	8"	1 1/2"	Deere 9450, 9550, 401C
00776630	8"	2 3/16"	Deere 310SE, 410E
00776631	10"	2"	Cat 410, 416, 426
00788379	5 1/8"	1 9/16"	Kubota KX91

35, 50, 70

Utility Rear Blades

(For Tractors 35-70 HP)

STANDARD EQUIPMENT & SPECIFICATIONS

Model	35	50	70
Moldboard Width:	5', 6', 7'	6', 7'	6', 7', 8'
Moldboard (Thickness & Height):	1/4" x 14"	5/16" x 15.5"	5/16" x 19"
Cutting Edge:	1/2" x 6" Reversible	1/2" x 6" Reversible	1/2" x 6" Reversible
Hitch:	CAT 1 QH	CAT 1 QH	CAT 1 & 2 QH
Max Tractor PTO HP:			
2WD	35	50	70
FWA	30	40	55
King Pin Diameter:	1 1/4" (Grade 8)	1 1/4" (Grade 8)	1 1/4" (Grade 8)
Adjustment Method:	Manual	Manual	Manual
Swing Offset (Max):	12" L or R	16" L or R	18" L or R
Pivot Angle Adjustment:			
Forward	5 Positions - Up to 30°	5 Positions - Up to 30°	5 Positions - Up to 45°
Reverse	3 Positions - Up to 15°	3 Positions - Up to 15°	5 Positions - Up to 45°
Moldboard Tilt (Up & Down):	15 Degrees	15 Degrees	30 Degrees
Parking Stand:	N/A	Std	Std
Weight (Approx):	5' - 280 lbs	6' - 403 lbs	6' - 510 lbs
	6' - 310 lbs	7' - 430 lbs	7' - 538 lbs
	7' - 340 lbs		8' - 572 lbs



1 YEAR MACHINE *Warranty*

RHINOAG

35 REAR BLADE

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 35				
3505-1OR1	35-5'	5' Blade Complete - Rhino Orange	280	\$892
3505-1GR1		5' Blade Complete - JD Green		\$892
3505-1OR2		5' Blade Complete - Kubota Orange		\$892
3505-1RD3		5' Blade Complete - MF Red		\$892
3505-1BL1		5' Blade Complete - NH Blue		\$892
3505-1CY1		5' Blade Complete - CAT Yellow		\$892
3506-1OR1	35-6'	6' Blade Complete - Rhino Orange	310	\$940
3506-1GR1		6' Blade Complete - JD Green		\$940
3506-1OR2		6' Blade Complete - Kubota Orange		\$940
3506-1RD3		6' Blade Complete - MF Red		\$940
3506-1BL1		6' Blade Complete - NH Blue		\$940
3506-1CY1		6' Blade Complete - CAT Yellow		\$940
3507-1OR1	35-7'	7' Blade Complete - Rhino Orange	340	\$984
3507-1GR1		7' Blade Complete - JD Green		\$984
3507-1OR2		7' Blade Complete - Kubota Orange		\$984
3507-1RD3		7' Blade Complete - MF Red		\$984
3507-1BL1		7' Blade Complete - NH Blue		\$984
3507-1CY1		7' Blade Complete - CAT Yellow		\$984
EXTRA EQUIPMENT				
50072391	35, 50, 70	Skid Shoe Kit	30	\$338



50 REAR BLADE

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 50				
5006-1OR1	50-6'	6' Blade Complete - Rhino Orange	403	\$1,198
5006-1GR1		6' Blade Complete - JD Green		\$1,198
5006-1OR2		6' Blade Complete - Kubota Orange		\$1,198
5006-1RD3		6' Blade Complete - MF Red		\$1,198
5006-1BL1		6' Blade Complete - NH Blue		\$1,198
5006-1CY1		6' Blade Complete - CAT Yellow		\$1,198
5007-1OR1	50-7'	7' Blade Complete - Rhino Orange	430	\$1,253
5007-1GR1		7' Blade Complete - JD Green		\$1,253
5007-1OR2		7' Blade Complete - Kubota Orange		\$1,253
5007-1RD3		7' Blade Complete - MF Red		\$1,253
5007-1BL1		7' Blade Complete - NH Blue		\$1,253
5007-1CY1		7' Blade Complete - CAT Yellow		\$1,253
EXTRA EQUIPMENT				
50072391	35, 50, 70	Skid Shoe Kit	30	\$338



1 YEAR MACHINE *Warranty*

RHINOAG

70 REAR BLADE

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - 70				
7006-1OR1	70-6'	6' Blade Complete - Rhino Orange	510	\$1,738
7006-1GR1		6' Blade Complete - JD Green		\$1,738
7006-1OR2		6' Blade Complete - Kubota Orange		\$1,738
7006-1RD3		6' Blade Complete - MF Red		\$1,738
7006-1BL1		6' Blade Complete - NH Blue		\$1,738
7006-1CY1		6' Blade Complete - CAT Yellow		\$1,738
7007-1OR1	70-7'	7' Blade Complete - Rhino Orange	538	\$1,835
7007-1GR1		7' Blade Complete - JD Green		\$1,835
7007-1OR2		7' Blade Complete - Kubota Orange		\$1,835
7007-1RD3		7' Blade Complete - MF Red		\$1,835
7007-1BL1		7' Blade Complete - NH Blue		\$1,835
7007-1CY1		7' Blade Complete - CAT Yellow		\$1,835
7008-1OR1	70-8'	8' Blade Complete - Rhino Orange	572	\$1,952
7008-1GR1		8' Blade Complete - JD Green		\$1,952
7008-1OR2		8' Blade Complete - Kubota Orange		\$1,952
7008-1RD3		8' Blade Complete - MF Red		\$1,952
7008-1BL1		8' Blade Complete - NH Blue		\$1,952
7008-1CY1		8' Blade Complete - CAT Yellow		\$1,952
EXTRA EQUIPMENT				
50072391	35, 50, 70	Skid Shoe Kit	30	\$338
1817	70	Ratchet Assembly (for Offset Function Only)	20	\$160
50070543	70	End Plate Kit	50	\$370



850

Rear Blade

(For Tractors up to 90 PTO HP)



Unit shown with extra equipment.

STANDARD EQUIPMENT & SPECIFICATIONS

Moldboard Width:	7', 8'
Moldboard Dimension:	5/16" x 19"
Cutting Edge:	1/2" x 6" Reversible
Support Stand:	Std
Hitch:	CAT 1 & 2 / CAT 1 & 2 QH
Max Tractor HP (PTO): 2WD FWA	90 70
King Pin Diameter:	3" Diameter
Adjustment Types:	Manual or Hydraulic
Swing Offset (Max):	20"
Pivot Angle: Forward Reverse	Up to 45 Degrees Up to 45 Degrees
Tilt (Up & Down):	Up to 15 Degrees
Weight (Approx):	7' - 807 lbs 8' - 827 lbs

ORDERING SECTION

To order complete machine, select one item each from groups 1 - 4. Order extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT & MOLDBOARD - 850			
07850700	850 w/ 7' Blade	807	\$2,943
07850800	850 w/ 8' Blade	827	\$3,007
GROUP 2. BLADE SWING "OFFSET" SELECTION - 850			
00786890	Kit, Hydraulic Swing	67	\$637
00786891	Kit, Manual Swing	37	\$236
GROUP 3. BLADE PIVOT "ANGLE" SELECTION - 850			
00786890	Kit, Hydraulic Pivot	67	\$637
00786891	Kit, Manual Pivot	37	\$236
GROUP 4. MOLDBOARD TILT SELECTION - 850			
00786892	Kit, Hydraulic Tilt	52	\$560
00786893	Kit, Manual Tilt	15	\$176
EXTRA EQUIPMENT			
89290	Skid Shoes	60	\$272
95841	Hose Holder Kit	5	\$93
50070543	End Plate Kit	50	\$370

1 YEAR MACHINE *Warranty*

RHINOAG

950

REAR BLADE

(For Tractors up to 125 PTO HP)

STANDARD EQUIPMENT & SPECIFICATIONS

Moldboard Width:	8', 9'
Moldboard Dimension:	3/8" x 17"
Cutting Edge:	1/2" x 6"
Support Stand:	Std
Hitch:	CAT 1 & 2 / CAT 1 & 2 QH
Max Tractor HP (PTO):	
2WD	8' 125 9' 95
FWA	8' 106 9' 81
King Pin Diameter:	3" Solid Steel
Adjustment Types:	Manual or Hydraulic
Swing Offset (Max):	30"
Pivot Angle: Forward	7 - Up to 45 Degrees
Reverse	7 - Up to 45 Degrees
Tilt (Up & Down):	2 - Up to 15 Degrees
Weight (Approx):	8' - 836 lbs 9' - 876 lbs



Blades Not Warrantied on Track-Type Tractors
Unit shown with extra equipment.



RHINOAG

1 YEAR MACHINE *Warranty*

950 Continued

ORDERING SECTION -

To order a complete machine, order one item each from groups 1 - 4.
Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT & MOLDBOARD - 950			
07018950	950 w/ 8' Blade (Up to 125 PTO HP)	836	\$3,556
07019950	950 w/ 9' Blade (Up to 95 PTO HP)	876	\$3,680
GROUP 2. BLADE SWING "OFFSET" SELECTION - 950			
9150040400	Kit, Hydraulic Swing	63	\$849
00768250	Kit, Manual Swing	35	\$316
GROUP 3. BLADE PIVOT "ANGLE" SELECTION - 950			
9150040400	Kit, Hydraulic Pivot	63	\$849
00768250	Kit, Manual Pivot	35	\$316
GROUP 4. MOLDBOARD TILT SELECTION - 950			
9150040004	Kit, Hydraulic Tilt	33	\$575
00768270	Kit, Manual Tilt	22	\$275
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250
EXTRA EQUIPMENT			
0591240000	End Plates	65	\$301
00768242	Skid Shoes	30	\$389
00768321	Gauge Wheel w/ Cylinder (for S/N 14001 & higher)	112	\$1,020
00768493	Gauge Wheel w/ Ratchet Lift Screw	143	\$777



1 YEAR MACHINE *Warranty*

RHINOAG

New! 9' Moldboard
Option Available

1540

REAR BLADE

(For Tractors up to 190 PTO HP)


STANDARD EQUIPMENT & SPECIFICATIONS

Moldboard Width:	8', 9', 10'
Moldboard Dimension:	1/2" X 18"
Cutting Edge:	1/2" X 6"
Support Stand:	Std
Hitch:	CAT 2 & 3 / CAT 2 & 3 QH
Max Tractor HP (PTO):	
2WD	8' MB - 190 9' MB - 175 10' MB - 160
FWA	8' MB - 162 9' MB - 149 10' MB - 136
King Pin Diameter:	4" Solid Steel
Adjustment Types:	Manual or Hydraulic
Swing Offset (Max):	37"
Pivot angle:	
Forward	7 - Up to 45 Degrees
Reverse	7 - Up to 45 Degrees
Tilt (Up & Down):	2 - Up to 15 Degrees
No-Wrench Adjust-ments:	26
Weight (Approx):	8' MB - 1,712 lbs 9' MB - 1,796 lbs 10' MB - 1,880 lbs



Unit shown with optional gauge wheels.

Not eligible for warranty consideration if used on a track type tractor.



RHINOAG

1 YEAR MACHINE *Warranty*



1540 Continued

ORDERING SECTION

To order a complete machine, order one item each from groups 1 - 4.
Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT & MOLDBOARD - 1540			
07081540	1540 w/ 8' Blade	1,339	\$5,150
07091540	1540 w/ 9' Blade	1,389	\$5,274
07101540	1540 w/ 10' Blade	1,459	\$5,393
GROUP 2. BLADE SWING "OFFSET" SELECTION - 1540			
9150040400	Kit, Hydraulic Swing	63	\$849
B69115A	Kit, Manual Swing	45	\$332
GROUP 3. BLADE PIVOT "ANGLE" SELECTION - 1540			
9150040400	Kit, Hydraulic Pivot	63	\$849
B69115A	Kit, Manual Pivot	45	\$332
GROUP 4. MOLDBOARD TILT SELECTION -1540			
9150040004	Kit, Hydraulic Tilt	33	\$575
B69116B	Kit, Manual Tilt	22	\$332
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250
EXTRA EQUIPMENT			
0691360000	End Plates	58	\$368
00768242	Skid Shoes	30	\$389
9150052411	Dual Gauge Wheels w/ Hydraulics	354	\$1,796
REPLACEMENT ITEMS (SEE NOTE)			
NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See Rhino Parts E-Commerce site (www.rhinoparts.com) for latest price and terms information.			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
0691700000	Open Center Three-Spool Valve	1	
00759684	Valve Mtg Kit (Hoses, Shield, Footings)	1	
0781300000	Selector Valve	1	

1 YEAR MACHINE *Warranty*

RHINOAG

2500, 3500

REAR BLADE

(For Tractors up to 300 PTO HP)


STANDARD EQUIPMENT & SPECIFICATIONS

Model	2500	3500
Moldboard Width:	8', 10', 12'	12', 14'
Moldboard Dimension:	1/2" x 20"	1/2" x 20"
Cutting Edge:	1/2" x 6"	1/2" x 6"
Support Stand:	Std	Std
Hitch:	CAT 2 & 3 / CAT 2 & 3 QH	CAT 3 & 4 / CAT 3 & 4 QH
Max Tractor HP (PTO):		
2WD	8' - 250 10' - 225 12' - 175	12' - 300 14' - 250
FWD	8' - 220 10' - 200 12' - 160	
King Pin Diameter:	4 1/2" Steel Bar	5" Steel Bar
Adjustment Types:	Hydraulic	Hydraulic
Swing Offset (Max):	46"	50"
Pivot Angle: Forward	Up to 45 Degrees	Up to 45 Degrees
Reverse	Up to 45 Degrees	Up to 45 Degrees
Tilt (Up & Down):	Up to 15 Degrees	Up to 15 Degrees
Weight (Approx):	8' - 2,120 lbs 10' - 2,260 lbs 12' - 2,400 lbs	12' - 3,463 lbs 14' - 3,603 lbs



Unit shown with extra equipment.

Blades NOT warrantied on Track-Type Tractors.



RHINOAG

1 YEAR MACHINE *Warranty*



2500/3500 Continued

ORDERING SECTION

To order a complete machine, order one item each from group 1.
Order special paint and extra equipment as needed.

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT & MOLDBOARD			
07250008	2500 w/ 8' Moldboard	2,120	\$10,309
07250010	2500 w/ 10' Moldboard	2,260	\$10,589
07250012	2500 w/ 12' Moldboard	2,400	\$11,003
07123500	3500 w/ 12' Moldboard	3,463	\$16,742
07143500	3500 w/ 14' Moldboard	3,603	\$17,156
SPECIAL PAINT COLOR SELECTION - RHINO ORANGE IS STANDARD			
00787653	JD Green		\$250
00787654	Kubota Orange		\$250
00787655	Case IH Red		\$250
00787656	MF Red		\$250
00787657	NH Blue		\$250
EXTRA EQUIPMENT			
0691360000	End Plates	58	\$368
00768242	Skid Shoes	30	\$389
00761806	Dual Gauge Wheels w/ Hydraulics	421	\$2,174
REPLACEMENT ITEMS (SEE NOTE)			
NOTE: The following items are listed for reference only and are available through Rhino Service Parts. See Rhino-Ag E-Commerce site (www.rhinoparts.com) for latest price and terms information.			
PART NUMBER	DESCRIPTION	QUANTITY REQUIRED	
0691700000	Open Center Three-Spool Valve	1	
00759684	Valve Mtg Kit (Hoses, Shield, Footings)	1	
0781300000	Selector Valve	1	

1 YEAR MACHINE *Warranty*

TEDDERS

STANDARD EQUIPMENT & SPECIFICATIONS

Model:	PT207	PT405	PT405H	PT419H	PT625H
			<i>Special Order Unit</i>		<i>Special Order Unit</i>
Working Width:	10'	17' 1"	17' 1"	19'	25' 7"
Approx Transport Width:	10'	10'	10'	11'	9' 6"
Working Speed:	5 - 10 MPH	5 - 10 MPH	5 - 10 MPH	5 - 10 MPH	5 - 10 MPH
Min HP Required:	15	22	22	25	50
Number of Rotors:	2	4	4	4	6
Number of Arms:	12	24	24	24	36
Number of Double Tines:	12	24	24	24	36
Tire Size:	16x6.50-8	16x6.50-8	16x6.50-8	16x6.50-8	16x6.50-8(Working Tires) 205/70/15(Transport Tires)
Number of Tires:	2	4	4	4	8 (Working Tires) 2 (Transport Tires)
Fold:	N/A	Manual	Hydraulic	Hydraulic	Hydraulic
PTO Type:	540 RPM	540 RPM	540 RPM	540 RPM	540 RPM
Drive Protection:	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch	Slip Clutch
Weight (Approx):	385 lbs	830 lbs	850 lbs	1,225 lbs	2,470 lbs

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNITS - TEDDERS			
3670001	PT207 10' Pull-Type Tedder (Order in multiples of 2 only)	385	\$3,014
3670005	PT405 17' Spring Assist Manual Folding Pull-Type Tedder <i>Special Order Unit</i>	830	\$6,680
3670006	PT405H 17' Hydraulic Folding Pull-Type Tedder	850	\$7,721
3670008	PT419H 19' Hydraulic Folding Pull-Type Tedder	1,225	\$8,631
3670009	PT625H 25' Hydraulic Folding Pull-Type Tedder <i>Special Order Unit</i>	2,470	\$19,759
EXTRA EQUIPMENT			
3670402	PT405H, PT419H Hydraulic Tilt Rotor Kit (Allows operator to control tilt of rotor without leaving tractor)		\$843



1 YEAR MACHINE *Warranty*

RHINOAG

VR

PULL-TYPE WHEEL RAKES

STANDARD EQUIPMENT & SPECIFICATIONS

Model	VR8	VR10	VR12
Number of Rake Wheels:	8	10	12
Adjustable Windrow Width (Min):	3'	3'	3'
Adjustable Windrow Width (Max):	6' 7"	6' 7"	6' 7"
Tire Size:	205 - 75/15	205 - 75/15	205 - 75/15
Min Working Width:	16' 4"	19'	21' 8"
Transport Width:	8' 5"	8' 5"	8' 5"
Min HP Required:	30	30	50
Weight (Approx):	1,675	1,875	2,115



Unit shown with extra equipment.

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - VR				
VR080100	VR8	8 Wheel V-Type Rake Complete	1,675	\$7,561
VR100100	VR10	10 Wheel V-Type Rake Complete	1,875	\$8,403
VR120100	VR12	12 Wheel V-Type Rake Complete	2,115	\$9,359
Extra Equipment				
3690405	All	Center Wheel Kit for VR Rake		\$839
3690416	All	Walking Tandem Wheel Kit for VR Rake		\$1,559
3690414	VR8/10	Hydraulic Windrow Adjustment Kit		\$1,029
3690415	VR12	Hydraulic Windrow Adjustment Kit		\$1,051
3666777	All	55" Solid Wheel Cover (Price shown is "per wheel")		\$43



VRX

PULL-TYPE WHEEL RAKES

STANDARD EQUIPMENT & SPECIFICATIONS



Unit shown with extra equipment.

Model	VRX12	VRX14
Number of Rake Wheels:	12	14
Adjustable Windrow Width (Min):	3'	3'
Adjustable Windrow Width (Max):	6' 7"	6' 7"
Tire Size:	205 - 75/15	205 - 75/15
Min Working Width:	22'	24' 11"
Max Working Width:	25' 1"	28'
Transport Width:	9' 2"	9' 2"
Min HP Required:	50	60
Weight (Approx):	2,670 lbs	2,955 lbs

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
GROUP 1. BASE UNIT - VRX			
VRX1255	VRX12 Rake w/ 55" Wheels, 7mm Tines	2,670	\$11,709
VRX1260	VRX12 Rake w/ 60" Wheels, 7.5mm Tines	2,720	\$12,081
VRX1455	VRX14 Rake w/ 55" Wheels, 7mm Tines	2,955	\$12,727
VRX1460	VRX14 Rake w/ 60" Wheels, 7.5mm Tines	3,015	\$13,100
Extra Equipment			
3660446	Hydraulic Single Wheel Kit for VRX		\$851
3660449	Hydraulic Dual Center Wheel Kit for VRX Rake		\$1,154
3666777	55" Solid Wheel Cover (Price shown is "per wheel")		\$43
3666779	60" Solid Wheel Cover (Price shown is "per wheel")		\$52



The actuator selector makes it possible to quickly adjust the working width and windrow width from the tractor seat.



1 YEAR MACHINE *Warranty*

RHINOAG

REVOLUTION DUAL-FOLD (RDF)

STANDARD EQUIPMENT & SPECIFICATIONS

Model	RDF10	RDF12	RDF14	RDF16
Number of Rake Wheels:	10	12	14	16
Size of Rake Wheels:	55" or 60"	55" or 60"	55" or 60"	55" or 60"
Tine Diameter:	55" 60"	7mm 7.5mm	7mm 7.5mm	7mm 7.5mm
Number of Tines Per Wheel:	40	40	40	40
Man Adjustable Windrow:	3' - 6'	3' - 6'	3' - 6'	3' - 6'
Working Width:	21' 3"	25' 3"	28' 5"	31'
Operating Speed (MPH):	5-14	5-14	5-14	5-14
Min HP Required:	30	30	40	40
Tire Size:	205/75/15	205/75/15	205/75/15	205/75/15
Number of Tires:	4	4	6	6
Transport Width:	8' 4"	8' 4"	8' 4"	8' 4"
Transport Length:	24' 8"	24' 8"	32' 8"	32' 8"
Transport Height:	6' 4"	6' 4"	6' 4"	6' 4"
Light Kit & Safety Tow Chain:	Std	Std	Std	Std

HEAVY-DUTY PULL-TYPE WHEEL RAKES



Unit shown with extra equipment.



Center wheel kit shown.

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	APPROX SHIPPING WEIGHT (LBS)	LIST PRICE (\$US)
RDF10				
RDF1055	RDF10 Dual-Fold Rake w/ 10 - 55" Rake Wheels		3,520	\$14,900
RDF1060	RDF10 Dual-Fold Rake w/ 10 - 60" Rake Wheels		3,625	\$15,100
RDF12				
RDF1255	RDF12 Dual-Fold Rake w/ 12 - 55" Rake Wheels		3,864	\$15,892
RDF1260	RDF12 Dual-Fold Rake w/ 12 - 60" Rake Wheels		3,900	\$16,203
RDF14				
RDF1455	RDF14 Dual-Fold Rake w/ 14 - 55" Rake Wheels		5,048	\$19,028
RDF1460	RDF14 Dual-Fold Rake w/ 14 - 60" Rake Wheels		5,090	\$19,442
RDF16				
RDF1655	RDF16 Dual-Fold Rake w/ 16 - 55" Rake Wheels		5,282	\$19,924
RDF1660	RDF16 Dual-Fold Rake w/ 16 - 60" Rake Wheels		5,330	\$20,390
EXTRA EQUIPMENT				
3660440	Hydraulic Dual Center Kicker Wheel Kit RDF10, RDF12, RDF14, RDF16			\$2,355
3660445	Transport Wheel Kit (Converts RDF12 from 4 to 6 wheels)			\$1,620
3660441	Rear Walking Tandem Wheel Kit (Added stability on uneven terrain)			\$1,683
3660442	Single Side Opening Kit (One sided raking)			\$1,180
3660443	Rear Hydraulic Opening Kit (RDF10/RDF12 Windrow Adjustment)			\$1,714
3660444	Rear Hydraulic Opening Kit (RDF14/RDF16 Windrow Adjustment)			\$1,736
3660447	RDF1455 to RDF1655 Rake Conversion Kit			\$1,294
3660448	RDF1460 to RDF1660 Rake Conversion Kit			\$1,397
3666778	Solid Wheel Cover for 44" Dual Center Kicker Wheel (Price Shown is "per wheel")			\$31
3666777	55" Solid Wheel Cover (Price shown is "per wheel")			\$43
3666779	60" Solid Wheel Cover (Price shown is "per wheel")			\$52

ACG

Accumagrapple



STANDARD EQUIPMENT & SPECIFICATIONS

Capacity:	10 Bales 40 lbs ea. (typical grass hay) Max of 39" x 14" x 18"
Height:	30"
Width:	88"
Length:	83"
Weight:	790 lbs
Hydraulic Cylinder:	2" x 8"
Hydraulic Requirements:	Double Acting Remote
Number of Grapple Hooks:	24
Hydraulic Hose:	3/8" Fitting 2,500 psi
Frame:	Fully Welded
Paint:	Plasticoat Finish

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
ACG10		
ACG10-SSM	Rhino Accumagrapple w/ Skid Steer Mount and Hoses	\$6,495
ACG10-GEM	Rhino Accumagrapple w/ Global Euro Mount and Hoses	\$6,495

1 YEAR MACHINE *Warranty*

RHINOAG

MBS

Mega Bale Splitter



STANDARD EQUIPMENT & SPECIFICATIONS

Bale Size: (Round or Square)	4'x4', 4'x5', 4'x6' 5'x5', 5'x6', 6'x6'
Width:	89 3/4"
Open Height:	86 1/2"
Closed Height:	73 1/2"
Length:	44 1/2"
Hyd Cylinder:	2" - 4" x 30"
Hydraulic Hose:	3/8" Fitting 2,500 psi
Blade Cutting Force:	23,500 lbs
Paint:	Plasticoat Finish
Serrated Teeth:	5 - 3/8" x 14"
Material:	7 Ga & 3/16" tube
Weight:	1,300 lbs

ORDERING SECTION

CATALOG NUMBER	DESCRIPTION	LIST PRICE (\$US)
MEGA BALE SPLITTER - MBS		
MBS-SSM	Mega Bale Splitter w/ Skid Steer Mount and Hoses	\$10,278
MBS-GEM	Mega Bale Splitter w/ Global Euro Mount and Hoses	\$10,278

PBU

Bale Unroller

EFFECTIVE JULY 29, 2019

155

STANDARD EQUIPMENT & SPECIFICATIONS

Model	BALE UNROLLER
Overall Height	25.56"
Overall Width	69.5"
Overall Length	66.16"
Hitch Type	STD, Q.H., CAT 1, CAT 2
Frame Tube Size	4" x 4" x 5/16"
Weight	326 lbs
Max Capacity	2000 lbs
HP Required	25 - 65
Bale Size	4' - 5' wide, up to 6' diameter
Cylinder Size	2 1/2" x 8"



ORDERING SECTION

CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)
BALE UNROLLER			
3PBU-1OR1	3 PT	Bale Unroller - Rhino Orange	\$1,597
3PBU-1GR1	3 PT	Bale Unroller - JD Green	\$1,597
3PBU-1OR2	3 PT	Bale Unroller - Kubota Orange	\$1,597
3PBU-1RD3	3 PT	Bale Unroller - MF Red	\$1,597
3PBU-1BL1	3 PT	Bale Unroller - NH Blue	\$1,597
3PBU-1BK1	3 PT	Bale Unroller - Black	\$1,597

FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)



RHINOAG

1 YEAR MACHINE *Warranty*

Bale Spears

STANDARD EQUIPMENT & SPECIFICATIONS

Model	PBS1	PBS2	BS1	BS2
Overall Height	25 3/4"	25 3/4"	21 3/16"	30"
Overall Width	26"	39"	45 5/16"	45 5/16"
Overall Depth	51"	51 3/4"	51"	51"
Spear Size	1.78"	1.78"	1.78"	1.78"
Usuable Spear Length	42 1/2"	42 1/2"	42 1/2"	42 1/2"
Weight	85 lbs	97 lbs	145 lbs	305 lbs
Spear Capacity	3500 Lbs @ 23 1/2"			
Attachment Method	3 Pt. Lift	3 Pt Lift	Skid Steer, Euro, or JD (John Deere Series 300, 400 & 500)	

ORDERING SECTION

CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)
PBS			
3PBS1-1BK1	3-PT, CAT 1	Single Probe Bale Spear - Black	\$401
3PBS2-1BK1	3-PT, CAT 1 & 2	Single Probe Bale Spear - Black	\$446
BS1			
BS1SS-1BK1	Skid Steer	Bale Spear - Black	\$735
BS1E-1BK1	Euro	Bale Spear - Black	\$828
BS1JD-1GR1	JD	Bale Spear - JD Green	\$804
BS2			
BS2SS-1BK1	Skid Steer	Dual Bale Spear - Black	\$861
BS2E-1BK1	Euro	Dual Bale Spear - Black	\$934
BS2JD-1GR1	JD	Dual Bale Spear - JD Green	\$920
FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)			



RHINOAG

1 YEAR MACHINE *Warranty*

AGR

UTILITY GRAPPLE

STANDARD EQUIPMENT & SPECIFICATIONS

Model	AGR60	AGR72
Overall Depth	25" (closed)	25" (closed)
Overall Height	37 3/4"	37 3/4"
Overall Width	5'	6'
Useable Open Height	31"	31"
Useable Width (Inside End Plates)	5'	6'
Weight	372 lbs	409 lbs
Number of Teeth	5	5
Attachment Method	Universal Skid Steer Quick Attach, Euro or JD Mount (John Deere Series 300, 400 & 500)	
Max Tractor HP	40	40



AGR Continued

ORDERING SECTION

CATALOG NUMBER	MODEL	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)
AGR60				
AGR60SS-1OR1	AGR60	Skid Steer	AGR Series Grapple - Rhino Orange	\$2,102
AGR60SS-1RD3	AGR60	Skid Steer	AGR Series Grapple - MF Red	\$2,102
AGR60SS-1BK1	AGR60	Skid Steer	AGR Series Grapple - Black	\$2,102
AGR60SS-1GR1	AGR60	Skid Steer	AGR Series Grapple - JD Green	\$2,102
AGR60E-1OR1	AGR60	Euro	AGR Series Grapple - Rhino Orange	\$2,209
AGR60E-1RD3	AGR60	Euro	AGR Series Grapple - MF Red	\$2,209
AGR60E-1BK1	AGR60	Euro	AGR Series Grapple - Black	\$2,209
AGR60E-1GR1	AGR60	Euro	AGR Series Grapple - JD Green	\$2,209
AGR60JD-1GR1	AGR60	JD	AGR Series Grapple - JD Mount (John Deere Series 300, 400, & 500)	\$2,169
CATALOG NUMBER	MODEL	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)

AGR72				
AGR72SS-1OR1	AGR72	Skid Steer	AGR Series Grapple - Rhino Orange	\$2,349
AGR72SS-1RD3	AGR72	Skid Steer	AGR Series Grapple - MF Red	\$2,349
AGR72SS-1BK1	AGR72	Skid Steer	AGR Series Grapple - Black	\$2,349
AGR72SS-1GR1	AGR72	Skid Steer	AGR Series Grapple - JD Green	\$2,349
AGR72E-1OR1	AGR72	Euro	AGR Series Grapple - Rhino Orange	\$2,452
AGR72E-1RD3	AGR72	Euro	AGR Series Grapple - MF Red	\$2,452
AGR72E-1BK1	AGR72	Euro	AGR Series Grapple - Black	\$2,452
AGR72E-1GR1	AGR72	Euro	AGR Series Grapple - JD Green	\$2,452
AGR72JD-1GR1	AGR72	JD	AGR Series Grapple - JD Mount (John Deere Series 300, 400, & 500)	\$2,412

FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)

1 YEAR MACHINE *Warranty***RHINOAG**

BRGR

Heavy Duty - Brush Grapple

STANDARD EQUIPMENT & SPECIFICATIONS

Model	BRGR72	BRGR84
Overall Depth	37 1/2"	37 1/2"
Overall Height	25 1/2"	25 1/2"
Overall Width	6'	7'
Useable Depth	28"	28"
Useable Open Height	46 1/2"	46 1/2"
Useable Width (Inside End Plates)	71"	83"
Roll Back Angle	13°	13°
Weight	702 lbs	787 lbs
Number of Teeth	8	10
Attachment Method	Universal Skid Steer Quick Attach	
Color	Black	Black

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
BRGR			
BRGR72-1BK1	BRGR72	72" Brush Grapple	\$4,290
BRGR84-1BK1	BRGR84	84" Brush Grapple	\$4,591
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			



RHINOAG

1 YEAR MACHINE *Warranty*

BGR

Bucket Grapple

STANDARD EQUIPMENT & SPECIFICATIONS

Model	BGR72	BGR72T	BGR84	BGR84T
Overall Depth	39 1/4"	39 1/4"	39 1/4"	39 1/4"
Overall Height	24"	24"	24"	24"
Overall Width	6'	6'	7'	7'
Useable Depth	33 3/4"	33 3/4"	33 3/4"	33 3/4"
Useable Open Height	45 1/2"	45 1/2"	45 1/2"	45 1/2"
Useable Width (Inside End Plates)	71"	71"	83"	83"
Roll Back Angle	20°	20°	20°	20°
Weight	827 lbs	907 lbs	903 lbs	993 lbs
Number of Teeth	N/A	8	N/A	9
Attachment Method	Universal Skid Steer Quick Attach			
Color	Black	Black	Black	Black

ORDERING SECTION

CATALOG NUMBER	MODEL	DESCRIPTION	LIST PRICE (\$US)
72" Bucket Grapple			
BGR72-1BK1	BGR72	72" Bucket Grapple w/o Teeth	\$4,733
BGR72T-1BK1	BGR72T	72" Bucket Grapple w/ Teeth	\$5,146
84" Bucket Grapple			
BGR84-1BK1	BGR84	84" Bucket Grapple w/o Teeth	\$5,006
BGR84T-1BK1	BGR84T	84" Bucket Grapple w/ Teeth	\$5,468
FREIGHT DISCOUNTS ON PACKS OF 2 (See page 12 for details)			



1 YEAR MACHINE *Warranty*

PF SERIES

Pallet Fork

STANDARD EQUIPMENT & SPECIFICATIONS

Model	PF48SS	PF48E	PF48JD
Overall Height	41 3/8"		
Overall Width	45 5/16"		
Overall Depth	60 3/8"		
Fork Size	1 1/2" x 4"		
Fork Length	48"		
Fork Adjustable Width	Up to 44 3/8" - Increments of 4"		
Weight	387 lbs		
Max Capacity	4,400 lbs		
Attachment Method	Universal Skid Steer Quick Attach, Euro or JD Mount (John Deere Series 300, 400, & 500)		
Color	Black		

ORDERING SECTION

CATALOG NUMBER	MOUNT TYPE	DESCRIPTION	LIST PRICE (\$US)
BRGR			
PF48SS-1BK1	Skid Steer	Pallet Fork, Skid Steer, 48"	\$1,276
PF48E-1BK1	Euro	Pallet Fork, Euro, 48"	\$1,333
PF48JD-1BK1	JD Mount	Pallet Fork, JD Mount, 48" (John Deere Series 300, 400, & 500)	\$1,320

FREIGHT DISCOUNTS ON PACKS OF 6 (See page 12 for details)



RHINOAG

1 YEAR MACHINE *Warranty*

PARTNERED PROGRAMS - LARGE ACCOUNTS



Contract # 052417-RHA

RhinoAg has been approved as one of the go-to equipment manufacturers for Sourcewell members. These members include purchasers for schools, government agencies, and nonprofits. What this means for you: Sourcewell members in those industries will now have a streamlined path to buy equipment from YOUR dealership! We entered this contract because we wanted to save our dealers time and money: now, you won't have to bid on numerous proposed contracts in order to get sales from those hard-to-reach agencies. Instead, Sourcewell members can now quickly look up the approved vendors—including RhinoAg!—that offer exactly what they're looking for.

Contract Number: #052417-RHA

Your RhinoAg Contact:

Joshua Trolinger

Phone: 217-714-3507

Email: jtrolinger@rhinoag.com

The Houston-Galveston Area Council (H-GAC) is the largest of 24 Councils of Government (COG) in Texas, and is a political subdivision of the State of Texas. It has been serving local governments for more than 40 years.



Contract Number: GR01-18

Your RhinoAg Contact:

Joshua Trolinger

Phone: 217-714-3507

Email: jtrolinger@rhinoag.com



CONTACT INFORMATION

P: PHONE | F: FAX | E: EMAIL

WHOLEGOODS

P: 800-221-2855 (Option 1)

E: parts@rhinoag.com

PARTS

P: 800-221-2855 (Option 1)

E: parts@rhinoag.com

TECHNICAL SERVICE

P: 800-221-2855 (Option 4)

E: technical-service@rhinoag.com

WARRANTY

P: 800-221-2855 (Option 5)

E: kburdette@rhinoag.com

CREDIT DEPT PHONE

P: 800-221-2855 (Option 6)

F: 217-717-2753

E: credit@rhinoag.com

MARKETING

Warren Evans

P: 217-402-3975

E: aevans@rhinoag.com

Kyli Markley

P: 217-607-6970

E: kmarkley@rhinoag.com

LARGE ACCOUNTS

Josh Trolinger

P: 217-714-3507

E: jtrolinger@rhinoag.com

Ask about our

PARTNERED PROGRAMS



Contract # 052417-RHA



Cattlemen^{American}

Dairymen^{American}



RHINO AND SERVIS
ARE REGISTERED TRADEMARKS
OF THE ALAMO GROUP INC.

RHINOAG.COM

