



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 12XC (12" DRUM STYLE) BRUSH BANDIT

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-12XC	Intimidator 12XC - (12" Drum Style) Brush Bandit	\$ 25600.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	20" diameter x 13 1/4" wide chipper drum with (2) 5/8" x 5 1/2" x 6 1/8" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	18 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	8 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Pivot arm feed system (Includes adjustable spring on each side) with (1) horizontal feed wheel 15 3/4" diameter x 15 7/8" wide, driven by (1) 32.3 CID hydraulic motor	\$ 0.00
STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack (not provided when hydraulic lift cylinder option is selected)	\$ 0.00
STANDARD	360 degree manual swivel discharge with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered infeed hopper with 30" fold down infeed tray and heavy-duty taillight covers	\$ 0.00
STANDARD	1/4" x 2" x 4" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Hydraulic flow control for feed wheel rate adjustment	\$ 0.00

MODEL PACKAGE

Part #	Description	Unit Price
P10020150	Package 1 - gas engine / electric brake axle package - 12XC	\$ 0.00

P10020330	Package 2 - diesel engine / electric brake axle package - 12XC	\$ 0.00
P10020443	Package 4 - gas engine / hydraulic brake axle package - 12XC	\$ 0.00
P10020444	Package 5 - diesel engine / hydraulic brake axle package - 12XC	\$ 0.00
PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-905-5002-0	Special Imron Industrial Paint (please specify paint color and number) (Requires specification)	\$ 675.00
ENGINE		
Part #	Description	Unit Price
990-RC1651-223	Mitsubishi 2.4L, 49 horsepower gas engine with autoclutch (Includes spark arrestor muffler) (Includes \$1,245 Tariff)	\$ 10760.00
990-RC1648-220	Mitsubishi 2.4L, 74 horsepower gas engine with autoclutch (Includes spark arrestor muffler) (Includes \$1,245 Tariff)	\$ 10895.00
990-RC1665-237	Mitsubishi 2.4L, 74 horsepower gas engine with centrifugal clutch (Includes spark arrestor muffler) (Includes \$1,130 Tariff)	\$ 12720.00
990-RC1671-243	Kohler KDI19E401, 49.6 horsepower (turbocharged) diesel engine without clutch - Tier 4 FINAL (Includes \$1,010 tariff)	\$ 19790.00
990-RC1486-068	Kohler KDI19E401, 49.6 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL	\$ 19790.00
990-RC1520-102	Kohler KDI2504, 74 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL (Includes \$1,425 tariff)	\$ 23100.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-51	Murphy PV485 panel with reversing auto feed for Mitsubishi gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with no cover	\$ 2985.00
700-6000-65	Murphy PV485 panel with reversing auto feed for Mitsubishi engines with centrifugal clutch (Includes 1,000 CCA battery with box)	\$ 3450.00
986-6000-17	Murphy PV485 panel with reversing auto feed for Kohler 49 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2750.00
700-6000-58	Murphy PV485 panel with centrifugal clutch and reversing auto feed for Kohler 49 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 5485.00
890-6000-01	Murphy PV485 panel with reversing auto feed for Kohler 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2650.00
CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
INFEED		
Part #	Description	Unit Price
OPTION-890-5000-02	Optional hydraulic bump bar with re-set handles on each side for 54" wide FOLDING infeed tray with one override mounted on infeed (Radiator or Drive) (Requires specification)	\$ 2025.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-890-5000-03	Hydraulic last chance (bolt-on) system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 650.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-890-5000-01	Hydraulic lift cylinder for top feed wheel	\$ 1050.00

AXLE		
Part #	Description	Unit Price
990-100447	Single 7,000 pound Torflex EZ lube electric brake axle (standard axle)	\$ 0.00
OPTION-890-5000-0	Single 7,000 pound Torflex EZ lube hydraulic brake axle (Free backing)	\$ 325.00
TIRES/RIMS		
Part #	Description	Unit Price
990-1017-29	(2) ST235/80R 16" tires mounted on 8-bolt white modular rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 0.00
OPTION-980-5000-19	(2) ST235/80R 16" tires mounted on 8-bolt aluminum rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 345.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-1	2" Bulldog Ball Hitch (extends tongue approx 15 1/2")	\$ 190.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-5	2-5/16" Ball Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
OPTION-905-5000-3	Paint the control bar red	\$ 150.00
Tire / Rim		
Part #	Description	Unit Price
900-5913-90	Spare tire mounted on white spoke rim (235/80R 16") - 8 bolt rim	\$ 275.00
900-5913-94	Spare tire mounted on aluminum rim (235/80R 16")	\$ 405.00
OPTION-905-5001-7	Bolt On Spare Tire Mount (9/16" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-890-5000-1	Battery disconnect switch	\$ 375.00
Chipper Discharge		
Part #	Description	Unit Price
OPTION-890-5000-0	Optional height adjustable discharge	\$ 575.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-905-5001-8	Lockable cover for instrument panel (Mitsubishi gas engines only)	\$ 115.00

Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-12XC	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 1240.00
WTY-2EXT-12XC	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 1985.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Lights		
Part #	Description	Unit Price
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8923-93	Additional Operating and Parts Manual - weather proof	\$ 95.00
Tongue		
Part #	Description	Unit Price
OPTION-980-5000-0 2	12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate	\$ 280.00
Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
Tool Box		
Part #	Description	Unit Price
911-1000-08	Lockable aluminum tool box	\$ 240.00
Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1 5	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 12XPC (12" DRUM STYLE)		
Pricing Scheme:		Pricing Generated:
Future Pricing		May 13, 2026 01:49 PM
Currency:		Generated By:
United States (dollars)		Jason Morey (Jason Morey)
BASE PRICE		
Part #	Description	Base Price
MODEL-12XPC	Intimidator 12XPC - (12" Drum Style)	\$ 32595.00
STANDARD EQUIPMENT		
Part #	Description	Unit Price
STANDARD	24" diameter x 18 3/4" wide chipper drum with (4) 5/8" x 5 1/2" x 9" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	25 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 7 1/2" diameter x 16 3/8" wide, driven by (2) 15.9 CID hydraulic motors.	\$ 0.00
STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack (not provided when hydraulic lift cylinder option is selected)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree manual swivel discharge with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered infeed hopper with 30" fold down infeed tray and heavy-duty taillight covers	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 4" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00

MODEL PACKAGE		
Part #	Description	Unit Price
P10021929	Package 1 - gas engine package - Must select hand crank height discharge - 12XPC	\$ 0.00
P10019378	Package 2 - diesel engine package - Must select hand crank height discharge - 12XPC	\$ 0.00
P10019379	Package 3 - gas engine package - 12XPC - Must select:	\$ 0.00
	*** Hand crank height discharge	
	*** Hydraulic lift cylinder for top feed wheel	
P10019383	Package 4 - diesel engine package -12XPC - Must select:	\$ 0.00
	*** Hand crank height discharge	
	*** Hydraulic lift cylinder for top feed wheel	

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-905-5002-05	Special Imron Industrial Paint (please specify paint color and number) - 12XPC (Requires specification)	\$ 675.00
OPTION-905-5002-06	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 12XPC (Requires specification)	\$ 1275.00

ENGINE		
Part #	Description	Unit Price
990-RC1648-220	Mitsubishi 2.4L, 74 horsepower gas engine with autoclutch (Includes spark arrestor muffler) (Includes \$1,245 Tariff)	\$ 10895.00
990-RC1632-204	Ford MSG-425, 2.5L, 84 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 13365.00
990-RC1621-193	Caterpillar C2.2, 67 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 20350.00
990-RC1579-163	Caterpillar C3.4, 74 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 22105.00
990-RC1486-068	Kohler KDI19E401, 49.6 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL	\$ 19790.00
990-RC1520-102	Kohler KDI2504, 74 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL (Includes \$1,425 tariff)	\$ 23100.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-51	Murphy PV485 panel with reversing auto feed for Mitsubishi gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with no cover	\$ 2985.00
905-6000-41	Murphy PV485 panel with reversing auto feed for Ford 84 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2390.00
905-6000-50	Murphy PV485 panel with reversing auto feed for Cat 67 horsepower diesel engines (Includes 1,000 CCA battery with box and enclosure by Bandit) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2825.00
905-6000-45	Murphy PV485 panel with reversing auto feed for Cat 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2935.00
986-6000-17	Murphy PV485 panel with reversing auto feed for Kohler 49 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2750.00
980-6000-37	Murphy PV485 panel with reversing auto feed for Kohler 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2910.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-34	NACD Spring Loaded Clutch for Ford 84 hp gas engine	\$ 1325.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
700-1000-32	PSI Auto Clutch	\$ 2150.00
INFEED		
Part #	Description	Unit Price
OPTION-915-5000-90	Hydraulic bump bar for 54" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2025.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5000-59	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-905-5001-17	Palm frond package for feed wheels (12XP and 12XPC) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 20 bottom feed wheel teeth in lieu of 16	\$ 685.00
OPTION-905-5000-2	Hydraulic lift cylinder for top feed wheel	\$ 1125.00
OPTION-915-5000-4	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
OPTION-905-5001-3	Hydraulic Flow Control (Single Mount)	\$ 395.00
AXLE		
Part #	Description	Unit Price
990-100447	Single 7,000 pound Torflex EZ lube electric brake axle (standard axle)	\$ 0.00
OPTION-905-5000-5	Single 7,000 pound Torflex EZ lube hydraulic brake axle (Free backing)	\$ 1185.00
TIRES/RIMS		
Part #	Description	Unit Price
990-1017-29	(2) ST235/80R 16" tires mounted on 8-bolt white modular rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 0.00
OPTION-980-5000-19	(2) ST235/80R 16" tires mounted on 8-bolt aluminum rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 345.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-1	2" Bulldog Ball Hitch (extends tongue approx 15 1/2")	\$ 190.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-5	2-5/16" Ball Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price

OPTION-905-1000-3 Four position valve for control bar (stop / forward / stop / reverse) **\$ 1150.00**

OPTION-905-5000-3 Paint the control bar red **\$ 150.00**

Tire / Rim		
Part #	Description	Unit Price
900-5913-94	Spare tire mounted on aluminum rim (235/80R 16")	\$ 405.00
900-5913-90	Spare tire mounted on white spoke rim (235/80R 16") - 8 bolt rim	\$ 275.00
OPTION-905-5001-7	Bolt On Spare Tire Mount (9/16" Bolts on 6-1/2" Bolt Centers)	\$ 240.00

Battery and Battery Box		
Part #	Description	Unit Price
OPTION-626-5000-8	Battery disconnect switch	\$ 375.00

Chipper Discharge		
Part #	Description	Unit Price
OPTION-905-5001-5	Optional height adjustable discharge	\$ 425.00
OPTION-905-5000-5	Hand Crank Swivel Discharge (In Lieu of Manual)	\$ 645.00

Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-905-5000-0	Clean out and inspection door on transition.	\$ 175.00

Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00

Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00

Engine Related Options		
Part #	Description	Unit Price
OPTION-905-5001-8	Lockable cover for instrument panel (Mitsubishi gas engines only)	\$ 115.00
OPTION-905-5002-1	Engine block heater for Ford gas engines only	\$ 450.00
OPTION-999-5000-0	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00

Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
WTY-1EXT-12XPC	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 1550.00
WTY-2EXT-12XPC	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 2585.00

Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00

Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00

Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00

Lights		
Part #	Description	Unit Price
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00

Manuals (Machine)		
Part #	Description	Unit Price
900-8912-96	Additional Operating and Parts Manual - weather proof	\$ 95.00
Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
Tongue		
Part #	Description	Unit Price
OPTION-980-5000-0 2	12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate	\$ 280.00
Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
Tool Box		
Part #	Description	Unit Price
911-1000-08	Lockable aluminum tool box	\$ 240.00
Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1 5	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 12XP (12" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-12XP	Intimidator 12XP - (12" Drum Style)	\$ 36455.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	24" diameter x 18 3/4" wide chipper drum with (4) 5/8" x 5 1/2" x 9" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	25 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 7 1/2" diameter x 16 3/8" wide, driven by (2) 15.9 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 4" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00

STANDARD	Spanish & English combination safety decals	\$ 0.00
-----------------	---	----------------

MODEL PACKAGE		
----------------------	--	--

Part #	Description	Unit Price
P10019673	Package 1 - gas engine package - 12XP	\$ 0.00
P10019687	Package 2 - diesel engine package below 100 horsepower - 12XP	\$ 0.00
P10019689	Package 3 - diesel engine package above 100 horsepower - 12XP	\$ 0.00

PAINT		
--------------	--	--

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-905-5002-03	Special Imron Industrial Paint (please specify paint color and number) - 12XP (Requires specification)	\$ 675.00
OPTION-905-5002-04	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 12XP (Requires specification)	\$ 1275.00

ENGINE		
---------------	--	--

Part #	Description	Unit Price
990-RC1632-204	Ford MSG-425, 2.5L, 84 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 13365.00
990-RC1610-182	Ford LSG-635, 3.5L, 125 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 18475.00
990-RC1512-095	PSI 4.3L, 145 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 16010.00
990-RC1579-163	Caterpillar C3.4, 74 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 22105.00
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
990-RC1520-102	Kohler KDI2504, 74 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL (Includes \$1,425 tariff)	\$ 23100.00
990-RC1618-190	Kohler KFI34SE300, 134 horsepower diesel engine with NACD Spring loaded clutch (Includes 3 year / 2,000 hour engine warranty) - Tier 4 FINAL (Includes \$2,490 tariff)	\$ 39830.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
---	--	--

Part #	Description	Unit Price
905-6000-41	Murphy PV485 panel with reversing auto feed for Ford 84 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2390.00
700-6000-11	Murphy PV485 panel with reversing auto feed for Ford 125 horsepower gas engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2585.00
980-6000-40	Murphy PV485 panel with reversing auto feed for PSI 145 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 3050.00
905-6000-45	Murphy PV485 panel with reversing auto feed for Cat 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2935.00
700-6000-02	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box) (Includes enclosure by Bandit) - Panel is mounted off of engine shroud in lockable composite cover	\$ 9795.00
980-6000-37	Murphy PV485 panel with reversing auto feed for Kohler 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2910.00
980-6000-45	Murphy PV485 panel with reversing auto feed for Kohler 134 / 141 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2925.00

CLUTCH		
---------------	--	--

Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00

700-1000-34	NACD Spring Loaded Clutch for Ford 84 hp gas engine	\$ 1325.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
700-1000-13	NACD over center (double plate clutch)	\$ 1825.00
INFEED		
Part #	Description	Unit Price
OPTION-905-5002-2	29" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 775.00
OPTION-915-5000-90	Hydraulic bump bar for 54" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2025.00
OPTION-906-5000-14	Hydraulic bump bar for 54" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2150.00
OPTION-980-5000-73	Hydraulic winch with line docking station and manual push button feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer)	\$ 5350.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5000-59	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-905-5001-17	Palm frond package for feed wheels (12XP and 12XPC) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 20 bottom feed wheel teeth in lieu of 16	\$ 685.00
OPTION-915-5000-4	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
OPTION-915-5000-4	Hydraulic flow control for feed wheel rate adjustment (All-In-One Mount)	\$ 425.00
AXLE		
Part #	Description	Unit Price
990-100447	Single 7,000 pound Torflex EZ lube electric brake axle (standard axle)	\$ 0.00
OPTION-905-5000-5	Single 7,000 pound Torflex EZ lube hydraulic brake axle (Free backing)	\$ 1185.00
OPTION-905-5001-7	Single 8,000 pound Torflex EZ lube electric brake axle	\$ 1350.00
OPTION-905-5001-6	Single 8,000 Pound Torflex EZ Lube Hydraulic Brake Axle (Not Free Backing)	\$ 3240.00
TIRES/RIMS		
Part #	Description	Unit Price
990-1017-29	(2) ST235/80R 16" tires mounted on 8-bolt white modular rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 0.00
OPTION-980-5000-19	(2) ST235/80R 16" tires mounted on 8-bolt aluminum rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 345.00
OPTION-980-5000-2	(2) 215/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 540.00
OPTION-980-5000-2	(2) 215/75R 17.5" tires mounted on 8-bolt aluminum rims (8,000 pound axles on up)	\$ 1275.00
OPTION-980-5000-2	(2) 235/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 675.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2" Bulldog Ball Hitch (extends tongue approx 15 1/2")	\$ 190.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
OPTION-980-5000-50	2-5/16" Ball Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00

OPTION-980-5000-5 3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles \$ 1210.00

ADD-ON OPTIONS

Infeed		
Part #	Description	Unit Price

OPTION-905-1000-3 Four position valve for control bar (stop / forward / stop / reverse) \$ 1150.00

OPTION-905-5000-3 Paint the control bar red \$ 150.00

Tire / Rim		
Part #	Description	Unit Price

900-5913-90 Spare tire mounted on white spoke rim (235/80R 16") - 8 bolt rim \$ 275.00

900-5913-94 Spare tire mounted on aluminum rim (235/80R 16") \$ 405.00

900-5908-39 Spare tire mounted on heavy-duty gray rim (215/75R 17.5") \$ 525.00

900-5908-80 Spare tire mounted on aluminum rim (215/75R 17.5") \$ 825.00

900-5904-76 Spare tire mounted on heavy-duty gray rim (235/75R 17.5") \$ 625.00

OPTION-905-5001-7 Bolt On Spare Tire Mount (9/16" Bolts on 6-1/2" Bolt Centers) \$ 240.00

OPTION-911-5001-3 Bolt on Spare Tire Mount (5/8" Bolts on 6-1/2" Bolt Centers) \$ 240.00

Battery and Battery Box		
Part #	Description	Unit Price

OPTION-626-5000-8 Battery disconnect switch \$ 375.00

Chipper Discharge		
Part #	Description	Unit Price

OPTION-980-5000-9 270 degree hydraulic controlled swivel discharge with hydraulic controlled 12" chip deflector \$ 1825.00

3 (Includes height adjustable discharge & 270 degree discharge stops)

Chipper Discharge Transition		
Part #	Description	Unit Price

OPTION-905-5000-0 Clean out and inspection door on transition. \$ 175.00

Chocks & Chock Holders		
Part #	Description	Unit Price

OPTION-980-10002 Aluminum Bolt On Chock Holders (Does not include chocks) \$ 130.00

OPTION-980-5001-0 Rubber Wheel Chocks (2) \$ 90.00

Cone Holder		
Part #	Description	Unit Price

OPTION-911-2001-4 Hoop style cone holder (bolt on) \$ 270.00

OPTION-980-5000-4 Pole style cone holder (bolt on) \$ 230.00

Engine Related Options		
Part #	Description	Unit Price

OPTION-999-5000-0 Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements) \$ 360.00

OPTION-980-5001-8 Engine block heater for PSI gas engines only (PSI 145 horsepower only) \$ 175.00

OPTION-905-5002-1 Engine block heater for Ford gas engines only \$ 450.00

Extended Warranties		
Part #	Description	Unit Price

900-6997-25 5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines) \$ 4595.00

WTY-1EXT-12XP 1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch \$ 1870.00

WTY-2EXT-12XP 2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch \$ 3120.00

Fire Extinguisher		
Part #	Description	Unit Price

OPTION-980-5001-6 2-1/2 Pound Fire Extinguisher with bolt on mount \$ 215.00

Flag Holder		
Part #	Description	Unit Price

OPTION-980-10009 Adjustable fender marker poles (mount is bolt-on) \$ 105.00

0

Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
Lights		
Part #	Description	Unit Price
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-65	Additional Operating and Parts Manual - weather proof	\$ 95.00
Miscellaneous Options		
Part #	Description	Unit Price
456-1020-60	3 place tool holder for shovel and rakes (one place holds the pusher paddle)	\$ 150.00
Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
Tongue		
Part #	Description	Unit Price
OPTION-980-5000-0 2	12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate	\$ 280.00
Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
OPTION-905-5000-2	10,000 pound capacity tongue jack with spring return pad	\$ 275.00
Tool Box		
Part #	Description	Unit Price
911-1000-08	Lockable aluminum tool box	\$ 240.00
Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1 5	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 12XP TRACK (12" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-12XPTRK	Intimidator 12XP Track - (12" Drum Style)	\$ 83045.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	24" diameter x 18 3/4" wide chipper drum with (4) 5/8" x 5 1/2" x 9" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	50 gallon steel fuel tank with magnetic drain plug, lockable filler caps, and aluminum sight gauge	\$ 0.00
STANDARD	50 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 7 1/2" diameter x 16 3/8" wide, driven by (2) 15.9 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel (controlled via radio remote control)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Hydraulic controlled swivel discharge with adjustable end chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Radio remote control with tether back-up (controls following functions: track forward/reverse, track left/right, discharge swivel left/right (n/a on stationary discharge), discharge deflector up/down, yoke up/down, feed forward/reverse, throttle, engine e-stop, and hydraulic winch if applicable).	\$ 0.00
STANDARD	Stand alone hydraulic oil cooler	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00

STANDARD	Electronic flow control for feed system (feed rate can be adjusted through controller)	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 0.00
STANDARD	Gate valve for fuel and hydraulic tank	\$ 0.00
STANDARD	Lockable battery disconnect switch (includes steel battery box)	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-905-5002-07	Special Imron Industrial Paint (please specify paint color and number) - 12XP Track (Requires specification)	\$ 675.00
OPTION-905-5002-08	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 12XP TRACK (Requires specification)	\$ 1275.00

ENGINE		
Part #	Description	Unit Price
990-RC1579-163	Caterpillar C3.4, 74 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 22105.00
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
990-RC1520-102	Kohler KDI2504, 74 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL (Includes \$1,425 tariff)	\$ 23100.00
990-RC1618-190	Kohler KFI34SE300, 134 horsepower diesel engine with NACD Spring loaded clutch (Includes 3 year / 2,000 hour engine warranty) - Tier 4 FINAL (Includes \$2,490 tariff)	\$ 39830.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
905-6000-46	Murphy PV485 panel with reversing auto feed for Cat 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 3250.00
700-6000-04	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 10205.00
700-6000-12	Murphy PV485 panel with reversing auto feed for Kohler 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 3455.00
906-6000-02	Murphy PV485 panel with reversing auto feed for Kohler 134 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 3445.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00

TRACK		
Part #	Description	Unit Price
standard820	Track One 2-speed 303CR rubber track undercarriage	\$ 0.00

INFEED		
Part #	Description	Unit Price
OPTION-980-5001-20	Hydraulic winch with line docking station and feed assist controlled via remote (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed)	\$ 4500.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-906-5000-14	Hydraulic bump bar for 54" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override)	\$ 2150.00

ADD-ON OPTIONS		
-----------------------	--	--

Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
WTY-1EXT-12XP	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 1870.00
WTY-2EXT-12XP	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 3120.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-65	Additional Operating and Parts Manual - weather proof	\$ 95.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 15XPC 15" DRUM STYLE

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-15XPC	Intimidator 15XPC - 15" Drum Style	\$ 40025.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	24" diameter x 18 3/4" wide chipper drum with (4) 5/8" x 5 1/2" x 9" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	30 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 4" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00

STANDARD	Spanish & English combination safety decals	\$ 0.00
-----------------	---	----------------

MODEL PACKAGE		
----------------------	--	--

Part #	Description	Unit Price
P10020448	Package 1 - gas engine package - 15XPC	\$ 0.00
P10020482	Package 2 - diesel engine package - 15XPC	\$ 0.00

PAINT		
--------------	--	--

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-905-5002-1	Special Imron Industrial Paint (please specify paint color and number) - 15XPC (Requires specification)	\$ 795.00
1		
OPTION-905-5002-1	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 15XPC (Requires specification)	\$ 1525.00
2		

ENGINE		
---------------	--	--

Part #	Description	Unit Price
990-RC1512-095	PSI 4.3L, 145 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 16010.00
990-RC1626-198	PSI 6.0L, 174 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 20675.00
990-RC1610-182	Ford LSG-635, 3.5L, 125 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 18475.00
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
990-RC1618-190	Kohler KFI34SE300, 134 horsepower diesel engine with NACD Spring loaded clutch (Includes 3 year / 2,000 hour engine warranty) - Tier 4 FINAL (Includes \$2,490 tariff)	\$ 39830.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
---	--	--

Part #	Description	Unit Price
980-6000-40	Murphy PV485 panel with reversing auto feed for PSI 145 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 3050.00
700-6000-17	Murphy PV485 panel with reversing auto feed for PSI 174 horsepower engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2475.00
700-6000-11	Murphy PV485 panel with reversing auto feed for Ford 125 horsepower gas engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2585.00
700-6000-02	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box) (Includes enclosure by Bandit) - Panel is mounted off of engine shroud in lockable composite cover	\$ 9795.00
980-6000-45	Murphy PV485 panel with reversing auto feed for Kohler 134 / 141 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2925.00

CLUTCH		
---------------	--	--

Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
700-1000-13	NACD over center (double plate clutch)	\$ 1825.00
700-1000-89	NACD Spring Loaded Clutch - PSI 6.0 only	\$ 2025.00

DRIVE SYSTEM		
---------------------	--	--

Part #	Description	Unit Price
990-1017-54	Standard frame and drive system included in base price	\$ 0.00
OPTION-906-5000-1	Drive system for engines above 145 horsepower (Includes two 3 groove belts in lieu of a single 4 groove belt)	\$ 525.00
6		

INFEED		
Part #	Description	Unit Price
OPTION-906-5000-2	29" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 775.00
OPTION-915-5000-9	Hydraulic bump bar for 54" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2025.00
OPTION-906-5000-14	Hydraulic bump bar for 54" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override)	\$ 2150.00
OPTION-980-5000-73	Hydraulic winch with line docking station and manual push button feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer)	\$ 5350.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-905-5000-59	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-906-5000-06	Palm frond package for feed wheels (250XP, 15XPC, and 15XP) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 30 bottom feed wheel teeth in lieu of 12	\$ 525.00
OPTION-906-5000-3	Double Teeth (Bottom Feed Wheel) (15XPC)	\$ 225.00
OPTION-915-5000-4	Hydraulic flow control for feed wheel rate adjustment (All-In-One Mount)	\$ 425.00
OPTION-915-5000-4	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
AXLE		
Part #	Description	Unit Price
990-100452	Single 8,000 pound Torflex EZ lube axle with electric brakes	\$ 0.00
OPTION-905-5001-9	Single 8,000 Pound Torflex EZ Lube Hydraulic Brake Axle (Not Free Backing)	\$ 1825.00
TIRES/RIMS		
Part #	Description	Unit Price
990-100406	(2) 215/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 0.00
OPTION-911-5000-4	(2) 215/75R 17.5" tires mounted on 8-bolt aluminum rims (8,000 pound axles on up)	\$ 945.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
OPTION-980-5000-5	2-5/16" Ball Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
OPTION-905-5000-3	Paint the control bar red	\$ 150.00
Tire / Rim		
Part #	Description	Unit Price

900-5908-39	Spare tire mounted on heavy-duty gray rim (215/75R 17.5")	\$ 525.00
900-5908-80	Spare tire mounted on aluminum rim (215/75R 17.5")	\$ 825.00
OPTION-911-5001-3	Bolt on Spare Tire Mount (5/8" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-626-5000-8	Battery disconnect switch	\$ 375.00
Chipper Discharge		
Part #	Description	Unit Price
OPTION-980-5000-93	270 degree hydraulic controlled swivel discharge with hydraulic controlled 12" chip deflector (Includes height adjustable discharge & 270 degree discharge stops)	\$ 1825.00
Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-905-5000-0	Clean out and inspection door on transition.	\$ 175.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-905-5001-8	Lockable cover for instrument panel (Mitsubishi gas engines only)	\$ 115.00
OPTION-980-5001-8	Engine block heater for PSI gas engines only (PSI 145 horsepower only)	\$ 175.00
OPTION-925-5000-5	Engine block heater for PSI gas engines only (PSI 174 horsepower only)	\$ 525.00
OPTION-905-5002-1	Engine block heater for Ford gas engines only	\$ 450.00
OPTION-999-5000-00	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
WTY-1EXT-15XPC	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 2080.00
WTY-2EXT-15XPC	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 3470.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
OPTION-906-5000-1	40 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 205.00
Lights		
Part #	Description	Unit Price
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
Manuals (Machine)		
Part #	Description	Unit Price

900-8911-56 Additional Operating and Parts Manual - weather proof \$ 95.00

Miscellaneous Options		
Part #	Description	Unit Price

456-1020-60 3 place tool holder for shovel and rakes (one place holds the pusher paddle) \$ 150.00

Non-Skid Coating		
Part #	Description	Unit Price

OPTION-905-5001-9 Non skid coating on tongue and all step on areas \$ 175.00

Mud Flap		
Part #	Description	Unit Price

OPTION-905-5000-1 (2) Mud Flaps (1/4" x 12" x 18") \$ 95.00

Tongue		
Part #	Description	Unit Price

OPTION-980-5000-0 12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on \$ 280.00
2 the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate

Tongue Jack		
Part #	Description	Unit Price

OPTION-911-5000-0 8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack) \$ 425.00

OPTION-911-5001-0 12,000 pound bolt on electric tongue jack \$ 2325.00

OPTION-905-5000-2 10,000 pound capacity tongue jack with spring return pad \$ 275.00

OPTION-955-5000-0 Hydraulic tongue jack with multiple position drop leg \$ 2025.00

Tool Box		
Part #	Description	Unit Price

OPTION-980-5001-0 Lockable steel tool box in lieu of standard aluminum box \$ 175.00

Wiring		
Part #	Description	Unit Price

OPTION-905-5000-1 Option 7 Prong (Flat/RV Style) to 6 prong coiled cord \$ 45.00
5



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 15XPC TRACK (15" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part

Description

Base Price

MODEL-15XPCTRK Intimidator 15XPC Track - (15" drum style)

\$ 86780.00

STANDARD EQUIPMENT

Part

Description

Unit Price

STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	24" diameter x 18 3/4" wide chipper drum with (4) 5/8" x 5 1/2" x 9" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	50 gallon steel fuel tank with magnetic drain plug, lockable filler caps, and aluminum sight gauge	\$ 0.00
STANDARD	50 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel (controlled via radio remote control)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Hydraulic controlled swivel discharge with adjustable end chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Radio remote control with tether back-up (controls following functions: track forward/reverse, track left/right, discharge swivel left/right (n/a on stationary discharge), discharge deflector up/down, yoke up/down, feed forward/reverse, throttle, engine e-stop, and hydraulic winch if applicable).	\$ 0.00
STANDARD	Stand alone hydraulic oil cooler	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Electronic flow control for feed system (feed rate can be adjusted through controller)	\$ 0.00
STANDARD	Gate valve for fuel and hydraulic tank	\$ 0.00
STANDARD	Lockable battery disconnect switch (includes steel battery box)	\$ 0.00

STANDARD	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-905-5002-1 5	Special Imron Industrial Paint (please specify paint color and number) - 15XPC TRACK (Requires specification)	\$ 795.00
OPTION-905-5002-1 6	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 15XPC TRACK (Requires specification)	\$ 1525.00
ENGINE		
Part #	Description	Unit Price
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
990-RC1618-190	Kohler KFI34SE300, 134 horsepower diesel engine with NACD Spring loaded clutch (Includes 3 year / 2,000 hour engine warranty) - Tier 4 FINAL (Includes \$2,490 tariff)	\$ 39830.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-04	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 10205.00
906-6000-02	Murphy PV485 panel with reversing auto feed for Kohler 134 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 3445.00
CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
TRACK		
Part #	Description	Unit Price
standard820	Track One 2-speed 303CR rubber track undercarriage	\$ 0.00
INFEED		
Part #	Description	Unit Price
OPTION-980-5001-2 0	Hydraulic winch with line docking station and feed assist controlled via remote (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed)	\$ 4500.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-906-5000-1 4	Hydraulic bump bar for 54" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override)	\$ 2150.00
ADD-ON OPTIONS		
Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-905-5000-0	Clean out and inspection door on transition.	\$ 175.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8911-56	Additional Operating and Parts Manual - weather proof	\$ 95.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 15XP (15" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-15XP	Intimidator 15XP - (15" Drum Style)	\$ 43760.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	37" diameter x 18 3/4" wide drum with (4) 5/8" X 5 1/2" X 9" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	25 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00

STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
MODEL PACKAGE		
Part #	Description	Unit Price
P10011007	Package 1 - gas engine package - 15XP	\$ 0.00
P10011122	Package 2 - diesel engine package - 15XP	\$ 0.00
PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-915-5001-08	Special Imron Industrial Paint (please specify paint color and number) - 15XP (Requires specification)	\$ 795.00
OPTION-915-5001-09	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 15XP (Requires specification)	\$ 1525.00
ENGINE		
Part #	Description	Unit Price
990-RC1512-095	PSI 4.3L, 145 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 16010.00
990-RC1626-198	PSI 6.0L, 174 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 20675.00
990-RC1650-222	Ford 5.0L, 156 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 19630.00
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
990-RC1644-216	Caterpillar C4.4, 148 horsepower diesel engine without clutch - Tier 4 FINAL / STAGE V (Includes 2 year / 2,000 hour engine warranty)	\$ 51450.00
990-RC1544-126	John Deere 4045HFC04, 125 horsepower engine with NACD spring loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 39055.00
990-RC1533-115	John Deere 4045HFC04, 139 horsepower engine with NACD spring loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 43175.00
990-RC1618-190	Kohler KFI34SE300, 134 horsepower diesel engine with NACD Spring loaded clutch (Includes 3 year / 2,000 hour engine warranty) - Tier 4 FINAL (Includes \$2,490 tariff)	\$ 39830.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
980-6000-40	Murphy PV485 panel with reversing auto feed for PSI 145 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 3050.00
700-6000-55	Murphy PV485 panel with reversing auto feed for PSI 174 horsepower engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2925.00
700-6000-57	Murphy PV485 panel with reversing auto feed for Ford 156 horsepower gas engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2650.00
700-6000-02	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box) (Includes enclosure by Bandit) - Panel is mounted off of engine shroud in lockable composite cover	\$ 9795.00
700-6000-50	Murphy PV485 panel with reversing auto feed for Cat 148 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3575.00
911-6000-44	Murphy PV485 panel with reversing auto feed for John Deere 125 / 139 horsepower diesel engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3450.00
980-6000-45	Murphy PV485 panel with reversing auto feed for Kohler 134 / 141 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2925.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-13	NACD over center (double plate clutch)	\$ 1825.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
700-1000-89	NACD Spring Loaded Clutch - PSI 6.0 only	\$ 2025.00

DRIVE SYSTEM		
Part #	Description	Unit Price
990-101035	Standard drive system for engine horsepower options up to 160 horsepower	\$ 0.00
OPTION-915-5000-16	Drive system for engines above 160 horsepower (Includes two 3 groove belts in lieu of a single 4 groove belt)	\$ 495.00

INFEED		
Part #	Description	Unit Price
OPTION-915-5001-1	29" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 775.00
OPTION-915-5000-90	Hydraulic bump bar for 54" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2025.00
OPTION-906-5000-14	Hydraulic bump bar for 54" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2150.00
OPTION-980-5000-73	Hydraulic winch with line docking station and manual push button feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer)	\$ 5350.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5000-59	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-906-5000-06	Palm frond package for feed wheels (250XP, 15XPC, and 15XP) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 30 bottom feed wheel teeth in lieu of 12	\$ 525.00
OPTION-915-5000-0	Double Teeth (Bottom Feed Wheel) (15" drums / 250)	\$ 225.00
OPTION-915-5000-4	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
OPTION-915-5000-4	Hydraulic flow control for feed wheel rate adjustment (All-In-One Mount)	\$ 425.00

AXLE		
Part #	Description	Unit Price
990-1016-02	Single 10,000 pound Torflex axle with electric brakes (0 degree down trail) (Will be 4 1/2" shorter than 45 degree down trail)	\$ 0.00
OPTION-915-5000-2	Single 10,000 pound Torflex axle with electric brakes (45 degree down trail)	\$ 325.00
OPTION-915-5000-3	Single 10,000 pound Torflex hydraulic brake axle with reverse solenoid (Not free backing)	\$ 1625.00
OPTION-915-5001-1	Single 12,000 pound leaf spring axle with electric brakes	\$ 1330.00

TIRES/RIMS		
Part #	Description	Unit Price
990-1011-28	(2) 235/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 0.00
OPTION-937-5000-4	(2) 235/75R 17.5" tires mounted on 8-bolt aluminum rims (8,000 pound axles on up)	\$ 1125.00
OPTION-911-5000-51	(4) ST235/80R 16" tires mounted on 8-bolt steel DUAL rims (Can only be ordered with Single 12,000 Leaf Spring axle) - Total width of machine = 101"	\$ 495.00

FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00

OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
OPTION-915-5001-1	Steel weld on fenders for single axle with dual tires	\$ 375.00

HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
OPTION-980-5000-5	2-5/16" Ball Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00

ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-917-1000-1	Four position valve for control bar (stop / forward / stop / reverse)	\$ 850.00
OPTION-905-5000-3	Paint the control bar red	\$ 150.00

Tire / Rim		
Part #	Description	Unit Price
OPTION-911-5001-3	Bolt on Spare Tire Mount (5/8" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
900-5904-76	Spare tire mounted on heavy-duty gray rim (235/75R 17.5")	\$ 625.00
900-5908-81	Spare tire mounted on aluminum rim (235/75R 17.5")	\$ 825.00
900-5904-64	Spare tire and rim for single axle with DUAL wheels (235/80R 16")	\$ 350.00

Battery and Battery Box		
Part #	Description	Unit Price
OPTION-980-5000-1 6	Lockable steel battery box with (1) 1,000 CCA battery (in lieu of standard aluminum box) (All engines excluding Cummins)	\$ 155.00
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00

Chipper Discharge		
Part #	Description	Unit Price
OPTION-915-5001-2 1	270 degree hydraulic controlled swivel discharge with hydraulic controlled 12" chip deflector (Includes height adjustable discharge & 270 degree discharge stops)	\$ 1850.00

Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-915-5000-3	Clean out and inspection door on transition.	\$ 225.00

Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00

Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00

Engine Related Options		
Part #	Description	Unit Price
OPTION-980-5001-8	Engine block heater for PSI gas engines only (PSI 145 horsepower only)	\$ 175.00
OPTION-925-5000-5	Engine block heater for PSI gas engines only (PSI 174 horsepower only)	\$ 525.00
OPTION-905-5002-1	Engine block heater for Ford gas engines only	\$ 450.00
OPTION-999-5000-0 0	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00

Extended Warranties		
Part #	Description	Unit Price

900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
WTY-1EXT-15XP	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 2255.00
WTY-2EXT-15XP	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 3760.00

Fire Extinguisher		
Part #	Description	Unit Price

OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
-------------------	--	-----------

Flag Holder		
Part #	Description	Unit Price

OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
------------------	---	-----------

Fuel And Hydraulic Tanks		
Part #	Description	Unit Price

OPTION-915-5000-0	40 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 285.00
-------------------	---	-----------

OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
------------------	--------------------------	----------

Lights		
Part #	Description	Unit Price

OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
-------------------	--	-----------

OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
-------------------	---	-----------

OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
-------------------	--	-----------

OPTION-911-5000-1	"Whelen" LED, (L31HAF) warning strobe light (360 degrees) includes branch guard	\$ 1125.00
-------------------	---	------------

Manuals (Machine)		
Part #	Description	Unit Price

900-8901-67	Additional Operating and Parts Manual - weather proof	\$ 95.00
-------------	---	----------

Miscellaneous Options		
Part #	Description	Unit Price

456-1020-60	3 place tool holder for shovel and rakes (one place holds the pusher paddle)	\$ 150.00
-------------	--	-----------

Non-Skid Coating		
Part #	Description	Unit Price

OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
-------------------	--	-----------

Mud Flap		
Part #	Description	Unit Price

OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
-------------------	----------------------------------	----------

Tongue		
Part #	Description	Unit Price

OPTION-980-5000-0 2	12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate	\$ 280.00
------------------------	--	-----------

Tongue Jack		
Part #	Description	Unit Price

OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
-------------------	--	-----------

OPTION-905-5000-2	10,000 pound capacity tongue jack with spring return pad	\$ 275.00
-------------------	--	-----------

OPTION-911-5001-0	12,000 pound bolt on electric tongue jack	\$ 2325.00
-------------------	---	------------

OPTION-955-5000-0	Hydraulic tongue jack with multiple position drop leg	\$ 2025.00
-------------------	---	------------

Tool Box		
Part #	Description	Unit Price

OPTION-980-5001-0	Lockable steel tool box in lieu of standard aluminum box	\$ 175.00
-------------------	--	-----------

Wiring		
Part #	Description	Unit Price

OPTION-905-5000-1 5	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00
------------------------	---	----------



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 15XP TRACK (15" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-15XPTRK	Intimidator 15XP Track - (15" Drum Style)	\$ 104030.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	90" Track Width	\$ 0.00
STANDARD	37" diameter x 18 3/4" wide drum with (4) 5/8" X 5 1/2" X 9" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	50 gallon steel fuel tank with magnetic drain plug, lockable filler caps, and aluminum sight gauge	\$ 0.00
STANDARD	50 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel (controlled via radio remote control)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Hydraulic controlled swivel discharge with adjustable end chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	30 3/4" high x 54" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Radio remote control with tether back-up (controls following functions: track forward/reverse, track left/right, discharge swivel left/right (n/a on stationary discharge), discharge deflector up/down, yoke up/down, feed forward/reverse, throttle, engine e-stop, and hydraulic winch if applicable).	\$ 0.00
STANDARD	Stand alone hydraulic oil cooler	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00

STANDARD	Electronic flow control for feed system (feed rate can be adjusted through controller)	\$ 0.00
STANDARD	Gate valve for fuel and hydraulic tank	\$ 0.00
STANDARD	Lockable battery disconnect switch (includes steel battery box)	\$ 0.00
PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-915-5001-10	Special Imron Industrial Paint (please specify paint color and number) - 15XP TRACK (Requires specification)	\$ 795.00
OPTION-915-5001-11	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 15XP TRACK (Requires specification)	\$ 1525.00
TRACK WIDTH		
Part #	Description	Unit Price
OPTION-915-5001-0	78" Track Width (Only available for a John Deere 139 horsepower tier 4 final engine)	\$ 1695.00
ENGINE		
Part #	Description	Unit Price
990-RC1548-130	John Deere 4045HFC04, 139 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 41950.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
911-6000-08	Murphy PV485 panel with reversing auto feed for John Deere 125/139 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 4325.00
CLUTCH		
Part #	Description	Unit Price
OPTION-915-5001-2	WPT Hi-Drive - 15XP track with John Deere 139 hp engine	\$ 15050.00
TRACK		
Part #	Description	Unit Price
990-1015-39	Caterpillar 2-speed 305CR (400MM) rubber track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 0.00
990-1011-84	Caterpillar 305CR (400MM) steel track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 2750.00
INFEED		
Part #	Description	Unit Price
OPTION-980-5001-20	Hydraulic winch with line docking station and feed assist controlled via remote (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed)	\$ 4500.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-906-5000-14	Hydraulic bump bar for 54" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2150.00
ADD-ON OPTIONS		
Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-915-5000-3	Clean out and inspection door on transition.	\$ 225.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00

Manuals (Machine)		
Part #	Description	Unit Price
900-8901-67	Additional Operating and Parts Manual - weather proof	\$ 95.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 18XP (18" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-18XP	Intimidator 18XP - (18" Drum Style)	\$ 48330.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	37" diameter x 22" wide drum with (4) 5/8" X 5 1/2" X 10" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	30 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 20" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	33 1/2" high x 64" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	3/8" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00

STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
MODEL PACKAGE		
Part #	Description	Unit Price
P10007729	Gas engine package - 18XP	\$ 0.00
P10007739	Diesel engine package - diesel engines below 150 horsepower - 18XP	\$ 0.00
P10007742	Diesel engine package - diesel engines above 150 horsepower - 18XP	\$ 0.00
PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-911-5001-4 3	Special Imron Industrial Paint (please specify paint color and number) - 18XP (Requires specification)	\$ 850.00
OPTION-911-5001-4 4	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 18XP (Requires specification)	\$ 1675.00
ENGINE		
Part #	Description	Unit Price
990-RC1626-198	PSI 6.0L, 174 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 20675.00
990-RC1641-213	Ford WSG-873, 7.3L 185 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 24585.00
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
990-RC1637-209	Caterpillar C4.4, 174 horsepower engine without clutch - Tier 4 FINAL / STAGE V (Includes 2 year / 2,000 hour engine warranty) (Includes \$2,560 tariff)	\$ 51915.00
990-RC1544-126	John Deere 4045HFC04, 125 horsepower engine with NACD spring loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 39055.00
990-RC1533-115	John Deere 4045HFC04, 139 horsepower engine with NACD spring loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 43175.00
990-RC1330-910	John Deere 4045HFC09, 173 horsepower engine with NACD Spring Loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 48410.00
990-RC1595-126	John Deere 4045HFC09, 173 horsepower engine with NACD over center clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 49300.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-17	Murphy PV485 panel with reversing auto feed for PSI 174 horsepower engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2475.00
911-6000-58	Murphy PV485 panel with reversing auto feed for Ford 185 horsepower gas engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted on engine shroud with lockable steel cover	\$ 3435.00
700-6000-02	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box) (Includes enclosure by Bandit) - Panel is mounted off of engine shroud in lockable composite cover	\$ 9795.00
700-6000-43	Murphy PV485 panel with reversing auto feed for Cat 174 horsepower diesel engines (Includes 1,000 CCA battery with box - Panel is mounted off of engine shroud in lockable composite cover	\$ 4065.00
911-6000-44	Murphy PV485 panel with reversing auto feed for John Deere 125 / 139 horsepower diesel engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3450.00
911-6000-45	Murphy PV485 panel with reversing auto feed for John Deere 173 horsepower diesel engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3420.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
700-1000-89	NACD Spring Loaded Clutch - PSI 6.0 only	\$ 2025.00
700-1000-13	NACD over center (double plate clutch)	\$ 1825.00
DRIVE SYSTEM		
Part #	Description	Unit Price
990-101035	Standard drive system for engine horsepower options up to 160 horsepower	\$ 0.00
OPTION-911-5000-3	High HP Drive System - (above 146 horsepower) - (Short Frame - 1500 belts)	\$ 825.00
OPTION-911-5000-1	High HP Drive System - (above 146 horsepower) - (Long Frame - 1500 belts)	\$ 1640.00
OPTION-911-5001-0	High HP Drive System - (above 146 horsepower) - (Tandem axle Frame - 1500 belts)	\$ 1640.00
INFEED		
Part #	Description	Unit Price
OPTION-911-5001-4	33 1/2" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 715.00
OPTION-911-5001-4 8	33 1/2" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors (Units with 25" wide feed wheels)	\$ 1650.00
OPTION-911-5001-0 8	Hydraulic bump bar for 64" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2075.00
OPTION-911-5001-3 6	Hydraulic bump bar for 64" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2160.00
OPTION-980-5000-7 3	Hydraulic winch with line docking station and manual push button feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer)	\$ 5350.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-980-5001-3	Dual rear manual stabilizers (for machines without winch)	\$ 230.00
OPTION-911-5001-5	Clear Infeed Curtain	\$ 260.00
OPTION-905-5000-5 9	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-911-1003-7 6	Super sized spring loaded slide box type feed system with (2) horizontal feed wheels 10 5/8" diameter x 25" wide	\$ 2825.00
OPTION-911-5001-0 5	Palm frond package for feed wheels (25" wide feed wheels only) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 30 bottom feed wheel teeth in lieu of 12	\$ 925.00
OPTION-911-5001-3 0	Palm frond package for feed wheels (20" wide feed wheels only) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 30 bottom feed wheel teeth in lieu of 12	\$ 850.00
OPTION-911-5000-1	Double Teeth (Bottom Feed Wheel) (20" wide feed wheel)	\$ 225.00
OPTION-911-5000-2	Double Teeth (Bottom Feed Wheel) - (25" wide feed wheel)	\$ 325.00
OPTION-911-5001-7	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
OPTION-915-5000-4	Hydraulic flow control for feed wheel rate adjustment (All-In-One Mount)	\$ 425.00
AXLE		
Part #	Description	Unit Price
990-1015-73	Single 10,000 pound Torflex axle with electric brakes (0 degree down trail) (Will be 4 1/2" shorter than 45 degree down trail)	\$ 0.00
OPTION-911-5000-4	Single 10,000 pound Torflex axle with electric brakes (45 degree down trail)	\$ 175.00
OPTION-911-5000-4	Single 10,000 pound Leaf Spring air brake axle	\$ 2375.00
OPTION-911-5001-2	Single 10,000 pound Torflex Hydraulic Brake Axle w/ reverse solenoid	\$ 1515.00
OPTION-911-5000-4	Single 12,000 pound leaf spring axle with electric brakes	\$ 725.00
OPTION-911-5000-8 7	Single 12,000 pound Torflex axle with electric brakes (0 degree down trail) (will be approx. 3" lower compared to Spring axle)	\$ 2175.00

OPTION-911-5001-3	Single 12,000 Pound Leaf Spring Air Brake Axle	\$ 3150.00
OPTION-911-5000-4	Tandem 7,000 pound Torflex EZ lube axles with electric brakes	\$ 575.00

TIRES/RIMS		
Part #	Description	Unit Price
990-1011-28	(2) 235/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 0.00
OPTION-937-5000-4	(2) 235/75R 17.5" tires mounted on 8-bolt aluminum rims (8,000 pound axles on up)	\$ 1125.00
OPTION-911-5000-5 1	(4) ST235/80R 16" tires mounted on 8-bolt steel DUAL rims (Can only be ordered with Single 12,000 Leaf Spring axle) - Total width of machine = 101"	\$ 495.00

OPTION-914-5000-1 0	(4) ST235/80R 16" tires mounted on 8-bolt white spoke rim (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (Tandem 7,000 pound axles only)	\$ 225.00
OPTION-911-5001-2 0	(4) ST235/80R 16" tires mounted on 8-bolt Aluminum rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (Tandem 7,000 pound axles only)	\$ 720.00

FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
OPTION-911-5000-5	3/16" heavy-duty steel weld on fenders for tandem axles	\$ 325.00
OPTION-937-5000-5	Steel weld on fenders for single axle with dual tires	\$ 125.00

HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00

ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
OPTION-905-5000-3	Paint the control bar red	\$ 150.00

Tire / Rim		
Part #	Description	Unit Price
OPTION-911-5001-3	Bolt on Spare Tire Mount (5/8" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
990-5904-76	Spare tire mounted on heavy-duty gray rim (235/75R 17.5")	\$ 625.00
990-5908-81	Spare tire mounted on aluminum rim (235/75R 17.5")	\$ 825.00
990-5913-94	Spare tire mounted on aluminum rim (235/80R 16")	\$ 405.00
990-5904-64	Spare tire and rim for single axle with DUAL wheels (235/80R 16")	\$ 350.00
990-5913-90	Spare tire mounted on white spoke rim (235/80R 16") - 8 bolt rim	\$ 275.00

Battery and Battery Box		
Part #	Description	Unit Price
OPTION-980-5000-1 6	Lockable steel battery box with (1) 1,000 CCA battery (in lieu of standard aluminum box) (All engines excluding Cummins)	\$ 155.00
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00

Chipper Discharge		
Part #	Description	Unit Price
OPTION-915-5001-2 1	270 degree hydraulic controlled swivel discharge with hydraulic controlled 12" chip deflector (Includes height adjustable discharge & 270 degree discharge stops)	\$ 1850.00

Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-937-0501-3 1	Clean out and inspection door on transition	\$ 175.00

Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-905-5002-1	Engine block heater for Ford gas engines only	\$ 450.00
OPTION-925-5000-5	Engine block heater for PSI gas engines only (PSI 174 horsepower only)	\$ 525.00
OPTION-999-5000-0	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
WTY-1EXT-18XP	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 2445.00
WTY-2EXT-18XP	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 4075.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
OPTION-925-5000-3	40 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 185.00
Lights		
Part #	Description	Unit Price
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8912-15	Additional Operating and Parts Manual - weather proof	\$ 95.00
Miscellaneous Options		
Part #	Description	Unit Price
456-1020-60	3 place tool holder for shovel and rakes (one place holds the pusher paddle)	\$ 150.00
Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
Tongue		
Part #	Description	Unit Price

OPTION-955-200035

12" longer bolt-on tongue (18XP / 19XPC total tongue will be 45" (short frame and 50" long frame) (21XP / 2090 will be 57") - measurements are from A-frame to hitch plate

\$ 360.00

Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
OPTION-911-5001-0	12,000 pound bolt on electric tongue jack	\$ 2325.00
OPTION-905-5000-2	10,000 pound capacity tongue jack with spring return pad	\$ 275.00
OPTION-955-5000-0	Hydraulic tongue jack with multiple position drop leg	\$ 2025.00

Tool Box		
Part #	Description	Unit Price
OPTION-980-5001-0	Lockable steel tool box in lieu of standard aluminum box	\$ 175.00

Wiring		
Part #	Description	Unit Price

OPTION-905-5000-15

Option 7 Prong (Flat/RV Style) to 6 prong coiled cord

\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 18XP TRACK (18" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-18XPTRK	Intimidator 18XP Track - (18" drum style)	\$ 106320.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	102" Track Width	\$ 0.00
STANDARD	37" diameter x 22" wide drum with (4) 5/8" X 5 1/2" X 10" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	50 gallon steel fuel tank with magnetic drain plug, lockable filler caps, and aluminum sight gauge	\$ 0.00
STANDARD	50 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 20" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel (controlled via radio remote control)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Hydraulic controlled swivel discharge with adjustable end chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	33 1/2" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Radio remote control with tether back-up (controls following functions: track forward/reverse, track left/right, discharge swivel left/right (n/a on stationary discharge), discharge deflector up/down, yoke up/down, feed forward/reverse, throttle, engine e-stop, and hydraulic winch if applicable).	\$ 0.00
STANDARD	Stand alone hydraulic oil cooler	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00

STANDARD	Gate valve for fuel and hydraulic tank	\$ 0.00
STANDARD	Lockable battery disconnect switch (includes steel battery box)	\$ 0.00
STANDARD	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 0.00
PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-911-5001-4 5	Special Imron Industrial Paint (please specify paint color and number) - 18XP / 19XPC TRACK (Requires specification)	\$ 975.00
OPTION-911-5001-4 6	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 18XP / 19XPC TRACK (Requires specification)	\$ 1875.00
ENGINE		
Part #	Description	Unit Price
990-RC1637-209	Caterpillar C4.4, 174 horsepower engine without clutch - Tier 4 FINAL / STAGE V (Includes 2 year / 2,000 hour engine warranty) (Includes \$2,560 tariff)	\$ 51915.00
990-RC1549-131	John Deere 4045HFC09, 173 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 48225.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
911-6000-09	Murphy PV485 panel with reversing auto feed for John Deere 173 horsepower diesel engines (Includes 1,000 CCA battery battery box) -Panel is mounted off of engine shroud in lockable composite cover - TRACK UNITS ONLY	\$ 4295.00
700-6000-44	Murphy PV485 panel with reversing auto feed for Cat 174 horsepower diesel engines (Includes 1,000 CCA battery battery box) -Panel is mounted off of engine shroud in lockable composite cover - TRACK UNITS ONLY	\$ 4585.00
CLUTCH		
Part #	Description	Unit Price
OPTION-911-5001-6	WPT Hi-Drive - 18XP / 19XPC track with John Deere 173 hp engine	\$ 15940.00
OPTION-911-5001-7	WPT Hi-Drive - 18XP / 19XPC track with Caterpillar 174 hp engine	\$ 23740.00
DRIVE SYSTEM		
Part #	Description	Unit Price
OPTION-911-5000-8	Drive system for engine horsepower above 145 horsepower (track unit)	\$ 825.00
TRACK		
Part #	Description	Unit Price
990-1015-39	Caterpillar 2-speed 305CR (400MM) rubber track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 0.00
990-1011-84	Caterpillar 305CR (400MM) steel track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 2750.00
INFEED		
Part #	Description	Unit Price
OPTION-980-5001-2 0	Hydraulic winch with line docking station and feed assist controlled via remote (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed)	\$ 4500.00
OPTION-911-5001-5	Clear Infeed Curtain	\$ 260.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-911-5001-3 6	Hydraulic bump bar for 64" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override)	\$ 2160.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-911-1003-7 6	Super sized spring loaded slide box type feed system with (2) horizontal feed wheels 10 5/8" diameter x 25" wide	\$ 4315.00

ADD-ON OPTIONS

Chipper Discharge Transition

Part #	Description	Unit Price
--------	-------------	------------

OPTION-937-0501-3	Clean out and inspection door on transition	\$ 175.00
-------------------	---	-----------

Extended Warranties

Part #	Description	Unit Price
--------	-------------	------------

900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
-------------	--	------------

900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
-------------	---	------------

Manuals (Machine)

Part #	Description	Unit Price
--------	-------------	------------

900-8912-15	Additional Operating and Parts Manual - weather proof	\$ 95.00
-------------	---	----------



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 19XPC (19" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-19XPC	Intimidator 19XPC - (19" Drum Style)	\$ 60920.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	37" diameter x 22" wide drum with (4) 5/8" X 5 1/2" X 10" dual edge knives	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	33 1/2" high x 64" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	30 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	30 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Slide box feed system (w/ 2 adjustable springs on one side) and (2) horizontal feed wheels. Top wheel is 15 3/4" diameter x 24 1/2" wide driven via (1) 61 CID motor and chain. Bottom wheel is 10 5/8" diameter x 24 1/2" wide driven via (1) 58.5 CID motor	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	1/4" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	3/8" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00

STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Hydraulic pressure check kit	\$ 0.00

MODEL PACKAGE		
Part #	Description	Unit Price
P10017523	10,000 pound machine with winch package - must select winch - 19XPC (gas engines only)	\$ 0.00
P10017522	10,000 pound machine no winch (non remote) package - (various configurations available consult with Bandit sales rep to confirm desired configuration will be under 10,000 pounds) - 19XPC (Gas engines only)	\$ 0.00
P10017447	10,000 pound machine no winch (remote) package - must select radio remote and hydraulic swivel discharge - (various configurations available consult with Bandit sales rep to confirm desired configuration will be under 10,000 pounds) - 19XPC (Gas engines only)	\$ 0.00
P10017551	Single axle package (non remote over 10,000 pounds) for gasoline engines - 19XPC	\$ 0.00
P10017552	Single axle package (remote over 10,000 pounds) for gasoline engines - must select remote and hydraulic swivel discharge - 19XPC	\$ 0.00
P10017553	Single or tandem axle (non remote) for DIESEL engines under 200 horsepower - 19XPC	\$ 0.00
P10017554	Single or tandem axle (remote) for DIESEL engines under 200 horsepower - must select remote and hydraulic swivel discharge - 19XPC	\$ 0.00
P10017534	Tandem axle package (non remote) - must select tandem axles, four tires, fenders, and offset bearing pad - 19XPC	\$ 0.00
P10017555	Tandem axle package (remote) - must select remote, hydraulic swivel discharge, tandem axles, four tires, fenders, and offset bearing pad - 19XPC	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-905-5002-13	Special Imron Industrial Paint (please specify paint color and number) - 19XPC (Requires specification)	\$ 975.00
OPTION-905-5002-14	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 19XPC (Requires specification)	\$ 1875.00

ENGINE		
Part #	Description	Unit Price
990-RC1626-198	PSI 6.0L, 174 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 20675.00
990-RC1641-213	Ford WSG-873, 7.3L 185 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 24585.00
990-RC1637-209	Caterpillar C4.4, 174 horsepower engine without clutch - Tier 4 FINAL / STAGE V (Includes 2 year / 2,000 hour engine warranty) (Includes \$2,560 tariff)	\$ 51915.00
990-RC1605-176	Caterpillar C7.1L, 225 horsepower engine without clutch - Tier 4 FINAL / Stage V (Includes 2 year / 2,000 hour engine warranty) (Must select offset bearing pad on 19XPC towable and all track units) (Includes \$3,595 tariff)	\$ 67290.00
990-RC1533-115	John Deere 4045HFC04, 139 horsepower engine with NACD spring loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 43175.00
990-RC1330-910	John Deere 4045HFC09, 173 horsepower engine with NACD Spring Loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 48410.00
990-RC1595-126	John Deere 4045HFC09, 173 horsepower engine with NACD over center clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 49300.00
990-RC1658-230	John Deere 6068HFC08, 200 horsepower engine with over center style clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty) (Must select offset bearing pad on 19XPC towable and track units)	\$ 65415.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-17	Murphy PV485 panel with reversing auto feed for PSI 174 horsepower engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2475.00

911-6000-58	Murphy PV485 panel with reversing auto feed for Ford 185 horsepower gas engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted on engine shroud with lockable steel cover	\$ 3435.00
700-6000-43	Murphy PV485 panel with reversing auto feed for Cat 174 horsepower diesel engines (Includes 1,000 CCA battery with box - Panel is mounted off of engine shroud in lockable composite cover	\$ 4065.00
937-6000-97	Murphy PV485 panel with reversing auto feed for Cat 225 horsepower diesel engines (Includes 1,400 CCA battery with steel battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3820.00
911-6000-44	Murphy PV485 panel with reversing auto feed for John Deere 125 / 139 horsepower diesel engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3450.00
911-6000-45	Murphy PV485 panel with reversing auto feed for John Deere 173 horsepower diesel engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3420.00
925-6000-02	Murphy PV485 panel with reversing auto feed for John Deere 200 horsepower diesel engines (Includes 1,400 CCA battery with steel battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3485.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
700-1000-89	NACD Spring Loaded Clutch - PSI 6.0 only	\$ 2025.00
700-1000-13	NACD over center (double plate clutch)	\$ 1825.00
700-1000-14	NACD over center (Triple plate clutch)	\$ 3605.00

DRIVE SYSTEM		
Part #	Description	Unit Price
990-1018-11	Standard drive system / frame	\$ 0.00
OPTION-911-5001-0	Longer frame for tandem axle units	\$ 925.00

INFEED		
Part #	Description	Unit Price
OPTION-980-5002-08	Hydraulic winch with line docking station with electronic joystick feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer unless dual rear hydraulic stabilizers are ordered)	\$ 6175.00
OPTION-925-5000-3	33 1/2" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 975.00
OPTION-905-5001-5	Electric Last Chance Cables	\$ 1485.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-980-5001-3	Dual rear manual stabilizers (for machines without winch)	\$ 230.00
OPTION-937-5001-5	Dual rear hydraulic stabilizers (must select HD weld on infeed)	\$ 3125.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-911-5001-08	Hydraulic bump bar for 64" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2075.00
OPTION-911-5001-36	Hydraulic bump bar for 64" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2160.00
OPTION-925-5000-2	Clear Infeed Curtain	\$ 285.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-925-5000-4	Double Teeth (Bottom Feed Wheel) - (25" wide feed wheel)	\$ 380.00
OPTION-925-5000-45	Palm frond package for feed wheels (19XPC) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 30 bottom feed wheel teeth in lieu of 12	\$ 795.00

OPTION-911-5001-58	Radio remote control with tether back-up (Controls: feed forward / reverse, yoke up / down, discharge swivel, discharge flipper up/ down (winch if ordered), throttle and engine e-stop) (MUST select hydraulic swivel discharge with hydraulic flipper option)	\$ 14750.00
OPTION-925-5000-1	Hydraulic Flow Control (Double Pump Manifold)	\$ 625.00
OPTION-911-5001-7	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
AXLE		
Part #	Description	Unit Price
990-100468	Single 12,000 pound Leaf Spring axle with electric brakes	\$ 0.00
OPTION-925-5000-17	Single 12,000 pound Torflex axle with electric brakes (zero degree down trail) (will be approx. 7 1/2" lower compared to Leaf spring)	\$ 1475.00
OPTION-925-5000-19	Tandem 8,000 pound Torflex EZ lube axles with electric brakes (Must select long frame option under frame options)	\$ 875.00
TIRES/RIMS		
Part #	Description	Unit Price
990-1011-28	(2) 235/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 0.00
OPTION-937-5000-4	(2) 235/75R 17.5" tires mounted on 8-bolt aluminum rims (8,000 pound axles on up)	\$ 1125.00
OPTION-937-5000-46	(4) ST235/80R 16" tires mounted on 8 bolt steel DUAL rims (Can only be ordered with Single 12,000 Leaf Spring axle) - Total width of machine = 101"	\$ 475.00
OPTION-925-5000-2	(4) 235/75R 17.5" tires mounted on 8-bolt aluminum rims (Tandem 8,000 pound axles on up)	\$ 2925.00
OPTION-925-5000-20	(4) 235/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (Tandem 8,000 pound axles on up)	\$ 1250.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-925-5000-4	12" wide HD bolt on steel fenders - single axle units only	\$ 90.00
OPTION-937-5000-5	Steel weld on fenders for single axle with dual tires	\$ 125.00
OPTION-925-5000-4	14" wide heavy-duty steel bolt-on fenders for tandem 8k axles	\$ 725.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-937-5001-7	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1525.00
OPTION-905-5000-3	Paint the control bar red	\$ 150.00
Tire / Rim		
Part #	Description	Unit Price
OPTION-911-5001-3	Bolt on Spare Tire Mount (5/8" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
900-5904-76	Spare tire mounted on heavy-duty gray rim (235/75R 17.5")	\$ 625.00
900-5908-81	Spare tire mounted on aluminum rim (235/75R 17.5")	\$ 825.00
900-5904-64	Spare tire and rim for single axle with DUAL wheels (235/80R 16")	\$ 350.00
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00
OPTION-980-5000-16	Lockable steel battery box with (1) 1,000 CCA battery (in lieu of standard aluminum box) (All engines excluding Cummins)	\$ 155.00
Chipper Discharge		
Part #	Description	Unit Price
OPTION-915-5001-21	270 degree hydraulic controlled swivel discharge with hydraulic controlled 12" chip deflector (Includes height adjustable discharge & 270 degree discharge stops)	\$ 1850.00

Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-937-0501-3	Clean out and inspection door on transition	\$ 175.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-905-5002-1	Engine block heater for Ford gas engines only	\$ 450.00
OPTION-925-5000-5	Engine block heater for PSI gas engines only (PSI 174 horsepower only)	\$ 525.00
OPTION-925-5000-1	Offset Bearing Pad (18XP/19XPC)	\$ 1600.00
OPTION-999-5000-0	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
900-6996-22	5 year / 5,000 hour Platinum Warranty (C7.1 Cat Engines)	\$ 9730.00
900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
900-6010-41	5 year / 5,000 hour Warranty (6068 Deere engines)	\$ 3385.00
WTY-1EXT-19XPC	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 3105.00
WTY-2EXT-19XPC	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 5170.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-925-5000-3	40 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 185.00
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
Lights		
Part #	Description	Unit Price
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
OPTION-911-5000-1	"Whelen" LED, (L31HAF) warning strobe light (360 degrees) includes branch guard	\$ 1125.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8914-55	Additional Operating and Parts Manual - weather proof	\$ 95.00
Miscellaneous Options		
Part #	Description	Unit Price
456-1020-60	3 place tool holder for shovel and rakes (one place holds the pusher paddle)	\$ 150.00
Non-Skid Coating		
Part #	Description	Unit Price

OPTION-905-5001-9 Non skid coating on tongue and all step on areas \$ 175.00

Mud Flap		
Part #	Description	Unit Price

OPTION-905-5000-1 (2) Mud Flaps (1/4" x 12" x 18") \$ 95.00

Tongue		
Part #	Description	Unit Price

OPTION-955-20003 12" longer bolt-on tongue (18XP / 19XPC total tongue will be 45" (short frame and 50" long \$ 360.00
5 frame) (21XP / 2090 will be 57") - measurements are from A-frame to hitch plate

Tongue Jack		
Part #	Description	Unit Price

OPTION-911-5000-0 8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack) \$ 425.00

OPTION-905-5000-2 10,000 pound capacity tongue jack with spring return pad \$ 275.00

OPTION-911-5001-0 12,000 pound bolt on electric tongue jack \$ 2325.00

OPTION-955-5000-0 Hydraulic tongue jack with multiple position drop leg \$ 2025.00

Tool Box		
Part #	Description	Unit Price

OPTION-980-5001-0 Lockable steel tool box in lieu of standard aluminum box \$ 175.00

Wiring		
Part #	Description	Unit Price

OPTION-905-5000-1 Option 7 Prong (Flat/RV Style) to 6 prong coiled cord \$ 45.00
5



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 19XPC TRACK (19" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part

Description

Base Price

MODEL-19XPCTRK Intimidator 19XPC Track - (19" Drum Style)

\$ 113980.00

STANDARD EQUIPMENT

Part

Description

Unit Price

STANDARD	37" diameter x 22" wide drum with (4) 5/8" X 5 1/2" X 10" dual edge knives	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	33 1/2" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	50 gallon steel fuel tank with magnetic drain plug, lockable filler caps, and aluminum sight gauge	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	50 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Slide box feed system (w/ 2 adjustable springs on one side) and (2) horizontal feed wheels. Top wheel is 15 3/4" diameter x 24 1/2" wide driven via (1) 61 CID motor and chain. Bottom wheel is 10 5/8" diameter x 24 1/2" wide driven via (1) 58.5 CID motor	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel (controlled via radio remote control)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Hydraulic controlled swivel discharge with adjustable end chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Radio remote control with tether back-up (controls following functions: track forward/reverse, track left/right, discharge swivel left/right (n/a on stationary discharge), discharge deflector up/down, yoke up/down, feed forward/reverse, throttle, engine e-stop, and hydraulic winch if applicable).	\$ 0.00
STANDARD	Stand alone hydraulic oil cooler	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	Hydraulic pressure check kit	\$ 0.00

STANDARD	Electronic flow control for feed system (feed rate can be adjusted through controller)	\$ 0.00
STANDARD	Gate valve for fuel and hydraulic tank	\$ 0.00
STANDARD	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 0.00
STANDARD	Lockable battery disconnect switch (includes steel battery box)	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-911-5001-4 5	Special Imron Industrial Paint (please specify paint color and number) - 18XP / 19XPC TRACK (Requires specification)	\$ 975.00
OPTION-911-5001-4 6	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 18XP / 19XPC TRACK (Requires specification)	\$ 1875.00

ENGINE		
Part #	Description	Unit Price
990-RC1549-131	John Deere 4045HFC09, 173 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 48225.00
990-RC1637-209	Caterpillar C4.4, 174 horsepower engine without clutch - Tier 4 FINAL / STAGE V (Includes 2 year / 2,000 hour engine warranty) (Includes \$2,560 tariff)	\$ 51915.00
990-RC1605-176	Caterpillar C7.1L, 225 horsepower engine without clutch - Tier 4 FINAL / Stage V (Includes 2 year / 2,000 hour engine warranty) (Must select offset bearing pad on 19XPC towable and all track units) (Includes \$3,595 tariff)	\$ 67290.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-44	Murphy PV485 panel with reversing auto feed for Cat 174 horsepower diesel engines (Includes 1,000 CCA battery battery box) -Panel is mounted off of engine shroud in lockable composite cover - TRACK UNITS ONLY	\$ 4585.00
937-6000-98	Murphy PV485 panel with reversing auto feed for Cat 225 horsepower diesel engines (Includes 1,400 CCA battery with steel battery box) - TRACK UNITS ONLY	\$ 3910.00
911-6000-09	Murphy PV485 panel with reversing auto feed for John Deere 173 horsepower diesel engines (Includes 1,000 CCA battery battery box) -Panel is mounted off of engine shroud in lockable composite cover - TRACK UNITS ONLY	\$ 4295.00

CLUTCH		
Part #	Description	Unit Price
OPTION-911-5001-6	WPT Hi-Drive - 18XP / 19XPC track with John Deere 173 hp engine	\$ 15940.00
OPTION-911-5001-7	WPT Hi-Drive - 18XP / 19XPC track with Caterpillar 174 hp engine	\$ 23740.00
OPTION-925-5000-4	WPT Hi-Drive - 19XPC track with Caterpillar 225 hp engine	\$ 16075.00

TRACK		
Part #	Description	Unit Price
990-1015-39	Caterpillar 2-speed 305CR (400MM) rubber track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 0.00
990-1011-84	Caterpillar 305CR (400MM) steel track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 2750.00

INFEED		
Part #	Description	Unit Price
OPTION-980-5001-2 0	Hydraulic winch with line docking station and feed assist controlled via remote (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed)	\$ 4500.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-925-5000-2	Clear Infeed Curtain	\$ 285.00
OPTION-911-5001-3 6	Hydraulic bump bar for 64" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2160.00

ADD-ON OPTIONS		
Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-937-0501-3	Clean out and inspection door on transition	\$ 175.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-925-5000-1	Offset Bearing Pad (18XP/19XPC)	\$ 1600.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
900-6996-22	5 year / 5,000 hour Platinum Warranty (C7.1 Cat Engines)	\$ 9730.00
900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
WTY-1EXT-19XPCT	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine, clutch, and tracks	\$ 5075.00
WTY-2EXT-19XPCT	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine, clutch, and tracks	\$ 7140.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8914-55	Additional Operating and Parts Manual - weather proof	\$ 95.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

INTIMIDATOR 21XP (21" DRUM STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-21XP	Intimidator 21XP - (21" Drum Style)	\$ 97750.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	Slide box feed system (w/ 2 adjustable springs on one side) and (2) horizontal feed wheels. Top wheel is 15 3/4" diameter x 32" wide and bottom wheel 10 5/8" diameter x 32" wide.	\$ 0.00
STANDARD	37" Diameter x 24" wide drum with (4) 5/8" X 5 1/2" X 12 1/8" dual edge bolt-on knives	\$ 0.00
STANDARD	Loader not included	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope	\$ 0.00
STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Hydraulic pressure check kit	\$ 0.00
STANDARD	80 gallon steel fuel tank with magnetic drain plug, lockable filler caps, and aluminum sight gauge	\$ 0.00
STANDARD	30 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	270 degree hydraulic swivel discharge with manual flipper (discharge is height adjustable)	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	3/8" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	41" high x 64" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	3/8" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Hydraulic tongue jack	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00

STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-937-5002-9 8	Special Imron Industrial Paint (please specify paint color and number) - 21XP / 20XP (Requires specification)	\$ 2050.00
OPTION-937-5002-9 9	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 21XP / 20XP (Requires specification)	\$ 3750.00

CAB/LOADER		
Part #	Description	Unit Price
OPTION-937-5003-7 2	Kesla 500 Series Loader controlled via radio remote control (Towable units includes: hydraulic oil cooler, 60 gallon hydraulic tank, dual rear hydraulic stabilizers, hydraulic tongue jack, hydraulic flipper, HD infeed with solid tray and storage grapple barrel located on tongue)	\$ 105975.00
OPTION-937-5003-7 3	Kesla 500 Series Loader controlled via swing-out operator's console (Towable units includes: hydraulic oil cooler, 60 gallon hydraulic tank, dual rear hydraulic stabilizers, hydraulic tongue jack, hydraulic flipper, HD infeed with solid tray and storage grapple barrel located on tongue)	\$ 104295.00

ENGINE		
Part #	Description	Unit Price
990-RC1593-124	Caterpillar C7.1L, 275 horsepower engine without clutch - Tier 4 FINAL / Stage V (Includes 2 year / 2,000 engine warranty) (Drum chippers only - must select offset bearing pad under base assembly and WPT clutch if a track or loader option is selected) (Includes \$3,595 tariff)	\$ 66820.00
990-RC1592-123	Caterpillar C7.1L, 321 horsepower engine without clutch - Tier 4 FINAL / Stage V (Includes Caterpillar 2 year / 2,000 hour engine warranty) (Drum chippers only - must select offset bearing pad under base assembly and WPT clutch if a track or loader option is selected) (Includes \$3,595 tariff)	\$ 83680.00
990-RC1640-212	John Deere 6068HFC09, 300 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty) (Drum chippers only - must select offset bearing pad under base assembly and WPT clutch if a track or loader option is selected)	\$ 70085.00
990-RC1393-974	Cummins QSL9, 350 horsepower engine without clutch- Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty) (note: on a 20XP track with loader or 312 tracks the WPT clutch with high drive and HD offset bearing pad must be ordered) (Includes \$2,725.00 tariff)	\$ 93430.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
937-6000-30	Bandit control panel with reversing auto feed for Cat 275 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 6475.00
937-6000-36	Bandit control panel with reversing auto feed for Cat 275 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Track or Loader unit	\$ 7325.00
937-6001-02	Bandit control panel with reversing auto feed for Cat 321 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 6540.00
937-6000-54	Bandit control panel with reversing auto feed for Cat 321 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Track or Loader unit	\$ 7150.00
937-6001-30	Bandit control panel with reversing auto feed for John Deere 300 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 7215.00
937-6001-00	Bandit control panel with reversing auto feed for John Deere 300 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - loader unit only	\$ 7425.00

937-6000-62	Bandit control panel with reversing auto feed for Cummins 350 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 7415.00
--------------------	---	-------------------

937-6000-67	Bandit control panel with reversing auto feed for Cummins 350 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Track or Loader Machine	\$ 10425.00
--------------------	---	--------------------

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-14	NACD over center (Triple plate clutch)	\$ 3605.00
937-1016-27	NACD 14T over center clutch for Cummins engine	\$ 4020.00
937-1016-59	NACD 14T over center clutch for John Deere or Cat engine	\$ 3750.00
OPTION-937-5002-10	311 WPT triple plate clutch with high drives (Must be selected on track or loader if engine calls for it) (275 horsepower)	\$ 14640.00
OPTION-937-5001-50	314 WPT triple plate clutch with high drives (Must be selected on track or loader units if engine calls for it) (300 horsepower on up)	\$ 27935.00

DRIVE SYSTEM		
Part #	Description	Unit Price
standard834	Standard drive system - engines below 200 horsepower only	\$ 0.00
OPTION-937-5001-0	Drive System for engines ranging from 225 - 275 horsepower	\$ 725.00
OPTION-937-5001-08	Drive system for engines 276 to 349 horsepower (Must select a tandem axle option 10,000lb or above.)	\$ 2075.00
OPTION-937-5003-5	Drive system for Cummins 350 horsepower	\$ 3560.00
OPTION-937-5003-5	Drive system for Kesla loader with Caterpillar 275 horsepower engine	\$ 970.00
OPTION-937-5003-5	Drive system for Kesla loader for 300 horsepower engines and above	\$ 2550.00

INFEED		
Part #	Description	Unit Price
OPTION-980-5002-08	Hydraulic winch with line docking station with electronic joystick feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer unless dual rear hydraulic stabilizers are ordered)	\$ 6175.00
OPTION-937-5003-69	Hydraulic winch with line docking station with electronic joystick feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer) - machines ordered with Kesla loader only	\$ 6175.00
OPTION-937-5001-3	41" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 1710.00
OPTION-937-5002-7	Dual rear hydraulic stabilizers (machines without winch)	\$ 3525.00
OPTION-937-5002-2	Dual rear hydraulic stabilizers (machines with winch)	\$ 2850.00
OPTION-911-5001-5	Clear Infeed Curtain	\$ 260.00
OPTION-937-5001-79	Dual forward activated last change cables (includes yellow vinyl grips and the bar painted fluorescent yellow with UV protection)	\$ 875.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-911-5001-58	Radio remote control with tether back-up (Controls: feed forward / reverse, yoke up / down, discharge swivel, discharge flipper up/ down (winch if ordered), throttle and engine e-stop) (MUST select hydraulic swivel discharge with hydraulic flipper option)	\$ 14750.00
OPTION-920-5000-38	Radio remote control (Controls: feed forward / reverse, yoke up / down, discharge swivel, discharge flipper up/ down (winch if ordered), throttle and engine e-stop) (MUST select hydraulic flipper on 21XP) - KESLA LOADER UNITS WITH SWING-OUT ONLY	\$ 5250.00
OPTION-937-5002-0	Hydraulic Flow Controls w/3-Bank Valve	\$ 675.00

AXLE		
Part #	Description	Unit Price
standard832	Tandem 10,000 pound Torflex axles with electric brakes	\$ 0.00
OPTION-937-5003-90	Tandem 12,000 pound Spring axles with electric brakes	\$ 2375.00

TIRES/RIMS		
Part #	Description	Unit Price
990-100731	(4) 235/75R 17.5" tires mounted on HD gray rims (Tandem 8,000 pound axles on up)	\$ 0.00
OPTION-937-5003-1	(4) 235/75R 17.5" Tires mounted on 8-Bolt aluminum rim (Tandem 8,000 pound axles on up)	\$ 1625.00
FENDER		
Part #	Description	Unit Price
standard833	16" wide WELD-ON steel tandem axle fenders (Torflex or Leaf Spring axles)	\$ 0.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
ADD-ON OPTIONS		
Tire / Rim		
Part #	Description	Unit Price
OPTION-955-5000-1	Bol-on spare tire mount	\$ 475.00
900-5904-76	Spare tire mounted on heavy-duty gray rim (235/75R 17.5")	\$ 625.00
900-5908-81	Spare tire mounted on aluminum rim (235/75R 17.5")	\$ 825.00
Base Assembly		
Part #	Description	Unit Price
OPTION-937-5002-3 1	Offset Bearing Pad (Includes heavier duty drum with 4 7/16" shaft) - Only to be selected if engine calls for it	\$ 11740.00
Chipper Discharge		
Part #	Description	Unit Price
OPTION-937-5002-4	270 degree hydraulic swivel discharge with hydraulic flipper (discharge is height adjustable)	\$ 1350.00
OPTION-937-5003-7	30" manual discharge end flipper in lieu of standard (non radio machines only)	\$ 295.00
OPTION-937-5003-8 0	30" longer hydraulic swivel discharge with 30" long manual discharge flipper in lieu of standard (non radio machines only)	\$ 425.00
OPTION-937-5004-2	30" longer hydraulic swivel discharge with hydraulic flipper in lieu of standard	\$ 1550.00
Chipper Discharge Transition		
Part #	Description	Unit Price
OPTION-937-5000-5	Clean out and inspection door on transition (not available with stationary discharge)	\$ 175.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
OPTION-937-5003-3	Fender mounted pole style bolt on cone holder - Kesla loader units only	\$ 175.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-999-5000-0 0	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00
Extended Warranties		
Part #	Description	Unit Price
900-6996-22	5 year / 5,000 hour Platinum Warranty (C7.1 Cat Engines)	\$ 9730.00
900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
900-6010-41	5 year / 5,000 hour Warranty (6068 Deere engines)	\$ 3385.00

900-9950-10	5 year / 6,000 hour Warranty (QSL9 Cummins Engines) - Parts and labor coverage only	\$ 4575.00
WTY-1EXT-21XP	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 4420.00
WTY-2EXT-21XP	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 7365.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
OPTION-937-5002-8 4	80 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and Rochester sight gauge	\$ 1025.00
Knife And Parts		
Part #	Description	Unit Price
OPTION-937-5002-1	Replaceable knife holders - dual-edge knives	\$ 3125.00
OPTION-937-5001-4	Replaceable holders with Babbitted knives and counter knives	\$ 4150.00
OPTION-937-5002-7	Replaceable holders with Babbitted knives and counter knives (unit with HD base)	\$ 2750.00
Lights		
Part #	Description	Unit Price
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
OPTION-937-5003-6	Wig Wag LED Strobe Lights - for a machine with Kesla loader	\$ 625.00
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8912-39	Additional Operating and Parts Manual - weather proof	\$ 95.00
Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
Tongue		
Part #	Description	Unit Price
OPTION-937-5003-0	Optional 12" longer tongue for units with KESLA loader only	\$ 1585.00
OPTION-955-20003 5	12" longer bolt-on tongue (18XP / 19XPC total tongue will be 45" (short frame and 50" long frame) (21XP / 2090 will be 57") - measurements are from A-frame to hitch plate	\$ 360.00
Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1 5	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

65XP (6" DISC STYLE) BRUSH BANDIT

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-65	65XP - (6" Disc Style) Brush Bandit	\$ 16740.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	26" diameter x 3/4" thick (2 knife pocket) chipper disc, each pocket equipped with (1) 1/2" x 4" x 7 1/4" dual edge knife.	\$ 0.00
STANDARD	7 gallon Flambeau EPA Plastic tank with carb canister and fuel gauge	\$ 0.00
STANDARD	7 gallon steel hydraulic tank with magnetic drain plug and gate valve	\$ 0.00
STANDARD	Hinged yoke assembly with a single 10 5/8" diameter x 11 1/2" wide feed wheel	\$ 0.00
STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack	\$ 0.00
STANDARD	360 degree manual swivel discharge with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	24" high x 42" wide tapered infeed hopper with 30" fold down infeed tray	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	3/16" x 2" x 4" rectangular tubing with a 1/4" x 2" x 4" tubular tongue	\$ 0.00
STANDARD	1/4" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	2,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit for 65/75 - Single Wheel - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00

MODEL PACKAGE

Part #	Description	Unit Price
P10010876	Package 1 for Model 65XP - (MUST SELECT THE BELOW OPTIONS)	\$ 0.00
	*** Auto feed (non reversing) with IEC tach	
	*** Engine top cover	

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00

OPTION-626-5000-83	Special Imron Industrial Paint (please specify paint color and number) - 65XP (Requires specification)	\$ 600.00
OPTION-626-5000-84	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 65XP (Requires specification)	\$ 1150.00

ENGINE		
Part #	Description	Unit Price
990-RC0839-421	Kohler CH740, 25 horsepower gas engine (Includes 3 year / 2,000 hour engine warranty)	\$ 3875.00
990-RC1194-775	Kohler CH1000, 37 horsepower gas engine (direct drive - NO clutch) (Model 65/75) (Includes 3 year / 2,000 hour engine warranty)	\$ 4530.00
990-RC0747-328	Vanguard 613477, 35 horsepower gas engine (Includes 3 year / 2,000 hour engine warranty)	\$ 3970.00

INFEED		
Part #	Description	Unit Price
OPTION-626-1000-96	Optional hydraulic bump bar with re-set handles on each side for 42" wide infeed tray (no override) - includes spring assists on infeed pan	\$ 2045.00
OPTION-626-5000-2	Rear Stabilizer - 65/75	\$ 75.00
OPTION-907-5000-1	Shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 625.00
OPTION-626-5000-8	Clear Infeed Curtain	\$ 185.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-980-100123	Hydraulic flow control for feed wheel rate adjustment (note: this option is standard on all track machines with the Bandit control panel)	\$ 425.00

AXLE		
Part #	Description	Unit Price
990-100439	Single 2,200 pound non-brake Torflex EZ lube axle	\$ 0.00
OPTION-626-5000-0	Single 3,500 pound electric brake Torflex EZ lube axle	\$ 515.00

TIRES/RIMS		
Part #	Description	Unit Price
990-100403	(2) 20.5 x 8" x 10" tires mounted on 5-bolt white solid rims (standard tires for 2,200 pound axle)	\$ 0.00
OPTION-626-5000-17	(2) P-185 x 14" tires mounted on 5-bolt white modular rims (must select with 3,500 pound axle upgrade)	\$ 245.00

FENDER		
Part #	Description	Unit Price
990-100411	10 gauge steel weld on fenders (standard fenders for 2,200 pound axle with 20.5" x 8" x 10" tires)	\$ 0.00
OPTION-626-5000-1	Aluminum bolt on fenders for 20.5 x 8 tires (in lieu of 10 gauge steel fenders)	\$ 405.00
OPTION-626-5000-1	Heavy-duty steel weld on fenders	\$ 125.00

HITCH		
Part #	Description	Unit Price
990-100276	2" Fulton Ball Hitch	\$ 0.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-626-5000-1	2" Adjustable Croftball Hitch	\$ 175.00
OPTION-626-5000-1	2" Bulldog Hitch	\$ 205.00
OPTION-626-5000-2	2-1/2" Pintle Hitch	\$ 125.00

ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
626-1000-98	Four position valve for control bar (stop / forward / stop / reverse)	\$ 895.00
OPTION-905-5000-37	Paint the control bar red	\$ 150.00

Battery and Battery Box		
Part #	Description	Unit Price
OPTION-626-5000-8	Battery disconnect switch	\$ 375.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-626-5000-3	Engine top cover (Gas engines only) (Briggs, Kohler or Vanguard Engines Only.)	\$ 425.00
OPTION-626-1000-8	Auto feed (non-reversing) with IEC tach	\$ 1225.00
Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-65	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 860.00
WTY-2EXT-65	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 1435.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-907-5000-2	Bolt-on 2 1/2 pound fire extinguisher (gas engines only)	\$ 225.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-626-5000-7	Fuel line shutoff for plastic fuel tank (in-line)	\$ 40.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-58	Additional Operating and Parts Manual - weather proof	\$ 95.00
Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
Tool Box		
Part #	Description	Unit Price
911-1000-08	Lockable aluminum tool box	\$ 240.00
Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

75XP (7" DISC STYLE) BRUSH BANDIT

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-75	75XP - (7" Disc Style) Brush Bandit	\$ 19925.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	26" diameter x 3/4" thick (2 knife pocket) chipper disc, each pocket equipped with (1) 1/2" x 4" x 8 3/8" dual edge knife.	\$ 0.00
STANDARD	7 gallon Flambeau EPA Plastic tank with carb canister and fuel gauge	\$ 0.00
STANDARD	7 gallon steel hydraulic tank with magnetic drain plug and gate valve	\$ 0.00
STANDARD	Hinged yoke assembly with a single 10 5/8" diameter x 11 1/2" wide feed wheel	\$ 0.00
STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack	\$ 0.00
STANDARD	360 degree manual swivel discharge with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	24" high x 42" wide tapered infeed hopper with 30" fold down infeed tray	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	3/16" x 2" x 4" rectangular tubing with a 1/4" x 2" x 4" tubular tongue	\$ 0.00
STANDARD	1/4" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	2,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit for 65/75 - Single Wheel - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00

MODEL PACKAGE

Part #	Description	Unit Price
P10021558	Package 1 for Model 75XP - (MUST SELECT BELOW OPTIONS) *** Auto feed (non reversing) with IEC tach *** Engine top cover	\$ 0.00
P10021630	Package 2 for Model 75XP - (MUST SELECT BELOW OPTIONS) *** Auto feed (non reversing) with IEC tach *** Engine top cover *** Hinged yoke assembly with DUAL feed wheels (Top feed wheel is 10 5/8" diameter x 11 1/2" wide and bottom feed wheel is 6 1/2" diameter x 11 1/2" wide)	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-907-5000-29	Special Imron Industrial Paint (please specify paint color and number) - 75XP (Requires specification)	\$ 600.00
OPTION-907-5000-30	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 75XP (Requires specification)	\$ 1150.00
ENGINE		
Part #	Description	Unit Price
990-RC0839-421	Kohler CH740, 25 horsepower gas engine (Includes 3 year / 2,000 hour engine warranty)	\$ 3875.00
990-RC1194-775	Kohler CH1000, 37 horsepower gas engine (direct drive - NO clutch) (Model 65/75) (Includes 3 year / 2,000 hour engine warranty)	\$ 4530.00
990-RC0747-328	Vanguard 613477, 35 horsepower gas engine (Includes 3 year / 2,000 hour engine warranty)	\$ 3970.00
INFEED		
Part #	Description	Unit Price
OPTION-907-5000-1	Shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 625.00
OPTION-626-1000-96	Optional hydraulic bump bar with re-set handles on each side for 42" wide infeed tray (no override) - includes spring assists on infeed pan	\$ 2045.00
OPTION-626-5000-2	Rear Stabilizer - 65/75	\$ 75.00
OPTION-626-5000-8	Clear Infeed Curtain	\$ 185.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-626-5000-48	Double teeth on bottom feed wheel (11" wide feed wheel) **(ONLY AVAILABLE WITH DUAL FEED WHEELS)**	\$ 175.00
OPTION-907-5000-24	Hinged yoke assembly with DUAL feed wheels (Top feed wheel is 10 5/8" diameter x 11 1/2" wide and bottom feed wheel is 6 1/2" diameter x 11 1/2" wide)	\$ 1625.00
OPTION-980-100123	Hydraulic flow control for feed wheel rate adjustment (note: this option is standard on all track machines with the Bandit control panel)	\$ 425.00
AXLE		
Part #	Description	Unit Price
990-100439	Single 2,200 pound non-brake Torflex EZ lube axle	\$ 0.00
OPTION-626-5000-0	Single 3,500 pound electric brake Torflex EZ lube axle	\$ 515.00
TIRES/RIMS		
Part #	Description	Unit Price
990-100403	(2) 20.5 x 8" x 10" tires mounted on 5-bolt white solid rims (standard tires for 2,200 pound axle)	\$ 0.00
OPTION-626-5000-17	(2) P-185 x 14" tires mounted on 5-bolt white modular rims (must select with 3,500 pound axle upgrade)	\$ 245.00
FENDER		
Part #	Description	Unit Price
990-100411	10 gauge steel weld on fenders (standard fenders for 2,200 pound axle with 20.5" x 8" x 10" tires)	\$ 0.00
OPTION-626-5000-1	Aluminum bolt on fenders for 20.5 x 8 tires (in lieu of 10 gauge steel fenders)	\$ 405.00
OPTION-626-5000-1	Heavy-duty steel weld on fenders	\$ 125.00
HITCH		
Part #	Description	Unit Price
990-100276	2" Fulton Ball Hitch	\$ 0.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-626-5000-1	2" Adjustable Croftball Hitch	\$ 175.00
OPTION-626-5000-1	2" Bulldog Hitch	\$ 205.00

OPTION-626-5000-2 2-1/2" Pintle Hitch \$ 125.00

ADD-ON OPTIONS

Infeed		
Part #	Description	Unit Price

OPTION-905-5000-3 Paint the control bar red \$ 150.00

626-1000-98 Four position valve for control bar (stop / forward / stop / reverse) \$ 895.00

Battery and Battery Box

Part #	Description	Unit Price
--------	-------------	------------

OPTION-626-5000-8 Battery disconnect switch \$ 375.00

Chocks & Chock Holders

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-10002 Aluminum Bolt On Chock Holders (Does not include chocks) \$ 130.00

OPTION-980-5001-0 Rubber Wheel Chocks (2) \$ 90.00

Engine Related Options

Part #	Description	Unit Price
--------	-------------	------------

OPTION-626-5000-3 Engine top cover (Gas engines only) (Briggs, Kohler or Vanguard Engines Only.) \$ 425.00

OPTION-626-1000-8 Auto feed (non-reversing) with IEC tach \$ 1225.00

Extended Warranties

Part #	Description	Unit Price
--------	-------------	------------

WTY-1EXT-75 1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch \$ 1025.00

WTY-2EXT-75 2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch \$ 1710.00

Fire Extinguisher

Part #	Description	Unit Price
--------	-------------	------------

OPTION-907-5000-2 Bolt-on 2 1/2 pound fire extinguisher (gas engines only) \$ 225.00

Flag Holder

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-10009 Adjustable fender marker poles (mount is bolt-on) \$ 105.00

Fuel And Hydraulic Tanks

Part #	Description	Unit Price
--------	-------------	------------

OPTION-626-5000-7 Fuel line shutoff for plastic fuel tank (in-line) \$ 40.00

Manuals (Machine)

Part #	Description	Unit Price
--------	-------------	------------

900-8901-59 Additional Operating and Parts Manual - weather proof \$ 95.00

Mud Flap

Part #	Description	Unit Price
--------	-------------	------------

OPTION-905-5000-1 (2) Mud Flaps (1/4" x 12" x 18") \$ 95.00

Tongue Jack

Part #	Description	Unit Price
--------	-------------	------------

OPTION-911-5000-0 8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack) \$ 425.00

Tool Box

Part #	Description	Unit Price
--------	-------------	------------

911-1000-08 Lockable aluminum tool box \$ 240.00

Wiring

Part #	Description	Unit Price
--------	-------------	------------

OPTION-905-5000-1 Option 7 Prong (Flat/RV Style) to 6 prong coiled cord \$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

90XC (9" DISC STYLE) BRUSH BANDIT

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-90XC	90XC - (9" Disc Style) Brush Bandit	\$ 25635.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	30" diameter x 1-1/2" thick (2 knife pocket) chipper disc, each pocket equipped with (2) 1/2" x 4" x 5 1/8" dual edge knives	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	18 gallon steel fuel tank with magnetic drain plug and aluminum sight gauge	\$ 0.00
STANDARD	7 gallon steel hydraulic tank with magnetic drain plug, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 7 1/2" diameter x 16 3/8" wide, driven by (2) 15.9 CID hydraulic motors.	\$ 0.00
STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack (not provided when hydraulic lift cylinder option is selected)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree manual swivel discharge with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	29" high x 45" wide tapered infeed hopper with 30" fold down infeed hopper tray	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	3/16" x 2" x 4" rectangular tubing with a 1/4" x 3" x 4" tubular tongue	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	5,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-986-5000-5	Special Imron Industrial Paint (please specify paint color and number) - 90XP (Requires specification)	\$ 675.00

OPTION-986-5000-58	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 90XP (Requires specification)	\$ 1275.00
---------------------------	--	-------------------

ENGINE		
Part #	Description	Unit Price
990-RC1666-238	Vanguard 40 horsepower (EFI) gas engine (Includes 3 year / 2,000 hour engine warranty) - Includes engine top cover	\$ 3975.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
870-6000-01	Reversing auto feed with LOR tach for Vanguard EFI horsepower gas engine / centrifugal clutch (Includes 530 CCA battery)	\$ 2890.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00

INFEED		
Part #	Description	Unit Price
OPTION-986-5000-68	Optional hydraulic bump bar with re-set handles on each side for 45" wide infeed tray (no override) - includes spring assists on infeed pan	\$ 1825.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5000-59	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-986-10000	Hydraulic lift cylinder for top feed wheel	\$ 1050.00
OPTION-905-5001-3	Hydraulic Flow Control (Single Mount)	\$ 395.00
OPTION-905-5000-3	Spring Loaded Tool less Trap Door	\$ 250.00

AXLE		
Part #	Description	Unit Price
990-1019-09	Single 6,000 pound Lippert Torsion axle with electric brakes	\$ 0.00
OPTION-870-5000-0	Single 6,000 pound Lippert Torsion axle with hydraulic brakes	\$ 325.00

TIRES/RIMS		
Part #	Description	Unit Price
990-1014-87	(2) 225/75R 15" tires mounted on 6-bolt white modular rims	\$ 0.00
OPTION-980-5001-5	(2) 225/75R 15" tires mounted on 6-bolt aluminum rims	\$ 375.00

FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00

HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2" Bulldog Ball Hitch (extends tongue approx 15 1/2")	\$ 190.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
OPTION-980-5000-5	2-5/16" Ball Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00

ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price

OPTION-905-1000-3 Four position valve for control bar (stop / forward / stop / reverse) **\$ 1150.00**

Tire / Rim		
Part #	Description	Unit Price
900-5907-21	Spare tire mounted on white modular rim (225/75R 15")	\$ 250.00
900-5916-38	Spare tire mounted on aluminum rim (225/75R 15")	\$ 395.00
OPTION-980-5001-6	Bolt on Spare Tire Mount (1/2" Bolts on 5-1/2" Bolt Centers)	\$ 240.00

Battery and Battery Box		
Part #	Description	Unit Price
OPTION-626-5000-8	Battery disconnect switch	\$ 375.00

Chipper Discharge		
Part #	Description	Unit Price
OPTION-986-5000-1	Hand crank height adjustable discharge	\$ 450.00

Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00

Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00

Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-90	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 1415.00
WTY-2EXT-90	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 2355.00

Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00

Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00

Manuals (Machine)		
Part #	Description	Unit Price
900-8912-45	Additional Operating and Parts Manual - weather proof	\$ 95.00

Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00

Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00

Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00

Tool Box		
Part #	Description	Unit Price
911-1000-08	Lockable aluminum tool box	\$ 240.00

Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

200UC (12" DISC STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-200UC	200UC - (12" Disc Style)	\$ 27355.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	40" diameter x 1 1/4" (2 knife pocket) chipper disc, each pocket equipped with (2) 1/2" x 4" x 7 1/4" dual edge knives (120 FPM feed rate)	\$ 0.00
STANDARD	24-1/2 gallon steel fuel tank with magnetic drain plug and aluminium sight gauge	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 7 1/2" diameter x 16 3/8" wide, driven by (2) 15.9 CID hydraulic motors.	\$ 0.00
STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack (not provided when hydraulic lift cylinder option is selected)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree manual swivel discharge with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	29" high x 45" wide tapered infeed hopper with 30" fold down infeed hopper tray	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 4" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00

MODEL PACKAGE

Part #	Description	Unit Price
P10020146	Mitsubishi 74 gas engine / electric brake axle package - 200UC - Must Select:	\$ 0.00

*** Hand Crank Height

*** Hydraulic Lift Cylinder

P10008273	Ford 84 gas engine / electric brake axle package - 200UC - Must Select:	\$ 0.00
	*** Hand Crank Height *** Hydraulic Lift Cylinder	
P10008302	Kohler 74 diesel engine / electric brake axle package - 200UC - Must Select:	\$ 0.00
	*** Hand Crank Height *** Hydraulic Lift Cylinder	
P10020147	Mitsubishi 74 gas engine / hydraulic brake axle package - 200UC - Must Select:	\$ 0.00
	*** Hand Crank Height *** Hydraulic Lift Cylinder	
P10008306	Ford 84 gas engine / hydraulic brake axle package - 200UC - Must Select:	\$ 0.00
	*** Hand Crank Height *** Hydraulic Lift Cylinder	
P10008315	Kohler 74 diesel engine / hydraulic brake axle package - 200UC - Must Select:	\$ 0.00
	*** Hand Crank Height *** Hydraulic Lift Cylinder	

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-980-5001-89	Special Imron Industrial Paint (please specify paint color and number) - 200UC (Requires specification)	\$ 675.00
OPTION-980-5001-90	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 200UC (Requires specification)	\$ 1275.00

ENGINE		
Part #	Description	Unit Price
990-RC1648-220	Mitsubishi 2.4L, 74 horsepower gas engine with autoclutch (Includes spark arrestor muffler) (Includes \$1,245 Tariff)	\$ 10895.00
990-RC1632-204	Ford MSG-425, 2.5L, 84 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 13365.00
990-RC1520-102	Kohler KDI2504, 74 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL (Includes \$1,425 tariff)	\$ 23100.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-56	IEC mechanical tach WITHOUT auto feed for Mitsubishi 74 gas engines only (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with no cover	\$ 1695.00
700-6000-54	Murphy PV485 panel with reversing auto feed for Mitsubishi gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with no cover	\$ 2985.00
905-6000-41	Murphy PV485 panel with reversing auto feed for Ford 84 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2390.00
980-6000-37	Murphy PV485 panel with reversing auto feed for Kohler 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2910.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-34	NACD Spring Loaded Clutch for Ford 84 hp gas engine	\$ 1325.00
700-1000-32	PSI Auto Clutch	\$ 2150.00

INFEED		
Part #	Description	Unit Price
OPTION-980-5001-4 1	Hydraulic bump bar for 45" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override)	\$ 2250.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5000-5 9	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-980-5001-7	Hydraulic lift cylinder for top feed wheel	\$ 1050.00
OPTION-905-5001-3	Hydraulic Flow Control (Single Mount)	\$ 395.00
OPTION-905-5000-3	Spring Loaded Tool less Trap Door	\$ 250.00
AXLE		
Part #	Description	Unit Price
990-100447	Single 7,000 pound Torflex EZ lube electric brake axle (standard axle)	\$ 0.00
OPTION-986-5000-3	Single 7,000 Pound Torflex EZ lube hydraulic brake axle (free backing)	\$ 705.00
TIRES/RIMS		
Part #	Description	Unit Price
990-1017-29	(2) ST235/80R 16" tires mounted on 8-bolt white modular rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 0.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2" Bulldog Ball Hitch (extends tongue approx 15 1/2")	\$ 190.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
OPTION-980-5000-5	2-5/16" Ball Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
Tire / Rim		
Part #	Description	Unit Price
900-5913-90	Spare tire mounted on white spoke rim (235/80R 16") - 8 bolt rim	\$ 275.00
900-5913-94	Spare tire mounted on aluminum rim (235/80R 16")	\$ 405.00
OPTION-905-5001-7	Bolt On Spare Tire Mount (9/16" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00
Chipper Discharge		
Part #	Description	Unit Price
OPTION-980-10016 1	Hand crank height adjustable discharge	\$ 450.00

Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-905-5001-8	Lockable cover for instrument panel (Mitsubishi gas engines only)	\$ 115.00
OPTION-905-5002-1	Engine block heater for Ford gas engines only	\$ 450.00
OPTION-999-5000-0	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00
Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-200UC	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 1395.00
WTY-2EXT-200UC	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 2330.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
Lights		
Part #	Description	Unit Price
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-93	Additional Operating and Parts Manual - weather proof	\$ 95.00
Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
Tongue		
Part #	Description	Unit Price
OPTION-980-5000-0	12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate	\$ 280.00
Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
Tool Box		
Part #	Description	Unit Price
911-1000-08	Lockable aluminum tool box	\$ 240.00

Wiring		
Part #	Description	Unit Price

OPTION-905-5000-1	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00
-------------------	---	----------

5



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

200XP (12" DISC STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-200	200XP - (12" Disc Style)	\$ 31970.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	40" diameter x 2" thick (2 knife pocket) chipper disc, each pocket equipped with (2) 1/2" x 4 1/2" x 7 1/4" dual edge knives	\$ 0.00
STANDARD	24-1/2 gallon steel fuel tank with magnetic drain plug and aluminium sight gauge	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 7 1/2" diameter x 16 3/8" wide, driven by (2) 15.9 CID hydraulic motors.	\$ 0.00
STANDARD	Top feed wheel jack mount with locking pin to raise & lock top feed wheel using tongue jack (not provided when hydraulic lift cylinder option is selected)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	29" high x 45" wide tapered infeed hopper with 30" fold down infeed hopper tray	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	(2) radiator guard posts	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00

333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-980-5002-02	Special Imron Industrial Paint (please specify paint color and number) - 200 (Requires specification)	\$ 675.00
OPTION-980-5002-03	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 200 (Requires specification)	\$ 1275.00

ENGINE		
Part #	Description	Unit Price
990-RC1648-220	Mitsubishi 2.4L, 74 horsepower gas engine with autoclutch (Includes spark arrestor muffler) (Includes \$1,245 Tariff)	\$ 10895.00
990-RC1632-204	Ford MSG-425, 2.5L, 84 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty)	\$ 13365.00
990-RC1520-102	Kohler KDI2504, 74 horsepower (turbocharged) diesel engine with NACD spring loaded clutch - Tier 4 FINAL (Includes \$1,425 tariff)	\$ 23100.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-56	IEC mechanical tach WITHOUT auto feed for Mitsubishi 74 gas engines only (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with no cover	\$ 1695.00
700-6000-54	Murphy PV485 panel with reversing auto feed for Mitsubishi gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with no cover	\$ 2985.00
905-6000-41	Murphy PV485 panel with reversing auto feed for Ford 84 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2390.00
980-6000-50	Murphy PV485 panel with reversing auto feed for Kohler 74 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2850.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-34	NACD Spring Loaded Clutch for Ford 84 hp gas engine	\$ 1325.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00

DRIVE SYSTEM		
Part #	Description	Unit Price
990-1017-54	Standard frame and drive system included in base price	\$ 0.00

INFEED		
Part #	Description	Unit Price
OPTION-980-5001-41	Hydraulic bump bar for 45" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override)	\$ 2250.00
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-905-5000-59	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-905-5000-8	Hydraulic lift cylinder for top feed wheel	\$ 1050.00
OPTION-915-5000-4	Hydraulic flow control for feed wheel rate adjustment (All-In-One Mount)	\$ 425.00
OPTION-905-5000-3	Spring Loaded Tool less Trap Door	\$ 250.00

AXLE		
Part #	Description	Unit Price
990-1018-32	Single 7,000 pound Torflex EZ Lube axle with electric brakes	\$ 0.00
OPTION-905-5000-58	Single 7,000 pound Torflex EZ lube hydraulic brake axle (Free backing)	\$ 1185.00

TIRES/RIMS		
Part #	Description	Unit Price
990-1017-29	(2) ST235/80R 16" tires mounted on 8-bolt white modular rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 0.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-5	3" Pintle Hitch with Model 20 actuator for Hydraulic brake axles	\$ 1210.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
OPTION-905-5000-3	Paint the control bar red	\$ 150.00
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-999-5000-00	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
WTY-1EXT-200	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 1585.00
WTY-2EXT-200	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 2640.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Lights		
Part #	Description	Unit Price
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00

Manuals (Machine)		
Part #	Description	Unit Price
900-8912-35	Additional Operating and Parts Manual - weather proof	\$ 115.00
Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
Tongue		
Part #	Description	Unit Price
OPTION-980-5000-0 2	12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate	\$ 280.00
Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1 5	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

250XP (12" DISC STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-250	250XP - (12" Disc Style)	\$ 38720.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	40" diameter x 2" thick (2 knife pocket) chipper disc, each pocket equipped with (2) 1/2" x 4 1/2" x 7 1/4" dual edge knives	\$ 0.00
STANDARD	40 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	13 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	29" high x 64" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	(2) radiator guard posts	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	5/16" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-981-5000-3 3	Special Imron Industrial Paint (please specify paint color and number) - 250 (Requires specification)	\$ 795.00
OPTION-981-5000-3 4	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 250XP (Requires specification)	\$ 1525.00
ENGINE		
Part #	Description	Unit Price
990-RC1512-095	PSI 4.3L, 145 horsepower gas engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 16010.00
990-RC1618-190	Kohler KFI34SE300, 134 horsepower diesel engine with NACD Spring loaded clutch (Includes 3 year / 2,000 hour engine warranty) - Tier 4 FINAL (Includes \$2,490 tariff)	\$ 39830.00
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
990-RC1644-216	Caterpillar C4.4, 148 horsepower diesel engine without clutch - Tier 4 FINAL / STAGE V (Includes 2 year / 2,000 hour engine warranty)	\$ 51450.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
980-6000-40	Murphy PV485 panel with reversing auto feed for PSI 145 horsepower gas engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 3050.00
700-6000-06	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box and enclosure by Bandit) - Panel is mounted off of engine shroud in lockable composite cover - Disc chippers only	\$ 9795.00
700-6000-50	Murphy PV485 panel with reversing auto feed for Cat 148 horsepower diesel engines (Includes 1,000 CCA battery with box - Panel is mounted off of engine shroud in lockable composite cover	\$ 3575.00
980-6000-45	Murphy PV485 panel with reversing auto feed for Kohler 134 / 141 horsepower diesel engines (Includes 1,000 CCA battery with box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 2925.00
CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-13	NACD over center (double plate clutch)	\$ 1825.00
700-1000-12	NACD Spring Loaded Clutch	\$ 2025.00
700-1000-89	NACD Spring Loaded Clutch - PSI 6.0 only	\$ 2025.00
DRIVE SYSTEM		
Part #	Description	Unit Price
990-1017-89	Standard drive system for engines 145 horsepower and below	\$ 0.00
OPTION-981-5000-2	Drive system for John Deere 125/139 and Cat 147 horsepower engines	\$ 250.00
INFEED		
Part #	Description	Unit Price
OPTION-905-5002-3	Clear Infeed Curtain	\$ 225.00
OPTION-911-5001-0 8	Hydraulic bump bar for 64" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2075.00
OPTION-980-5000-7 3	Hydraulic winch with line docking station and manual push button feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer)	\$ 5350.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-905-5001-1 5	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-915-5000-4	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
OPTION-915-5000-4	Hydraulic flow control for feed wheel rate adjustment (All-In-One Mount)	\$ 425.00
OPTION-906-5000-0 6	Palm frond package for feed wheels (250XP, 15XPC, and 15XP) - Includes feed wheel bearing scraper for top and bottom feed wheel, and 30 bottom feed wheel teeth in lieu of 12	\$ 525.00
AXLE		
Part #	Description	Unit Price
990-100465	Single 8,000 pound Torflex EZ lube axle with electric brakes	\$ 0.00
OPTION-981-5000-0	Single 10,000 pound Torflex axle with electric brakes	\$ 1325.00
TIRES/RIMS		
Part #	Description	Unit Price
990-1011-28	(2) 235/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 0.00
OPTION-937-5000-4	(2) 235/75R 17.5" tires mounted on 8-bolt aluminum rims (8,000 pound axles on up)	\$ 1125.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
Tire / Rim		
Part #	Description	Unit Price
900-5904-76	Spare tire mounted on heavy-duty gray rim (235/75R 17.5")	\$ 625.00
900-5908-81	Spare tire mounted on aluminum rim (235/75R 17.5")	\$ 825.00
OPTION-911-5001-3	Bolt on Spare Tire Mount (5/8" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-980-5000-1 6	Lockable steel battery box with (1) 1,000 CCA battery (in lieu of standard aluminum box) (All engines excluding Cummins)	\$ 155.00
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00
Chipper Discharge		
Part #	Description	Unit Price
OPTION-980-5000-9 3	270 degree hydraulic controlled swivel discharge with hydraulic controlled 12" chip deflector (Includes height adjustable discharge & 270 degree discharge stops)	\$ 1825.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4 0	Pole style cone holder (bolt on)	\$ 230.00

OPTION-911-2001-4 Hoop style cone holder (bolt on) **\$ 270.00**

Engine Related Options		
------------------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-5001-8 Engine block heater for PSI gas engines only (PSI 145 horsepower only) **\$ 175.00**

OPTION-999-5000-0 Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements) **\$ 360.00**

Extended Warranties		
---------------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

900-6997-25 5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines) **\$ 4595.00**

900-6997-28 5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines) **\$ 5510.00**

900-6010-40 5 year / 5,000 hour Warranty (4045 Deere engines) **\$ 2295.00**

WTY-1EXT-250 1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch **\$ 1955.00**

WTY-2EXT-250 2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch **\$ 3260.00**

Fire Extinguisher		
-------------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-5001-6 2-1/2 Pound Fire Extinguisher with bolt on mount **\$ 215.00**

Flag Holder		
-------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-10009 Adjustable fender marker poles (mount is bolt-on) **\$ 105.00**

Fuel And Hydraulic Tanks		
--------------------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-10009 Gate Valve for Fuel Tank **\$ 95.00**

Lights		
--------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-915-5000-7 Wig Wag LED strobe lights - for a machine without a winch (Single decal plate) **\$ 525.00**

OPTION-915-5000-8 Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate) **\$ 525.00**

OPTION-996-5000-0 Amber LED beacon light with branch guard **\$ 585.00**

Manuals (Machine)		
-------------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

900-8901-61 Additional Operating and Parts Manual - weather proof **\$ 95.00**

Non-Skid Coating		
------------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-905-5001-9 Non skid coating on tongue and all step on areas **\$ 175.00**

Mud Flap		
----------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-905-5000-1 (2) Mud Flaps (1/4" x 12" x 18") **\$ 95.00**

Tongue		
--------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-5000-0 12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate **\$ 280.00**

Tongue Jack		
-------------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-911-5000-0 8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack) **\$ 425.00**

OPTION-905-5000-2 10,000 pound capacity tongue jack with spring return pad **\$ 275.00**

Tool Box		
----------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-980-5001-0 Lockable steel tool box in lieu of standard aluminum box **\$ 175.00**

Wiring		
--------	--	--

Part #	Description	Unit Price
--------	-------------	------------

OPTION-905-5000-1 Option 7 Prong (Flat/RV Style) to 6 prong coiled cord
5

\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

250XP TRACK (12" DISC STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-250TRACK	250XP Track - (12" Disc Style)	\$ 96375.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	40" diameter x 2" thick (2 knife pocket) chipper disc, each pocket equipped with (2) 1/2" x 4 1/2" x 7 1/4" dual edge knives	\$ 0.00
STANDARD	42 gallon steel fuel tank with lockable filler cap, aluminum sight gauge, and magnetic drain plug	\$ 0.00
STANDARD	42 gallon steel hydraulic tank with lockable filler cap, aluminum sight gauge, and magnetic drain plug	\$ 0.00
STANDARD	Gate valve for fuel and hydraulic tank	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 18 3/4" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel (controlled via radio remote control)	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	Hydraulic controlled swivel discharge with adjustable end chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	29" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Radio remote control with tether back-up (controls following functions: track forward/reverse, track left/right, discharge swivel left/right (n/a on stationary discharge), discharge deflector up/down, yoke up/down, feed forward/reverse, throttle, engine e-stop, and hydraulic winch if applicable).	\$ 0.00
STANDARD	Stand alone hydraulic oil cooler	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	(2) radiator guard posts	\$ 0.00
STANDARD	Electronic flow control for feed system (feed rate can be adjusted through controller)	\$ 0.00
STANDARD	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 0.00
STANDARD	Lockable battery disconnect switch (includes steel battery box)	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-981-5000-35	Special Imron Industrial Paint (please specify paint color and number) - 250 TRACK (Requires specification)	\$ 795.00
OPTION-981-5000-36	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 250 TRACK (Requires specification)	\$ 1525.00
ENGINE		
Part #	Description	Unit Price
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-04	Murphy PV485 panel with reversing auto feed for Cat 120 horsepower diesel engines (Includes 1,000 CCA battery with box) - TRACK UNITS ONLY	\$ 10205.00
CLUTCH		
Part #	Description	Unit Price
OPTION-915-5001-2	WPT Hi-Drive - 250 track with Caterpillar 120 hp engine	\$ 6915.00
DRIVE SYSTEM		
Part #	Description	Unit Price
990-1017-89	Standard drive system for engines 145 horsepower and below	\$ 0.00
TRACK		
Part #	Description	Unit Price
990-1015-39	Caterpillar 2-speed 305CR (400MM) rubber track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 0.00
990-1011-84	Caterpillar 305CR (400MM) steel track undercarriage - (Includes 4 year track warranty for assembled components)	\$ 2750.00
INFEED		
Part #	Description	Unit Price
OPTION-980-5001-20	Hydraulic winch with line docking station and feed assist controlled via remote (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed)	\$ 4500.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
OPTION-911-5001-5	Clear Infeed Curtain	\$ 260.00
OPTION-981-5000-41	Optional hydraulic bump bar for 64" wide WELD infeed tray with override controlled by radio remote	\$ 2330.00
ADD-ON OPTIONS		
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-61	Additional Operating and Parts Manual - weather proof	\$ 95.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

255XP (15" DISC STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-255	255XP - (15" Disc Style)	\$ 43840.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	45" diameter x 2" thick (2 knife pocket) chipper disc, each pocket equipped with (2) 1/2" x 4 1/2" x 8 15/32" dual edge knives.	\$ 0.00
STANDARD	40 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	13 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Slide box feed system (includes adjustable spring on each side) with (2) horizontal feed wheels 10 5/8" diameter x 24 1/2" wide, driven by (2) 32.3 CID hydraulic motors.	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	360 degree HAND crank swivel discharge (height adjustable) with 12" adjustable chip deflector	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	33 1/2" high x 64" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00
STANDARD	1/4" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	(2) radiator guard posts	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	3/8" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-914-5000-26	Special Imron Industrial Paint (please specify paint color and number) - 255 (Requires specification)	\$ 795.00
OPTION-914-5000-27	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 255XP (Requires specification)	\$ 1525.00
ENGINE		
Part #	Description	Unit Price
990-RC1626-198	PSI 6.0L, 174 horsepower GAS engine without clutch (Includes 3 year / 3,500 hour engine warranty) (Includes \$850 Tariff)	\$ 20675.00
990-RC1533-115	John Deere 4045HFC04, 139 horsepower engine with NACD spring loaded clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 43175.00
CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
700-6000-17	Murphy PV485 panel with reversing auto feed for PSI 174 horsepower engines (Includes 1,000 CCA battery with box) - Panel is mounted on engine shroud with lockable steel cover	\$ 2475.00
914-6000-30	Murphy PV485 panel with reversing auto feed for John Deere 125 / 139 horsepower diesel engines (Includes 1,000 CCA battery with box and enclosure by Bandit) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3715.00
CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-13	NACD over center (double plate clutch)	\$ 1825.00
700-1000-89	NACD Spring Loaded Clutch - PSI 6.0 only	\$ 2025.00
DRIVE SYSTEM		
Part #	Description	Unit Price
OPTION-914-5000-2	Drive system for Cat 147 and John Deere 125 / 139 horsepower (Includes 5 belt drive)	\$ 525.00
OPTION-914-5000-09	Drive system for Cat 174, John Deere 173, Ford 165, & PSI 174 horsepower (Includes 6 belt drive, longer chipper shaft and belt shield)	\$ 795.00
INFEED		
Part #	Description	Unit Price
OPTION-911-5001-5	Clear Infeed Curtain	\$ 260.00
OPTION-911-5001-08	Hydraulic bump bar for 64" wide folding infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2075.00
OPTION-980-5000-73	Hydraulic winch with line docking station and manual push button feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer)	\$ 5350.00
OPTION-980-5000-3	Single rear manual stabilizer	\$ 115.00
OPTION-905-5000-59	Hydraulic last chance system (painted fluorescent yellow with UV protection) - includes yellow vinyl grips	\$ 655.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00
FEED SYSTEM		
Part #	Description	Unit Price
OPTION-915-5000-4	Hydraulic flow control for feed wheel rate adjustment (All-In-One Mount)	\$ 425.00
OPTION-915-5000-4	Spring Loaded Tool less Trap Door (not available on tandem axle units)	\$ 250.00
AXLE		
Part #	Description	Unit Price
990-1012-61	Single 10,000 pound Torflex axle with electric brakes (45 degree down trail)	\$ 0.00

TIRES/RIMS		
Part #	Description	Unit Price
990-1011-28	(2) 235/75R 17.5" tires mounted on 8-bolt heavy-duty gray rims (8,000 pound axles on up)	\$ 0.00
OPTION-937-5000-4	(2) 235/75R 17.5" tires mounted on 8-bolt aluminum rims (8,000 pound axles on up)	\$ 1125.00
FENDER		
Part #	Description	Unit Price
990-100415	Aluminum bolt on fenders (Approximately 1/4" thick) (standard fender)	\$ 0.00
OPTION-980-1002-6	12" HD bolt on steel fenders - single axle units only	\$ 90.00
HITCH		
Part #	Description	Unit Price
990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00
ADD-ON OPTIONS		
Infeed		
Part #	Description	Unit Price
OPTION-905-1000-3	Four position valve for control bar (stop / forward / stop / reverse)	\$ 1150.00
Tire / Rim		
Part #	Description	Unit Price
900-5904-76	Spare tire mounted on heavy-duty gray rim (235/75R 17.5")	\$ 625.00
900-5908-81	Spare tire mounted on aluminum rim (235/75R 17.5")	\$ 825.00
OPTION-911-5001-3	Bolt on Spare Tire Mount (5/8" Bolts on 6-1/2" Bolt Centers)	\$ 240.00
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-980-5000-16	Lockable steel battery box with (1) 1,000 CCA battery (in lieu of standard aluminum box) (All engines excluding Cummins)	\$ 155.00
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00
Chipper Discharge		
Part #	Description	Unit Price
OPTION-980-5000-93	270 degree hydraulic controlled swivel discharge with hydraulic controlled 12" chip deflector (Includes height adjustable discharge & 270 degree discharge stops)	\$ 1825.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Engine Related Options		
Part #	Description	Unit Price
OPTION-999-5000-00	Fuel Saver - (note: if ordered on a diesel engine customer must be made aware that longer idle times may increase risk of soot build up and increase regen requirements)	\$ 360.00
OPTION-925-5000-5	Engine block heater for PSI gas engines only (PSI 174 horsepower only)	\$ 525.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00

900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
WTY-1EXT-255	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 2290.00
WTY-2EXT-255	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 3815.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
Lights		
Part #	Description	Unit Price
OPTION-915-5000-7	Wig Wag LED strobe lights - for a machine without a winch (Single decal plate)	\$ 525.00
OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-61	Additional Operating and Parts Manual - weather proof	\$ 95.00
Non-Skid Coating		
Part #	Description	Unit Price
OPTION-905-5001-9	Non skid coating on tongue and all step on areas	\$ 175.00
Mud Flap		
Part #	Description	Unit Price
OPTION-905-5000-1	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00
Tongue		
Part #	Description	Unit Price
OPTION-980-5000-0 2	12" longer bolt-on tongue (total tongue length will be 46" on the 12x, 12xpc, and 15xp, 48" on the 12xp and 15xpc and 50" on the 200/250) - measurements are from A-frame to hitch plate	\$ 280.00
Tongue Jack		
Part #	Description	Unit Price
OPTION-911-5000-0	8,000 pound capacity tongue jack with 2,500 pound HD caster wheel (includes standard jack)	\$ 425.00
OPTION-905-5000-2	10,000 pound capacity tongue jack with spring return pad	\$ 275.00
Tool Box		
Part #	Description	Unit Price
OPTION-980-5001-0	Lockable steel tool box in lieu of standard aluminum box	\$ 175.00
Wiring		
Part #	Description	Unit Price
OPTION-905-5000-1 5	Option 7 Prong (Flat/RV Style) to 6 prong coiled cord	\$ 45.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

280XP HD (18" DISC STYLE)

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-280HD	280XP HD - (18" Disc Style)	\$ 80690.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	55" diameter x 2" thick (2 knife pocket) chipper disc, each pocket equipped with (2) 1/2" x 4 1/2" x 7 1/4" and (1) 1/2" x 4 1/2" x 5 1/8" dual edge knives.	\$ 0.00
STANDARD	33 1/2" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 0.00
STANDARD	60 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge	\$ 0.00
STANDARD	32 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, aluminum sight gauge, and gate valve	\$ 0.00
STANDARD	Gate valve for hydraulic tank	\$ 0.00
STANDARD	Super sized spring loaded slide box feed system with (2) horizontal feed wheels. Top feed wheel is chain driven and is 15 3/4" diameter x 32" wide, and bottom feed wheel is 10 5/8" diameter x 32" wide.	\$ 0.00
STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)	\$ 0.00
STANDARD	Hydraulic winch with line docking station with electronic joystick feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer unless dual rear hydraulic stabilizers are ordered)	\$ 0.00
STANDARD	Hydraulic controlled swivel discharge with adjustable end chip deflector	\$ 0.00
STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel	\$ 0.00
STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris to fall out extending knife and component life)	\$ 0.00
STANDARD	1/4" x 3" x 8" tubular steel frame with a 3/8" x 3" x 8" tubular steel tongue	\$ 0.00
STANDARD	(2) radiator guard posts	\$ 0.00
STANDARD	Frame / Fender supports	\$ 0.00
STANDARD	Clean out and inspection door on discharge bottom	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00
STANDARD	3/8" (G70) safety chains with spring loaded latch hooks	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	Hydraulic tongue jack	\$ 0.00
STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.	\$ 0.00
STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)	\$ 0.00
STANDARD	Pressure check kit - Gauge is NOT included	\$ 0.00
STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00

STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)	\$ 0.00
STANDARD	(2) Last chance safety pull cables	\$ 0.00
STANDARD	Wooden pusher tool with mount on infeed hopper	\$ 0.00

PAINT		
Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-955-5000-4 6	Special Imron Industrial Paint (please specify paint color and number) - 280HD (Requires specification)	\$ 975.00
OPTION-955-5000-4 7	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 280HD (Requires specification)	\$ 1875.00

ENGINE		
Part #	Description	Unit Price
990-RC1593-124	Caterpillar C7.1L, 275 horsepower engine without clutch - Tier 4 FINAL / Stage V (Includes 2 year / 2,000 engine warranty) (Drum chippers only - must select offset bearing pad under base assembly and WPT clutch if a track or loader option is selected) (Includes \$3,595 tariff)	\$ 66820.00
990-RC1595-126	John Deere 4045HFC09, 173 horsepower engine with NACD over center clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 49300.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
955-6000-32	Murphy PV485 panel with reversing auto feed for Cat 275 horsepower diesel engines (Includes 1,400 CCA battery with steel battery box)	\$ 5375.00
911-6000-45	Murphy PV485 panel with reversing auto feed for John Deere 173 horsepower diesel engines (Includes 1,000 CCA battery with aluminum battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 3420.00

CLUTCH		
Part #	Description	Unit Price
990-100962	Clutch is included with engine / motor	\$ 0.00
700-1000-14	NACD over center (Triple plate clutch)	\$ 3605.00

DRIVE SYSTEM		
Part #	Description	Unit Price
990-1017-54	Standard frame and drive system included in base price	\$ 0.00
OPTION-955-5000-4 0	Larger base and drive system for horsepower options 250 and above (Includes HD infeed with weld on pan and 32" wide feed wheels)	\$ 7405.00

INFEED		
Part #	Description	Unit Price
OPTION-911-5001-3 6	Hydraulic bump bar for 64" wide weld on infeed tray (painted red) with re-set handles on each side of infeed tray - includes single joystick mounted on one side of infeed to allow momentary override of feed system (specify radiator or drive side for override) (Requires specification)	\$ 2160.00
OPTION-905-5001-1	Bolt-on shut-off switch for engine shut-down located on both sides of infeed hopper	\$ 725.00

FEED SYSTEM		
Part #	Description	Unit Price
OPTION-925-5000-1	Hydraulic Flow Control (Double Pump Manifold)	\$ 625.00

AXLE		
Part #	Description	Unit Price
STANDARD-900-59 00-45	Tandem 8,000 pound Torflex Electric Brake (zero down trail)	\$ 0.00
OPTION-955-5000-3 1	Tandem 10,000 pound Torflex axles with electric brakes	\$ 2490.00

TIRES/RIMS		
Part #	Description	Unit Price
990-100731	(4) 235/75R 17.5" tires mounted on HD gray rims (Tandem 8,000 pound axles on up)	\$ 0.00
FENDER		
Part #	Description	Unit Price
STANDARD-21FN	14" wide weld on steel tandem axle fenders for 8,000 pound axles	\$ 0.00
OPTION-955-5000-3	16" wide steel weld on tandem axle fenders for 10,000 pound axles	\$ 125.00
HITCH		
Part #	Description	Unit Price
STANDARD-912-20	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
ADD-ON OPTIONS		
Battery and Battery Box		
Part #	Description	Unit Price
OPTION-980-5000-16	Lockable steel battery box with (1) 1,000 CCA battery (in lieu of standard aluminum box) (All engines excluding Cummins)	\$ 155.00
OPTION-905-8000-3	Lockable battery disconnect switch (includes steel battery box in lieu of aluminum)	\$ 375.00
Chocks & Chock Holders		
Part #	Description	Unit Price
OPTION-980-10002	Aluminum Bolt On Chock Holders (Does not include chocks)	\$ 130.00
OPTION-980-5001-0	Rubber Wheel Chocks (2)	\$ 90.00
Cone Holder		
Part #	Description	Unit Price
OPTION-980-5000-4	Pole style cone holder (bolt on)	\$ 230.00
OPTION-911-2001-4	Hoop style cone holder (bolt on)	\$ 270.00
Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-280HD	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and clutch	\$ 3485.00
WTY-2EXT-280HD	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and clutch	\$ 5810.00
900-6010-40	5 year / 5,000 hour Warranty (4045 Deere engines)	\$ 2295.00
900-6010-41	5 year / 5,000 hour Warranty (6068 Deere engines)	\$ 3385.00
900-6997-28	5 year / 5,000 hour Platinum Warranty (C4.4 Cat Engines)	\$ 5510.00
900-6996-22	5 year / 5,000 hour Platinum Warranty (C7.1 Cat Engines)	\$ 9730.00
Fire Extinguisher		
Part #	Description	Unit Price
OPTION-980-5001-6	2-1/2 Pound Fire Extinguisher with bolt on mount	\$ 215.00
Flag Holder		
Part #	Description	Unit Price
OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
Fuel And Hydraulic Tanks		
Part #	Description	Unit Price
OPTION-980-10009	Gate Valve for Fuel Tank	\$ 95.00
Lights		
Part #	Description	Unit Price
OPTION-915-5000-8	Wig Wag LED Strobe Lights - for a machine with a winch (Double decal plate)	\$ 525.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-62	Additional Operating and Parts Manual - weather proof	\$ 95.00
Non-Skid Coating		
Part #	Description	Unit Price

OPTION-905-5001-9

Non skid coating on tongue and all step on areas

\$ 175.00

Mud Flap		
Part #	Description	Unit Price

OPTION-905-5000-1

(2) Mud Flaps (1/4" x 12" x 18")

\$ 95.00

Wiring		
Part #	Description	Unit Price

OPTION-905-5000-1

Option 7 Prong (Flat/RV Style) to 6 prong coiled cord

\$ 45.00

5



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

SG-40H TRACK STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-SG-40H	SG-40H - Track Stump Grinder	\$ 25685.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	SP-40 340 CCA battery	\$ 0.00
STANDARD	Electric switch for cutterwheel engagement	\$ 0.00
STANDARD	Rubber track undercarriage - driven by 2 hydraulic motors	\$ 0.00
STANDARD	7 gallon steel fuel tank with sight gauge and lockable cap	\$ 0.00
STANDARD	7 gallon steel hydraulic tank with sight gauge and lockable cap	\$ 0.00
STANDARD	3-position operator's console with joystick controls (controls cutterwheel and track drive functions)	\$ 0.00
STANDARD	(1) 2" x 6" swing cylinder and (1) 2" x 6" up / down cylinder	\$ 0.00
STANDARD	Rubber debris skirts	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-208-5000-1 3	Special Imron Industrial Paint (please specify paint color and number) - SG-40 (Requires specification)	\$ 600.00
OPTION-208-5000-1 4	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - SG-40 (Requires specification)	\$ 1150.00

ENGINE

Part #	Description	Unit Price
990-RC1660-232	Vanguard 40 horsepower (EFI) gas engine (Includes 3 year / 2,000 hour engine warranty)	\$ 4880.00

STUMP GRINDER CUTTER WHEELS

Part #	Description	Unit Price
standard890	18" diameter x 1/2" thick Bandit wheel with 16 Green teeth	\$ 0.00
OPTION-208-5000-2	18" diameter x 1/2" thick New Revolution cutter wheel with 24 teeth	\$ 625.00

ADD-ON OPTIONS

Extended Warranties

Part #	Description	Unit Price
WTY-1EXT-SG40	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and tracks	\$ 965.00
WTY-2EXT-SG40	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and tracks	\$ 1610.00

Hose Protection

Part #	Description	Unit Price
OPTION-208-5000-0 3	High Pressure Hose Protection Kit - SG-40 Track	\$ 395.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

SG-40 TRACK STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-SG-40	SG-40 - Track Stump Grinder	\$ 21610.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	SP-40 340 CCA battery	\$ 0.00
STANDARD	Electric switch for cutterwheel engagement	\$ 0.00
STANDARD	Rubber track undercarriage - driven by 2 hydraulic motors	\$ 0.00
STANDARD	7 gallon steel fuel tank with sight gauge and lockable cap	\$ 0.00
STANDARD	7 gallon steel hydraulic tank with sight gauge and lockable cap	\$ 0.00
STANDARD	3-position operator's console with joystick controls (controls cutterwheel and track drive functions)	\$ 0.00
STANDARD	(1) 2" x 6" swing cylinder and (1) 2" x 6" up / down cylinder	\$ 0.00
STANDARD	Rubber debris skirts	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-208-5000-1 3	Special Imron Industrial Paint (please specify paint color and number) - SG-40 (Requires specification)	\$ 600.00
OPTION-208-5000-1 4	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - SG-40 (Requires specification)	\$ 1150.00

ENGINE

Part #	Description	Unit Price
990-RC1655-227	Vanguard 40 horsepower (EFI) gas engine (Includes 3 year / 2,000 hour engine warranty)	\$ 4460.00

CONTROL SYSTEM AND ENGINE INSTALLATION

Part #	Description	Unit Price
208-6000-05	Vanguard EFI 40 hp Package, (RC1655-227)	\$ 745.00

STUMP GRINDER CUTTER WHEELS

Part #	Description	Unit Price
OPTION-208-5000-1	18" diameter x 1/2" thick BELT driven New Revolution cutter wheel with 24 teeth	\$ 625.00
Standard890	18" diameter x 1/2" thick Bandit wheel with 16 Green teeth	\$ 0.00

ADD-ON OPTIONS

Extended Warranties

Part #	Description	Unit Price
WTY-1EXT-SG40	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and tracks	\$ 965.00
WTY-2EXT-SG40	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and tracks	\$ 1610.00

Hose Protection		
Part #	Description	Unit Price

OPTION-208-5000-0	High Pressure Hose Protection Kit - SG-40 Track	\$ 395.00
-------------------	---	-----------

3



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

SG-40W WHEELED STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-SG-40W	SG-40W - Wheeled Stump Grinder	\$ 23600.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	SP-40 340 CCA battery	\$ 0.00
STANDARD	Electric switch for cutterwheel engagement	\$ 0.00
STANDARD	(6) rubber flotation tires mounted on 5-bolt white rims (dual rims can be removed via a single bolt)	\$ 0.00
STANDARD	7 gallon steel fuel tank with sight gauge and lockable cap	\$ 0.00
STANDARD	7 gallon steel hydraulic tank with sight gauge and lockable cap	\$ 0.00
STANDARD	3-position operator's console with joystick controls (controls cutterwheel and track drive functions)	\$ 0.00
STANDARD	(1) 2" x 6" swing cylinder and (1) 2" x 6" up / down cylinder	\$ 0.00
STANDARD	Rubber debris skirts	\$ 0.00
STANDARD	Four wheel drive	\$ 0.00
STANDARD	Counter balance valve minimizes creeping back during grinding	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-208-5000-1 3	Special Imron Industrial Paint (please specify paint color and number) - SG-40 (Requires specification)	\$ 600.00
OPTION-208-5000-1 4	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - SG-40 (Requires specification)	\$ 1150.00

ENGINE

Part #	Description	Unit Price
990-RC1655-227	Vanguard 40 horsepower (EFI) gas engine (Includes 3 year / 2,000 hour engine warranty)	\$ 4460.00

CONTROL SYSTEM AND ENGINE INSTALLATION

Part #	Description	Unit Price
208-6000-05	Vanguard EFI 40 hp Package, (RC1655-227)	\$ 745.00

STUMP GRINDER CUTTER WHEELS

Part #	Description	Unit Price
standard890	18" diameter x 1/2" thick Bandit wheel with 16 Green teeth	\$ 0.00
OPTION-208-5000-1	18" diameter x 1/2" thick BELT driven New Revolution cutter wheel with 24 teeth	\$ 625.00

ADD-ON OPTIONS

Extended Warranties

Part #	Description	Unit Price
--------	-------------	------------

WTY-1EXT-SG40	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and tracks	\$ 965.00
WTY-2EXT-SG40	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and tracks	\$ 1610.00

Hose Protection		
Part #	Description	Unit Price

OPTION-208-5000-2	High Pressure Hose Protection Kit - SG-40W	\$ 450.00
--------------------------	--	------------------

Miscellaneous Options		
Part #	Description	Unit Price

OPTION-208-5000-2	Narrow tire option (reduces machine width to 29 1/2")	\$ 150.00
--------------------------	---	------------------



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

2550XP WHEELED STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-2550	2550XP - Wheeled Stump Grinder	\$ 46315.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	8.5 gallon steel fuel tank with lockable filler cap, aluminum sight gauge and magnetic drain plug	\$ 0.00
STANDARD	8.5 gallon steel hydraulic tank with lockable filler cap, glass sight gauge mounted to side of tank and magnetic drain plug	\$ 0.00
STANDARD	600 PSI Gauge	\$ 0.00
STANDARD	3000 PSI Gauge	\$ 0.00
STANDARD	6000 PSI Gauge	\$ 0.00
STANDARD	Hydrostatic unit (Cutterwheel is driven by a heavy-duty hydraulic motor and is engaged via a hydraulic pump) (NO belts or bearings to maintain)	\$ 0.00
STANDARD	(4) hydraulic motors for drive system (2 with brakes and 2 without)	\$ 0.00
STANDARD	Four wheel drive	\$ 0.00
STANDARD	(6) 8.5 x 10, 4 ply tires mounted on 5-bolt white rims (dual rims can be removed via a single bolt)	\$ 0.00
STANDARD	Plastic battery compartment with 800 CCA Interstate battery	\$ 0.00
STANDARD	Murphy 485 panel with tach / hour meter (Tier 4 final and gas engines)	\$ 0.00
STANDARD	Rubber debris chip curtains	\$ 0.00
STANDARD	Self contained live hydraulic system	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside a weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	5 section control valves	\$ 0.00
STANDARD	Variable swing / travel speed	\$ 0.00
STANDARD	Hydraulic oil cooler	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-203-5000-6 8	Special Imron Industrial Paint (please specify paint color and number) - 2550 (Requires specification)	\$ 675.00
OPTION-203-5000-6 9	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 2550 (Requires specification)	\$ 1275.00

ENGINE

Part #	Description	Unit Price
990-RC1276-857	Kubota WG1605G, 49.6 horsepower GAS engine - (No Enclosure) (2 year / 2,000 hour warranty) (Includes \$1,075 tariff)	\$ 13670.00

990-RC1571-153	Kohler 49 horsepower diesel engine - Tier 4 FINAL (No Enclosure) (Includes 3 year / 2,000 hour engine warranty) (Includes \$775 tariff)	\$ 17355.00
----------------	---	-------------

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
203-6000-02	Kubota 49 gas package	\$ 895.00
203-6000-00	Kohler 49 diesel package	\$ 240.00

STUMP GRINDER CONTROL		
Part #	Description	Unit Price
STANDARD-203-0000-11	Unit to be controlled via control valves mounted on side of machine (valves control cutter wheel and machine drive functions)	\$ 0.00
OPTION-203-5000-25	Unit to be controlled via radio remote control with tether back-up (Remote will control cutter wheel and machine drive functions, also included on remote is engine e-stop)	\$ 6625.00

STUMP GRINDER CUTTER WHEELS		
Part #	Description	Unit Price
STANDARD-203-1000-10	21" diameter x 1" thick Bandit cutter wheel with 18 Green teeth	\$ 0.00
OPTION-203-5000-45	21" diameter x 1 1/4" thick New Revolution cutter wheel with 24 carbide teeth (features carbide infused wear strips on perimeter of wheel & side pockets)	\$ 1275.00

ADD-ON OPTIONS		
Engine Related Options		
Part #	Description	Unit Price
OPTION-001-5000-12	Super sweep (regulates swing when engine drops below a pre-set RPM) (Units w/ remote control)	\$ 275.00
OPTION-203-5000-53	Super sweep (regulates swing when engine drops below a pre-set RPM) (2550 with manual controls)	\$ 325.00

Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-2550	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine	\$ 2020.00
WTY-2EXT-2550	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine	\$ 3370.00

Hose Protection		
Part #	Description	Unit Price
OPTION-203-5000-4	2550 (remote) hose protection	\$ 1425.00
OPTION-203-5000-4	2550 (non remote) hose protection	\$ 1825.00

Manuals (Machine)		
Part #	Description	Unit Price
900-8901-96	Additional Operating and Parts Manual - weather proof	\$ 95.00

Stump Grinder Options		
Part #	Description	Unit Price
OPTION-203-5000-5	All Foam Filled Tires	\$ 1125.00
OPTION-203-5000-0	35" Wide hydraulically operated grading blade (Manual Units Only)	\$ 3345.00
OPTION-203-5000-55	35" Wide hydraulically operated grading blade (Remote Units Only)	\$ 3135.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

2550 TRACK STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-2550 TRACK	2550 Track - Stump Grinder	\$ 48340.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	8.5 gallon steel hydraulic tank with lockable filler cap, glass sight gauge mounted to side of tank and magnetic drain plug	\$ 0.00
STANDARD	8.5 gallon steel fuel tank with lockable filler cap, aluminum sight gauge and magnetic drain plug	\$ 0.00
STANDARD	600 PSI Gauge	\$ 0.00
STANDARD	3000 PSI Gauge	\$ 0.00
STANDARD	6000 PSI Gauge	\$ 0.00
STANDARD	Hydrostatic unit (Cutterwheel is driven by a heavy-duty hydraulic motor and is engaged via a hydraulic pump) (NO belts or bearings to maintain)	\$ 0.00
STANDARD	Rubber track undercarriage driven via two Parker hydraulic motors with brakes	\$ 0.00
STANDARD	Plastic battery compartment with 800 CCA Interstate battery	\$ 0.00
STANDARD	Murphy 485 panel with tach / hour meter (Tier 4 final and gas engines)	\$ 0.00
STANDARD	Rubber debris chip curtains	\$ 0.00
STANDARD	Self contained live hydraulic system	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside a weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	5 section control valve	\$ 0.00
STANDARD	Variable swing / travel speed	\$ 0.00
STANDARD	Hydraulic oil cooler	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-203-5000-6 8	Special Imron Industrial Paint (please specify paint color and number) - 2550 (Requires specification)	\$ 675.00
OPTION-203-5000-6 9	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 2550 (Requires specification)	\$ 1275.00

ENGINE

Part #	Description	Unit Price
990-RC1276-857	Kubota WG1605G, 49.6 horsepower GAS engine - (No Enclosure) (2 year / 2,000 hour warranty) (Includes \$1,075 tariff)	\$ 13670.00
990-RC1571-153	Kohler 49 horsepower diesel engine - Tier 4 FINAL (No Enclosure) (Includes 3 year / 2,000 hour engine warranty) (Includes \$775 tariff)	\$ 17355.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
203-6000-02	Kubota 49 gas package	\$ 895.00
203-6000-07	Kohler 49 diesel package	\$ 225.00
STUMP GRINDER CONTROL		
Part #	Description	Unit Price
STANDARD-203-000-08	Unit to be controlled via control valves mounted on side of machine (valves control cutter wheel and machine drive functions)	\$ 0.00
OPTION-203-5000-27	Unit to be controlled via radio remote control with tether back-up (Remote will control cutter wheel and machine drive functions, also included on remote is engine e-stop)	\$ 6175.00
TRACK		
Part #	Description	Unit Price
STANDARD-900-59	Smooth Rubber Track Undercarriage (No Tread)	\$ 0.00
OPTION-203-5000-1	SWT-S Turf Friendly Rubber Track (With Tread)	\$ 0.00
STUMP GRINDER CUTTER WHEELS		
Part #	Description	Unit Price
STANDARD-203-100-68	21" diameter x 1" thick Bandit cutter wheel with 18 Green teeth	\$ 0.00
OPTION-203-5000-45	21" diameter x 1 1/4" thick New Revolution cutter wheel with 24 carbide teeth (features carbide infused wear strips on perimeter of wheel & side pockets)	\$ 1275.00
ADD-ON OPTIONS		
Engine Related Options		
Part #	Description	Unit Price
OPTION-203-5000-54	Super sweep (regulates swing when engine drops below a pre-set RPM) (2550 trk without remote)	\$ 675.00
OPTION-001-5000-12	Super sweep (regulates swing when engine drops below a pre-set RPM) (Units w/ remote control)	\$ 275.00
Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-2550T	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and tracks	\$ 2180.00
WTY-2EXT-2550T	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and tracks	\$ 3635.00
Hose Protection		
Part #	Description	Unit Price
OPTION-203-5000-4	2550 track (remote) hose protection	\$ 1395.00
OPTION-203-5000-5	2550 track (non remote units) hydraulic hose protection	\$ 1025.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-96	Additional Operating and Parts Manual - weather proof	\$ 95.00
Stump Grinder Options		
Part #	Description	Unit Price
OPTION-203-5000-5	35" Wide hydraulically operated grading blade (Manual Units Only)	\$ 3180.00
OPTION-203-5000-18	35" Wide hydraulically operated grading blade (Remote Units Only)	\$ 3115.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

SG-75 STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-SG-75	SG-75 - Stump Grinder	\$ 60670.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	16.25 gallon steel fuel tank with lockable filler cap, Rochester fluid sight gauge & magnetic drain plug.	\$ 0.00
STANDARD	12 gallon steel hydraulic tank with lockable filler cap and glass sight gauge.	\$ 0.00
STANDARD	Cutter wheel is engaged via radio remote control utilizing a Warner electric clutch (clutch is maintenance free). Cutter wheel is driven via an upper and lower Gear Box	\$ 0.00
STANDARD	Wireless radio remote control with tether back-up (Remote will control cutter wheel and machine drive functions, also included on remote is cutter wheel engagement switch and engine e-stop)	\$ 0.00
STANDARD	Variable speed rubber track undercarriage (tracks retract into 35" and expand out to 55" using one cylinder per track) - Note: total width of machine is 74.5" with the side wings folded down	\$ 0.00
STANDARD	Hydraulic oil cooler	\$ 0.00
STANDARD	Rubber debris chip curtains	\$ 0.00
STANDARD	Bandit control panel with super sweep (displays engine and machine parameters) also includes engine key switch and E-stop	\$ 0.00
STANDARD	Steel storage compartment with live hydraulic system, control valves and 800 CCA battery	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside a weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	54" wide hydraulic up/down back fill blade (controlled via radio remote) - side wings are removable allowing unit to fit through 35" gate.	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-209-5000-1 4	Special Imron Industrial Paint (please specify paint color and number) - SG-75 (Requires specification)	\$ 795.00
OPTION-209-5000-1 5	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - SG-75 (Requires specification)	\$ 1525.00

ENGINE

Part #	Description	Unit Price
990-RC1590-121	Kohler 74 horsepower (enclosed) diesel engine - Tier 4 Final (Includes 3 year / 2,000 hour engine warranty) (Includes \$1,630 Tariff)	\$ 26560.00

CONTROL SYSTEM AND ENGINE INSTALLATION

Part #	Description	Unit Price
209-6000-03	Engine installation for Kohler 74 horsepower engine - Tier 4 Final engines	\$ 375.00

STUMP GRINDER CUTTER WHEELS

Part #	Description	Unit Price
STANDARD-209-10	27" diameter x 1" thick Bandit cutter wheel with (32) 1100 series Green teeth	\$ 0.00
OPTION-209-5000-0	27" diameter x 1.25" thick New Revolution wheel with 44 carbide teeth and HD wear strips.	\$ 1575.00

ADD-ON OPTIONS

Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-SG75	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine, clutch, and tracks	\$ 2805.00
WTY-2EXT-SG75	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine, clutch, and tracks	\$ 4670.00

Hose Protection		
Part #	Description	Unit Price
OPTION-209-5000-0	High Pressure Hose Protection - SG-75	\$ 725.00

Pressure Check		
Part #	Description	Unit Price
OPTION-209-5000-1	3,000 PSI pressure gauge	\$ 140.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

SG-75W STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-SG-75W	SG-75W - Stump Grinder	\$ 68270.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	Cutterwheel drive features a hydraulic motor and lower gearbox	\$ 0.00
STANDARD	12.5 gallon fuel tank with sight gauge, magnetic drain plug and lockable filler cap	\$ 0.00
STANDARD	10 gallon hydraulic tank with sight gauge, magnetic drain plug and lockable filler cap	\$ 0.00
STANDARD	Swing-out operator console with lexan protective window and drop down chip curtain (controls drive and cutter wheel functions)	\$ 0.00
STANDARD	Hydraulic grading blade with removable side wings	\$ 0.00
STANDARD	(6) 20 x 8 x 10 Carlisle tires (Dual tires can be removed) - Features four drive motors (two braking / two non-braking)	\$ 0.00
STANDARD	Bandit PV485 panel with super sweep (displays engine and machine parameters) also includes engine key switch and E-stop	\$ 0.00
STANDARD	Steel engine enclosure with side access doors	\$ 0.00
STANDARD	Hydraulic oil cooler	\$ 0.00
STANDARD	Swing out front chip curtains mounted on each side of the machine	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-209-5000-1 4	Special Imron Industrial Paint (please specify paint color and number) - SG-75 (Requires specification)	\$ 795.00
OPTION-209-5000-1 5	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - SG-75 (Requires specification)	\$ 1525.00

ENGINE

Part #	Description	Unit Price
990-RC1656-228	Kohler 74 horsepower diesel engine - Tier 4 Final (Includes 3 year / 2,000 hour engine warranty) (Includes \$1,285 Tariff)	\$ 21935.00

STUMP GRINDER CUTTER WHEELS

Part #	Description	Unit Price
STANDARD-209-10	27" diameter x 1" thick Bandit cutter wheel with (32) 1100 series Green teeth	\$ 0.00
OPTION-209-5000-0	27" diameter x 1.25" thick New Revolution wheel with 44 carbide teeth and HD wear strips.	\$ 1575.00

ADD-ON OPTIONS

Extended Warranties		
Part #	Description	Unit Price
WTY-1EXT-SG75	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine, clutch, and tracks	\$ 2805.00
WTY-2EXT-SG75	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine, clutch, and tracks	\$ 4670.00
Stump Grinder Options		
Part #	Description	Unit Price
OPTION-209-5000-30	Wireless radio remote control (Remote will control cutter wheel and machine drive functions, also included on remote is cutter wheel engagement switch and engine e-stop)	\$ 5425.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

2900 TRACK STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-2900-TRAC K	2900 Track - Stump Grinder	\$ 100115.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	Steel fuel tank with lockable filler cap, Rochester fluid sight gauge & magnetic drain plug (12.5 gallon with Cat 120 & 19.5 gallon with GM 165)	\$ 0.00
STANDARD	29.5 gallon steel hydraulic tank with lockable filler cap, glass sight gauge mounted to side of tank, and magnetic drain plug	\$ 0.00
STANDARD	600 PSI Gauge	\$ 0.00
STANDARD	3000 PSI Gauge	\$ 0.00
STANDARD	Hydrostatic unit (Cutterwheel is driven by a heavy-duty hydraulic motor and is engaged via a hydraulic pump) (NO belts or bearings to maintain)	\$ 0.00
STANDARD	Chermack "Turf Friendly" rubber track undercarriage (expands and retracts 35" to 53")	\$ 0.00
STANDARD	Steel storage compartment with latch and 1,000 CCA battery	\$ 0.00
STANDARD	Murphy 485 panel with tach / hour meter (Tier 4 final and gas engines)	\$ 0.00
STANDARD	Rubber debris chip curtains (2900)	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside a weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Hydraulic oil cooler	\$ 0.00
STANDARD	Self contained live hydraulic system	\$ 0.00
STANDARD	Radio remote control with tether back-up (Remote will control cutter wheel and machine drive functions, also included on remote is cutter wheel engagement switch and engine e-stop)	\$ 0.00
STANDARD	Flow control with adjustable cutter wheel swing and low / high track drive	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-992-5000-4 1	Special Imron Industrial Paint (please specify paint color and number) - 2900 (Requires specification)	\$ 795.00
OPTION-992-5000-4 2	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 2900 (Requires specification)	\$ 1525.00

ENGINE

Part #	Description	Unit Price
990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00

CONTROL SYSTEM AND ENGINE INSTALLATION		
Part #	Description	Unit Price
992-6000-07	Bandit engine enclosure and components for Cat 120 horsepower engine	\$ 8175.00
STUMP GRINDER CUTTER WHEELS		
Part #	Description	Unit Price
STANDARD-992-10	25 1/2" diameter x 1 1/2" thick Bandit cutter wheel with 24 Green teeth	\$ 0.00
OPTION-992-5000-2	24 1/2" diameter x 1 1/4" thick New Revolution cutter wheel with 32 carbide teeth (features carbide infused wear strips on perimeter of wheel & side pockets)	\$ 1375.00
ADD-ON OPTIONS		
Engine Related Options		
Part #	Description	Unit Price
OPTION-001-5000-1	Super sweep (regulates swing when engine drops below a pre-set RPM) (Units w/ remote control)	\$ 275.00
Extended Warranties		
Part #	Description	Unit Price
900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
WTY-1EXT-2900	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine and tracks	\$ 4680.00
WTY-2EXT-2900	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine and tracks	\$ 7805.00
Hose Protection		
Part #	Description	Unit Price
OPTION-992-5000-3	2900T Hose Protection	\$ 945.00
Manuals (Machine)		
Part #	Description	Unit Price
900-8901-80	Extra stump grinder operators manual (weatherproof version)	\$ 95.00
Stump Grinder Options		
Part #	Description	Unit Price
OPTION-992-5000-0	(2) swing out chip containment curtains mounted on each side of unit (units with radio remote only) (This option is special to 2650T & 2900T Remote controlled machines only.)	\$ 865.00
OPTION-992-5000-4	35" wide hydraulic up/down blade (controlled via radio remote) - 2900	\$ 3350.00
OPTION-992-5000-4	54" wide hydraulic up/down blade (controlled via radio remote) - 2900	\$ 3930.00



Bandit

EMPLOYEE-OWNED

Jason Morey
6750 Millbrook Road
Remus, MI 49340
USA
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

3100 TOWABLE STUMP GRINDER

Pricing Scheme:

Future Pricing

Pricing Generated:

May 13, 2026 01:49 PM

Currency:

United States (dollars)

Generated By:

Jason Morey (Jason Morey)

BASE PRICE

Part #	Description	Base Price
MODEL-3100TOW	3100 Towable - Stump Grinder	\$ 62215.00

STANDARD EQUIPMENT

Part #	Description	Unit Price
STANDARD	25.5 gallon steel fuel tank with Rochester fluid sight gauge & magnetic drain plug	\$ 0.00
STANDARD	27 gallon steel hydraulic tank with glass sight gauge mounted to side of tank & magnetic drain plug	\$ 0.00
STANDARD	Super sweep system for cutter head swing	\$ 0.00
STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad	\$ 0.00
STANDARD	600 PSI Gauge	\$ 0.00
STANDARD	3000 PSI Gauge	\$ 0.00
STANDARD	Rubber debris chip curtains	\$ 0.00
STANDARD	Travel support chock block with hitch pin	\$ 0.00
STANDARD	12' long coiled power plug, with 6 prong metal connector, includes (2) LED taillights, (4) side marker lights, and (1) license plate light	\$ 0.00
STANDARD	Swing out operator's console with drop down rubber curtain, lexan window and 3-section control valves (Valves control cutter wheel functions and telescoping tongue)	\$ 0.00
STANDARD	60" telescoping tongue with transport lock pin	\$ 0.00
STANDARD	Murphy 485 panel with tach / hour meter (Tier 4 final and gas engines)	\$ 0.00
STANDARD	(1) weatherproof machine manual located inside a weather resistant manual container (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable	\$ 0.00
STANDARD	Spanish & English combination safety decals	\$ 0.00
STANDARD	Hydraulic oil cooler	\$ 0.00
STANDARD	Plastic battery storage box with 1,000 CCA battery	\$ 0.00
STANDARD	Lockable aluminum toolbox	\$ 0.00

PAINT

Part #	Description	Unit Price
333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00
333-28984	Standard Imron Industrial Urethane Green	\$ 0.00
OPTION-996-5000-1 3	Special Imron Industrial Paint (please specify paint color and number) - 3100 (Requires specification)	\$ 795.00
OPTION-996-5000-1 4	Special Imron "Metallic" Industrial Paint (please specify paint color and number) - 3100 (Requires specification)	\$ 1525.00

ENGINE

Part #	Description	Unit Price
990-RC1300-882	Kohler KFI25E401, 74 horsepower Diesel engine - Tier 4 FINAL (Includes 3 year / 2,000 hour engine warranty)	\$ 24055.00

990-RC1537-119	Caterpillar C3.4, 120 horsepower engine without clutch - Tier 4 FINAL (Includes 2 year / 2,000 hour engine warranty)	\$ 31530.00
----------------	--	-------------

CONTROL SYSTEM AND ENGINE INSTALLATION		
--	--	--

Part #	Description	Unit Price
996-6000-04	Superior Diesel enclosure and components for Kohler 74 horsepower engine	\$ 425.00
996-6000-03	Bandit engine enclosure and components for Cat 120 horsepower engine	\$ 8340.00

AXLE		
Part #	Description	Unit Price

990-100447	Single 7,000 pound Torflex EZ lube electric brake axle (standard axle)	\$ 0.00
------------	--	---------

TIRES/RIMS		
Part #	Description	Unit Price

990-1017-29	(2) ST235/80R 16" tires mounted on 8-bolt white modular rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 0.00
OPTION-980-5000-19	(2) ST235/80R 16" tires mounted on 8-bolt aluminum rims (Tire is approximately 9.43" wide, tire capacity is 3,520 pounds each) (7,000 pound axles only)	\$ 345.00

HITCH		
Part #	Description	Unit Price

990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00
OPTION-980-5000-5	3" Buyer's Product Pintle Hitch	\$ 75.00
OPTION-980-5000-1	2-5/16" Wallace Forge Ball Hitch	\$ 40.00
OPTION-980-5000-1	2-5/16" Bulldog Ball Hitch (extends tongue approx. 15 1/2")	\$ 225.00

STUMP GRINDER CUTTER WHEELS		
Part #	Description	Unit Price

STANDARD-996-10	BELT driven 31" diameter x 1 1/2" thick Bandit cutter wheel with 32 Green teeth	\$ 0.00
OPTION-996-5000-0	BELT driven 31" diameter x 1 1/2" thick New Revolution cutter wheel with 44 carbide teeth	\$ 2705.00

ADD-ON OPTIONS		
----------------	--	--

Tire / Rim		
Part #	Description	Unit Price

900-5913-90	Spare tire mounted on white spoke rim (235/80R 16") - 8 bolt rim	\$ 275.00
900-5913-94	Spare tire mounted on aluminum rim (235/80R 16")	\$ 405.00

Extended Warranties		
Part #	Description	Unit Price

900-6997-25	5 year / 5,000 hour Platinum Warranty (C3.4 Cat Engines)	\$ 4595.00
WTY-1EXT-3100	1 year extended warranty (total warranty = 2 years / 3,000 hours) - excludes engine	\$ 2805.00
WTY-2EXT-3100	2 year extended warranty (total warranty = 3 years / 4,000 hours) - excludes engine	\$ 4670.00

Flag Holder		
Part #	Description	Unit Price

OPTION-980-10009	Adjustable fender marker poles (mount is bolt-on)	\$ 105.00
------------------	---	-----------

Lights		
Part #	Description	Unit Price

OPTION-996-5000-0	Amber LED beacon light with branch guard	\$ 585.00
-------------------	--	-----------

Manuals (Machine)		
Part #	Description	Unit Price

900-8912-25	Additional Operating and Parts Manual - weather proof	\$ 95.00
-------------	---	----------

Stump Grinder Options		
Part #	Description	Unit Price

OPTION-996-5000-15	Radio remote control with tether back-up in lieu of swing-out operator's console (Radio controls all cutter wheel functions along with telescoping tongue, and engine e-stop)	\$ 9975.00
OPTION-996-5000-09	(1) swing out chip containment curtain mounted on opposite side of operator's console (units with swing out console only)	\$ 675.00

OPTION-996-5000-10

(2) swing out chip containment curtains mounted on each side of unit (units with radio remote only)

\$ 1275.00

Wiring		
Part #	Description	Unit Price

OPTION-905-5000-15

Option 7 Prong (Flat/RV Style) to 6 prong coiled cord

\$ 45.00