

Kubota®

2025

CE ATTACHMENT PROGRAMS

2026

Revised 3/11/26



(888) 987-7433

Wholegoods: Ext. 1989

Parts: Ext. 1992 Service: Ext. 1994

P.O. Box 5060 • Salina, KS 67402-5060

(888) 987-7433 • www.landpride.com

© Copyright 2025 LPK_CE_Pricebook



Sourcewell Contract 032525-LPI, Roadway Maintenance Equipment

Kubota CE Attachments 25% off List Price
(End user discounts)



	Production Location	Estimated Dealer Uncrating/ Set-up Time
Angle Brooms	Abilene	45 Minutes
Box Blades	Kipp	15 Minutes
Breakers	Abilene	30 Minutes
Cold Planer	Abilene	20 Minutes
Dozer Blades	Abilene	45 Minutes
Grapples	Lucas.....	30 Minutes
Hopper Broom	Abilene	20 Minutes
Light Material Bucket	Abilene	15 Minutes
Loader Boom	Kipp	15 Minutes
Pallet Forks	Kipp	15 Minutes
Plate Compactor	Abilene.....	1 Hour
Post Hole Diggers	Abilene	1 Hour
Powered Rakes	Salina	30 Minutes
Primary Seeders	Salina	1 Hour
Ripper	Kipp	15 Minutes
Road Saw	Abilene	20 Minutes
Skid Cutters	Abilene	1 Hour
Skid Grader	Kipp	15 Minutes
Skid Steer Hitch	Kipp	15 Minutes
Skid Tiller	Abilene	30 Minutes
Snow Blowers	Abilene	1 Hour
Snow Pushers	Abilene	15 Minutes
Stump Grinder	Kipp	1 Hour
Tilt Hitch	Lucas.....	15 Minutes
Tree/Post Puller	Abilene	15 Minutes
Trenchers	Salina	30 Minutes
Trip Edge Blades	AW	15 Minutes

SKID ATTACHMENTS

Buckets

AP-SL Series	30
AP-HD Series	31
AP-SRB15 Series Rock	32
AP-CB25 Series Combination	33
AP-CB35 Series Combination	34
AP-GB30 Series Scrap	35
AP-LM25 Series Light Material	36
AP-UB25 Series Utility	37

Box Blade

AP-BB30 Box Blade	11
-------------------------	----

Breakers

AP-BR Series Hydraulic Breakers	44
Breaker Mount Selection Guide.....	46

Brooms

AP-AB Series Angle Brooms - NEW!	58
AP-HB Series Hopper Brooms.....	60

Cold Planers

AP-CP30 Cold Planers	47
----------------------------	----

Dozer Blades

AP-DZ30 Series.....	12
---------------------	----

Excavator Augers

AP-EA20 Series	16
AP-EA35 Series	17
Auger Options.....	18
Accessories	19

Excavator Buckets

K71, K72, K74 Series.....	38
K78, K79 Series	39
Excavator Bucket Accessories.....	40

Grapples

AP-SGC20 Series Claw	27
AP-SGR15 Series Rock	28
AP-RG30 Series Root	29

Loader Boom

AP-LB60 Series	43
----------------------	----

Pallet Forks

AP-PFL30 Series - NEW!	41
AP-PFL46 Series	42
AP-PFL56 Series	42

Plate Compactor

AP-PC Plate Compactor	21
-----------------------------	----

Powered Rakes

AP-SR27 Series	13
----------------------	----

Primary Seeders

AP-PS20 Skid Primary Seeders.....	10
-----------------------------------	----

Road Saws

AP-SW30 Road Saws	48
-------------------------	----

Skid Augers

AP-SA20 Series.....	14
AP-SA35 Series.....	15

Skid Cutters

AP-SC25 Series.....	4
AP-SC40 Series.....	5
AP-SC60 Series	6
AP-SC70 Series.....	7

AP-SC110 Series	8
-----------------------	---

Skid Grader

AP-SG25 Series	20
----------------------	----

Skid Steer Hitch

AP-SH35 Series	49
----------------------	----

Skid Tiller

AP-SRT Series.....	9
--------------------	---

Snow Blowers

AP-SBL20 Series - NEW!	51
AP-SBL25 Series	52
AP-SBL30 Series	53
AP-SBL35 Series	54

Snow Pushers

AP-SSP15 Series	55
AP-SSP25 Series	56

Stump Grinder

AP-SSG20 Series.....	22
AP-SSG25 Series	23

Tilt-Hitch

AP-TH35 Series	50
----------------------	----

Tree/Post Puller

AP-STP25 Series	61
-----------------------	----

Trencher

AP-TR Series.....	24
-------------------	----

Trip Edge Blades

AP-TE35 Series	57
----------------------	----

INTELL-ATTACH

INTELL-ATTACH	62
---------------------	----

COMPACT ATTACHMENTS

Breakers

AP-BR Series Hydraulic Breakers	71
---------------------------------------	----

Buckets

AP-CL148	64
----------------	----

Grapples

AP-CGC10	65
----------------	----

Pallet Forks

AP-CPF12 Series	63
-----------------------	----

Powered Rakes

AP-CSR10 Series	70
-----------------------	----

Skid Augers

AP-CSA10 Series	66
-----------------------	----

Skid Cutter

AP-CSC10 Series	67
-----------------------	----

Stump Grinder

AP-SSG20 Series.....	68
----------------------	----

Tree/Post Puller

AP-CTP10 Series - NEW!	69
-------------------------------------	----

Trenchers

AP-CTR10 Series	72
-----------------------	----

US & Canada	74
-------------------	----

FREIGHT CHARTS

AP-SC25 Series Skid Cutters

Various Flow Requirements | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Cutting Height: 1.5" to 18" infinitely variable
Cutting Width: 60" or 72"
Overall Width: 60: 65½" 72: 78"
Overall Length: 60: 73" 72: 91"
Cutting Capacity: 2" Diameter
Blade Rotation: Clockwise
Blades & Blade Carrier: ½"x 4" Updraft,
Heavy Duty Round Pan Stump Jumper

**SKID STEER MUST BE EQUIPPED
WITH A CASE DRAIN SYSTEM.**

Hitch: Skid Steer

Adjustable to Center or 8½" Right Offset

Deck: 10 Gauge Steel

Side Skirt Construction: 1/4" Steel

Front Deck Protection: Single Row Chain Guard, Standard Eq.

Rear Deck Protection: Double Row Chain Guard, Standard Eq.

Deck Lift Height Protection: Safety Chain Limiter

Deck Wear Protection: Optional Four Corner Mounted

Skid Shoes

Operator Protection: Optional Protective Door Shield

Cutting Height Gauging: Optional Pivoting & Adjustable

Front Mounted Gauge Wheel w/Laminated Tire

Maximum Operating Pressure: 3500 psi

Medium Volume Drive Motors: For hyd. systems with

18-23 GPM flow at 1500-3500 PSI;

High Volume Drive Motors: For hyd. systems with

24-30 GPM flow at 1500-3500 PSI;

60" option:

Med. Volume Motor Blade Tip Speed: 19,181 FPM at 23 GPM

High Volume Motor Blade Tip Speed: 19,390 FPM at 30 GPM

72" option:

Med. Volume Motor Blade Tip Speed: 19,487 FPM at 23 GPM

High Volume Motor Blade Tip Speed: 19,699 FPM at 30 GPM

Hydraulic Hose Length: 80" Standard

*Polycarbonate door required with this attachment.

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SC2560	SKID CUTTER - 60" Width Single Front Chain Guard Double Rear Chain Guard <u>You May Choose a Gauge Wheel</u> Single Gauge Wheel - Front Mounted <u>You Must Choose a Hydraulic Motor Assembly</u>	893#	999#	\$ 5,744
-01	Hydraulic Motor: 18-23 GPM @ 3500 PSI	114#	154#	\$ 681
-15	Hydraulic Motor: 24-30 GPM @ 3500 PSI			\$ 1,202
-16	<u>You May Choose a Pressure Gauge</u> Motor Pressure Gauge (326-833A)	2#	2#	\$ 74
-20	<u>You May Choose a Skid Shoe Option</u> Skid Shoes - Four Corners - 1/4" x 2" (326-827A)	15#	15#	\$ 117
-41	Heavy-Duty Skid Shoes - Four Corners - 3/8" x 3" (326-828A)	25#	25#	\$ 148
-42	<u>You Must Choose a Polycarbonate Protective Door Option</u> Protective Door (for skid steers not equipped with a cab door)	14#	14#	\$ 559
-86	No Protective Door			
-87				
AP-SC2572	SKID CUTTER - 72" Width Single Front Chain Guard Double Rear Chain Guard <u>You May Choose a Gauge Wheel</u> Single Gauge Wheel - Front Mounted <u>You Must Choose a Hydraulic Motor Assembly</u>	1084#	1190#	\$ 6,607
-01	Hydraulic Motor: 18-23 GPM @ 3500 PSI	114#	154#	\$ 681
-15	Hydraulic Motor: 24-30 GPM @ 3500 PSI			\$ 1,202
-16	<u>You May Choose a Pressure Gauge</u> Motor Pressure Gauge (327-376A)	2#	2#	\$ 74
-20	<u>You May Choose a Skid Shoe Option</u> Skid Shoes - Four Corners - 1/4" x 2" (326-827A)	15#	15#	\$ 117
-41	Heavy-Duty Skid Shoes - Four Corners - 3/8" x 3" (326-828A)	25#	25#	\$ 148
-42	<u>You Must Choose a Polycarbonate Protective Door Option</u> Protective Door (for skid steers not equipped with a cab door)	14#	14#	\$ 559
-86	No Protective Door			
-87				

AP-SC40 Series Skid Cutters

Various Flow Requirements | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Width: 60-71"; 72-83"
Length: 60-78¹/₂"; 72-91¹/₂"
4" Cutting Capacity Deck: 1/4"
15-43 GPM Range - Depending on Option
Standard Large Skid Shoes
Tapered, Heavy-Duty
Optional 4" Pressure Gauge
Optional Case Drain
Deck: 1/4"
Side Skirts: 1/4"
Chain Guards Standard
Optional Protective Door
Maximum Operating Pressure: 3500 PSI

*Polycarbonate door required with this attachment.

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
 AP-SC4060	SKID CUTTER - 60" Width Single Front Chain Guard Single Rear Chain Guard <u>You Must Choose a Hydraulic Motor Assembly</u>	1,361#	1,441#	\$ 6,966
-13	Hydraulic Motor: 15-25 GPM @ 3500 PSI	INC	INC	\$ 2,107
-15	Hydraulic Motor: 26-43 GPM @ 3500 PSI <u>You May Choose any of these Options</u>	INC	INC	\$ 2,107
-20	Case Drain Bundle	5#	5#	\$ 146
-30	Front Roller	44#	44#	\$ 738
-41	Pressure Gauge Bundle ECOR <u>You Must Choose a Protective Door Option</u>	4#	4#	\$ 447
-86	Operator Protective Door Assembly	20#	20#	\$ 559
-87	No Operator Protective Door Assembly			\$ 0
 AP-SC4072	SKID CUTTER - 72" Width Single Front Chain Guard Single Rear Chain Guard <u>You Must Choose a Hydraulic Motor Assembly</u>	1,680#	1,727#	\$ 8,223
-14	Hydraulic Motor: 15-26 GPM @ 3500 PSI	INC	INC	\$ 2,075
-15	Hydraulic Motor: 27-43 GPM @ 3500 PSI <u>You May Choose any of these Options</u>	INC	INC	\$ 2,075
-20	Case Drain Bundle	5#	5#	\$ 146
-30	Front Roller	44#	44#	\$ 738
-41	Pressure Gauge Bundle ECOR <u>You Must Choose a Polycarbonate Protective Door Option</u>	4#	4#	\$ 447
-86	Operator Protective Door Assembly	40#	40#	\$ 559
-87	No Operator Protective Door Assembly			\$ 0
ACCESSORY				
328-113A	Large Flat Face Couplers w/Adaptors		3#	\$ 317


AP-SC60 Series Skid Cutters

18-31 GPM | AVAILABLE FOR: SSV75 / SVL75-3 / SVL97-3

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Width: 84"
Length: 92"
6" Cutting Capacity
18-31 GPM
9.9 Cu. In. Motor
Blades 1/2" Plate
Steel Blade Carrier
18 Carbide Points
Standard Large Skid Shoes
Tapered, Heavy-Duty
Optional 4" Pressure Gauge
Case Drain
Deck: 1/4"
Side Skirts: 1/4"
Chain Guards Standard
Patent-Pending Bi-fold Door
Maximum Operating Pressure: 3500 PSI

*Polycarbonate door required with this attachment.

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
 AP-SC6072	SKID CUTTER - 72" Width Front and Rear Chains Bi-Fold Door Pusher Bar You May Choose	1,980#	2,132#	\$ 16,973
-41	Pressure Gauge Bundle You Must Choose a Polycarbonate Protective Door Option	4#	4#	\$ 269
-86	Protective Door (for skid steers not equipped with a cab door)	14#	14#	\$ 559
-87	No Protective Door			

AP-SC70 Series Skid Cutters

Various Flow Requirements | AVAILABLE FOR: SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Width: 81"
Length: 91"
7" Cutting Capacity
28-43 GPM
Maximum Flow Rate 43 GPM
11.95 Cu. In. Motor
4 Reversible Heat-Treated Blades
Blades 3/4" Plate
Laminated Steel Blade Carrier
18 Carbide Points
Standard Large Skid Shoes
Tapered, Heavy-Duty
Optional 4" Pressure Gauge
Optional Case Drain
Deck: 1/4"
Side Skirts: 1/4"
Chain Guards Standard
Unique Bi-fold Door
Maximum Operating Pressure: 3500 PSI

*Polycarbonate door required with this attachment.

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
 AP-SC7072	SKID CUTTER - 72" Width Front and Rear Chains Bi-Fold Door Pusher Bar <u>You May Choose any of these Options</u>	2,568#	#2,704	\$ 19,857
-41	Pressure Gauge Bundle	4#	4#	\$ 289
	<u>You Must Choose a Polycarbonate Protective Door Option</u>			
-86	Protective Door (for skid steers not equipped with a cab door)	14#	14#	\$ 559
-87	No Protective Door			

AP-SC110 Series Skid Cutters

Various Flow Requirements | AVAILABLE FOR: SVL97

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Width: 81"
Length: 91"
10" Cutting Capacity
26 - 40 GPM
Maximum Flow Rate 43 GPM
11.10 Cu. In. Motor
4 Reversible Heat-Treated Blades
Blades 3/4" Plate
Laminated Steel Blade Carrier
16 Carbide Points
Standard Large Skid Shoes
Tapered, Heavy-Duty
Optional 4" Pressure Gauge
Case Drain Standard
Deck: 1/4"
Side Skirts: 1/4"
Chain Guards Standard
Unique Bi-fold Door
Maximum Operating Pressure: 3500 PSI

*Polycarbonate door required with this attachment.


MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
 AP-SC11072	SKID CUTTER - 72" Width Front and Rear Chains Bi-Fold Door Pusher Bar <u>You May Choose any of these Options</u>	2,568#	#2,704	\$ 23,790
-41	Pressure Gauge Bundle	4#	4#	\$ 340
	<u>You Must Choose a Polycarbonate Protective Door Option</u>			
-86	Protective Door (for skid steers not equipped with a cab door)	14#	14#	\$ 545
-87	No Protective Door			

AP-SRT Skid Tillers

14-42 GPM | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO INDEX



Hitch: Skid Steer
 Color: Black
 Tilling Depth: 5½", 4", and 2"
 Rotor Diameter: 18.3"
 Rotor Speed:
 SRT62 LOW flow motor 143-245 RPM
 SRT62 HIGH flow motor 133-244 RPM
 SRT76 HIGH flow motor 133-244 RPM
 Recommended Hydraulic Pressure
 SRT62 flow motor STD
 14-23 gpm: minimum 2800 psi / max of 4500 psi
 SRT76 flow motor STD flow
 23-42 gpm: minimum 2300 psi / max of 4500 psi
 133-244 Rotor RPM
 Tines: Forged, Hardened, Bi-Directional, "C"-Shape,
 4 per Flange
 Shanks: ¾" x 2½" x 16" Steel; Standard
 62: 5 Shanks with retaining clips, Standard
 76: 6 Shanks with retaining clips, Standard
 Patent Pending Level Indicator

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SRT62-10-50	62" Skid Tiller Standard Flow, 5 Shanks	785#	851#	\$ 8,261
AP-SRT76-50	76" Skid Tiller Standard Flow, 6 Shanks	880#	921#	\$ 9,757
Add Option No.	Coupler Option			
-20	Small Flat Faced Couplers		2#	\$ 195

*AP-SRT76 High flow motors can be used on skid steers with 16-23 gpm with minimum working pressure of 2600 psi but rotor speed (RPM) will be reduced which could affect tilling performance.


AP-PS20 Series Skid Primary Seeders

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Width: 79", 93.375"
Seeding Width: 71.5", 86.125"
Hitch: Quick Attach Skid Plate AND 3-Point
Bi-Directional Seed Cups
Front and Rear Floating Packer Wheels
Ground Driven Metering
Seed Box: One Bushel/ft, Water-tight with Agitator
2-Speed Seed Rate Drive
Seed Cups: 72" – 10; 86" – 12
Front Rollers: 9.5" Dia. Packer Wheels
72" – 31 Rings
86" – 37 Rings
Rear Rollers: 9.5" Dia. Packer Wheels
72" – 30 Rings
86" – 36 Rings
Roller Spindles: 1.75" with Greasable Bearings
Wind-Guarded Seed Drop
#40 Chain, Spring-loaded, Easy Access
Spring Tines for Track Removal
Optional Transport Lights
Optional Acre Meter

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-PS2072	20 SERIES SKID PRIMARY SEEDER - 72"	1420#	1688#	\$ 12,344
 AP-PS2086	20 SERIES SKID PRIMARY SEEDER - 86"	1634#	1902#	\$ 13,485
<u>You MAY Choose these Options</u>				
-30	Acremeter (313-831A)	8#		\$ 541
-40	Transport Lights (313-992A)	44#		\$ 311

AP-BB30 Series Box Blade

AVAILABLE FOR: SSV65 / SSV75 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Width: 72", 84", 96"
Upper Frame Cross Tube: 4x6x5/16
Lower Frame Cross Tube: 2x4x1/4
A Frame Tubes: 4x4x5/16
Blade Lift Pins: 1"
Tilt Pin: 3"
Grader Blade: 1/2" x 6", Reversible, Replaceable
Reversible Side Cutters: AR400 Steel, 6" x 1/2"
End Panels: Replaceable, 3/8" Grade 50
Quick Attach Skid Plate
Tires: 18" x 8.5" x 10" Foam Filled Turf
3x6x1.5 Welded Lift Cylinder
2- 2.5x5x1.25 Welded Tilt Cylinders
16.5 x 6.63 Parabolic Mirror
25 GPM Max. Flow and 3500 psi Max. Pressure
Tilt Bubble Levels
3 Mast Mounts
14 Pin Control Harness
Pilot Controlled Cylinder Control Valve
Case Drain to Protect Control Valve
Front and Rear Floating Blades
Optional 82" Mast Assembly for 3rd Party
2-D Laser Technology



MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-BB3084	30 SERIES GRADING BOX BLADE - 84" Width	1,775#	2,013#	\$ 27,562
AP-BB3096	30 SERIES GRADING BOX BLADE - 96" Width	1,917#	2,114#	\$ 28,161

You MAY Choose These Options

-50	Two-Receiver Mast Assembly (301-654A)	95#	\$ 691
-----	---------------------------------------	-----	--------

EARTHWORKS GO! Accessories

164770-500*	Earthworks GO! 2.0 Kit Includes GO! Box and Attachment Harness		\$ 7,803
66491-05*	Dual LR410 Laser Receivers Includes Carrying Case		\$ 4,387
0794-2350*	Cables, Coil, 10-6 Quick Disconnect - Two Cables Required		\$ 534
GL1425C-14	Laser with RC402N Remote and CR700 Receiver		\$ 4,194
2162-HH	Aluminum Tripod		\$ 372

*Accessories required for complete Earthworks GO! system

TOPCON Accessories

301-714A	Dual Grade Laser Kit Includes RL-HV2S Long Range Dual Grade Laser, LS-100D Deluxe Long-Range Laser Receiver Sensor, inches rod, and tripod		\$ 3,811
301-723A*	CPU/Tablet Kit Includes CT8X2 Tablet, MC-XI Controller, MC-X BT Antenna		\$ 11,729
301-724A*	Receiver Bundle Kit Includes (2) LS-B200W Receivers and (2) 10-foot coil cords		\$ 3,291
301-725A	Tablet Mount Kit for CT8X2 Tablet		\$ 223

*Accessories required for complete TOPCON system


NOTE: Earthworks GO! and TOPCON Accessoreis cannot be interchanged with other
system.

AP-DZ30 Series 6-Way Dozer Blade

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO INDEX



6-Way Tilt and Angle
 Moldboard: 3/8" w/Full Box Bracing
 Cutting Edge:
 3/4" x 8" Reversible & Replaceable
 3 Piece Design
 Tilt: Up to 10 Degrees Up and Down
 Angle: Up to 30 Degrees Both Directions
 Pivot Pins: 3"
 Cylinders: 3-1/2" x 8" Welded
 Wear Bar: 1/2" x 4" Full Length



MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-DZ3084	30 SERIES 6-WAY DOZER BLADE - 84" Width	1345#	1400#	\$ 9,880




AP-DZ3096	30 SERIES 6-WAY DOZER BLADE - 96" Width	1440#	1505#	\$ 10,435
-----------	---	-------	-------	-----------

ADD OPTION NUMBER YOU MUST CHOOSE A WIRING HARNESS

-31	Thumb Switch, Battery Connect	5#	5#	\$ 388
-32	14 Pin Connector	5#	5#	\$ 244
-33	14 Pin Connector, JD	5#	5#	\$ 244
-34	14 Pin Connector, JD E/H	5#	5#	\$ 244
-35	Thumb Switch, 2-Pin Connect	5#	5#	\$ 388

AP-SR27 Series Powered Rakes

Min. Hydraulics Req'd: 72: 12-24 gpm | 90: 15-24 gpm | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-3



Rigid or Float Option
Manual or Hydraulic Angle
Cast Chain Housing
5/8" U-Bolts on Gauge Wheel
Drive Chain: #50 Double Continuous Roller Chain
High Tensile, Enclosed in Oil Bath
Angle Adjustment: 20 Degrees Left & 20 Degrees Right,
Forward or Reverse Angle Cylinder: 2" x 8"
End Plates with Storage Pins Gauge Wheels: 16.5" x 6.5"
Air Tires with Sealant & 3/4" Roller Bearings
and Spacer Height Adjustment
Replaceable Skid Shoes

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SR2772	27 SERIES SKID STEER POWERED RAKE 72" Width; Carbide Tipped Studded Roller	1101#	1126#	\$ 11,292
 AP-SR2790	27 SERIES SKID STEER POWERED RAKE 90" Width; Carbide Tipped Studded Roller	1255#	1282#	\$ 13,143
<u>YOU MUST CHOOSE A HITCH OPTION</u>				
-11	Angling Float Hitch	267#	267#	\$ 2,229
-12	Angle Hitch	221#	221#	\$ 1,216
<u>YOU MUST CHOOSE A VALVE OPTION</u>				
-31	72" Hydraulic Valve and Cylinder	52#	52#	\$ 2,268
-31	90" Hydraulic Valve and Cylinder	54#	54#	\$ 2,300
-32	Manual Link Assembly	22#	22#	\$ 599
<u>YOU MAY CHOOSE ONE OF THE FOLLOWING WIRING HARNESSES</u>				
-60	14 Pin Wiring Harness, DEUTSCH HD30, 73"	2#	2#	\$ 217
-62	2 Pin Wiring Harness w Switch, DTP (2 Pin Kubota SVL)	2#	2#	\$ 296
-63	Switch and Wiring Harness	2#	2#	\$ 217

AP-SA20 Series Planetary Skid Augers

10-30 gpm | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Skid/Loader Plate
Hydraulically Driven Planetary Gearbox
Hydraulically Reversible
2 Motor Options: High or Med. Flow
Output Shaft: 2" Hex
Auger Teeth: Forged, Individually Replaceable
40 Degree Angle Installed on Flat Side
50 Degree Angle Installed on Angled Side
9" - 4 teeth, 12" - 4, 15" - 5, 18" - 6,
24" - 8, 30" - 10, 36" - 12
Tree Augers: 24" - 9, 30" - 11, 36" - 13
Auger Pipe: 2½" ID
Auger Flighting Thickness: ¼"
Auger Length: 48"

Optional Flat Face Couplers
Torque (at 100% Efficiency)
Med-Flow: 1775 ft/lb @ 3000 PSI
High-Flow: 2620 ft/lb @ 3000 PSI

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SA20-05	20 SERIES HYDRAULIC SKID AUGER Skid/Loader Plate w/8' Hoses	210#	268#	\$ 1,310
ADD OPTION NUMBER	<u>YOU MUST CHOOSE A MOTOR</u>			
-42	Med Flow Hyd Motor 10-20 GPM	71#	71#	\$ 2,056
-43	High Flow Hyd Motor 15-30 GPM	71#	71#	\$ 2,056
	<u>YOU MAY CHOOSE COUPLERS</u>			
-50	1/2" Flat Face Couplers (includes adaptors)	3#	3#	\$ 195
ADD OPTION NUMBER	<u>FOR 2" HEX OUTPUT SHAFTS</u>			
-06	6" Double Flight Auger (317-273A)	60#	60#	\$ 673
-09	9" Double Flight Auger (317-095A)	70#	70#	\$ 704
-12	12" Double Flight Auger (317-098A)	98#	98#	\$ 801
-15	15" Double Flight Auger (317-101A)	119#	119#	\$ 1,023
-18	18" Double Flight Auger (317-104A)	131#	131#	\$ 1,126
-24	24" Double Flight Auger (317-107A)	214#	214#	\$ 1,318
-26	24" Tree Auger (317-110A)	162#	162#	\$ 1,203
-30	30" Double Flight Auger (317-113A)	254#	254#	\$ 1,937
-32	30" Tree Auger (317-116A)	236#	236#	\$ 1,809
-36	36" Double Flight Auger (317-119A)	380#	380#	\$ 2,319
-38	36" Tree Auger (317-122A)	305#	305#	\$ 2,197
-70	6" Rock Auger (317-280A)	40#	40#	\$ 1,418
-71	9" Rock Auger (317-263A)	89#	89#	\$ 1,768
-72	12" Rock Auger (317-264A)	111#	111#	\$ 2,182
-73	15" Rock Auger (317-265A)	140#	140#	\$ 2,597
-74	18" Rock Auger (317-266A)	73#	73#	\$ 3,022
-75	24" Rock Auger (317-267A)	80#	80#	\$ 3,796
-86	2" Puff Auger (317-318A)	32#	32#	\$ 674

See "SA/EA Accessories" on page 19

AP-SA35 Series Planetary Skid Auger

15-25 gpm | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Skid Steer Mounting Plate
Hydraulically Driven Planetary Gearbox
Hydraulically Reversible
Output Shaft: 2" Hex or 2⁹/₁₆" OD Round
Auger Teeth: Forged, Individually Replaceable
40 Degree Angle Installed on Flat Side
50 Degree Angle Installed on Angled Side
9" - 4 teeth, 12" - 4, 15" - 5, 18" - 6,
24" - 8, 30" - 10, 36" - 12
Tree Augers: 24" - 9, 30" - 11, 36" - 13

Auger Pipe: 2¹/₂" ID
Auger Flighting Thickness: 1/4"
Auger Length: 48"
Pilot: Cast Steel, 3 Drill Points
Includes 8' Hose & 1/2" Flat Face Couplers

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SA35-01	35 SERIES HYDRAULIC SKID AUGER 2 ⁹ / ₁₆ " Round Output Shaft 15-25 GPM Hydraulic Motor	372#	446#	\$ 3,869
ADD OPTION NUMBER	FOR 2⁹/₁₆" ROUND OUTPUT SHAFTS			
-10	9" Double Flight Auger (317-096A)	70#	70#	\$ 704
-13	12" Double Flight Auger (317-099A)	98#	98#	\$ 801
-16	15" Double Flight Auger (317-102A)	119#	119#	\$ 1,023
-19	18" Double Flight Auger (317-105A)	131#	131#	\$ 1,126
-25	24" Double Flight Auger (317-108A)	214#	214#	\$ 1,318
-27	24" Tree Auger (317-111A)	162#	162#	\$ 1,203
-31	30" Double Flight Auger (317-114A)	285#	285#	\$ 1,937
-33	30" Tree Auger (317-117A)	236#	236#	\$ 1,809
-37	36" Double Flight Auger (317-120A)	380#	380#	\$ 2,319
-39	36" Tree Auger (317-123A)	305#	305#	\$ 2,197
-76	6" Rock Auger (317-281A)	60#	60#	\$ 1,418
-77	9" Hub Rock Auger (317-268A)	95#	95#	\$ 1,768
-78	12" Hub Rock Auger (317-269A)	116#	116#	\$ 2,182
-79	15" Hub Rock Auger (317-270A)	149#	149#	\$ 2,597
-80	18" Hub Rock Auger (317-271A)	205#	205#	\$ 3,022
-81	24" Hub Rock Auger (317-272A)	256#	256#	\$ 3,796
-87	2" Puff Auger (317-319A)	32#	32#	\$ 674
AP-SA35-02	35 SERIES HYDRAULIC POST HOLE DIGGER 2" Hex Output Shaft 15-25 GPM Hydraulic Motor	376#	458#	\$ 3,869
ADD OPTION NUMBER	FOR 2" HEX OUTPUT SHAFTS			
-06	6" Double Flight Auger (317-273A)	60#	60#	\$ 673
-09	9" Double Flight Auger (317-095A)	70#	70#	\$ 704
-12	12" Double Flight Auger (317-098A)	98#	98#	\$ 801
-15	15" Double Flight Auger (317-101A)	119#	119#	\$ 1,023
-18	18" Double Flight Auger (317-104A)	131#	131#	\$ 1,126
-24	24" Double Flight Auger (317-107A)	214#	214#	\$ 1,318
-26	24" Tree Auger (317-110A)	162#	162#	\$ 1,203
-30	30" Double Flight Auger (317-113A)	254#	254#	\$ 1,937
-32	30" Tree Auger (317-116A)	236#	236#	\$ 1,809
-36	36" Double Flight Auger (317-119A)	380#	380#	\$ 2,319
-38	36" Tree Auger (317-122A)	305#	305#	\$ 2,197
-70	6" Rock Auger (317-280A)	60#	60#	\$ 1,418
-71	9" Hex Rock Auger (317-263A)	95#	95#	\$ 1,768
-72	12" Hex Rock Auger (317-264A)	116#	116#	\$ 2,182
-73	15" Hex Rock Auger (317-265A)	149#	149#	\$ 2,597
-74	18" Hex Rock Auger (317-266A)	205#	205#	\$ 3,022
-75	24" Hex Rock Auger (317-267A)	256#	256#	\$ 3,796
-86	2" Puff Auger (317-318A)	32#	32#	\$ 674

See "SA/EA Accessories" on page 19

AP-EA20 Series Excavator Auger

6-30 gpm | AVAILABLE FOR: KX71 / KX018-4 / KX030 / KX033 / KX040 / KX057 / KX080 / U17 / U25 / U27 / U35 / U48 / U55



RETURN TO INDEX



Choose Excavator Mount
Hydraulically Driven Planetary Gearbox
Hydraulically Reversible
3 Motor Options: 6-15 gpm, 10-20 gpm, 15-30 gpm
Output Shaft: 2" Hex
Auger Teeth: Forged, Individually Replaceable
40 Degree Angle Installed on Flat Side
50 Degree Angle Installed on Angled Side
9" - 4 teeth, 12" - 4, 15" - 5, 18" - 6,
24" - 8, 30" - 10, 36" - 12
Tree Augers: 24" - 9, 30" - 11, 36" - 13
Auger Pipe: 2 1/2" ID
Auger Flighting Thickness: 5/16"
Auger Length: 48"
Rock Augers: 6", 9", 12", 15", 18", 24"
Torque: Up to 2620 ft/lb @ 3000 PSI*

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-EA20	20 SERIES HYDRAULIC POST HOLE DIGGER No Mount	42#	116#	\$ 596
AP-EA20-01	20 SERIES HYDRAULIC POST HOLE DIGGER for use with KX018-4 and U17** (317-249A)	94#	168#	\$ 907
AP-EA20-02	20 SERIES HYDRAULIC POST HOLE DIGGER for use with U25 and U27 (317-248A)	115#	189#	\$ 1,014
AP-EA20-03	20 SERIES HYDRAULIC POST HOLE DIGGER for use with KX033, KX040, KX71, KX91, and U35 (317-247A)	107#	195#	\$ 1,005
AP-EA20-04	20 SERIES HYDRAULIC POST HOLE DIGGER for use with KX057, U48, and U55 (317-250A)	179#	253#	\$ 1,165
AP-EA20-05	20 SERIES HYDRAULIC POST HOLE DIGGER for use with KX080 (317-251A)	206#	280#	\$ 1,270
AP-EA20-09	20 SERIES HYDRAULIC POST HOLE DIGGER with Pin Grabber Mount For KX057 (317-437A)	288#	362#	\$ 1,804
AP-EA20-10	20 SERIES HYDRAULIC POST HOLE DIGGER with Pin Grabber Mount For KX080 (317-438A)	320#	394#	\$ 1,967
ADD OPTION NUMBER	<u>YOU MAY CHOOSE A HOSE KIT</u>			
-20	32" Hose Kit for U27	3#	3#	\$ 171
-21	54" Hose Kit for KX033, KX040, KX71, KX91, U35, U55, and KX057	9#	9#	\$ 388
-22	74" Hose Kit for KX080	3#	3#	\$ 388
-23	48" Hose Kit for KX018-14 and U17	3#	3#	\$ 206
ADD OPTION NUMBER	<u>YOU MAY CHOOSE A TRANSPORT CRADLE</u>			
-31	Cradle	28#	28#	\$ 188
ADD OPTION NUMBER	<u>YOU MUST CHOOSE A MOTOR</u>			
-35	6-15 gpm	89#	89#	\$ 2,077
-36	10-20 gpm	89#	89#	\$ 2,056
-37	15-30 gpm	91#	91#	\$ 2,077

*Torque based on theoretical 100% efficiency for comparison purposes only.

** A maximum auger size of 24" is recommended with the KX018-4/U17 mount. Excavator stability and digging performance will suffer with augers larger than 24".

See "Auger Options" on page 18

See "SA/EA Accessories" on page 19

AP-EA35 Series Excavator Auger

15-30 gpm | AVAILABLE FOR: KX030 / KX033 / KX057 / KX71 / KX080 / U25 / U27 / U35 / U48 / U55

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Choose Excavator Mount
Hydraulically Driven Planetary Gearbox
Hydraulically Reversible
Output Shaft: 2" Hex or 2⁹/₁₆" OD Round
Auger Teeth: Forged, Individually Replaceable
40 Degree Angle Installed on Flat Side
50 Degree Angle Installed on Angled Side
9" - 4 teeth, 12" - 4, 15" - 5, 18" - 6,
24" - 8, 30" - 10, 36" - 12
Tree Augers: 24" - 9, 30" - 11, 36" - 13
Auger Pipe: 2¹/₂" ID
Auger Flighting Thickness: 5/16"
Auger Length: 48"
Rock Augers: 6", 9", 12", 15", 18", 24"
Pilot: Cast Steel, 3 Drill Points
Torque: Up to 2732 ft/lb @ 3000 PSI*

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-EA35	35 SERIES HYDRAULIC POST HOLE DIGGER No Mount	414#	432#	\$ 919
AP-EA35-01	35 SERIES HYDRAULIC POST HOLE DIGGER For use with KX018 and U17** (317-249A)	466#	497#	\$ 1,230
AP-EA35-02	35 SERIES HYDRAULIC POST HOLE DIGGER For use with U25 and U27 (317-248A)	471#	503#	\$ 1,337
AP-EA35-03	35 SERIES HYDRAULIC POST HOLE DIGGER For use with KX033, KX040, KX71, KX91, and U35 (317-247A)	496#	524#	\$ 1,328
AP-EA35-04	35 SERIES HYDRAULIC POST HOLE DIGGER For use with KX057, U48, and U55 (317-250A)	551#	578#	\$ 1,488
AP-EA35-05	35 SERIES HYDRAULIC POST HOLE DIGGER For use with KX080 (317-251A)	578#	599#	\$ 1,593
AP-EA35-09	35 SERIES HYDRAULIC POST HOLE DIGGER with Pin Grabber Mount for KX057 (317-437A)	586#	643#	\$ 2,127
AP-EA35-10	35 SERIES HYDRAULIC POST HOLE DIGGER with Pin Grabber Mount for KX080 (317-438A)	618#	664#	\$ 2,290
ADD OPTION NUMBER	<u>YOU MAY CHOOSE A HOSE KIT</u>			
-20	32" Hose Kit for U27	3#	3#	\$ 171
-21	54" Hose Kit for KX033, KX040, KX71, KX91, U35, U55, and KX057	3#	3#	\$ 388
-22	74" Hose Kit for KX080	3#	3#	\$ 388
-23	48" Hose Kit for KX018 and U17	3#	3#	\$ 206
ADD OPTION NUMBER	<u>YOU MAY CHOOSE A TRANSPORT CRADLE</u>			
-31	Cradle	28#	28#	\$ 206
ADD OPTION NUMBER	<u>YOU MUST CHOOSE A MOTOR</u>			
-35	Hydraulic Motor/Gearbox: 2-9/16" Round			\$ 2,199
-36	Hydraulic Motor/Gearbox: 2" Hex Shaft			\$ 2,199

*Torque based on theoretical 100% efficiency for comparison purposes only.

** A maximum auger size of 24" is recommended with the KX018/U17 mount.
Excavator stability and digging performance will suffer with augers larger than 24".

See "Auger Options" on page 18

See "SA/EA Accessories" on page 19

ADD OPTION NUMBER	FOR 2³/₁₆" ROUND OUTPUT SHAFTS - for AP-EA35 MODEL ONLY		APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
-51	9" Double Flight Auger	(317-096A)	78#	78#	\$ 704
-52	12" Double Flight Auger	(317-099A)	113#	113#	\$ 801
-53	15" Double Flight Auger	(317-102A)	116#	116#	\$ 1,023
-54	18" Double Flight Auger	(317-105A)	135#	135#	\$ 1,126
-55	24" Double Flight Auger	(317-108A)	206#	206#	\$ 1,318
-56	24" Tree Auger	(317-111A)	209#	209#	\$ 1,203
-57	30" Double Flight Auger	(317-114A)	224#	224#	\$ 1,937
-58	30" Tree Auger	(317-117A)	228#	228#	\$ 1,809
-59	36" Double Flight Auger	(317-120A)	280#	280#	\$ 2,319
-60	36" Tree Auger	(317-123A)	289#	289#	\$ 2,197
-76	6" Rock Auger	(317-281A)	60#	60#	\$ 1,418
-77	9" Hub Rock Auger	(317-268A)	95#	95#	\$ 1,768
-78	12" Hub Rock Auger	(317-269A)	116#	116#	\$ 2,182
-79	15" Hub Rock Auger	(317-270A)	149#	149#	\$ 2,597
-80	18" Hub Rock Auger	(317-271A)	205#	205#	\$ 3,022
-81	24" Hub Rock Auger	(317-272A)	256#	256#	\$ 3,796
-87	2" Puff Auger	(317-319A)	32#	32#	\$ 674

ADD OPTION NUMBER	FOR 2" HEX OUTPUT SHAFTS - FOR AP-EA20 and AP-EA35 MODELS				
-40	6" Double Flight Auger	(317-273A)	39#	39#	\$ 673
-41	9" Double Flight Auger	(317-095A)	78#	78#	\$ 704
-42	12" Double Flight Auger	(317-098A)	113#	113#	\$ 801
-43	15" Double Flight Auger	(317-101A)	116#	116#	\$ 1,023
-44	18" Double Flight Auger	(317-104A)	135#	135#	\$ 1,126
-45	24" Double Flight Auger	(317-107A)	206#	206#	\$ 1,318
-46	24" Tree Auger	(317-110A)	209#	209#	\$ 1,203
-47	30" Double Flight Auger	(317-113A)	224#	224#	\$ 1,937
-48	30" Tree Auger	(317-116A)	228#	228#	\$ 1,809
-49	36" Double Flight Auger	(317-119A)	280#	280#	\$ 2,319
-50	36" Tree Auger	(317-122A)	289#	289#	\$ 2,197
-70	6" Rock Auger	(317-280A)	60#	60#	\$ 1,418
-71	9" Hex Rock Auger	(317-263A)	95#	95#	\$ 1,768
-72	12" Hex Rock Auger	(317-264A)	116#	116#	\$ 2,182
-73	15" Hex Rock Auger	(317-265A)	149#	149#	\$ 2,597
-74	18" Hex Rock Auger	(317-266A)	205#	205#	\$ 3,022
-75	24" Hex Rock Auger	(317-267A)	256#	256#	\$ 3,796
-86	2" Puff Auger	(317-318A)	32#	32#	\$ 674

PART NUMBER	DESCRIPTION	APPROX. WEIGHT	SHIPPING WEIGHT	LIST PRICE
<u>AUGER EXTENSIONS</u>				
317-129A	2" Hex - 24" Auger Extension - SA20, SA35, EA20, EA35	34#	34#	\$ 734
317-131A	2" Hex - 48" Auger Extension - SA20, SA35, EA20, EA35	58#	58#	\$ 1,067
317-133A	2 ⁹ / ₁₆ " Round - 24" Auger Extension - SA35, EA35	25#	25#	\$ 713
317-135A	2 ⁹ / ₁₆ " Round - 48" Auger Extension - SA35, EA35	37#	37#	\$ 905
<u>AUGER ADAPTERS</u>				
317-057A	Auger Adapter 2-9/16" Round to 2" Round	15#	15#	\$ 286
890-963C	Auger Adapter 2-/916" Round to 2" Hex	14#	14#	\$ 286
892-047C	Auger Adapter 2" Hex to 2-1/2" Round	19#	19#	\$ 204
892-048C	Auger Adapter 2" Round to 2" Hex	13#	13#	\$ 204
<u>ROCK HEADS</u>				
317-274A	6" Bolt-on Rock Head - SA20, SA35, EA20, EA35	24#	24#	\$ 781
317-275A	9" Bolt-on Rock Head - SA20, SA35, EA20, EA35	36#	36#	\$ 957
317-276A	12" Bolt-on Rock Head - SA20, SA35, EA20, EA35	43#	43#	\$ 1,038
317-277A	15" Bolt-on Rock Head - SA20, SA35, EA20, EA35	47#	47#	\$ 1,114
317-278A	18" Bolt-on Rock Head - SA20, SA35, EA20, EA35	62#	62#	\$ 1,177
317-279A	24" Bolt-on Rock Head - SA20, SA35, EA20, EA35	79#	79#	\$ 1,380
<u>SKID STEER MOUNT</u>				
317-083A	Skid Steer Mount for EA35	196#	196#	\$ 937
317-215A	Skid Steer Mount for EA20	196#	196#	\$ 937
<u>EXCAVATOR MOUNTS</u>				
317-249A	KX018/U17 Mount	52#	52#	\$ 303
317-248A	U25/U27 Mount	73#	73#	\$ 408
317-247A	KX033/KX040/KX71/KX91/U35 Mount	82#	82#	\$ 408
317-250A	KX057/U48/U55 Mount	137#	137#	\$ 555
317-251A	KX080 Mount	164#	164#	\$ 658
<u>PIN GRABBER EXCAVATOR MOUNTS</u>				
317-437A	KX057 Mount	172#	172#	\$ 1,179
317-438A	KX080 Mount	204#	204#	\$ 1,338

AP-SG25 Series Skid Graders

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Ripper Teeth Standard
Bi-directional Blades
Correct Hitch Angle
Bucket Carrier on Top
Working Width: 72", 84"
Overall Width: 6'9", 7'9"
Overall Length: 56"
Side Panel Height: 14⁵/₈"
Side Panel Length: 50"
Side Panel Thickness: 1/4", with 2³/₄" Formed Edges
Front Beam: 4" x 4", 5/16" Wall Tubing
Rear Beam: 3" x 3", 3/16" Wall Tubing
Skid Shoes: 3/8" x 3", Replaceable
Ripper Teeth: Heat Treated
6 ea on 72"
7 ea on 84"
Cutting Edges: 2 ea, 1/2" x 6" High Carbon,
Heat Treated, Reversible & Replaceable

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SG2572	25 SERIES SKID GRADER - 72" Width - 6 Shanks	892#	990#	\$ 3,682
AP-SG2584	25 SERIES SKID GRADER - 84" Width - 7 Shanks	966#	1066#	\$ 3,950

AP-PC Series Plate Compactor

AVAILABLE FOR: U35, U48, U55, KX033, KX040, KX057, KX080

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Cycles per Min: 2,000
4-Function Valve
Sealed Bearings
Hyd. Flow Req.: PC400: 12.6 to 15.4 GPM
PC700: 16.2 to 19.8 GPM
PC1000: 16.2 to 19.8 GPM
Impulse Force: PC400: 4,000 lbs.
PC700: 6,400 lbs.
PC1000: 8,000 lbs.
Base Plate Dim: PC400: 13" x 25"
PC700: 18" x 27"
PC1000: 24" x 28"

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-PC400	PC400 Plate Compactor	500#	545#	\$ 7,173

ADD

OPTION NO.	You MAY Choose a MOUNT			
-01	Fits KX040/U35/KX033, Excavator QA Mount (317-360A)	110#	110#	\$ 737
-02	Fits KX057/U48/U55, Excavator QA Mount (317-361A)	130#	130#	\$ 899
-03	Fits KX057/U48/U55, Pin Grabber Mount (317-454A)	97#	97#	\$ 921

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-PC700	PC700 Plate Compactor	606#	638#	\$ 8,335

ADD

OPTION NO.	You MAY Choose a MOUNT			
-01	Fits KX040, Excavator QA Mount (317-347A)	95#	95#	\$ 663
-02	Fits KX057/U48/U55, Excavator QA Mount (317-348A)	111#	111#	\$ 804
-03	Fits KX080 Excavator, QA Mount (317-406A)	188#	188#	\$ 1,136
-04	Fits KX057/U48/U55, Pin Grabber Mount (317-441A)	110#	110#	\$ 1,158
-05	Fits KX080 Excavator, Pin Grabber Mount (317-444A)	185#	185#	\$ 1,327

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-PC1000	PC1000 Plate Compactor	1120#	1148#	\$ 10,230

ADD

OPTION NO.	You MAY Choose a MOUNT			
-02	Fits KX057/U48/U55, Excavator QA Mount (317-348A)	111#	111#	\$ 804
-03	Fits KX080 Excavator, QA Mount (317-406A)	188#	188#	\$ 1,136
-04	Fits KX057/U48/U55, Pin Grabber Mount (317-441A)	110#	110#	\$ 1,158
-05	Fits KX080 Excavator, Pin Grabber Mount (317-444A)	185#	185#	\$ 1,327

AP-SSG20 Series Stump Grinder

AVAILABLE FOR: SCL1000/ U27/ KX71/ KX033/ U35/ KX040/ KX057/ SSV65/ SSV75 (Std Flow Only)/ SVL75-3 (Std Flow Only)



RETURN TO
INDEX



Fits Compact Loaders, Skid Steers, Compact Excavators
Optional Mounts
Direct Drive
15 Wearsharp® Teeth
8-21 GPM


MODEL NUMBER	DESCRIPTION		APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SSG2024	20 SERIES STUMP GRINDER 24" Diameter Cutting Wheel		312#	344#	\$ 5,913
ADD OPTION NUMBER	MUST CHOOSE A MOUNT OPTION				
-01	Cii Mount (328-187A)		82#	82#	\$ 535
-03	SS Mount (328-193A)		168#	168#	\$ 796
-04	Compact Excavator Mount (328-189A)		85#	85#	\$ 428
	MUST CHOOSE IF -04 OPTION SELECTED				
-41	Bolt-on Mount, U27 (328-195A)		66#	86#	\$ 298
-42	Bolt-on Mount, KX71/KX033/U35/KX040 (333-184A)		77#	97#	\$ 489
-43	Bolt-on Mount, KX057 (333-185A)		108#	128#	\$ 590
-44	Pin Grabber Mount for KX057 (333-202A)		103#	123#	\$ 894
	MAY SELECT A HOSE OPTION				
-51	90" CUL Hose Kit		6#		\$ 282
-52	100" SS Hose Kit		7#		\$ 347
-53	60" Ex Hose Kit		5#		\$ 402

NOTE: If attaching to a Kubota skid steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.


AP-SSG25 Series Stump Grinder

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Overall Mounting Width: 48"
Overall Length (w/o Shielding): 60"
Drive System: Hydraulic Motor w/Electric over Hydraulics
Hydraulic Requirements: 17-32 gpm
Angle & Lift Cylinders: 3" x 6" Stroke
w/1 1/4" Rod Diameter
Hydraulic Lines & Hoses: 3/4"
Cutting Wheel: 1/2" Thick x 24" Diameter
w/Carbide Teeth
Number of Carbide Teeth: 32
Cutting Wheel Speed: 640 rpm @ 18 gpm
Cutting Arc: 55 Degrees
Max Cutting Depth: 8"
Greaseable Hinge Points: Yes
Main Frame: 6" x 6" x 1/4" Tube

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SSG2524	25 SERIES STUMP GRINDER 24" Diameter Cutting Wheel	455#	565#	\$ 9,563
ADD OPTION NUMBER				
-20	Flat-Faced Hydraulic Quick Couplers	1#	1#	\$ 195
-31	Control Harness - Battery Connection with Switch	5#	5#	\$ 413
-32	14 Pin Wiring Harness (Kubota SVL & Others)	3#	3#	\$ 240
-35	2 Pin Wiring Harness (Kubota SVL w/0 14 Pin Connector)	2#	2#	\$ 486
-90	SSL/SVL Case Drain Coupler	8#	8#	\$ 77

NOTE: If attaching to a Kubota skid steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-TR Series Trencher

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO
INDEX



58" Frame Width
48", 60" Depths
15-24 gpm, 25-40 gpm Motor Options
FF Couplers on 15-24 gpm
Large FF Couplers on 24-40 gpm
3600 psi Operating Pressure
Manual or Hydraulic Sideshift
6", 8", 10" Width Chain Options
2-Pitch, 4-Pitch, and Combo Chain Options
Patented Depth Gauge
Standard Spoil Auger, 15¹/₂" Diameter
Grease Cylinder Tensioning
Crumber Shoe to Clear Trench

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-TR48-10	48" TRENCHER - 15-24 GPM MOTOR	1276#	1374#	\$ 9,786
AP-TR48-11	48" TRENCHER - 24-40 GPM MOTOR	1283#	1381#	\$ 10,422
AP-TR60-10	60" TRENCHER - 15-24 GPM MOTOR	1304#	1402#	\$ 9,786
AP-TR60-11	60" TRENCHER - 24-40 GPM MOTOR	1311#	1409#	\$ 10,422


See Trencher Options and Chain Selection Guide on following pages.

ADD OPTION NUMBER		APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
	<u>You MAY Choose a Chain (48" Only)</u>			
-30	2 Pitch Chain, Standard Cup, 6" (350-072A)			\$ 1,669
-31	2 Pitch Chain, Standard Cup, 8" (350-170A)			\$ 2,034
-32	2 Pitch Chain, Standard Cup, 10" (350-171A)			\$ 2,271
-34	4 Pitch Chain, Standard Cup, 6" (350-173A)			\$ 1,311
-35	4 Pitch Chain, Standard Cup, 8" (350-174A)			\$ 1,461
-36	4 Pitch Chain, Standard Cup, 10" (350-175A)			\$ 1,890
-38	Scorpion and Cup Chain, 6" (350-177A)			\$ 2,930
-39	Scorpion and Cup Chain, 8" (350-178A)			\$ 3,321
-40	Scorpion and Cup Chain, 10" (350-179A)			\$ 3,781
-42	Alligator and Cup Chain, 6" (350-181A)			\$ 2,930
-43	Alligator and Cup Chain, 8" (350-182A)			\$ 3,328
-44	Alligator and Cup Chain, 10" (350-183A)			\$ 4,290
	<u>You MAY Choose a Chain (60" Only)</u>			
-30	2 Pitch Chain, Standard Cup, 6" (350-129A)			\$ 1,915
-31	2 Pitch Chain, Standard Cup, 8" (350-185A)			\$ 2,319
-32	2 Pitch Chain, Standard Cup, 10" (350-186A)			\$ 2,702
-34	4 Pitch Chain, Standard Cup, 6" (350-188A)			\$ 1,503
-35	4 Pitch Chain, Standard Cup, 8" (350-189A)			\$ 1,675
-36	4 Pitch Chain, Standard Cup, 10" (350-191A)			\$ 2,003
-38	Scorpion and Cup Chain, 6" (350-193A)			\$ 3,344
-39	Scorpion and Cup Chain, 8" (350-196A)			\$ 3,796
-40	Scorpion and Cup Chain, 10" (350-197A)			\$ 4,131
-42	Alligator and Cup Chain, 6" (350-199A)			\$ 3,336
-43	Alligator and Cup Chain, 8" (350-201A)			\$ 3,805
-44	Alligator and Cup Chain, 10" (350-202A)			\$ 5,336
	<u>You MUST Choose a Sideshift Option</u>			
-60	Hydraulic Side Shift	28#	28#	\$ 1,073
-61	Manual Side Shift	7#	7#	\$ 119
	<u>You MUST Choose a Crumber Shoe</u>			
-70	6" Crumber Shoe	7#	7#	\$ 33
-71	8" Crumber Shoe	9#	9#	\$ 35
-72	10" Crumber Shoe	12#	12#	\$ 39

TRENCHER CHAIN SELECTION GUIDE


2 PITCH CHAIN

Standard Cup Tooth Every Station
Light to moderately compacted, sandy soils




4 PITCH CHAIN

Standard Cup Tooth Every Other Station
Wet, sticky conditions





ALLIGATOR & CUP TEETH

Combination 50/50
Highly compacted soils, clay, shale or frozen ground



SCORPION & CUP TEETH

Combination 50/50
Compacted or rocky soil - Not recommended for use in normal conditions



CHAIN WIDTHS


6" Wide



8" Wide



10" Wide



CHAIN AND CUTTER RECOMMENDATIONS FOR VARIOUS DIGGING CONDITIONS

CHAIN SYSTEM	ROCKY SOIL	HARD SOIL	MEDUM SOIL	SOFT SOIL	SANDY
4 pitch cup			***	***	**
2 pitch cup		**	***	***	***
Scorpion & cup	***	***	***	***	
Alligator & cup	***	***	***	**	

AP-SGC20 Series Claw Grapples

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Closed Height: 39"
Number of Bottom Teeth: 12, 14
Number of Top Teeth: 11, 13
Spacing of Teeth: 6"
Tooth Thickness: 1/2"
Working Length of Teeth: 15"
Hydraulic Cylinder: 2 Qty, 3" x 10" x 1 1/4" Rod
Max. Jaw Opening: 50"
Tine Material: High Tensile AR400
76" Hoses
Flat Face Fittings



<u>MODEL NUMBER</u>	<u>DESCRIPTION</u>	<u>APPROX. MACHINE WEIGHT</u>	<u>SHIPPING WEIGHT</u>	<u>LIST PRICE</u>
AP-SGC2072	20 SERIES CLAW GRAPPLE - 72" Width	896#	981#	\$ 7,434
AP-SGC2084	20 SERIES CLAW GRAPPLE - 84" Width	1000#	1,086#	\$ 8,402

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-SGR15 Series Rock Grapples

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Closed Height: 30³/₄"
 Number of Bottom Teeth: 23, 25
 Spacing of Teeth: 3"
 Tooth Thickness: ³/₈"
 Working Length of Teeth: 38"
 Hydraulic Cylinder: 2" x 8" x 1¹/₄" Rod
 Max. Jaw Opening: 37"
 Tine Material: High Strength Grade 80 Material

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SGR1572-01-11	15 SERIES ROCK GRAPPLE - 72" Width, Hoses & Flat Face Fitting Bundle 95"	924#	994#	\$ 6,361
AP-SGR1578-01-11	15 SERIES ROCK GRAPPLE - 78" Width, Hoses & Flat Face Fitting Bundle 95"	958#	1028#	\$ 6,568
ADD OPTION NO.				
-21	Hydraulic Cylinder Shields - 2 each (380-023A)	34#	34#	\$ 213

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-RG30 Series Root Grapples

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



1/2" Flat Faced Couplers Included
Gusseted 1/2" Frame Tines
3/4" Grapple Tines
Greaseable Pivot Points
10" Wide Tine Spacing
Steel Hydraulic Lines
2 1/2" x 8" x 1 1/4" Cylinders
Opening: 39 5/8"
Depth: 31"
Hydraulic Cylinder Shield Kit standard

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-RG3068-21	30 SERIES ROOT GRAPPLE - 68" Width	951#	1,042#	\$ 5,560
AP-RG3074-21	30 SERIES ROOT GRAPPLE - 74" Width	967#	1,058#	\$ 6,152
AP-RG3080-21	30 SERIES ROOT GRAPPLE - 80" Width	1,064#	1,155#	\$ 6,812
ADD				
OPTION NO.				
-31	Cylinder Rod Shield Kit (380-278A) (Fits in jaw, under cylinder rod)	37#	37#	\$ 259

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-SL Series Standard-Duty Buckets

AVAILABLE FOR: SSV65 / SSV75



RETURN TO
INDEX



68" or 74" Width
Standard Duty; Low Profile
10 Gauge Shell
Available with Standard Floor or Long Floor
Struck Capacity:
68" 10.24 cu/ft Std, 12.39 cu/ft Long
74" 11.13 cu/ft Std, 13.5 cu/ft Long
Heaped Capacity:
68" 14.51 cu/ft Std, 18.01 cu/ft Long
74" 15.84 cu/ft Std, 19.67 cu/ft Long

*Must order Buckets in multiples of 8,
with multiples of 2 being identical
Price break at 16 Buckets

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SL68SLC-16	68" w/Low Profile, Standard Floor, Bolt on Edge	538#	570#	\$ 2,077
AP-SL68SLLC-16	68" w/Low Profile, Long Floor, Bolt on Edge	572#	605#	\$ 1,998
AP-SL74SLC-16	74" w/Low Profile, Standard Floor, Bolt on Edge	571#	604#	\$ 2,213
AP-SL74SLLC-16	74" w/Low Profile, Long Floor, Bolt on Edge	607#	645#	\$ 2,322
OPTIONS	DESCRIPTION			
-08	8-PACK PRICING (replace -16 option with -08 option and add \$52 List to each bucket)			\$ 52
Replacement Parts (Ordered through Parts Department)				
812-497C	LH Sidecutter	9#		\$ 57
812-498C	RH Sidecutter	9#		\$ 57
820-593C	66" Bolt-on Cutting Edge	97#		\$ 238
820-554C	68" Bolt-on Cutting Edge	100#		\$ 249
820-552C	74" Bolt-on Cutting Edge	108#		\$ 312
820-555C	80" Bolt-on Cutting Edge	116#		\$ 375

AP-HD Series Heavy-Duty Buckets

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



*Must order Buckets in multiples of 8,
with multiples of 2 being identical
Price break at 16 Buckets - Mix-n-Match
**84" Buckets can be ordered in 2 Packs, 8 Pack pricing
applies

66", 68", 74", 80", or 84" Width
Heavy Duty; Low Profile
3/16" Shell
Available with Standard Floor or Long Floor
(84" Mid-Length Floor)
Optional Weld-on Teeth or Bolt-on Edge
66" 7 Teeth
68" 7 Teeth
74" 8 Teeth
80" 9 Teeth
84" 9 Teeth
Struck Capacity: 68" 10.24 cu/ft Std, 12.39 cu/ft Long
74" 11.13 cu/ft Std, 13.5 cu/ft Long
80" 12.01 cu/ft Std, 14.53 cu/ft Long
80" High Capacity: 18.41 cu/ft,
84" 17.2 cu/ft
Heaped Capacity: 68" 14.51 cu/ft Std, 18.01 cu/ft Long
74" 15.84 cu/ft Std, 19.67 cu/ft Long
80" 16.86 cu/ft Std, 20.84 cu/ft Long
80" High Capacity: 24.97 cu/ft Long
84" 19.85 cu/ft

	MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
	AP-HD66LT-16	66" w/Low Profile, Standard Floor, 7 Teeth	535#	574#	\$ 2,255
	AP-HD66LC-16	66" w/Low Profile, Standard Floor, Bolt on Edge	584#	623#	\$ 2,393
	AP-HD66LLT-16	66" w/Low Profile, Long Floor, 7 Teeth	577#	616#	\$ 2,307
	AP-HD66LLC-16	66" w/Low Profile, Long Floor, Bolt on Edge	627#	666#	\$ 2,393
	AP-HD68LT-16	68" w/Low Profile, Standard Floor, 7 Teeth	545#	582#	\$ 2,280
	AP-HD68LC-16	68" w/Low Profile, Standard Floor, Bolt on Edge	597#	680#	\$ 2,295
	AP-HD68LLT-16	68" w/Low Profile, Long Floor, 7 Teeth	588#	600#	\$ 2,329
	AP-HD68LLC-16	68" w/Low Profile, Long Floor, Bolt on Edge	640#	680#	\$ 2,418
	AP-HD74LT-16	74" w/Low Profile, Standard Floor, 8 Teeth	581#	618#	\$ 2,286
	AP-HD74LC-16	74" w/Low Profile, Standard Floor, Bolt on Edge	636#	673#	\$ 2,311
	AP-HD74LLT-16	74" w/Low Profile, Long Floor, 8 Teeth	626#	663#	\$ 2,381
	AP-HD74LLC-16	74" w/Low Profile, Long Floor, Bolt on Edge	680#	717#	\$ 2,502
	AP-HD80LT-16	80" w/Low Profile, Standard Floor, 9 Teeth	667#	764#	\$ 2,680
	AP-HD80LC-16	80" w/Low Profile, Standard Floor, Bolt on Edge	725#	762#	\$ 2,929
	AP-HD80LLT-16	80" w/Low Profile, Long Floor, 9 Teeth	717#	844#	\$ 2,798
	AP-HD80LLC-16	80" w/Low Profile, Long Floor, Bolt on Edge	774#	840#	\$ 2,988
	AP-HD80HT-16	80" w/High Capacity, 9 Teeth	745#	840#	\$ 3,077
	AP-HD80HC-16	80" w/High Capacity, Bolt on Edge	802#	837#	\$ 3,274
	AP-HD84LC-16	84" w/Low Profile, Mid-Floor, Bolt on Edge	764#	807#	\$ 2,932
	AP-HD84LT-16	84" w/Low Profile, Mid-Floor, 9 Teeth	720#	807#	\$ 2,974
OPTIONS					
	-08	8-PACK PRICING (replace -16 option with -08 option and add \$51 List to each bucket)			\$ 51

AP-SRB15 Series Rock Buckets

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Height: 21¹/₂"
Number of Teeth: 21, 23, 25
Spacing of Teeth: 3"
Tooth Thickness: ³/₈"
Working Length of Teeth: 38"
Tine Material: High Strength Grade 80 Material

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SRB1566	15 SERIES ROCK BUCKET - 66" Width	509#	523#	\$ 2,667
AP-SRB1572	15 SERIES ROCK BUCKET - 72" Width	550#	566#	\$ 2,945
AP-SRB1578	15 SERIES ROCK BUCKET - 78" Width	594#	612#	\$ 3,212

MUST BE ORDERED AS TWO PACKS, SAME SIZE


AP-CB25 Series Combination Buckets

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Standard 3/4" x 8" Dual Front Cutting Edge on Jaw
Bolt-on Edge Back Blade
Cylinder Protection
Optional Counterbalance Valve - Prevents Hydraulic
Bleed-off and Improves Cylinder Control
33" Opening
32" Depth
Struck Capacity 10-16 cu.ft.
(depending on size and options)
Heaped Capacity 15-22 cu.ft.
(depending on size and options)

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CB2568-01	25 SERIES COMBINATION BUCKET - 68" Width, with BOE	1,006#	1,081#	\$ 5,656
AP-CB2568-02	25 SERIES COMBINATION BUCKET - 68" Width, with Teeth	963#	1,038#	\$ 5,819
ADD OPTION NO.	You May Choose This Option			
-20	68" Spill Guard	24#	24#	\$ 220
AP-CB2574-01	25 SERIES COMBINATION BUCKET - 74" Width, with BOE	1,054#	1,149#	\$ 6,734
AP-CB2574-02	25 SERIES COMBINATION BUCKET - 74" Width, with Teeth	1,018#	1,096#	\$ 6,911
ADD OPTION NO.	You May Choose This Option			
-20	74" Spill Guard	26#	26#	\$ 228
AP-CB2580-01	25 SERIES COMBINATION BUCKET - 80" Width, with BOE	1,146#	1,220#	\$ 6,901
AP-CB2580-02	25 SERIES COMBINATION BUCKET - 80" Width, with Teeth	1,089#	1,165#	\$ 7,144
ADD OPTION NO.	You May Choose This Option			
-20	80" Spill Guard	28#	28#	\$ 238
ADD OPTION NO.	You MUST Choose a Valve Option			
-30	Counterbalance Valve	13#	13#	\$ 465
-31	Without Counterbalance Valve	1#	1#	\$ 23

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-CB35 Series Combination Buckets

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL95-2s / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Heavy-Duty Cast Hinges
74": 3/4" Cutting Edge
80"/84": 1" Cutting Edge
BOEs Standard
Cylinder Protection
Cylinder: 2.5 x 8 x 1.5 Rod
Standard Dual Pilot Operated Check Valve
Optional Spill Guard
Optional Side Cutters
33" Opening
Struck Capacities (varies by option)
74": 9.75 to 14.75 ft³
80": 10.50 to 16 ft³
84": 11 to 16.75 ft³
Heaped Capacities (varies by option)
74": 14.50 to 20.50 ft³
80": 15.75 to 22.33 ft³
84": 16.50 to 23.50 ft³

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CB3574-01	35 SERIES COMBINATION BUCKET - 74" Width, with BOE	1,125#	1,188#	\$ 7,631
AP-CB3574-02	35 SERIES COMBINATION BUCKET - 74" Width, with Teeth	1,082#	1,145#	\$ 7,766
ADD OPTION NO.	You May Choose This Option			
-10	Side cutters (381-102A)	20#	20#	\$ 103
-20	74" Spill Guard	24#	24#	\$ 174
 AP-CB3580-01	35 SERIES COMBINATION BUCKET - 80" Width, with BOE	1,191#	1,254#	\$ 8,001
 AP-CB3580-02	35 SERIES COMBINATION BUCKET - 80" Width, with Teeth	1,155#	1,218#	\$ 8,227
ADD OPTION NO.	You May Choose This Option			
-10	Side Cutters (381-102A)	20#	20#	\$ 103
-20	80" Spill Guard	26#	26#	\$ 195
 AP-CB3584-01	35 SERIES COMBINATION BUCKET - 84" Width, with BOE	1,247#	1,310#	\$ 8,241
 AP-CB3584-02	35 SERIES COMBINATION BUCKET - 84" Width, with Teeth	1,190#	1,228#	\$ 8,536
ADD OPTION NO.	You May Choose This Option			
-10	Side Cutters (381-102A)	20#	20#	\$ 103
-20	84" Spill Guard	28#	28#	\$ 213


NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-GB30 Series Scrap Grapple Buckets

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



Greasable Pivot Points
 1/4" Two-Piece Shell
 1/2" End Panels
 Five Bottom Wear Bars
 3/4" Grapple Tines
 2 1/2" x 8" x 1 1/4" Cylinders
 Steel Hydraulic Lines
 Jaw Opening: 40-5/8"
 Depth: 36"
 Hydraulic Shield Kit is now standard
 Options:
 Bolt on Cutting Edge: 3/4" x 69"
 Cylinder Rod Shield Kit



RETURN TO INDEX

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-GB3068-21	30 SERIES SCRAP GRAPPLE BUCKET - 68" Width	1,091#	1,093#	\$ 5,685
AP-GB3074-21	30 SERIES SCRAP GRAPPLE BUCKET - 74" Width	1,138#	1,142#	\$ 6,243
AP-GB3080-21	30 SERIES SCRAP GRAPPLE BUCKET - 80" Width	1,215#	1,220#	\$ 6,794

ADD OPTION NO.

-10	Bolt on Cutting Edge for 68"; 3/4" x 69" (381-120A)	104#	104#	\$ 365
-10	Bolt on Cutting Edge for 74"; 3/4" x 75" (381-119A)	113#	113#	\$ 394
-10	Bolt on Cutting Edge for 80"; 3/4" x 81" (381-103A)	122#	122#	\$ 434
-31	Cylinder Rod Shield Kit (380-278A)	37#	37#	\$ 259

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-LM25 Series Light Material Bucket

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO
INDEX



High Back Design
Cut Out in Backplate for Visibility
3/16" Shell
1/4" End Panels
6" x 3/4" Base Edge
Bolt-on Cutting Edge Optional
8" x 5/8" Reversible
Heavy-duty Construction
33" H x 40" D High Capacity Bucket
Struck Capacity:
84" - 30.9 cu.ft. (.87 cu.m.)
96" - 35.4 cu.ft. (1.0 cu.m.)
108" - 40.4 cu.ft. (1.14 cu.m.)

	MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
	AP-LM2584	25 SERIES LIGHT MATERIAL BUCKET - 84" Width	719#	738#	\$ 2,628
	ADD OPTION NO.				
	-01	84" Cutting Edge	109#	109#	\$ 318
	AP-LM2596	25 SERIES LIGHT MATERIAL BUCKET - 96" Width	803#	824#	\$ 2,758
	ADD OPTION NO.				
	-01	96" Cutting Edge	125#	125#	\$ 358
	AP-LM25108	25 SERIES LIGHT MATERIAL BUCKET - 108" Width	869#	890#	\$ 3,164
	ADD OPTION NO.				
	-01	108" Cutting Edge	140#	140#	\$ 396

AP-UB25 Utility Bucket

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX




Width: 45⁷/₈"
Height: 22"
Number of Teeth: 3
Tooth Spacing: 5"
Replaceable Pin-on Teeth
Working Length: 53³/₈"
Bucket Material: ¹/₂" 1021 Steel
Bucket Width: 25¹/₂" at Hitch
Weld-on Hardened Steel Cutting Edge
Serrated Edges for Cutting


MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-UB25	25 SERIES UTILITY BUCKET	476#	512#	\$ 1,841

Excavator Buckets

AVAILABLE FOR: U27, U48, KX080, KX030, KX033, U35, KX040



RETURN TO
INDEX




*Must order a minimum of 4 Excavator Bucket Crates
Price break at 8 Crates
Quantity per crate varies based on size
¼" shell
¼" side panels
Trenching (Teeth) Buckets available in 9", 12", 16", 18", 24", 30", 36" widths
Teeth per Bucket
9" – 2 Teeth
12" – 3 Teeth
16" – 3 Teeth
18" – 4 Teeth
24" – 5 Teeth
30" – 5 Teeth
36" – 7 Teeth
Grading (Weld-on Edge) Buckets available in 36", 48", 54", 60" widths
Tilt Grading (Weld-on Edge) Buckets available in 36", 39", 54" widths


MODEL NUMBER	DESCRIPTION	EXCAVATOR MODELS	QTY Per Crate	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
K7150-08	9" PO Trenching Bucket	U27	4	124#	496#	\$ 1,760
K7151-08	12" PO Trenching Bucket	U27	4	140#	560#	\$ 1,570
K7152-08	16" PO Trenching Bucket	U27	4	160#	640#	\$ 1,720
K7153-08	18" PO Trenching Bucket	U27	2	176#	352#	\$ 1,400
K7154-08	24" PO Trenching Bucket	U27	2	346#	692#	\$ 1,800
MODEL NUMBER	DESCRIPTION					
K7252-08	12" QA Trenching Bucket	U48	4	197#	788#	\$ 1,394
K7253-08	18" QA Trenching Bucket	U48	4	247#	988#	\$ 1,650
K7254-08	24" QA Trenching Bucket	U48	2	301#	602#	\$ 1,890
K7255-08	30" QA Trenching Bucket	U48	2	344#	688#	\$ 2,113
K7256-08	36" QA Trenching Bucket	U48	2	287#	574#	\$ 1,692
K7263-08	18" QA Trenching Bucket No Teeth	U48	4	200#	800#	\$ 1,528
K7264-08	24" QA Trenching Bucket No Teeth	U48	2	235#	470#	\$ 1,890
MODEL NUMBER	DESCRIPTION					
K7426A-08	18" QA Trenching Bucket	KX080	2	416#	832#	\$ 2,870
K7427A-08	24" QA Trenching Bucket	KX080	1	480#	480#	\$ 3,489
K7428A-08	30" QA Trenching Bucket	KX080	1	538#	538#	\$ 3,624
K7429A-08	36" QA Trenching Bucket	KX080	1	620#	620#	\$ 3,854
K7441A-08	48" QA Grading Bucket	KX080	2	563#	1126#	\$ 4,000
K7442A-08	54" QA Grading Bucket	KX080	2	611#	1222#	\$ 4,000
K7443A-08	60" QA Grading Bucket	KX080	2	659#	1318#	\$ 4,198
K7444A-08	54" QA Tilt Grading Bucket	KX080	1	972#	972#	\$ 12,483
K7454A-08	39" QA Tilt Grading Bucket	KX080	1	552#	552#	\$ 8,100
K7473A-08	36" QA Tilt Grading Bucket	KX030, KX033, U35, KX040	1	365#	365#	\$ 7,105
OPTIONS	DESCRIPTION					
-04	4 CRATE PRICING (replace -08 option with -04 option and add \$50 List to each bucket)					\$ 50

Excavator Buckets

AVAILABLE FOR: KX030, KX033, U35, KX040, U55, KX057, U17, KX018, U27



RETURN TO INDEX



*Must order a minimum of 4 Excavator Bucket Crates

Price break at 8 Crates

Quantity per crate varies based on size

¼" shell

¼" side panels

Trenching (Teeth) Buckets available in 9", 12", 16", 18", 24", 30", 36" widths

Teeth per Bucket

9" – 2 Teeth

12" – 3 Teeth

16" – 3 Teeth

18" – 4 Teeth

24" – 5 Teeth

30" – 5 Teeth

36" – 7 Teeth

Grading (Weld-on Edge) Buckets available in 36", 48", 54", 60" widths

Tilt Grading (Weld-on Edge) Buckets available in 36", 39", 54" widths

MODEL NUMBER	DESCRIPTION	EXCAVATOR MODELS	QTY Per Crate	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
K7872A-08	12" QA Trenching Bucket	KX030, KX033, U35, KX040	4	178#	712#	\$ 1,385
K7873A-08	16" QA Trenching Bucket	KX030, KX033, U35, KX040	4	208#	832#	\$ 1,465
K7874A-08	18" QA Trenching Bucket	KX030, KX033, U35, KX040	4	226#	904#	\$ 1,602
K7874AC-08	18" QA Trenching Bucket No Teeth	KX030, KX033, U35, KX040	2	180#	360#	\$ 1,602
K7875A-08	24" QA Trenching Bucket	KX030, KX033, U35, KX040	2	278#	556#	\$ 1,977
K7875AC-08	24" QA Trenching Bucket No Teeth	KX030, KX033, U35, KX040	2	215#	430#	\$ 1,977
K7876A-08	30" QA Trenching Bucket	KX030, KX033, U35, KX040	2	281#	562#	\$ 2,113
K7877B-08	36" QA Grading Bucket	KX030, KX033, U35, KX040	2	225#	450#	\$ 1,772
K7917A-08	12" QA Trenching Bucket	U55, KX057	4	220#	880#	\$ 1,725
K7918A-08	18" QA Trenching Bucket	U55, KX057	4	259#	1036#	\$ 1,980
K7918AC-08	18" QA Trenching Bucket No Teeth	U55, KX057	4	240#	960#	\$ 1,980
K7919A-08	24" QA Trenching Bucket	U55, KX057	2	310#	620#	\$ 2,185
K7919AC-08	24" QA Trenching Bucket No Teeth	U55, KX057	2	285#	570#	\$ 2,185
K7920A-08	30" QA Trenching Bucket	U55, KX057	2	353#	706#	\$ 2,350
K7921A-08	36" QA Trenching Bucket	U55, KX057	2	407#	814#	\$ 2,765
K7922A-08	36" QA Grading Bucket	U55, KX057	2	285#	570#	\$ 2,077
K7924A-08	48" QA Grading Bucket	U55, KX057	2	344#	688#	\$ 2,006
K7967A-08	9" QA Trenching Bucket	U17, KX018	4	82#	328#	\$ 950
K7968A-08	12" QA Trenching Bucket	U17, KX018	4	98#	392#	\$ 1,075
K7969A-08	16" QA Trenching Bucket	U17, KX018	4	111#	444#	\$ 1,200
K7970A-08	18" QA Trenching Bucket	U17, KX018	4	124#	496#	\$ 1,320
K7975A-08	9" QA Trenching Bucket	U27	4	138#	552#	\$ 1,080
K7976A-08	12" QA Trenching Bucket	U27	4	154#	616#	\$ 1,276
K7977A-08	16" QA Trenching Bucket	U27	4	175#	700#	\$ 1,276
K7978A-08	18" QA Trenching Bucket	U27	4	166#	664#	\$ 1,443
K7978AC-08	18" QA Trenching Bucket No Teeth	U27	4	141#	564#	\$ 1,195
K7979A-08	24" QA Trenching Bucket	U27	2	229#	458#	\$ 1,538
OPTIONS	DESCRIPTION					
-04	4 CRATE PRICING (replace -08 option with -04 option and add \$50 List to each bucket)					\$ 50

AP-PFL30 Series Pallet Forks

3,000 lbs. Carrying Capacity



RETURN TO INDEX



Fork Dimensions: 48"L x 1¹/₄"D x 4"W
Backframe Guard: ³/₁₆"
Fork Position Lock: Spring Loaded Toggle

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-PFL3048	30 SERIES UNIVERSAL QUICK-ATTACH PALLET FORKS - 48" Forks, 3,000 lbs. Carrying Capacity	358#	406#	\$ 1,568
Packed in Qty of 3 of same size units				
Quantity less than 3 Units, or those not included in multiple of 3, Add OPTION - 99			ADD	\$ 94

AP-PFL46 & AP-PFL56 Series Pallet Forks

46 Series: 4,500 lbs. Carrying Capacity
56 Series: 5,500 lbs. Carrying Capacity @ 24"

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO
INDEX



46 SERIES:

Fork Dimensions: 48"L x 1 1/2"D x 4"W
Fork Position Lock: Spring Loaded Toggle
Frame Size: 46"W x 38 1/2"H
Fork Size: 1 1/2" x 4" ITA Class II
Adjustable Fork Width: 8"-44"
Skid Resistant Step

56 SERIES:

Fork Dimensions:
PFL5648: 48"L x 1 3/4"D x 4"W
PFL5660: 60"L x 1 3/4"D x 4"W
Fork Position Lock: Spring Loaded Toggle
Frame Size: 46"W x 37"H
Fork Size: 1 3/4" x 4" ITA Class II
Adjustable Fork Width: 8"-44"
Skid Resistant Step

MODEL NUMBER	DESCRIPTION	APPROX. WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-PFL4648-93	46 SERIES PALLET FORKS - 48" Forks 4,500 lbs Carrying Capacity Packed in Qty of 3 same size Units	416#	494#	\$ 1,623
	Quantity less than 3 Units, or those not included in multiple of 3. DELETE -93 and ADD OPTION -99		ADD	\$ 100
AP-PFL5648-93	56 SERIES PALLET FORKS - 48" Forks 5,500 lbs Carrying Capacity, Skid/Loader Plate Packed in Qty of 3 same size Units	448#	524#	\$ 1,702
	Quantity less than 3 Units, or those not included in multiple of 3, DELETE -93 and ADD OPTION -99		ADD	\$ 100
AP-PFL5660-93	56 SERIES PALLET FORKS - 60" Forks 5,500 lbs Carrying Capacity, Skid/Loader Plate Packed in Qty of 3 same size Units	495#	573#	\$ 2,175
	Quantity less than 3 Units, or those not included in multiple of 3, DELETE -93 and ADD OPTION -99		ADD	\$ 100

AP-LB60 Loader Boom

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO INDEX



6" x 6" Tube Construction
6,000 lbs. Lift Capacity
Flat Front
Two 1" Lifting Lugs
Stabilizer Chain Connections / Side Plates
45" W x 68" H
Reinforced Mast
Black Only

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-LB60-92	60 SERIES LOADER BOOM 2-Pak	376#	490#	\$ 1,892
To Order Single Unit, Replace -92 with -99				\$ 155

AP-BR Series Hydraulic Breakers

AVAILABLE FOR: SSV65/ SSV75/ SVL65-2/ SVL75-3/ SVL97-2/ KX018-4/ KX71/ KX033/ KX040/ KX057/ KX080/ U17/ U27/ U35/ U48/ U55

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



**See Breaker Mount Selection
Guide on Next Page**

**All Breakers come with a Moil
point and Chisel point**

Tool Diameter (in.):	BR310 - 1.42 BR3502 - 1.97 BR510 - 2.83 BR860 - 3.54	BR3501 - 1.57 BR3504 - 2.36 BR560 - 3.15
Impact Frequency*(bpm):	BR310 - 1,300-2,500 BR3502 - 750 - 2,250 BR510 - 600-1,800 BR860 - 500- 1,700	BR3501 - 500 - 1,700 BR3504 - 600 - 1,800 BR560 - 500 - 1,700
Oil Flow Range (gpm):	BR310 - 3.9 to 8.7 BR3502 - 4 - 13.2 BR510 - 9.2 to 23.8 BR860 - 13.2 to 39.6	BR3501 - 2.6 - 8.2 BR3504 - 5.3 - 16.4 BR560 - 10.5 to 31.7
Overall Length (in.): w/Tool	BR310 - 34.8 BR3502 - 32.6 BR510 - 49.6 BR860 - 65.7	BR3501 - 26.1 BR3504 - 38.0 BR560 - 57.0

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-BR310	310 HYDRAULIC BREAKER	189#	222#	\$ 7,806
OPTION	<u>You May Select a Mount or Hose Kit</u>			
-01	Fits B26 Backhoe QA Mount (317-343A)	34#	34#	\$ 341
-02	Fits U10/K008 Excavator Pin-On Mount (317-351A)	22#	22#	\$ 215
-21	BR310 Hose Kit	10#	10#	\$ 113
AP-BR3501	BR3501 HYDRAULIC BREAKER	189#	189#	\$ 7,228
OPTION	<u>You May Select a Mount or Hose Kit</u>			
-01	Fits EX QA Mount B26 (317-343A)	34#	34#	\$ 341
-02	Fits EX P/O Mount K0008/U10 (317-351A)	22#	22#	\$ 215
-03	Fits QA Mount U17/KX018 (317-473A)	31#	31#	\$ 200
-21	BR01 Hose Kit KX018/U17 (317-481A)	10#	10#	\$ 388
-22	BR01 Hose Kit KX008/U10 (317-482A)	10#	10#	\$ 388
AP-BR3502	BR3502 HYDRAULIC BREAKER E02	256#	256#	\$ 8,726
OPTION	<u>You May Select a Mount or Hose Kit</u>			
-01	Fits QA Mount U25/U27 (317-474A)	55#	55#	\$ 246
-21	BR02 Hose Kit U25/U27 (317-483A)	10#	10#	\$ 346
AP-BR3504	BR3504 HYDRAULIC BREAKER E04	409#	409#	\$ 10,402
OPTION	<u>You May Select a Mount or Hose Kit</u>			
-01	EX QA Mount U35/KX71/KX033/L47/M62 (317-346A)	95#	95#	\$ 457
-02	CII Mount (317-475A)	90#	90#	\$ 410
-21	BR04 Hose Kit KX030/KX033/U35 (317-478A)	11#	11#	\$ 568
-23	SCL Hose Kit (317-480A)	11#	11#	\$ 489

continued on next page

AP-BR Series Hydraulic Breakers (cont.)

[RETURN TO INDEX](#)

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-BR510	510 HYDRAULIC BREAKER MODEL 510	595#	628#	\$ 14,685
<u>OPTION</u>	<u>You May Select a Mount or Hose Kit</u>			
-01	Fits KX040 Excavator QA Mount (317-347A)	95#	95#	\$ 663
-02	Fits KX057/U48/U55 Excavator QA Mount (317-348A)	111#	111#	\$ 804
-03	Skid Steer Plate with Bolt-On Breaker Mount (317-349A)	350#	350#	\$ 1,709
-05	SS Plate with QA Breaker Mount and KX040 QA Mount (317-392A)	340#	340#	\$ 1,686
-06	Pin Grabber Mount For KX057 (317-441A)	141#	141#	\$ 1,158
-08	SS QA/EX Mounts, 5-Ton (317-484A)	417#	417#	\$ 3,100
-21	61" Excavator Hose Kit (317-352A)	11#	11#	\$ 514
-23	102" Skid Steer Hose (317- 353A)	15#	15#	\$ 460
AP-BR560	560 HYDRAULIC BREAKER	816#	849#	\$ 17,291
<u>OPTION</u>	<u>You May Select a Mount or Hose Kit</u>			
-02	Fits KX057/U48/U55 Excavator QA Mount (317-348A)	111#	111#	\$ 804
-03	Skid Steer Plate with Bolt-On Breaker Mount (317-349A)	350#	350#	\$ 1709
-04	KX080 Excavator QA Mount (317-406A)	188#	188#	\$ 1136
-05	Pin Grabber Mount for KX057 (317-441A)	141#	141#	\$ 1158
-06	Pin Grabber Mount for KX080 (317-444A)	172#	172#	\$ 1327
-08	SS QA/EX Mounts, 5-Ton (317-484A)	417#	417#	\$ 3100
-21	61" Excavator Hose Kit (317-352A)	11#	11#	\$ 514
-23	102" Skid Steer Hose (317-353A)	15#	15#	\$ 460
-24	95" Excavator Hose Kit - KX080 (317-354A)	5#	5#	\$ 572
AP-BR860	BR860 HYDRAULIC BREAKER	1,112#	1,145#	\$ 26,848
<u>OPTION</u>	<u>You May Select a Mount or Hose Kit</u>			
-01	Fits KX080 Excavator QA Mount (317-350A)	180#	180#	\$ 1,158
-02	Pin Grabber Mount for KX080 (317-442A)	187#	187#	\$ 1,360
-21	BR860 Hose Kit	14#	14#	\$ 572

BREAKER MOUNT SELECTION GUIDE



317-343A
(B26BH)



317-344A
(U17/KX018)



317-345A
(U25/U27)



317-346A
(U35/KX71/KX033/M62BH)



317-347A
(KX040)



317-348A
(KX057/U48/U55)



317-350A
(KX080/BR860)



317-406A
(KX080/BR560)



317-351A
(K008 Pin-On)



317-441A
(Pin Grabber Mount: KX057)



317-442A
(Pin Grabber Mount: KX080)



317-444A
(Pin Grabber Mount: KX080)



317-349A
(SS Bolt-On)



317-391A
(SS Quick Attach 4 Ton)



317-392A
(Consists of 317-347A + 317-391A)



317-475A
(SCL1000 CII Hitch)



317-426A
(SCL1000 2-Lever Hitch)



317-484A
(Consists of 317-467A + 317-348A)

AP-CP30 Series Cold Planers

15-30 gpm | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Cutting Width: 12" to 48"

Cutting Depth:

LF Models - 0" - 5"

Standard Models - 0" - 6"

Tilt: 12", 16", 18" Models - +/-15 Degrees

24" Models - +/-13 Degrees

30" Models - +/-10 Degrees

40" Models - +/-8 Degrees

48" Models - +/-6 Degrees

Side Shift: 26"

Teeth: 12" - 30

16" - 38

18" - 46

24" - 56

30" - 66

40" - 82

48" - 94

Minimum GPM/ PSI:

12"/16" LF Models - min. 15 GPM- max. 25 GPM

18" Models - min. 24 GPM - max. 42 GPM

24" Models - min. 27 GPM - max. 42 GPM

30" Models - min. 30 GPM - max. 42 GPM

40" Models - min. 30 GPM - max. 42 GPM

48" Models - min. 30 GPM - max. 42 GPM

Wall Clearance: 3.97" (N/A on LF Models)

	MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
	AP-CP3016LF	30 SERIES COLD PLANER - 16" Low Flow	1,360#	1,455#	\$ 21,356
	AP-CP3018	30 SERIES COLD PLANER - 18"	1,635#	1,730#	\$ 34,148
	AP-CP3024	30 SERIES COLD PLANER - 24"	1,805#	1,900#	\$ 37,766
	AP-CP3030	30 SERIES COLD PLANER - 30"	1,895#	1,990#	\$ 42,829
	AP-CP3040	30 SERIES COLD PLANER - 40"	2,215#	2,310#	\$ 49,485
	AP-CP3048	30 SERIES COLD PLANER - 48"	2,410#	2,505#	\$ 58,022
	ACCESSORIES				
	350-378A	Water Tank Kit, CP30	135#	135#	\$ 3,349
	350-380A	Spray Bar Kit, CP3016LF	4#	4#	\$ 324
	350-381A	Spray Bar Kit, CP3018	5#	5#	\$ 369
	350-382A	Spray Bar Kit, CP3024	6#	6#	\$ 394
	350-383A	Spray Bar Kit, CP3030	7#	7#	\$ 438
	350-384A	Spray Bar Kit, CP3040	8#	8#	\$ 493
	350-385A	Spray Bar Kit, CP3048	9#	9#	\$ 544

AP-SW30 Series Road Saws

Min. 30 gpm @ 2,500 PSI | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO
INDEX



Cutting Width: 3010: 2.5", 4.5"
3018: 3", 4.5", 6"
Cutting Depth: 3010: 0" - 10"
3018: 0" - 18"
Hydraulic Side Shift: 0" - 26"
Planetary Gear Drive
Minimum GPM/PSI: 30 GPM/2,500 PSI

*Polycarbonate door recommended with this attachment.

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SW3010-2.5	30 SERIES ROAD SAW - 10" with 2.5" Wide Cut	1,323#	1,450#	\$ 29,292
AP-SW3010-4.5	30 SERIES ROAD SAW - 10" with 4.5" Wide Cut	1,361#	1,450#	\$ 30,285
AP-SW3018-3.0	30 SERIES ROAD SAW - 18" with 3" Wide Cut	2,344#	2,450#	\$ 43,155
AP-SW3018-4.5	30 SERIES ROAD SAW - 18" with 4.5" Wide Cut	2,398#	2,504#	\$ 44,060
AP-SW3018-6.0	30 SERIES ROAD SAW - 18" with 6" Wide Cut	2,453#	2,559#	\$ 44,783
-01	Operator Protective Door Assembly	40#	40#	\$ 562
ACCESSORIES				
350-378A	Water Tank Kit	135#	135#	\$ 3,349
350-390A	Spray Bar Kit	5#	5#	\$ 381

AP-SH35 Series Skid Steer Hitch

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



RETURN TO INDEX



Adjusts for Cat. 1 or 2 non-PTO implements
Adjustable Top Hook
Automatic Lock on Lower 3-Point
Class II Receiver and Storage Rack for Ball Hitch
Width: 46³/₈"
Height: 25"

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SH35	SKID STEER 3-POINT HITCH	238#	290#	\$ 1,880

AP-TH35 Series Tilt-Hitch

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



20 Degree Tilt in Either Direction
Angle Gauge and Level - Standard
Nylon Slide Pads
2.5 x 5 x 1.25 Welded Cylinder
44" W x 20-1/2" H
Universal Skid Hitch to Universal Skid Hitch

<u>MODEL NUMBER</u>	<u>DESCRIPTION</u>	<u>APPROX. MACHINE WEIGHT</u>	<u>SHIPPING WEIGHT</u>	<u>LIST PRICE</u>
AP-TH35	35 SERIES TILT HITCH	360#	396#	\$ 3,923
<u>You May Choose</u>				
-01	Dual Pilot Operator Check Valve	3#	3#	\$ 367

NOTE: If attaching to a Kubota skid steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-SBL20 Series Snow Blowers

12-20 GPM | AVAILABLE FOR: SVL50x

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Working Width : 48"
Overall Width: 52"
Hitch: Universal Quick Attach
Main Housing Material: 10 Gauge
Side Plate Material: 1/4"
Impeller Diameter: 20"
Impeller Housing Depth: 6"
Impeller Blades: 4
Auger Diameter: 16"
Auger Paddles: 4
Chute Rotation: Sprocket Type; Hydraulic, 270°
Chute Deflector Operation: Hydraulic
Skid Shoes:
Outer, Adjustable & Replaceable or Button-Style Rear Mount

SEE SNOW BLOWER FREIGHT CHART FOR LTL RATES

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SBL2048	20 Series Snow Blower - 48", 14 Pin Wiring Harness, Case Drain	745#	792#	\$ 10,612
ADD				
OPTION NO.	You MUST Choose a SKID SHOE			
-50	Rear Button-Style Skid Shoe	35#		\$ 352
-51	Bolt-On, Outer Skid Shoe - AR400	24#		\$ 229
	You MUST Choose a CUTTING EDGE			
-80	48" Poly Blade	5#		\$ 74
-81	48" Steel Blade	40#		\$ 153

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-SBL25 Series Snow Blowers

12-33 GPM | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Working Width : 66", 74", 84"
Hitch: Universal Quick Attach
Main Housing Material: 10 Gauge
Side Plate Material: 3/16"
Impeller Diameter: 66: 20", 74 & 84: 24"
Impeller Housing Depth: 66: 6", 74 & 84: 8"
Impeller Blades: 4
Auger Diameter: 66: 14", 74 & 84: 16"
Auger Paddles: 4
Chute Opening at Base: 66: 8", 74 & 84: 10"
Chute Rotation: Sprocket Type; Hydraulic
Chute Deflector Operation: Hydraulic
3 Motors: 12-19 GPM; 20-26 GPM; 27-33 GPM
30-60 Hydraulic HP
Skid Shoes: Outer, Adjustable & Replaceable
* Case Drain Standard

SEE SNOW BLOWER FREIGHT CHART FOR LTL RATES

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SBL2566	AP-SBL2566-10-20-32-40-50 25 SERIES SNOW BLOWER, 12-19 GPM MOTOR, SMALL FF COUPLERS, 14 PIN WIRING HARNESS, CASE DRAIN COUPLERS, OUTER SKID SHOES	1022#	1058#	\$ 10,914
AP-SBL2574	AP-SBL2574-10-20-32-40-50 25 SERIES SNOW BLOWER, 12-19 GPM MOTOR, SMALL FF COUPLERS, 14 PIN WIRING HARNESS, CASE DRAIN COUPLERS, OUTER SKID SHOES	1057#	1088#	\$ 11,550
AP-SBL2574	AP-SBL2574-11-20-32-40-50 25 SERIES SNOW BLOWER, 20-26 GPM MOTOR, SMALL FF COUPLERS, 14 PIN WIRING HARNESS, CASE DRAIN COUPLERS, OUTER SKID SHOES	1062#	1093#	\$ 11,577
AP-SBL2574	AP-SBL2574-12-20-32-40-50 25 SERIES SNOW BLOWER, 27-33 GPM MOTOR, SMALL FF COUPLERS, 14 PIN WIRING HARNESS, CASE DRAIN COUPLERS, OUTER SKID SHOES	1067#	1098#	\$ 11,561
AP-SBL2584	AP-SBL2584-12-20-32-40-50 25 SERIES SNOW BLOWER, 27-33 GPM MOTOR, SMALL FF COUPLERS, 14 PIN WIRING HARNESS, CASE DRAIN COUPLERS, OUTER SKID SHOES	1006#	1102#	\$ 12,411
AP-SBL2584	AP-SBL2584-12-21-32-40-50 25 SERIES SNOW BLOWER, 27-33 GPM MOTOR, LARGE FF COUPLERS, 14 PIN WIRING HARNESS, CASE DRAIN COUPLERS, OUTER SKID SHOES	1006#	1102#	\$ 12,533
	Accessories available through the Parts Department			
370-440K	Inner Skid Shoe Bundle	50#	50#	\$ 275

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-SBL30 Series Snow Blower

17-33 GPM | AVAILABLE FOR: SSV65/SSV75/SVL65-2/SVL75-3



Working Width: 74", 84"
 Hitch: Universal Quick Attach
 Main Housing Material: 10 Gauge
 Side Plate Material: 1/4"
 Impeller: 26" Diameter x 6-1/2" Deep
 Impeller Blades: 5
 Auger: 16" Diameter, Serrated
 Chute Opening at Base: 10"
 Chute Rotation: Sprocket Type; Hydraulic
 Chute Deflector Operation: Hydraulic
 Optional Fold-Over Chute
 Standard Bolt-on Wings
 2 Motors: 17-23 GPM; 27-33 GPM
 Skid Shoes: Outer, Bolt-on, Adjustable & Replaceable

* Case Drain Standard


MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SBL3074	30 SERIES Snow Blower, 74"	727#	760#	\$ 7,060
AP-SBL3084	30 SERIES Snow Blower, 84"	829#	914#	\$ 7,775
ADD				
OPTION NO.	You MUST Choose a MOTOR			
-20	Motor Bundle 17-23 GPM	169#	169#	\$ 6,445
-21	Motor Bundle 27-33 GPM	224#	224#	\$ 6,445
You MUST Choose a WIRE HARNESS				
-32	14 Pin Wiring Harness (Kubota SVL & Others) (370-336A)	3#	3#	\$ 240
You MUST Choose a SKID SHOE				
-50	Skid Shoe Bundle	29#	29#	\$ 320
-51	Skid Shoe Bundle Rear/Wear	33#	33#	\$ 299
You Must Choose a CHUTE				
-60	Chute	71#	71#	\$ 804
-61	Fold-Over Chute	100#	100#	\$ 1,093
You MUST Choose a CUTTING EDGE				
-80	Steel Blade 74"	62#	62#	\$ 80
-81	Poly Blade Edge 74"	9#	9#	\$ 162
-80	Steel Blade 84"	71#	71#	\$ 90
-81	Poly Blade Edge 84"	10#	10#	\$ 172

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-SBL35 Series Snow Blowers

34-41 GPM | AVAILABLE FOR: SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Working Width: 74", 84"
Hitch: Universal Quick Attach
High-Flow 34-41 GPM Motor
Main Housing Material: 10 Gauge
Side Plate Material: 1/4"
Impeller: 26" Diameter x 6-1/2" Deep
Impeller Blades: 5
Auger: 16" Diameter, Serrated
Chute Opening at Base: 10"
Chute Rotation: Sprocket Type; Hydraulic
Chute Deflector Operation: Hydraulic
Optional Fold-Over Chute
Standard Bolt-on Wings
Skid Shoes: Outer, Bolt-on, Adjustable & Replaceable


* Case Drain Standard

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SBL3574	35 SERIES High-Flow Hydraulic Snow Blower, 74"	973#	1089#	\$ 14,010
AP-SBL3584	35 SERIES High-Flow Hydraulic Snow Blower, 84"	1044#	1096#	\$ 14,682
ADD				
OPTION NO.	You MUST Choose a WIRE HARNESS			
-32	14 Pin Wiring Harness (Kubota SVL & Others) (370-336A)	3#	3#	\$ 240
You MUST Choose a SKID SHOE				
-50	Skid Shoe Bundle	29#	29#	\$ 320
-51	Skid Shoe Bundle Rear/Wear	33#	33#	\$ 299
You MUST Choose a CHUTE				
-60	Chute	71#	71#	\$ 804
-61	Fold-Over Chute	100#	100#	\$ 1,093
You May Choose a CUTTING EDGE				
-80	Steel Blade 74"	62#	62#	\$ 80
-81	Poly Blade Edge 74"	9#	9#	\$ 162
-80	Steel Blade 84"	71#	71#	\$ 90
-81	Poly Blade Edge 84"	10#	10#	\$ 172

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-SSP15 Series Snow Pushers

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2



Hitch: Quick-Attach
 Working Width: 84", 96"
 Carrier Lift Capacity: Less than 2,000 lbs
 Carrier Max. Operating Weight: Less than 5,000 lbs
 Moldboard Height: 30"
 Moldboard Thickness: 10 Gauge
 Side Panels w/Supports: 1/4" Plate
 Blade Depth: 29"
 Replaceable Bottom Wear Edge:
 1" x 8" Rubber w/Slotted Hole or
 1/2" x 6" 1045 Steel
 Mounting Steps: Serrated, on hitch
 Skid Shoe: AR400, 1/2" x 4" Reversible, Adjustable
 Optional Pull Back Blade with 1" x 8" Rubber Wear Edge



RETURN TO INDEX



MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SSP1584	15 SERIES - 84" SNOW PUSHER	565#	603#	\$ 3,371
ADD OPTION NO.	<u>You MUST Choose a Wear Edge Option</u>			
-01	Rubber Wear Edge	62#	62#	\$ 576
-02	Steel Wear Edge	72#	72#	\$ 209
	<u>You MAY Choose a Back-Drag Option</u>			
-10	84" Pull Back Blade	221#	221#	\$ 1,340
AP-SSP1596	15 SERIES - 96" SNOW PUSHER	616#	667#	\$ 3,746
ADD OPTION NO.	<u>You MUST Choose a Wear Edge Option</u>			
-01	Rubber Wear Edge	65#	65#	\$ 658
-02	Steel Wear Edge	83#	83#	\$ 239
	<u>You MAY Choose a Back-Drag Option</u>			
-10	96" Pull Back Blade	308#	308#	\$ 1,463
ACCESSORIES				
323-026A	Markers (cannot be used in conjunction with pull back blade)	5#	5#	\$ 132

AP-SSP25 Series Snow Pusher

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Hitch: Quick-Attach
Working Width: 96"
Carrier Lift Capacity: Less than 5,000 lbs
Carrier Max. Operating Width: Less than 8,000 lbs
Moldboard Height: 36"
Moldboard Thickness: 3/16"
Side Panels w/Supports: 5/16" Plate
Blade Depth: 35"
Replaceable Bottom Wear Edge:
 1 1/2" x 8" Rubber w/Slotted Hole or
 1/2" x 6" 1045 Steel
Mounting Steps: Serrated, on hitch
Skid Shoe: AR400, 1/2" x 4" Reversible, Adjustable
Optional Pull Back Blade with 1 1/2" x 8" Rubber
Wear Edge



MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SSP2596	25 SERIES - 96" SNOW PUSHER	845#	887#	\$ 4,147
ADD OPTION NO.	<u>You MUST choose a Wear Edge Option</u>			
-01	Rubber Wear Edge	77#	77#	\$ 798
-02	Steel Wear Edge	83#	83#	\$ 239
	<u>You MAY choose Options</u>			
-10	96" Pull Back Blade (303-386A)	300#	300#	\$ 1,540
-11	End Panel Braces (303-408A)	32#	32#	\$ 248
<u>ACCESSORIES</u>				
323-026A	Markers (cannot be used in conjunction with pull back blade)	6#	6#	\$ 132

AP-TE35 Series Trip Edge Blades

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Moldboard Construction: Steel
Moldboard Thickness: 7 Gauge
Moldboard Height: 32"
Hitch: Skid/Loader Plate
22° Oscillation (L or R)
Cut Width @ 30 Degree Maximum Angle: 83"
Hydraulic Angling: Double-Acting Cylinder & Hoses
Adjustable Spring-loaded Trip Edge Protection
Blade Depth: Approx. 41"
Mounting Steps: Serrated
Skid Shoes
Carrier Max. Hydraulic Output Pressure: 3500 psi max.
Rated Max. Pressure Rating-Hoses & Fittings: 4,000 psi
Replaceable Bottom Wear Edge: 1/2" x 6" Steel or Poly
Optional Blade Marker
Optional Top Mounted Rubber Deflector



MODEL NUMBER

AP-TE3596-01-21-41

DESCRIPTION

35 SERIES TRIP EDGE BLADE - 96" Blade
Steel Edge, Rubber Deflector, 30" Markers

APPROX. MACHINE WEIGHT

1283#

SHIPPING WEIGHT

1391#

LIST PRICE

\$ 8,125

ACCESSORIES

301-605A

Poly Wear Edge, 96"

51#

51#

\$ 470


AP-AB48 Series Angle Brooms

10-20 GPM | AVAILABLE FOR: SVL50x

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Hitch: Skid Steer
18.9 CID Hydraulic Motor
Hydraulic GPM Range: 10-20 GPM
Rated Flow Standard Motor: 20 GPM @ 160 RPM
Minimum Hydraulic Flow Req.: 10 GPM @2000 PSI

Sweeping Width: 48"
Sweeping Width @ 30 Degree Max. Angle: 41.5"
1/2" Flat Faced Couplers Included
Overall Height: 33" Approx.
Brush Diameter: 32"
Brush Rotor Shaft: Quick Change Broom Core with
No Hydraulic Breakage in Changeover
Hex Drive System: Replaceable
Brush Bristle: 100% Poly, or 50/50 Poly/Wire
Hood: Sheet Metal
Jack Stands: Standard
Angling: Manual Angling 30 Degrees Left or Right or
Hydraulic Angling;
14 Pin Wiring Harness included
Integral Float Control:
Spring Loaded w/Adjustable Down Pressure & Stops
Brush Speed Range: 90 - 160 RPM
Hydraulic Hoses
Hydraulic Couplers
Additional Accessories:
Metal Shroud Extension
Marker Indicators
Rubber Dust Deflector

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-AB48	ANGLE BROOM - 48" Sweeping Width	527#	795#	\$ 5,505
<u>YOU MUST CHOOSE ONE ANGLING FEATURE</u>				
-01	Hydraulic Angling	40#		\$ 1,545
-02	Manual Angling	14#		\$ 457
<u>YOU MUST CHOOSE ONE BROOM ASSEMBLY</u>				
-14	48" Poly Bristles	180#		\$ 1,108
-16	48" Combo Poly/Wire Bristles	180#		\$ 1,177
<u>YOU MAY CHOOSE A SHROUD EXTENSION</u>				
-31	Metal Shroud Extension w/Rubber Dust Deflector	60#		\$ 326
-32	Metal Shroud Extension	26#		\$ 198
<u>YOU MAY CHOOSE MARKERS</u>				
-41	Safety Orange Cable-Filled Markers			\$ 138

AP-AB Series Angle Brooms

12-30 GPM | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



18.9 CID Hydraulic Motor
Hydraulic GPM Range: 12-30 GPM
Rated Flow Standard Motor: 25 GPM @ 230 RPM
Minimum Hydraulic Flow Req.: 12 GPM @2000 PSI
Hitch: Skid Steer

Sweeping Width: 72", 84"
Sweeping Width @ 30 Degree Max. Angle:
72: 64", 84: 76"
1/2" Flat Faced Couplers Included
Overall Height: 33" Approx.
Brush Diameter: 32"
Brush Rotor Shaft: Quick Change Broom Core with
No Hydraulic Breakage in Changeover
Hex Drive System: Replaceable
Brush Bristle: 100% Poly or 100% Metallic or 50/50
Hood: Sheet Metal
Jack Stands: Standard
Angling: Manual Angling 30 Degrees Left or Right or
Hydraulic Angling
Integral Float Control:
Spring Loaded w/Adjustable Down Pressure & Stops
Brush Speed Range: 100 - 230 RPM
Hydraulic Hoses
Hydraulic Couplers
Additional Accessories:
Metal Shroud Extension
Dust Suppression System
Marker Indicators
Rubber Dust Deflector

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
 AP-AB72	ANGLE BROOM - 72" Sweeping Width	640#	1022#	\$ 5,035
 AP-AB84	ANGLE BROOM - 84" Sweeping Width	679#	1096#	\$ 5,744
<u>YOU MUST CHOOSE ONE ANGLING FEATURE</u>				
-01	Hydraulic Angling	15#	15#	\$ 1,886
-02	Manual Angling	10#	10#	\$ 703
<u>YOU MUST CHOOSE ONE BROOM ASSEMBLY</u>				
-14	Poly Bristles (AB72/AB84)	220/225#		\$ 1,985
-15	Wire Bristles (AB72/AB84)	220/225#		\$ 1,985
-16	Poly/Wire Bristles (AB72/AB84)	220/225#		\$ 1,985
<u>YOU MAY CHOOSE ONE OF THE FOLLOWING FRONT DEFLECTORS</u>				
-31	Metal Shroud Extension w/Rubber Dust Deflector	59#		\$ 335
-32	Metal Shroud Extension Only	37#		\$ 190
<u>YOU MAY CHOOSE ONE OF THE FOLLOWING OPTIONS</u>				
-41	Marker Indicators (323-026A)	2#	2#	\$ 138
<u>YOU MAY CHOOSE ONE OF THE FOLLOWING OPTIONS</u>				
-51	Dust Suppression System w/25 Gallon Tank (323-030A)	37#	37#	\$ 716
-52	Hose and Spray Kit (323-043A)	20#	20#	\$ 173
<u>YOU MAY CHOOSE ONE OF THE FOLLOWING WIRING HARNESSES</u>				
-60	14 Pin Wiring Harness, DEUTSCH HD30, 73" (323-094A) (For Kubota SVL/SSV only)	2#	2#	\$ 217
-61	14 Pin Wiring Harness, DEUTSCH HD30, 10' (323-095A) (For Kubota Tractors only)	2#	2#	\$ 217
-62	2 Pin Wiring Harness, DTP (2 Pin Kubota SVL) (323-096A)	2#	2#	\$ 296
-63	Switch and Wiring Harness (323-097A)	2#	2#	\$ 217
-64	Switch and Wiring Harness, Tractor Mount (323-098A)	2#	2#	\$ 312

AP-HB Series Hopper Brooms

12-25 GPM | AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3 / SVL97-2

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



1/2" Flat Faced Couplers Included
Overall Height: 33" Approx.
Brush Diameter: 26"
Brush Rotor Shaft: Quick Change Broom Core with
No Hydraulic Breakage in Changeover
Hex Drive System: Replaceable
Brush Bristle: 100% Poly or 100% Metallic or 50/50
Hood: Sheet Metal
Brush Speed Range: 100 - 230 RPM
Hydraulic Hoses
Hydraulic Couplers
Optional Dust Suppression System

Hydraulic GPM Range: 12-25 GPM
Rated Flow Standard Motor: 25 GPM @ 230 RPM
Minimum Hydraulic Flow Req.: 12 GPM @2000 PSI
Hitch: Skid Steer
Sweeping Width: 74", 84"
Bucket Shell: 3/16"
Bolt-on Cutting Edge Standard: 5/8"x8"

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
 AP-HB74	HOPPER BROOM - 74" Sweeping Width	1043#	1153#	\$ 7,205
	<u>YOU MUST CHOOSE A BROOM ASSEMBLY</u>			
-14	Poly Bristles	222#		\$ 1,330
-15	Wire Bristles	222#		\$ 1,378
-16	Poly/Wire Bristles	222#		\$ 1,352
	<u>YOU MAY CHOOSE A GUTTER BROOM ASSEMBLY</u>			
-19	Gutter Broom (323-138A)	101#		\$ 2,028
	<u>YOU MAY CHOOSE A DUST SUPPRESSION FEATURE</u>			
-51	HB74 Dust Suppression Kit (323-158A)	194#		\$ 1,156
-52	HB74 Dust Suppression Kit w/Gutter Broom Dust Supression (323-160A)	197#		\$ 1,223
 AP-HB84	84" HOPPER BROOM	1121#	1474#	\$ 7,561
	<u>YOU MUST CHOOSE A BROOM ASSEMBLY</u>			
-14	Poly Bristles	251#		\$ 1,717
-15	Wire Bristles	251#		\$ 1,778
-16	Poly/Wire Bristles	251#		\$ 1,749
	<u>YOU MAY CHOOSE A GUTTER BROOM ASSEMBLY</u>			
-19	Gutter Broom (323-138A)	101#		\$ 2,028
	<u>YOU MAY CHOOSE A DUST SUPPRESSION FEATURE</u>			
-51	HB84 Dust Suppression Kit (323-159A)	206#		\$ 1,247
-52	HB84 Dust Suppression Kit w/Gutter Broom Dust Supression (323-164A)	210#		\$ 1,314

AP-STP25 Series Tree/Post Puller

AVAILABLE FOR: SSV65 / SSV75 / SVL65-2 / SVL75-3

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Hitch: Skid Steer
Cylinder: 2" x 8" x 1" Welded
Stout Square Tube Frame
Pincher: 16" x 2 $\frac{3}{4}$ " x 5/8"
Pivot Pin: 1 $\frac{1}{4}$ " x 17" Solid, Greasable
Mouth Opening: 10"
Cylinder Guard: 3/16", Included
Small Flat Faced Couplers Included

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-STP25	25 SERIES TREE/POST PULLER	324#	345#	\$ 2,943
ADD OPTION NO.				
-10	Push Bar Assembly	101#	101#	\$ 550

NOTE: If attaching to a Kubota Skid Steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.



Standard or High Flow Attachments Required

Type	Model Number	Motor Options (GPM)	Part No.	Description	Price
SVL97-3	All Attachments	NA	701-256A	Receiver and Cover	\$499
Angle Broom	AB72	12-18 12-23 19-30	701-253A	Tag and Bracket	\$275
	AB84	12-18 12-23 19-30			
Breaker	BR510	9-24	701-254A	Tag and Bracket	\$275
	BR560	10-32			
Cold Planer	CP3012LF	15-25	701-258A	Tag and Bracket	\$275
	CP3016LF	15-25	701-253A		
	CP3018	24-42			
	CP3024	27-42			
	CP3030	30-42			
	CP3040	30-42			
	CP3048	30-42			
Hopper Broom	HB74	12-25	701-254A	Tag and Bracket	\$275
	HB84	12-25			
Snow Blower	SBL2566	12-19 20-26 27-33	701-258A	Tag and Bracket	\$275
	SBL2574	12-19 20-26 27-33			
	SBL2584	12-19 20-26 27-33			
	SBL3074	17-23 27-33	701-259A	Tag Only	\$275
	SBL3084	17-23 27-33			
	SBL3574	34-41	701-259A	Tag Only	\$275
	SBL3584	34-41			
Skid Cutter	SC2560	11-17 18-23 24-30	701-258A	Tag and Bracket	\$275
	SC2572	18-23 24-30			
	SC4060	15-26 27-43	701-255A	Tag and Bracket	\$275
	SC4072	15-26 27-43			
	SC6072	18-31	701-255A	Tag and Bracket	\$275
	SC7072	26-43	701-255A	Tag and Bracket	\$275
	SC11072	26-43	701-260A	Tag and Bracket	\$275
Powered Rake	SR2772	12-24	701-253A	Tag and Bracket	\$275
	SR2790	15-24			
Skid Tiller	SRT62	14-23 23-42	701-253A	Tag and Bracket	\$275
	SRT76	14-23 23-42			
Stump Grinder	SSG2524	17-32	701-253A	Tag and Bracket	\$275

AP- CPF12 Series Compact Pallet Forks

1,200 lbs. Carrying Capacity | AVAILABLE FOR: SCL1000



Fork Dimensions: 36"L x 1.375"D x 3"W
42"L x 1.375"D x 3"W
Fork Position Lock: Spring Loaded Toggle
Adjustable Width
Spill Guard

MODEL NUMBER	DESCRIPTION	APPROX. WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CPF1236-01	12 SERIES CII PALLET FORKS - 36" 1,200 lbs Carrying Capacity	224#	243#	\$ 1,102
AP-CPF1242-01	12 SERIES CII PALLET FORKS - 42" 1,200 lbs Carrying Capacity	234#	252#	\$ 1,139
CHOOSE A QTY OPTION				
-93	3-Pack			N/C
-99	Single			\$ 70

AP-CL148 Series Compact Loader High-Capacity Buckets

AVAILABLE FOR: SCL1000

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



CII Hitch

Dimension without teeth:

48" w x 21" h x 30" d

3/16" Shell and End Panels

Available with Bolt-on Edge (HC Model)

Available with Bolt-on Teeth (HT Model)

6 Teeth per bucket

Struck Capacity: 7 cu.ft.

Heaped Capacity: 9 cu.ft.

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CL148H	48", CII Hitch, High Capacity	270#	340#	\$ 1,411
AP-CL148HC	48", CII Hitch, High Capacity, Bolt-on Edge	294#	363#	\$ 1,510
AP-CL148HT	48", CII Hitch, High Capacity, 6 Bolt-on Teeth	282#	357#	\$ 1,691

AP-CGC10 Series Claw Grapple

AVAILABLE FOR: SCL1000

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Cii Hitch
Width: 41 - 1/2"
Closed Height: 29"
Number of Bottom Teeth: 6
Number of Top Teeth: 5
Spacing of Teeth: 8-1/8" Upper, 7-7/8" Lower
Tooth Thickness: 5/16"
Working Length of Teeth: 8-3/8"
Hydraulic Cylinder: 2 Qty, 1-1/2" x 8" x 1"
Max. Jaw Opening: 32"
Pivot Pin: 1-1/4"
Tine Material: High Tensile AR400



MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CGC1040	10 SERIES COMPACT CLAW GRAPPLE - 40" Width	312#	364#	\$ 3,480

AP-CSA10 Series Planetary Compact Augers

10-20 gpm | AVAILABLE FOR: SCL1000



RETURN TO INDEX



CII Hitch
Hydraulically Driven Planetary Gearbox
Hydraulically Reversible
Output Shaft: 2" Hex
Torque (at 100% Efficiency)
1775 ft/lb @ 3000 PSI

Auger Pipe: 2 1/2" ID
Auger Flighting Thickness: 1/4"
Auger Length: 48"
Auger Diameter: 6"-24"

MODEL NUMBER	DESCRIPTION		APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CSA10-01	10 SERIES HYDRAULIC COMPACT AUGER CII Hitch		353#	393#	\$ 3,758
ADD OPTION NUMBER					
FOR 2" HEX OUTPUT SHAFTS					
-06	6" Double Flight Auger (317-273A)		60#	60#	\$ 673
-09	9" Double Flight Auger (317-095A)		70#	70#	\$ 704
-12	12" Double Flight Auger (317-098A)		98#	98#	\$ 801
-15	15" Double Flight Auger (317-101A)		119#	119#	\$ 1,023
-18	18" Double Flight Auger (317-104A)		131#	131#	\$ 1,126
-24	24" Double Flight Auger (317-107A)		214#	214#	\$ 1,318
-26	24" Tree Auger (317-110A)		162#	162#	\$ 1,203
-70	6" Rock Auger (317-280A)		40#	40#	\$ 1,418
-71	9" Rock Auger (317-263A)		89#	89#	\$ 1,768
-72	12" Rock Auger (317-264A)		111#	111#	\$ 2,182
-86	2" Puff Auger (317-318A)		32#	32#	\$ 674


AP-CSC10 Series Compact Skid Cutter

13 - 20 gpm | AVAILABLE FOR: SCL1000

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



CII Hitch
Width: 51"
Length: 57 1/2"
Cutting Capacity: 1" with 3" intermittently
Cutting Height: 2 1/4" to 12"
13 - 20 GPM
Motor: 56 CC
Max Pressure: 3,000 PSI
Deck: 3/16"
Side Skirts: 3/16"
Four Corner-Mounted Skid Shoes
Skid Shoe: 1/4" Plate
Blade Carrier: 5/8" Plate
Blade Size: 1/2" x 4"
Blade Rotation: Counter-Clockwise
Front Deck Protection: Bi-fold door with single row chain guard
Rear Deck Protection: Single row chain guard with rubber guard

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CSC1042	COMPACT SKID CUTTER	630#	680#	\$ 8,750

AP-SSG20 Series Stump Grinder

AVAILABLE FOR: SCL1000

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Fits Compact Loaders, Skid Steers, Compact Excavators
Optional Mounts
Direct Drive
15 Wearsharp® Teeth
8-21 GPM

MODEL NUMBER	DESCRIPTION		APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-SSG2024	20 SERIES STUMP GRINDER 24" Diameter Cutting Wheel		312#	344#	\$ 5,913
ADD OPTION NUMBER	MUST CHOOSE A MOUNT OPTION				
-01	Cii Mount (328-187A)		82#	82#	\$ 535
-03	SS Mount (328-193A)		168#	168#	\$ 796
-04	Compact Excavator Mount (328-189A)		85#	85#	\$ 428
	MUST CHOOSE IF -04 OPTION SELECTED				
-41	Bolt-on Mount, U27 (328-195A)		66#	86#	\$ 298
-42	Bolt-on Mount, KX71/KX033/U35/KX040 (333-184A)		77#	97#	\$ 489
-43	Bolt-on Mount, KX057 (333-185A)		108#	128#	\$ 590
-44	Pin Grabber Mount for KX057 (333-202A)		103#	123#	\$ 894
	MAY SELECT A HOSE OPTION				
-51	90" CUL Hose Kit		6#		\$ 282
-52	100" SS Hose Kit		7#		\$ 347
-53	60" Ex Hose Kit		5#		\$ 402

NOTE: If attaching to a Kubota skid steer, route hydraulic hoses through Kubota's SVL or SSV Hose Stay. Purchase SVL Hose Stay #S6689 or SSV Hose Stay #77700-07225. Refer to the Operator's Manual for more instructions.

AP-CTP10 Series Compact Tree/Post Puller

AVAILABLE FOR: SCL1000

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



Hitch: Cii
Cylinder: 2" x 8" x 1¹/₈" Welded
Square Tube Frame: 3¹/₂"
Pincher: 16" x 2³/₄" x 5/8"
Pivot Pin: 2¹/₂" Solid, Greasable
Jaw Opening: 10"
Jaw Teeth: 5/8" x 16" Long
Jaw Tips: Angled for Digging
Max Pressure: 3500 PSI
Cylinder Guard: 3/16", Included

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CTP10	10 SERIES COMPACT TREE/POST PULLER	220#	255#	\$ 2,590

AP-CSR10 Series Compact Powered Rakes

Up to 15 gpm | AVAILABLE FOR: SCL1000

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



CII Hitch
Direct Drive
Manual or Hydraulic Angle
Angle Adjustment: 25 Degrees Left & 25 Degrees Right,
Forward or Reverse Roller Rotation
Spacer Height Adjustment
Bearing Protector
Gauge Wheels

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CSR1048-01	10 SERIES COMPACT POWERED RAKE 48" Width; CII Hitch Carbide Tipped Studed Roller	1059#	1109#	\$ 9,853
<u>YOU MUST CHOOSE AN ANGLE OPTION</u>				
-11	Hydraulic Angle	52#		\$ 2,988
-12	Manual Angle	30#		\$ 600
<u>YOU MAY CHOOSE A WIRING HARNESS</u>				
-63	Battery Connect with Switch	12#	12#	\$ 217

Compact Loader Mount for BR Breakers

AVAILABLE FOR: SCL1000

Scan or click for
Manuals/features/3-D



RETURN TO
INDEX



All Breakers come with a Moilpoint
and Chisel point

Tool Diameter (in.): BR3504 – 2.36
Impact Frequency* (bpm): BR3504 – 600-1,800
Oil Flow Range (gpm): BR3504 – 5.3 to 16.4
Overall Length (in.): BR3504 – 38.0

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-BR3504	BR3504 HYDRAULIC BREAKER E04	409#	409#	\$ 10,148
<u>OPTION</u>	<u>You May Select a Mount or Hose Kit</u>			
-02	SCL CII Mount (317-475A)	90#	90#	\$ 400
-23	SCL Hose Kit (317-480A)	11#	11#	\$ 477

BREAKER MOUNT SELECTION GUIDE




317-475A
(SCL1000 CII Mount)

AP-CTR10 Series Compact Trencher

AVAILABLE FOR: SCL1000



RETURN TO
INDEX



CII Hitch
30", 36", 48" Depths
High Speed or High Torque Motor Options
4", 6", 8", 10" Chain Width Options (30" & 36" models)
4" & 6" Chain Width Options (48" Models)
2-Pitch, 4-Pitch, and Combo Chain Options
Standard Spoil Auger, 12.25" Diameter
Positive Manual Chain Tensioner
Crumber Shoe to Clear Trench

MODEL NUMBER	DESCRIPTION	APPROX. MACHINE WEIGHT	SHIPPING WEIGHT	LIST PRICE
AP-CTR1030-01-10	30" TRENCHER - High Torque Motor, CII Hitch	395#	465#	\$ 6,326
AP-CTR1030-01-11	30" TRENCHER - High Speed Motor, CII Hitch	395#	465#	\$ 6,214
AP-CTR1036-01-10	36" TRENCHER - High Torque Motor, CII Hitch	415#	486#	\$ 6,565
AP-CTR1036-01-11	36" TRENCHER - High Speed Motor, CII Hitch	415#	486#	\$ 6,453
AP-CTR1048-01-10	48" TRENCHER - High Torque Motor, CII Hitch	425#	511#	\$ 7,217
AP-CTR1048-01-11	48" TRENCHER - High Speed Motor, CII Hitch	425#	511#	\$ 7,105

Trencher Options and Chain Selection Guide on following pages.

ADD OPTION NUMBER			APPROX. MACHINE_ WEIGHT	SHIPPING WEIGHT	LIST PRICE
	<u>You MUST Choose a Chain (30" Only)</u>				
-30	2 Pitch Chain, Standard Cup, 4"	(350-430A)	70	\$	874
-31	2 Pitch Chain, Standard Cup, 6"	(350-431A)	75	\$	983
-32	2 Pitch Chain, Standard Cup, 8"	(350-432A)	82	\$	1,288
-33	2 Pitch Chain, Standard Cup, 10"	(350-433A)	94	\$	1,490
-34	4 Pitch Chain, Standard Cup, 4"	(350-434A)	56	\$	664
-35	4 Pitch Chain, Standard Cup, 6"	(350-435A)	59	\$	724
-36	4 Pitch Chain, Standard Cup, 8"	(350-436A)	62	\$	838
-37	4 Pitch Chain, Standard Cup, 10"	(350-437A)	65	\$	1,019
-38	Scorpion and Cup Chain, 4"	(350-446A)	74	\$	1,382
-39	Scorpion and Cup Chain, 6"	(350-447A)	83	\$	1,476
-40	Scorpion and Cup Chain, 8"	(350-448A)	93	\$	1,736
-41	Scorpion and Cup Chain, 10"	(350-449A)	104	\$	2,019
	<u>You MUST Choose a Chain (36" Only)</u>				
-30	2 Pitch Chain, Standard Cup, 4"	(350-422A)	86	\$	1,172
-31	2 Pitch Chain, Standard Cup, 6"	(350-423A)	92	\$	1,310
-32	2 Pitch Chain, Standard Cup, 8"	(350-424A)	102	\$	1,425
-33	2 Pitch Chain, Standard Cup, 10"	(350-425A)	118	\$	1,649
-34	4 Pitch Chain, Standard Cup, 4"	(350-426A)	69	\$	897
-35	4 Pitch Chain, Standard Cup, 6"	(350-427A)	73	\$	917
-36	4 Pitch Chain, Standard Cup, 8"	(350-428A)	77	\$	1,013
-37	4 Pitch Chain, Standard Cup, 10"	(350-429A)	85	\$	1,114
-38	Scorpion and Cup Chain, 4"	(350-442A)	91	\$	1,751
-39	Scorpion and Cup Chain, 6"	(350-443A)	104	\$	1,881
-40	Scorpion and Cup Chain, 8"	(350-444A)	112	\$	2,315
-41	Scorpion and Cup Chain, 10"	(350-445A)	129	\$	2,699
	<u>You MUST Choose Chain (48" Only)</u>				
-30	2 Pitch Chain, Standard Cup 4"	(350-398A)	107	\$	1,476
-31	2 Pitch Chain, Standard Cup 6"	(350-419A)	114	\$	1,592
-34	4 Pitch Chain, Standard Cup, 4"	(350-420A)	87	\$	1,121
-35	4 Pitch Chain, Standard Cup, 6"	(350-421A)	90	\$	1,202
-38	Scorpion and Cup Chain, 4"	(350-440A)	114	\$	2,199
-39	Scorpion and Cup Chain, 6"	(350-441A)	131	\$	2,460
	<u>You MUST Choose a Crumber Shoe Assembly</u>				
-70	4" Crumber Shoe Assembly		24	\$	167
-71	6" Crumber Shoe Assembly		27	\$	174
-72	8" Crumber Shoe Assembly		29	\$	180
-73	10" Crumber Shoe Assembly		32	\$	188

Freight Charts

[RETURN TO INDEX](#)

	ATTACHMENTS*		
	LP TRUCK	LTL	SNOW-BLOWER LTL
Alabama	26	32	41
Arizona	32	38	48
Arkansas	36	37	47
California	38	41	50
Colorado - East of I-25	27	33	42
Colorado - West of I-25	31	42	53
Connecticut	39	47	59
Delaware	37	52	65
Florida Panhandle	34	38	48
Florida	39	44	55
Georgia	36	37	47
Idaho	37	39	49
Illinois	27	30	37
Indiana	30	33	42
Iowa	27	28	36
Kansas	23	25	31
Kentucky	27	30	37
Louisiana	30	44	55
Maine	39	58	73
Maryland	36	43	54
Massachusetts	39	47	59
Michigan	30	33	42
Minnesota	30	32	41
Mississippi	28	32	41
Missouri	27	28	36
Montana	37	46	57
Nebraska	28	30	37
Nevada	34	38	48
New Hampshire	39	44	55
New Jersey	37	44	55
New Mexico	33	37	47
New York	37	49	62
North Carolina	37	42	53
North Dakota	37	43	54
Ohio	31	34	43
Oklahoma	27	28	36
Oregon	37	47	59
Pennsylvania	37	42	53
Rhode Island	39	62	78
South Carolina	31	38	48
South Dakota	30	33	42
Tennessee	30	39	49
Texas	30	32	41
Utah	37	39	49
Vermont	39	57	71
Virginia	31	43	54
W. Virginia	32	42	53
Washington	39	48	60
Wisconsin	30	36	44
Wyoming	36	48	60

*All Rates per 100 lbs. (CWT)



P.O. Box 5060 • Salina, KS 67402-5060 • (888) 987-7433 • www.landpride.com