


VOLVO TRUCKS

# CUSTOMER PROPOSAL



## VHD42B300



Prepared By:

RONNIE MOROZ

[RMOROZ@GRANDETRUCK.COM](mailto:RMOROZ@GRANDETRUCK.COM)

GRANDE TRUCK CENTER



# Vehicle Spec

<b>BASE MODEL</b>	<b>Description</b>	<b>Front Weight</b>	<b>Rear Weight</b>	<b>Price</b>
004154 BASE MODEL	VHD42B300			

## MODEL PACKAGE

S 012154 MARKETING MODEL	VHD42B300
--------------------------	-----------

## PASSIVE AND ACTIVE SAFETY

S 2CXD3X CAB TYPE	HIGH-STRENGTH STEEL (HSS) DAY CAB WITH B -PILLAR MOUNTED EXHAUST
-------------------	---

## ENGINE

S 1017V0 ENGINE PACKAGE	VOLVO D11 325HP 2100RPM 1250 LBFT - EPA'17 EMISSION LEVEL
-------------------------	--

## TRANSMISSION

S 270707 TRANSMISSION PACKAGE	VOLVO 12 SPEED I-SHIFT SEVERE DUTY, AT2612F DIRECT DRIVE
-------------------------------	---

## FRONT AXLE

S 370403 FRONT AXLE PACKAGE	VOLVO VF14 14,600 LB FRONT SPRINGS
-----------------------------	------------------------------------

## REAR AXLE

S 330145 REAR AXLE PACKAGE	MERITOR RS23-160 23,000 LB CAPACITY
S TAXC7X REAR AXLE RATIO	2.93 REAR AXLE RATIO

## CHASSIS

S 400177 WHEELBASE	177" WHEELBASE
--------------------	----------------

## TIRES AND WHEELS FRONT

S 093871 TIRE PACKAGE FRONT	315/80R22.5L BRIDGESTONE M870 (20000 LBS. GAWR) ON/OFF ROAD USAGE
-----------------------------	--

## TIRES AND WHEELS REAR


S 094736 TIRE PACKAGE REAR	11R22.5G BRIDGESTONE R268 (23360 LBS. GAWR) REGIONAL HAUL (STEER/ALL POSITION)
----------------------------	---

VOLVO TRUCKS

# CUSTOMER PROPOSAL



## VHD64B300



Prepared By:

RONNIE MOROZ

[RMOROZ@GRANDETRUCK.COM](mailto:RMOROZ@GRANDETRUCK.COM)

GRANDE TRUCK CENTER



# Vehicle Spec

<b>BASE MODEL</b>	<b>Description</b>	<b>Front Weight</b>	<b>Rear Weight</b>	<b>Price</b>
004155    BASE MODEL	VHD64B300			

## **MODEL PACKAGE**

S 012155    MARKETING MODEL	VHD64B300
-----------------------------	-----------

## **PASSIVE AND ACTIVE SAFETY**

S 2CXD3X    CAB TYPE	HIGH-STRENGTH STEEL (HSS) DAY CAB WITH B -PILLAR MOUNTED EXHAUST
----------------------	---

## **ENGINE**

S 1017V0    ENGINE PACKAGE	VOLVO D11 325HP 2100RPM 1250 LBFT - EPA'17 EMISSION LEVEL
----------------------------	--

## **TRANSMISSION**

S 270707    TRANSMISSION PACKAGE	VOLVO 12 SPEED I-SHIFT SEVERE DUTY, AT2612F DIRECT DRIVE
----------------------------------	---

## **FRONT AXLE**

S 370403    FRONT AXLE PACKAGE	VOLVO VF14 14,600 LB FRONT SPRINGS
--------------------------------	------------------------------------

## **REAR AXLE**

S 330684    REAR AXLE PACKAGE	MERITOR MT-40-14X4D HYPOID (HEAVY DUTY HOUSING) 40,000 LB CAPACITY
S TAXCAX    REAR AXLE RATIO	2.64 REAR AXLE RATIO

## **CHASSIS**

S 400208    WHEELBASE	208" WHEELBASE
-----------------------	----------------

## **TIRES AND WHEELS FRONT**

S 093871    TIRE PACKAGE FRONT	315/80R22.5L BRIDGESTONE M870 (20000 LBS. GAWR) ON/OFF ROAD USAGE
--------------------------------	--

## **TIRES AND WHEELS REAR**


S 094736    TIRE PACKAGE REAR	11R22.5G BRIDGESTONE R268 (23360 LBS. GAWR) REGIONAL HAUL (STEER/ALL POSITION)
-------------------------------	---

VOLVO TRUCKS

# CUSTOMER PROPOSAL



## VNR42T300



Prepared By:

RONNIE MOROZ

RMOROZ@GRANDETRUCK.COM

GRANDE TRUCK CENTER



# Vehicle Spec

<b>BASE MODEL</b>		<b>Description</b>	<b>Front Weight</b>	<b>Rear Weight</b>	<b>Price</b>
004346	BASE MODEL	VNR42T300			

## **MODEL PACKAGE**

S 012346	MARKETING MODEL	VNR42T300
----------	-----------------	-----------

## **PASSIVE AND ACTIVE SAFETY**

S 2CXD1X	CAB TYPE	HIGH-STRENGTH STEEL (HSS) DAY CAB
----------	----------	-----------------------------------

## **ENGINE**

S 1017V0	ENGINE PACKAGE	VOLVO D11 325HP 2100RPM 1250 LBFT - EPA'17 EMISSION LEVEL
----------	----------------	---

## **TRANSMISSION**

S 270702	TRANSMISSION PACKAGE	VOLVO 12 SPEED I-SHIFT AT2612F DIRECT DRIVE
----------	----------------------	---

## **FRONT AXLE**

S 370400	FRONT AXLE PACKAGE	VOLVO VF12 12,000 LB FRONT SPRINGS
----------	--------------------	------------------------------------

## **REAR AXLE**

S 330723	REAR AXLE PACKAGE	DANA SPICER S23-175 23,000 LB CAPACITY
S TAXBCX	REAR AXLE RATIO	2.47 REAR AXLE RATIO

## **CHASSIS**

S 400152	WHEELBASE	152" WHEELBASE
----------	-----------	----------------

## **TIRES AND WHEELS FRONT**

S 093879	TIRE PACKAGE FRONT	295/75R22.5G BRIDGESTONE R284 ECOPIA (12350 LBS. GAWR) LONG / REGIONAL HAUL
----------	--------------------	---

## **TIRES AND WHEELS REAR**

S 0940A1	TIRE PACKAGE REAR	295/75R22.5G BRIDGESTONE M713 ECOPIA (22700 LBS. GAWR) LONG / REGIONAL HAUL
----------	-------------------	---

VOLVO TRUCKS

# CUSTOMER PROPOSAL



## VNR64T300



Prepared By:

RONNIE MOROZ

[RMOROZ@GRANDETRUCK.COM](mailto:RMOROZ@GRANDETRUCK.COM)

GRANDE TRUCK CENTER



# Vehicle Spec

<b>BASE MODEL</b>	<b>Description</b>	<b>Front Weight</b>	<b>Rear Weight</b>	<b>Price</b>
004371 BASE MODEL	VNR64T300			

## MODEL PACKAGE

S 012371 MARKETING MODEL	VNR64T300
--------------------------	-----------

## PASSIVE AND ACTIVE SAFETY

S 2CXD1X CAB TYPE	HIGH-STRENGTH STEEL (HSS) DAY CAB
-------------------	-----------------------------------

## ENGINE

S 1017V0 ENGINE PACKAGE	VOLVO D11 325HP 2100RPM 1250 LBFT - EPA'17 EMISSION LEVEL
-------------------------	---

## TRANSMISSION

S 270702 TRANSMISSION PACKAGE	VOLVO 12 SPEED I-SHIFT AT2612F DIRECT DRIVE
-------------------------------	---

## FRONT AXLE

S 370400 FRONT AXLE PACKAGE	VOLVO VF12 12,000 LB FRONT SPRINGS
-----------------------------	------------------------------------

## REAR AXLE

S 330688 REAR AXLE PACKAGE	MERITOR MT-40-14X3C AMBOID 40,000 LB CAPACITY
S TAXBCX REAR AXLE RATIO	2.47 REAR AXLE RATIO

## CHASSIS

S 400170 WHEELBASE	170" WHEELBASE
--------------------	----------------

## TIRES AND WHEELS FRONT

S 093879 TIRE PACKAGE FRONT	295/75R22.5G BRIDGESTONE R284 ECOPIA (12350 LBS. GAWR) LONG / REGIONAL HAUL
-----------------------------	---

## TIRES AND WHEELS REAR


S 0940A1 TIRE PACKAGE REAR	295/75R22.5G BRIDGESTONE M713 ECOPIA (22700 LBS. GAWR) LONG / REGIONAL HAUL
----------------------------	---

VOLVO TRUCKS

# CUSTOMER PROPOSAL



## VNL42T300



Prepared By:

RONNIE MOROZ

[RMOROZ@GRANDETRUCK.COM](mailto:RMOROZ@GRANDETRUCK.COM)

GRANDE TRUCK CENTER



# Vehicle Spec

<b>BASE MODEL</b>		Description	Front Weight	Rear Weight	Price
004236	BASE MODEL	VNL42T300			

## **MODEL PACKAGE**

S 012236	MARKETING MODEL	VNL42T300
----------	-----------------	-----------

## **PASSIVE AND ACTIVE SAFETY**

S 2CXD1X	CAB TYPE	HIGH-STRENGTH STEEL (HSS) DAY CAB
----------	----------	-----------------------------------

## **ENGINE**

S 1018F0	ENGINE PACKAGE	VOLVO D13 405HP 2100RPM 1450 LBFT - EPA'21 EMISSION LEVEL
----------	----------------	---

## **TRANSMISSION**

S 270702	TRANSMISSION PACKAGE	VOLVO 12 SPEED I-SHIFT AT2612F DIRECT DRIVE
----------	----------------------	---

## **FRONT AXLE**

S 370400	FRONT AXLE PACKAGE	VOLVO VF12 12,000 LB FRONT SPRINGS
----------	--------------------	------------------------------------

## **REAR AXLE**

S 330723	REAR AXLE PACKAGE	DANA SPICER S23-175 23,000 LB CAPACITY
S TAXBCX	REAR AXLE RATIO	2.47 REAR AXLE RATIO

## **CHASSIS**

S 400156	WHEELBASE	156" WHEELBASE
----------	-----------	----------------

## **TIRES AND WHEELS FRONT**

S 093879	TIRE PACKAGE FRONT	295/75R22.5G BRIDGESTONE R284 ECOPIA (12350 LBS. GAWR) LONG / REGIONAL HAUL
----------	--------------------	---

## **TIRES AND WHEELS REAR**

S 0940A1	TIRE PACKAGE REAR	295/75R22.5G BRIDGESTONE M713 ECOPIA (22700 LBS. GAWR) LONG / REGIONAL HAUL
----------	-------------------	---

VOLVO TRUCKS

# CUSTOMER PROPOSAL



## VNL64T300



Prepared By:

RONNIE MOROZ

RMOROZ@GRANDETRUCK.COM

GRANDE TRUCK CENTER



# Vehicle Spec

<b>BASE MODEL</b>	<b>Description</b>	<b>Front Weight</b>	<b>Rear Weight</b>	<b>Price</b>
004240 BASE MODEL	VNL64T300			

## **MODEL PACKAGE**

S 012240 MARKETING MODEL VNL64T300

## **PASSIVE AND ACTIVE SAFETY**

S 2CXD1X CAB TYPE HIGH-STRENGTH STEEL (HSS) DAY CAB

## **ENGINE**

S 1018F0 ENGINE PACKAGE VOLVO D13 405HP 2100RPM 1450 LBFT - EPA'21 EMISSION LEVEL

## **TRANSMISSION**

S 270702 TRANSMISSION PACKAGE VOLVO 12 SPEED I-SHIFT AT2612F DIRECT DRIVE

## **FRONT AXLE**

S 370400 FRONT AXLE PACKAGE VOLVO VF12 12,000 LB FRONT SPRINGS

## **REAR AXLE**

S 330688 REAR AXLE PACKAGE MERITOR MT-40-14X3C AMBOID 40,000 LB CAPACITY

S TAXBCX REAR AXLE RATIO 2.47 REAR AXLE RATIO

## **CHASSIS**

S 400170 WHEELBASE 170" WHEELBASE

## **TIRES AND WHEELS FRONT**

S 093879 TIRE PACKAGE FRONT 295/75R22.5G BRIDGESTONE R284 ECOPIA (12350 LBS. GAWR) LONG / REGIONAL HAUL

## **TIRES AND WHEELS REAR**

S 0940A1 TIRE PACKAGE REAR 295/75R22.5G BRIDGESTONE M713 ECOPIA (22700 LBS. GAWR) LONG / REGIONAL HAUL