

Chassis Specification

04/07/2026

		Description	Front Weight	Rear Weight	Price
AUTOCAR TRUCKS					
S	5000001	CAB SHELL	SINGLE LEFT HAND DRIVE CAB		0
ENGINE					
S	1012102	ENGINE ASSY	L9, 360HP / 2200RPM / 1150 LB- FT, CUMMINS		0
TRANSMISSION					
S	2700022	TRANSMISSION	ALLISON 3000 SERIES,6- SPEED		0
FRONT AXLE					
S	3703000	FRONT AXLE	HENDRICKSON STEERTEK NX, 20000 LB RATING		0
REAR AXLE					
S	330444	REAR DRIVE AXLE-SINGLE & TANDEM	MERITOR RT46-160 46,000 LB		0
X	331996	REAR DRIVE AXLE RATIO	MUST CHOOSE REAR DRIVE AXLE RATIO		0
CHASSIS					
S	400210	WHEELBASE	210 INCHES		0
GAUGES & INSTRUMENTATION					
O	3193001	PTO CONTROLS	PTO ELECTRIC CONTROL SWITCH DASH MOUNTED		85
SUB TOTALS					
			BASE PRICE		236,520
			FACTORY OPTION PRICE		835
			DISTRIBUTOR OPTION PRICE		0
TOTALS					
			TOTAL PRICE (\$)		237,355

GAWR, GVWR & Tire Pressure

04/07/2026

GVW Rating – 66,000#			
Front GAWR	20,000#	Rear GAWR	46,000#
Front Suspension	20,000#	Rear Suspension	46,000#
Front Wheels & Hubs	20,000#	Rear Wheels & Hubs	52,000#
Front Tire Size & Tread	20,000#	Rear Tire Size & Tread	48,000#
Front Brakes	20,000#	Rear Brakes	52,000#
Front Axle	20,000#	Rear Axle	46,000#
PSI			
Front PSI	130.0	Rear PSI	105.0

Cummins Statement

04/07/2026

Cummins Inc. will claim all emissions credits authorized by EPA, CARB, or CARB-adopting state regulations for sale of our engines. This may result in products being ineligible for purchase using certain grant or incentive funding ("voluntary purchase incentive program(s)"). Purchasers and users of products are solely responsible for ensuring their compliance with the terms of any voluntary purchase incentive program(s).