



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

As Configured Vehicle

Code	Description	MSRP
Base Vehicle		
F5K	Base Vehicle Price (F5K)	\$45,025.00
Packages		
696A	Order Code 696A <i>Includes:</i> - Engine: 7.3L 2V DEVCT NA PFI V8 Gas - Transmission: TorqShift 6-Speed Automatic 6R140. Includes tow/haul mode (default OFF). - GVWR: 16,000 lbs. Payload Package Includes 6,500 lbs. front axle, 11,000 lbs. DANA S110 rear axle, 6,500 lbs. front GAWR and 11,000 lbs. rear GAWR. - 4.30 Axle Ratio - Tires: 225/70Rx19.5G BSW Highway - Wheels: 19.5" x 6" White Steel - Seats Not Included (No Pedestal)	N/C
Powertrain		
99N	Engine: 7.3L 2V DEVCT NA PFI V8 Gas	Included
44P	Transmission: TorqShift 6-Speed Automatic 6R140. Includes tow/haul mode (default OFF).	Included
STDAX	4.30 Axle Ratio	Included
20H	GVWR: 16,000 lbs. Payload Package Includes 6,500 lbs. front axle, 11,000 lbs. DANA S110 rear axle, 6,500 lbs. front GAWR and 11,000 lbs. rear GAWR.	Included
Wheels & Tires		
T91	Tires: 225/70Rx19.5G BSW Highway	Included
64F	Wheels: 19.5" x 6" White Steel	Included
Seats & Seat Trim		
STDST	Seats Not Included (No Pedestal)	Included
Other Options		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

As Configured Vehicle (cont'd)

Code	Description	MSRP
158WB	158" Wheelbase	STD
191	Embedded Modem Delete	-\$75.00
This will be a forced option on all vehicles at start of production and will be removed from production once the new embedded modem is introduced at a later date in the production year.		

Fleet Options

WARANT	Fleet Customer Powertrain Limited Warranty	N/C
Requires valid FIN code.		
<i>Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle.</i>		

Emissions

425	50-State Emissions System	STD
SUBTOTAL		\$44,950.00
Destination Charge		\$2,195.00
TOTAL		\$47,145.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller
03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Pricing Summary - Single Vehicle

	MSRP
<i>Vehicle Pricing</i>	
Base Vehicle Price	\$45,025.00
Options	-\$75.00
Colors	\$0.00
Upfitting	\$0.00
Fleet Discount	\$0.00
Fuel Charge	\$0.00
Destination Charge	\$2,195.00
Total	\$47,145.00

Customer Signature

Acceptance Date

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Selected Equip & Specs

Dimensions

- Conventional Capacity: 7,000 lbs.
- Front brake diameter: 15.0"
- Vehicle body length: 301.4"
- Vehicle turning radius: 22.7'
- Rear track: 73.0"
- Axle to end of frame: 106.0"
- Frame yield strength (psi): 36000.0
- GCWR: 23,000 lbs.
- Rear brake diameter: 15.0"
- Wheelbase: 158.0"
- Front track: 90.5"
- Rear tire outside width: 94.0"
- Frame section modulus: 9.5 cu.in.
- Front bumper to front axle: 37.4"

Powertrain

- Spark ignition system
- Engine cylinders: V-8
- Horsepower: 335 HP@3750 RPM
- Engine oil cooler
- TorqShift 6-speed automatic
- Recommended fuel: regular unleaded
- 7.3L V-8 DEVCT variable valve control, engine with 335HP
- Injection Type: sequential MPI
- Torque: 468 lb.-ft.@3750 RPM
- Radiator
- Rear-wheel drive
- Driveline managed traction control

Fuel Economy and Emissions

- Gasoline secondary fuel type
- Federal emissions

Suspension and Handling

- Firm ride suspension
- Sachs rear shock absorbers
- Sachs front shock absorbers

Driveability

- 4-wheel disc brakes
- 4-wheel antilock (ABS) brakes
- Hill Start Assist
- Leaf spring front suspension
- Multi-leaf front suspension
- Rear anti-roll bar
- Hydraulic power-assist steering system
- 2-wheel steering system
- Front and rear ventilated disc brakes
- Four channel ABS brakes
- I-Beam rigid axle front suspension
- Front anti-roll bar
- DANA S110 rigid axle rear suspension
- Leaf spring rear suspension
- Re-circulating ball steering
- Steering cooler

Body Exterior

- Trailer wiring harness
- 19.5 x 6-inch front and dual rear white steel wheels
- LT225/70RS19.5 highway BSW front and rear tires

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Selected Equip & Specs (cont'd)

Convenience

- Cruise control with steering wheel mounted controls
- Trip computer

Comfort

- Urethane steering wheel
- Manual tilting steering wheel
- Manual telescopic steering wheel

Seats and Trim

- Seating capacity: 1
- Temporary driver seat

Entertainment Features

- Steering wheel mounted audio controls

Lighting, Visibility and Instrumentation

- Analog instrumentation display
- Exterior temperature display
- Oil pressure gauge
- Transmission fluid temperature gauge
- Auto on headlight control
- Daytime running lights
- Trip odometer
- Tachometer
- Engine/electric motor temperature gauge
- Engine hour meter
- DRL preference setting

Technology and Telematics

- Mobile app access

Safety and Security

- Fleet Telematics Modem vehicle tracker
- Electronic Stability Control (ESC) electronic stability control system

Dimensions

General Weights

Curb weight	5,911 lbs.	Rear curb weight	2,857 lbs.
GVWR	16,000 lbs.	Payload	10,080 lbs.

Trailing Weights

Conventional capacity	7,000 lbs.	GCWR	23,000 lbs.
-----------------------------	------------	------------	-------------

Front Weights

Front curb weight	3,054 lbs.	GAWR front	6,500 lbs.
Axle capacity front	6,500 lbs.	Spring rating front	6,500 lbs.
Tire/wheel capacity front	7,500 lbs.		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Selected Equip & Specs (cont'd)

Rear Weights

GAWR rear	11,000 lbs.	Axle capacity rear	11,000 lbs.
Spring rating rear	11,000 lbs.	Tire/wheel capacity rear	15,000 lbs.

Exterior Measurements

Vehicle body length	301.4"	Wheelbase	158.0"
Front brake diameter	15.0"	Rear brake diameter	15.0"
Front frame height unloaded	31.5"	Rear frame height unloaded	32.7"
Front track	90.5"	Rear track	73.0"
Vehicle turning radius	22.7'	Rear tire outside width	94.0"
Axle to end of frame	106.0"	Frame section modulus	9.5 cu.in.
Frame yield strength (psi)	36000.0	Front bumper to front axle	37.4"

Powertrain

Engine

Engine	7.3L V-8 DEVCT variable valve control, engine with 335HP	Valves per cylinder	2
Engine cylinders	V-8	Injection type	sequential MPI
Engine location	Front mounted engine	Ignition	Spark ignition system
Engine mounting direction	Longitudinal mounted engine	Engine block material	Iron engine block
Cylinder head material	Aluminum cylinder head		

Engine Specs

Displacement	7.3L	cc	445 cu.in.
Bore	4.21"	Stroke	3.98"
Compression ratio	10.5	SAEJ1349	AUG2004 compliant

Engine Power

Horsepower	335 HP@3750 RPM	Torque	468 lb.-ft.@3750 RPM
------------------	-----------------	--------------	----------------------

Alternator

Alternator amps	210A	Alternator type	Heavy-duty alternator
-----------------------	------	-----------------------	-----------------------

Battery

Battery amps	78Ah	Battery type	HD lead acid battery
Battery rating	750CCA		

Engine Extras

Engine cooler	Engine oil cooler	Radiator	Radiator
---------------------	-------------------	----------------	----------

Transmission

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Selected Equip & Specs (cont'd)

Transmission TorqShift 6-speed automatic

Overdrive transmission Overdrive transmission

First gear ratio 3.974

Third gear ratio 1.516

Fifth gear ratio 0.858

Reverse gear ratio 3.128

Selectable mode transmission Selectable mode transmission

Transmission electronic control Transmission

electronic control

Lock-up transmission Lock-up transmission

Second gear ratio 2.318

Fourth gear ratio 1.149

Sixth gear ratio 0.674

Stall ratio 1.9

Transmission oil cooler Transmission oil cooler

Drive Type

Drive type Rear-wheel drive

Drivetrain

Axle ratio 4.3

Exhaust

Tailpipe Stainless steel single exhaust

Fuel

Fuel type regular unleaded

Fuel Tank

Fuel tank capacity 40.00 gal.

Drive Feature

Traction control Driveline managed traction control

Provisions

Provisions Other type special provisions

Fuel Economy and Emissions

Fuel Economy

Secondary fuel type Gasoline secondary fuel type

Emissions

Emissions Federal emissions

Suspension and Handling

Suspension

Suspension Firm ride suspension

Rear shock absorbers Sachs rear shock absorbers

Front shock absorbers Sachs front shock absorbers

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Selected Equip & Specs (cont'd)

Driveability

Brakes

Brake type 4-wheel disc brakes

Ventilated brakes Front and rear ventilated disc brakes

ABS brakes Four channel ABS brakes

ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill Start Assist

Front Suspension

Front anti-roll Front anti-roll bar

Suspension ride type front I-Beam rigid axle front suspension

Suspension type front Leaf spring front suspension

Front Spring

Regular front springs Regular front springs

Springs front Multi-leaf front suspension

Rear Spring

Springs rear Multi-leaf rear suspension

Rear springs Regular grade rear springs

Rear Suspension

Rear anti-roll Rear anti-roll bar

Suspension type rear Leaf spring rear suspension

Suspension ride type rear DANA S110 rigid axle rear suspension

Steering

Steering Hydraulic power-assist steering system

Steering type Re-circulating ball steering

Steering type number of wheels 2-wheel steering system

Steering cooler Steering cooler

Exterior

Front Wheels

Front wheels diameter 19.5"

Front wheels width 6"

Rear Wheels

Rear wheels diameter 19.5"

Rear wheels width 6"

Front And Rear Wheels

Appearance white

Material steel

Front Tires

Aspect 70

Diameter 19.5"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Selected Equip & Specs (cont'd)

Sidewalls	BSW	Speed	S
Tread	highway	Type	LT
Width	225mm	Front wheel - RPM	643

Rear Tires

Aspect	70	Diameter	19.5"
Sidewalls	BSW	Speed	S
Tread	highway	Type	LT
Width	225mm	Rear wheel - RPM	643

Body Exterior

Trailer

Towing wiring harness Trailer wiring harness

Tires

Front tires LT load rating G Rear tires LT load rating G

Wheels

Dual rear wheels Dual rear wheels

Convenience

Cruise Control

Cruise control Cruise control with steering wheel
mounted controls

Miscellaneous

Trip computer Trip computer

Comfort

Steering Wheel

Steering wheel material Urethane steering wheel Steering wheel telescopic. Manual telescopic steering
wheel

Steering wheel tilt Manual tilting steering wheel

Seats and Trim

Seat Capacity

Seating capacity 1

Front Seats

Front seat type Temporary driver seat

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

2026 F-59 Commercial Stripped Chassis 4x2 158" WB DRW Base (F5K)

Price Level: 615

Selected Equip & Specs (cont'd)

Gearshifter Material

Gearshifter material Urethane gear shifter material

Entertainment Features

Audio Features

Steering mounted audio control..... Steering wheel
mounted audio controls

Lighting, Visibility and Instrumentation

Instrumentation

Trip odometer Trip odometer

Instrumentation display Analog instrumentation display

Instrumentation Displays

Temperature display Exterior temperature display

Instrumentation Gauges

Tachometer	Tachometer
Transmission temperature gauge ..	Transmission fluid temperature gauge
Engine hour meter	Engine hour meter

Oil pressure gauge Oil pressure gauge
Engine/electric motor temperature
gauge Engine/electric motor temperature gauge

Headlights

Auto headlights Auto on headlight control

DRL preference setting DRL preference setting

Lights

Running lights.....Daytime running lights

Safety and Security

Security System

Vehicle tracker Fleet Telematics Modem vehicle
tracker

Traction Control

Electronic stability control. Electronic Stability Control (ESC) electronic stability control system

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.