



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

As Configured Vehicle

Code	Description	MSRP
Base Vehicle		
E4K	Base Vehicle Price (E4K)	\$40,360.00
Packages		
790A	Order Code 790A <i>Includes:</i> - Engine: 7.3L V8 Port Fuel Injected Gasoline - Transmission: 6-Speed O/D w/Tow Haul Includes auxiliary cooler. - 4.56 Axle Ratio - GVWR: 14,500 lb Payload Package - Tires: LT225/75R16E BSW A/S Hankook DynaPro HT. - Wheels: 16" x 6" White Painted Steel - Seats Not Included (No Pedestal) Includes throw away driver seat. - Seats Not Included - Radio Delete	N/C
Powertrain		
99N	Engine: 7.3L V8 Port Fuel Injected Gasoline	Included
44P	Transmission: 6-Speed O/D w/Tow Haul <i>Includes auxiliary cooler.</i>	Included
X83	4.56 Axle Ratio	Included
20F	GVWR: 14,500 lb Payload Package	Included
Wheels & Tires		
T68	Tires: LT225/75R16E BSW A/S Hankook DynaPro HT.	Included
646	Wheels: 16" x 6" White Painted Steel	Included
Seats & Seat Trim		
STDST	Seats Not Included (No Pedestal) <i>Includes throw away driver seat.</i>	Included

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

As Configured Vehicle (cont'd)

Code	Description	MSRP
X	Seats Not Included	Included

Other Options

158WB	158" Wheelbase	STD
94A	Embedded Modem Delete	-\$75.00
This will be a forced option on all orders and builds from start of production. This option must be added to each order for the duration of the model year.		
58Y	Radio Delete	Included

Fleet Options

WARANT	Fleet Customer Powertrain Limited Warranty	N/C
Requires valid FIN code.		
<i>Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle.</i>		

Emissions

425	50 State Emission System	STD
SUBTOTAL		\$40,285.00
Destination Charge		\$2,195.00
TOTAL		\$42,480.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller
03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Pricing Summary - Single Vehicle

	MSRP
<i>Vehicle Pricing</i>	
Base Vehicle Price	\$40,360.00
Options	-\$75.00
Colors	\$0.00
Upfitting	\$0.00
Fleet Discount	\$0.00
Fuel Charge	\$0.00
Destination Charge	\$2,195.00
Total	\$42,480.00

Customer Signature

Acceptance Date

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Selected Equip & Specs

Dimensions

- Conventional Capacity: 7,500 lbs.
- Front brake diameter: 13.6"
- Vehicle body length: 252.7"
- Vehicle turning radius: 27.4'
- Rear track: 77.7"
- Frame section modulus: 5.7 cu.in.
- GCWR: 22,000 lbs.
- Rear brake diameter: 13.6"
- Wheelbase: 158.0"
- Front track: 69.4"
- Axle to end of frame: 68.5"
- Frame yield strength (psi): 36000.0

Powertrain

- Spark ignition system
- Engine cylinders: V-8
- Horsepower: 325 HP@3750 RPM
- Radiator
- Rear-wheel drive
- All-speed ABS and driveline traction control
- 7.3L V-8 variable valve control, engine with 325HP
- Injection Type: sequential MPI
- Torque: 450 lb.-ft.@3750 RPM
- 6-speed automatic
- Recommended fuel: regular unleaded

Fuel Economy and Emissions

- Gasoline secondary fuel type
- Federal emissions

Suspension and Handling

- Standard ride suspension
- Heavy-duty rear shock absorbers
- Heavy-duty front shock absorbers

Driveability

- 4-wheel disc brakes
- 4-wheel antilock (ABS) brakes
- Hill start assist
- Front anti-roll bar
- Rigid axle rear suspension
- Leaf spring rear suspension
- Re-circulating ball steering
- Front ventilated disc brakes
- Three channel ABS brakes
- Independent front suspension
- Front coil springs
- Rear anti-roll bar
- Hydraulic power-assist steering system
- 2-wheel steering system

Body Exterior

- LT225/75RS16 AS BSW front and rear tires
- 16 x 6-inch front and dual rear painted steel wheels

Comfort

- Urethane steering wheel
- Manual telescopic steering wheel
- Manual tilting steering wheel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Selected Equip & Specs (cont'd)

Seats and Trim

- Seating capacity: 1
- Temporary driver seat

Lighting, Visibility and Instrumentation

- Analog instrumentation display
- Oil pressure gauge
- Voltmeter
- Variable intermittent front windshield wipers
- Driver information center
- Engine/electric motor temperature gauge
- DRL preference setting
- Daytime running lights

Technology and Telematics

- Mobile app access

Safety and Security

- Vehicle tracker
- Electronic stability control system

Dimensions

General Weights

Curb weight	4,805 lbs.	Rear curb weight	2,274 lbs.
GVWR	14,500 lbs.	Payload	9,690 lbs.

Trailer Weights

Conventional capacity	7,500 lbs.	GCWR	22,000 lbs.
-----------------------	------------	------	-------------

Front Weights

Front curb weight	2,531 lbs.	GAWR front	5,000 lbs.
Axle capacity front	5,000 lbs.	Spring rating front	5,000 lbs.
Tire/wheel capacity front	5,000 lbs.		

Rear Weights

GAWR rear	9,600 lbs.	Axle capacity rear	9,600 lbs.
Spring rating rear	9,600 lbs.	Tire/wheel capacity rear	9,880 lbs.

Off Road

Loading floor height	26.0 "
----------------------	--------

Exterior Measurements

Vehicle body length	252.7"	Wheelbase	158.0"
Front brake diameter	13.6"	Rear brake diameter	13.6"
Rear frame height loaded	26.0"	Front track	69.4"
Rear track	77.7"	Vehicle turning radius	27.4'
Axle to end of frame	68.5"	Frame section modulus	5.7 cu.in.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Selected Equip & Specs (cont'd)

Frame yield strength (psi) 36000.0

Powertrain

Engine

Engine 7.3L V-8 variable valve control, engine with 325HP

Engine cylinders V-8

Engine location Front mounted engine

Engine mounting direction Longitudinal mounted engine

Cylinder head material Aluminum cylinder head

Valves per cylinder 2

Injection type sequential MPI

Ignition Spark ignition system

Engine block material Iron engine block

Engine Specs

Displacement 7.3L

Bore 4.21"

Compression ratio 10.5

cc 445 cu.in.

Stroke 3.98"

SAEJ1349 AUG2004 compliant

Engine Power

Horsepower 325 HP@3750 RPM

Torque 450 lb.-ft.@3750 RPM

Alternator

Alternator amps 210A

Alternator type Heavy-duty alternator

Battery

Battery amps 78Ah

Battery rating 750CCA

Battery type HD lead acid battery

Engine Extras

Radiator Radiator

Transmission

Transmission 6-speed automatic

Transmission electronic control Transmission electronic control

Overdrive transmission Overdrive transmission

Lock-up transmission Lock-up transmission

First gear ratio 3.974

Second gear ratio 2.318

Third gear ratio 1.516

Fourth gear ratio 1.149

Fifth gear ratio 0.858

Sixth gear ratio 0.674

Reverse gear ratio 3.128

Stall ratio 1.9

Selectable mode transmission Selectable mode transmission

Drive Type

Drive type Rear-wheel drive

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller
03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Selected Equip & Specs (cont'd)

Drivetrain

Axle ratio 4.56

Exhaust

Tailpipe Stainless steel single exhaust

Fuel

Fuel type regular unleaded

Fuel Tank

Fuel tank capacity 55.00 gal.

Drive Feature

Traction control... All-speed ABS and driveline traction control

Fuel Economy and Emissions

Fuel Economy

Secondary fuel type Gasoline secondary fuel type

Emissions

Emissions Federal emissions Emissions tiers Tier 2 Bin 8 emissions

Suspension and Handling

Suspension

Suspension Standard ride suspension Front shock absorbers Heavy-duty front shock absorbers

Rear shock absorbers Heavy-duty rear shock absorbers

Driveability

Brakes

Brake type 4-wheel disc brakes Ventilated brakes Front ventilated disc brakes

ABS brakes Three channel ABS brakes ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Front Suspension

Front anti-roll Front anti-roll bar Suspension ride type front Independent front suspension

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller

03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Selected Equip & Specs (cont'd)

Front Spring

Regular front springs Regular front springs Springs front Front coil springs

Rear Spring

Springs rear Rear leaf springs Rear springs Regular grade rear springs

Rear Suspension

Rear anti-roll Rear anti-roll bar Suspension type rear Leaf spring rear suspension
Suspension ride type rear Rigid axle rear suspension

Steering

Steering Hydraulic power-assist steering system Steering type Re-circulating ball steering
Steering type number of wheels 2-wheel steering system

Exterior

Front Wheels

Front wheels diameter 16" Front wheels width 6"

Rear Wheels

Rear wheels diameter 16" Rear wheels width 6"

Front And Rear Wheels

Appearance painted Material steel

Front Tires

Aspect 75 Diameter 16"
Sidewalls BSW Speed S
Tread AS Type LT
Width 225mm Front wheel - RPM 709

Rear Tires

Aspect 75 Diameter 16"
Sidewalls BSW Speed S
Tread AS Type LT
Width 225mm Rear wheel - RPM 709

Body Exterior

Tires

Front tires LT load rating E Rear tires LT load rating E

Wheels

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller
03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Selected Equip & Specs (cont'd)

Dual rear wheels Dual rear wheels

Comfort

Steering Wheel

Steering wheel material Urethane steering wheel Steering wheel telescopic. Manual telescopic steering wheel

Steering wheel tilt Manual tilting steering wheel

Seats and Trim

Seat Capacity

Seating capacity 1

Front Seats

Front seat type Temporary driver seat

Gearshifter Material

Gearshifter material Urethane gear shifter material

Lighting, Visibility and Instrumentation

Instrumentation

Instrumentation display Analog instrumentation display

Instrumentation Displays

Driver information center Driver information center

Instrumentation Gauges

Oil pressure gauge Oil pressure gauge Voltmeter Voltmeter

Engine/electric motor temperature gauge Engine/electric motor temperature gauge

Instrumentation Warnings

Service interval warning Service interval indicator

Headlights

DRL preference setting DRL preference setting

Front Windshield

Wipers Variable intermittent front windshield wipers

Lights

Running lights Daytime running lights

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Ed Miller
03/16/2026

Chastang Ford | 6200 N. Loop East Houston Texas | 770261936

2027 E-450 Stripped Chassis 158" WB DRW Base (E4K)

Price Level: 720

Selected Equip & Specs (cont'd)

Safety and Security

Security System

Vehicle tracker Vehicle tracker

Traction Control

Electronic stability control . . . Electronic stability control
system

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Note: Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.