



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" ( Complete)

Price Summary

PRICE SUMMARY	
	MSRP
Base Price	\$79,120.00
Total Options	\$0.00
Vehicle Subtotal	\$79,120.00
Tire Weight Tax (TWT)	\$7.94
Destination Charge	\$1,975.00
Grand Total	\$81,102.94

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	IR7
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.742
Second Gear Ratio (:1)	2.00	Third Gear Ratio (:1)	1.343
Fourth Gear Ratio (:1)	1.000	Fifth Gear Ratio (:1)	0.773
Sixth Gear Ratio (:1)	0.634	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Power Take Off	N/A	Second Reverse Gear Ratio (:1)	N/A
Third Reverse Gear Ratio (:1)	N/A	Fourth Reverse Gear Ratio (:1)	N/A
Fifth Reverse Gear Ratio (:1)	N/A	Sixth Reverse Gear Ratio (:1)	N/A
Transmission Manufacturer	Aisin A465	Transmission Type	N/A

Engine

Engine Order Code	I1B	Engine Type	Turbocharged Diesel I4
Displacement	5.2L/317	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	215 @ 2500	SAE Net Torque @ RPM	452 @ 1850-2750
Engine Oil Cooler	N/A	Governed Engine Speed (RPM)	N/A
Engine Series	4HK1-TC		

Electrical

Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	750
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	140

Cooling System

Total Cooling System Capacity	20.8 qts
-------------------------------	----------

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" (Complete)

Vehicle

Vehicle

Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	4237.00 lbs
As Spec Curb Weight - Rear	2484.00 lbs		

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Total Weight	7071.00 lbs	Gross Axle Wt Rating - Front	7275 lbs
Gross Axle Wt Rating - Rear	13660 lbs	Curb Weight - Front	4237 lbs
Curb Weight - Rear	2484 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	3038.00 lbs
Reserve Axle Capacity - Rear	11176.00 lbs	As Spec'd Curb Weight	6721.00 lbs
As Spec'd Payload	12779.00 lbs	Gross Combined Wt Rating	25500 lbs
Cargo Weight	0.00 lbs	Gross Vehicle Weight	7071.00 lbs
Axle Weight	N/A	Gross Axle Weight Rating	20935.00 lbs
Curb Weight	6721.00 lbs	Reserve Axle Capacity	14214.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	3640.00 lbs
Maximum Axle Rating Rear	3415.00 lbs	Maximum Axle Rating Total	7055.00 lbs
Gross Vehicle Weight Rating	19500.00 lbs	Front PayLoad	N/A
Rear Payload	N/A	Total Payload Weight (Cargo + Driver + Body)	350.00 lbs

Frame

Frame Type	Ladder-Type C-Section	Sect Modulus Rails Only	6.65 in ³
Frame RBM	364420	Frame Strength	54800 lbs
Frame Thickness	8.50 x 2.76 x 0.24 in		

Suspension

Suspension Type - Front	Independent w/Tapered Leaf Springs	Suspension Type - Rear	Independent w/Multi-Leaf Springs
-------------------------	------------------------------------	------------------------	----------------------------------

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" (Complete)

Chassis

Suspension

Spring Capacity - Front	8440 lbs	Spring Capacity - Rear	14550 lbs
Axle Type - Front	I-Beam	Axle Type - Rear	N/A
Axle Capacity - Front	7275 lbs	Axle Capacity - Rear	14550 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	5.571
Shock Absorber Diameter - Front	42.0 mm	Shock Absorber Diameter - Rear	42.0 mm
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	2TB	Rear Tire Order Code	3TB
Spare Tire Order Code	N/A	Front Tire Size	225/70R19.5
Rear Tire Size	225/70R19.5	Spare Tire Size	N/A
Front Tire Capacity	3640 lbs	Rear Tire Capacity	3415 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	643
Revolutions/Mile @ 45 mph - Rear	643	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	7055.00		

Wheels

Front Wheel Size	19.5 x 6 in	Rear Wheel Size	19.5 x 6 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Front Bolt Pattern	6 Hole JIS 8.75"	Rear Bolt Pattern	6 Hole JIS 8.75"
Spare Bolt Pattern	N/A		

Steering

Steering Type	Pwr	Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	40.0 ft
Turning Diameter - Wall to Wall	44.9 ft		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" (Complete)

Chassis

Brakes

Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	14.3 x -TBD- in
Rear Brake Rotor Diam x Thickness	N/A	Drum - Front (Yes or)	N/A
Front Drum Diam x Width	N/A	Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	14.6 x 5.91 in		

Fuel Tank

Fuel Tank Capacity, Approx	30.0 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Frame Rail	Aux Fuel Tank Location	N/A

Trailer

Trailer Weight	0.0 lbs
----------------	---------

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	38.4 in
Front Leg Room	29.5 in	Front Shoulder Room	70.7 in
Front Hip Room	67.7 in		

Exterior Dimensions

Wheelbase	132.5 in	Length, Overall w/o rear bumper	219.2 in
Length, Overall	N/A	Width, Max w/o mirrors	81.3 in
Height, Overall	92.9 in	Overhang, Front	48.3 in
Overhang, Rear w/o bumper	43.1 in	Front Bumper to Back of Cab	70.9 in
Cab to Axle	110.0 in	Cab to End of Frame	153.1 in
Ground to Top of Load Floor	N/A	Ground to Top of Frame	33.0 in
Frame Width, Rear	33.5 in	Ground Clearance, Front	7.5 in
Ground Clearance, Rear	7.5 in	Body Length	0.0 ft
Cab to Body	0.0 in	Frontal Area	0.00 ft²

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" (Complete)

Selected Model and Options

MODEL

CODE	MODEL
CT62003	2026 Chevrolet 5500 XD LCF Diesel 2WD Reg Cab 132.5"

COLORS

CODE	DESCRIPTION
16U	Arc White (Extra cost color.)

ENGINE

CODE	DESCRIPTION
I1B	Engine, Diesel 5.2L 4 cylinder 215 hp [160.3 kW] @2500 rpm, 452 lb-ft of torque [612.8 Nm] @ 1850-2750 rpm (Governed). 16 valve, four cycle, chain-driven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected (STD)

TRANSMISSION

CODE	DESCRIPTION
IR7	Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode. (STD)

AXLE

CODE	DESCRIPTION
011	Rear axle, 5.57 ratio (Standard on 5500XD only.)

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION
1WT	Preferred Equipment Group includes standard equipment

WHEELS

CODE	DESCRIPTION
PWK	Wheels, 19.5" x 6", steel (STD) (Standard on 4500XD and 5500XD only.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" ( Complete)

PAINT

CODE	DESCRIPTION
16U	Arc White (Extra cost color.)

SEAT TYPE

CODE	DESCRIPTION
A1F	Seat, front high back bucket driver and passenger tricoat cloth covered reclining high back driver seat with single two occupant fold down passenger seat (STD)

SEAT TRIM

CODE	DESCRIPTION
HWG	Medium Ash Gray, Cloth Seat Trim

RADIO

CODE	DESCRIPTION
UIZ	Audio System, AM/FM stereo with auxiliary jack, USB port and Bluetooth (STD)

ADDITIONAL EQUIPMENT - OTHER

CODE	DESCRIPTION
R6V	California Restriction Acknowledgment. TRUCKS CANNOT BE SOLD OR REGISTERED IN CALIFORNIA. (Required on all orders.)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" (Complete)

Standard Equipment

Mechanical	
	Emissions, Federal certification. Federal certification. Does NOT meet California emissions requirements - TRUCKS CANNOT BE SOLD OR REGISTERED IN CALIFORNIA.
	Engine, Diesel 5.2L 4 cylinder 215 hp [160.3 kW] @2500 rpm, 452 lb-ft of torque [612.8 Nm] @ 1850-2750 rpm (Governed). 16 valve, four cycle, chain-driven dual overhead camshaft valve train, a cast iron cylinder block, and a cast aluminum cylinder head. Turbocharged, inter-cooled, water cooled EGR, direct injection, electronically controlled common rail fuel system and engine cruise control. Oil level check switch and light. Engine warning system with audible warning for low oil pressure, high coolant temperature, and a protection system that will reduce fueling if excessive coolant temperature is detected (STD)
	Transmission, 6-speed automatic Aisin A465 transmission with fifth and sixth gear overdrive with lock up in 2nd, 3rd, 4th, 5th and 6th, PTO capability automatic torque converter lockup in stationary PTO mode. (STD)
	Rear axle, 5.57 ratio (Standard on 5500XD only.)
	Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
	Drivetrain, rear-wheel drive
	Battery, dual 750 cold-cranking amps, 12 volt, maintenance free
	Alternator, 140 amps
	Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide.
	Incomplete vehicle certification
	Wheelbase, 132.5" (336.6 cm)
	GVWR, 19,500 lbs. (8845 kg) (Standard on 5500XD only.)
	Front suspension, 8,440 lbs. (3828 kg) tapered leaf springs. Includes shock absorbers and stabilizer bar. (Standard on 4500XD and 5500XD only.)
	Rear Suspension, 14,550 lbs. (6600 kg), tapered leaf spring with shock absorbers. (Standard on 5500 XD only.)
	Front axle, 7275 lbs. (3300 kg), reverse Elliot "I"-beam includes integral hydraulic power steering with an 18.8-20.9:1 gear ratio (Standard on 5500XD only.)
	Rear axle, 14,550 lbs. (6600 kg), full-floating with oil lubricated rear wheel-bearings (Standard on 5500XD only.)
	Vehicle Application Truck
	Brakes, 4-wheel antilock, front and rear disc with traction control and stability control
	Exhaust brake
	Exhaust, single horizontal outlet
	Fuel tank, 30 Gallon, (113L), stainless steel includes 2 auxiliary fuel ports
Exterior	
	Wheels, 19.5" x 6", steel (STD) (Standard on 4500XD and 5500XD only.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" ( Complete)

Exterior

- Tires, front, 225/70R19.5 F, all-season (Standard on 4500XD and 5500XD only.)
- Tires, rear, 225/70R19.5 F, all-season (Standard on 4500XD and 5500XD only.)
- Grille, Black
- Assist steps
- Glass, tinted
- LED Headlamps includes integrated LED turn signal indicators
- Mirror, outside left-hand and right hand dual cab-mounted with integral convex mirror
- Windshield wiper, pulse, wet arm
- Headlamp washer system

Entertainment

- Audio System, AM/FM stereo with auxiliary jack, USB port and Bluetooth (STD)
- Audio system feature, 2 speakers

Interior

- Seat, front high back bucket driver and passenger tricoat cloth covered reclining high back driver seat with single two occupant fold down passenger seat (STD)
- Seat trim, Cloth
- Cup holders
- Floor mats
- Steering wheel, urethane
- Steering wheel, tilt and telescopic
- Driver Information Center, (DIC) (monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. Also provides fuel economy reporting by average, instant, and trip.)
- Air conditioning, single-zone manual, integral in-dash mounted
- Windows, power
- Door locks, power
- Remote Keyless Entry
- Cruise control, electronic, automatic
- Windshield washer bottle access on passenger side dash when passenger-side door is open
- Storage, door pockets
- Lighting, interior dome

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 XD LCF Diesel (CT62003) 2WD Reg Cab 132.5" ( Complete)

Interior

Rear dome and body lamp switch

Storage, seatback pockets

Safety-Mechanical

Brake, parking, cable actuated, internal expanding drum type, transmission-mounted

Tire Pressure Monitoring System

Safety-Exterior

Daytime Running Lamps

Safety-Interior

Airbags, frontal, driver and right front passenger

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: Unlimited
Drivetrain Years: 3
Drivetrain Miles/km: Unlimited
Corrosion Years: 4
Corrosion Miles/km: Unlimited
Rear Axle Years: 3
Rear Axle Miles/km: Unlimited
Frame Rail Years: 3
Frame Rail Miles/km: Unlimited
Frame Rail Note: 3 years/Unlimited Miles (no charge) AND up to 5 years/Unlimited miles (50% charge)
Roadside Assistance Years: 3
Roadside Assistance Miles/km: Unlimited
Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.