



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" ( Complete)

Price Summary

PRICE SUMMARY	
	MSRP
Base Price	\$71,600.00
Total Options	\$0.00
Vehicle Subtotal	\$71,600.00
Destination Charge	\$1,975.00
Grand Total	\$73,575.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MW7
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.027
Second Gear Ratio (:1)	2.364	Third Gear Ratio (:1)	1.532
Fourth Gear Ratio (:1)	1.152	Fifth Gear Ratio (:1)	0.852
Sixth Gear Ratio (:1)	0.667	Reverse Ratio (:1)	3.064
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Power Take Off	N/A	Second Reverse Gear Ratio (:1)	N/A
Third Reverse Gear Ratio (:1)	N/A	Fourth Reverse Gear Ratio (:1)	N/A
Fifth Reverse Gear Ratio (:1)	N/A	Sixth Reverse Gear Ratio (:1)	N/A
Transmission Manufacturer	N/A	Transmission Type	N/A

Engine

Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Fuel Injection
SAE Net Horsepower @ RPM	350 @ 4500	SAE Net Torque @ RPM	425 @ 3800
Engine Oil Cooler	Yes	Governed Engine Speed (RPM)	N/A
Engine Series	GMPT		

Electrical

Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" (Complete)

Vehicle

Vehicle

Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	3663.00 lbs
As Spec Curb Weight - Rear	2223.00 lbs		

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Total Weight	6236.00 lbs	Gross Axle Wt Rating - Front	6830 lbs
Gross Axle Wt Rating - Rear	13660 lbs	Curb Weight - Front	3663 lbs
Curb Weight - Rear	2223 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	3167.00 lbs
Reserve Axle Capacity - Rear	11437.00 lbs	As Spec'd Curb Weight	5886.00 lbs
As Spec'd Payload	12064.00 lbs	Gross Combined Wt Rating	23950 lbs
Cargo Weight	0.00 lbs	Gross Vehicle Weight	6236.00 lbs
Axle Weight	N/A	Gross Axle Weight Rating	20490.00 lbs
Curb Weight	5886.00 lbs	Reserve Axle Capacity	14604.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	6830.00 lbs
Maximum Axle Rating Rear	13660.00 lbs	Maximum Axle Rating Total	20490.00 lbs
Gross Vehicle Weight Rating	17950.00 lbs	Front PayLoad	N/A
Rear Payload	N/A	Total Payload Weight (Cargo + Driver + Body)	350.00 lbs

Frame

Frame Type	Ladder-Type Channel-Section	Sect Modulus Rails Only	7.20 in ³
Frame RBM	316800	Frame Strength	44000 lbs
Frame Thickness	8.50 X 2.76 X 0.24 in		

Suspension

Suspension Type - Front	Multi-Leaf Spring	Suspension Type - Rear	Multi-Leaf Spring
Spring Capacity - Front	8440 lbs	Spring Capacity - Rear	14550 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" (Complete)

Chassis

Suspension

Axle Type - Front	Reverse Elliot I-Beam	Axle Type - Rear	Full-Floating
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	5.37
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	2TC	Rear Tire Order Code	3TC
Spare Tire Order Code	N/A	Front Tire Size	225/70R19.5 G
Rear Tire Size	225/70R19.5 G	Spare Tire Size	N/A
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	N/A		

Wheels

Front Wheel Size	19.5 x 6.0 in	Rear Wheel Size	19.5 x 6.0 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Front Bolt Pattern	6 Hole JIS 8.75"	Rear Bolt Pattern	6 Hole JIS 8.75"
Spare Bolt Pattern	N/A		

Steering

Steering Type	Pwr	Steering Ratio (:1), On Center	18.8 - 20.9
Steering Ratio (:1), At Lock	18.8 - 20.9	Turning Diameter - Curb to Curb	40.7 ft
Turning Diameter - Wall to Wall	44.9 ft		

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" (Complete)

Chassis

Brakes

Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	11.5 x -TBD- in
Rear Brake Rotor Diam x Thickness	N/A	Drum - Front (Yes or)	N/A
Front Drum Diam x Width	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	39 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Frame Rail	Aux Fuel Tank Location	N/A

Trailer

Trailer Weight	0.0 lbs
----------------	---------

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	38.4 in
Front Leg Room	29.5 in	Front Shoulder Room	70.7 in
Front Hip Room	67.7 in		

Exterior Dimensions

Wheelbase	132.5 in	Length, Overall w/o rear bumper	N/A
Length, Overall	224.0 in	Width, Max w/o mirrors	81.3 in
Height, Overall	92.4 in	Overhang, Front	48.4 in
Overhang, Rear w/o bumper	43.1 in	Front Bumper to Back of Cab	70.9 in
Cab to Axle	110 in	Cab to End of Frame	153.1 in
Ground to Top of Load Floor	N/A	Ground to Top of Frame	33.0 in
Frame Width, Rear	33.5 in	Ground Clearance, Front	8.3 in
Ground Clearance, Rear	8.3 in	Body Length	0.0 ft
Cab to Body	0.0 in	Frontal Area	0.00 ft²

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" (Complete)

Selected Model and Options

MODEL

CODE	MODEL
CP52003	2026 Chevrolet 5500 HG LCF Gas 2WD Reg Cab 132.5"

COLORS

CODE	DESCRIPTION
16U	Arc White

ENGINE

CODE	DESCRIPTION
L8T	Engine, 6.6L V8 SIDI, GMPT 8 cylinder V Iron block, four cycle overhead valve, water cooled 6.6L SIDI V8 350 hp [261 kW] @ 4500 rpm, 425 lb.-ft of torque [575.8 N-m] @ 3800 rpm. Electronically controlled direct fuel injection. Six bolt main cap design for heavy-duty performance. Engine Control Module (ECM) and Transmission Control Module (TCM) engine control system. Engine cruise control, engine oil cooler, High Idle Mode (1200 rpm). (STD)

TRANSMISSION

CODE	DESCRIPTION
MW7	Transmission, Allison 1000 RDS 6-speed automatic. PTO not available. (STD)

AXLE

CODE	DESCRIPTION
068	Rear axle, 5.37 ratio

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION
1WT	Preferred Equipment Group includes standard equipment

WHEELS

CODE	DESCRIPTION
PWK	Wheels, 19.5" x 6", steel (STD)

PAINT SCHEME

CODE	DESCRIPTION
ZY1	Exterior paint color, solid

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" ( Complete)

PAINT

CODE	DESCRIPTION
16U	Arc White

SEAT TYPE

CODE	DESCRIPTION
A1F	Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD)

SEAT TRIM

CODE	DESCRIPTION
H72	Medium Ash Gray, Cloth seat trim

RADIO

CODE	DESCRIPTION
UIZ	Audio System, AM/FM stereo with auxiliary jack, USB port and Bluetooth (STD)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" (Complete)

Standard Equipment

Mechanical

Emissions, 50 state certification
Engine, 6.6L V8 SIDI, GMPT 8 cylinder V Iron block, four cycle overhead valve, water cooled 6.6L SIDI V8 350 hp [261 kW] @ 4500 rpm, 425 lb.-ft of torque [575.8 N-m] @ 3800 rpm. Electronically controlled direct fuel injection. Six bolt main cap design for heavy-duty performance. Engine Control Module (ECM) and Transmission Control Module (TCM) engine control system. Engine cruise control, engine oil cooler, High Idle Mode (1200 rpm). (STD)
Transmission, Allison 1000 RDS 6-speed automatic. PTO not available. (STD)
Rear axle, 5.37 ratio
Drivetrain, rear-wheel drive
Battery, 750 cold-cranking amps, 12-volt single, maintenance free, frame-mounted battery box
Alternator, 170 amps
Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 44,000 psi, section modulus 7.20 cu.in. and RBM 316,800 lb-ft/in per rail.
Incomplete vehicle certification
Wheelbase, 132.5" (336.6 cm)
GVWR, 17,950 lbs. (8142 kg)
Rear suspension, 14,550 lbs. (6600 kg), multi-leaf, semi-elliptical steel alloy. Includes shock absorbers
Front axle, 6,830 lbs. (3098 kg), reverse Elliot "I"-beam
Brakes, 4-wheel antilock, front and rear disc
Vehicle Application Truck
Fuel tank, 38.6 Gallon, (146L), rectangular fuel tank mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.
Air cleaner, heavy-duty 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
Exhaust, single outlet

Exterior

Wheels, 19.5" x 6", steel (STD)
Tires, front, 225/70R19.5 G, LRR (low rolling resistance) tubeless steel belted radial, all-season
Tires, rear, 225/70R19.5 G, LRR (low rolling resistance) tubeless steel belted radial, all-season
Assist steps
LED Headlamps
Grille, Silver

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" (Complete)

Exterior

- Glass, tinted
- Mirror, outside left-hand and right-hand with integral convex mirrors
- Windshield wiper, pulse, wet arm

Entertainment

- Audio System, AM/FM stereo with auxiliary jack, USB port and Bluetooth (STD)
- Audio system feature, 2 speakers

Interior

- Seat, front high back bucket driver and passenger tricot cloth covered reclining high back driver seat with single two-occupant fold down passenger seat (STD)
- Seat trim, Cloth
- Cup holders
- Floor mats
- Steering wheel, urethane
- Steering column, Tilt-Wheel
- Driver Information Center
- Windows, power
- Door locks, power
- Cruise control, electronic, automatic
- Air conditioning, single-zone manual, integral in-dash mounted
- Windshield washer bottle access on passenger side dash when passenger-side door is open
- Storage, door pockets
- Lighting, interior dome
- Storage, seatback pockets

Safety-Mechanical

- Brake, parking, cable actuated, internal expanding drum type, transmission-mounted

Safety-Exterior

- Daytime Running Lamps

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 5500 HG LCF Gas (CP52003) 2WD Reg Cab 132.5" ( Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 75,000
Drivetrain Note: Qualified Fleet Purchases: 5 Years/100,000 Miles
Corrosion Years: 4
Corrosion Miles/km: Unlimited
Rear Axle Years: 5
Rear Axle Miles/km: 75,000
Frame Rail Years: 3
Frame Rail Miles/km: 36,000
Frame Rail Note: 3 years/36,000 miles (no charge) AND up to 5 years/Unlimited miles (50% charge)
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 75,000
Roadside Assistance Note: Qualified Fleet Purchases: 5 Years/100,000 Miles
Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.