



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" ( Complete)

Price Summary

PRICE SUMMARY	
	MSRP
Base Price	\$105,195.00
Total Options	\$0.00
Vehicle Subtotal	\$105,195.00
Destination Charge	\$3,600.00
Grand Total	\$108,795.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" (Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MPQ
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A	Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A	Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Power Take Off	N/A	Second Reverse Gear Ratio (:1)	N/A
Third Reverse Gear Ratio (:1)	N/A	Fourth Reverse Gear Ratio (:1)	N/A
Fifth Reverse Gear Ratio (:1)	N/A	Sixth Reverse Gear Ratio (:1)	N/A
Transmission Manufacturer	Allison	Transmission Type	N/A

Engine

Engine Order Code	LCB	Engine Type	Turbocharged I6
Displacement	6.7L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	260 @ 2400	SAE Net Torque @ RPM	660 @ 1600
Engine Oil Cooler	N/A	Governed Engine Speed (RPM)	N/A
Engine Series	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	750	Cold Cranking Amps @ 0° F (2nd)	750
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	160

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

Vehicle

Vehicle

Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	6701.00 lbs
----------------------------	-----	-----------------------------	-------------

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" (Complete)

Vehicle

Vehicle

As Spec Curb Weight - Rear	3699.00 lbs
----------------------------	-------------

Chassis

Weight Information

Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Total Weight	10750.00 lbs	Gross Axle Wt Rating - Front	11000 lbs
Gross Axle Wt Rating - Rear	19000 lbs	Curb Weight - Front	6701 lbs
Curb Weight - Rear	3699 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	4299.00 lbs
Reserve Axle Capacity - Rear	15301.00 lbs	As Spec'd Curb Weight	10400.00 lbs
As Spec'd Payload	15550.00 lbs	Gross Combined Wt Rating	30000 lbs
Cargo Weight	0.00 lbs	Gross Vehicle Weight	10750.00 lbs
Axle Weight	N/A	Gross Axle Weight Rating	30000.00 lbs
Curb Weight	10400.00 lbs	Reserve Axle Capacity	19600.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	11000.00 lbs
Maximum Axle Rating Rear	19000.00 lbs	Maximum Axle Rating Total	30000.00 lbs
Gross Vehicle Weight Rating	25950.00 lbs	Front PayLoad	N/A
Rear Payload	N/A	Total Payload Weight (Cargo + Driver + Body)	350.00 lbs

Frame

Frame Type	Ladder-Type C-Section	Sect Modulus Rails Only	12.69 in ³
Frame RBM	1015000	Frame Strength	80000 lbs
Frame Thickness	N/A		

Suspension

Suspension Type - Front	Independent w/Tapered Leaf Springs	Suspension Type - Rear	Independent w/Multi-Leaf Springs
Spring Capacity - Front	12000 lbs	Spring Capacity - Rear	21000 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" (Complete)

Chassis

Suspension

Axle Type - Front	Dana E-1254-W	Axle Type - Rear	Dana Spicer 19060S
Axle Capacity - Front	12000 lbs	Axle Capacity - Rear	19000 lbs
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	4.88
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	YCF	Rear Tire Order Code	YCR
Spare Tire Order Code	N/A	Front Tire Size	LT225/70R22.5
Rear Tire Size	LT225/70R22.5	Spare Tire Size	N/A
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	N/A		

Wheels

Front Wheel Size	22.5 x 8.25 in	Rear Wheel Size	22.5 x 8.25 in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Front Bolt Pattern	N/A	Rear Bolt Pattern	N/A
Spare Bolt Pattern	N/A		

Steering

Steering Type	Pwr	Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A	Turning Diameter - Curb to Curb	51.8 ft
Turning Diameter - Wall to Wall	56.9 ft		

Brakes

Brake Type	Air	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" (Complete)

Chassis

Brakes

Disc - Rear (Yes or)	N/A	Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A	Drum - Front (Yes or)	Yes
Front Drum Diam x Width	N/A	Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	100 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	Left Frame Rail	Aux Fuel Tank Location	N/A

Trailer

Trailer Weight	0.0 lbs
----------------	---------

Dimensions

Interior Dimensions

Passenger Capacity	3	Front Head Room	N/A
Front Leg Room	N/A	Front Shoulder Room	N/A
Front Hip Room	N/A		

Exterior Dimensions

Wheelbase	188 in	Length, Overall w/o rear bumper	328.5 in
Length, Overall	N/A	Width, Max w/o mirrors	93.5 in
Height, Overall	112 in	Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A	Front Bumper to Back of Cab	81.5 in
Cab to Axle	163.0 in	Cab to End of Frame	247.0 in
Ground to Top of Load Floor	N/A	Ground to Top of Frame	N/A
Frame Width, Rear	33.5 in	Ground Clearance, Front	N/A
Ground Clearance, Rear	N/A	Body Length	0.0 ft
Cab to Body	0.0 in	Frontal Area	0.00 ft²

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" ( Complete)

Selected Model and Options

MODEL

CODE	MODEL
CT74503	2026 Chevrolet 6500 XD LCF Diesel 2WD Reg Cab 188"

COLORS

CODE	DESCRIPTION
16U	Arc White

EMISSIONS

CODE	DESCRIPTION
FE9	Emissions, Federal certification, with a 5 year/100K mile warranty. (Not available for trucks sold or registered in the following states: California.)

ENGINE

CODE	DESCRIPTION
LCB	Engine, Cummins B6.7L turbocharged 6-cylinder diesel engine, delivering 260 hp and and 660 lb-ft of torque (STD)

TRANSMISSION

CODE	DESCRIPTION
MPQ	Transmission Allison 2550RDS 6-speed automatic with park pawl. Includes PTO Gear, with access only on driver's side of transmission (Standard and only available on 6500 XD model.) (STD)

AXLE

CODE	DESCRIPTION
008	Rear axle, 4.88 ratio (Standard and only available on 6500 XD model.)

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION
1WT	Preferred Equipment Group includes standard equipment

WHEELS

CODE	DESCRIPTION
RTP	Wheels, 22.5 x 8.25 steel, painted white (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" (Complete)

FRONT TIRES

CODE	DESCRIPTION
YCF	Tires, Front, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Front Highway tread. (Standard on 6500 XD model, not available on 7500 XD model.) (STD)

REAR TIRES

CODE	DESCRIPTION
YCR	Tires, Rear, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Rear Highway traction tread. (Standard on 6500 XD model, not available on 7500 XD.) (STD)

PAINT

CODE	DESCRIPTION
16U	Arc White

SEAT TYPE

CODE	DESCRIPTION
A1G	Seat, high back driver only air suspension system and fixed passenger seat (STD)

SEAT TRIM

CODE	DESCRIPTION
H72	Medium Ash Gray, Cloth Seat Trim

RADIO

CODE	DESCRIPTION
UIZ	Audio System, AM/FM stereo with auxiliary jack, USB port and Bluetooth (STD)

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" (Complete)

Standard Equipment

Mechanical	
	Engine, Cummins B6.7L turbocharged 6-cylinder diesel engine, delivering 260 hp and and 660 lb-ft of torque (STD)
	Transmission Allison 2550RDS 6-speed automatic with park pawl. Includes PTO Gear, with access only on driver's side of transmission (Standard and only available on 6500 XD model.) (STD)
	Rear axle, 4.88 ratio (Standard and only available on 6500 XD model.)
	Air cleaner, heavy-duty, 11" diameter dry paper single element. Air cleaner canister standard with air restriction gauge. Back of cab location.
	Drivetrain, rear-wheel drive
	Battery, dual 750 cold-cranking amps, 12 volt, maintenance free with threaded post
	Alternator, 160 amps
	Frame, ladder-type channel frame. Full C section straight frame 33.5" (85.1 cm) wide. Yield strength 80,000 psi, section modulus 12.69 cu.in. and RBM 1,015,000 lb-ft/in per rail.
	Incomplete vehicle certification
	Wheelbase, 188" (477.5 cm)
	GVWR, 25,950 lbs. (11,770 kg) (Standard on 6500 XD model and available on 7500 XD model.)
	Front suspension, 12,000 lbs. (5450 kg) tapered leaf semi-elliptical steel alloy. Includes shock absorbers with stabilizer bar
	Rear Suspension, 21,000 lbs. (9525 kg), semi-elliptical steel alloy bolted multi-leaf and shock absorbers
	Front axle, 12,000 lbs. (5,450 kg), Dana E-1254-W
	Rear axle, 19,000 lbs. (8618 kg) R050, full-floating single-speed with oil lubricated rear wheel-bearings, Dana Spicer 19060S (Standard and only available on 6500 XD model.)
	Vehicle Application Truck
	Brakes, dual circuit full air drum brakes with 4 channel anti-lock brake system
	Exhaust brake
	Fuel Tank, 100 Gallon, (378L), rectangular aluminum fuel tank mounted on left hand frame rail. Fuel water separator with indicator light.
	Exhaust, single horizontal outlet
Exterior	
	Wheels, 22.5 x 8.25 steel, painted white (STD)
	Tires, Front, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Front Highway tread. (Standard on 6500 XD model, not available on 7500 XD model.) (STD)
	Tires, Rear, LT225/70R22.5 low profile LRR (low rolling resistance) tubeless steel belted radial. Rear Highway traction tread. (Standard on 6500 XD model, not available on 7500 XD.) (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" (Complete)

Exterior

- Grille, color-keyed bar and grille surround
- Glass, tinted
- Grille, Silver
- Mirror, outside left hand and right hand dual cab mounted exterior with convex mirrors for 96" wide body
- LED Headlamps

Entertainment

- Audio System, AM/FM stereo with auxiliary jack, USB port and Bluetooth (STD)
- Audio system feature, 2 speakers

Interior

- Seat, high back driver only air suspension system and fixed passenger seat (STD)
- Seat trim, Cloth
- Cup holders
- Floor mats
- Steering wheel, urethane
- Steering column, Tilt-Wheel and telescoping steering column
- Driver Information Center, Multi-Information Display (MID) monitors vital functions including diesel exhaust fluid levels (DEF), particulate matter emissions level in the diesel particulate filter (DPF), diesel particulate filter regeneration, service reminders for engine oil, transmission oil, differential oil, power steering fluid, engine oil filter, and fuel filters. Also provides fuel economy reporting by average, instant, and trip.
- Windows, power
- Door locks, power
- Cruise control, electronic, automatic
- Windshield washer bottle access, underhood
- Air conditioning, single-zone manual, integral in-dash mounted
- Storage, door pockets
- Lighting, interior dome
- Storage, seatback pockets

Safety-Mechanical

- Park brake, air-controlled, spring-type

Safety-Exterior

- Daytime Running Lamps

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.



Vehicle: [Fleet] 2026 Chevrolet 6500 XD LCF Diesel (CT74503) 2WD Reg Cab 188" ( Complete)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty Note >>>
Basic Years: 3
Basic Miles/km: Unlimited
Drivetrain Years: 3
Drivetrain Miles/km: Unlimited
Corrosion Years: 4
Corrosion Miles/km: Unlimited
Rear Axle Years: 3
Rear Axle Miles/km: Unlimited
Frame Rail Years: 3
Frame Rail Miles/km: Unlimited
Frame Rail Note: 3 years/Unlimited Miles (no charge) AND up to 5 years/Unlimited miles (50% charge)
Roadside Assistance Years: 3
Roadside Assistance Miles/km: Unlimited
Maintenance Note: 1 Year/1 Visit

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 28181. Data Updated: Apr 7, 2026 1:47:00 AM UTC.