
2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645



Client Proposal

Prepared by:

Wesley Boswell

Office: 480-696-5930

Email: wesley.boswell@governmentautosales.com

Date: 04/09/2026



Peoria Ford Commercial Fleet | 17338 N. 92nd Ave., Peoria, Arizona, 85382

Office: 623-523-6151



2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Table of Contents

Description	Page
Cover Page.....	1
Table of Contents.....	2
Selected Equip & Specs.....	3
Vehicle Dimension and Performance.....	14
Available Options.....	18



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs

Dimensions

• Conventional Capacity: 18,500 lbs. • GCWR: 30,000 lbs. • Fifth-wheel towing capacity: 22,000 lbs. • Gooseneck towing capacity: 22,100 lbs. • Front brake diameter: 15.4" • Rear brake diameter: 15.8" • Vehicle body length: 230.7" • Vehicle body width: 80.0" • Vehicle body height: 82.6" • Wheelbase: 145.0" • Vehicle turning radius: 21.2' • Front track: 74.8" • Rear track: 74.0" • Cab to axle: 60.0" • Rear tire outside width: 93.9" • Axle to end of frame: 47.2" • Frame section modulus: 12.7 cu.in. • Frame yield strength (psi): 50000.0 • Frame rail width: 34.2" • Front bumper to front axle: 38.3" • Front bumper to back of cab: 123.7" • Interior rear cargo volume: 11.6 cu.ft. • Max interior rear cargo volume: 11.6 cu.ft. • Total passenger volume: 64.6 cu.ft. • Headroom first-row: 40.8" • Leg room first-row: 43.9" • Shoulder room first-row: 66.7" • Hip room first-row: 62.5"

Powertrain

• Spark ignition system • 7.3L V-8 variable valve control, engine with 335HP • Engine cylinders: V-8 • Injection Type: sequential MPI • Horsepower: 335 HP@3750 RPM • Torque: 468 lb.-ft.@3750 RPM • Radiator • Auxiliary power take-off • 10-speed automatic • Rear-wheel drive • Recommended fuel: regular unleaded • Driveline managed traction control

Fuel Economy and Emissions

• Gasoline secondary fuel type • Federal emissions

Suspension and Handling

• Firm ride suspension • Heavy-duty front shock absorbers • Heavy-duty rear shock absorbers

Driveability

• 4-wheel disc brakes • Front and rear ventilated disc brakes • 4-wheel antilock (ABS) brakes • Four channel ABS brakes • Brake assist system • Hill start assist • Rigid axle front suspension • Front anti-roll bar • Front coil springs • Rigid axle rear suspension • Rear anti-roll bar • Leaf spring rear suspension • Hydraulic power-assist steering system • Re-circulating ball steering • 2-wheel steering system

Body Exterior

• Trailer wiring harness • 2 doors • Monotone paint • Black fender flares • Black side window trim • Black door handles • Black windshield trim • Black front bumper • 2 front tow hooks • Black front bumper rub strip • Black grille • Convex spotter in driver and passenger side door mirrors • Manual extendable trailer mirrors • Turn signal indicator in door mirrors • Black door mirrors • LT225/70RS19.5 AS BSW front and rear tires • 19.5 x 6-inch front and dual rear argent steel wheels

Convenience

• Power door locks with 2 stage unlocking • Keyfob activated door locks • All-in-one remote fob and ignition key • Auto-locking doors • Cruise control with steering wheel mounted controls • Day/Night rearview mirror • Power first-row windows • Fixed rear windshield • Front beverage holders • Locking glove box • 6 beverage holders • Instrument panel covered bin • Dashboard storage • Retained accessory power • Trip computer • Upfitter switches • Over the air updates • PRND in IP

Comfort

• Manual climate control • Cabin air filter • Cloth headliner material • Full headliner coverage • Full vinyl floor covering • Full floor coverage • Urethane steering wheel • Manual tilting steering wheel • Manual telescopic steering wheel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Seats and Trim

• Seating capacity: 3 • 40-20-40 split-bench front seat • Driver seat with 4-way directional controls • Front passenger seat with 4-way directional controls • Height adjustable front seat head restraints • Manual front seat head restraint control • Split-bench front seat • Front seat center armrest • Front seat armrest storage • Manual reclining driver seat • Manual driver seat fore/aft control • Manual reclining passenger seat • Manual passenger seat fore/aft control • Manual driver seat lumbar • Vinyl front seat upholstery

Entertainment Features

• 2 total number of 1st row displays • 8 inch primary display • Primary touchscreen display • AM/FM stereo radio • AM/FM • In-vehicle audio • AM radio • FM radio • Seek scan • External memory control • Standard grade speakers • Speakers number: 4 • Steering wheel mounted audio controls • Voice activated audio controls • Speed sensitive volume • Fixed audio antenna

Lighting, Visibility and Instrumentation

• Digital/analog instrumentation display • Configurable instrumentation gauges • Trip odometer • Digital clock • Compass • Exterior temperature display • Driver information center • Tachometer • Oil pressure gauge • Engine/electric motor temperature gauge • Transmission fluid temperature gauge • Engine hour meter • Gauge cluster display size (inches): 4.20 • Light tinted windows • Reflector headlights • Halogen headlights • Auto on/off headlight control • Multiple enclosed headlights • Delay-off headlights • DRL preference setting • Variable intermittent front windshield wipers • Illuminated entry • Front reading lights • Variable instrument panel light • Daytime running lights • Cab clearance lights • Remote activated perimeter approach lighting • Fade interior courtesy lights

Technology and Telematics

• Emergency SOS system via mobile device • Handsfree wireless device connectivity • Smart device wireless mirroring • Mobile app access • Mobile hotspot internet access • 2 USB ports

Safety and Security

• Driver front impact airbag • Seat mounted side impact driver airbag • Curtain first-row overhead airbags • Cancellable front passenger air bag • Seat mounted side impact front passenger airbag • 6 airbags • Front height adjustable seatbelts • Immobilizer • Security system • Remote panic alarm • Forward collision mitigation

Dimensions

General Weights

Curb weight	6,606 lbs.	Rear curb weight	3,004 lbs.
GVWR	18,000 lbs.	Payload	11,320 lbs.

Trailer Weights

Fifth-wheel towing capacity	22,000 lbs.	Gooseneck towing capacity	22,100 lbs.
Conventional capacity	18,500 lbs.	GCWR	30,000 lbs.

Front Weights

Front curb weight	3,602 lbs.	GAWR front	4,800 lbs.
-------------------------	------------	------------------	------------

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Axle capacity front 7,000 lbs.

Tire/wheel capacity front 7,500 lbs.

Spring rating front 4,800 lbs.

Rear Weights

GAWR rear 13,660 lbs.

Spring rating rear 13,660 lbs.

Axle capacity rear 13,660 lbs.

Tire/wheel capacity rear 15,000 lbs.

Off Road

Min ground clearance 8.5"

Exterior Measurements

Vehicle body length 230.7"

Vehicle body height 82.6"

Front brake diameter 15.4"

Rear frame height loaded 29.9"

Front track 74.8"

Vehicle turning radius 21.2'

Rear tire outside width 93.9"

Frame section modulus 12.7 cu.in.

Frame rail width 34.2"

Front bumper to back of cab 123.7"

Vehicle body width 80.0"

Wheelbase 145.0"

Rear brake diameter 15.8"

Rear frame height unloaded 35.4"

Rear track 74.0"

Cab to axle 60.0"

Axle to end of frame 47.2"

Frame yield strength (psi) 50000.0

Front bumper to front axle 38.3"

Interior Measurements

Interior rear cargo volume 11.6 cu.ft.

Max interior rear cargo volume 11.6 cu.ft.

Interior Volume

Total passenger volume 64.6 cu.ft.

Headroom

Headroom first-row 40.8"

Legroom

Leg room first-row 43.9"

Shoulder Room

Shoulder room first-row 66.7"

Hip Room

Hip room first-row 62.5"

Powertrain

Engine

Engine 7.3L V-8 variable valve control, engine with 335HP

Engine cylinders V-8

Engine location Front mounted engine

Valves per cylinder 2

Injection type sequential MPI

Ignition Spark ignition system

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Engine mounting direction Longitudinal mounted engine
Cylinder head material Aluminum cylinder head

Engine block material Iron engine block

Engine Specs

Displacement 7.3L
Bore 4.21"
Compression ratio 10.5

cc 445 cu.in.
Stroke 3.98"
SAEJ1349 AUG2004 compliant

Engine Power

Horsepower 335 HP@3750 RPM

Torque 468 lb.-ft.@3750 RPM

Alternator

Alternator amps 190A

Alternator type Regular duty alternator

Battery

Battery amps 68Ah
Battery rating 750CCA

Battery type HD lead acid battery
Battery run down protection Battery run down protection

Engine Extras

Radiator Radiator

Auxiliary power take-off Auxiliary power take-off

Transmission

Transmission 10-speed automatic

Transmission electronic control Transmission electronic control

Overdrive transmission Overdrive transmission

Lock-up transmission Lock-up transmission

First gear ratio 4.615

Second gear ratio 2.919

Third gear ratio 2.132

Fourth gear ratio 1.773

Fifth gear ratio 1.519

Sixth gear ratio 1.277

Reverse gear ratio 4.695

Seventh gear ratio 1

Eighth gear ratio 0.851

Ninth gear ratio 0.687

Tenth gear ratio 0.632

Stall ratio 1.97

Selectable mode transmission Selectable mode transmission

Sequential shift control Sequential shift control

Transmission oil cooler Transmission oil cooler

PTO transmission provision PTO transmission provision

Drive Type

Drive type Rear-wheel drive

Drivetrain

Axle ratio 4.88

Exhaust

Tailpipe Stainless steel single exhaust

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Fuel

Fuel type regular unleaded

Fuel Tank

Fuel tank capacity 40.00 gal.

Drive Feature

Traction control Driveline managed traction control

Fuel Economy and Emissions

Fuel Economy

Secondary fuel type Gasoline secondary fuel type

Emissions

Emissions Federal emissions

Suspension and Handling

Suspension

Suspension Firm ride suspension

Front shock absorbers Heavy-duty front shock absorbers

Rear shock absorbers Heavy-duty rear shock absorbers

Driveability

Brakes

Brake type 4-wheel disc brakes

Ventilated brakes Front and rear ventilated disc brakes

ABS brakes Four channel ABS brakes

ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Brake assist system Brake assist system

Front Suspension

Front anti-roll Front anti-roll bar

Suspension ride type front Rigid axle front suspension

Front Spring

Regular front springs Regular front springs

Springs front Front coil springs

Rear Spring

Springs rear Rear leaf springs

Rear springs Heavy-duty rear springs

Rear Suspension

Rear anti-roll Rear anti-roll bar

Suspension type rear Leaf spring rear suspension

Suspension ride type rear Rigid axle rear suspension

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Steering

Steering Hydraulic power-assist steering system
Steering type number of wheels 2-wheel steering system

Steering type Re-circulating ball steering

Exterior

Front Wheels

Front wheels diameter 19.5"

Front wheels width 6"

Rear Wheels

Rear wheels diameter 19.5"

Rear wheels width 6"

Front And Rear Wheels

Appearance argent

Material steel

Front Tires

Aspect 70
Sidewalls BSW
Tread AS
Width 225mm

Diameter 19.5"
Speed S
Type LT
Front wheel - RPM 647

Rear Tires

Aspect 70
Sidewalls BSW
Tread AS
Width 225mm

Diameter 19.5"
Speed S
Type LT
Rear wheel - RPM 647

Body Exterior

Trailer

Towing wiring harness Trailer wiring harness

Towing trailer sway Trailer sway control

Exterior Features

Number of doors 2 doors

Front splash guards Front splash guards

Body

Body panels Aluminum body panels with side impact beams

Mirrors

Convex spotter Convex spotter in driver and passenger side door mirrors

Turn signal in door mirrors Turn signal indicator in door mirrors

Tires

Front tires LT load rating G

Rear tires LT load rating G

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Wheels

Dual rear wheels Dual rear wheels

Convenience

Door Locks

Door locks Power door locks with 2 stage unlocking
All-in-one key All-in-one remote fob and ignition key

Keyfob door locks Keyfob activated door locks
Auto door locks Auto-locking doors

Cruise Control

Cruise control Cruise control with steering wheel
mounted controls

Rear View Mirror

Day/Night rearview mirror Day/Night rearview mirror

Exterior Mirrors

Door mirrors Power door mirrors
Heated door mirrors Heated driver and passenger
side door mirrors

Folding door mirrors Manual folding door mirrors

Front Side Windows

First-row windows Power first-row windows

Overhead Console

Overhead console Full overhead console

Overhead console storage Overhead console storage

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 6 beverage holders
Glove box Locking glove box

Beverage holders Front beverage holders
Instrument panel storage Instrument panel covered
bin

Dashboard storage Dashboard storage

Windows Feature

One-touch up window Driver and passenger one-
touch up windows

One-touch down window Driver and passenger one-
touch down windows

Miscellaneous

Trip computer Trip computer

PRND in IP PRND in IP

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Upfitter switches Upfitter switches
Over the air updates Over the air updates

Accessory power Retained accessory power

Comfort

Climate Control

Climate control Manual climate control

Cabin air filter Cabin air filter

Headliner

Headliner material Cloth headliner material

Headliner coverage Full headliner coverage

Floor Trim

Floor covering Full vinyl floor covering

Floor coverage Full floor coverage

Steering Wheel

Steering wheel material Urethane steering wheel

Steering wheel telescopic Manual telescopic steering wheel

Steering wheel tilt Manual tilting steering wheel

Seats and Trim

Seat Capacity

Seating capacity 3

Front Seats

Front seat type Split-bench front seat

Driver seat direction Driver seat with 4-way directional controls

Driver seat fore/aft control Manual driver seat fore/aft control

Passenger seat direction Front passenger seat with 4-way directional controls

Split front seats 40-20-40 split-bench front seat

Reclining passenger seat Manual reclining passenger seat

Passenger seat fore/aft control Manual passenger seat fore/aft control

Front head restraints Height adjustable front seat head restraints

Front head restraint control Manual front seat head restraint control

Armrests front center Front seat center armrest

Armrests front storage Front seat armrest storage

Reclining driver seat Manual reclining driver seat

Lumbar Seats

Driver lumbar Manual driver seat lumbar

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Front seatback upholstery Vinyl front seatback upholstery

Interior Accents

Interior accents Chrome interior accents

Gearshifter Material

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell
04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Gearshifter material Urethane gear shifter material

Entertainment Features

Displays

Primary touchscreen display Primary touchscreen display	Number of first-row displays 2 total number of 1st row displays
Primary display size 8 inch primary display	

Radio Features

External memory External memory control	Seek scan Seek scan
---	---------------------------

Speakers

Speakers Standard grade speakers	Speakers number 4
--	-------------------------

Audio Features

Steering mounted audio control Steering wheel mounted audio controls	Speed sensitive volume Speed sensitive volume
Voice activated audio Voice activated audio controls	

Lighting, Visibility and Instrumentation

Instrumentation

Trip odometer Trip odometer	Instrumentation display Digital/analog instrumentation display
Configurable instrumentation gauges Configurable instrumentation gauges	

Instrumentation Displays

Temperature display Exterior temperature display	Driver information center Driver information center
Clock Digital clock	Compass Compass

Instrumentation Gauges

Tachometer Tachometer	Oil pressure gauge Oil pressure gauge
Transmission temperature gauge Transmission fluid temperature gauge	Engine/electric motor temperature gauge Engine/electric motor temperature gauge
Gauge cluster display size (inches) 4.20	Engine hour meter Engine hour meter

Instrumentation Warnings

Engine temperature warning Engine temperature warning	Oil pressure warning Oil pressure warning
Low fuel warning Low fuel warning	Low brake fluid warning Low brake fluid warning
Battery charge warning Battery charge warning	Headlights on reminder Headlights on reminder
Key in vehicle warning Key in vehicle warning	Door ajar warning Door ajar warning
Service interval warning Service interval indicator	Low tire pressure warning Tire specific low air pressure warning

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights

Auto headlights Auto on/off headlight control

Delay off headlights Delay-off headlights

Headlight type Reflector headlights

Multiple headlights Multiple enclosed headlights

DRL preference setting DRL preference setting

Front Windshield

Wipers ... Variable intermittent front windshield wipers

Interior Lighting

Illuminated entry Illuminated entry

Front reading lights Front reading lights

Variable panel light ... Variable instrument panel light

Lights

Running lights Daytime running lights

Clearance lights Cab clearance lights

Interior courtesy lights ... Fade interior courtesy lights

Perimeter approach lighting Remote activated
perimeter approach lighting

Technology and Telematics

Connectivity

Handsfree Handsfree wireless device connectivity

Smart device integration Smart device wireless
mirroring

Emergency SOS Emergency SOS system via mobile
device

Internet Access

Internet access Mobile hotspot internet access

USB Ports

USB ports 2 USB ports

Safety and Security

Airbags

Front impact airbag driver ... Driver front impact airbag

Front impact airbag passenger Cancellable front
passenger air bag

Front side impact airbag passenger Seat mounted
side impact front passenger airbag

Number of airbags 6 airbags

Front side impact airbag driver Seat mounted side
impact driver airbag

Overhead airbags Curtain first-row overhead airbags

Seatbelts

Height adjustable seatbelts ... Front height adjustable
seatbelts



Prepared by: Wesley Boswell
04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Selected Equip & Specs (cont'd)

Security System

Immobilizer	Immobilizer	Remote panic alarm	Remote panic alarm
Security system	Security system		

Active Driving Assistance

Forward collision warning Forward collision mitigation

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell
04/09/2026



Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Vehicle Dimension and Performance Summary

Performance predictions in this report represent an estimate of vehicle performance based on standard operating conditions. Variations in customer equipment, load configuration, ambient conditions, and/or operator driving techniques can cause significant variations in vehicle performance. These values are not representative of results that may be shown in actual dynamometer tests. This report should therefore be used as a guide for comparative vehicle performance.



Dimensions

A	Front of Bumper to Front Axle	38.30 in.
B	Front Bumper to Back of Cab (BBC)	123.70 in.
C	Wheelbase (WB)	145.00 in.
D	Overall Length (OAL)	230.70 in.
E	Back of Cab to Rear Axle (CA)	60.00 in.
F	Back of Cab to End of Frame	107.20 in.
G	Rear Axle to End of Frame (AF)	47.20 in.
H	Frame Section Height	N/A
I	Rear Frame Height Unloaded	35.40 in.
I	Rear Frame Height Loaded	29.90 in.
J	Cab Height	82.60 in.
K	Body Width	80.00 in.
L	Maximum Ground Clearance	N/A
L	Minimum Ground Clearance	8.50 in.
M	Front Tread	74.80 in.
M	Rear Tread	74.00 in.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.




Prepared by: Wesley Boswell
04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Vehicle Dimension and Performance Summary (cont'd)



Weight

GVW	Front Axle	Rear Axle	Totals
Chassis	3,602 lbs	3,004 lbs	6,606 lbs
Body	0 lbs	0 lbs	0 lbs
Occupants Weight	300 lbs	150 lbs	450 lbs
1 Max Payload - (Max Payload)	898 lbs	10,506 lbs	11,404 lbs
TOTAL	4,800 lbs	13,660 lbs	18,460 lbs

Ratings	Front Axle	Rear Axle	GVWR
GAWR	4,800 lbs	13,660 lbs	18,000 lbs
Wheels/Tires	7,500 lbs	15,000 lbs	
Suspension	4,800 lbs	13,660 lbs	
Axle	7,000 lbs	13,660 lbs	
Legal Axle Limit	0 lbs	0 lbs	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Vehicle Dimension and Performance Summary (cont'd)

Start, Grade and Speed

Start	Ratio	Desired	Calculated
Start grade capability in 1st gear	4.62	15.00 %	34.88 %
Start grade capability in reverse	4.70	15.00 %	35.48 %
Grade	Ratio	Desired	Calculated
Maximum grade in 8th gear	0.85	3.00 %	6.53 %
Maximum grade in 9th gear	0.69	3.00 %	5.27 %
Maximum grade in 10th gear	0.63	3.00 %	4.85 %
Speed		Desired	Calculated
Top Speed (level grade)		75 mph	113 mph
<i>To meet your requirement you need a maximum axle ratio of 8.80</i>			
Top Speed on 3% grade		55 mph	
<i>To meet your requirement you need a maximum of 116 hp</i>			
Cruise Speed		60 mph	78 mph
Engine RPM at desired cruise speed			1,995 rpm

Variables in Use

Start

Rear axle ratio:	4.88	Clutch engagement torque:	234 ft.lbs.
Tire size:	225/70R19.5 (647 rev/mile)	Torque conversion ratio:	1.97
Gross Vehicle Weight (GVW):	18,000 lbs		

Grade

Rear axle ratio:	4.88	Gross Vehicle Weight (GVW):	18,000 lbs
Tire size:	225/70R19.5 (647 rev/mile)	Peak engine torque:	468 ft.lbs.

Speed

Engine Power:	335 hp @ 3,750 rpm	Worst road surface	Typical Highway
Peak Torque RPM:	3,750 rpm	Final Drive Ratio:	0.63
Frontal Area:	40.89 ft²	Drag Coefficient	0.80
Cruising RPM	2,600 rpm		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell
04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382


2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Vehicle Dimension and Performance Summary (cont'd)

Turning Radius

Turning Radius..... 21.25 ft



Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options

Selected	Code	Description
Packages		
☒	660A	Order Code 660A <i>Includes:</i> - Engine: 7.3L 2V DEVCT NA PFI V8 Gas - 190 Amp Alternator - Transmission: TorqShift 10-Speed Automatic Includes SelectShift, selectable drive modes: normal, tow/haul, eco, slippery roads and trail and transmission power take-off provision. - 4.88 Axle Ratio - GVWR: 18,000 lbs Payload Package - Tires: 225/70Rx19.5G BSW A/P - Wheels: 19.5" X 6" Argent Painted Steel Hub covers/center ornaments not included. - HD Vinyl 40/20/40 Split Bench Seat Includes center armrest, cupholder, storage and driver's side manual lumbar. - Radio: AM/FM Stereo w/MP3 Player Includes 4 speakers. - SYNC 4 Includes 8" center display, wireless phone connection, cloud connected, AppLink with app catalog, 911 Assist, Apple CarPlay and Android Auto compatibility and digital owner's manual. - Ford Connectivity Package (1-Year Included) Includes unlimited Wi-Fi hotspot. Included for 1-year from warranty start date. Requires activation via Ford app with credit card authorization; customer may cancel at any time. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Ford may temporarily slow data speeds if such data usage reaches or exceeds 50GB within a billing cycle or due to network limitations. If a customer uses more than 50% of their data usage in a roaming country during a 60-day period, Ford may remove or limit the customer's data plan.
☒	425	50-State Emissions System
Powertrain		
☒	99N	Engine: 7.3L 2V DEVCT NA PFI V8 Gas <i>Includes:</i> - 190 Amp Alternator
☐	99T	Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20 <i>Includes Operator Commanded Regeneration (OCR), Diesel Exhaust Fluid (DEF) tank and manual push-button engine-exhaust braking.</i> <i>Includes:</i> - 4.10 Axle Ratio - Dual 68 AH/65 AGM Battery - 250 Amp Alternator
☒	44G	Transmission: TorqShift 10-Speed Automatic

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
<i>Includes SelectShift, selectable drive modes: normal, tow/haul, eco, slippery roads and trail and transmission power take-off provision.</i>		
☒	X48	4.88 Axle Ratio
☐	X41	4.10 Axle Ratio
☐	X4N	Limited Slip w/4.10 Axle Ratio
☐	X4L	Limited Slip w/4.30 Axle Ratio
☐	X8L	Limited Slip w/4.88 Axle Ratio
☒	STDGV	GVWR: 18,000 lbs Payload Package
☐	68D	GVWR: 17,500 Lb Payload Downgrade Package
☐	68U	GVWR: 19,000 lbs Payload Upgrade Package <i>Includes upgraded frame and upgraded rear-axle. Note: See Order Guide Supplemental Reference for further details on GVWR and payload ranges.</i>
☐	68M	GVWR: 19,500 Lb Payload Plus Upgrade Package 1 <i>Includes upgraded frame, upgraded rear-axle and low deflection/high capacity rear springs. Increases max RGAWR to 14,706 lbs. Note: See Order Guide Supplemental Reference for further details on GVWR.</i>
☐	68H	GVWR: 19,550 Lb Payload Plus Upgrade Package 2 <i>Includes upgraded frame, upgraded rear-axle and low deflection/high capacity rear springs. Increases max RGAWR to 14,706 lbs. Note: See Order Guide Supplemental Reference for further details on GVWR.</i>

Wheels & Tires

☒	TGJ	Tires: 225/70Rx19.5G BSW A/P
☐	TGM	Tires: 225/70Rx19.5G BSW Traction <i>Includes 4 traction tires on the rear and 2 A/P tires on the front.</i>

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
☒	64Z	Wheels: 19.5" X 6" Argent Painted Steel <i>Hub covers/center ornaments not included.</i>
☐	512	Spare Tire & Wheel Required in Rhode Island. <i>Excludes carrier.</i> <i>Includes:</i> <i>- 6-Ton Hydraulic Jack</i>
☐	51D	Spare Tire & Wheel Delete (Regional) Only available to pool accounts for sales to Rhode Island.
☐	945	Stainless Steel Wheel Covers (Pre-Installed) <i>Front and rear.</i>

Seats & Seat Trim

☒	A	HD Vinyl 40/20/40 Split Bench Seat <i>Includes center armrest, cupholder, storage and driver's side manual lumbar.</i>
☐	1	Cloth 40/20/40 Split Bench Seat <i>Includes center armrest, cupholder, storage and driver's side manual lumbar.</i>
☐	L	Vinyl 40/Mini-Console/40 Front Seat <i>Includes driver's side manual lumbar.</i>
☐	4	Cloth 40/Mini-Console/40 Front Seat <i>Includes driver's side manual lumbar.</i>

Other Options

☒	PAINT	Monotone Paint Application
☒	145WB	145" Wheelbase

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
☒	STDRD <i>Includes 4 speakers.</i> <i>Includes:</i> <i>- SYNC 4</i> <i>Includes 8" center display, wireless phone connection, cloud connected, AppLink with app catalog, 911 Assist, Apple CarPlay and Android Auto compatibility and digital owner's manual.</i> <i>- Ford Connectivity Package (1-Year Included)</i> <i>Includes unlimited Wi-Fi hotspot. Included for 1-year from warranty start date. Requires activation via Ford app with credit card authorization; customer may cancel at any time. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Ford may temporarily slow data speeds if such data usage reaches or exceeds 50GB within a billing cycle or due to network limitations. If a customer uses more than 50% of their data usage in a roaming country during a 60-day period, Ford may remove or limit the customer's data plan.</i>	Radio: AM/FM Stereo w/MP3 Player
☐	96V <i>Includes:</i> <i>- Chrome Front Bumper</i> <i>- Bright Grille</i> <i>- Remote Start</i> <i>- Halogen Fog Lamps</i>	XL Chrome Package
☐	94D <i>Includes unlimited Wi-Fi hotspot. Select option for a one-time purchase of Ford connectivity package. Ford connectivity package will be active for 7 years on this vehicle (non-transferrable to another VIN) from warranty start date. Requires activation via Ford app. Evolving technology/cellular networks/vehicle capability may limit functionality and prevent operation of connected features. Ford may temporarily slow data speeds if such data usage reaches or exceeds 50GB within a billing cycle or due to network limitations. If a customer uses more than 50% of their data usage in a roaming country during a 60-day period, Ford may remove or limit the customer's data plan.</i>	Ford Connectivity Pack (One-Time Purchase - 7 Yrs)
☐	67H <i>Includes pre-selected heavy-service front springs (see Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations). Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR). Note 1: May result in a deterioration of ride quality. Note 2: Vehicle ride height will increase with the addition of this package.</i>	Heavy-Service Front Suspension Package
☐	67X <i>Includes pre-selected extra heavy-service front springs (see Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations). Recommended only on vehicles which will permanently utilize aftermarket equipment such as heavy-duty winches, brush guards or other apparatus which loads the front axle to the specified Gross Axle Weight Rating (GAWR). Note 1: May result in a deterioration of ride quality. Note 2: Vehicle ride height will increase with the addition of this package.</i>	Extra Heavy-Service Suspension Package
☐	67P <i>Includes upgraded front axle and max 7,500 lbs. Front springs/GAWR rating for configuration selected. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer.</i>	Extra Heavy-Duty Front End Suspension - 7,500 GAWR

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
☐	473	Snow Plow Prep Package <i>Includes pre-selected springs (see order guide supplemental reference for springs/FGAWR of specific vehicle configurations). Note 1: Restrictions apply; see supplemental reference or body builders layout book for details. Note 2: Also allows for the attachment of a winch. Note 3: Highly recommended to add (86M) dual battery on 7.3L gas engine. Adding (67B) 410 amp dual alternators for diesel engine is highly recommended for max power output.</i>
☐	535	High Capacity Trailer Tow Package <i>Includes trailer brake wiring kit. Increases GCW from 32,500 lbs. to 40,000 lbs. Note: Salesperson's Portfolio or Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability. See Supplemental Reference for vehicle height consideration.</i>
☐	86S	Low Deflection Spacers <i>Includes 2" spacer blocks. Recommended for rear-biased loading, such as wrecker/retriever applications.</i>
☐	98G	CNG/Propane Gaseous Engine Prep Package <i>Includes hardened engine intake valves and valve seats. Note: This package does not include CNG/propane fuel tanks, lines, etc. Vehicle will be equipped with the standard factory gasoline fuel system. Additional equipment combined with certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/propane fueled vehicle. See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide. Ford Motor Company does not provide an exhaust or evaporative emissions certificate with this option when converted to use CNG or propane fuel. Ford does not represent that a vehicle converted to use CNG or propane will comply with all applicable U.S. or Canadian safety standards. It is the responsibility of the final stage manufacturer (body-builder, installer, alterer or subsequent stage manufacturer) to determine that any vehicle converted to use CNG or propane complies with U.S. federal, California or Canadian exhaust and evaporative emission requirements, federal fuel economy standards, U.S. and Canadian safety standards, labeling and any other requirements.</i>
☐	63C	Aft-Axle Frame Extension <i>42.4" aft-of-axle frame extension increases AF dimension to 89.4".</i>
☐	41H	Engine Block Heater
☐	86K	Programmable Engine Idle Shutdown Timer <i>Selection of this option enables the driver to select a time period between 1 to 30 minutes before the engine will shut off after idling. There will not be an option to override this timing. Customers needing to idle their vehicles for longer periods should not select this option.</i>
☐	60X	Automated Emergency Braking (AEB) Removal <i>Removes Pre-Collision Assist with Automated Emergency Braking (AEB) and forward collision warning, auto high beams, post impact braking and audible lane departure warning.</i>
☐	43K	Pro Power Onboard - 2kW <i>Includes dual alternators 12V 250 Amp + 24V 150 Amp. Placement and connection of the aux outlet is the responsibility of the final stage manufacturer.</i>

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
☐	18A	Vehicle Integration System 2.0 (DISC) No longer available for factory ordering as of February 13, 2026. FIN code required to program the module. <i>Includes programmable vehicle integration system. Recommended for trucks that will utilize upfit aftermarket equipment.</i>
☐	18J	Vehicle Integration System 2.0 FIN code required to program the module. <i>Includes programmable vehicle integration system. Recommended for trucks that will utilize upfit aftermarket equipment.</i>
☐	61J	6-Ton Hydraulic Jack
☐	61J_	6-Ton Hydraulic Jack (Regional) Standard in Rhode Island.
☐	86M	Dual 68 AH/65 AGM Battery
☐	67E	250 Amp Alternator
☐	67A	350 Amp Dual Alternators <i>Includes 190 Amp + 160 Amp.</i>
☐	67B	410 Amp Dual Alternators <i>Includes 250 Amp + 160 Amp.</i>
☐	65M	26.5 Gallon Mid Ship Fuel Tank <i>Removes 40 gallon fuel tank.</i>
☐	65C	Dual Diesel Fuel Tanks <i>Combines 40 gallon aft-of-axle and 26.5 gallon mid ship tank.</i>
☐	18B	Platform Running Boards
☐	59H	Center High-Mounted Stop Lamp (CHMSL)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
☐	153	Front License Plate Bracket Standard in states requiring 2 license plates and optional to all others.
☐	872	Rear View Camera & Prep Kit <i>Pre-installed content includes cab wiring and frame wiring to the rear most cross member. Upfitters kit includes camera with mounting bracket, 20' jumper wire and camera mounting/aiming instructions.</i>
☐	52B	Trailer Brake Controller
☐	52S	Interior Work Surface
☐	41A	Rapid-Heat Supplemental Cab Heater <i>Includes: - 410 Amp Dual Alternators Includes 250 Amp + 160 Amp.</i>
☐	43C	Pro Power Onboard - 400W Outlet <i>Includes 1 in-dash mounted outlet.</i>
☐	76C	Exterior Backup Alarm (Pre-Installed)
☐	91S	Amber 360-Degree Dual Beacon LED Warning Strobes <i>Pre-installed.</i>
☐	91G	Amber-Wht 360-Deg Dual Beacon LED Warning Strobes <i>Pre-installed.</i>
☐	61L	Front Wheel Well Liner (Pre-Installed)
☐	79V	COV Required
☐	C09	Priced DORA

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
Dealer Installed Options		
☐	FI4AD	SecuriCode Wireless Keyless Entry Keypad <i>Driver's side. Shipped separately from the vehicle for dealer installation.</i>
☐	BBVAF	Windshield Sunshade by Covercraft <i>Shipped separately from the vehicle for dealer installation.</i>
☐	AH1AB	Super Duty Tool Kit by AllTrade <i>Shipped separately from the vehicle for dealer installation.</i>
☐	B1HAB	Illuminated Front Emblem <i>Shipped separately from the vehicle for dealer installation.</i>
☐	AHQAB	First Aid Kit w/Ford Logo <i>Shipped separately from the vehicle for dealer installation.</i>
☐	AHMAB	Roadside Assistance Kit w/Ford Logo <i>Shipped separately from the vehicle for dealer installation.</i>
☐	AHMAC	Commercial USA Roadside Assistance Kit <i>Shipped separately from the vehicle for dealer installation.</i>
Fleet Options		
☐	47A	Ambulance Prep Package (LPO) Requires valid FIN code. <i>Includes upgraded front springs/GAWR rating, please see Supplemental Order Guide or visit fordbbas.com for complete details. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances only if equipped with the Ford Ambulance Prep Package. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Prep Package to produce an ambulance voids the Ford warranty. Note: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module.</i> <i>Includes:</i> <i>- 410 Amp Dual Alternators</i> <i>Includes 250 Amp + 160 Amp.</i> <i>- Dual 68 AH/65 AGM Battery</i>
☐	47L	Ambulance Prep Pkg w/Special Emissions (LPO)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
		Requires valid FIN code. <i>Includes upgraded front springs/GAWR rating, please see Supplemental Order Guide or visit fordbbas.com for complete details. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. Note 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. Note 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. Note 3: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. Note 4: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.</i> <i>Includes:</i> <i>- 410 Amp Dual Alternators</i> <i>Includes 250 Amp + 160 Amp.</i> <i>- Dual 68 AH/65 AGM Battery</i>
☐	47J	Fire/Rescue Prep Pkg w/EPA Special Emissions (LPO) Requires valid FIN code. <i>Includes upgraded front springs/GAWR rating, please see Supplemental Order Guide or visit fordbbas.com for complete details. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Note 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. Note 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. Note 3: Must meet the definition of an emergency vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the federal register. Note 4: California Code of Regulations allows for the sale of federally certified emergency vehicles in California.</i> <i>Includes:</i> <i>- 410 Amp Dual Alternators</i> <i>Includes 250 Amp + 160 Amp.</i>
☐	927	Speed Limitation - 75-MPH Governed Top Speed (LPO) Requires valid FIN code.
☐	D9E	Built: Kentucky Truck Plant
☐	D9D	Built: Ohio Plant
☐	31K	Ship-Thru: Adrian Steel
☐	315	Ship-Thru: Alt Fuel Innovations, LLC (AFI)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
☐	31A	Ship-Thru: Altec
☐	31T	Ship-Thru: Bobs Services LLC
☐	313	Ship-Thru: Brice Equipment
☐	311	Ship-Thru: Dejana
☐	31U	Ship-Thru: General Truck Body
☐	31L	Ship-Thru: Holman
☐	319	Ship-Thru: KC Truck Systems Inc.
☐	31W	Ship-Thru: Knapheide - in
☐	31V	Ship-Thru: Knapheide Truck Equipment
☐	31M	Ship-Thru: Manning Truck Equipment
☐	31N	Ship-Thru: Monroe Truck Equipment
☐	31G	Ship-Thru: NBC Truck Equipment
☐	314	Ship-Thru: Reading Equipment & Distribution
☐	31B	Ship-Thru: Reading Equipment
☐	31S	Ship-Thru: Reading Equipment
☐	31P	Ship-Thru: Roush CleanTech

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
☐	31C	Ship-Thru: Zoresco Equipment
☐	31Z	Ship-Thru: Knapheide
☐	31H	Ship-Thru: Manning Truck Equipment
☐	312	Ship-Thru: National Fleet Services
☐	31Y	Ship Thru: Zoresco Equipment
☐	FLADCR	Fleet Advertising Credit
☒	WARANT	Fleet Customer Powertrain Limited Warranty
Requires valid FIN code. <i>Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle.</i>		
☐	FINAL1	Fleet Final Order Date: 05/01/2026

VSO Options

☐	T04 Minimum order quantity: 1.	KTP Orange Belt V1
☐	T05 Minimum order quantity: 1.	KTP Orange Belt V2
☐	T08	4 Key Lockset KTP V1

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2026 F-550 Chassis 4x2 SD Regular Cab 145" WB DRW XL (F5G)

Price Level: 645

Available Options (cont'd)

Selected	Code	Description
		Minimum order quantity: 1. Only 2 keys will be programmed by the assembly plant. Dealers and modifiers must reprogram all 4 keys for PATS and RKE on each unit.
☐	T01	OHAP 4 Key w/O Remote Start Minimum order quantity: 1. Only 2 keys will be programmed by the assembly plant. Dealers and modifiers must reprogram all 4 keys for PATS and RKE on each unit.
☐	T0C	Wheels: 19.5" X 6" White Steel (7) OHAP Minimum order quantity: 1. <i>Includes 6 road wheels and 1 white spare at OHAP.</i>
☐	T06	Wheels: 19.5" Forged Polished Aluminum Minimum order quantity: 1.
☐	T02	OHAP Orange Belt 1 Minimum order quantity: 1.
☐	T03	OHAP Orange Belt 2 Minimum order quantity: 1.

General Info

☐	ORDER1	Initial Order Date: 05/22/2025
☐	START1	Start-Up Date: 07/21/2025
☐	BUILD1	Build-Out Date: TBD