
2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715



Client Proposal

Prepared by:

Wesley Boswell

Office: 480-696-5930

Email: wesley.boswell@governmentautosales.com

Date: 04/09/2026



Peoria Ford Commercial Fleet | 17338 N. 92nd Ave., Peoria, Arizona, 85382

Office: 623-523-6151



Prepared by: Wesley Boswell
04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Table of Contents

Description	Page
Cover Page.....	1
Table of Contents.....	2
Selected Equip & Specs.....	3
Vehicle Dimension and Performance.....	13
Available Options.....	17



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs

Dimensions

• GCWR: 50,000 lbs. • Front brake diameter: 15.0" • Rear brake diameter: 15.0" • Driver distance from axle: 54.4" • Vehicle body length: 246.0" • Vehicle body width: 96.7" • Vehicle body height: 94.9" • Wheelbase: 158.0" • Turning radius (to curb): 21.9' • Front track: 83.8" • Rear track: 72.6" • Cab to axle: 84.0" • Rear tire outside width: 96.0" • Axle to end of frame: 49.0" • Frame section modulus: 15.1 cu.in. • Frame yield strength (psi): 80000.0 • Frame rail depth: 10.3" • Frame rail width: 3.1" • Frame rail thickness: .4" • Frame rail section: 9.5" • Front bumper to front axle: 39.0" • Headroom first-row: 40.7" • Leg room first-row: 41.4" • Shoulder room first-row: 68.0" • Hip room first-row: 67.6"

Powertrain

• Compression ignition system • 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP • Engine cylinders: V-8 • Horsepower: 270 HP@2400 RPM • Torque: 800 lb.-ft.@1500 RPM • Radiator • Engine retarder system • Auxiliary power take-off • Fuel/water separator • RNDM shift indicator • 75 mph speed limiter • 10-speed automatic • Rear-wheel drive • Recommended fuel: diesel • Low-speed ABS traction control • Standard rear differential

Fuel Economy and Emissions

• Federal emissions

Suspension and Handling

• Standard ride suspension • Gas-pressurized front shock absorbers

Driveability

• Hydraulic disc brakes • Front and rear ventilated disc brakes • 4-wheel antilock (ABS) brakes • Four channel ABS brakes • Hill start assist • Rigid axle front suspension • Leaf spring front suspension • Tapered leaf front suspension • Rigid axle rear suspension • Leaf spring rear suspension • Hydraulic power-assist steering system • Re-circulating ball steering • 2-wheel steering system

Body Exterior

• Side assist steps • 2 doors • Monotone paint • Black side window trim • Black door handles • Black windshield trim • Black front bumper • 2 front tow hooks • Straight front bumper ends • Black grille • Hood mounted grille • Convex spotter in driver and passenger side door mirrors • Trailer style side mirrors • Black door mirrors • English measure truck 279/82R22.5 AS BSW front and rear tires • 22.5 x 8.25-inch front and dual rear wheels • White front wheels • Steel front wheels • White rear wheels • Steel rear wheels • Disc rear wheel

Convenience

• Manual door locks • Cruise control with steering wheel mounted controls • Manual first-row windows • Partial floor console • Driver foot rest • Fixed rear windshield • Front beverage holders • Standard glove box • 2 beverage holders • Instrument panel bin • Dashboard storage • Trip computer • Upfitter switches • Dual electric horn • Steering column lever gearshift location

Comfort

• Manual climate control • Cloth headliner material • Full headliner coverage • Full vinyl floor covering • Full floor coverage • Urethane steering wheel • Manual tilting steering wheel • Manual telescopic steering wheel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Seats and Trim

- Seating capacity: 2 • Driver seat armrest • Front passenger seat armrest • Bucket driver seat • Folding driver seat back • Low driver seat back • 4 driver seats way-direction • Manual fore/aft • Bucket passenger seat • Fixed passenger seat back • Low passenger seat back • 2 passenger seats way-direction • Manual fore/aft • Vinyl front seat upholstery

Entertainment Features

- AM/FM • In-vehicle audio • AM radio • FM radio • Seek scan • Auxiliary input jack • External memory control • Standard grade speakers • Speakers number: 2 • Steering wheel mounted audio controls • Wireless audio streaming • Fixed audio antenna

Lighting, Visibility and Instrumentation

- Analog instrumentation display • Trip odometer • Digital clock • Driver information center • Tachometer • Oil pressure gauge • Engine/electric motor temperature gauge • Oil temperature gauge • Transmission fluid temperature gauge • Engine hour meter • Diesel exhaust fluid (def) gauge • Light tinted windows • Reflector headlights • Halogen headlights • Auto on/off headlight control • Multiple enclosed headlights • Delay-off headlights • DRL preference setting • Variable intermittent front windshield wipers • Speed sensitive wipers • Front reading lights • Variable instrument panel light • Daytime running lights • Cab clearance lights • Delay interior courtesy lights

Technology and Telematics

- Handsfree wireless device connectivity • 1 USB port

Safety and Security

- Vehicle tracker • Electronic stability control system

Dimensions

General Weights

Curb weight	10,040 lbs.	Rear curb weight	3,746 lbs.
Front GAWR	10000 lbs.	Rear GAWR	21000 lbs.
GVWR	31000 lbs.	GCWR	50000 lbs.

Trailing Weights

GCWR	50,000 lbs.
------------	-------------

Weights

Maximum GVWR	37,000 lbs.	Max RBM (in.-lbs.)	1,275,200 max RBM (in.-lbs.)
Nominal RBM (in.-lbs.) ..	1,211,200 nominal RBM (in.-lbs.)		

Front Weights

Front curb weight	6,294 lbs.	Axle capacity front	10,000 lbs.
Spring rating front	10,000 lbs.	Tire/wheel capacity front	13,220 lbs.

Rear Weights

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Axle capacity rear 21,000 lbs.
Tire/wheel capacity rear 24,040 lbs.

Spring rating rear 21,000 lbs.

Exterior Measurements

Vehicle body length 246.0"
Vehicle body height 94.9"
Front brake diameter 15.0"
Rear brake diameter 15.0"
Rear frame height loaded 36.5"
Turning radius (to bumper) 23.5'
Width - mirrors extended 121.9"
Rear track 72.6"
Turning radius (to curb) 21.9'
Rear tire outside width 96.0"
Frame section modulus 15.1 cu.in.
Frame rail depth 10.3"
Frame rail thickness4"
Front bumper to front axle 39.0"

Vehicle body width 96.7"
Wheelbase 158.0"
Front frame height loaded 35.2"
Front frame height unloaded 37.0"
Rear frame height unloaded 38.0"
Width - mirrors folded 90.7"
Front track 83.8"
Driver distance from axle 54.4"
Cab to axle 84.0"
Axle to end of frame 49.0"
Frame yield strength (psi) 80000.0
Frame rail width 3.1"
Frame rail section 9.5"

Headroom

Headroom first-row 40.7"

Legroom

Leg room first-row 41.4"

Shoulder Room

Shoulder room first-row 68.0"

Hip Room

Hip room first-row 67.6"

Powertrain

Engine

Engine 6.7L V-8 diesel direct injection, intercooled
turbo, diesel, engine with 270HP
Engine cylinders V-8
Ignition Compression ignition system
Engine block material Iron engine block

Valves per cylinder 4

Engine location Front mounted engine
Engine mounting direction Longitudinal mounted
engine
Cylinder head material Aluminum cylinder head

Engine Specs

Displacement 6.7L
Bore 3.9"
Compression ratio 16.2

cc 405.9 cu.in.
Stroke 4.25"
Governed RPM 3200 RPM

Engine Power

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Horsepower 270 HP@2400 RPM

Torque 800 lb.-ft. @1500 RPM

Alternator

Alternator amps 195A

Alternator type Heavy-duty alternator

Battery

Battery type Dual lead acid battery

Battery rating 1500CCA

Battery step Battery step

Battery location Battery location forward right

Battery run down protection Battery run down protection

Engine Extras

Radiator Radiator

Fuel/water separator Fuel/water separator

Auxiliary power take-off Auxiliary power take-off

Engine retarder Engine retarder system

Shift indicator RNDM shift indicator

Transmission

Transmission 10-speed automatic

Transmission electronic control Transmission electronic control

Speed limiter 75 mph speed limiter

Overdrive transmission Overdrive transmission

Lock-up transmission Lock-up transmission

Second gear ratio 2.919

First gear ratio 4.615

Fourth gear ratio 1.773

Third gear ratio 2.132

Sixth gear ratio 1.277

Fifth gear ratio 1.519

Seventh gear ratio 1

Reverse gear ratio 4.695

Ninth gear ratio 0.687

Eighth gear ratio 0.851

Stall ratio 1.97

Tenth gear ratio 0.632

Selectable mode transmission Selectable mode transmission

Sequential shift control Sequential shift control

Transmission oil cooler Transmission oil cooler

PTO transmission provision PTO transmission provision

Drive Type

Drive type Rear-wheel drive

Drivetrain

Axle speed Single axle speed

Exhaust

Tailpipe Aluminized steel single exhaust

Additional muffler type horizontal

Additional muffler location right

Additional tailpipe type horizontal

Additional tailpipe location right

Fuel

Fuel type diesel

Fuel Tank



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Front left fuel tank shape rectangular

DEF capacity 8.00 gal.

Front left fuel tank capacity 50.01 US gallons

Drive Feature

Traction control Low-speed ABS traction control

Differential Standard rear differential

Fuel Economy and Emissions

Emissions

Emissions Federal emissions

Suspension and Handling

Suspension

Suspension Standard ride suspension

Front shock absorbers ... Gas-pressurized front shock absorbers

Driveability

Brakes

Brake type Hydraulic disc brakes

Ventilated brakes Front and rear ventilated disc brakes

ABS brakes Four channel ABS brakes

ABS brakes 4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist Hill start assist

Front Suspension

Suspension ride type front Rigid axle front suspension

Suspension type front ... Leaf spring front suspension

Front Spring

Regular front springs Regular front springs

Springs front Tapered leaf front suspension

Rear Spring

Springs rear Multi-leaf rear suspension

Rear springs Regular grade rear springs

Auxiliary rear spring Rubber auxiliary rear spring

Rear Suspension

Suspension type rear ... Leaf spring rear suspension

Suspension ride type rear Rigid axle rear suspension

Steering

Steering Hydraulic power-assist steering system

Steering type Re-circulating ball steering

Steering type number of wheels 2-wheel steering system

Exterior

Front Wheels

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Front wheels diameter 22.5"

Front wheels width 8.3"

Rear Wheels

Rear wheels diameter 22.5"

Rear wheels width 8.3"

Front And Rear Wheels

Appearance none

Front Tires

Aspect 82

Diameter 22.5"

Sidewalls BSW

Tread AS

Type english measure truck tire

Width 279mm

Front wheel - RPM 497

Rear Tires

Aspect 82

Diameter 22.5"

Sidewalls BSW

Tread AS

Type english measure truck tire

Width 279mm

Rear wheel - RPM 497

Body Exterior

Exterior Features

Number of doors 2 doors

Side steps Side assist steps

Front splash guards Front splash guards

Frame

Clean CA frame Clean CA frame

Body

Body panels Composite and galvanized steel body panels

Mirrors

Convex spotter Convex spotter in driver and passenger side door mirrors

Tires

Front tires LT load rating H

Rear tires LT load rating H

Wheels

Front wheel type Disc front wheel

Dual rear wheels Dual rear wheels

Number of front wheel studs 10 front wheel studs

Number of rear wheel studs 10 rear wheel studs

Convenience

Door Locks

Door locks Manual door locks

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Cruise Control

Cruise control Cruise control with steering wheel mounted controls

Exterior Mirrors

Folding door mirrors Manual folding door mirrors

Heated door mirrors Heated driver and passenger side door mirrors

Front Side Windows

First-row windows Manual first-row windows

Floor Console

Floor console Partial floor console

Passenger Visor

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

Pedals

Driver foot rest Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

Number of beverage holders 2 beverage holders

Glove box Standard glove box

Dashboard storage Dashboard storage

Beverage holders Front beverage holders

Instrument panel storage Instrument panel bin

Miscellaneous

Trip computer Trip computer

Upfitter switches Upfitter switches

Gearshift location Steering column lever gearshift location

Horn Dual electric horn

Comfort

Climate Control

Climate control Manual climate control

Headliner

Headliner material Cloth headliner material

Headliner coverage Full headliner coverage

Floor Trim

Floor covering Full vinyl floor covering

Floor coverage Full floor coverage

Steering Wheel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Steering wheel material Urethane steering wheel

Steering wheel tilt Manual tilting steering wheel

Steering wheel telescopic. Manual telescopic steering wheel

Seats and Trim

Seat Capacity

Seating capacity 2

Front Seats

Front seat type Bucket driver seat

Driver seat back Folding driver seat back

Driver seats way-direction 4 driver seats way-direction

Passenger seat back Fixed passenger seat back

Passenger seats way-direction 2 passenger seats way-direction

Armrests front driver Driver seat armrest

Front seat type Bucket passenger seat

Driver seat back type Low driver seat back

Driver seat fore/aft Manual fore/aft

Passenger seat back type Low passenger seat back

Passenger seat fore/aft Manual fore/aft

Armrests front passenger Front passenger seat armrest

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Front seatback upholstery Carpet front seatback upholstery

Gearshifter Material

Gearshifter material Urethane gear shifter material

Entertainment Features

Radio Features

Aux input jack Auxiliary input jack

Seek scan Seek scan

External memory External memory control

Speakers

Speakers Standard grade speakers

Speakers number 2

Audio Features

Steering mounted audio control Steering wheel mounted audio controls

Wireless streaming Wireless audio streaming

Lighting, Visibility and Instrumentation

Instrumentation

Trip odometer Trip odometer

Instrumentation display Analog instrumentation display

Instrumentation Displays

Driver information center Driver information center

Clock Digital clock

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Instrumentation Gauges

Tachometer Tachometer
Oil temperature gauge Oil temperature gauge

Engine/electric motor temperature
gauge Engine/electric motor temperature gauge
DEF fluid gauge Diesel exhaust fluid (def) gauge

Oil pressure gauge Oil pressure gauge
Transmission temperature gauge Transmission fluid
temperature gauge
Engine hour meter Engine hour meter

Instrumentation Warnings

Oil pressure warning Oil pressure warning
Low brake fluid warning Low brake fluid warning
Headlights on reminder Headlights on reminder
Door ajar warning Door ajar warning
Transmission fluid temperature warning Transmission
fluid temp warning

Low fuel warning Low fuel warning
Battery charge warning Battery charge warning
Key in vehicle warning Key in vehicle warning
Service interval warning Service interval indicator
Low diesel exhaust fluid (DEF) warning Low diesel
exhaust fluid (DEF) warning

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights
Auto headlights Auto on/off headlight control
Delay off headlights Delay-off headlights

Headlight type Reflector headlights
Multiple headlights Multiple enclosed headlights
DRL preference setting DRL preference setting

Front Windshield

Wipers Variable intermittent front windshield wipers

Speed sensitive wipers Speed sensitive wipers

Interior Lighting

Variable panel light Variable instrument panel light

Front reading lights Front reading lights

Lights

Running lights Daytime running lights
Clearance lights Cab clearance lights

Interior courtesy lights Delay interior courtesy lights

Technology and Telematics

Connectivity

Handsfree Handsfree wireless device connectivity

USB Ports

USB ports 1 USB port

Safety and Security

Security System

Vehicle tracker Vehicle tracker

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Selected Equip & Specs (cont'd)

Traction Control

Electronic stability control . . . Electronic stability control system



Prepared by: Wesley Boswell
04/09/2026



Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Vehicle Dimension and Performance Summary

Performance predictions in this report represent an estimate of vehicle performance based on standard operating conditions. Variations in customer equipment, load configuration, ambient conditions, and/or operator driving techniques can cause significant variations in vehicle performance. These values are not representative of results that may be shown in actual dynamometer tests. This report should therefore be used as a guide for comparative vehicle performance.



Dimensions

A	Front of Bumper to Front Axle	39.00 in.
B	Front Bumper to Back of Cab (BBC)	113.00 in.
C	Wheelbase (WB)	158.00 in.
D	Overall Length (OAL)	246.00 in.
E	Back of Cab to Rear Axle (CA)	84.00 in.
F	Back of Cab to End of Frame	133.00 in.
G	Rear Axle to End of Frame (AF)	49.00 in.
H	Frame Section Height	10.30 in.
I	Rear Frame Height Unloaded	38.00 in.
I	Rear Frame Height Loaded	36.50 in.
J	Cab Height	94.90 in.
K	Body Width	96.70 in.
L	Maximum Ground Clearance	N/A
L	Minimum Ground Clearance	N/A
M	Front Tread	83.80 in.
M	Rear Tread	72.60 in.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell


04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Vehicle Dimension and Performance Summary (cont'd)



Weight

Licensing

GVWR exceeds 26,000 lbs and requires a Commercial Driver's License (CDL). Contact your local state commercial driver licensing office for specifics on what your state requires.

GVW	Front Axle	Rear Axle	Totals
Chassis	6,294 lbs	3,746 lbs	10,040 lbs
Body	0 lbs	0 lbs	0 lbs
Occupants Weight	200 lbs	100 lbs	300 lbs
1 Max Payload - (Max Payload)	3,506 lbs	17,154 lbs	20,660 lbs
TOTAL	10,000 lbs	21,000 lbs	31,000 lbs

Ratings	Front Axle	Rear Axle	GVWR
GAWR	10,000 lbs	21,000 lbs	31,000 lbs
Wheels/Tires	13,220 lbs	24,040 lbs	
Suspension	10,000 lbs	21,000 lbs	
Axle	10,000 lbs	21,000 lbs	
Legal Axle Limit	0 lbs	0 lbs	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Vehicle Dimension and Performance Summary (cont'd)

Start, Grade and Speed

Shift Indicator

Vehicle equipped **without** Park Pawl. Shift indicator will display **RNDM**.

Start	Ratio	Desired	Calculated
Start grade capability in 1st gear	4.62	15.00 %	0.00 %
Start grade capability in reverse	4.70	15.00 %	0.00 %
Grade	Ratio	Desired	Calculated
Maximum grade in 8th gear	0.85	3.00 %	0.00 %
Maximum grade in 9th gear	0.69	3.00 %	0.00 %
Maximum grade in 10th gear	0.63	3.00 %	0.00 %
Speed		Desired	Calculated
Top Speed (level grade)		75 mph	0 mph
To meet your requirement you need a maximum axle ratio of 8.15			
Top Speed on 3% grade		55 mph	
To meet your requirement you need a maximum of 189 hp			
Cruise Speed		60 mph	0 mph
Engine RPM at desired cruise speed			0 rpm

Variables in Use

Start

Rear axle ratio:	0.00	Clutch engagement torque:	400 ft.lbs.
Tire size:	11R22.5 (497 rev/mile)	Torque conversion ratio:	1.97
Gross Vehicle Weight (GVW):	31,000 lbs		

Grade

Rear axle ratio:	0.00	Gross Vehicle Weight (GVW):	31,000 lbs
Tire size:	11R22.5 (497 rev/mile)	Peak engine torque:	800 ft.lbs.

Speed

Engine Power:	270 hp @ 2,400 rpm	Worst road surface	Typical Highway
Governed RPM:	3,200 rpm	Final Drive Ratio:	0.63
Frontal Area:	57.68 ft²	Drag Coefficient	0.80
Cruising RPM	2,300 rpm		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell
04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382


2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Vehicle Dimension and Performance Summary (cont'd)

Turning Radius

Turning radius to curb: 21.92 ft
Turning radius to bumper: 23.49 ft



Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options

Selected	Code	Description
General Info		
☐	ORDER1	Initial Order Date: 10/15/2025
Engines		
☒	99C	6.7L Power Stroke V8 Turbo Diesel - 270 HP @ 2400 RPM <i>800 lb.-ft. torque @ 1500 RPM.</i>
☐	99E	6.7L Power Stroke V8 Turbo Diesel - 300 HP @ 2500 RPM <i>825 lb.-ft. torque @ 1500 RPM.</i>
☐	99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM <i>850 lb.-ft. torque @ 1500 RPM.</i>
☒	425	50-State Emissions
☐	41H	Engine Block Heater, Phillips, 120 Volt/750 Watt <i>Includes removable grille cover.</i>
☐	98R	Active Regen Control <i>Allows Driver to Inhibit Automatic Regen until Regen can be performed in a Safe location.</i>
☐	916	Speed Limit - 65mph
☐	917	Speed Limit - 70mph
☐	62G	Air Compressor, Bendix, 13.2 CFM Capacity - Includes Direct Reading Air Pressure Gauge For use as an Air Source when Air Brakes are not selected.
☐	94A	Engine Idle Shutdown Timer - 5 Minutes

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	94B	Engine Idle Shutdown Timer - 10 Minutes
☐	94C	Engine Idle Shutdown Timer - 15 Minutes
☐	94D	Engine Idle Shutdown Timer - 20 Minutes

Transmissions

☒	44D	Ford TorqShift HD 10-Speed Automatic - with PTO Provision
	<i>Includes tow/haul.</i>	

Front Wheels & Tires

☒	643	Wheels, Front 22.5" X 8.25" White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>
☐	64H	Wheels, Front 22.5" X 8.25" Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides
☐	649	Wheels, Front 22.5" X 8.25" Black Wheel <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>
☒	T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 Rev/Mile)
☐	T2E	Tires, Front Two 11R22.5H Michelin X Multi Energy Z (501 Rev/Mile)
☐	TCH	Tires, Front Two 255/70R22.5H Goodyear Endurance RSA (566 Rev/Mile)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	T2M	Tires, Front Two 275/80R22.5H Michelin X Multi Energy Z (515 Rev/Mile)
☐	TRA	Tires, Front Two 295/75R22.5H Continental HSR3 (514 Rev/Mile)

Rear Wheels & Tires

☒	663	Wheels, Rear 22.5" X 8.25" White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>
☐	66H	Wheels, Rear 22.5" X 8.25" Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides <i>Inner wheel is white powder-coated steel.</i>
☐	66C	Wheels, Rear 22.5" X 8.25" Aluminum, 10-Hole Alcoa Bright Polished w/Dura-Bright Seal on Both Sides <i>Inner wheel is aluminum.</i>
☐	669	Wheels, Rear 22.5" X 8.25" Black Wheel <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>
☐	60Z	Wheel, Spare 22.5" X 8.25" White Powder Coated Steel, 10-Hole - Quantity (One Only)
☒	R2A	Tires, Rear Four 11R22.5H Goodyear Fuel Max RSA (497 Rev/Mile)
☐	R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 Rev/Mile)
☐	R2E	Tires, Rear Four 11R22.5H Michelin X Multi Energy Z (501 Rev/Mile)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	RMB	Tires, Rear Four 11R22.5H Michelin X Multi D (494 Rev/Mile)
☐	R2K	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RTD (563 Rev/Mile)
☐	RCH	Tires, Rear Four 255/70R22.5H Goodyear Fuel Max RSA (563 Rev/Mile)
☐	R2J	Tires, Rear Four 275/80R22.5H Michelin X Multi Energy D (514 Rev/Mile)
☐	R2M	Tires, Rear Four 275/80R22.5H Michelin X Multi Energy Z (515 Rev/Mile)
☐	RRD	Tires, Rear Four 295/75R22.5H Continental HDR2 ECO PLUS (514 Rev/Mile)
☐	RRA	Tires, Rear Four 295/75R22.5H Continental HSR3 (514 Rev/Mile)

Brakes

☒	67H	Hydraulic Brake System - Bosch HydroMax w/Traction Control <i>Full power with automatic adjustment, 4-channel ABS antilock brake system. Includes 12" x 3" (Bosch) DSSA type rear axle mounted parking brake, Orscheln lever control, right of driver and hand operated park brake lever.</i>
☐	152	Trailer Connection Socket - 7-Way, Wired For Turn Signals Combined with Stop <i>Mounted at rear of frame, for combined trailer stop, tail, turn, marker light circuits. Includes electric trailer brake accommodation package with cab connections for mounting customer installed electric brake unit.</i>
☐	154	Trailer Connection Socket - 7-Way, Wired For Turn Signals, Separate of Stop

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
		<i>Mounted at rear of frame, for separate trailer stop, tail, turn, marker light circuits. Includes electric trailer brake accommodation package with cab connections for mounting customer installed electric brake unit.</i>
☐	67A	Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control <i>Meritor Q-Plus with ABS, Bendix Anti-Lock Brake System, 4-channel. Includes 15" x 4" front brakes, dual direct reading air pressure gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve, automatic slack adjusters front and rear, two rear spring parking air brake chambers mounted on front of rear axle, three drain valves and two air tanks (Reference Body Builders Book for location). Rear brake size and components dependent upon axle selection. Uses existing ABS system to minimize wheel slipping during acceleration. Usage determined by the air brake package selected. (Not recommended with Hi-Rail Train Systems). Deletes hand operated park brake lever.</i> <i>Includes:</i> <i>- Air Dryer, Bendix AD/IS w/Heater</i> <i>Mounted left frame rail (for Hydraulic brake applications that include stand alone engine air compressor).</i>
☐	67D	Air Brakes (4 WHEEL DISC) w/Traction Control <i>Deletes hand operated park brake lever.</i> <i>Includes:</i> <i>- Air Dryer, Bendix AD/IS w/Heater</i> <i>Mounted left frame rail (for Hydraulic brake applications that include stand alone engine air compressor).</i>
☐	67C	Air Brakes (FRONT DISC / REAR DRUM) - Straight Truck w/Traction Control <i>Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve. Deletes hand operated park brake lever.</i> <i>Includes:</i> <i>- Air Dryer, Bendix AD/IS w/Heater</i> <i>Mounted left frame rail (for Hydraulic brake applications that include stand alone engine air compressor).</i>
☐	18A	Electronic Stability Control DELETE <i>Deletes the standard ESC feature.</i>
☐	98B	Final Upfit Center of Gravity - Low CG (38" to 48" FINAL Center of Gravity) <i>With MY23 having Electronic Stability Control Standard. When air brakes are selected, the "final upfit center of gravity (CG)" must be selected by dealer when ordering. If the final CG is not known, use the ESC delete (18A) feature. Where the final upfit CG is known, and the unit requires ESC for other features (such as Driver Assist Technology) select the appropriate CG value range when ordering air brake during the specing process. Call TRKLINE (877-875-5463) with any questions.</i>
☐	98C	Final Upfit Center of Gravity - Medium CG (48" to 58" FINAL Center of Gravity) <i>With MY23 having Electronic Stability Control Standard. When air brakes are selected, the "final upfit center of gravity (CG)" must be selected by dealer when ordering. If the final CG is not known, use the ESC delete (18A) feature. Where the final upfit CG is known, and the unit requires ESC for other features (such as Driver Assist Technology) select the appropriate CG value range when ordering air brake during the specing process. Call TRKLINE (877-875-5463) with any questions.</i>

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	98E	Final Upfit Center of Gravity - High CG (58" to 68" FINAL Center of Gravity) <i>With MY23 having Electronic Stability Control Standard. When air brakes are selected, the "final upfit center of gravity (CG)" must be selected by dealer when ordering. If the final CG is not known, use the ESC delete (18A) feature. Where the final upfit CG is known, and the unit requires ESC for other features (such as Driver Assist Technology) select the appropriate CG value range when ordering air brake during the specing process. Call TRKLINE (877-875-5463) with any questions.</i>
☐	98F	Final Upfit Center of Gravity - Tanker High CG (58" to 68" FINAL Center of Gravity) <i>With MY23 having Electronic Stability Control Standard. When air brakes are selected, the "final upfit center of gravity (CG)" must be selected by dealer when ordering. If the final CG is not known, use the ESC delete (18A) feature. Where the final upfit CG is known, and the unit requires ESC for other features (such as Driver Assist Technology) select the appropriate CG value range when ordering air brake during the specing process. Call TRKLINE (877-875-5463) with any questions.</i>
☐	98J	Final Upfit Center of Gravity - Tanker Medium CG (48" to 58" FINAL Center of Gravity) <i>With MY23 having Electronic Stability Control Standard. When air brakes are selected, the "final upfit center of gravity (CG)" must be selected by dealer when ordering. If the final CG is not known, use the ESC delete (18A) feature. Where the final upfit CG is known, and the unit requires ESC for other features (such as Driver Assist Technology) select the appropriate CG value range when ordering air brake during the specing process. Call TRKLINE (877-875-5463) with any questions.</i>
☐	62F	Brake Chamber Spring Relocated - Required <i>Relocated to rear of rear axle for maximum ground clearance.</i>
☐	62F_	Brake Chamber Spring Relocated - Optional <i>Relocated to rear of rear axle for maximum ground clearance.</i>
☐	62D	Air Dryer, Bendix AD/IS w/Heater <i>Mounted left frame rail (for Hydraulic brake applications that include stand alone engine air compressor).</i>
☐	158	Trailer Air Brake Package <i>Includes air lines to rear of frame, hand control valve and tractor protection valve.</i>
☐	159	Trailer Connection Socket - 7-Way, Wired For Turn Signals Combined with Stop <i>Mounted at rear of frame, for combined trailer stop, tail, turn (compatible with trailers that use combined stop, tail, turn lights).</i>
☐	157	Trailer Connection Socket - 7-Way, Wired For Turn Signals, Separate of Stop

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
<i>Mounted at rear of frame, for separate trailer stop, tail, turn, marker light circuits (compatible with trailers that have amber or side turn lamps with separate stop/turn).</i>		

Front Axle and Suspension

☒	43N	10,000 Lb. Cap. Non-Driving - Dana E-1002I - I-Beam Type
☐	43P	12,000 Lb. Cap. Non-Driving - Dana E-1202I - I-Beam Type
☐	43D	14,000 Lb. Cap. Non-Driving - Dana
☒	61C	Taper-Leaf Springs, Parabolic - 10,000 Lb. Cap <i>2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>
☐	61D	Taper-Leaf Springs, Parabolic - 12,000 Lb. Cap <i>2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>
☐	61E	Taper-Leaf Springs, Parabolic - 13,200 Lb. Cap <i>3-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>
☐	61F	Taper-Leaf Springs, Parabolic - 14,000 Lb. Cap <i>3-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>
☐	15S	Front Stabilizer Bar
☐	60A	Lube, Front Axle, EmGard 50W, Synthetic Oil

Rear Axle and Suspension

☒	475	21,000 Lb. Single Reduction - Open - Dana / Spicer 21060S <i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>
☐	476	21,000 Lb. Single Reduction - Locking - Dana / Spicer 21060D

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
<i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>		
☐	479	23,000 Lb. Single Reduction - Open - Dana / Spicer S23-172
<i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>		
☐	47P	23,000 Lb. Single Reduction - Locking - Dana / Spicer S23-172D
<i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>		
☐	47X	26,000 Lb. Single Reduction - Open - Dana / Spicer S26-190
<i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>		
☒	68P	Multi-Leaf Springs - 21,000 Lb. Cap <i>For 19,000 lb. and 21,000 lb. rear axles. Includes 4,500 lb auxiliary rubber spring.</i>
☐	68R	Multi-Leaf Springs - 23,000 Lb. Cap <i>For 21,000 lb., 23,000 lb. and 26,000 lb. rear axles. Includes 4,500 lb auxiliary rubber spring.</i>
☐	68T	Multi-Leaf Springs - 31,000 Lb. Cap <i>For 23,000 lb. and 26,000 lb. rear axles. Includes 4,500 lb auxiliary rubber spring.</i>
☐	961	Shock Absorbers, Rear - Double Acting
☐	607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil
☐	X4G	4.88 Axle Ratio
☐	X5B	5.29 Axle Ratio
☐	X5D	5.57 Axle Ratio
☐	X6A	6.14 Axle Ratio

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	X6B	6.17 Axle Ratio
☐	X6D	6.50 Axle Ratio
☐	X6E	6.83 Axle Ratio

Wheelbase

☒	158WB	158" Wheelbase/84" CA/49" AF/246" OAL
☐	176WB	176" Wheelbase/102" CA/70" AF/285" OAL
☐	182WB	182" Wheelbase/108" CA/70" AF/291" OAL
☐	194WB	194" Wheelbase/120" CA/75" AF/308" OAL
☐	200WB	200" Wheelbase/126" CA/75" AF/314" OAL
☐	212WB	212" Wheelbase/138" CA/81" AF/332" OAL
☐	218WB	218" Wheelbase/144" CA/81" AF/338" OAL
☐	224WB	224" Wheelbase/150" CA/87" AF/350" OAL
☐	230WB	230" Wheelbase/156" CA/87" AF/356" OAL
☐	242WB	242" Wheelbase/168" CA/100" AF/381" OAL
☐	260WB	260" Wheelbase/186" CA/120" AF/419" OAL
☐	281WB	281" Wheelbase/207" CA/120" AF/440" OAL

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
Frame		
☒	535	Single Channel - Straight 'C' 15.14 SM, 80,000 PSI <i>1,211,200 RBM. High strength low alloy steel. 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm). Includes: - GVWR Limit: 37,000 lbs.</i>
☐	536	Single Channel - Straight 'C' 14.18 SM, 120,000 PSI <i>1,701,600 RBM. Heat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).</i>
☐	538	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI <i>2,037,600 RBM. Heat treated alloy steel; 10.250" x 3.610" x 0.375" (260.4mm x 91.66mm x 9.5mm).</i>
☐	539	Single Channel - Straight 'C' 20.11 SM, 120,000 PSI <i>2,413,200 RBM. Heat treated alloy steel; 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm).</i>
☐	41R	Outer "C" Channel Reinforcement - 120,000 PSI <i>29.84 SM; 3,580,800 RBM. Heat treated alloy steel; 10.813" x 3.892" x 0.312"; (274.6 mm x 98.9 mm x 8.0 mm).</i>
☐	532	Frame Extension, Front - Integral 20" in Front of Grille <i>Includes: - Grille, Fixed - Black/Gray - Bumper, Front - Delete - Also Deletes Mounting Brackets</i>
☐	765	Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)
☐	76X	Bumper, Front - Delete - Also Deletes Mounting Brackets
☐	76F	3" Front Bumper Extension
☐	76Y	Tow Hooks - Delete

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	18D	Special Rating GVWR - Limited to 25,999 Lb. GVWR Only available to GAWR combinations that EXCEED 26,000 lbs.
☐	18G	Special De-Rating GVWR - Limited to 33,000 Lb. GVWR Only available to GAWR combinations that EXCEED 33,000 lbs. <i>May eliminate the need to pay 12% Federal Excise Tax (F. E. T.).</i>
☐	86C	Chrome Grille Surround
☐	86B	Grille, Fixed - Black/Gray
☐	19D	Frame Rail Drill #3 <i>Factory pre-drilled holes in frame rails to support aftermarket install of Hydraulic pump system for EZ-TRAC 4x4 conversion.</i>
☐	19E	Frame Rail Drill #2 <i>Factory pre-drilled holes in frame rails to support aftermarket install of transfer case brackets for a Meritor 4x4 conversion.</i>

Exhaust

☒	91G	Under Cab, Right Side Outlet, Switchback-Style <i>Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.</i>
☐	91B	Back of Cab, Right Side Outlet, Torpedo-Style <i>Single, horizontal muffler/pipe, inline, right side exhaust with underbody exit, in front of axle.</i>
☐	91D	Under Cab, Vertical Outlet, Right Side, Switchback-Style - Intrudes 2" Into Clean CA WARNING! The selection of this Exhaust could reduce the available CA dimension. <i>Single, horizontal muffler, right side under cab outside of frame rail with vertical exhaust passenger side rear corner with heat shield and turnout exit.</i>

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
Fuel Tanks		
☒	65B	Fuel Tank - LH 50 Gallon Rectangular - Aluminum
☐	65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum
☐	65F	Fuel Tank - 115 Gallon Rectangular - Aluminum - LH 65-Gal, RH 50-Gal
Electrical / Alternator / Battery		
☒	STDALT	Extra Heavy Duty Alternator - 12-Volt, 195 Amp
☐	17D	Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 Amp
☐	17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps
☐	55M	Jump Start Stud - Remote Mounted
☒	STDBAT	Battery - Two 750 CCA, 1500 Total, Includes Steel Battery Box
	12Volt, Motorcraft.	
☐	63B	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box
	12Volt, Motorcraft.	
☐	63D	Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box
	12Volt, Motorcraft.	
☐	164	Roof Marker/Clearance Lights - Clear Lenses, 5 Lights (Replaces Standard Amber Lenses)

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined) <i>Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, back up lamps. Also includes 2 additional pass through wires to cab.</i>
☐	59D	Body Builder Wiring - At Back of Cab, Separate - (ILO Standard - Back of Cab Combined) <i>Includes sealed connectors for 2 ground circuits, with separate left/stop, separate right/stop, back up lamps. Also includes 2 additional pass through wires to cab.</i>
☐	59E	Body Builder Wiring - At End of Frame, Separate - (ILO Standard - Back of Cab Combined) <i>Includes sealed connectors for 2 ground circuits, with separate left/stop, separate right/stop, back up lamps. Also includes 2 additional pass through wires to cab.</i>
☐	17M	Back-Up Alarm - Electric, 102 dBA
☐	962	Daytime Running Lamps (Not Configurable)
☐	86M	Vehicle Integration System 1.0
☐	55X	Tail Light Delete <i>Deletes stop, turn, tail and backup lights. Does not omit cable harness to end of frame.</i>
☐	16V	Voltmeter <i>Available in message center.</i>
☒	61A	Embedded Modem Delete This option MUST be added to each order for the duration of the model year. <i>This will be a forced option on all orders and builds from start of production.</i>

Seats

☒	88A	30/0/30 Fixed Driver & Fixed Passenger w/Consolelette - Vinyl
-------------------------------------	-----	---

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	88B	30/0/30 Fixed Driver & Fixed Passenger w/Consolelette - Cloth
☐	881	30/70 Fixed Driver & Fixed 2-Passenger Bench - Vinyl
☐	882	30/70 Fixed Driver & Fixed 2-Passenger Bench - Cloth
☐	88R	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolelette - Vinyl
☐	88S	30/0/30 Air Ride Driver (Integral Air Pump) & Fixed Passenger w/Consolelette - Cloth
☐	88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl
☐	88H	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Cloth
☐	88J	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolelette - Vinyl
☐	88K	30/0/30 Air Ride Driver (Integral Air Pump) & Air Ride Passenger (Integral Air Pump) w/Consolelette - Cloth
☐	88L	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Vinyl
☐	88M	30/70 Air Ride Driver (Integral Air Pump) & Fixed 2-Passenger Bench - Cloth

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	88N	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Console - Vinyl
☐	88P	30/0/30 Air Ride Driver (External Air Source) & Fixed Passenger w/Console - Cloth
☐	88E	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Console - Vinyl
☐	88F	30/0/30 Air Ride Driver (External Air Source) & Air Ride Passenger (External Air Source) w/Console - Cloth
☐	88Y	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Vinyl
☐	88Z	40/20/40 Fixed Driver & Fixed Passenger w/Unique 20% Fold-Down Console - Cloth

Cab Interior



600A

Preferred Equipment Package 600A

Includes:

- Bumper, Front - Black, Full Width
- Wheel Seals, Front - Oil Lubricated, SKF ScotSeal PlusXL Seals
- Wheel Seals, Rear - Oil Lubricated, SKF ScotSeal PlusXL Seals
- Manual Regen Initiation - Driver Interface in Message Center
- Engine Exhaust Brake
- Extra Heavy Duty Alternator - 12-Volt, 195 Amp
- Painted Grille - Plastic
- Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights
- Tow Hooks, Front (2) - Frame-Mounted, Painted Black
- Four Body Builder Switches - Mounted in Center Instrument Panel
- With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.
- Floor Covering - Black Vinyl
- Intelligent Oil Life Monitor
- Steering Column - Tilt / Telescoping
- Steering Wheel - Black PVC w/Integral Cruise Control Switches, Includes Audio Controls
- Body Builder Wiring - At Back of Cab, Combined
- Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, park lamps, back up lamps. Also includes 2 additional pass through wires to cab.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	87H	Driver Assist Technology Package. Hydraulic Brake <i>Includes Forward Collision Warning, Lane Departure Warning and Auto High Beam Control.</i>
☐	87A	Driver Assist Technology Package (w/Bendix Wingman Advanced). Air Brake <i>Includes Forward Collision Warning, Lane Departure Warning, Adaptive Cruise Control and Auto High Beam Control.</i>
☐	61M	Rear View Camera w/Mirror Display <i>Rear view mirror video with full length display included in kit. To be installed by Upfitter.</i>
☐	90A	Appearance Group <i>Includes front-mounted overhead console with dual sunglass bins and integral front map reading lights.</i> <i>Includes:</i> <i>- Chrome Trimmed Air Registers w/Positive Shut-Off</i> <i>- Power Equipment Group - (Included in (90A) Appearance Group)</i> <i>Includes power front side windows, power door locks and door trim panel.</i> <i>- Remote Keyless Entry</i>
☐	92J	Enhanced Cluster w/High-Level 8-Inch Display <i>Electronic speedometer (MPH/KPH), includes oil pressure, coolant temperature, DEF gauge, fuel gauge, tachometer, and indicator lights. Also included is enhanced 3-button Message Center with odometer, trip odometer, distance to empty for fuel, average fuel economy, hour meter and warning messages.</i> <i>Transmission temperature in message center.</i>
☐	90P	Power Equipment Group - (Included in (90A) Appearance Group) <i>Includes power front side windows, power door locks and door trim panel.</i> <i>Includes:</i> <i>- Remote Keyless Entry</i>
☐	86H	Rapid-Heat Supplemental Cab Heater Required with Alaska, Colorado, Idaho, Iowa, Maine, Michigan, Minnesota, Montana, New Hampshire, New York, North Dakota, South Dakota, Vermont, Wisconsin, Wyoming.
☐	96C	Pull Out Cup Holder For Two Cups - Instrument Panel Mounted
☐	55P	110 A/C Outlet - in Lower Center Finish Panel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	214	4 Speaker Option For 588 Radio
☒	588	Radio: AM/FM Stereo w/2 Speakers, USB Input, Clock Display and Bluetooth
☐	58B	Radio Delete Package <i>Deletes radio, speakers, antenna and antenna cable. Includes radio instrument panel cover and aux audio jack cover and speaker locations for future radio upfit if owner desires.</i>
☐	85B	Keyed Alike - Not Available with Anti-Theft System, Requires Multiple-Unit Order
☐	85L	Keyed Alike - Option 1 - Not Available with Anti-Theft System, Requires Multiple-Unit Order
☐	85M	Keyed Alike - Option 2 - Not Available with Anti-Theft System, Requires Multiple-Unit Order
☐	85N	Keyed Alike - Option 3 - Not Available with Anti-Theft System, Requires Multiple-Unit Order
☐	85P	Keyed Alike - Option 4 - Not Available with Anti-Theft System, Requires Multiple-Unit Order
☐	90M	Interior Rear View Mirror

Cab Exterior

☐	90E	Exterior Appearance Group <i>Includes:</i> <i>- Bumper, Front - Full Width, Chrome Plated Steel - (Included in (90E) Exterior Appearance Group)</i> <i>- Chromed Fender Badge</i> <i>- Chrome Grille Surround</i>
☐	94T	Tamper-Proof Odometer

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	59A	Horn, Air - Black, Single Trumpet <i>Air solenoid operated, chassis mounted on rail back of bumper.</i>
☒	54M	Mirrors, Dual - Heated Rectangular, XL2020 - 96" Width <i>Integral mirror, sail type, manual fold, solid black finish.</i>
☐	54P	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width <i>Integral spot mirror, sail type, solid black finish.</i>
☐	54A	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 96" Width w/Chrome Cap <i>Integral spot mirror, sail type.</i>
☐	54C	Mirrors, Dual - Heated Rectangular, XL2020 - 102" Width <i>Integral spot mirror, sail type, manual fold, solid black finish.</i>
☐	54R	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width <i>Integral spot mirror, sail type, solid black finish.</i>
☐	54K	Mirrors, Dual - Heated & Motorized Rectangular, XL2020 - 102" Width w/Chrome Cap <i>Integral spot mirror, sail type.</i>
☐	54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding <i>Includes power heated glass, heated convex spotter and integrated clearance lights/turn signals. Heat controls dash mounted.</i>
☐	63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side
☐	63G	Aux Spot Mirror - Front Fender Mounted - (1) Passenger Side Only

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	165	Mud Flap Holder Without Flaps
☐	166	Mud Flap Holder with Flaps

Ship-Thru

☐	21A	Pre-Delivery Inspection Selection requires that you also choose either (314) or (31F) or (31V) to have the Inspection performed. Required with any final Ship-To that is not a dealer.
☐	31T	Ship-Thru: Bobs Services LLC MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Manning (please use CVT Resources for add. Info).
☐	314	Ship-Thru - Manning MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Manning (please use CVT Resources for add. Info).
☐	31F	Ship-Thru - NFS National Fleet Services MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with NFS (please use CVT Resources for add. Info).
☐	31S	Ship-Thru: Roush CleanTech MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Roush (please use CVT Resources for add. Info).
☐	31Y	Ship-Thru: Zoresco Equipment MAY be selected w/o adding (21A). For MODIFICATIONS ONLY, Dealer must make arrangements directly with Zoresco (please use CVT Resources for add. Info).

Miscellaneous

☒	PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"
-------------------------------------	-------	---

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	79V	COV Required Send a paper Certificate of Origin for a Vehicle (COV) for those states that file electronically - CA or MI.
Fleet Options		
☐	19A	Ambulance Prep Pkg w/Special Emissions REQUIRES valid FIN code. <i>Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford vehicles are suitable for producing ambulances with special emissions only if equipped with the Ford Ambulance Prep Package with EPA Special Emergency Vehicle Emissions. In addition, Ford urges ambulance manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). Using a Ford vehicle without the Ford Ambulance Package with EPA Special Emergency Vehicle Emissions to produce an ambulance with special emissions voids the Ford warranty. NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Allows operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.</i> <i>Includes:</i> <i>- Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 Amp</i> <i>- Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box</i> <i>12Volt, Motorcraft.</i>
☐	19F	Fire/Rescue Prep Pkg w/EPA Special Emissions REQUIRES valid FIN code. <i>Includes EPA Special Emergency Vehicle Emissions. Incomplete vehicle package - requires further manufacture and certification by a final stage manufacturer. Ford urges Fire/Rescue Vehicle manufacturers to follow the recommendations of the Ford Incomplete Vehicle Manual and the Ford Truck Body Builders Layout Book (and pertinent supplements). NOTE 1: Stationary Elevated Idle Control (SEIC) has been integrated into the engine control module. NOTE 2: Engine calibration significantly reduces the possibility of depower mode when in stationary PTO operation. NOTE 3: Operator commanded regen down to 30% of DPF filter full, instead of 100%. NOTE 4: Must meet the definition of an Emergency Vehicle, an Ambulance or Fire Truck per 40 CFR 86.1803.01 in the Federal Register. NOTE 5: California Code of Regulations allows for the sale of Federally certified emergency vehicles in California.</i> <i>Includes:</i> <i>- Dual Heavy Duty Alternators - 357 Amp Capacity - 200 & 157 Amp</i> <i>- Battery - Three 900 CCA, 2700 Total, Includes Steel Battery Box</i> <i>12Volt, Motorcraft.</i>
☐	19B	Beverage Delivery Package <i>Includes body builder wiring at back of cab at frame, sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, park lamps, back up lamps, also includes 2 additional pass through wires to cab with 6 feet additional length to accommodate drop frame beverage body application.</i>
☐	B4A	Net Invoice Fleet Option

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	56A	CPA Fleet Incentive
☐	56B	Commercial Repurchase
☐	56F	FRCS Long Term
☐	56K	Long Term Fleet Incentive
☐	56M	National Fleet Incentive
☐	56Y	DDR Program
☐	FLADCR	Fleet Special Adjustment Credit
☐	55D	Driver Assistance - FLEET SETTINGS
	Requires Valid Code.	
	<i>Note: Settings are locked and cannot be changed by driver or fleet administrator. Includes driver alert set to ON, collision assist - alert sensitivity set to NORMAL, distance indication is set to ON, active braking set to ON, pre collision warning set to ON, lane keeping set to ON, sensitivity set to NORMAL, auto lamp delay set to 20 sec, auto high beam set to ON and daytime lights set to ON.</i>	
☐	87S	Fleet Safety Kit
	<i>Includes 5 lb fire extinguisher class A, B and C with mounting brackets, triangle reflector and vehicle fuse kit (shipped loose not installed at plant).</i>	

VSO Options

☐	SP101	VSO - Monotone Special Paint (Minimum Quantity 5)
☐	SPF	VSO - Special Paint Formulation (Minimum Quantity 5)
☐	YFV	VSO SPO Code

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: Wesley Boswell

04/09/2026

Peoria Ford Commercial Fleet | 17338 N. 92nd Ave. Peoria Arizona | 85382

2027 F-750 Diesel Regular Cab Base (F7D)

Price Level: 715

Available Options (cont'd)

Selected	Code	Description
☐	YGO	VSO - ORG BELTS 30 70 AIR SEAT 27 MD <i>Orange seat belts, for air 30/70 driver and passenger seats only. Center belt remains black. Regular cab only.</i>
☐	YGP	VSO - ORG BELTS AIR D FXD PASS 027 M <i>Orange seat belts, driver and passenger seats only. Center belt remains black. Regular cab only. 30/30 air driver seat, fixed passenger seat.</i>
☐	YGM	VSO - ORG BELTS OUTBRD RC 27 MD <i>Orange seat belts, driver and passenger seats only. Center belt remains black. Regular cab only. 30/30 air driver seat.</i>
☐	YGL	VSO - ORG SEAT BELTS FXD OTR 027 MD <i>Orange seat belts, driver and passenger seats only 30 0 30, or 40 20 40 fixed seats.</i>

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.