



RUSH ISUZU TRUCK SEALY

Colton Kruse

FVR De-Rate (2027 FVR De-Rate, MW1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Warranty

Warranty Limitations: Time or Mileage, Whichever Occurs First

	Years	Mileage
Basic	3	Unlimited
Engine-Cummins*	3	Unlimited
Transmission - Allison**	3	Unlimited
Drivetrain	3	Unlimited
Frame Rails	3 5***	Unlimited Unlimited***
Corrosion (Rust Through)	4	Unlimited
Roadside Assistance	3 5††	Unlimited 100,000††
Emission Warranty		
	Years	Mileage
Federal Emission / Defect†††	5	100,000
CARB Emission / Defect†††	5	150,000
GHG Emission	5	100,000
Tire	2	24,000
Tire Pressure Monitoring System	5	50,000

*The Cummins engine is warranted separately by Cummins.

**The Allison Automatic Transmission is warranted separately by Allison Transmission.

***After 3 years, coverage is 50% labor and parts for up to 5 years.

††Tows related to emissions issues may be covered for up to 5 years or 100,000 miles (whichever occurs first).

†††Emission components are covered by either Isuzu or Cummins; see your Isuzu dealer for details.

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. See your authorized Isuzu dealer for warranty details.

*The Cummins engine is warranted separately by Cummins.

**The Allison Automatic Transmission is warranted separately by Allison Transmission.

***After 3 years, coverage is 50% labor and parts for up to 5 years.

Current report content is based on data as of 2026-04-08 11:48:29. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

FVR De-Rate (2027 FVR De-Rate, MW1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Warranty

^{††}Tows related to emissions issues may be covered for up to 5 years or 100,000 miles (whichever occurs first).

^{†††}Emission components are covered by either Isuzu or Cummins; see your Isuzu dealer for details.

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. See your authorized Isuzu dealer for warranty details.

Current report content is based on data as of 2026-04-08 11:48:29. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

FVR De-Rate (2027 FVR De-Rate, MW1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Selected Model and Options

	Code	Description	MSRP
Model			
	MW1	FVR De-Rate 152"WB, 127"CA	\$123,148.00
	G1	White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank	\$0.00
Options			
	RQ2	Truck Application	Inc.
	C60	Air conditioner	Inc.
	IL0	Yes	Inc.
	I5H	LRR (low rolling resistance)	Inc.
	IX1	Dual 12-Volt maintenance free group 31 750 CCA batteries with threaded posts	Inc.
	IQ6	Standard Floor Mats	Inc.
	EPA	Federal. These vehicles have a Federal Emissions System. Not for sale in California or other CARB adopting states.	Inc.
	40C	Dana E1254-W 12,000 lbs. capacity	Inc.
	70A	Left hand rail	Inc.
	Z06	Full air dual circuit, s-cam, drum	Inc.
	A56	Level air suspension seat with RH armrest driver seat	Inc.
	34K	12,000 lbs. capacity	Inc.
	7KJ	Straight frame, 80,000 PSI, 33.5 wide	Inc.
	DJ6	Black mirror head with black stays	Inc.
	729	Arc white color	Inc.
	IX2	Rear body dome lamp switch	Inc.
	1E8	Cummins B6.7, diesel engine, 408 CID (6.7L), 260 HP at 2400 RPM, 660 lb.-ft. gross torque at 1600 RPM, 6-cylinder, turbocharged, inter-cooled, EGR cooler, high pressure common rail fuel system, and single module aftertreatment.	Inc.
	E6U	Dry paper single element. (Donaldson)	Inc.
	KW1	160 AMP. with integral regulator.	Inc.
	I0B	Single module Cummins aftertreatment w/ DPF & SCR, exhaust cooler, and electronic exhaust restriction.	Inc.
	I04	17 CFM turbocharged heavy duty.	Inc.
	8VN	AM/FM stereo with auxiliary input, USB port, and Bluetooth.	Inc.
	Y6T	Allison RDS 2500 / 6 speed trans w/ PTO gear	Inc.
	M21	Dana S21-140 single-speed axle, 21,000 lbs. capacity with synthetic lubricant	Inc.
	39W	152" Wheelbase 127"CA	Inc.
	G1	White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon	Inc.

Current report content is based on data as of 2026-04-08 11:48:29. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

FVR De-Rate (2027 FVR De-Rate, MW1 152"WB, 127"CA, 25,950 GVWR. White, standard model specifications with power windows, power door locks, air conditioning, 5.57 final ratio, 11R22.5G tires, 21,000 multi leaf suspension, steel wheel type, and 50 gallon aluminum fuel tank

Selected Model and Options

Code	Description	MSRP
	aluminum fuel tank	
011	5.571:1	Inc.
5S8	11R22.5 G	Inc.
THF	50 Gallon Fuel Tank Capacity	Inc.
34L	21,000 lbs. capacity	Inc.
SAS	Multi leaf, bolted	Inc.
Totals		
	Base Price	\$123,148.00
	Destination Charge	\$3,600.00
	Surcharge	\$0.00
	DEF Fill Charge	\$20.00
	Total Options Price	\$
	Tire Weight Tax	\$151.68
	Total	\$126,919.68

Current report content is based on data as of 2026-04-08 11:48:29. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.