



RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR-HD Gas (2027 NPR-HD Gas Cab Chassis, 1F1 109"WB, 86.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Warranty

Warranty Limitations: Time or Mileage, Whichever Occurs First

	Years	Mileage
Basic	3	36,000
Engine		
Transmission - 8L-90	5	75,000
Transmission - Allison*		
Drivetrain		
Frame Rails	3	36,000
	5**	Unlimited*
Corrosion (Rust Through)	4	Unlimited
Roadside Assistance	3	36,000
	5†	75,000†
Emission Warranty		
	Years	Mileage
Emissions Control System - Federal	5	50,000
Emissions Control System (NPR model) - California***	3	70,000
	7	70,000
GHG Emission	5	50,000
Tire	2	24,000

**The Allison automatic transmission is warranted separately by Allison Transmission.*

***After 3 years or 36,000 miles (whichever occurs first), labor and parts coverage is 50% for up to 5 years.*

†Tows related to powertrain issues may be covered for up to 5 years or 75,000 miles (whichever occurs first).

****Please see warranty booklet for coverage details.*

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. Please see your authorized Isuzu dealer for warranty details.

*The Allison automatic transmission is warranted separately by Allison Transmission.

**After 3 years or 36,000 miles (whichever occurs first), labor and parts coverage is 50% for up to 5 years.

†Tows related to powertrain issues may be covered for up to 5 years or 75,000 miles (whichever occurs first).

***Please see warranty booklet for coverage details.

Current report content is based on data as of 2026-04-08 09:05:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR-HD Gas (2027 NPR-HD Gas Cab Chassis, 1F1 109"WB, 86.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Warranty

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. Please see your authorized Isuzu dealer for warranty details.

Current report content is based on data as of 2026-04-08 09:05:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR-HD Gas (2027 NPR-HD Gas Cab Chassis, 1F1 109"WB, 86.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Selected Model and Options

	Code	Description	MSRP
Model			
	1F1	NPR-HD Gas Cab Chassis 109"WB, 86.5"CA	\$71,128.00
	04	White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth	\$0.00
Options			
	RQ2	Truck Application	Inc.
	KNX	Dry paper single element. Air cleaner canister standard with air restriction gauge.	Inc.
	IL3	Single Delco 12-V maintenance free 750 CCA frame mounted battery box	Inc.
	I41	Single horizontal aluminized steel with catalytic converter and oxygen sensor devices.	Inc.
	AQB	Driver seat is reclining high back. Two single occupant fold down seats with tray backs.	Inc.
	C60	Air conditioner	Inc.
	IL0	Yes	Inc.
	I5H	LRR (low rolling resistance)	Inc.
	ID3	Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.	Inc.
	04	White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth	Inc.
	IX2	Rear body dome lamp switch	Inc.
	A17	38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.	Inc.
	8VN	AM/FM stereo with auxiliary input, USB port, and Bluetooth.	Inc.
	ID2	"I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	Inc.
	I8J	12,900 lbs. Capacity semi elliptical; main and auxiliary multi- leaf spring. Includes shock absorbers.	Inc.
	IB9	19.5" x 6", 6-hole disc, painted white	Inc.
	I8B	225/70R19.5G (14 ply) tubeless Radial, all season tread	Inc.
	IC1	19.5" x 6", 6-hole disc, painted white	Inc.
	I9B	225/70R19.5G (14 ply) tubeless Radial, all season tread.	Inc.
	ID4	6,830 lb. capacity. Semi-elliptical tapered leaf springs. Includes shock absorbers and stabilizer bar.	Inc.
	066	4.100:1	Inc.
	L8T	GMPT 6.6L (400 CID) V8 gasoline engine; 350 HP at 4500 RPM; 425 lb-ft torque at 3800 RPM; precise fuel control direct injection technology; electronic throttle control; overhead valves with variable valve timing; heavy duty cast-iron cylinder block with six-	Inc.

Current report content is based on data as of 2026-04-08 09:05:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR-HD Gas (2027 NPR-HD Gas Cab Chassis, 1F1 109"WB, 86.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Selected Model and Options

Code	Description	MSRP
	bolt main-bearing cap; cast aluminum cylinder heads; forged steel crankshaft; stainless steel exhaust manifold.	
KW7	170 Amp. output with integral regulator.	Inc.
IE1	Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard.	Inc.
N8X	8L90-E Hydra-Matic, 8-speed automatic with lock-up converter and overdrive. Gear Ratios: 4.56, 2.97, 2.08, 1.69, 1.27, 1.00, 0.85, 0.65, Rev. 3.82:1	Inc.
IA8	109 inches 86.5"CA	Inc.
Totals		
	Base Price	\$71,128.00
	Destination Charge	\$2,275.00
	Surcharge	\$0.00
	DEF Fill Charge	\$0.00
	Total Options Price	\$
	Tire Weight Tax	\$26.64
	Total	\$73,429.64

Current report content is based on data as of 2026-04-08 09:05:57. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.