



# RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR Crew Gas (2027 NPR Gas Crew Cab, 1D3 150"WB, 88.5"CA, 12,000 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

## Warranty

**Warranty Limitations: Time or Mileage, Whichever Occurs First**

|                                                      | Years | Mileage    |
|------------------------------------------------------|-------|------------|
| Basic                                                | 3     | 36,000     |
| Engine                                               |       |            |
| Transmission - 8L-90                                 | 5     | 75,000     |
| Transmission - Allison*                              |       |            |
| Drivetrain                                           |       |            |
| Frame Rails                                          | 3     | 36,000     |
|                                                      | 5**   | Unlimited* |
| Corrosion (Rust Through)                             | 4     | Unlimited  |
| Roadside Assistance                                  | 3     | 36,000     |
|                                                      | 5†    | 75,000†    |
| Emission Warranty                                    |       |            |
|                                                      | Years | Mileage    |
| Emissions Control System - Federal                   | 5     | 50,000     |
| Emissions Control System (NPR model) - California*** | 3     | 70,000     |
|                                                      | 7     | 70,000     |
| GHG Emission                                         | 5     | 50,000     |
| Tire                                                 | 2     | 24,000     |

\*The Allison automatic transmission is warranted separately by Allison Transmission.

\*\*After 3 years or 36,000 miles (whichever occurs first), labor and parts coverage is 50% for up to 5 years.

†Tows related to powertrain issues may be covered for up to 5 years or 75,000 miles (whichever occurs first).

\*\*\*Please see warranty booklet for coverage details.

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. Please see your authorized Isuzu dealer for warranty details.

\*The Allison automatic transmission is warranted separately by Allison Transmission.

\*\*After 3 years or 36,000 miles (whichever occurs first), labor and parts coverage is 50% for up to 5 years.

†Tows related to powertrain issues may be covered for up to 5 years or 75,000 miles (whichever occurs first).

\*\*\*Please see warranty booklet for coverage details.

Current report content is based on data as of 2026-04-08 08:58:08. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR Crew Gas (2027 NPR Gas Crew Cab, 1D3 150"WB, 88.5"CA, 12,000 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

## Warranty

The warranty coverages are determined by the mileage of the vehicle and the number of years from the delivery date. The warranty coverages are limited by whichever occurs first. Please see your authorized Isuzu dealer for warranty details.

Current report content is based on data as of 2026-04-08 08:58:08. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR Crew Gas (2027 NPR Gas Crew Cab, 1D3 150"WB, 88.5"CA, 12,000 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

## Selected Model and Options

|         | Code   | Description                                                                                                                                                                                                                                                                                                                                                                       | MSRP        |
|---------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Model   |        |                                                                                                                                                                                                                                                                                                                                                                                   |             |
|         | 1D3    | NPR Gas Crew Cab 150"WB, 88.5"CA                                                                                                                                                                                                                                                                                                                                                  | \$76,676.00 |
|         | 04     | White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth                                                                                                                                                                                                                     | \$0.00      |
| Options |        |                                                                                                                                                                                                                                                                                                                                                                                   |             |
|         | RQ2    | Truck Application                                                                                                                                                                                                                                                                                                                                                                 | Inc.        |
|         | KNX    | Dry paper single element. Air cleaner canister standard with air restriction gauge.                                                                                                                                                                                                                                                                                               | Inc.        |
|         | IL3    | Single Delco 12-V maintenance free 750 CCA frame mounted battery box                                                                                                                                                                                                                                                                                                              | Inc.        |
|         | I41    | Single horizontal aluminized steel with catalytic converter and oxygen sensor devices.                                                                                                                                                                                                                                                                                            | Inc.        |
|         | C60    | Air conditioner                                                                                                                                                                                                                                                                                                                                                                   | Inc.        |
|         | IL0    | Yes                                                                                                                                                                                                                                                                                                                                                                               | Inc.        |
|         | I5H    | LRR (low rolling resistance)                                                                                                                                                                                                                                                                                                                                                      | Inc.        |
|         | ID3    | Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.                                                                                                                                                                                                                                                                                                        | Inc.        |
|         | 04     | White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth                                                                                                                                                                                                                     | Inc.        |
|         | IX2    | Rear body dome lamp switch                                                                                                                                                                                                                                                                                                                                                        | Inc.        |
|         | A17    | 38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.                                                                                                                                                                                                                                           | Inc.        |
|         | 8VN    | AM/FM stereo with auxiliary input, USB port, and Bluetooth.                                                                                                                                                                                                                                                                                                                       | Inc.        |
|         | ID2    | "I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.                                                                                                                                                                                                                                                                                       | Inc.        |
|         | I8J    | 12,900 lbs. Capacity semi elliptical; main and auxiliary multi- leaf spring. Includes shock absorbers.                                                                                                                                                                                                                                                                            | Inc.        |
|         | RBV    | 16" X 6", 6-hole disc, painted white.                                                                                                                                                                                                                                                                                                                                             | Inc.        |
|         | I53I69 | 215/85R16E (10 ply) tubeless Radial, all season tread.                                                                                                                                                                                                                                                                                                                            | Inc.        |
|         | RBZ    | 16" X 6", 6-hole disc, painted white.                                                                                                                                                                                                                                                                                                                                             | Inc.        |
|         | I53I34 | 215/85R16E (10 ply) tubeless Radial, all season tread.                                                                                                                                                                                                                                                                                                                            | Inc.        |
|         | ID4    | 6,830 lb. capacity. Semi-elliptical tapered leaf springs. Includes shock absorbers and stabilizer bar.                                                                                                                                                                                                                                                                            | Inc.        |
|         | L8T    | GMPT 6.6L (400 CID) V8 gasoline engine; 350 HP at 4500 RPM; 425 lb-ft torque at 3800 RPM; precise fuel control direct injection technology; electronic throttle control; overhead valves with variable valve timing; heavy duty cast-iron cylinder block with six-bolt main-bearing cap; cast aluminum cylinder heads; forged steel crankshaft; stainless steel exhaust manifold. | Inc.        |

Current report content is based on data as of 2026-04-08 08:58:08. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# RUSH ISUZU TRUCK SEALY

Colton Kruse

NPR Crew Gas (2027 NPR Gas Crew Cab, 1D3 150"WB, 88.5"CA, 12,000 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

## Selected Model and Options

| Code   | Description                                                                                                                                                               | MSRP        |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| KW7    | 170 Amp. output with integral regulator.                                                                                                                                  | Inc.        |
| IE1    | Vacuum + Power Assist; hydraulic 4-wheel disc brakes with 4-channel ABS. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard. | Inc.        |
| I9R    | Driver seat is reclining high back. Two single occupant fold down seats with tray backs. Four occupant bench seat in rear.                                                | Inc.        |
| N8X    | 8L90-E Hydra-Matic, 8-speed automatic with lock-up converter and overdrive. Gear Ratios: 4.56, 2.97, 2.08, 1.69, 1.27, 1.00, 0.85, 0.65, Rev. 3.82:1                      | Inc.        |
| 071    | 3.91:1                                                                                                                                                                    | Inc.        |
| IB1    | 150 inches 88.5"CA                                                                                                                                                        | Inc.        |
| Totals |                                                                                                                                                                           |             |
|        | Base Price                                                                                                                                                                | \$76,676.00 |
|        | Destination Charge                                                                                                                                                        | \$2,275.00  |
|        | Surcharge                                                                                                                                                                 | \$0.00      |
|        | DEF Fill Charge                                                                                                                                                           | \$0.00      |
|        | Total Options Price                                                                                                                                                       | \$          |
|        | Tire Weight Tax                                                                                                                                                           | \$0.00      |
|        | Total                                                                                                                                                                     | \$78,951.00 |

Current report content is based on data as of 2026-04-08 08:58:08. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.