



RUSH ISUZU TRUCK SEALY

Colton Kruse

NQR Crew Cab Gas (2027 NQR Gas Crew Cab, 1S3 150"WB, 88.5"CA, 17,950 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Warranty

Current report content is based on data as of 2026-04-08 11:35:43. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

NQR Crew Cab Gas (2027 NQR Gas Crew Cab, 1S3 150"WB, 88.5"CA, 17,950 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Selected Model and Options

	Code	Description	MSRP
Model			
	1S3	NQR Gas Crew Cab 150"WB, 88.5"CA	\$85,156.00
	04	White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth	\$0.00
Options			
	RQ2	Truck Application	Inc.
	KNX	Dry paper single element. Air cleaner canister standard with air restriction gauge.	Inc.
	IL3	Single Delco 12-V maintenance free 750 CCA frame mounted battery box	Inc.
	I41	Single horizontal aluminized steel with catalytic converter and oxygen sensor devices.	Inc.
	C60	Air conditioner	Inc.
	IL0	Yes	Inc.
	I5H	LRR (low rolling resistance)	Inc.
	ID3	Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.	Inc.
	04	White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth	Inc.
	IX2	Rear body dome lamp switch	Inc.
	A17	38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.	Inc.
	8VN	AM/FM stereo with auxiliary input, USB port, and Bluetooth.	Inc.
	ID2	"I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	Inc.
	IB9	19.5" x 6", 6-hole disc, painted white	Inc.
	I8B	225/70R19.5G (14 ply) tubeless Radial, all season tread	Inc.
	IC1	19.5" x 6", 6-hole disc, painted white	Inc.
	I9B	225/70R19.5G (14 ply) tubeless Radial, all season tread.	Inc.
	IC6	5.375:1	Inc.
	L8T	GMPT 6.6L (400 CID) V8 gasoline engine; 350 HP at 4500 RPM; 425 lb-ft torque at 3800 RPM; precise fuel control direct injection technology; electronic throttle control; overhead valves with variable valve timing; heavy duty cast-iron cylinder block with six-bolt main-bearing cap; cast aluminum cylinder heads; forged steel crankshaft; stainless steel exhaust manifold.	Inc.
	Y6V	Allison 1000 RDS 6-speed automatic transmission w/o PTO. Gear Ratios: 3.100, 1.810, 1.410, 1.000, 0.710, 0.610, Rev 4.490:1	Inc.

Current report content is based on data as of 2026-04-08 11:35:43. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

NQR Crew Cab Gas (2027 NQR Gas Crew Cab, 1S3 150"WB, 88.5"CA, 17,950 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Selected Model and Options

	Code	Description	MSRP
	I9R	Driver seat is reclining high back. Two single occupant fold down seats with tray backs. Four occupant bench seat in rear.	Inc.
	IB1	150 inches 88.5"CA	Inc.
Totals			
		Base Price	\$85,156.00
		Destination Charge	\$2,275.00
		Surcharge	\$0.00
		DEF Fill Charge	\$0.00
		Total Options Price	\$
		Tire Weight Tax	\$26.64
		Total	\$87,457.64

Current report content is based on data as of 2026-04-08 11:35:43. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.