



RUSH ISUZU TRUCK SEALY

Colton Kruse

NRR Gas (2027 NRR Gas Cab Chassis, 1U2 132.5"WB, 110"CA, 19,500 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Warranty

Current report content is based on data as of 2026-04-08 11:42:50. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

NRR Gas (2027 NRR Gas Cab Chassis, 1U2 132.5"WB, 110"CA, 19,500 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Selected Model and Options

	Code	Description	MSRP
Model			
	1U2	NRR Gas Cab Chassis 132.5"WB, 110"CA	\$78,216.00
	04	White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth	\$0.00
Options			
	RQ2	Truck Application	Inc.
	KNX	Dry paper single element. Air cleaner canister standard with air restriction gauge.	Inc.
	IL3	Single Delco 12-V maintenance free 750 CCA frame mounted battery box	Inc.
	I41	Single horizontal aluminized steel with catalytic converter and oxygen sensor devices.	Inc.
	AQB	Driver seat is reclining high back. Two single occupant fold down seats with tray backs.	Inc.
	C60	Air conditioner	Inc.
	IL0	Yes	Inc.
	I5H	LRR (low rolling resistance)	Inc.
	ID3	Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.	Inc.
	04	White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth	Inc.
	IX2	Rear body dome lamp switch	Inc.
	A17	38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.	Inc.
	8VN	AM/FM stereo with auxiliary input, USB port, and Bluetooth.	Inc.
	IB9	19.5" x 6", 6-hole disc, painted white	Inc.
	I8B	225/70R19.5G (14 ply) tubeless Radial, all season tread	Inc.
	IC1	19.5" x 6", 6-hole disc, painted white	Inc.
	I9B	225/70R19.5G (14 ply) tubeless Radial, all season tread.	Inc.
	IC6	5.375:1	Inc.
	IZ6	"I"-beam rated at 7,275 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	Inc.
	L8T	GMPT 6.6L (400 CID) V8 gasoline engine; 350 HP at 4500 RPM; 425 lb-ft torque at 3800 RPM; precise fuel control direct injection technology; electronic throttle control; overhead valves with variable valve timing; heavy duty cast-iron cylinder block with six-bolt main-bearing cap; cast aluminum cylinder heads; forged steel crankshaft; stainless steel exhaust manifold.	Inc.
	Y6V	Allison 1000 RDS 6-speed automatic transmission	Inc.

Current report content is based on data as of 2026-04-08 11:42:50. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



RUSH ISUZU TRUCK SEALY

Colton Kruse

NRR Gas (2027 NRR Gas Cab Chassis, 1U2 132.5"WB, 110"CA, 19,500 GVWR. White, Standard model specifications with power windows and power door locks, air conditioning, rear body dome lamp switch, and an AM/FM radio with Bluetooth

Selected Model and Options

Code	Description	MSRP
	w/o PTO. Gear Ratios: 3.100, 1.810, 1.410, 1.000, 0.710, 0.610, Rev 4.490:1	
IA9	132.5 inches 110"CA	Inc.
Totals		
	Base Price	\$78,216.00
	Destination Charge	\$2,275.00
	Surcharge	\$0.00
	DEF Fill Charge	\$0.00
	Total Options Price	\$
	Tire Weight Tax	\$26.64
	Total	\$80,517.64

Current report content is based on data as of 2026-04-08 11:42:50. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.