





PerfectFit System

Model 4926






MODEL 4926



Base Code	Package	Width x Height	Length	Axles	Est. Weight	Retail
4926-0016	P4940	8'6W X 7'H	16'	3.5K	2600	\$34,228
4926-0016	P4900	8'6W X 6'6H	16'	3.5K	2500	\$34,228
4926-0018	P4941	8'6W X 7'H	18'	3.5K	2800	\$35,673
4926-0018	P4920	8'6W X 6'6H	18'	3.5K	2700	\$35,673
4926-0020	P4942	8'6W X 7'H	20'	3.5K	3000	\$36,552
4926-0020	P4901	8'6W X 6'6H	20'	3.5K	2900	\$36,552

MODEL 4926






Base Code	Package	Width x Height	Length	Axles	Est. Weight	Retail
4926-0022	P4943	8'6W X 7'H	22'	4.8K	3400	\$38,140
4926-0022	P4921	8'6W X 6'6H	22'	4.8K	3300	\$38,140

4926-0024	P4944	8'6W X 7'H	24'	4.8K	3650	\$39,444
4926-0024	P4902	8'6W X 6'6H	24'	4.8K	3500	\$39,444

4926-0026	P4945	8'6W X 7'H	26'	5.2K	3950	\$41,892
4926-0026	P4922	8'6W X 6'6H	26'	5.2K	3800	\$41,892

MODEL 4926



Base Code	Package	Width x Height	Length	Axles	Est. Weight	Retail
4926-0028	P4946	8'6W X 7'H	28'	5.2K	4150	\$43,989
4926-0028	P4903	8'6W X 6'6H	28'	5.2K	4000	\$43,989

4926-0030	P4947	8'6W X 7'H	30'	7.0K	4650	\$45,249
4926-0030	P4923	8'6W X 6'6H	30'	7.0K	4500	\$45,249

4926-0032	P4948	8'6W X 7'H	32'	7.0K	4850	\$46,679
4926-0032	P4904	8'6W X 6'6H	32'	7.0K	4700	\$46,679

PerfectFit System**Model 4926 Car Trailer Standard Features****Trailer**

7' 0" inside height x 8' 6" wide
 Two rubber torsion axles w/electric brakes
 Four 15" 5 hole silver aluminum wheels with GY ST205/75R15 load range D tires & hub covers (3.5K axles)
 Four 15" 6 hole silver aluminum wheels with GY ST225/75R15 load range E tires & hub covers (4.8K axles)
 Four 16" 8 hole silver aluminum wheels with GY ST235/80R16 load range E tires & hub covers (5.2K & 7.0K axles)
 Coupler 2 5/16"
 White exterior sheets
 Spare tire carrier
 Jack crank type with wheel
 LED clearance lights
 Four LED stop/turn lights
 Smooth extruded aluminum floor
 36" deluxe camper door with deadbolt and screen door
 Full height and width rear ramp with cable assist and pressure latches and vinyl hinge cover
 Stainless steel swivel "D" tie downs (34" apart - two located 6" from rear and two 17' ahead of the first two)
 Beavertail
 1 dome light with switch inside next to camper door
 Skid plate
 Gravel guard

Dimensions (all are approximate)

Load height: 18"
 4" crossmembers = 12" centers
 Inside wall to wall width = 99"
 Overall heights:
 7' 0" inside height = 104"
 6' 6" inside height = 98"
 Overall lengths:
 16' = 20' 4"
 18' = 22' 4"
 20' = 24' 4"
 22' = 26' 4"
 24' = 28' 4"
 26' = 30' 4"
 28' = 32' 4"
 30' = 34' 4"
 32' = 36' 4"

4926 Ramp Capacities (lbs)		
Trailer height	7' 0"	6' 6"
Max concentrated load (lbs)	1200	1300
Max total weight (lbs)	2400	2600

Code	Description	Qty's										Retail
		16'	18'	20'	22'	24'	26'	28'	30'	32'		
4926 STANDARD CODES TO BE REMOVED												
F1315	Tandem axle 3.5K rubber torsion. Includes (4) GY tire/rim ST205/75R15 LRD 5 hole silver aluminum wheels. (To add a spare use code 91161)	1	1	1								\$3,673
F1317	Tandem axle 4.8K rubber torsion. Includes (4) GY tire/rim ST225/75R15 LRE 6 hole silver aluminum wheels. (To add a spare use code 91165)				1	1						\$4,598
F1319	Tandem axle 5.2K rubber torsion. Includes (4) GY tire/rim ST235/80R16 LRE & 8 hole silver aluminum wheel. (Includes conspicuity tape) (To add a spare use code 91169)						1	1				\$5,406
F1321	Tandem axle 7.0K rubber torsion. Includes (4) GY tire/rim ST235/80R16 LRE & 8 hole silver aluminum wheel. (Includes conspicuity tape) (To add a spare use code 91169)									1	1	\$5,783
F1860	Axle lube type - easy lube	1	1	1	1	1	1	1	1	1	1	\$0
F1700	Electric brake	1	1	1	1	1	1	1	1	1	1	\$0
F7964	Coupler 2 5/16" 21K drag	1	1	1	1	1	1	1	1	1	1	\$181
F8096	Carrier spare tire for bumper pulls mounted inside low on front wall (Change to code 98092 if a higher mounting position is desired)	1	1	1	1	1	1	1	1	1	1	\$58
F8281	Jack crank type with wheel	1	1	1	1	1	1	1	1	1	1	\$181
F7532	Light package for drag trailers with colored LED lenses (Includes (11) 3/4" round clearance lights & 4 stop/turn lights)	1	1	1	1							\$0
F7536	Light package for drag trailers with colored LED lenses (Includes (13) 3/4" round clearance lights & 4 stop/turn lights)					1	1	1	1	1	1	\$0
F7345	Light LED rectangle surface mount 4.5" x 2.5" x 1", 12 volts DC,	1	1	1	1	1	1	1	1	1	1	\$68
F7405	Switch in dressing room	1	1	1	1	1	1	1	1	1	1	\$51
F8104	Floor smooth extruded aluminum	16	18	20	22	24	26	28	30	32		\$103
F3449C	Door camper deluxe 36" wide without window and with deadbolt and screen door	1	1	1	1	1	1	1	1	1	1	\$1,027
F3353	Ramp rear full height and width with cable assist, pressure latches, treadplate, and vinyl hinge covers	1	1	1	1	1	1	1	1	1	1	\$3,447
F6258	Tie down recessed swivel D-ring stainless steel 6000 lb capacity	4	4	4	4	4	4	4	4	4	4	\$118
F6322	Beaver tail (If deleted, rear opening height will be reduced)	1	1	1	1	1	1	1	1	1	1	\$0
F6251	Skid plate	1	1	1	1	1	1	1	1	1	1	\$188
F4900	.040 aluminum exterior sheets taped with riveted seams	42	45	50	54	58	62	66	70	74		\$70
F3960	Sheet white	1	1	1	1	1	1	1	1	1	1	\$0
F7631	Gravel guard up 22"	1	1	1	1	1	1	1	1	1	1	\$456
F7868	Aero nose - car/drag trailers	1	1	1	1	1	1	1	1	1	1	\$1,200
F6528	Car hauler platform standard height for car hauler with 2" beavertail	1	1	1	1	1	1	1	1	1	1	\$0
P4940	4926 enclosed car trailer 8'6" wide X 7' tall X 16' long	1										\$0
P4941	4926 enclosed car trailer 8'6" wide X 7' tall X 18' long		1									\$0
P4942	4926 enclosed car trailer 8'6" wide X 7' tall X 20' long			1								\$0
P4943	4926 enclosed car trailer 8'6" wide X 7' tall X 22' long				1							\$0
P4944	4926 enclosed car trailer 8'6" wide X 7' tall X 24' long					1						\$0
P4945	4926 enclosed car trailer 8'6" wide X 7' tall X 26' long						1					\$0
P4946	4926 enclosed car trailer 8'6" wide X 7' tall X 28' long							1				\$0
P4947	4926 enclosed car trailer 8'6" wide X 7' tall X 30' long								1			\$0
P4948	4926 enclosed car trailer 8'6" wide X 7' tall X 32' long									1		\$0

See side sheet rules in General Options when expanding height or length. May require changing to fully riveted or .063 side sheets.