

Model	Code	Description	Price
Base Chassis	0040002	ACX64	\$249,856
ACX64	114010	UNITED STATES STD MARKET ADAPTATION	
ACX64	122998	NO FRONT PTO PROVIDED	
ACX64	128071	DEFAULT SPECS	
ACX64	131998	NO ENGINE BRAKE PROVIDED	
ACX64	139998	NO ENGINE OIL TEMP. GAUGE PROVIDED	
ACX64	176998	NO OIL SAMPLE PORT PROVIDED	
ACX64	180998	NO ENGINE BLOCK HEATER PROVIDED	
ACX64	181998	NO BLOCK HEATER RECEPT. PROVIDED	
ACX64	207998	NO WATER FILTER/CONDITIONER PROVIDED	
ACX64	225009	GRADUATED, AIR CLEANER MOUNTED	
ACX64	226001	BLACK, HOOD TYPE	
ACX64	227998	NO AIR PRECLEANER PROVIDED	
ACX64	234998	NO EXHAUST RAIN CAP PROVIDED	
ACX64	284016	ALLISON PUSHBUTTON CONTROLS	
ACX64	286005	OIL TO WATER TYPE	
ACX64	288998	TRANSMISSION TEMP. GAUGE INCLUDED IN VEHICLE DISPLAY	
ACX64	290003	OIL FILL TUBE / DIPSTICK W/ LEVEL SENSOR	
ACX64	300015	SPICER 1710HD HALF ROUND	
ACX64	317998	NO TRANSMISSION MOUNTED PTO PROVIDED	
ACX64	319998	NO TRANSMISSION PTO CONTROLS PROVIDED	
ACX64	331996	MUST CHOOSE REAR DRIVE AXLE RATIO	
ACX64	333998	NO ANTI-SPIN DEVICES PROVIDED	
ACX64	336998	NO REAR AXLE TEMPERATURE GAUGE PROVIDED	
ACX64	351013	54 INCH STEEL RUBBER BUSHED	
ACX64	357998	NO REAR SUSPENSION AIR CONTROLS PROVIDED	
ACX64	358005	LONGITUDINAL & TRANSVERSE - RUBBER BUSHED	
ACX64	359998	NO SHOCK ABSORBERS REAR SUSP. PROVIDED	
ACX64	371135	9500 LOW CAMBER FLATLEAF 20,800 GROUND CAPACITY	
ACX64	373002	DOUBLE ACTING SINGLE - HEAVY DUTY	
ACX64	374002	SYNTHETIC,DANA SPICER EP75W90,OR EQUIV	
ACX64	383101	INTEGRAL POWER STEERING W/RIGHT HAND RAM	
ACX64	387003	FOUR QUART REMOTE MOUNTED	
ACX64	400210	210 INCHES	
ACX64	402104	104"	
ACX64	403012	3/8" VARIABLE DROP STEEL, EXT B	
ACX64	404998	NO INNER FRAME REINFORCEMENT PROVIDED	
ACX64	406001	STRAIGHT	
ACX64	409002	ALUMINUM ORIENTATION B	
ACX64	410998	NO MISC TSO OPTIONS PROVIDED	
ACX64	420998	NO METHANE DETECTION SYSTEM PROVIDED	
ACX64	423998	NO FUEL MANAGEMENT MODULE	
ACX64	430020	75 GAL 26" DIA UNPAINTED ALUMINUM	
ACX64	431998	DELETE RHS FUEL TANK	

ACX64	432002	PAINTED STEEL, LH
ACX64	433998	NO FUEL TANK SCREEN PROVIDED
ACX64	436015	SAE J1402A1 WIRE BRAIDED
ACX64	441998	NO RH FUEL TANK SUPPORTS PROVIDED
ACX64	460001	STEEL PAINTED
ACX64	468998	NO OIL PAN GUARD PROVIDED
ACX64	480002	TWO REMOVABLE TOW PINS
ACX64	502001	STEEL
ACX64	509001	DOOR & IGNITION SAME - UNIQUE PER TRUCK
ACX64	512998	NO ELECTRIC WINDOWS PROVIDED
ACX64	514998	NO FRONT CAB GUARD PROVIDED
ACX64	520234	NATIONAL CUSH II LOW BACK, AIR RIDE
ACX64	521110	FIXED TYPE, LOW BACK
ACX64	526014	BLACK CORDURA
ACX64	538001	MAT WITH FOAM BACK
ACX64	547001	THERMAL INSULATION KIT FOR CAB
ACX64	0572001	ADVANCED DIAGNOSTIC DISPLAY - V1
ACX64	593998	NO ASH TRAY PROVIDED
ACX64	595998	NO CAMERAS OR PREP PROVIDED
ACX64	596005	2 DUAL CONE SPEAKERS
ACX64	597998	NO CB MOUNTING PROVIDED
ACX64	598998	NO MONITOR PROVIDED
ACX64	599998	NONE PROVIDED
ACX64	0602001	AIR COND INTEGRAL WITH HEATER/DEFROSTER (GHG)
ACX64	605998	NO ADDITIONAL DEFROSTER FAN PROVIDED
ACX64	612001	STANDARD (RADIATOR MOUNTED)
ACX64	620998	NO EXTERIOR SUN VISOR PROVIDED
ACX64	623998	NO CONVEX AUX. MIRRORS PROVIDED
ACX64	630026	TWIN MOUNTED UNDER CAB
ACX64	631001	SINGLE
ACX64	661001	HYDRAULIC TILT
ACX64	675001	BUG SCREEN MOUNTED BEHIND GRILLE
ACX64	693998	NO UNDERCOATING/RUSTPROOFING PROVIDED
ACX64	700026	CUMMINS WABCO 18.7 CFM COMPRESSOR
ACX64	721998	NO ADDITIONAL AIR GAUGE PROVIDED
ACX64	724001	SAE J844 NYLON TUBING
ACX64	729002	AIR LINES CHASSIS PARK BRAKE
ACX64	738998	NO EMERGENCY CHARGING SYSTEM
ACX64	754009	MERITOR AUTOMATIC
ACX64	755001	DUST SHIELDS - FRONT BRAKES
ACX64	764013	MERITOR AUTOMATIC, TANDEM AXLE
ACX64	765001	DUST SHIELDS - REAR BRAKES
ACX64	766998	NO HAND CONTROL VALVE PROVIDED
ACX64	781012	CAM TYPE MGM STOPGARD (4)
ACX64	810089	3 JOHNSON CONTROL 31ECL 12V 2250CCA

ACX64	811002	STANDARD
ACX64	837998	NO TAIL STOP LAMPS PROVIDED
ACX64	852998	PARKING LIGHTS INTEGRAL W/ TURN SIG
ACX64	853998	NO MARKER LAMP SWITCH PROVIDED
ACX64	859001	DAYTIME
ACX64	860998	NO BACK OF CAB LIGHTS PROVIDED
ACX64	866998	NO SPOTLIGHT PROVIDED
ACX64	867998	NO EMERGENCY WARNING LAMPS PROVIDED
ACX64	875998	NO ADDITIONAL ELEC. SWITCHES
ACX64	892998	NO BACKUP ALARM PROVIDED
ACX64	899002	STANDARD WARRANTY
ACX64	901001	CAST IRON
ACX64	910001	CAST IRON
ACX64	924998	NO WHEEL BRIGHTWORK FRONT AXLE PROVIDED
ACX64	925998	NO WHEEL BRIGHTWORK REAR AXLE PROVIDED
ACX64	930469	315/80R22.5L
ACX64	933469	315/80R22.5L
ACX64	949998	NONE PROVIDED
ACX64	950001	SINGLE COLOR PAINT
ACX64	962998	NO FIRE EXTINGUISHER PROVIDED
ACX64	978015	15 DAYS FLOORING
ACX64	987949	SAME AS CHASSIS,UNPAINTED ALUM OR CHROME
ACX64	988401	STEEL, E-COAT WHITE / ALUM-UNPAINTED
ACX64	1012102	L9, 360HP / 2200RPM / 1150 LB-FT, CUMMINS
ACX64	1129998	NO OIL DRAIN SYSTEM
ACX64	1290004	CUMMINS 500K COMMUNICATION
ACX64	1362000	ELECTRONIC TACHOMETER
ACX64	1372000	HOURMETER INCLUDED IN ON BOARD DISPLAY
ACX64	1430001	VEHICLE CONTROL UNIT
ACX64	1472002	AUTOCAR GEOTAB TELEMATICS - FULL INSTALL - 3 YR AUTOCAR ONLY SUBSC
ACX64	1700001	SECONDARY SPIN-ON FILTER, REMOTE MTD.
ACX64	2080001	2-SPEED FAN
ACX64	2120003	STANDARD SURGE TANK W/ SIGHT GLASS
ACX64	2200001	15" ONE STAGE EPG CLEANER DONALDSON
ACX64	2302000	RH VERT HORIZ DPF/SCR
ACX64	2310003	DPF & SCR SHIELDS
ACX64	2322001	90 DEGREE SIDE OUT DIFFUSER
ACX64	2390002	OVER-FENDER MTD., LH SIDE, 10 GAL. CAPACITY
ACX64	2580003	RDS REFUSE - VOC 400-XXX
ACX64	2690019	REFUSE W/ AUTO-NEUTRAL & SERVICE BRAKE, VP170
ACX64	2700021	ALLISON 3000 SERIES, 5-SPEED
ACX64	3300041	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)
ACX64	3400001	STANDARD AXLE BREATHER
ACX64	3502010	HENDRICKSON HMX-EX-400 SUSPENSION @ 54" AS
ACX64	3690005	52.5 INCHES

ACX64	3700002	MERITOR MFS-20 STEER AXLE, 20000# CAPACITY
ACX64	3800001	16" DIA. WHEEL, 2 SPOKE
ACX64	3810002	TILT AND TELESCOPIC STEERING COLUMN
ACX64	4070004	ACX STANDARD FRONT END
ACX64	4110002	ALUMINUM MEMBER-IF REQUIRED
ACX64	4280001	FUEL TANK MTD FWD LHS - STANDARD (IF PROVIDED)
ACX64	4299998	NO RH FUEL TANK PROVIDED
ACX64	4384001	PARKER RACOR 490RPDC W/O BOWL HEATER
ACX64	4390001	ELECTRONIC FUEL LEVEL
ACX64	4460001	ULTRA-LOW SULPHUR DIESEL FUEL REQUIRED
ACX64	4470001	LH FUEL TANK STANDARD HEIGHT
ACX64	4499998	NO FUEL FILL OPTION
ACX64	4510001	DUAL SELF CLEANING CAB ENTRANCE STEPS
ACX64	5000001	SINGLE LEFT HAND DRIVE CAB
ACX64	5222001	THREE POINT RETRACTABLE, BRIGHT ORANGE COLOR, W/O COMFORT LATCH
ACX64	5232001	THREE POINT RETRACTABLE, BRIGHT ORANGE COLOR, W/O COMFORT LATCH
ACX64	5300001	ALUM TURBO/EXHAUST PIPE DEBRIS SHIELD
ACX64	5500001	CENTER CONSOLE
ACX64	5510001	REAR CONSOLE
ACX64	5712003	ALL GAUGES IMPERIAL
ACX64	5859998	NO DRIVER CAM WIRING PREP OVERHEAD CONSOLE
ACX64	5902001	AM/FM/USB/MP3/WB
ACX64	5910002	ANTENNA - ROOF MOUNTED
ACX64	5942001	ONE (1) POWER PORT AND ONE (1) USB POWER PORT
ACX64	6092000	AIR INLET 30 PPI DUST FILTER
ACX64	6220017	MIRROR, BLACK, HTD, REMOTE W / LWR HTD CONVEX
ACX64	6720001	AUTOCAR GRILLE
ACX64	7090002	AIR TANKS IN STANDARD POSITION
ACX64	7100003	AIR DRYER MOUNTED OUTSIDE RAIL, LHS
ACX64	7110001	STEEL AIR TANKS
ACX64	7130001	WABCO 1800P W/HEAT
ACX64	7152000	WABCO DV-2 AUTOMATIC
ACX64	7412006	WABCO ABS 6S6M W/PLC AND ATC MOUNTED IN CAB
ACX64	7510003	MERITOR 16.5X6 QP
ACX64	7610003	MERITOR 16.5X7 Q PLUS
ACX64	8020004	DELCO REMY 36SI 12V 160 AMP
ACX64	8090001	BOX LOCATED AS FAR FORWARD AS POSSIBLE
ACX64	8120007	STEEL BOX W/ ALUM LID, 3 BATTERY, LHS
ACX64	8140004	SHUTOFF W/LOCKOUT IN OFF ONLY, NO EMERGENCY JUMPER STUDS
ACX64	8160002	BATTERY BOX SPACED 2", DROPPED 0"
ACX64	8200003	DELCO REMY 12V 39 MT W/OCP
ACX64	8360003	LED HEADLAMPS
ACX64	8410002	LED FRONT TURN SIGNALS
ACX64	8510002	AMBER LED ROOF MARKERS
ACX64	8700001	AUTO CIRCUIT BREAKERS

ACX64	8742000	RP 170 COMPLIANT
ACX64	9042002	FL PRESET PLUS STEEL HUB, 285MM BC
ACX64	9050015	22.5X9.0" STEEL, 5.25" INSET, HAYES
ACX64	9132002	R PRESET PLUS STEEL HUB, 285MM BC
ACX64	9140016	22.5X9.0" STEEL, 6.42" INSET, HAYES
ACX64	9210001	CR ZYTEL HUBCAP
ACX64	9312009	BRIDGESTONE M870
ACX64	9342009	BRIDGESTONE M870
ACX64	9402006	CONMET SEALS & PRESET PLUS SPINDLE NUT
ACX64	9412007	CONMET SEALS & PRESET PLUS SPINDLE NUT
ACX64	9550001	STANDARD WHITE
ACX64	9722026	MY2026 ENGINE
ACX64	9722026	MY2026 ENGINE
ACX64	9801002	APPROVED --- DPSS-N0007EX --- STANDARD WHITE N0007
ACX64	115A200	TURBO HEAT SHIELD
ACX64	204B001	STANDARD HEAT SLEEVE
ACX64	26A0001	PRIMARY PERFORMANCE / SECONDARY ECONOMY
ACX64	26B0001	NEUTRAL AT STOP ENABLED
ACX64	27A998	NO TRANSMISSION RETARDER
ACX64	27P0000	NO TRANSMISSION RETARDER AUDIBLE ALARM
ACX64	287A200	TRANSMISSION REMOTE BREATHER
ACX64	330U98	NO LUBRICATION PUMP
ACX64	371T98	NO AUX LOAD CUSHION PROVIDED
ACX64	3P1998	NO PUSHER AXLE PROVIDED
ACX64	3P1E998	NO PUSHER AXLE STEER LOCKS PROVIDED
ACX64	3PS998	NO PUSHER AXLE #1 SPREAD
ACX64	3T1998	NO TAG AXLE PROVIDED
ACX64	3T1E998	NO TAG AXLE STEER LOCKS PROVIDED
ACX64	3TS998	NO TAG AXLE SPREAD
ACX64	430R998	STANDARD
ACX64	431R998	STANDARD
ACX64	509Q2000	0 ADDITIONAL KEYS PER TRUCK (2 TOTAL)
ACX64	715T003	CENTRAL MANIFOLD W/ PETCOCKS
ACX64	74A9998	NO COMPONENTS
ACX64	74B9998	NO COMPONENTS
ACX64	74G9998	NO COMPONENTS
ACX64	7P2998	NO PUSHER AXLE BRAKES PROVIDED
ACX64	7P4998	NO PUSHER SLACK ADJUSTER PROVIDED
ACX64	7P5998	NO PUSHER DUSTSHIELDS PROVIDED
ACX64	7T2998	NO TAG AXLE BRAKES PROVIDED
ACX64	7T4998	XXXX NO TAG SLACK ADJUSTER PROVIDED
ACX64	7T5998	XXXX NO TAG DUSTSHIELDS PROVIDED
ACX64	899A200	ALLISON 3YR. WARRANTY
ACX64	899B001	CUMMINS STANDARD WARRANTY
ACX64	899K998	NO AFTERTREATMENT EXT WARRANTY

ACX64	972B001	NO PENALTY
ACX64	9861U1	BLACK P3036
ACX64	9P1998	NO PUSHER AXLE HUBS PROVIDED
ACX64	9P2998	NO PUSHER AXLE WHEELS PROVIDED
ACX64	9P3998	NO POLISHING/BRIGHTWORK PROVIDED, PUSHER
ACX64	9P4998	NO TIRE SIZE, PUSHER
ACX64	9P5998	NO TREAD PUSHER PROVIDED
ACX64	9P6998	NO PUSHER OIL SEALS PROVIDED
ACX64	9P8998	NO PUSHER AXLE HUB CAPS
ACX64	9T1998	NO TAG AXLE HUBS PROVIDED
ACX64	9T2998	NO TAG AXLE WHEELS PROVIDED XXXX
ACX64	9T3998	XXXX NO POLISHING/BRIGHTWORK PROVIDED, TAG
ACX64	9T4998	NO TIRE SIZE, TAG
ACX64	9T5998	NO TREAD TAG PROVIDED XXXX
ACX64	9T6998	NO TAG OIL SEALS PROVIDED
ACX64	9T8998	NO TAG AXLE HUB CAPS
ACX64	C009998	CUSTOM SPEC
ACX64	C01998	MUST CHOOSE APPLICATION
ACX64	C02998	MUST SPECIFY BODY TYPE - DO NOT ALTER OR INQUIRE WITH ENGINEERING
ACX64	C03998	MUST SPECIFY REGION
ACX64	C04998	MUST SPECIFY BODY COMPANY
ACX64	C05998	MUST SPECIFY BODY CAPACITY
ACX64	C06998	MUST SPECIFY BODY STYLE
ACX64	C070001	DIESEL
ACX64	C080001	STD/BEAM TYPE REAR SUSPENSION
ACX64	C090003	3 AXLE
ACX64	C109998	NO BODY COMPONENTS INSTALLED
ACX64	D01998	MUST CHOOSE FRONT GAWR
ACX64	D02998	MUST CHOOSE REAR GAWR
ACX64	D03998	NO TAG AXLE
ACX64	D04998	NO PUSHER AXLE
ACX64	D10998	MUST CHOOSE GVWR
ACX64	P010065	SPEED LIMIT 65MPH
ACX64	P020001	ENGINE IDLE SHUT DOWN ENABLED (5 MINUTES)
ACX64	P030001	CRUISE CONTROL ENABLED
ACX64	P520001	IDLE SHUTDOWN IN PTO MODE = ENABLED
ACX64	P641200	1200 RPM MAX IN PTO
ACX64	P701200	PTO SET SWITCH = 1200 RPM
ACX64	P711000	PTO RESUME SWITCH = 1000 RPM
ACX64	P730500	PTO RAMP RATE INCREMENT = 500 RPM
ACX64	PT10001	SHIFT INHIBIT ENABLED