

**MAC WASTE TRAILER, INC**

2360 W. MAIN ST.

ALLIANCE, OH 44601

Phone: (234) 214-6420

Website: WWW.MACTRAILER.COM

Due to Tariffs, Trailer pricing is subject to change at Manufacturer discretion and delivered unit pricing will be finalized 90 days prior to start of production

Quote Date Friday, March 27, 2026 **Quote Pricing Expires** Saturday, June 27, 2026

Contact BTE BODY COMPANY, INC.

1601 E. State Hwy. 356

IRVING TX 75060

Phone: (972) 554-0725 **Fax:** **Website:** www.mactrailer.com

Customer BTE BODY COMPANY, INC.

1601 E. State Hwy. 356

IRVING TX 75060

Phone: (972) 554-0725 **Fax:** **Website:** www.mactrailer.com**P.O. #****Unit #** HGAC BUY BOARD

Quote # **152390** **Rev#** 3 **MOVINGFLOOR SP**

*****Weight** 17392**Cubic Yards** 128

*** denotes a weight for reference only. Trailer weight will be provided with the engineering design approval packet.

Quote Qty 1 **Model Code** MM **Plant of Mfg** W

Model MM MOVINGFLOOR SP

Job # **VIN Plate** U.S. Certification Plate

BODY

LOAD PROFILE	MATERIAL, 80K GVWR
LENGTH	53
WIDTH	102
DRIVE UNIT	KEITH, 21 SLAT - 3 IN. CYLINDERS
FLOOR	KEITH 3047 (2299), 1/2 IN. TRIPLE RIDGE (102 W)
HYDRAULIC PIPE	STAINLESS STEEL HYDRAULIC PIPE
CROSSMEMBER TYPE	STANDARD
CROSSMEMBER SPACING	5-1/4 IN. I-BEAMS, 14 O.C.
RUBBER SEAL	YES
WALL HEIGHT	100
WALL THICKNESS	0.19
TOP RAIL OPTION	6 IN. W X 9 IN. T X 5/8 IN.
NO. OF UPRIGHTS	22
TARP BAR	YES, SINGLE
BULKHEAD	3/16 IN.
BOTTOM RAIL	SQUARE, NO CLEAN OUT
UPPER CROSS TUBES / CAPS	(1) SPRING-MID & (1) TUBE-REAR

LIGHTS

LIGHT TYPE	GROTE L.E.D. W/ GROMMET
LIGHT PANEL	3 LARGE-3 SMALL-3 LARGE (IN TAILGATE) OOO ooo OOO
STD. MARKER LIGHTS	(3) EACH SIDE
MID-TURNS	(1) PAIR L.E.D. (NON-COMBO)
REAR POCKET LIGHTS	1 PAIR

GATE

GATE SHEET THICKNESS	SMOOTH SIDE PANELS
----------------------	--------------------

GATE OPERATION
HINGE TYPE
SAFETY CHAIN
WINDERS / SAFETY LATCH

MECHANICAL SIDE LATCH
C.S. SIDE SWING
YES
WINDERS (1) SIDE ONLY

■ **PRIMARY AXLES**

MODEL
NO. OF PRIMARY AXLES
SUSPENSION
AXLE SPACING
SUB-FRAME
AXLES
BRAKES
HUB AND DRUM
TIRES
WHEELS

CLOSED TANDEM
2
MAC FABBED GALVANIZED SINGLE LEAF TAN. (49)
49
TANDEM (ALUM. T-BEAM)
77.5 IN., HEND. 5/8 IN. WALL TP W/ 25K
7 IN. XL, W/ 30-30 CHAMBERS
CAST W/ STEEL HUB HP 10 STUD TP, LS, 7 IN.
GENERAL RA 11 R 22.5 16 PLY
STEEL HP 22.5X8.25 - WHITE POWDER COATED

■ **LIFT AXLES**

■ **STEERABLE LIFT AXLES**

■ **CHASSIS**

PIN SETTING
5TH WHEEL PLATE
5TH WHEEL PLATE HEIGHT
GALVANIZED SUSPENSION
HANGERS
ABS FOR TRAILER
SLACKS
AXLE LUBRICATION
DOLLIES - LANDING GEAR -
LANDING LEGS
AIR TANKS
HYDRAULIC HOSE FITTING
FLAPS REAR OF TIRES
BUMPER

36
3/8 LOW PROFILE
49 IN. HIGH
INCLUDED W/ SUSPENSION

(1) 2S1M MERITOR / WABCO
AUTOMATIC
SYNTHETIC GREASE
JOST H451 - (62,500 LB.) - 10 YEAR NO LUBE - GALVANIZED STEEL - D.S
.
ALUMINUM TANK
1 IN. X 108 IN. HOSE W/ WING FITTING
FLAP BEHIND REAR AXLE
D.O.T. BUMPER

■ **TARP**

■ **PAINT**

SUSPENSION COLOR
PIN STRIPING
MAC MACHINE FINISH
LOGOS

BLACK SOFT COAT
BLACK (931716)
BLACK (931716)

Trade In
Allowance **Year**
Make **Serial #**
NOTES:

Due to Tariffs, delivered unit pricing will be finalized 90 days prior to start of production.

Pricing

		<i>Quote #</i> 152390
<i>UNIT PRICE</i>	\$131,780.00	<i>Job #</i>
<i>Fet</i>	\$0.00	
<i>Sales Tax</i>	\$0.00	
<i>SUB TOTAL</i>	\$131,780.00	
<i>Freight</i>	\$0.00	
<i>FOB MfgLoc TOTAL</i>	\$131,780.00	
<i>Trade In Allowance</i>	\$0.00	
<i>Down Payment</i>	\$0.00	
<i>BALANCE DUE</i>	\$131,780.00	

Thank You for your business !

Pricing is in U.S. Currency

ORDER CANCELLATION POLICY

Orders configured with common published and non-published options will not be subject to a cancellation penalty when the Manufacturer receives the request for cancellation 12 or more weeks prior to the scheduled production date. All cancellation requests received within 12 weeks but no less than 8 weeks of the scheduled production start date must be approved by the Product Manager for the specified product line and will be subject to a \$2500.00 cancellation fee. Cancellation requests within 8 weeks of the scheduled production start date will not be accepted.