

Surface mount Port Orford Cedar columns, Glulam SYP beams, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, powder coated brackets and base shoes, 30 year architectural shingles, 3:12 roof pitch
Call for specifications for 2 tier roof system

Model/Size Roof includes 24" overhang	Laminated Port Orford Columns w/ Base Shoe	SYP CCA Columns Embedded - Deduct	Steel Columns - Subsurface Mount Add (S)	2 Tier Roof Add (2T)	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)	Cedar Roof Deck Add (CD)
LB16X20	\$11,161	(\$1,008)	+ \$1,151	+ \$3,159	+ \$1,451	+ \$2,757	+ \$2,681
LB16X28	\$14,392	(\$1,344)	+ \$1,535	+ \$4,728	+ \$1,666	+ \$3,166	+ \$3,780
LB16X36	\$17,680	(\$1,680)	+ \$1,919	+ \$6,324	+ \$2,043	+ \$3,881	+ \$4,834
LB20X20	\$12,346	(\$1,008)	+ \$1,151	+ \$3,527	+ \$1,613	+ \$3,064	+ \$3,340
LB20X28	\$14,746	(\$1,344)	+ \$1,535	+ \$5,288	+ \$2,043	+ \$3,881	+ \$4,702
LB20X36	\$19,147	(\$1,680)	+ \$1,919	+ \$7,050	+ \$2,150	+ \$4,085	+ \$6,006
LB20X44	\$22,998	(\$2,016)	+ \$2,303	+ \$8,814	+ \$2,795	+ \$5,311	+ \$7,353
LB20X52	\$26,230	(\$2,352)	+ \$2,686	+ \$10,575	+ \$3,279	+ \$6,230	+ \$8,672
LB24X28	\$18,794	(\$1,344)	+ \$1,535	+ \$5,288	+ \$2,204	+ \$4,187	+ \$5,611
LB24X36	\$22,841	(\$1,680)	+ \$1,919	+ \$7,050	+ \$2,612	+ \$4,963	+ \$7,178
LB24X44	\$27,241	(\$2,016)	+ \$2,303	+ \$8,814	+ \$3,225	+ \$6,128	+ \$8,789
LB24X52	\$31,348	(\$2,352)	+ \$2,686	+ \$10,575	+ \$3,709	+ \$7,047	+ \$10,371
LB30X36	\$27,439	(\$1,680)	+ \$1,919	+ \$6,747	+ \$3,333	+ \$6,332	+ \$8,833
LB30X44	\$32,017	(\$2,016)	+ \$2,303	+ \$8,434	+ \$3,655	+ \$6,945	+ \$10,796
LB30X52	\$36,302	(\$2,352)	+ \$2,686	+ \$10,119	+ \$4,300	+ \$8,170	+ \$12,758
LB30X60	\$41,237	(\$2,688)	+ \$3,070	+ \$11,806	+ \$5,053	+ \$9,600	+ \$14,721
LB30X68	\$47,210	(\$3,023)	+ \$3,454	+ \$13,493	+ \$5,429	+ \$10,315	+ \$16,684
LB40X44	\$41,065	(\$2,016)	+ \$2,303	+ \$8,225	+ \$4,838	+ \$9,191	+ \$14,546
LB40X52	\$44,947	(\$2,352)	+ \$2,686	+ \$9,871	+ \$5,805	+ \$11,030	+ \$17,343
LB40X60	\$53,249	(\$2,688)	+ \$3,070	+ \$11,516	+ \$6,396	+ \$12,153	+ \$19,819
LB40X68	\$59,358	(\$3,023)	+ \$3,454	+ \$13,161	+ \$7,203	+ \$13,685	+ \$22,455
LB40X76	\$65,449	(\$3,359)	+ \$3,838	+ \$14,806	+ \$7,955	+ \$15,115	+ \$25,091
LB40X84	\$72,092	(\$3,695)	+ \$4,222	+ \$16,403	+ \$8,815	+ \$16,749	+ \$27,713
LB50X52	\$68,707	(\$2,352)	+ \$2,686	+ \$8,615	+ \$6,611	+ \$12,561	+ \$21,239
LB50X68	\$87,570	(\$2,688)	+ \$3,070	+ \$11,487	+ \$8,761	+ \$16,646	+ \$28,562
LB50X76	\$96,095	(\$3,023)	+ \$3,454	+ \$12,921	+ \$9,675	+ \$18,383	+ \$31,038
LB50X84	\$104,219	(\$3,359)	+ \$3,838	+ \$14,357	+ \$10,213	+ \$19,404	+ \$34,304

HIPPED LOW-PITCH BEAM (HLB) are also available - roof slope 3:12. Call for pricing

Call for other roof slopes (4:12, 5:12, 6:12) or other roofing products: cedar shingles, cedar shakes

Cedar shakes are NOT applicable on 3:12 roof slope. For cedar shakes a minimum 4:12 roof slope is required

Glulam arches are treated SYP, surface mount powder coated base shoes, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, 30 year architectural shingles, 4:12 roof pitch

Model & Roof Size	Laminated SYP w/ #1 SYP Roof Deck	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)	Cedar Roof Deck Add (CD)
GAP2436	\$33,348	+ \$2,800	+ \$5,319	+ \$7,393
GAP2444	\$40,101	+ \$3,380	+ \$6,422	+ \$8,917
GAP2452	\$46,538	+ \$3,827	+ \$7,271	+ \$10,543
GAP2836	\$38,283	+ \$3,143	+ \$5,972	+ \$8,466
GAP2844	\$45,680	+ \$3,768	+ \$7,159	+ \$10,385
GAP2852	\$52,610	+ \$4,468	+ \$8,490	+ \$12,191
GAP3444	\$52,458	+ \$4,543	+ \$8,631	+ \$10,836
GAP3452	\$60,360	+ \$5,019	+ \$9,535	+ \$14,787
GAP4460	\$89,820	+ \$7,400	+ \$14,061	+ \$22,124

Call for pricing on other roofing products: cedar shingles, cedar shakes

Call for snow loads on cedar decking

Rafters & purlins are glulam SYP, surface mount Port Orford Cedar columns with powder coated metal base shoes and brackets, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, 30 year architectural shingles, 3:12 Roof Pitch

Model/Size Roof includes 24" overhang	Laminated Port Orford Columns w/ Base Shoe	SYP CCA Columns Embedded - Deduct	Steel Columns - Subsurface Mount Add (\$)	Metal Roof Add (MR)	Metal Roof Standing Seam Add (SS)	Cedar Roof Deck Add (CD)
HPB 16	\$12,343	(\$1,008)	+ \$1,151	+ \$1,252	+ \$2,378	+ \$1,355
HPB 20	\$13,503	(\$1,008)	+ \$1,151	+ \$1,474	+ \$2,801	+ \$2,258
HPB 24	\$17,998	(\$1,008)	+ \$1,151	+ \$1,772	+ \$3,367	+ \$2,822
HPB 30	\$22,505	(\$1,008)	+ \$1,151	+ \$2,547	+ \$4,840	+ \$4,402
HPB 32	\$25,471	(\$1,008)	+ \$1,355	+ \$2,681	+ \$5,094	+ \$5,079
HPB 35	\$30,380	(\$1,008)	+ \$1,355	+ \$3,038	+ \$5,773	+ \$5,870
HPB 40	\$34,974	(\$1,008)	+ \$1,355	+ \$3,664	+ \$6,962	+ \$7,788
HPB 45	\$39,152	(\$1,008)	+ \$1,693	+ \$4,259	+ \$8,092	+ \$8,917
HPB 50	\$46,915	(\$1,008)	+ \$1,693	+ \$5,242	+ \$9,960	+ \$12,981

Rafters & purlins are glulam SYP, Port Orford Cedar, surface mount columns with powder coated metal base shoes and brackets, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, 30 year architectural shingles, 3:12 roof pitch

Model/Size Roof includes 24" overhang	Laminated Port Orford Columns w/ Base Shoe	SYP CCA Columns Embedded - Deduct	Steel Columns - Subsurface Mount Add (\$)	Metal Roof Add (MR)	Metal Roof Standing Seam Add (SS)	Cedar Roof Deck Add (CD)
OPB 18	\$17,213	(\$1,344)	+ \$1,535	+ \$1,580	+ \$3,002	+ \$4,289
OPB 26	\$21,164	(\$1,344)	+ \$1,535	+ \$2,070	+ \$3,933	+ \$4,741
OPB 30	\$20,767	(\$1,344)	+ \$1,535	+ \$2,517	+ \$4,782	+ \$6,095
OPB 34	\$24,436	(\$1,344)	+ \$1,806	+ \$2,964	+ \$5,631	+ \$7,901
OPB 36	\$26,180	(\$1,344)	+ \$1,806	+ \$3,336	+ \$6,339	+ \$8,804
OPB 40	\$40,281	(\$1,344)	+ \$1,806	+ \$3,991	+ \$7,583	+ \$11,852
OPB 45	\$42,182	(\$1,344)	+ \$2,088	+ \$5,003	+ \$9,507	+ \$14,561
OPB 60	\$74,456	(\$1,344)	+ \$2,088	+ \$6,806	+ \$12,931	+ \$25,171

Call for other roof pitches (4:12, 5:12, 6:12) or other roofing products: cedar shingles, cedar shakes and custom cupolas

Cedar shakes are NOT applicable on the 3:12 roof slope. For cedar shakes a 4:12 roof slope is required.

Call for snow loads on cedar decking

Laminated arches of treated SYP, surface mount powder coated base shoes, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, 30 year architectural shingles, 4:12 roof pitch

Hexagon Arch

Model/Size Roof includes 24" overhang	Laminated SYP Columns w/ Base Shoe	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)	Cedar Roof Deck Add (CD)
HAP 20	\$21,949	+ \$1,580	+ \$3,002	+ \$2,596
HAP 24	\$30,609	+ \$2,145	+ \$4,075	+ \$3,894
HAP 28	\$32,452	+ \$2,935	+ \$5,576	+ \$5,023
HAP 34	\$39,003	+ \$4,289	+ \$8,150	+ \$7,337
HAP 36	\$45,617	+ \$5,192	+ \$9,865	+ \$7,788

Octagon Arch

Model/Size Roof includes 24" overhang	Laminated SYP Columns w/ Base Shoe	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)	Cedar Roof Deck Add (CD)
OAP 18	\$23,843	+ \$1,400	+ \$2,660	+ \$2,314
OAP 24	\$35,532	+ \$2,145	+ \$4,075	+ \$4,035
OAP 28	\$37,766	+ \$2,935	+ \$5,576	+ \$5,418
OAP 34	\$45,806	+ \$4,289	+ \$8,150	+ \$7,788
OAP 40	\$56,182	+ \$5,644	+ \$10,723	+ \$10,610
OAP 44	\$64,222	+ \$6,773	+ \$12,868	+ \$12,642

Roof slope 4:12 pre-built trusses. Glulam Port Orford Cedar columns w/ powder coated metal base shoes, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, 30 year architectural shingles

Model/Size Roof includes 24" overhang	Laminated Port Orford Columns w/ Base Shoe	SYP CCA Columns Embedded - Deduct	Steel Columns - Subsurface Mount Add (\$)	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)	Cedar Roof Deck Add (CD)
OTT1620	\$17,646	(\$1,008)	+ \$1,151	+ \$1,426	+ \$2,710	+ \$2,709
OTT1628	\$22,348	(\$1,344)	+ \$1,535	+ \$1,712	+ \$3,252	+ \$3,951
OTT2028	\$23,531	(\$1,344)	+ \$1,535	+ \$2,068	+ \$3,930	+ \$5,079
OTT2036	\$28,169	(\$1,680)	+ \$1,919	+ \$2,368	+ \$4,500	+ \$6,434
OTT2428	\$30,399	(\$1,344)	+ \$1,535	+ \$2,311	+ \$4,392	+ \$5,757
OTT2436	\$37,050	(\$1,680)	+ \$1,919	+ \$2,725	+ \$5,177	+ \$7,450
OTT2444	\$42,479	(\$2,016)	+ \$2,303	+ \$3,237	+ \$6,151	+ \$9,369
OTT2836	\$38,854	(\$1,680)	+ \$1,919	+ \$3,010	+ \$5,719	+ \$8,579
OTT2844	\$44,809	(\$2,016)	+ \$2,303	+ \$3,751	+ \$7,127	+ \$10,497
OTT2852	\$51,890	(\$2,352)	+ \$2,686	+ \$4,108	+ \$7,805	+ \$12,416
OTT3444	\$52,886	(\$2,016)	+ \$2,303	+ \$4,208	+ \$7,995	+ \$12,642
OTT3452	\$62,091	(\$2,352)	+ \$2,686	+ \$4,836	+ \$9,188	+ \$14,787
OTT3460	\$70,577	(\$2,688)	+ \$3,070	+ \$5,548	+ \$10,540	+ \$17,044
OTT3476	\$88,359	(\$3,023)	+ \$3,454	+ \$6,860	+ \$13,035	+ \$21,221
OTT4460	\$80,584	(\$3,359)	+ \$3,838	+ \$6,946	+ \$13,198	+ \$22,180

Call for other roof pitches (4:12, 5:12, 6:12) or other roofing products: cedar shingles, cedar shakes

Cedar shakes are NOT applicable on the 3:12 roof for cedar shakes a minimum 4:12 roof slope is required

Call for snow loads on cedar decking

Pre-Built 2x SYP Trusses, 4:12 roof pitch, Glulam Port Orford Cedar columns w/ powder coated metal base shoes, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, 30 year architectural shingles,

Model/Size Roof includes 24" overhang	Laminated Port Orford Columns w/ Base Shoe	SYP CCA Columns Embedded - Deduct	Steel Columns - Subsurface Mount Add (\$)	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)	Cedar Roof Deck Add (CD)
TT1620	\$12,981	(\$1,008)	+ \$1,151	+ \$1,426	+ \$2,710	+ \$2,709
TT1628	\$16,593	(\$1,344)	+ \$1,535	+ \$1,712	+ \$3,252	+ \$3,951
TT2028	\$19,753	(\$1,344)	+ \$1,535	+ \$2,068	+ \$3,930	+ \$5,079
TT2036	\$23,478	(\$1,680)	+ \$1,919	+ \$2,368	+ \$4,500	+ \$6,434
TT2428	\$22,011	(\$1,344)	+ \$1,535	+ \$2,311	+ \$4,392	+ \$5,757
TT2436	\$26,526	(\$1,680)	+ \$1,919	+ \$2,725	+ \$5,177	+ \$7,450
TT2444	\$29,686	(\$2,016)	+ \$2,303	+ \$3,237	+ \$6,151	+ \$9,369
TT2836	\$29,122	(\$1,680)	+ \$1,919	+ \$3,010	+ \$5,719	+ \$8,579
TT2844	\$33,975	(\$2,016)	+ \$2,303	+ \$3,751	+ \$7,127	+ \$10,497
TT2852	\$34,300	(\$2,352)	+ \$2,686	+ \$4,108	+ \$7,805	+ \$12,416
TT3444	\$38,378	(\$2,016)	+ \$2,303	+ \$4,208	+ \$7,995	+ \$12,642
TT3452	\$44,021	(\$2,352)	+ \$2,686	+ \$4,836	+ \$9,188	+ \$14,787
TT3460	\$49,665	(\$2,688)	+ \$3,070	+ \$5,548	+ \$10,540	+ \$17,044
TT3476	\$60,953	(\$3,023)	+ \$3,454	+ \$6,860	+ \$13,035	+ \$21,221
TT4460	\$63,210	(\$3,359)	+ \$3,838	+ \$6,946	+ \$13,198	+ \$22,180

Call for other roof pitches (4:12, 5:12, 6:12) or other roofing products: cedar shingles, cedar shakes

Cedar shakes are NOT applicable on the 3:12 roof for cedar shakes a minimum 4:12 roof slope is required

Call for snow loads on cedar decking

Glulam Port Orford Cedar columns with powder coated metal base shoes, Glulam SYP Raftes and Headers. roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, 2 "x 8" cedar fascia, 30 year architectural shingles Roof Pitch 3:12

Model & Roof Size	Laminated Port Orford Columns w/ Base Shoe	SYP CCA Columns Embedded - Deduct	Steel Columns - Subsurface Mount Add (\$)	2-Tier Roof Add (2T)	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
WH1212	\$11,767	(\$672)	+ \$768	+ \$2,822	+ \$872	+ \$1,657
WH1616	\$15,048	(\$672)	+ \$768	+ \$3,951	+ \$1,551	+ \$2,947
WH2020	\$18,258	(\$672)	+ \$768	+ \$6,208	+ \$2,426	+ \$4,609
WH2424	\$25,956	(\$672)	+ \$768	+ \$9,030	+ \$3,490	+ \$6,631
WH3030	\$40,776	(\$672)	+ \$768	+ \$12,981	+ \$5,079	+ \$9,651
WH4040	\$66,692	(\$1,344)	+ \$1,535	+ \$16,931	+ \$10,193	+ \$19,366

Call for pricing on other roofing products: cedar shingles, cedar shakes

Call for snow loads on cedar decking

Rafter, beams & purlins glulam SYP, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, cedar fascia, 30 year architectural shingles, roof pitch 8:12*

Model & Roof Size	Laminated Port Orford Columns w/ Base Shoe	SYP CCA Columns Embedded - Deduct	Steel Columns - Subsurface Mount Add (S)	Bottom Rail (7 Bays, 1 Open) Add (BR)	Floor system (Skirting, steps, Handrails) Add (FS)	Bench (3 Bays) Add (BB)	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
SH12	\$16,040	(\$1,344)	+ \$1,535	+ \$2,725	+ \$1,967	+ \$880	+ \$1,136	+ \$2,158
SH16	\$18,249	(\$1,344)	+ \$1,535	+ \$2,964	+ \$2,190	+ \$998	+ \$1,401	+ \$2,662
SH20	\$19,447	(\$1,344)	+ \$1,535	+ \$3,336	+ \$2,845	+ \$1,192	+ \$1,704	+ \$3,238
SH26	\$25,633	(\$1,344)	+ \$1,535	+ \$3,693	+ \$5,614	+ \$1,356	+ \$2,360	+ \$4,485
SH28	\$28,536	(\$1,344)	+ \$1,535	+ \$3,917	+ \$6,076	+ \$1,415	+ \$2,625	+ \$4,988
SH36	\$39,753	(\$2,688)	+ \$3,070	+ \$5,569	+ \$7,698	+ \$1,996	+ \$3,421	+ \$6,499

Call for pricing on other roofing products: cedar shingles, cedar shakes, custom cupolas

Pre-built trusses, 4:12 roof pitch, glulam SYP CCA treated columns embedded, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, cedar fascia, 30 year architectural shingles

Mini-Shelter Wood – Roof Slope 4:12

Model & Feature	Roof Size	SYP CCA Columns Embedded	Port Orford with Metal Base Shoe Add (PO)	Steel Columns Subsurface Mount Add (S)	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
MB 8' W/Bench	8'x8'	\$9,139	+ \$621	+ \$1,005	+ \$779	+ \$1,480
MT 8' W/Table	8'x8'	\$8,482	+ \$621	+ \$1,005	+ \$779	+ \$1,480
MB 10' W/Bench	10'x10'	\$9,681	+ \$621	+ \$1,005	+ \$847	+ \$1,608
MT 10' W/Table	10'x10'	\$9,025	+ \$621	+ \$1,005	+ \$847	+ \$1,608
MBB 8' Message Center	8'x8'	\$8,406	+ \$621	+ \$1,005	+ \$779	+ \$1,480
MBB 10' Message Center	10'x10'	\$9,934	+ \$621	+ \$1,005	+ \$847	+ \$1,608

Call for pricing on other roofing products: cedar shingles, cedar shakes

Pre-fabricated steel post construction 4" x 4" subsurface mount, roof decking is #1 grade, kiln dried 2" x 6" SYP tongue and groove with v-joints on finish face, cedar fascia, 30 year architectural shingles, includes benches

Model	Roof Size	Price	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
D824	8 x 24	\$11,683	\$1,031	+ \$1,958
D828	8 x 28	\$12,981	\$1,391	+ \$2,642
D832	8 x 32	\$14,109	\$1,589	+ \$3,020

Crafted of the finest grade cedar: kiln dried, vertical grain, A and better, embedded CCA treated SYP Glulam columns

Model	Style	Roof Size	Price	Steel Columns Subsurface Mount Add (\$)
WPC	Contemporary	10' x 10'	\$9,024	+ \$1,151
WPC	Contemporary	10' x 20'	\$15,797	+ \$1,151
WPF	Formal	10' x 10'	\$10,153	+ \$1,151
WPF	Formal	10' x 20'	\$18,054	+ \$1,151
WPT	Traditional	10' x 10'	\$7,896	+ \$1,151
WPT	Traditional	10' x 20'	\$13,539	+ \$1,151

Call for custom sizes

Glulam SYP raftes and headers, roof deck #1 grade kiln dried 2" x 6" SYP with single tongue and groove v-joints on finish face, 2x8 cedar fascia and 30 year class "A" architectural shingles, roof pitch 3:12, powder coated metal plates. Can be designed for embedded or surface mounted with metal base shoes.

Model	Dimensions	Price	Metal Roof Add (MR)	Metal Standing Seam Roof Add (\$S)
BAND 1	69' X 27'	\$179,148	+ \$5,683	+ \$10,798
BAND 2	34' X 15'	\$35,191	+ \$1,818	+ \$3,453
BAND 3	40' X 19'	\$128,696	+ \$3,798	+ \$7,216
BAND 4	47' X 26'	\$65,762	+ \$3,426	+ \$6,509

Call for custom sizes, roof pitches, or other customization

Call for pricing on other roofing products: cedar shingles, cedar shakes

Structural steel tube framing designed for bolt together installation, 24-gauge steel roof panels. Factory applied powder coat finish on all steel components. Roof deck field cut and attached to steel frame by the use of self-drilling Tek screws. Wood roof deck Add consists of #1 grade, kiln dried 2"x6" SYP, single tongue & groove with v-joints on finish face, roof pitch 4:12, one or two-tiered models available (See Options)

Model & Roof Size	Price	#1 SYP Wood Roof Deck Add (WD)
ROGS1624	\$13,115	+ \$3,015
ROGS1634	\$16,985	+ \$4,272
ROGS1644	\$17,899	+ \$5,528
ROGS2024	\$15,211	+ \$3,725
ROGS2034	\$20,210	+ \$5,277
ROGS2044	\$23,865	+ \$6,829
ROGS2434	\$22,038	+ \$6,383
ROGS2444	\$28,058	+ \$8,260
ROGS2464	\$40,850	+ \$12,014
ROGS3044	\$33,970	+ \$10,406
ROGS3064	\$51,600	+ \$15,136
ROGS3084	\$66,650	+ \$19,866

Structural steel tube framing designed for bolt together installation, 24-gauge steel roof panels. Factory applied powder coat finish on all steel components. Roof deck field cut and attached to steel frame by the use of self-drilling Tek screws. Wood roof deck Add consists of #1 grade, kiln dried 2"x6" SYP, single tongue & groove with v-joints on finish face, roof pitch 4:12, one or two-tiered models available (See Options)

Model & Roof Size	Price	#1 SYP Wood Roof Deck Add (WD)
RHS1212	\$8,600	+ \$1,492
RHS1616	\$10,750	+ \$2,202
RHS1624	\$13,438	+ \$3,226
RHS1634	\$23,650	+ \$4,454
RHS1644	\$30,100	+ \$5,682
RHS2020	\$12,900	+ \$3,139
RHS2024	\$14,298	+ \$3,801
RHS2034	\$16,448	+ \$5,457
RHS2044	\$23,000	+ \$7,112
RHS2424	\$16,985	+ \$4,244
RHS2434	\$24,188	+ \$6,201
RHS2444	\$29,563	+ \$8,157

RHS2464	\$40,313	+ \$12,070
RHS3030	\$25,155	+ \$7,919
RHS3044	\$37,196	+ \$11,291
RHS3064	\$52,675	+ \$16,107
RHS3084	\$71,488	+ \$20,923
RHS3636	\$37,625	+ \$11,772

Structural steel tube framing designed for bolt together installation, 24-gauge steel roof panels. Factory applied powder coat finish on all steel components. Roof deck field cut and attached to steel frame by the use of self-drilling Tek screws. Wood roof deck Add consists of #1 grade, kiln dried 2"x6" SYP, single tongue & groove with v-joints on finish face, roof pitch 4:12, one or two-tiered models available (See Options)

Model & Roof Size	Price	#1 SYP Wood Roof Deck Add (WD)
BV1624	\$19,195	+ \$3,225
BV1634	\$26,607	+ \$4,515
BV1644	\$34,018	+ \$5,698
BV2024	\$23,927	+ \$4,193
BV2034	\$33,325	+ \$5,956
BV2044	\$38,840	+ \$7,439
BV2434	\$35,733	+ \$6,235
BV2444	\$47,363	+ \$8,170
BV2464	\$61,275	+ \$12,094
BV3044	\$58,585	+ \$11,288
BV3064	\$83,113	+ \$16,125
BV3084	\$107,640	+ \$20,963

Hexagon and Octagon Pavilions are available with cupola and/or decorative railing packages

Structural steel tube framing designed for bolt together installation, 24-gauge steel roof panels. Factory applied powder coat finish on all steel components. (See Options) Roof deck shall be field cut and attached to steel frame by the use of self-drilling Tek screws. Wood roof deck consists of #1 grade, kiln dried 2" x 6" SYP, single tongue & groove with v-joints on finish face, roof pitch 4:12

HEXAGON

Model & Roof Size	Price	#1 SYP Wood Roof Deck Add (WD)
HSP16	\$12,363	+ \$2,501
HSP20	\$15,803	+ \$3,913
HSP24	\$20,425	+ \$5,632
HSP28	\$25,263	+ \$7,663
HSP36	\$40,313	+ \$12,669
HSP40	\$51,063	+ \$15,640
HSP50	\$80,625	+ \$24,438

OCTAGON		
Model & Roof Size	Price	#1 SYP Wood Roof Deck Add (WD)
OSP16	\$13,438	+ \$3,404
OSP20	\$15,803	+ \$5,322
OSP24	\$20,963	+ \$7,663
OSP28	\$28,488	+ \$10,430
OSP36	\$40,850	+ \$17,241
OSP40	\$50,525	+ \$21,284
OSP50	\$80,625	+ \$33,257

Cedar Forest Products MINI-SHELTERS - Steel Page 31

HGAC Nov, 2020-Oct 2022

Structural steel tube framing designed for bolt together installation, 24-gauge steel roof panels. Factory applied powder coat finish on all steel components, roof pitch 4:12

Model & Feature	Roof Size	Price
MBS 8' W/Bench	8'x8'	\$9,138
MBS 10' W/Bench	10'x10'	\$10,051
MTS 8' W/Table	8'x8'	\$8,063
MTS 10' W/Table	10'x10'	\$8,869
MBBS 8' Message Center	8'x8'	\$8,063
MBBS 10' Message Center	10'x10'	\$8,869

Cedar Forest Products SPORTS SHELTERS (DUG-OUT/MONOSLOPE/ MONSLOPE CANITLEVER) - Steel Page 32

HGAC Nov, 2020-Oct 2022

Pre-fabricated steel construction monoslope or cantilever design, 4" x 4" steel columns, 24 gauge metal roof, poly coated steel benches & backs, surface mount, roof pitch 3:12, structural steel tube framing designed for bolt together installation, 24-gauge steel roof panels. Factory applied powder coat finish on all steel components.

Model	Roof Size	Price	#1 SYP Wood Roof Deck Add (WD)
MC824	8' X 24'	\$8,532	\$ 1,445
MC828	8' X 28'	\$9,468	\$ 1,686
MC832	8' X 32'	\$10,433	\$ 1,926
MS824	8' X 24'	\$8,244	\$ 1,445
MS828	8' X 28'	\$9,180	\$ 1,686
MS832	8' X 32'	\$10,145	\$ 1,926
MS1024	10' X 24'	\$9,360	\$ 2,408

Structural steel tube framing, bolt together steel, 24 gauge steel roof panels. Factory applied powder coat finish on all steel components.
Two-tiered models available (See Options) 12' Low Eave Height

Model	Roof Size	Price
BC810	8 x 10	\$ 6,948
BC820	8 x20	\$ 7,956
BC830	8x 30	\$ 11,503
BC1220	12x 20	\$ 11,933
BC1230	12x 30	\$ 17,107
BC1620	16x 20	\$ 14,367
BC1630	16 x30	\$ 21,197

Please Call for Pricing for Other Options

Structural steel tube framing, bolt together steel. Factory applied powder coat finish on all steel components.

Model	Roof Size	Price
SP1020	10' x 20'	\$ 13,653
SP1030	10' x 30'	\$ 20,398
SP1040	10' x 40'	\$ 27,386
SP1050	10' x 50'	\$ 34,158
SP2020	20' x 20'	\$ 27,386
SP2030	20' x 30'	\$ 41,038
SP2040	20' x 40'	\$ 54,691
SP2050	20' x 50'	\$ 68,370

Please Call for Pricing for Other Options

Roof Slope 3:12. ADA Compliant

Includes exterior wall timbers nominal 4" x 8" Northern White cedar, double tongue and groove. Timbers cut and construction coded, predrilled for 10" screws, <36" intervals (screws included), doors & hardware, interior walls and paneling. Glulam Port Orford cedar columns, surface mount with metal powder coated base shoes, roof decking #1 grade, kiln dried 2" x 6" Southern Yellow Pine, single tongue and groove with v-joints on finish face and 30 year architectural shingles

Model	Roof Size	Base Kit Price	Additional 8' Shelter Bay w/ SYP roof deck	China Plumbing Package	Stainless Steel Plumbing Package	Electrical Package	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
PAC 1	20'X36' W/16' X8' ENC'D	\$45,688	+ \$3,763	+ \$7,740	+ \$9,890	+ \$4,114	+ \$2,150	+ \$4,085
PAC 2	20'X44' W/16' X16' ENC'D	\$59,125	+ \$3,763	+ \$7,740	+ \$9,890	+ \$5,235	+ \$2,795	+ \$5,311
PAC 3	30'X44' W/26' X18' ENC'D	\$86,000	+ \$4,838	+ \$14,728	+ \$18,275	+ \$6,380	+ \$3,655	+ \$6,945
PAC 4	40'X68' W/36' X40' ENC'D	\$155,875	+ \$6,450	+ \$19,028	+ \$25,263	+ \$6,380	+ \$7,203	+ \$13,685
PAC 5	30'X44' W/26' X16' ENC'D	\$86,000	+ \$4,838	+ \$14,728	+ \$18,275	+ \$5,300	+ \$3,655	+ \$6,945
PAC 6	30'X68' W/26' X24' ENC'D	\$116,100	+ \$4,838	+ \$22,253	+ \$27,520	+ \$7,896	+ \$5,429	+ \$10,315
PAC 7	44'X68' W/40' X16' ENC'D	\$129,000	+ \$7,525	+ \$19,028	+ \$25,263	+ \$6,042	+ \$7,579	+ \$14,400
PAC 8	40'X68' W/36' X24' ENC'D	\$139,750	+ \$6,450	+ \$22,253	+ \$27,520	+ \$8,111	+ \$7,203	+ \$13,685
PAC 9	34'X60' W/30' X32' ENC'D	\$134,375	+ \$6,450	+ \$22,253	+ \$27,520	+ \$7,315	+ \$5,214	+ \$9,906
PAC 10	34'X84' W/30' X29' ENC'D	\$139,750	+ \$6,450	+ \$23,328	+ \$31,390	+ \$8,036	+ \$7,176	+ \$13,634
PAC 11	30'X24' W/16' X26' ENC'D	\$69,875	+ \$4,838	+ \$24,615	+ \$32,473	+ \$5,122	+ \$2,258	+ \$4,289

Please call for customization including sizes, layouts, truss options (Gothic Arch, Open Timber Truss and Closed Timber Truss), roof pitches (4:12, 5:12, 6:12, Etc.) and roofing products: Cedar Shingles, Cedar Shakes

Includes exterior wall timbers nominal 4" x 8" Northern White cedar, double tongue and groove. Timbers cut and construction coded, predrilled for 10" screws, <36" intervals (screws included), doors & hardware, interior walls and paneling. Glulam Port Orford cedar columns, surface mount with metal powder coated base shoes, roof decking #1 grade, kiln dried 2" x 6" Southern Yellow Pine, single tongue and groove with v-joints on finish face and 30 year architectural shingles

Hexagon Restrooms - Roof Slope 3:12, ADA Compliant

Model	Roof Size	Base Kit Price	China Plumbing Package	Stainless Steel Plumbing Package	Electrical Package	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
HRF 20	20' DIAMETER	\$39,249	+ \$7,095	+ \$9,675	+ \$3,404	+ \$1,404	+ \$2,668
HRF 24	24' DIAMETER	\$45,116	+ \$7,095	+ \$9,675	+ \$3,630	+ \$1,688	+ \$3,207
HRF 30	30' DIAMETER	\$59,493	+ \$14,083	+ \$18,168	+ \$4,326	+ \$2,426	+ \$4,609
HRF 35	35' DIAMETER	\$67,812	+ \$18,383	+ \$25,155	+ \$4,326	+ \$2,893	+ \$5,498
HRF 45	45' DIAMETER	\$86,408	+ \$18,383	+ \$25,155	+ \$4,794	+ \$4,056	+ \$7,706

Octagon Restrooms - Roof Slope 3:12, ADA Compliant

Model	Roof Size	Base Kit Price	China Plumbing Package	Stainless Steel Plumbing Package	Electrical Package	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
ORF 20	20' Diameter	\$39,273	+ \$7,095	+ \$9,675	+ \$3,414	\$1,491	+ \$2,832
ORF 24	24' Diameter	\$46,678	+ \$7,095	+ \$9,675	+ \$3,666	\$1,683	+ \$3,198
ORF 30	30' Diameter	\$55,502	+ \$14,083	+ \$18,168	+ \$4,328	\$2,284	+ \$4,340

Call for pricing on other roof pitch and roofing products: cedar shingles, cedar shakes

Cedar shakes are NOT applicable on the 3:12 Roof Slopes a minimum 4:12 roof slope is required.

Configurable layouts start with an 8' x 16' enclosed area and have a 24" roof overhang- Roof Slope 3:12, ADA compliant

Prices include exterior wall timbers nominal 4" x 8" Northern White cedar, double tongue & groove. Timbers predrilled for 10" screws, 36" intervals (screws included), includes all doors & hardware, interior walls, FRP, roof decking #1 grade, kiln dried 2" x 6" SYP, single tongue and groove with v-joints on finish face and 30 year Architectural Shingles.

Model	Roof Size	Unit Prices	Add Bay encl'd 8x16 -(also add unit difference)	China plumbing Package	Stainless Steel Plumbing Package	Electrical Package
Base	12 x 20	\$27,735	+ \$11,180			
TB-LB - R	12 x 20	\$5,160		+ \$7,990	+ \$9,890	+ \$1,871
TB-LB - M	12 x 20	\$7,525		+ \$4,070	+ \$4,945	+ \$1,408
TB-LB - S	12 x 20	\$9,245		+ \$8,514	N/A	TBD
TB-LB - G	12 x 20	\$5,590		N/A	N/A	+ \$758
TB-LB - O	12 x 20	\$0		N/A	N/A	+ \$543
TB-LB - C	12 x 20	\$7,203		N/A	N/A	+ \$677

Roof Line Add

Metal Roof	12 x 20	\$1,075	+ \$717			
Standing Seam Roof	12 x 20	\$2,043	+ \$1,362			
TB - M	Mono	\$5,375	+ \$2,688			
TB - 2T	Two-Tier	\$5,375	+ \$5,375			
TB - SG	Split Gable	\$6,450	+ \$6,450			

Call to review options to combine, enlarge or reduce buildings, including layouts, truss options (Gothic Arch, Open Timber Truss and Closed Timber Truss), roof pitches (4:12, 5:12, 6:12, Etc.) and roofing products: Cedar Shingles, Cedar Shakes

Prices include exterior wall timbers nominal 4" x 8" Northern White cedar, double tongue & groove. Timbers predrilled for 10" screws, 36" intervals (screws included). Includes doors & hardware, interior walls, FRP. Roof Decking #1 grade, kiln dried 2" x 6" SYP, single tongue and groove with v-joints on finish face and 30 year architectural shingles, roof pitch varies by model.

Model	Roof Size	Base Kit Price	China Plumbing Package	Stainless Steel Plumbing Package	Electrical Package	Metal Roof Add (MR)	Metal Standing Seam Roof Add (SS)
Ottawa (Two Tier)	26 x 28	\$91,241	\$22,253	\$27,520	\$4,967	\$2,950	\$5,605
Kent (Monoslope)	22 x 26	\$73,638	\$19,028	\$25,263	\$4,967	\$2,000	\$3,800
Muskegon (OTT w/ LPB inside)	28 x 28	\$84,388	\$24,615	\$32,473	\$5,316	\$2,750	\$5,225
Allegan (OTT w/ LPB inside)	32 x 34	\$98,900	\$27,735	\$37,518	\$6,257	\$3,800	\$7,220

Cedar Forest Bridges are pre-engineered based on 85 PSF live load, 12 PSF dead load with a deflection L/300 for live load. Bridges are available in 4', 6' and 8' deck widths with clear spans ranging from 16' to 80'. The standard Bridge camber is a radius of 800'. All standard bridge wood components (except decking) are Glue Laminated Southern Yellow Pine. Decking is treated 2"x6" Southern Yellow Pine, S4S. Hardware used to connect the glue-laminated components is hot dipped galvanized steel. 4' and 6' bridges up to 60' in length are shipped completely assembled, while bridges 8' wide to 60' in length are shipped with railings assembled, but not attached. The rails will be field applied (bolt on) by the installer.

* Various railing options are available. Bridges intended for bicycle use shall have 54" rail height, please call for pricing. Railing options may not be glue laminated.

* Light vehicular bridges are available using standard designs. Light vehicular loads will require additional engineering and alter standard designs. Customer is responsible for specifying maximum vehicular load required.

* Foundation (abutment, pier or footing) design and construction shall be the responsibility of the Purchaser. Bridge support reactions and anchor bolt location will be supplied by Cedar Forest Products.

5-RAIL SYSTEM (NO CURB)**3 1/2' Rail Height**

LENGTH	4'	6'	8'
16'	\$13,047	\$13,425	\$13,668
18'	\$14,208	\$14,627	\$14,667
20'	\$14,843	\$15,316	\$15,505
22'	\$16,505	\$17,044	\$18,152
24'	\$17,369	\$18,071	\$18,868
26'	\$18,571	\$19,503	\$20,380
28'	\$19,422	\$20,421	\$21,556
30'	\$20,340	\$21,880	\$22,609
32'	\$22,446	\$24,229	\$25,296
34'	\$24,473	\$25,810	N/A
36'	\$25,594	\$27,106	N/A
38'	\$26,363	N/A	N/A
40'	\$27,539	N/A	N/A

4-RAIL SYSTEM (CURB HEIGHT 6" MINIMUM)**3 1/2' Rail Height**

LENGTH	4'	6'	8'
34'	N/A	N/A	\$25,864
36'	N/A	N/A	\$27,201
38'	N/A	\$26,877	\$28,281
40'	N/A	\$28,011	\$29,672
42'	\$29,348	\$31,036	\$32,265
44'	\$30,524	\$32,292	\$34,196
46'	\$31,307	\$33,589	\$35,426
48'	\$32,549	\$34,913	\$36,992
50'	\$34,345	\$36,777	\$38,694
52'	\$36,898	\$39,491	\$44,488
54'	\$37,695	\$40,950	\$45,528
56'	\$39,112	\$41,868	\$47,325
58'	\$41,179	\$46,919	\$49,459
60'	\$42,381	\$48,662	\$51,511
62'	N/A	\$48,866	\$54,564
64'	N/A	\$50,887	\$56,938
66'	N/A	\$52,790	\$59,222
68'	N/A	\$54,825	\$61,657
70'	N/A	\$57,859	\$64,780
72'	N/A	\$60,013	\$66,358
74'	N/A	\$61,622	\$68,871
76'	N/A	\$60,803	\$71,507
78'	N/A	\$62,977	\$80,161
80'	N/A	\$65,220	\$82,014

Please call for pricing on bridges with spans greater than 80' and widths greater than 8'.

Galvanized steel or powder coat steel frame. Wood or recycled plastic planks.

See attached price list.

Powder coat steel frame. Series E has thermoplastic coating.

See attached price list.