

Equipment Price List

April 2025



CONFIDENTIAL

Prices effective 4/1/2025
Supersedes all previous price lists — Prices subject to change without notice

SUBSITE ELECTRONICS

- **GUIDANCE SYSTEMS**
- **LOCATORS**
- **ONGRADE**



CONFIDENTIAL

GUIDANCE SYSTEMS

Changes since the Feb 1, 2025 price list:

Effective Mar 1, 2025

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

Marksman™+ Guidance System

The new Marksman™ system is a guidance system for tracking horizontal directional bores. The system is comprised of a tracker, drill rig display and beacon. The Marksman™ system provides many new and enhanced features and offers a Marksman™+ tracker with 32 frequency options, the ability to use current display offerings (Commander™ 7, TD Recon and Integrated Displays with the use of the Recon CAN), and a new 17" beacon option, the M17+. The Marksman™ system will not be backwards compatible with the existing TK Recon series trackers or T-series beacons.

The Marksman™+ tracker detects the widest frequency range in the industry within a single beacon, with 32 frequencies ranging from 1.9 kHz to 46 kHz frequencies and utilizes an ISM telemetry radio to communicate to the rig display, the ISM radio frequency is country specific. See corresponding part numbers below. Each Marksman™+ tracker comes standard with two rechargeable Li-Ion batteries, charger and operators manual. Selectable options include, the choice between Hard case, EVA case, carry bag or nothing and between a swivel, small or no stand.

Separately, select a corresponding, country specific TD Recon display, Commander™ 7 display or Recon CAN Bridge (For Integrated Displays).

Marksman-Plus radios	\$17,929.00	H
----------------------	-------------	---

Marksman™ Parts & Accessories

220-2846	ADAPTER, 21700 RECHARGEABLE BEACON BAT	\$51.98	C
222-6213	3220 HARD CASE, TRACKER COMBO	\$673.85	B
222-6212	EVA CASE, TRACKER COMBO	\$457.21	C
222-6205	SMART LI-ION RECHARGE TRACKER BAT, MARKS	\$252.92	F
220-2847	MARKSMAN SWIVEL BASE MOUNT	\$319.22	C
222-6215	Tracker Base Mount, Marksman	\$118.13	C
222-6221	CHARGER, 21700 RECHARGEABLE BEACON BAT	\$30.65	F
222-2661	COMMANDER 7 FIELD PROGRAMMING HARNESS	\$90.37	F

M15+ & M17+ Beacon

The M15+ & M17+ beacon comes with 32 discreet frequencies ranging from 1.9 kHz to 46 kHz, and two power levels. The M15+ & M17+ works with the Marksman+ tracker and is not compatible with TK or TK Recon trackers. The M15+ & M17+ comes standard as a grade pitch beacon, and includes the flat-top/half-moon isolators for side-load housings. An optional 220-1090 hard case, battery adapter and other isolators are available in the selectable parts section. Length is 17.8 in (452 mm), diameter is 1.5 in (38 mm).

102-1789	M15+ Beacon	\$5,906.00	H
102-2572	M17-PLUS BEACON	\$5,906.00	H

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

Marksman™ Guidance System

The Marksman tracker detects 6 frequencies 12kHz, 13kHz, 28kHz, 29kHz, 37kHz, 38kHz and utilizes an ISM telemetry radio to communicate to the rig display; the rig display is country specific. Each Marksman tracker comes standard with two rechargeable Li-ion batteries, charger and operator's manual. Selectable options include: the choice between a Hard case, Eva case, carry bag or no carry bag, as well as the choice between a swivel stand, small stand or no stand.

Separately, select a corresponding, country specific TD Recon display, Commander™ 7 display or Recon CAN Bridge (For Integrated Displays).

Marksman radios	\$11,673.00	H
-----------------	-------------	---

M15 & M17 Beacon

The M15 & M17 has 6 discreet frequencies 12kHz, 13kHz, 28kHz, 29kHz, 37kHz, 38kHz with normal power. The M15 & M17 beacon works with the Marksman and Marksman+ tracker and is not compatible with TK or TK Recon trackers. The M15 & M17 comes standard as a grade pitch beacon, and includes the flat-top/half-moon isolators for side load housings. An optional hard case, battery adapter and other isolators are available in the selectable parts section. Length is 17.8 in (452 mm), diameter is 1.5 in (38 mm).

102-1790	M15 BEACON	\$3,806.00	H
102-10013	M17 BEACON	\$3,806.00	H

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

Commander™ 7 Display

The Commander™ 7 is used exclusively with all models of TK Recon tracker, Marksman Trackers and supported beacons. The system leverages the planning capabilities of the Field Scout™ mobile through the built-in ScoutView™ application. The system provides projected depth information and offers both Classic and Advanced Drill-To guidance modes. The display utilizes an ISM radio to communicate to the tracker, radio frequency is country specific. See corresponding part numbers below. The display has internal data storage capabilities and works with TMS Plus and TSR software. The system includes all necessary cabling and antenna, display assembly, dash assembly and operators manual.

Commander7A radios	\$8,027.00	H
--------------------	------------	---

Commander™ 7 Parts and Accessories

220-2814	CMDR 7 Competitive Mount Kit 23x30 24x40	\$652.96	B
240-7210	ScoutView	\$1,479.70	F
220-2633	COMMANDER 7 DEMONSTRATION KIT	\$576.13	C
222-6714	HARNESS, COMMANDER 7, DEMO	\$335.83	C
222-6720	8 PIN CONNECTOR PLUG, COMMANDER 7	\$27.02	C
222-6721	PLUG SEAL, COMMANDER 7	\$2.16	C
222-3219	LANYARD	\$7.51	C
222-6615	2.5" MOUNTING MAGNET, 3/8-16	\$191.19	C
222-6617	COMMANDER 7 MAGNET COVER	\$14.78	C
220-2770	Commander 7 Mag Mount Kit	\$287.08	C
222-6707	CIRCULAR RAM MOUNT 1.5" WITH 3/8-16 STUD	\$37.37	C
220-2645	COMMANDER 7 MOUNTING PLATE, JT5	\$112.98	C
222-6729	JT 20 AND 30 DASH PLATE, COMMANDER 7	\$25.89	C
222-6620	RAM, DISPLAY ARM, STANDARD	\$33.86	C
222-6719	COMMANDER 7 CARRYING CASE	\$383.94	C
222-6517	ANTENNA, 902-960MHz (Rig Antenna)	\$104.57	C
222-6519	868MHz Antenna (Rig Antenna)	\$104.57	C

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

Integrated Display JT24 / JT40 CAN Bridge

The CAN Bridge INT, SV, is used with integrated displays available on current Ditch Witch JT/AT40 and JT24 machines and are used exclusively with all models of TK Recon tracker and supported beacons. This Can Bridge should be ordered with applicable machines upon order configuration however can be ordered separately utilizing the appropriate part numbers below.

220-6733	RECON CAN BRIDGE INT, SV, AUSTRALIA	\$7,372.00	H
220-6735	RECON CAN BRIDGE INT, SV, EUROPE	\$7,371.92	H
220-6736	RECON CAN BRIDGE INT, SV, SINGAPORE	\$7,036.83	H
220-6737	RECON CAN BRIDGE INT, SV, GLOBAL	\$7,371.92	H
220-6738	RECON CAN BRIDGE INT, SV, NORTH AMERICA	\$7,372.00	H
220-6739	RECON CAN BRIDGE INT, SV, JAPAN	\$7,036.83	H
220-6766	RECON CAN BRIDGE INT, SV, SWEDEN	\$7,371.92	H
220-6767	RECON CAN BRIDGE INT, SV, INDIA	\$7,036.83	H
220-6768	RECON CAN BRIDGE INT, SV, UAE	\$7,036.83	H

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)	
Commander™ 7 Dash Assemblies			
The Commander™ 7 Dash Assy, SV, is used with Commander™ 7 Displays and are used exclusively with all models of TK Recon tracker and supported beacons. When purchased alone, the Commander™ 7 Dash Assembly allows an existing Commander™ 7 display to be shared with or moved to a second drill without having to remove any hard-mounted components from the first. This Commander™ 7 Dash Assembly is included with Integrated Displays, however, can be ordered separately utilizing the appropriate part numbers below.			
220-6747	COMMANDER 7 DASH ASSY, SV, AUSTRALIA approved countries are: Australia and New Zealand	\$7,845.88	H
220-6749	COMMANDER 7 DASH ASSY, SV, EUROPE approved countries are: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovak Republic, Slovenia, Spain, Switzerland, Turkey, United Kingdom	\$7,845.88	H
220-6751	COMMANDER 7 DASH ASSY, SV, SWEDEN approved countries are: Sweden	\$7,845.88	H
220-6752	COMMANDER 7 DASH ASSY, SV, INDIA approved countries are: India	\$7,845.88	H
220-6753	COMMANDER 7 DASH ASSY, SV, UAE approved countries are: UAE	\$7,845.88	H
220-6757	COMMANDER 7 DASH ASSY, SV, ISRAEL approved countries are: Israel	\$7,845.88	H
220-6759	COMMANDER 7 DASH ASSY, SV, JAPAN approved countries are: Japan	\$7,845.88	H
220-6758	COMMANDER 7 DASH ASSY, SV, NORTH AMERICA approved countries are: Canada, Columbia, Mexico, Peru, United States, Venezuela	\$7,845.88	H
220-6756	COMMANDER 7 DASH ASSY, SV, GLOBAL	\$7,845.65	H

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

TD RECON Display

The display is available as an in-dash mount (TD) or remote mount (TDR). Both styles of the display presents information displayed by the tracker at a distance up to 2000 ft (609.6 m) with the UHF radio. The display utilizes an ISM radio to communicate to the tracker, radio frequency is country specific. See corresponding part numbers below. The display has internal data storage capabilities and works with TMS Plus and TSR software. The TK RECON Display works with all models of TK RECON trackers. Each display comes standard with mounting hardware required to install on drill rigs.

TD-Recon radios \$5,950.00 H

TK Recon Repeater

The TK Recon Repeater is used exclusively with all models of TK Recon tracker and displays as well as the Marksman. The system has a lightweight, compact design that is highly durable and is offered as a range extender and a tool to combat line of sight issues found on the HDD jobsite. The TK Recon Repeater leverages a simple to use, single button operation which features more than 50 hours of continuous battery life and the ability to mount to any ¼"-20 accessory.

Repeater radios \$1,929.00 C

TK/TD RECON Parts and Accessories

See Tracker and Display Parts and Accessory section under the TK series for common parts such as cases, bags and stands. See accessories below specific to the RECON series.

220-2407	TDR DISPLAY KIT	\$56.35	C
220-2769	REPEATER MAG MOUNT KIT	\$139.89	B
220-2498	Battery Tray Final Assy, Alk & NiMH	\$212.99	C
220-2500	Battery Tray Final Assy, Li-Ion	\$100.80	C
220-2575	TDR Recon Mag Mount Kit - DW 900MHz	\$425.99	C
220-2577	TDR Recon Mag Mount Kit - Other 900MHz	\$272.63	C
222-5260	TK Recon Battery Cap	\$16.49	C
222-5264	O-Ring	\$9.54	C
222-5531	Universal Charger, US/North America	\$325.55	F
222-6520	Universal Charger Travel Adapter Set	\$31.93	F
220-6775	LI ION BATTERY KIT	\$605.17	F
222-5521	SMART LI-ION CHARGE TRACKER BAT,TK RECON	\$180.22	F
222-5592	900MHz Rubber Duck Ant/Male (Remote Ant)	\$62.04	C
222-6517	ANTENNA, 902-960MHz (Rig Antenna)	\$104.57	C
222-6519	868MHz Antenna (Rig Antenna)	\$104.57	C
222-6530	2.4GHz antenna 2.0dBi STD SMA	\$23.24	H
222-6540	Seven band external antenna, TNC	\$44.45	H

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

15T Beacon Transmitter

15T series beacons are available in a single 29 kHz frequency (15T1) or a three frequencies 12/20/29 kHz (15T3). They work with the TK or TK RECON tracker series. Prior to a bore, the 15T3 beacon can be configured with two of three frequencies 12 kHz, 20 kHz, and 29 kHz and can be configured with standard, high or extreme power. The 15T1 is 29 kHz and standard power level. The 15T series beacons are Grade pitch. The beacons are a universal length @ 15 in (381 mm) and an 1.25 in (31.7 mm) diameter, which fits into housings that are designed for a DCI transmitter. An optional 220-2356 hard case, batteries and isolators are available in the selectable parts section.

102-1632	15T1 Beacon, single 29 kHz frequency, standard power level	\$4,113.00	H
102-1588	15T3 Beacon, configurable 12, 20 or 29 kHz frequency; standard, hig	\$5,074.00	H

17T Beacon Transmitter

17T series beacon transmitters are available in multiple frequency and power options. They work with the TK or TK RECON tracker series. Prior to a bore, the 17T4 and 17T4G beacons can be configured with two of four frequencies 1.5 kHz, 12 kHz, 20 kHz, and 29 kHz. It can also be configured with standard, high or extreme power. The 17T1 is 29 kHz and standard power. The 17T1H is 29 kHz and high power. "G" designates Grade pitch, everything else is Standard Pitch. The beacon comes standard with flat-top/half-moon isolators for side-load housings. An optional 220-1090 hard case, batteries and other isolators are available in the selectable parts section. Length is 17.8 in (452 mm), diameter is 1.5 in (38 mm).

102-1715	17T1 BEACON, BASE UNIT 29 kHz frequency, standard power level	\$4,048.00	H
102-1716	17T1H BEACON, BASE UNIT 29 kHz frequency, high power level	\$4,827.00	H
102-1717	17T4 BEACON 1.5, 12, 20 and 29 kHz frequencies; standard, high or extreme power levels, standard pitch	\$5,698.00	H
102-1718	17T4G 1.5, 12, 20 and 29 kHz frequencies; standard, high or extreme power levels, grade pitch	\$6,647.00	H

19T Beacon Transmitter

19T beacon is available in a three frequencies 12/20/29 kHz (19T3). It works with the TK or TK RECON tracker series. Prior to a bore, the 19T3 beacon can be configured with two of three frequencies 12 kHz, 20 kHz, or 29 kHz and can be configured with standard, high or extreme power. The 19Ts beacon is Grade pitch. The beacons are a universal length @ 19 in (482 mm) and an 1.25 in (31.7 mm) diameter, which fits into housings that are designed for a DCI transmitter. An optional 220-2565 hard case, batteries and isolators are available in the selectable parts section.

102-1631	19T3 configurable 12, 20 and 29 kHz frequencies; standard, high or extreme power levels	\$6,207.00	H
----------	--	------------	---

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)	
----------	-------------	------------	--

88 Series Single Frequency HDD Beacons

The beacons work with the TK and 750/752 system and are small diameter for use on the smaller HDD units. The beacons come in two configurations; the first configuration is used on JT applications (orange index cap), and the second configuration is used on AT applications (blue index cap). The JT housings require a canoe to position the clock the 88B transmitter in the housing. All installations require isolators on each end. The 88B transmits a 29 kHz signal.

102-1418	88B Top Beacon Assembly Base Unit	\$3,270.00	H
Selectable Options			
220-634	88 SERIES CASE ASSEMBLY	\$110.33	A
221-543	ISOLATOR, SBRP - 88B	\$8.67	C
401-278	CANOE, 88B, JT520 HSG	\$28.58	C

BI Series Single Frequency Piercing Tool Beacon

The model BI impact beacon transmitter transmits a 29 kHz signal and is designed to work with the TK & 750/752 trackers and UtiliGuard & 900 series locators. The BI is a detection beacon which provides location information only, to a depth of 10 feet with 900 series locator receivers in normal soil conditions. The BI is designed for use with 3", 4", and 5.5" piercing tools using replaceable head beacon housings.

	29K Impact Beacon	\$1,026.00	C
Beacon Parts and Accessories			
220-2356	BEACON CASE, 15 IN	\$206.97	C
220-1090	BEACON CASE, 17 IN	\$171.00	C
220-1091	CASE ASSY & ACCESSORY KIT, 17 IN	\$862.50	C
220-2565	CASE ASSEMBLY, 19T3	\$203.30	C
220-2578	ASSEMBLY, BATTERY CAP 17T	\$139.00	C
220-2794	17T Battery Cap Update Kit	\$31.64	C
908-4304	ISOLATOR, 15T/DCI FRONT	\$26.78	C
908-4295	ISOLATOR, 15T/DCI REAR	\$28.73	C
906-2624	SLEEVE, 17T/86B	\$19.58	C
906-2702	SLEEVE, 15T/DCI	\$109.80	C
Repair Modules			
220-2535	17T1 BEACON REPAIR ASSEMBLY	\$2,927.53	C
220-2536	17T1H BEACON REPAIR ASSEMBLY	\$3,432.97	C
220-2537	17T4 BEACON REPAIR ASSEMBLY	\$4,351.72	C

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**
Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)	
Tracker and Display Parts and Accessories			
220-2239	TDR Mag Mount Kit - Ditch Witch for USA, Canada, Australia, and Russia	\$384.33	C
220-2248	TDR Mag Mount Kit - DW Low Freq for Germany, Sweden, & Other European Union Countries	\$414.51	C
220-2247	TDR Mag Mount Kit - Other Drill for USA, Canada, Australia, and Russia	\$259.46	C
220-2249	TDR Mag Mount Kit - Other Drill Low Freq for Germany, Sweden, & Other European Union Countries	\$254.38	C
220-2225	PLATE, RAM Mount	\$1,134.84	C
222-4411	TK RECON TRACKER STAND, SMALL	\$103.18	C
222-4105	TK RECON TRACKER STAND, LARGE	\$105.94	C
222-6213	3220 HARD CASE, TRACKER COMBO	\$673.85	B
220-2383	Carry Bag, W/ Blank Strap (830)	\$174.64	C
222-4163	750 TO TD JUMPER	\$107.55	C
222-4166	ON-DASH CONTROL HARNESS	\$76.27	C
222-4191	ARM, DOUBLE SOCKET, 1" BALL, COMPOSITE	\$30.43	C
222-4302	Cable Assembly, SMA - BNC, RG174	\$50.72	C
222-6212	EVA CASE, TRACKER COMBO	\$457.21	C
220-2661	TK RECON SWIVEL BASE MOUNT	\$328.96	C

Trac Management System (TMS) Plus

Trac Management System (TMS) Plus is an integrated planning and mapping system for Horizontal Directional Drilling. The TMS Plus will work on any Jet Trac® equipped with the required Subsite® systems. Requirements for the TMS Plus include a TD / TDR Display, a TK / TKD / TKQ Tracker, 750 / 752 Display, a 750 / 752 Tracker and any Ditch Witch® pitch beacon. A computer capable of running Windows 95 or higher is needed. The TMS Plus Kit includes a cable to connect from the unit to the computer, a software disc, and a manual.

	TMS base unit	\$2,617.00	C
220-054	TMS PLUS CD ONLY OPTION	\$3,022.61	C
220-1006	TMS Plus Dealer CD	\$687.69	C
222-2335	USB DATA CABLE	\$82.97	C

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

Legacy Product Repair and Selectable Parts

Selectable Parts

220-1090	BEACON CASE, 17 IN	\$171.00	C
220-1091	CASE ASSY & ACCESSORY KIT, 17 IN	\$862.50	C
221-577	ISOLATOR FLAT TOP STD SIDELOAD	\$15.58	C
222-500	Aft Isolator	\$14.24	C
221-543	ISOLATOR, SBRP - 88B	\$8.67	C
222-501	850/86Bv2 Forward Isolator, Flat-Top	\$5.93	C
222-495	END LOAD ISOLATOR CAP	\$21.46	C
222-3214	DW V2 HALF MOON ISOLATOR	\$2.82	C
222-1239	LINER, PADDED ASSEMBLY (OBSOLETE)	\$2.96	C
221-461	SMART LEVEL	\$412.22	A
220-634	88 SERIES CASE ASSEMBLY	\$110.33	A
401-278	CANOE, 88B, JT520 HSG	\$28.58	C

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**
Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

DrillLok™ Remote/Base

DrillLok™ is a remote disable feature that incorporates a "report" feature from the HDD unit back to a Handheld device. The report provides an indication to the tracking crew that the rig is disabled there by locking out any inadvertent motion of the drill string.

	Drilllok radios	\$3,274.00	C
--	-----------------	------------	---

DrillLok™ Mounting Accessories

JT5	Shipped with: 350-4268 JT5 REMOTE DRILL LOCK	\$132.51	T
JT9	Shipped with: 350-2653 MOUNTING ASSY	\$153.05	T
JT20	Shipped with: 215-2288 RIG DISABLE HARNESS	\$158.72	C
JT25	Shipped with: 350-2653 MOUNTING ASSY	\$153.05	T
JT30 / AT30	Shipped with: 215-2288 RIG DISABLE HARNESS	\$158.72	C
JT40	Shipped with: 350-2653 MOUNTING ASSY	\$153.05	T
JT60 / AT60	Shipped with: 350-2653 MOUNTING ASSY	\$153.05	T
JT100 / AT100	Shipped with: 350-2653 MOUNTING ASSY	\$153.05	T

Tracker DrillLok™ Retrofit Kit

TK, TKD and TKQ Trackers can be upgraded to add DrillLok™ capability. The upgrades are performed by Subsite® factory or service centers. A service labor charge is applied in addition to the upgrade kit. Additional repairs and labor may be required and will be charged separately.

220-2462	TK series DrillLok™ retro-fit kit U.S.	\$1,333.63	C
220-2464	TK Series DrillLok™ retro-fit kit Canada	\$1,288.54	C
220-2465	TK Series DrillLok™ retro-fit kit German	\$1,288.54	C
220-2466	TK Series DrillLok™ retro-fit kit Sweden	\$1,288.54	C
220-2467	TK Series DrillLok™ retro-fit kit Aus/NZ	\$1,288.54	C
220-2468	TK Series DrillLok™ retro-fit kit EU Har	\$1,288.54	C
	1 hour Service Labor charge applied in addition to the upgrade kit	\$130.00	

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**
Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)	
Display DrillLok™ Retrofit Kit			
TD and TDR Displays can be upgraded to add DrillLok™ capability. The upgrades are performed by Subsite® factory or service centers. A service labor charge is applied in addition to the upgrade kit. Additional repairs and labor may be required and will be charged separately.			
220-2463	TD Series DrillLok™ retro-fit kit U.S.	\$1,383.30	C
220-2469	TD Series DrillLok™ retro-fit kit Canada	\$1,275.79	C
220-2470	TD Series DrillLok™ retro-fit kit German	\$1,288.54	C
220-2471	TD Series DrillLok™ retro-fit kit Sweden	\$1,288.54	C
220-2472	TD Series DrillLok™ retro-fit kit Aus/NZ	\$1,288.54	C
220-2473	TD Series DrillLok™ retro-fit kit EU Har	\$1,288.54	C
	1 hour Service Labor charge applied in addition to the upgrade kit	\$130.00	



CONFIDENTIAL

LOCATORS

Changes since the Feb 1, 2025 price list:

Effective Mar 1, 2025

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

UtiliGuard 2® Advanced System

The following features are included:

Receiver/Transmitter Communications, which allows the user to control the transmitter with the receiver. Access to 70 standard frequencies, Radio Mode, Total Field Beacon Antenna Mode, Passive Power Modes, Ambient Interference Measurement (AIM) and Offset Depth measurement capability. Two transmitter options, the T5+ (5 Watt) and the T12+ (12 Watt). The T12+ includes an additional feature called Dual Output. This feature allows the user to connect to two different target utilities, locate the first one away from the transmitter, then switch to the second utility and locate it coming back to the transmitter.

UtiliGuard 2 transmitters include the following: MFL TX DIR CONN ASSY, Standard, Strap MFL TX, Grounding Stake MFL TX, UtiliGuard 2 Operator's Manual, USB Type A Male to Type Mini B Female , Battery (1.5v D Alkaline QTY 10

UTG2-ADV base unit	\$4,987.00	H
--------------------	------------	---

TRANSMITTERS

UTG2-T5-ADV base unit	\$2,686.00	H
-----------------------	------------	---

UTG2-T12-ADV base unit	\$3,863.00	H
------------------------	------------	---

Option for 5W PLUS

240-0092 Dual Output Option	\$701.02	C
-----------------------------	----------	---

UtiliGuard 2® Standard System

The following features are included:

70 standard frequencies, Radio Mode, Total Field Beacon Antenna Mode, and Passive Power Modes. Two transmitter options the - T5 (5 Watt) and T12 (12 Watt). There are two receiver options, one with Bluetooth™ radio for short range GPS communication (Does Not Have RX/TX Comms.), and one classic receiver without Bluetooth™.

UtiliGuard 2 transmitters include the following: MFL TX DIR CONN ASSY, Standard, Strap MFL TX, Grounding Stake MFL TX, UtiliGuard 2 Operator's Manual, USB Type A Male to Type Mini B Female , Battery (1.5v D Alkaline QTY 10

UTG2-STD base unit	\$3,805.00	H
--------------------	------------	---

UTG2-Classic W/Headphones	\$2,944.00	H
---------------------------	------------	---

UTG2-Classic W/O Headphones	\$2,852.00	H
-----------------------------	------------	---

TRANSMITTERS

UTG2-T5 base unit	\$2,132.00	H
-------------------	------------	---

UTG2-T12 base unit	\$2,672.00	H
--------------------	------------	---

UtiliGuard 2® RTK receiver

The following features are included:

Centimeter level accuracy capability, high accuracy mapping capabilities, instant data transfer via MyUtiliGuard app iOS/Android, Store up to one million data points for more flexibility, Receiver/Transmitter Communications, which allows the user to control the transmitter with the receiver. Access to 70 standard frequencies, Radio Mode, Total Field Beacon Antenna Mode, Passive Power Modes, Ambient Interference Measurement (AIM) and Offset Depth measurement capability. Two transmitter options, the T5+ (5 Watt) and the T12+ (12 Watt). The T12+ includes an additional feature called Dual Output. This feature allows the user to connect to two different target utilities, locate the first one away from the transmitter, then switch to the second utility and locate it coming back to the transmitter. UtiliGuard 2 transmitters include the following: MFL TX DIR CONN ASSY, Standard, Strap MFL TX, Grounding Stake MFL TX, UtiliGuard 2 Operator's Manual, USB Type A Male to Type Mini B Female , Battery (1.5v D Alkaline QTY 10)

	\$8,242.00	H
--	------------	---

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
UtiliGuard® ACCESSORIES		
222-5208	CLAMP, BROADBAND	\$1,564.12 C
220-2331	5 INCH CLAMP ASSEMBLY	\$908.89 C
220-2332	7 INCH CLAMP ASSEMBLY	\$1,304.37 C
222-3815	MFL TX DIR CONN CABLE ASSY, STANDARD	\$335.37 C
222-4863	MFL TX DIR CONN CABLE ASSY, DUAL SMALL	\$433.79 C
222-4413	GROUNDING STAKE, MFL TX	\$51.62 C
222-4513	RECEIVER SLEEVE, SS	\$44.33 C
222-4232	STRAP, MFL TX	\$8.33 C
220-2330	Trans Bag, MFL, SS	\$88.63 C
220-2329	CARRY BAG, MFL, SS	\$219.97 C
222-4573	MFL TX TO 6 PIN CLAMP ADAPTOR	\$288.33 C
222-4572	6 PIN TX TO MFL CLAMP ADAPTOR	\$259.59 C
220-2490	MFL FAULT PROBE ASSY, V02	\$1,035.50 C
222-4857	Fault Probe Bag	\$137.91 C
220-2489	MFL EML BOOT, V02	\$1,528.68 C
220-2493	MFL EML BOOT, EUROPEAN, V02	\$1,459.19 C
220-2370	MAGNET	\$30.31 C
220-2306	MFL, LIVE POWER ADAPTER	\$1,079.40 C
222-4743	Clamp Extension Cable Assy, M16	\$285.20 C
220-2491	MFL RX CLAMP ASSY, V02	\$1,304.37 C
220-2492	MFL STETHOSCOPE ASSY, V02	\$676.00 C
222-5253	MFL RX, MALE THREAD TO MALE LOCK	\$50.43 B
222-5254	MFL RX, FEMALE LOCK TO FEMALE THREAD	\$58.41 B
222-10422	UTG EVA CASE	\$338.00 C
220-373	Telephone lead adapter (alligator clip)	\$141.04 C
220-10056	UTG HARD CASE	\$456.74 B
222-10325	ANTENNA, UTG2 RTK L1/L2 HELICAL	\$101.50 B

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
UtiliGuard® LITHIUM BATTERY KITS		
Includes battery, charger, and cable		
220-2310	LITHIUM BATTERY KIT, NORTH AMERICA	\$935.55 C
220-2311	LITHIUM BATTERY KIT, ARGENTINA	\$875.52 C
220-2312	LITHIUM BATTERY KIT, AUSTRALIA	\$875.52 C
220-2313	LITHIUM BATTERY KIT, BRAZIL	\$875.52 C
220-2314	LITHIUM BATTERY KIT, CHINA	\$875.52 C
220-2315	LITHIUM BATTERY KIT, DENMARK	\$875.52 C
220-2316	LITHIUM BATTERY KIT, EUROPEAN	\$935.55 C
220-2317	LITHIUM BATTERY KIT, ISRAEL	\$875.52 C
220-2318	LITHIUM BATTERY KIT, ITALY	\$875.52 C
220-2319	LITHIUM BATTERY KIT, JAPAN	\$875.52 C
220-2320	LITHIUM BATTERY KIT, KOREA	\$875.52 C
220-2321	LITHIUM BATTERY KIT, SOUTH AFRICA	\$875.52 C
220-2322	LITHIUM BATTERY KIT, SWITZERLAND	\$893.03 C
220-2323	LITHIUM BATTERY KIT, UNITED KINGDOM	\$875.52 C
Part list for lithium battery kits		
222-6201	MFL TX LITHIUM BATTERY CHARGER	\$67.22 C
222-4590	CABLE, NORTH AMERICA NEMA 5-15P - IEC C5	\$37.61 C
222-4591	CABLE, ARGENTINA, IRM 2073 - IEC C5	\$35.19 C
222-4592	CABLE, AUSTRALIA, BS1363 UK3 - IEC C5	\$35.19 C
222-4593	CABLE, BRAZIL, NBR14136 - IEC C5	\$35.19 C
222-4594	CABLE, CHINA, GB2099 - IEC C5	\$35.19 C
222-4595	CABLE, DENMARK, SRAF 1962 - IEC C5	\$35.19 C
222-4596	CABLE, EUROPEAN, CEE 7/7 - IEC C5	\$35.89 C
222-4597	CABLE, ISRAEL, SI32 - IEC C5	\$35.19 C
222-4598	CABLE, ITALY, CEI 23-16 - IEC C5	\$35.19 C
222-4599	CABLE, JAPAN, JIS 8303 - IEC C5	\$35.19 C
222-4600	CABLE, KOREA, KSC 8305 - IEC C5	\$35.19 C
222-4601	CABLE, SOUTH AFRICA, BS 546 - IEC C5	\$35.19 C
222-4602	CABLE, SWITZERLAND, SEV 1011 - IEC C5	\$35.19 C
222-4603	CABLE, UNITED KINGDOM, BS 1363 - IEC C5	\$35.19 C
220-2221	MFL TX LITHIUM BATTERY SUB-ASSEMBLY	\$868.96 C
LOCATING BEACON		
102-225	910 Beacon - 512 HZ Base Unit	\$792.00 H

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

BI Series Single Frequency Piercing Tool Beacon

The model BI impact beacon transmitter transmits a 29-33 kHz signal and is designed to work with the 750/752 trackers and 900 series locator receivers. The BI is a detection beacon which provides location information only, to a depth of 10 feet with 900 series locator receivers in normal soil conditions. The BI is designed for use with 3", 4", and 5.5" piercing tools using replaceable head beacon housings.

29K Impact Beacon	\$1,026.00	C
33K Impact Beacon	\$848.00	C

150 BW

512K base unit	\$656.00	C
640K base unit	\$673.00	C

150 BC

29K base unit	\$693.00	C
33K base unit	\$693.00	C
640K base unit	\$693.00	C

150BWL

512K base unit	\$1,066.00	D
640K base unit	\$1,066.00	D

150BCL

29K base unit	\$975.00	H
33K base unit	\$975.00	H

150 BEACON ADAPTERS

220-1108	KIT, FERRULE ADAPTER ASSEMBLY (Kit includes: Flexible adapter, 3/16" push rod adapter, 1/4" push rod adapter, 1/8" push rod adapter, Pull-back adapter and Epoxy)	\$164.13	C
220-2628	150BC/BW COUPLER SPRING ADAPTER KIT	\$255.58	C
220-2629	150BCL COUPLER SPRING ADAPTER KIT	\$243.97	C
220-2630	150BWL COUPLER SPRING ADAPTER KIT	\$260.63	C

ACCESSORIES

220-2031	150BCL BATTERY CAP ASSEMBLY 3/8 THREAD	\$78.91	C
220-2032	BATTERY CAP ASSEMBLY	\$103.92	C
220-2033	150B BATTERY CAP ASSEMBLY	\$106.98	C

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)****Effective Mar 1, 2025**

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

830 ACCESSORIES

220-2383	Carry Bag, W/ Blank Strap (830)	\$174.64	C
220-339	3 INCH CLAMP ASSY	\$532.80	C
220-292	5" CLAMP ASSEMBLY	\$633.09	C
220-455	CLAMP ASSEMBLY, 7 INCH	\$940.25	C
220-131	GROUNDING PIN	\$26.50	C
220-192	DIRECT CONNECT ASSEMBLY	\$120.82	C
222-2924	Boot, 830R Antenna	\$8.69	C
222-3070	BOOT, RUBBER, 830T ANTENNA	\$7.77	C

Depth Calibration Check

This service will verify that a 950R receiver with depth capability is within factory test field tolerances. The unit will be recalibrated if required. If unit repair is necessary to achieve calibration, the repair costs are not included in this service charge.

219-092	DEPTH CALIBRATION CHECK	\$292.29	H
---------	-------------------------	----------	---



CONFIDENTIAL

OnGrade

Changes since the Feb 1, 2025 price list:

Effective Mar 1, 2025

**SUGGESTED PRICE LIST
(F.O.B. PERRY, OKLAHOMA)**

Effective Mar 1, 2025

PART NO.	DESCRIPTION	MSRP (USD)
----------	-------------	------------

DOWNHOLE GRADE TOOLS**BEACON HOUSINGS (Select one)**

400-1258	3.375" 850B ELST HOUSING ASSEMBLY	\$3,147.12 C
400-1407	4.75" GRADE HSG ASSEMBLY	\$3,984.10 C

TRANSITION SUBS (Select one)

400-588	JT27M1 GRADE DRILLING SUB	\$1,275.72 C
400-589	JT40M1 GRADE DRILLING SUB	\$1,307.48 C

ADAPTERS (Select one)

400-1302	5.0" GRADE HSG STABILIZER 2.59-4F/M	\$1,091.74 C
----------	-------------------------------------	--------------

BITS (Select one)**JT3020**

400-1243	4.0" ST POCKET BIT HEAD	\$2,183.55 C
400-1239	4-2/16-P-TUFF BIT BLADE	\$536.77 C

JT4020

400-1176	5-2/16-P-TUFF BIT BLADE	\$216.74 C
----------	-------------------------	------------

BACKREAMERS (Optional)

400-1270	10" GRADE FLAIL (2.59-4F/40KSF)	\$2,566.31 C
400-1236	12" GRADE FLAIL (2.59-4F/40KSF)	\$2,493.53 C
400-1276	14" GRADE FLAIL (2.59-4F/40KSF)	\$2,644.63 C
400-1282	16" GRADE FLAIL (2.59-4F/40KSF)	\$2,773.08 C
400-1288	19" GRADE FLAIL (2.59-4F/40KSF)	\$2,978.60 C
400-1295	22" GRADE FLAIL (2.59-4F/40KSF)	\$3,145.58 C

NOTE: TO PLACE ORDER, PLEASE CONTACT LARRY KINDSCHI OR YOUR REGIONAL MANAGER

OTHER

- **CHANGES**

Changes since the Feb 1, 2025 price list:

Effective Mar 1, 2025

See changes on:

EXTENDED WARRANTY

- **Electronics Warranty**



CONFIDENTIAL

Electronics Warranties

Prices are in US Dollars

EXTENDED WARRANTIES

Effective Mar 1, 2025

Warranty: Generally, Subsite® receivers, remote displays, locators, and transmitters have a twelve (12) month warranty. Subsite®M and T-Series beacons have a three (3) year 750 hour warranty, M10 beacon has a one (1) year 350 hour warranty. All other Subsite® beacons have a six (6) month warranty. Refer to individual product manuals for specific warranty information.

Coverage: Policy covers defects in material or workmanship using original warranty guidelines. Owner is responsible for inbound freight, and Subsite® will pay outbound freight. Countries that require duties, import fees, etc. are not covered under extended warranty. There are no provisions under extended warranty for software enhancements or batteries.

Registration: Extended warranty purchased after the sale, contact Technical Service Department within the first 12 months of ownership. Extended warranty purchased at the time of sale, please note on the front of the registration card that the customer is purchasing extended warranty. Subsite® will bill the dealership and load information into the data bank.

MODEL	PART #		1 YR. EXT. WARRANTY	PART #		2 YR. EXT. WARRANTY
GUIDANCE SYSTEMS						
Marksman+	799-1511	C	\$1,321.00	799-1512	C	\$1,983.00
TD RECON	799-1411	C	\$519.00	799-1412	C	\$780.00
Commander 7	799-1477	C	\$605.00	799-1478	C	\$934.00
LOCATORS						
UtiliGuard Receiver	799-1188	C	\$261.00	799-1189	C	\$278.00
UtiliGuard Transmitter	799-1194	C	\$215.00	799-1195	C	\$238.00