

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 473 RB-5 <i>Emission stage: Stage V / TIER4f</i> <i>Mercedes MTU OM 936 LA 210 kW TWIN-PUMP-DRIVE</i>	930 000 21	540,111	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>CD. USB. Aux In. Bluetooth</i>	930 001 83	549	●
	G09	Prot. grid for cabin <i>Cab Prtection grid to avoid glass damage</i>	930 001 78	4,940	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights. additional flat beams</i>	930 001 91	4,077	●
Basic machine	M33	Fan protection <i>protectio grid for cooling fan, prevented damages by animals</i>	930 002 20	2,660	●
Dozer blade	Y12	Dozer blade S <i>blade vol. 11.0 m³ (388.5 ft³)</i>	930 101 36	44,371	●
	Y17	BOMAG Semi-U-Blade S <i>Blade volume 12.61 m³ (445 ft³)</i>	570 004 42	60,993	○
Engine	M51	Winter package 115Volt <i>Fuel filter heat. 24V. engine heat. 115 V</i>	930 002 13	1,478	●
Safety standards	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T85	Wheels,premium <i>10.000 working hours warranty on teeth</i>	930 001 89	164,110	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Safety standards	E16	Rotary beacon <i>Rotary Beacon LED</i>	570 021 26	479	○
	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○
Documentation	BA	Operat.maint.instructions <i>Choose language with order</i>	000 000 BA	26	○

List price	762,297 USD
Price after discounts	762,297 USD
Price + surcharge (will be determined at time of invoicing/shipping)	838,527 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Dry air filter
- Fuel bleeding pump
- Four wheel drives, hydraulic differential lock in the front / rear (TWIN-PUMP-DRIVE)
- Wear control in hydraulic circuit
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behinde each wheel
- Adjustable scrapers in front of and behinde each wheel
- Polygonal compaction wheels, teeth with replaceable caps
- Adjustable scrapers in front of and behinde each wheel
- Wire deflector and drive protection on inner side of wheels
- Blade 3600 mm*
- ROPS/FOPS
- Noise insulated cab with automatic heating - air conditioning *, manual
- Vibration insulated cap suspension

- Safty glass cabin window panes
- Sun visor
- Hinged window left
- Windscreen wiper / washer front
- Outside rear mirrors
- Activated carbon filter
- High air intake
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Control unit for dozer blade and travel direction control integrated in driver#s seat
- Joystick steering
- Display instruments
- Lockable cabin with hydraulic engine hood
- 24 V electrics
- Generator 150A
- Battery diconnecting switch
- Working lights 4 front / 2 rear
- Audible baackup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Hydr. Driven, reversible, and speed controlled radiator fan
- Working platform
- Rearview camera
- * = must be ordered separately

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 473 RS-5 <i>Emission stage: Stage V / TIER4f</i> <i>Mercedes MTU OM 936 LA 210 kW TWIN-PUMP-DRIVE</i>	930 000 22	675,942	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>CD. USB. Aux In. Bluetooth</i>	930 001 83	549	●
	GO9	Prot. grid for cabin <i>Cab Prtection grid to avoid glass damage</i>	930 001 78	4,940	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights. additional flat beams</i>	930 001 91	4,077	●
Basic machine	M33	Fan protection <i>protectio grid for cooling fan, prevented damages by animals</i>	930 002 20	2,660	●
	M45	Continual throttle	930 003 04	2,500	○
Dozer blade	HY23	additional hydr. function <i>for customer-supplied shovel versions with additional functions</i>	930 002 94	13,924	○
	Y20	Shovel <i>Shovel with cutting edge</i>	930 109 64	54,878	●
	Y21	Shovel, tooth system <i>Shovel with cutting edge and Tooth system</i>	930 109 65	62,701	○
Engine	M51	Winter package 115Volt <i>Fuel filter heat. 24V. engine heat. 115 V</i>	930 002 13	1,478	○
Safety standards	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T52	Wheels,BOMAG caps <i>Replaceable caps</i>	930 002 14	116,657	○
	T85	Wheels,premium <i>10.000 working hours warranty on teeth</i>	930 002 15	164,110	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Safety standards	E16	Rotary beacon <i>Rotary Beacon LED</i>	570 021 26	479	○
	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○

List price	907,157 USD
Price after discounts	907,157 USD
Price + surcharge (will be determined at time of invoicing/shipping)	997,873 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Dry air filter
- Fuel bleeding pump
- Four wheel drives, hydraulic differential lock in the front / rear (TWIN-PUMP-DRIVE)
- Wear control in hydraulic circuit
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Polygonal compaction wheels, teeth with replaceable caps
- Adjustable scrapers in front of and behinde each wheel
- Wire deflector and drive protection on inner side of wheels
- Bucket 3200 mm*
- ROPS/FOPS
- Noise insulated cab with automatic heating - air conditioning *, manual
- Vibration insulated cap suspension

- Safty glass cabin window panes
- Sun visor
- Hinged window left
- Windscreen wiper / washer front
- Outside rear mirrors
- Activated carbon filter
- High air intake
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Control unit for dozer blade and travel direction control integrated in driver#s seat
- Joystick steering
- Display instruments
- Lockable cabin with hydraulic engine hood
- 24 V electrics
- Generator 150A
- Battery diconnecting switch
- Working lights 4 front / 2 rear
- Audible baackup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Hydr. Driven, reversible, and speed controlled radiator fan
- Working platform
- Rearview camera
- * = must be ordered separately

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 473 EB-5 <i>Emission stage: Stage V / TIER4f</i> <i>Mercedes MTU OM 936 LA 210 kW TWIN-PUMP-DRIVE</i>	930 000 23	572,956	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>CD. USB. Aux In. Bluetooth</i>	930 001 83	549	○
	GO9	Prot. grid for cabin <i>Cab Prtection grid to avoid glass damage</i>	930 001 78	4,940	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights. additional flat beams</i>	930 001 91	4,077	●
Basic machine	M33	Fan protection <i>protectio grid for cooling fan, prevented damages by animals</i>	930 002 20	2,660	●
	M45	Continual throttle	930 003 04	2,500	○
Dozer blade	PS7	Dozer blade-tilt-open	930 002 19	79,158	●
Engine	M51	Winter package 115Volt <i>Fuel filter heat. 24V. engine heat. 115 V</i>	930 002 13	1,478	○
Safety standards	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T86	Wheels, soil compactor <i>soil compactor wheels. 60 tips. wear resit. caps</i>	930 002 11	148,956	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Basic machine	M33	Fan protection <i>from 01.11.2019</i>	930 013 92	2,941	○
Safety standards	E16	Rotary beacon <i>Rotary Beacon LED</i>	570 021 26	479	○
	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○

List price	812,748 USD
Price after discounts	812,748 USD
Price + surcharge (will be determined at time of invoicing/shipping)	894,023 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Dry air filter
- Fuel bleeding pump
- Four wheel drives, hydraulic differential lock in the front / rear (TWIN-PUMP-DRIVE)
- Wear control in hydraulic circuit
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Hydraulically operated articulated steering system
- Special earth compactor wheels with padfeet or polyhonal segments
- Adjustable scrapers in front of and behinde each wheel
- Blade 3600 mm / Tilt-Function *
- ROPS/FOPS
- Noise insulated cab with automatic heating - air conditioning *, manual
- Vibration insulated cap suspension
- Safty glass cabin window panes

- Sun visor
- Hinged window left
- Windscreen wiper / washer front
- Outside rear mirrors
- Activated carbon filter
- High air intake
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Joystick steering
- Display instruments
- Lockable cabin with hydraulic engine hood
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights 4 front / 2 rear
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Hydr. Driven, reversible, and speed controlled radiator fan
- Working platform
- Rearview camera
- * = must be ordered separately

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 573 RB-5 <i>Emission stage: Stage V / TIER4f</i> <i>Mercedes MTU OM 936 LA 210 kW QUAD-PUMP-DRIVE</i>	930 000 24	568,101	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>CD. USB. Aux In. Bluetooth</i>	930 001 83	549	○
	G09	Prot. grid for cabin <i>Cab Prtection grid to avoid glass damage</i>	930 001 78	4,940	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights. additional flat beams</i>	930 001 91	4,077	●
Basic machine	M33	Fan protection <i>protectio grid for cooling fan, prevented damages by animals</i>	930 002 20	2,660	●
	RA13	Impact protection, tailgate	930 002 82	7,974	○
Dozer blade	Y12	Dozer blade S <i>blade vol. 11.0 m³ (388.5 ft³)</i>	930 101 36	44,371	○
	Y17	BOMAG Semi-U-Blade S <i>Blade volume 12.61 m³ (445 ft³)</i>	570 004 42	60,993	○
Engine	M35	Winter package <i>Fuel filter heating 24 V, engine heating 230 V</i>	930 001 79	1,253	○
	M51	Winter package 115Volt <i>Fuel filter heat. 24V, engine heat. 115 V</i>	930 002 13	1,478	●
Safety standards	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T85	Wheels,premium <i>10.000 working hours warranty on teeth</i>	930 001 90	190,905	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Safety standards	E16	Rotary beacon <i>Rotary Beacon LED</i>	570 021 26	479	○
	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○
Documentation	BA	Operat.maint.instructions <i>Choose language with order</i>	000 000 BA	26	○

List price	772,162 USD
Price after discounts	772,162 USD
Price + surcharge (will be determined at time of invoicing/shipping)	849,378 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Dry air filter
- Fuel bleeding pump
- Four wheel drives with 4 pumps QUAD-PUMP-DRIVE
- Wear control in hydraulic circuit
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behinde each wheel
- Adjustable scrapers in front of and behinde each wheel
- Polygonal compaction wheels, teeth with replaceable caps
- Adjustable scrapers in front of and behinde each wheel
- Wire deflector and drive protection on inner side of wheels
- Blade 3600 mm*
- ROPS/FOPS

- Noise insulated cab with automatic heating - air conditioning *, manual
- Vibration insulated cap suspension
- Safty glass cabin window panes
- Sun visor
- Hinged window left
- Windscreen wiper / washer front
- Outside rear mirrors
- Activated carbon filter
- High air intake
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Joystick steering
- Display instruments
- Lockable cabin with hydraulic engine hood
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights 4 front / 2 rear
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Hydr. Driven, reversible, and speed controlled radiator fan
- Working platform
- Rearview camera
- * = must be ordered separately

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 673 RB-5 <i>Emission stage: Stage V / TIER4</i> <i>Cummins X15 QUAD-PUMP-DRIVE</i>	930 000 50	682,472	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 002 31	1,296	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
	S60	Operator effic. pack EU <i>incl. cruise control, steering center position and blade positioning</i>	930 016 86	2,738	●
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems.</i>	930 002 95	1,398	○
Dozer blade	PS6	Preparat.Tarp-O-Matic	930 002 68	17,200	○
	Y12	Dozer blade S <i>blade vol. 11.6 m³ (408 ft³)</i>	930 002 59	50,651	○
	Y17	BOMAG Semi-U-Blade S <i>blade vol. 12.7 m³ (448 ft³)</i>	930 002 61	68,718	○
Engine	M51	Winter package 115V <i>engine independent cab heating, fuelfilter heating, hydraulicoil heater, Cooling liquid heater 115V</i>	930 002 56	8,356	●
Safety standards	FF1	Protective grill <i>cab protection grille and rear bumper</i>	930 002 55	10,279	●
	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T85	Wheels,premium <i>With 10.000 working hours warranty on teeth</i>	930 002 73	202,743	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Safety standards	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○
Documentation	BA	Operat.maint.instructions <i>Choose language with order</i>	000 000 BA	26	○

List price	907,885 USD
Price after discounts	907,885 USD
Price + surcharge (will be determined at time of invoicing/shipping)	998,674 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Engine air intake at a height of 3.3 m
- Dry air filter
- Cold starting system
- multistage fuel filter system
- Fuel bleeding pump
- Hydraulic all-wheel drive (Quad pump drive)
- Wear control in hydraulic circuit
- Hydraulically operated articulated steering system
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behind each wheel
- Protection of all power train components by an closed belly pan
- Wire deflector and drive protection on inner side of wheels
- ROPS/FOPS
- Noise insulated cap
- Vibration insulated cap suspension

- Cab ventilation with overpressure
- Activated charcoal filter for odour restriction
- Automatic heating - air conditioning
- Tinted safety glass panes
- Sun shades
- top-hung window
- Front windscreen washer system
- Interval switch for windscreen wiper
- rear view mirror electrically adjustable outside
- Heated outside mirrors
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Seat heating
- Head rest
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Adjustable Joystick steering
- Display instruments
- CD-Radio
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights, 4 front / 2 rear + 2 LED-flatbeams cabin (lateral)
- Rotary beacon
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Rearview camera
- Hydr. Driven, reversible, and speed controlled radiator fan
- Fan protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 773 EB-5 <i>Emission stage: Stage V / TIER4f</i> <i>Cummins X15 QUAD-PUMP-DRIVE</i>	930 000 53	728,191	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 002 31	1,296	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
	S60	Operator effic. pack EU <i>incl. cruise control, steering center position and blade positioning</i>	930 016 86	2,738	●
Dozer blade	PS5	Dozer blade-tilt <i>3.8 m. with side pl. hydr. tilt function</i>	930 002 75	86,492	●
Engine	M51	Winter package 115V <i>engine independent cab heating, fuelfilter heating, hydrauliccoil heater, Cooling liquid heater 115V</i>	930 002 56	8,356	○
Safety standards	FF1	Protective grill <i>cab protection grille and rear bumper</i>	930 002 55	10,279	●
	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T86	Wheels,soil compactor <i>soil compactor wheels. 65 tips. wear resit</i>	930 002 76	197,520	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 016 95	1,434	○
Safety standards	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○
Wheels/Tyres	T79	Transport wheels(Pawn) <i>Credit for return: 6.500 EUR (net price)</i>	570 023 96	30,256	○
Documentation	BA	Operat.maint.instructions <i>Choose language with order</i>	000 000 BA	26	○

List price	1,026,517 USD
Price after discounts	1,026,517 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,129,169 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Engine air intake at a height of 3.3 m
- Dry air filter
- Cold starting system
- multistage fuel filter system
- Fuel bleeding pump
- Hydraulic all-wheel drive (Quad pump drive)
- Wear control in hydraulic circuit
- Hydraulically operated articulated steering system
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behind each wheel
- Protection of all power train components by an closed belly pan
- ROPS/FOPS
- Noise insulated cap
- Vibration insulated cap suspension
- Cab ventilation with overpressure
- Activated charcoal filter for odour restriction

- Automatic heating - air conditioning
- Tinted safety glass panes
- Sun shades
- top-hung window
- Front windscreen washer system
- Interval switch for windscreen wiper
- rear view mirror electrically adjustable outside
- Heated outside mirrors
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Seat heating
- Head rest
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Joystick steering
- Bucket 3200 mm*
- CD-Radio
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights, 4 front / 2 rear + 2 LED-flatbeams cabin (lateral)
- Rotary beacon
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Rearview camera
- Hydr. Driven, reversible, and speed controlled radiator fan
- Fan protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 773 RB-5 *NEW* <i>Emission stage: Stage V / TIER4</i> <i>Cummins X15 QUAD-PUMP-DRIVE</i>	930 000 51	740,296	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 002 31	1,296	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
	S60	Operator effic. pack EU <i>incl. cruise control, steering center position and blade positioning</i>	930 016 86	2,738	●
Dozer blade	PS6	Preparat.Tarp-O-Matic	930 002 68	17,200	○
	Y12	Dozer blade S <i>blade vol. 11.6 m³ (408 ft³)</i>	930 002 59	50,651	○
	Y17	BOMAG Semi-U-Blade S <i>blade vol. 12.7 m³ (448 ft³)</i>	930 002 61	68,718	●
	Y18	BOMAG Semi-U-Blade XL <i>blade vol. 15.2 m³ (536 ft³)</i>	930 002 62	82,111	○
Engine	M51	Winter package 115V <i>engine independent cab heating, fuelfilter heating, hydraulicoil heater, Cooling liquid heater 115V</i>	930 002 56	8,356	●
Safety standards	FF1	Protective grill <i>cab protection grille and rear bumper</i>	930 002 55	10,279	●
	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T85	Wheels,premium <i>10.000 working hours warranty on teeth</i>	930 002 22	242,445	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Safety standards	FF1	Protective grill	930 017 30	4,854	○
	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○
Documentation	BA	Operat.maint.instructions <i>Choose language with order</i>	000 000 BA	26	○

List price	1,074,129 USD
Price after discounts	1,074,129 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,181,542 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Engine air intake at a height of 3.3 m
- Dry air filter
- Cold starting system
- multistage fuel filter system
- Fuel bleeding pump
- Hydraulic all-wheel drive (Quad pump drive)
- Wear control in hydraulic circuit
- Hydraulically operated articulated steering system
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behinde each wheel

- Protection of all power train components by an closed belly pan
- Wire deflector and drive protection on inner side of wheels
- ROPS/FOPS
- Noise insulated cap
- Vibration insulated cap suspension
- Cab ventilation with overpressure
- Activated charcoal filter for odour restriction
- Automatic heating - air conditioning
- Tinted safety glass panes
- Sun shades
- top-hung window
- Front windscreen washer system
- Interval switch for windscreen wiper
- rear view mirror electrically adjustable outside
- Heated outside mirrors
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Seat heating
- Head rest
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Adjustable Joystick steering
- Display instruments
- CD-Radio
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights, 4 front / 2 rear + 2 LED-flatbeams cabin (lateral)
- Rotary beacon
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Rearview camera
- Hydr. Driven, reversible, and speed controlled radiator fan
- Fan protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 773 RS-5 *NEW* <i>Emission stage: Stage V / TIER4f</i> <i>Cummins X15 QUAD-PUMP-DRIVE</i>	930 000 52	805,997	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 002 31	1,296	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
	S60	Operator effic. pack EU <i>incl. cruise control, steering center position and blade positioning</i>	930 016 86	2,738	●
Dozer blade	Y20	Shovel <i>Shovel with cutting edge</i>	930 002 81	55,719	○
	Y21	Shovel, tooth system <i>Shovel with cutting edge and Tooth system</i>	930 002 69	68,931	○
Engine	M51	Winter package 115V <i>engine independent cab heating, fuelfilter heating, hydraulicoil heater, Cooling liquid heater 115V</i>	930 002 56	8,356	●
Safety standards	FF1	Protective grill <i>cab protection grille and rear bumper</i>	930 002 55	10,279	●
	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T52	Wheels,BOMAG caps <i>Replaceable caps</i>	930 002 78	191,584	○
	T85	Wheels,premium <i>10.000 working hours warranty on teeth</i>	930 002 77	223,103	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 016 95	1,434	○
Safety standards	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○

List price	1,051,770 USD
Price after discounts	1,051,770 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,156,947 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Engine air intake at a height of 3.3 m
- Dry air filter
- Cold starting system
- multistage fuel filter system
- Fuel bleeding pump
- Hydraulic all-wheel drive (Quad pump drive)
- Wear control in hydraulic circuit
- Hydraulically operated articulated steering system
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behind each wheel
- Protection of all power train components by an closed belly pan
- Wire deflector and drive protection on inner side of wheels
- ROPS/FOPS
- Noise insulated cap
- Vibration insulated cap suspension
- Cab ventilation with overpressure

- Activated charcoal filter for odour restriction
- Automatic heating - air conditioning
- Tinted safety glass panes
- Sun shades
- top-hung window
- Front windscreen washer system
- Interval switch for windscreen wiper
- rear view mirror electrically adjustable outside
- Heated outside mirrors
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Seat heating
- Head rest
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Adjustable Joystick steering
- Display instruments
- CD-Radio
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights, 4 front / 2 rear + 2 LED-flatbeams cabin (lateral)
- Rotary beacon
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Rearview camera
- Hydr. Driven, reversible, and speed controlled radiator fan
- Fan protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 873 RB-5 *NEW* <i>Emission stage: Stage V / TIER4f</i> <i>Cummins X15 336 kW QUAD-PUMP-DRIVE</i>	930 000 60	973,644	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 002 31	1,296	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
	S60	Operator effic. pack EU <i>incl. cruise control, steering center position and blade positioning</i>	930 016 86	2,738	●
Dozer blade	Y12	Dozer blade S <i>with sideplates</i>	930 002 51	50,964	○
	Y17	BOMAG Semi-U-Blade S	930 002 52	71,074	●
Engine	M51	Winter package 115V <i>engine independent cab heating, fuelfilter heating, hydraulicoil heater, Cooling liquid heater 115V</i>	930 002 92	7,793	●
Safety standards	FF1	Protective grill <i>cab protection grille and rear bumper</i>	930 002 40	10,279	●
	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 99	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T85	Wheels,premium <i>10.000 working hours warranty on teeth</i>	930 002 50	236,910	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 016 95	1,434	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Safety standards	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○
Documentation	BA	Operat.maint.instructions <i>Choose language with order</i>	000 000 BA	26	○

List price	1,303,735 USD
Price after discounts	1,303,735 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,434,109 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Engine air intake at a height of 3.3 m
- Dry air filter
- Cold starting system
- multistage fuel filter system
- Fuel bleeding pump
- Hydraulic all-wheel drive (Quad pump drive)
- Wear control in hydraulic circuit
- Hydraulically operated articulated steering system
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behinde each wheel
- Protection of all power train compenents by an closed belly pan
- Wire deflector and drive protection on inner side of wheels
- ROPS/FOPS

- Noise insulated cap
- Vibration insulated cap suspension
- Cab ventilation with overpressure
- Activated charcoal filter for odour restriction
- Automatic heating - air conditioning
- Tinted safety glass panes
- Sun shades
- top-hung window
- Front windscreen washer system
- Interval switch for windscreen wiper
- rear view mirror electrically adjustable outside
- Heated outside mirrors
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Seat heating
- Head rest
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Adjustable Joystick steering
- Display instruments
- CD-Radio
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights, 4 front / 2 rear + 2 LED-flatbeams cabin (lateral)
- Rotary beacon
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Rearview camera
- Hydr. Driven, reversible, and speed controlled radiator fan
- Fan protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 973 RB-5 *NEW* Emission stage: Stage V / TIER4f Cummins X15 429 kW QUAD-PUMP-DRIVE	930 000 61	1,116,785	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 002 31	1,296	●
Assistance system	E122	Telematics Box ext Ant BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.	930 003 07	1	●
	S60	Operator effic. pack EU incl. cruise control, steering center position, autoreverse and automatic blade positioning	930 002 38	2,715	●
Dozer blade	Y10	Dozer blade XL blade vol. 20.5 m³ (724 ft³)	930 002 27	60,218	○
	Y18	BOMAG Semi-U-Blade XL blade vol. 22.7 m³ (803 ft³)	930 002 28	85,107	●
Engine	M51	Winter package 115V engine independent cab heating, fuelfilter heating, hydrauliccoil heater, Cooling liquid heater 115V	930 002 92	7,793	●
Safety standards	FF1	Protective grill cab protection grille and rear bumper	930 002 40	10,279	●
	FL1	Fire extinguisher sys Retrofit kit automatic fire extinguisher system	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T85	Wheels,premium 10.000 working hours warranty on teeth	930 002 71	249,499	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.	855 010 09	2,080	○
Safety standards	FL2	Fire extinguisher Incl. box. 6kg multitroxin	570 020 71	651	○
Documentation	BA	Operat.maint.instructions Choose language with order	000 000 BA	26	○

List price	1,473,475 USD
Price after discounts	1,473,475 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,620,823 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Engine air intake at a height of 3.3 m
- Dry air filter
- Cold starting system
- multistage fuel filter system
- Fuel bleeding pump
- Hydraulic all-wheel drive (Quad pump drive)
- Wear control in hydraulic circuit
- Hydraulically operated articulated steering system
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behinde each wheel
- Protection of all power train compenents by an closed belly pan
- Wire deflector and drive protection on inner side of wheels
- ROPS/FOPS

- Noise insulated cap
- Vibration insulated cap suspension
- Cab ventilation with overpressure
- Activated charcoal filter for odour restriction
- Automatic heating - air conditioning
- Tinted safety glass panes
- Sun shades
- top-hung window
- Front windscreen washer system
- Interval switch for windscreen wiper
- rear view mirror electrically adjustable outside
- Heated outside mirrors
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Seat heating
- Head rest
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Adjustable Joystick steering
- Display instruments
- CD-Radio
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights, 4 front / 2 rear + 2 LED-flatbeams cabin (lateral)
- Rotary beacon
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Rearview camera
- Hydr. Driven, reversible, and speed controlled radiator fan
- Fan protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BC 1173 RB-5 *NEW* <i>Emission stage: Stage V / TIER4f</i> <i>Cummins X15 429 kW QUAD-PUMP-DRIVE</i>	930 000 62	1,138,783	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 002 31	1,296	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	930 003 07	1	●
	S60	Operator effic. pack EU <i>incl. cruise control, steering center position and blade positioning</i>	930 016 86	2,738	●
Dozer blade	Y10	Dozer blade XL <i>blade vol. 20.5 m³ (724 ft³)</i>	930 002 27	60,218	○
	Y18	BOMAG Semi-U-Blade XL <i>blade vol. 22.7 m³ (803 ft³)</i>	930 002 28	85,107	●
Engine	M51	Winter package 115V <i>engine independent cab heating, fuelfilter heating, hydraulicoil heater, Cooling liquid heater 115V</i>	930 002 92	7,793	●
Safety standards	FF1	Protective grill <i>cab protection grille and rear bumper</i>	930 002 40	10,279	●
	FL1	Fire extinguisher sys <i>Retrofit kit automatic fire extinguisher system</i>	930 002 35	38,000	○
	FL2	Fire extinguisher	930 002 34	651	○
Wheels/Tyres	T85	Wheels,premium <i>10.000 working hours warranty on teeth</i>	930 002 25	341,569	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FB4	Electronic travel pedal	930 016 95	1,434	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
	S60	Operator effic. pack EU <i>incl. cruise control, steering center position and blade positioning</i>	930 016 86	2,738	○
Safety standards	FL2	Fire extinguisher <i>Incl. box. 6kg multitroxin</i>	570 020 71	651	○
Documentation	BA	Operat.maint.instructions <i>Choose language with order</i>	000 000 BA	26	○

List price	1,587,566 USD
Price after discounts	1,587,566 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,746,323 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Engine air intake at a height of 3.3 m
- Dry air filter
- Cold starting system
- multistage fuel filter system
- Fuel bleeding pump
- Hydraulic all-wheel drive (Quad pump drive)
- Wear control in hydraulic circuit
- Hydraulically operated articulated steering system
- Oscillating articulated joint between front and rear frames
- Automatic central lubrication system
- Adjustable scrapers in front of and behind each wheel

- Protection of all power train components by an closed belly pan
- Wire deflector and drive protection on inner side of wheels
- ROPS/FOPS
- Noise insulated cap
- Vibration insulated cap suspension
- Cab ventilation with overpressure
- Activated charcoal filter for odour restriction
- Automatic heating - air conditioning
- Tinted safety glass panes
- Sun shades
- top-hung window
- Front windscreen washer system
- Interval switch for windscreen wiper
- rear view mirror electrically adjustable outside
- Heated outside mirrors
- Air cushioned seat with seat belts acc. to ISO 6683 and seat heating
- Seat heating
- Head rest
- Control unit for dozer blade and travel direction control integrated in driver's seat
- Adjustable Joystick steering
- Display instruments
- CD-Radio
- 24 V electrics
- Generator 150A
- Battery disconnecting switch
- Working lights, 4 front / 2 rear + 2 LED-flatbeams cabin (lateral)
- Rotary beacon
- Audible backup alarm
- Warning horn
- Access steps right / left
- Towing eyes front / rear
- Air condition
- Heating rear screen
- Rearview camera
- Hydr. Driven, reversible, and speed controlled radiator fan
- Fan protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 1000/35-2 <i>Emission stage: Stage V / TIER4f</i> <i>Incl. 5000 h / 60 month warranty on the slewing leg mechanism - - without milling drum and scraper</i>	883 000 27	674,556	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection roof, hydraulically adjustable in height and sideways, with shelves and driver's cab lighting – 210 kg / 463 lbs</i>	883 001 89	10,214	○
	S46	Weather protection <i>Plexiglas cover at the operator station – 5 kg / 11 lbs</i>	883 001 92	1,494	○
Operator platform accessories	K21	Seat heating <i>Perfect add on for the comfortable workplace – 5 kg / 11 lbs</i>	883 001 14	1,126	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	882 001 57	1	○
Lighting	E75	Vehicle lighting <i>Road lights including warning lights are mandatory for driving on public roads - 10 kg / 22 lbs</i>	883 001 10	4,355	○
	E76	Auxiliary lighting, roof <i>4 Pcs. Working lights at the weather protection roof – FO1 Weather protection roof required – 10 kg / 22 lbs</i>	883 001 90	1,195	○
Basic machine	FO175	Hose reel auto. roll-up, <i>Low-pressure washdown system for end of day cleaning - 44 kg / 97 lbs</i>	883 001 66	2,756	○
	FO176	Foldable steps <i>Folding ladder with smart operation by foot - 147 kg / 324 lbs</i>	883 001 61	2,264	○
	FO193	ION DUST SHIELD <i>Reducing the fine dust exposure min 88% by Ionization -> It is not a filter - FO54 required - 100 kg / 220 lbs</i>	883 001 85	88,216	○
	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 44 kg / 97 lbs</i>	883 001 13	5,797	○
	FO24	Seat for service <i>Allows for comfortable seating while servicing drum - 20 kg / 44 lbs</i>	883 001 58	1,591	○
	FO54	Dust collection system <i>Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction - 110 kg / 240 lbs</i>	883 001 87	27,430	○
	FO59	Auxiliary drive <i>Drum turning device for easy pick exchange - 30 kg / 66 lbs</i>	883 001 53	5,654	○
	FO7	Pneumatic tool teeth <i>Electric air compressor for exchange of milling picks - 85 kg / 187 lbs</i>	883 001 70	17,352	○
Milling drum	FO140	Milling drum 600-980-15 <i>Milling drum 600 mm LA 15 with exchangeable tool holder - 80 tools - 815 kg / 1796 lbs --> FO68 required</i>	883 001 43	27,446	○
	FO62	Milling drum 1000-980-15 <i>Standard milling drum 1000 mm with exchangeable tool holder - 99 tools - 1080 kg / 2380 lbs --> FO67 or FO75 required</i>	883 002 00	49,260	○
	FO94	Milling drum 1000-980-8 <i>Fine milling drum LA 8 with exchangeable tool holder - 149 tools - 1345 kg / 2965 lbs --> FO67 or FO75 required</i>	883 001 42	70,773	○
	FO95	Milling drum 1000-980-23 <i>Performance milling drum 1000 mm LA 23 with exchangeable tool holder - 83 tools – 980 kg / 2160 lbs --> FO67 or FO75 and FO85 required</i>	883 002 01	55,642	○
Cutting system	FO135	Mill.drum SW 1000 <i>Milling drum quick change system - 110 kg / 220 lbs</i>	883 001 35	14,601	○
Conveying belt	FO22	Conveying belt/band,short <i>Appr. 1.5m / 4.9' shorter than the long conveyor, incl. smart scissor stand- 270 kg / 595 lbs</i>	883 001 84	28,385	○
Levelling	FO4	Autom. levelling <i>BOMAG Easy Level - 30 kg / 66 lbs</i>	883 001 93	20,960	○
Scraper	FO67	Scrapers 1000 <i>Standard - Fixed working width 1.000mm - 385 kg / 849 lbs</i>	883 001 25	7,227	○
	FO68	Scraper,split 600 <i>Split scraper for 600 mm / 2ft drum (BM 1000) – gearbox protection included – 575 kg / 1268 lbs</i>	883 001 28	10,986	○
Hydraulic	HY2	Bio hydraulic oil <i>Panolin HLP Synth 46</i>	883 001 01	4,035	○
Safety standards	E64	Camera monitoring <i>Camera-System: Display with different modes; Camera at the outer conveyor and in front of the front scraper - 10 kg / 22 lbs</i>	883 001 88	5,215	○
Special colour	SL28	Multi-colour finish <i>Special painting. Yellow and grey parts up to two different colours. Conveyor and water tank excluded!</i>	883 001 15	9,506	○
Ballast weight	FO53	Ballast 1 <i>1160 kg / 2557 lbs Ballast in the frame: 590 kg / 1255 lbs fix & 570 kg / 1300 lbs variable</i>	883 001 75	3,142	○

	FO57	Ballast 2 <i>Ballast on top of the milling box - 440 kg / 970 lbs</i>	883 001 74	3,737	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection roof, hydraulically adjustable in height and sideways, with shelves and driver's cab lighting – 210 kg / 463 lbs</i>	883 012 42	10,464	○
	S46	Weather protection <i>Plexi glas weather protection at the operator station - 5kg / 11 lbs</i>	883 012 21	1,644	○
Operator platform accessories	K21	Seat heating <i>Perfect add on for the comfortable workplace – 5 kg / 11 lbs</i>	883 011 97	1,488	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Lighting	E67	Headlight,pluggable <i>Additional work light, plug-in - 1kg / 2,2 lbs</i>	883 010 29	447	○
	E68	Headlight,magnet base <i>Additional work light with magnet base and spiral cable - 1 kg / 2,2 lbs</i>	883 010 28	447	○
	E76	Auxiliary lighting,roof <i>4x LED-headlights at the roof - 10 kg / 22 lbs</i>	883 012 22	1,317	○
Basic machine	FO175	Hose reel auto. roll-up, <i>Low-pressure washdown system for end of day cleaning - 44 kg / 97 lbs</i>	883 011 58	2,987	○
	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 30 kg / 66 lbs</i>	883 011 98	6,473	○
	FO54	Dust collection system <i>Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction - 110 kg / 240 lbs</i>	883 012 43	30,029	○
	FO7	Pneumatic tool teeth <i>Electric air compressor for exchange of milling picks - 85 kg / 187 lbs</i>	883 011 75	18,748	○
	W39	Anti-freeze intake <i>Practical suction hose with connector to suck antifreeze directly from the canister - 2 kg / 4,4 lbs</i>	882 001 54	168	○
Milling drum	FO62	Milling drum 1000-980-15 <i>Standard milling drum 1000 mm LA 15 with exchangeable tool holder - 99 tools – 1080 kg / 2380 lbs --> FO67 or FO75 required</i>	883 012 00	52,429	○
	FO63	Milling drum1000-980-15SW <i>Standard milling drum 1000 mm LA 15 with exchangeable tool holder and drum quick change - 99 tools – 1130 kg / 2491 lbs --> FO67 or FO75 and FO85 required</i>	883 012 01	54,322	○
	FO64	Milling drum 1000-980-8SW <i>Fine milling drum 1000 mm LA 8 with exchangeable tool holder and drum quick change - 149 tools - 1370 kg / 3020 lbs --> FO67 or FO75 and FO85 required</i>	883 010 06	71,022	○
	FO65	Milling drum1000-980-23SW <i>Performance milling drum 1000 mm LA 23 with exchangeable tool holder and drum quick change - 83 tools – 1020 kg / 2248 lbs --> FO67 or FO75 and FO85 required</i>	883 012 03	44,496	○
	FO66	Milling drum 600-980-15SW <i>Milling drum 600 mm LA 15 with exchangeable tool holder and drum quick change - 80 tools, FO68 und FO85 required - 900 kg / 1985 lbs</i>	883 010 13	36,527	○
	FO94	Milling drum 1000-980-8 <i>Fine milling drum 1000 mm LA 8 with exchangeable tool holder - 149 tools - 1345 kg / 2965 lbs --> FO67 or FO75 required</i>	883 010 66	77,855	○
	FO95	Milling drum 1000-980-23 <i>Performance milling drum 1000 mm LA 23 with exchangeable tool holder - 83 tools – 980 kg / 2160 lbs --> FO67 or FO75 and FO85 required</i>	883 012 02	65,143	○
Cutting system	FO135	Mill.drums SW 1000 <i>Milling drum quick change system - 110 kg / 220 lbs</i>	883 010 74	16,060	○
	FO85	Counter bearing <i>Additional support bearing to be utilized for spare drum with quick-change system - 100 kg / 220 lbs</i>	883 010 10	6,358	○
Levelling	FO194	Height indication <i>Mechanical height indication of the rear lifting columns - 10 kg / 22 lbs</i>	883 012 40	9,176	○
Safety standards	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○
Service products	SW1	Service kit 1000h	770 883 20	1,667	○
	SW6	Oil service kit	775 883 01	597	○

List price	674,556 USD
Price after discounts	674,556 USD
Price + surcharge (will be determined at time of invoicing/shipping)	742,012 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Automatic water saving device
- Water filling pump
- Wear-free, digital Milling depth display
- Proportional Milling depth adjustment
- Two proportional speeds for Millingdepth-adjustment
- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Right side-plate for fast Drum-exchange
- Automatic load-control
- Automatic distribution of traction
- Hydraulically foldable Conveyor
- 4-Crawlers
- Changed swivelling mechanism: Rear right track chain can be swivelled in front of the milling drum fully automatically by means of a gear
- Rear right crawler steerable
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Fully vibration-isolated operator-platform
- Comfort-workstation for sitting operation
- Ergonomic adjustable operator seat, 45° to slew
- Ergonomic adjustable steering wheel / column
- Height- adjustable arm-rest with integrated ergonomic operation panel
- Self-explanatory, well-arranged dashboards
- Large storage at ground level
- Service- and maintenance-points ergonomic concentrated
- Whisper-package for noise elimination
- Liquid cooled engine following latest emission rules
- Variable placeable working-lights
- Rotary-beacon
- Mirrors
- CE-conform safety-package with emergency-stop-switches
- Back-up-alarm
- Vandalism protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 500/15-2 <i>Emission stage: Stage V / TIER4f please select front-axle</i>	882 000 09	334,423	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Big weather protection roof, height and side adjustable - 175 kg / 385 lbs</i>	882 001 36	9,188	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	882 001 57	1	●
Lighting	E75	Vehicle lighting <i>Road lighting for driving on roadways</i>	882 001 48	1,828	○
Basic machine	FO3	Water filling system <i>Water pump with 3 funtions - suck, sprinkling system and washing - 50kg / 110 lbs</i>	882 001 49	6,789	○
	HY12	Hydraul.hammer,connection <i>Hydraulic Connections Only</i>	882 001 53	1,246	●
	W39	Anti-freeze intake <i>Practical suction hose with connector to suck antifreeze directly from the canister - 2 kg / 4,4 lbs</i>	882 001 55	134	●
	FO31	Steering,4-wheel version <i>4-Wheel-version with up to 10 kph / 6.2 mph - 240kg / 529 lbs</i>	882 001 38	31,637	●
Milling drum	FO29	Milling drum 500 mm <i>Standard milling drum 500 mm LA 15 - 58 tools - 220 kg / 485 lbs</i>	882 001 10	8,100	●
Levelling	FO46	Levelling, basic config. <i>Standard levelling, smart cylinders for side plates - 20 kg / 44 lbs</i>	882 001 41	12,286	●
	FO47	Levelling, extension 1 <i>BOMAG Easy Level with slope, 10 kg / 22 lbs --> FO46 is required</i>	882 001 42	4,674	○
	FO48	Levelling, extension 2 <i>Side scanner with sonic-ski, with cabel and support brackets - 20 kg / 44 lbs</i>	882 001 43	10,947	○
Scraper	FO34	Scraper,split <i>To accommodate different drum widths - 35 kg / 77 lbs</i>	882 001 44	5,924	●
Hydraulic	HY2	Bio hydraulic oil <i>Panolin HLP Synth 46</i>	882 001 12	2,703	○
Special colour	SL1	Special colour <i>only yellow parts. w/o cabin</i>	882 001 11	4,629	○
	SL28	Multi-colour finish	882 001 22	6,792	○
Ballast weight	FO53	Ballast 1 <i>Ballast for the front wheels 2 x 60 kg / 2x 122.5 lbs - 120kg / 265 lbs - -> Only 4-wheel version!</i>	882 001 52	2,890	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Big weather protection roof, height and side adjustable - 175 kg / 385 lbs</i>	882 011 19	10,214	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Lighting	E67	Headlight,pluggable <i>Additional work light, plug-in - 1kg / 2,2 lbs</i>	883 010 29	447	○
	E68	Headlight,magnet base <i>Additional work light with magnet base and spiral cable - 1 kg / 2,2 lbs</i>	883 010 28	447	○
Basic machine	W39	Anti-freeze intake <i>Practical suction hose with connector to suck antifreeze directly from the canister - 2 kg / 4,4 lbs</i>	882 001 54	168	○
Milling drum	FO169	Fine Milling Drum 400mm <i>Fine milling drum 400 mm LA 6 - 67 tools - 170 kg / 375 lbs</i>	882 010 79	8,822	○
	FO187	Milling drum trough 300-30-6 <i>Special milling drum for cutting drain trenches, 300mm LA 6 - 53 tool - 160 kg / 352 lbs</i>	882 010 85	15,538	○
	FO26	Fine Milling Drum 500mm <i>Fine milling drum 500 mm LA 6 - 82 tools - 205 kg / 450 lbs</i>	882 010 07	10,107	○
	FO27	Milling drum 300 mm <i>Milling drum 300 mm LA 14 - 46 tools - 150 kg / 330 lbs</i>	882 010 08	6,506	○
	FO28	Milling drum 400 mm <i>Milling drum 400 mm LA 14 - 54 tools - 190 kg / 420 lbs</i>	882 010 09	6,846	○
	FO29	Milling drum 500 mm <i>Standard milling drum 500 mm LA 15 - 58 tools - 220 kg / 485 lbs</i>	882 010 10	8,905	○
	FO45	Milling POWERDRUM 500mm <i>Performance milling drum 500 mm LA 20 - 50 tools - 215 kg / 475 lbs</i>	882 010 13	7,716	○
	FO49	Cutting wheel <i>80mm/3.2 inch cutting wheel for cable trenches, tension cuts, etc., 24 tools - 100 kg / 220 lbs</i>	882 010 12	7,475	○

Conveying belt	FO21	Conveying belt/band,long <i>Discharge conveyor long - non foldable - 500 kg / 1102 lbs</i>	882 010 88	37,636	○
	FO22	Conveying belt/band,short <i>Appr. 1.5m / 4.9' shorter than the long conveyor, incl. smart scissor stand- 270 kg / 595 lbs</i>	882 010 89	28,385	○
	FO23	Conveying belt/band,hinged <i>400mm belt width; quick coupler and stands - 555 kg / 1213 lbs</i>	882 010 83	50,095	○
Levelling	FO46	Levelling, basic config. <i>Standard levelling, smart cylinders for side plates - 20 kg / 44 lbs</i>	882 011 34	11,169	○
	FO47	Levelling, extension 1 <i>BOMAG Easy Level with slope, 10 kg / 22 lbs --> FO46 is required</i>	882 011 35	4,248	○
	FO48	Levelling, extension 2 <i>Sonic ski with temperature compensation 25 kg / 55 lbs --> FO46 required.</i>	882 011 36	9,951	○
Scraper	FO50	Scraper bar 300mm <i>Split scraper for BM 500/15 and BM 600/15 for 300mm milling drum - 7kg / 15 lbs --> Required for FO27</i>	882 010 20	1,373	○
	FO51	Scraper bar 400mm <i>Split scraper for BM 500/15 and BM 600/15 for 400mm milling drum - 14kg / 31 lbs --> Required for FO28</i>	882 010 21	1,713	○
Service products	SW1	Service kit 1000h	770 882 08	1,851	○
	SW6	Oil service kit	775 882 05	362	○

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

- Automatic water saving device
- Wear-free, digital Milling depth display
- Proportional Milling depth adjustment
- Two proportional speeds for Millingdepth-adjustment
- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Right side-plate for fast Drum-exchange
- Automatic load-control
- Automatic distribution of traction
- Right rear wheel foldable from operator place
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Fully vibration-isolated operator-platform
- Comfort-workstation for sitting operation
- Seat heating
- Ergonomic adjustable operator seat, 45° to slew
- Ergonomic adjustable steering wheel / column
- Height- adjustable arm-rest with integrated ergonomic operation panel
- Self-explanatory, well-arranged dashboards
- Large storage at ground level
- Service- and maintenance-points ergonomic concentrated
- Whisper-package for noise elimination
- Liquid cooled engine following latest emission rules

- Back-up-alarm
- Two driving lights
- Additional variable place able working-lights
- CE-conform safety-package with emergency-stop-switches
- Rotary-beacon
- Mirrors
- Vandalism protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 600/15-2 <i>Emission stage: Stage V / TIER4f</i> <i>please select front-axle</i>	882 000 19	341,309	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Big weather protection roof, height and side adjustable - 175 kg / 385 lbs</i>	882 001 36	9,188	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	882 001 57	1	●
Lighting	E75	Vehicle lighting <i>Road lighting for driving on roadways</i>	882 001 48	1,828	○
Basic machine	FO3	Water filling system <i>Water pump with 3 funtions - suck, sprinkling system and washing - 50kg / 110 lbs</i>	882 001 49	6,789	○
	HY12	Hydraul.hammer,connection <i>Hydraulic Connections Only</i>	882 001 53	1,246	●
	W39	Anti-freeze intake <i>Practical suction hose with connector to suck antifreeze directly from the canister - 2 kg / 4,4 lbs</i>	882 001 55	134	○
	FO31	Steering,4-wheel version <i>4-Wheel-version with up to 10 kph / 6.2 mph - 240kg / 529 lbs</i>	882 001 38	31,637	●
Milling drum	FO16	Milling drum 600 mm <i>Standard milling drum 600 mm LA 15 - 64 tools - 260 kg / 775 lbs</i>	882 001 24	8,877	●
Levelling	FO46	Levelling, basic config. <i>Standard levelling, smart cylinders for side plates - 20 kg / 44 lbs</i>	882 001 41	12,286	●
	FO47	Levelling, extension 1 <i>BOMAG Easy Level with slope, 10 kg / 22 lbs --> FO46 is required</i>	882 001 42	4,674	○
	FO48	Levelling, extension 2 <i>Side scanner with sonic-ski, with cabel and support brackets - 20 kg / 44 lbs</i>	882 001 43	10,947	○
Scraper	FO34	Scraper,split <i>To accommodate different drum widths - 35 kg / 77 lbs</i>	882 001 46	5,924	●
Hydraulic	HY2	Bio hydraulic oil <i>Panolin HLP Synth 46</i>	882 001 12	2,703	○
Special colour	SL28	Multi-colour finish	882 001 22	6,792	○
Ballast weight	FO53	Ballast 1 <i>Ballast for the front wheels 2 x 60 kg / 2x 122.5 lbs - 120kg / 265 lbs - -> Only 4-wheel version!</i>	882 001 52	2,890	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Big weather protection roof, height and side adjustable - 175 kg / 385 lbs</i>	882 011 19	10,214	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Lighting	E67	Headlight,pluggable <i>Additional work light, plug-in - 1kg / 2,2 lbs</i>	883 010 29	447	○
	E68	Headlight,magnet base <i>Additional work light with magnet base and spiral cable - 1 kg / 2,2 lbs</i>	883 010 28	447	○
Basic machine	W39	Anti-freeze intake <i>Practical suction hose with connector to suck antifreeze directly from the canister - 2 kg / 4,4 lbs</i>	882 001 54	168	○
Milling drum	FO16	Milling drum 600 mm <i>Standard milling drum 600 mm LA 15 - 64 tools - 260 kg / 775 lbs</i>	882 010 24	9,756	○
	FO169	Fine Milling Drum 400mm <i>Fine milling drum 400 mm LA 6 - 67 tools - 170 kg / 375 lbs</i>	882 010 79	8,822	○
	FO187	Milling drum trough 300-30-6 <i>Special milling drum for cutting drain trenches, 300mm LA 6 - 53 tool - 160 kg / 352 lbs</i>	882 010 85	15,538	○
	FO26	Fine Milling Drum 500mm <i>Fine milling drum 500 mm LA 6 - 82 tools - 205 kg / 450 lbs</i>	882 010 07	10,107	○
	FO27	Milling drum 300 mm <i>Milling drum 300 mm LA 14 - 46 tools - 150 kg / 330 lbs</i>	882 010 08	6,506	○
	FO28	Milling drum 400 mm <i>Milling drum 400 mm LA 14 - 54 tools - 190 kg / 420 lbs</i>	882 010 09	6,846	○
	FO29	Milling drum 500 mm <i>Standard milling drum 500 mm LA 15 - 58 tools - 220 kg / 485 lbs</i>	882 010 10	8,905	○
	FO45	Milling POWERDRUM 500mm <i>Performance milling drum 500 mm LA 20 - 50 tools - 215 kg / 475 lbs</i>	882 010 13	7,716	○
	FO49	Cutting wheel <i>80mm/3.2 inch cutting wheel for cable trenches, tension cuts, etc., 24 tools - 100 kg / 220 lbs</i>	882 010 12	7,475	○

	FO56	Fine Milling Drum 600mm <i>Fine milling drum 600 mm LA 6 - 99 tools - 240 kg / 530 lbs</i>	882 010 26	13,354	○
	FO87	Milling POWERDRUM 600mm <i>Performance milling drum 600 mm LA 20 - 50 tools - 220 kg / 485 lbs</i>	882 010 56	9,235	○
Conveying belt	FO21	Conveying belt/band,long <i>Discharge conveyor long - non foldable - 500 kg / 1102 lbs</i>	882 010 88	37,636	○
	FO22	Conveying belt/band,short <i>Appr. 1.5m / 4.9' shorter than the long conveyor, incl. smart scissor stand- 270 kg / 595 lbs</i>	882 010 89	28,385	○
	FO23	Conveying belt/band,hinged <i>400mm belt width; quick coupler and stands - 555 kg / 1213 lbs</i>	882 010 83	50,095	○
Levelling	FO46	Levelling, basic config. <i>Standard levelling, smart cylinders for side plates - 20 kg / 44 lbs</i>	882 011 34	11,169	○
	FO47	Levelling, extension 1 <i>BOMAG Easy Level with slope, 10 kg / 22 lbs --> FO46 is required</i>	882 011 35	4,248	○
	FO48	Levelling, extension 2 <i>Sonic ski with temperature compensation 25 kg / 55 lbs --> FO46 required.</i>	882 011 36	9,951	○
Scraper	FO50	Scraper bar 300mm <i>Split scraper for BM 500/15 and BM 600/15 for 300mm milling drum - 7kg / 15 lbs --> Required for FO27</i>	882 010 20	1,373	○
	FO51	Scraper bar 400mm <i>Split scraper for BM 500/15 and BM 600/15 for 400mm milling drum - 14kg / 31 lbs --> Required for FO28</i>	882 010 21	1,713	○
	FO52	Scraper bar 500mm <i>Split scraper for BM 600/15 for 500mm milling drum - 16kg / 35 lbs --> Required for FO29</i>	882 010 22	2,054	○
Service products	SW1	Service kit 1000h	770 882 08	1,851	○
	SW6	Oil service kit	775 882 05	362	○

List price	401,280 USD
Price after discounts	401,280 USD
Price + surcharge (will be determined at time of invoicing/shipping)	441,408 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Automatic water saving device
- Wear-free, digital Milling depth display
- Proportional Milling depth adjustment
- Two proportional speeds for Millingdepth-adjustment
- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Right side-plate for fast Drum-exchange
- Automatic load-control
- Automatic distribution of traction
- Right rear wheel foldable from operator place
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Fully vibration-isolated operator-platform
- Comfort-workstation for sitting operation
- Seat heating
- Ergonomic adjustable operator seat, 45° to slew
- Ergonomic adjustable steering wheel / column

- Height- adjustable arm-rest with integrated ergonomic operation panel
- Self-explanatory, well-arranged dashboards
- Large storage at ground level
- Service- and maintenance-points ergonomic concentrated
- Whisper-package for noise elimination
- Liquid cooled engine following latest emission rules
- Back-up-alarm
- Two driving lights
- Additional variable place able working-lights
- CE-conform safety-package with emergency-stop-switches
- Rotary-beacon
- Mirrors
- Vandalism protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 1000/30 <i>Emission stage: Stage IV / TIER4f</i> <i>USA only, without Milling unit</i>	836 000 52	493,112	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection, hydraulically foldable with front/rear screen</i>	836 001 05	10,214	●
Basic machine	FO2	High pressure cleaner <i>High-pressure washdown for end of day cleaning</i>	836 001 58	5,797	●
	FO3	Water filling system <i>Filling of on-board water tank from water source</i>	836 001 53	7,520	○
	FO7	Pneumatic tool teeth <i>CompressorCompressor for removal of milling teeth</i>	836 001 52	17,352	○
Milling drum	FO154	Milling unit 1000-980-15	836 002 02	137,821	●
	FO155	Milling unit 1000-980-8 <i>Complete. Fine Milling Drum LA 8</i>	836 001 81	179,332	○
	FO156	Milling unit 1000-980-20	836 002 03	141,405	○
Conveying belt	FO20	Free floating conveyor <i>For free-swing of conveyor during transport (European Style)</i>	836 001 23	1,738	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof	836 010 46	10,464	○
Basic machine	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 44 kg / 97 lb</i>	836 010 49	6,473	○
	FO3	Water filling system	836 010 52	8,994	○
	FO7	Pneumatic tool teeth <i>Compressor</i>	836 010 42	18,748	○
Conveying belt	FO20	Free floating conveyor	836 010 14	2,075	○
Service products	SW1	Service kit 1000h	770 836 55	2,021	○
Documentation	SM	Service Manual	000 000 SM	26	●

List price	648,708 USD
Price after discounts	648,708 USD
Price + surcharge (will be determined at time of invoicing/shipping)	713,579 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade 0.00%				
Terms of delivery		Volume 0.00%				
Shipping address		Special 0.00%				
Delivery date (requested)		Order Type Please Select				
Transport organized by						
Special options/Agreements						
Comment		Freight see zone rate				
		<table> <tr> <th>Surcharge</th> <th>10.00%</th> </tr> <tr> <td colspan="2">Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td> </tr> </table>	Surcharge	10.00%	Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Version 5.9 (27/JUNE/2025)

Standard equipment

- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Automatic load-control
- Automatic distribution of traction
- Foldable Conveyor
- 4-Crawlers
- 4 crawler steerable, front or/and rear
- Crabwalk
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Comfort-workstation for sitting operation
- Self-explanatory, well-arranged dashboards
- Service- and maintenance-points ergonomic concentrated
- Liquid cooled engine following latest emission rules
- Whisper-package for noise elimination
- Variable placeable working-lights
- Rotary-beacon
- Mirrors

- Back-up-alarm
- Vandalism protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 1200/30 <i>Emission stage: Stage IV / TIER4f</i> <i>USA only, without Milling unit</i>	836 000 53	493,112	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection, hydraulically foldable with front/rear screen</i>	836 001 05	10,214	●
Basic machine	FO2	High pressure cleaner <i>High-pressure washdown for end of day cleaning</i>	836 001 58	5,797	●
	FO3	Water filling system <i>Filling of on-board water tank from water source</i>	836 001 53	7,520	○
	FO7	Pneumatic tool teeth <i>CompressorCompressor for removal of milling teeth</i>	836 001 52	17,352	○
Milling drum	FO157	Milling unit 1200-980-15	836 002 04	147,922	●
	FO158	Milling unit 1200-980-8 <i>Complete. Fine Milling Drum LA 8</i>	836 001 84	200,941	○
	FO159	Milling unit 1200-980-20	836 002 05	158,799	○
Conveying belt	FO20	Free floating conveyor <i>For free-swing of conveyor during transport (European Style)</i>	836 001 23	1,738	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof	836 010 46	10,464	○
Basic machine	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 44 kg / 97 lb</i>	836 010 49	6,473	○
	FO3	Water filling system	836 010 52	8,994	○
	FO7	Pneumatic tool teeth <i>Compressor</i>	836 010 42	18,748	○
Conveying belt	FO20	Free floating conveyor	836 010 14	2,075	○
Service products	SW1	Service kit 1000h	770 836 55	2,021	○
Documentation	SM	Service Manual	000 000 SM	26	●

List price	658,809 USD
Price after discounts	658,809 USD
Price + surcharge (will be determined at time of invoicing/shipping)	724,690 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Automatic load-control
- Automatic distribution of traction
- Foldable Conveyor
- 4-Crawlers
- 4 crawler steerable, front or/and rear
- Crabwalk
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Comfort-workstation for sitting operation
- Self-explanatory, well-arranged dashboards
- Service- and maintenance-points ergonomic concentrated
- Liquid cooled engine following latest emission rules
- Whisper-package for noise elimination
- Variable placeable working-lights
- Rotary-beacon
- Mirrors

- Back-up-alarm
- Vandalism protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 1200/35-2 <i>Emission stage: Stage V / TIER4f</i> <i>Incl. 5000 h / 60 month warranty on the slewing leg mechanism - - without milling drum and scraper</i>	883 000 28	696,142	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection roof, hydraulically adjustable in height and sideways, with shelves and driver's cab lighting – 210 kg / 463 lbs</i>	883 001 89	10,214	○
	S46	Weather protection <i>Plexiglas cover at the operator station – 5 kg / 11 lbs</i>	883 001 92	1,494	○
Operator platform accessories	K21	Seat heating <i>Perfect add on for the comfortable workplace – 5 kg / 11 lbs</i>	883 001 14	1,126	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	882 001 57	1	●
Lighting	E75	Vehicle lighting <i>Road lights including warning lights are mandatory for driving on public roads - 10 kg / 22 lbs</i>	883 001 10	4,355	○
	E76	Auxiliary lighting, roof <i>4 Pcs. Working lights at the weather protection roof – FO1 Weather protection roof required – 10 kg / 22 lbs</i>	883 001 90	1,195	○
Basic machine	FO175	Hose reel auto. roll-up, <i>Low-pressure washdown system for end of day cleaning - 44 kg / 97 lbs</i>	883 001 66	2,756	●
	FO176	Foldable steps <i>Folding ladder with smart operation by foot - 147 kg / 324 lbs</i>	883 001 61	2,264	○
	FO193	ION DUST SHIELD <i>Reducing the fine dust exposure min 88% by Ionization -> It is not a filter - FO54 required - 100 kg / 220 lbs</i>	883 001 85	88,216	○
	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 44 kg / 97 lbs</i>	883 001 13	5,797	○
	FO24	Seat for service <i>Allows for comfortable seating while servicing drum - 20 kg / 44 lbs</i>	883 001 59	1,591	●
	FO54	Dust collection system <i>Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction - 110 kg / 240 lbs</i>	883 001 87	27,430	○
	FO59	Auxiliary drive <i>Drum turning device for easy pick exchange - 30 kg / 66 lbs</i>	883 001 54	5,654	●
	FO7	Pneumatic tool teeth <i>Electric air compressor for exchange of milling picks - 85 kg / 187 lbs</i>	883 001 70	17,352	○
Milling drum	FO140	Milling drum 600-980-15 <i>Milling drum 600 mm LA 15 with exchangeable tool holder - 80 tools - 815 kg / 1796 lbs --> FO68 required</i>	883 001 56	27,446	○
	FO142	Milling drum 900-980-15 <i>Milling drum 900 mm LA 15 with exchangeable tool holder - 99 tools - 1075 kg / 2370 lbs --> FO76 and FO85 required</i>	883 002 05	41,806	○
	FO62	Milling drum 1000-980-15 <i>Standard milling drum 1000 mm LA 15 with exchangeable tool holder - 99 tools – 1080 kg / 2380 lbs --> FO67 or FO75 required</i>	883 002 04	49,260	○
	FO69	Milling drum 1200-980-15 <i>Standard milling drum 1200 mm La 15 with exchangeable tool holder - 115 tools – 1275 kg / 2180 lbs --> FO74 or split scraper FO68, FO76, FO75 required</i>	883 002 02	51,685	●
	FO96	Milling drum 1200-980-8 <i>Fine milling drum 1200 mm LA 8 with exchangeable tool holder - 173 tools - 1540 kg / 3395 lbs -->FO74 required</i>	883 001 44	85,178	○
	FO97	Milling drum 1200-980-23 <i>Performance milling drum 1200 mm LA 23 with exchangeable tool holder - 91 tools - 1190 kg / 2623 lbs --> FO74 required</i>	883 002 03	48,187	○
Cutting system	FO136	Mill.drum SW 1200 <i>Milling drum quick change system - 120 kg / 265 lbs</i>	883 001 36	14,601	●
Conveying belt	FO22	Conveying belt/band,short <i>Appr. 1.5m / 4.9' shorter than the long conveyor, incl. smart scissor stand- 270 kg / 595 lbs</i>	883 001 84	28,385	○
Levelling	FO4	Autom. levelling <i>BOMAG Easy Level - 30 kg / 66 lbs</i>	883 001 93	20,960	●
Scraper	FO68	Scraper,split 600 <i>Split scraper for 600 mm / 2ft drum (BM 1200) – gearbox protection included – 645 kg / 1422 lbs</i>	883 001 33	10,986	○
	FO74	Scrapers 1200 <i>Standard - Fixed working width 1.200 mm - 440 kg / 970 lbs</i>	883 001 26	8,390	○
	FO75	Scraper,split 1000 <i>Split scraper for 1000 mm / 39" drum (BM 1200) – gearbox protection included – 630 kg / 1390 lbs</i>	883 001 29	12,710	○
	FO76	Scraper,split 900 <i>Split scraper for 900 mm / 3ft drum (BM 1200) – gearbox protection included – 645 kg / 1422 lbs</i>	883 001 30	13,002	●

Hydraulic	HY2	Bio hydraulic oil <i>Panolin HLP Synth 46</i>	883 001 01	4,035	○
Safety standards	E64	Camera monitoring <i>Camera-System: Display with different modes; Camera at the outer conveyor and in front of the front scraper - 10 kg / 22 lbs</i>	883 001 88	5,215	●
Special colour	SL28	Multi-colour finish	883 002 12	9,506	○
Ballast weight	FO53	Ballast 1 <i>1030 kg / 2270 lbs Ballast in the frame: 590 kg / 1255 lbs fix & 450 kg / 990 lbs variable</i>	883 001 77	3,142	●
	FO57	Ballast 2 <i>Ballast on top of the milling box - 440 kg / 970 lbs</i>	883 001 74	3,737	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection roof, hydraulically adjustable in height and sideways, with shelves and driver's cab lighting – 210 kg / 463 lbs</i>	883 012 42	10,464	○
	S46	Weather protection <i>Plexi glas weather protection at the operator station - 5kg / 11 lbs</i>	883 012 21	1,644	○
Operator platform accessories	K21	Seat heating <i>Perfect add on for the comfortable workplace – 5 kg / 11 lbs</i>	883 011 97	1,488	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Lighting	E67	Headlight,pluggable <i>Additional work light, plug-in - 1kg / 2,2 lbs</i>	883 010 29	447	○
	E68	Headlight,magnet base <i>Additional work light with magnet base and spiral cable - 1 kg / 2,2 lbs</i>	883 010 28	447	○
	E76	Auxiliary lighting,roof <i>4x LED-headlights at the roof - 10 kg / 22 lbs</i>	883 012 22	1,317	○
Basic machine	FO175	Hose reel auto. roll-up, <i>Low-pressure washdown system for end of day cleaning - 44 kg / 97 lbs</i>	883 011 58	2,987	○
	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 30 kg / 66 lbs</i>	883 011 98	6,473	○
	FO54	Dust collection system <i>Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction - 110 kg / 240 lbs</i>	883 012 43	30,029	○
	FO7	Pneumatic tool teeth <i>Electric air compressor for exchange of milling picks - 85 kg / 187 lbs</i>	883 011 75	18,748	○
	W39	Anti-freeze intake <i>Practical suction hose with connector to suck antifreeze directly from the canister - 2 kg / 4,4 lbs</i>	882 001 54	168	○
Milling drum	FO121	Mill.drum 1000-980-2x6SW <i>Fine milling drum 1000 mm LA 6 x 2 with drum quick change - 340 tools - 1150 kg / 2535 lbs --> FO67 or FO75 and FO85 required</i>	883 012 14	62,531	○
	FO63	Milling drum1000-980-15SW <i>Standard milling drum 1000 mm LA 15 with exchangeable tool holder and drum quick change - 99 tools - 1130 kg / 2491 lbs --> FO67 and FO85 required</i>	883 012 08	54,322	○
	FO66	Milling drum 600-980-15SW <i>Milling drum 600 mm LA 15 with exchangeable tool holder and drum quick change - 80 tools - 900 kg / 1985 lbs --> FO68 und FO85 required</i>	883 011 11	36,527	○
	FO69	Milling drum 1200-980-15 <i>Standard milling drum 1200 mm LA 15 with exchangeable tool holder - 115 tools – 1275 kg / 2180 lbs --> FO74 or split scraper FO68, FO76, FO75 required</i>	883 012 04	56,853	○
	FO70	Milling drum1200-980-15SW <i>Standard milling drum 1200 mm LA 15 with exchangeable tool holder and drum quick change - 115 tools - 1315 kg / 2900 lbs --> FO74 and FO85 required</i>	883 012 05	65,693	○
	FO71	Milling drum 1200-980-8SW <i>Fine milling drum 1200 mm LA 8 with exchangeable tool holder and drum quick change - 173 tools - 1580 kg / 3483 lbs --> FO67 or FO75 and FO85 required</i>	883 010 07	85,136	○
	FO72	Milling drum1200-980-23SW <i>Performance milling drum 1200 mm LA 23 with exchangeable tool holder and drum quick change - 91 tools - 1230 kg / 2712 lbs --> FO74 and FO85 required</i>	883 012 07	46,277	○
	FO73	Milling drum 900-980-15SW <i>Milling drum 900 mm LA 15 with exchanable tool holder and drum quick change - 99 tools - 1075 kg / 2370 lbs --> FO76 and FO85 required</i>	883 012 09	41,806	○
	FO96	Milling drum 1200-980-8 <i>Fine milling drum 1200 mm LA 8 with exchangeable tool holder - 173 tools - 1540 kg / 3395 lbs --> FO74 required</i>	883 010 68	93,711	○

	FO97	Milling drum 1200-980-23 <i>Performance milling drum 1200 mm LA 23 with exchangeable tool holder - 91 tools - 1190 kg / 2623 lbs --> FO74 required</i>	883 012 06	52,990	○
Cutting system	FO136	Mill.drum SW 1200 <i>Milling drum quick change system - 120 kg / 265 lbs</i>	883 010 73	16,060	○
	FO85	Counter bearing <i>Additional support bearing to be utilized for spare drum with quick-change system - 100 kg / 220 lbs</i>	883 010 10	6,358	○
Levelling	FO194	Height indication <i>Mechanical height indication of the rear lifting columns - 10 kg / 22 lbs</i>	883 012 41	9,176	○
Scraper	FO68	Scraper,split 600 <i>Split scraper for 600 mm / 2ft drum (BM 1200) – gearbox protection included – 645 kg / 1422 lbs</i>	883 011 16	12,088	○
	FO75	Scraper,split 1000 <i>Split scraper for 1000 mm / 39" drum (BM 1200) – gearbox protection included – 630 kg / 1390 lbs</i>	883 011 14	14,000	○
	FO76	Scraper,split 900 <i>Split scraper for 900 mm / 3ft drum (BM 1200) – gearbox protection included – 645 kg / 1422 lbs</i>	883 011 15	14,308	○
Service products	SW1	Service kit 1000h	770 883 20	1,667	○
	SW6	Oil service kit	775 883 01	597	○

List price	818,486 USD
Price after discounts	818,486 USD
Price + surcharge (will be determined at time of invoicing/shipping)	900,335 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Automatic water saving device
- Water filling pump
- Wear-free, digital Milling depth display
- Proportional Milling depth adjustment
- Two proportional speeds for Millingdepth-adjustment
- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Right side-plate for fast Drum-exchange
- Automatic load-control
- Automatic distribution of traction
- Hydraulically foldable Conveyor
- 4-Crawlers
- Changed swivelling mechanism: Rear right track chain can be swivelled in front of the milling drum fully automatically by means of a gear
- Rear right crawler steerable
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Fully vibration-isolated operator-platform
- Comfort-workstation for sitting operation
- Ergonomic adjustable operator seat, 45° to slew
- Ergonomic adjustable steering wheel / column
- Height- adjustable arm-rest with integrated ergonomic operation panel
- Self-explanatory, well-arranged dashboards
- Large storage at ground level
- Service- and maintenance-points ergonomic concentrated
- Whisper-package for noise elimination

- Liquid cooled engine following latest emission rules
- Variable placeable working-lights
- Rotary-beacon
- Mirrors
- CE-conform safety-package with emergency-stop-switches
- Back-up-alarm
- Vandalism protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 1300/30 <i>Emission stage: Stage IV / TIER4f</i> <i>USA only, without Milling unit</i>	836 000 54	493,112	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection, hydraulically foldable with front/rear screen</i>	836 001 05	10,214	●
Basic machine	FO2	High pressure cleaner <i>High-pressure washdown for end of day cleaning</i>	836 001 58	5,797	●
	FO3	Water filling system <i>Filling of on-board water tank from water source</i>	836 001 53	7,520	○
	FO7	Pneumatic tool teeth <i>CompressorCompressor for removal of milling teeth</i>	836 001 52	17,352	○
Milling drum	FO160	Milling unit 1300-980-15 <i>Complete milling box and drum assembly</i>	836 002 06	150,417	●
	FO161	Milling unit 1300-980-8 <i>Complete milling box and fine milling drum LA 8</i>	836 001 87	202,394	○
	FO162	Milling unit 1300-980-20 <i>Complete milling box and fine milling drum LA 20</i>	836 002 07	160,381	○
Conveying belt	FO20	Free floating conveyor <i>For free-swing of conveyor during transport (European Style)</i>	836 001 23	1,738	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof	836 010 46	10,464	○
Basic machine	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 44 kg / 97 lb</i>	836 010 49	6,473	○
	FO3	Water filling system	836 010 52	8,994	○
	FO7	Pneumatic tool teeth <i>Compressor</i>	836 010 42	18,748	○
Milling drum	FO98	Milling drum 1300-980-8	836 012 49	98,484	○
Conveying belt	FO20	Free floating conveyor	836 010 14	2,075	○
Service products	SW1	Service kit 1000h	770 836 55	2,021	○
Documentation	SM	Service Manual	000 000 SM	26	○

List price	661,278 USD
Price after discounts	661,278 USD
Price + surcharge (will be determined at time of invoicing/shipping)	727,406 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Automatic load-control
- Automatic distribution of traction
- Foldable Conveyor
- 4-Crawlers
- 4 crawler steerable, front or/and rear
- Crabwalk
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Comfort-workstation for sitting operation
- Self-explanatory, well-arranged dashboards
- Service- and maintenance-points ergonomic concentrated
- Liquid cooled engine following latest emission rules
- Whisper-package for noise elimination

- Variable placeable working-lights
- Rotary-beacon
- Mirrors
- Back-up-alarm
- Vandalism protection

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

- Option included in standard configuration
- Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 1300/35-2 <i>Emission stage: Stage V / TIER4f</i> <i>Incl. 5000 h / 60 month warranty on the slewing leg mechanism - - without milling drum and scraper</i>	883 000 29	703,929	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Weather protection roof, hydraulically adjustable in height and sideways, with shelves and driver's cab lighting – 210 kg / 463 lbs</i>	883 001 89	10,214	○
	S46	Weather protection <i>Plexiglas cover at the operator station – 5 kg / 11 lbs</i>	883 001 92	1,494	○
Operator platform accessories	K21	Seat heating <i>Perfect add on for the comfortable workplace – 5 kg / 11 lbs</i>	883 001 14	1,126	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	882 001 57	1	○
Lighting	E75	Vehicle lighting <i>Road lights including warning lights are mandatory for driving on public roads - 10 kg / 22 lbs</i>	883 001 10	4,355	○
	E76	Auxiliary lighting, roof <i>4 Pcs. Working lights at the weather protection roof – FO1 Weather protection roof required – 10 kg / 22 lbs</i>	883 001 90	1,195	○
Basic machine	FO175	Hose reel auto. roll-up, <i>Low-pressure washdown system for end of day cleaning - 44 kg / 97 lbs</i>	883 001 66	2,756	○
	FO176	Foldable steps <i>Folding ladder with smart operation by foot - 147 kg / 324 lbs</i>	883 001 61	2,264	○
	FO193	ION DUST SHIELD <i>Reducing the fine dust exposure min 88% by Ionization -> It is not a filter - FO54 required - 100 kg / 220 lbs</i>	883 001 85	88,216	○
	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 44 kg / 97 lbs</i>	883 001 13	5,797	○
	FO24	Seat for service <i>Allows for comfortable seating while servicing drum - 20 kg / 44 lbs</i>	883 001 60	1,591	○
	FO54	Dust collection system <i>Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction - 110 kg / 240 lbs</i>	883 001 87	27,430	○
	FO59	Auxiliary drive <i>Drum turning device for easy pick exchange - 30 kg / 66 lbs</i>	883 001 54	5,654	○
	FO7	Pneumatic tool teeth <i>Electric air compressor for exchange of milling picks - 85 kg / 187 lbs</i>	883 001 70	17,352	○
Milling drum	FO140	Milling drum 600-980-15 <i>Milling drum 600 mm LA 15 with exchangeable tool holder - 80 tools - 815 kg / 1796 lbs --> FO68 required</i>	883 001 56	27,446	○
	FO142	Milling drum 900-980-15 <i>Milling drum 900 mm LA 15 with exchangeable tool holder - 99 tools - 1075 kg / 2370 lbs --> FO76 and FO85 required</i>	883 002 05	41,806	○
	FO206	Protection ring	883 001 78	1,734	○
	FO62	Milling drum 1000-980-15 <i>Standard milling drum 1000 mm LA 15 with exchangeable tool holder - 99 tools – 1080 kg / 2380 lbs --> FO67 or FO75 required</i>	883 002 04	49,260	○
	FO79	Milling drum 1300-980-15 <i>Standard milling drum 1300 mm LA 15 with exchangeable tool holder - 121 tools – 1450 kg / 3196 lbs --> FO82 required</i>	883 002 06	58,084	○
	FO98	Milling drum 1300-980-8 <i>Fine milling drum 1300 mm LA 8 with exchangeable tool holder - 185 tools - 1660 kg / 3660 lbs --> FO82 required</i>	883 001 47	89,534	○
	FO99	Milling drum 1300-980-23 <i>Performance milling drum 1300 mm LA 23 with exchangeable tool holder - 93 tools - 1330 kg / 2932 lbs --> FO82 required</i>	883 002 07	51,563	○
Cutting system	FO137	Mill. drum SW 1300 <i>Milling drum quick change system - 130 kg / 285 lbs</i>	883 001 37	14,601	○
Conveying belt	FO22	Conveying belt/band, short <i>Appr. 1.5m / 4.9' shorter than the long conveyor, incl. smart scissor stand- 270 kg / 595 lbs</i>	883 001 84	28,385	○
Levelling	FO4	Autom. levelling <i>BOMAG Easy Level - 30 kg / 66 lbs</i>	883 001 93	20,960	○
Scraper	FO68	Scraper, split 600 <i>Split scraper for 600 mm / 2ft drum (BM 1300) – gearbox protection included – 680 kg / 1500 lbs</i>	883 001 34	10,986	○
	FO75	Scraper, split 1000 <i>Split scraper for 1000 mm / 3ft 40 In drum (BM 1200) – gearbox protection included – 680 kg / 1500 lbs</i>	883 001 31	12,710	○
	FO76	Scraper, split 900 <i>Split scraper for 900 mm / 3ft drum (BM 1200) – gearbox protection included – 680 kg / 1500 lbs</i>	883 001 32	13,002	○

	FO82	Scrapers 1300 Standard - Fixed working width 1.300 mm - 470 kg / 1035 lbs	883 001 27	9,242	○
Hydraulic	HY2	Bio hydraulic oil Panolin HLP Synth 46	883 001 01	4,035	○
Safety standards	E64	Camera monitoring Camera-System: Display with different modes; Camera at the outer conveyor and in front of the front scraper - 10 kg / 22 lbs	883 001 88	5,215	○
Special colour	SL28	Multi-colour finish	883 002 12	9,506	○
Ballast weight	FO53	Ballast 1 1030 kg / 2270 lbs Ballast in the frame: 590 kg / 1255 lbs fix & 450 kg / 990 lbs variable	883 001 77	3,142	○
	FO57	Ballast 2 Ballast on top of the milling box - 440 kg / 970 lbs	883 001 74	3,737	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof Weather protection roof, hydraulically adjustable in height and sideways, with shelves and driver's cab lighting – 210 kg / 463 lbs	883 012 42	10,464	○
	S46	Weather protection Plexi glas weather protection at the operator station - 5kg / 11 lbs	883 012 21	1,644	○
Operator platform accessories	K21	Seat heating Perfect add on for the comfortable workplace – 5 kg / 11 lbs	883 011 97	1,488	○
Assistance system	E122	Telematics Box ext Ant BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.	855 010 09	2,080	○
Lighting	E67	Headlight,pluggable Additional work light, plug-in - 1kg / 2,2 lbs	883 010 29	447	○
	E68	Headlight,magnet base Additional work light with magnet base and spiral cable - 1 kg / 2,2 lbs	883 010 28	447	○
	E76	Auxiliary lighting,roof 4x LED-headlights at the roof - 10 kg / 22 lbs	883 012 22	1,317	○
Basic machine	FO175	Hose reel auto. roll-up, Low-pressure washdown system for end of day cleaning - 44 kg / 97 lbs	883 011 58	2,987	○
	FO2	High pressure cleaner With hose reel at the loading conveyor - 30 kg / 66 lbs	883 011 98	6,473	○
	FO54	Dust collection system Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction - 110 kg / 240 lbs	883 012 43	30,029	○
	FO7	Pneumatic tool teeth Electric air compressor for exchange of milling picks - 85 kg / 187 lbs	883 011 75	18,748	○
	W39	Anti-freeze intake Practical suction hose with connector to suck antifreeze directly from the canister - 2 kg / 4,4 lbs	882 001 54	168	○
Milling drum	FO165	Mill.drum 1300-980-18SW Performance milling drum 1300 mm LA 18 with exchangeable tool holder and drum quick change - 110 tools – 1410 kg / 3110 lbs --> FO82 required	850 011 68	38,891	○
	FO210	Milling drum1300-980-18 Performance milling drum 1300 mm LA 18 with exchangeable tool holder - 110 tools – 1410 kg / 3110 lbs --> FO82 required	850 011 67	38,891	○
	FO63	Milling drum1000-980-15SW Standard milling drum 1000 mm LA 15 with exchangeable tool holder and drum quick change - 99 tools - 1130 kg / 2491 lbs --> FO67 and FO85 required	883 012 08	54,322	○
	FO66	Milling drum 600-980-15SW Milling drum 600 mm LA 15 with exchangeable tool holder and drum quick change - 80 tools - 900 kg / 1985 lbs --> FO68 und FO85 required	883 011 11	36,527	○
	FO73	Milling drum 900-980-15SW Milling drum 900 mm LA 15 with exchanable tool holder and drum quick change - 99 tools - 1075 kg / 2370 lbs --> FO76 and FO85 required	883 012 09	41,806	○
	FO79	Milling drum 1300-980-15 Standard milling drum 1300 mm LA 15 with exchangeable tool holder - 121 tools – 1450 kg / 3196 lbs --> FO82 required	883 012 10	63,897	○
	FO80	Milling drum 1300-980-8SW Fine milling drum 1300 mm LA 8 FO67 or FO75 and FO85 required - 185 tools - 1700 kg / 3748 lbs --> FO85 required	883 010 08	89,595	○
	FO81	Milling drum1300-980-23SW Performance milling drum 1300 mm LA 23 with exchangeable tool holder and drum quick change - 93 tools - 11370 kg / 3020 lbs --> FO83 and FO85 required	883 012 13	52,850	○
	FO86	Milling drum1300-980-15SW Standard milling drum 1300 mm LA 15 with exchangeable tool holder and drum quick change - 121 tools – 1490 kg / 3285 lbs --> FO82 required	883 012 11	78,830	○

	FO98	Milling drum 1300-980-8 <i>Fine milling drum 1300 mm LA 8 with exchangeable tool holder - 185 tools - 1660 kg / 3660 lbs --> FO82 required</i>	883 010 72	98,484	○
	FO99	Milling drum 1300-980-23 <i>Performance milling drum 1300 mm LA 23 with exchangeable tool holder - 93 tools - 1330 kg / 2932 lbs --> FO82 required</i>	883 012 12	56,736	○
Cutting system	FO137	Mill.drum SW 1300 <i>Milling drum quick change system - 130 kg / 285 lbs</i>	883 010 75	16,060	○
	FO85	Counter bearing <i>Additional support bearing to be utilized for spare drum with quick-change system - 100 kg / 220 lbs</i>	883 010 10	6,358	○
Levelling	FO194	Height indication <i>Mechanical height indication of the rear lifting columns - 10 kg / 22 lbs</i>	883 012 41	9,176	○
Scraper	FO68	Scraper,split 600 <i>Split scraper for 600 mm / 2ft drum (BM 1300) – gearbox protection included – 680 kg / 1500 lbs</i>	883 011 19	12,088	○
	FO75	Scraper,split 1000 <i>Split scraper for 1000 mm / 3ft 40 In drum (BM 1200) – gearbox protection included – 680 kg / 1500 lbs</i>	883 011 17	14,000	○
	FO76	Scraper,split 900 <i>Split scraper for 900 mm / 3ft drum (BM 1200) – gearbox protection included – 680 kg / 1500 lbs</i>	883 011 18	14,308	○
Service products	SW1	Service kit 1000h	770 883 20	1,667	○
	SW6	Oil service kit	775 883 01	597	○

List price	703,929 USD
Price after discounts	703,929 USD
Price + surcharge (will be determined at time of invoicing/shipping)	774,322 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Automatic water saving device
- Water filling pump
- Wear-free, digital Milling depth display
- Proportional Milling depth adjustment
- Two proportional speeds for Millingdepth-adjustment
- Hydraulically operated side-plates
- Hydraulically operated front mouldboard
- Rear mouldboard with adjustable pre-load-pressure
- Right side-plate for fast Drum-exchange
- Automatic load-control
- Automatic distribution of traction
- Hydraulically foldable Conveyor
- 4-Crawlers
- Changed swivelling mechanism: Rear right track chain can be swivelled in front of the milling drum fully automatically by means of a gear
- Rear right crawler steerable
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Fully vibration-isolated operator-platform
- Comfort-workstation for sitting operation
- Ergonomic adjustable operator seat, 45° to slew
- Ergonomic adjustable steering wheel / column
- Height- adjustable arm-rest with integrated ergonomic operation panel
- Self-explanatory, well-arranged dashboards

- Large storage at ground level
- Service- and maintenance-points ergonomic concentrated
- Whisper-package for noise elimination
- Liquid cooled engine following latest emission rules
- Variable placeable working-lights
- Rotary-beacon
- Mirrors
- CE-conform safety-package with emergency-stop-switches
- Back-up-alarm
- Vandalism protection

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 2200/60 T4f <i>Emission stage: TIER4f</i>	836 000 59	609,303	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof <i>Hydraulically folding FOPS canopy</i>	836 001 47	23,273	●
	FO25	Panorama mirror <i>Mirror at rear of machine for wide-angle visibility</i>	836 001 50	1,737	●
Basic machine	FO13	Diesel refilling pump	836 001 25	2,907	○
	FO2	High pressure cleaner <i>High-pressure washdown for end of day cleaning</i>	836 001 08	5,797	●
	FO3	Water filling system <i>Filling of on-board water tank from water source</i>	836 001 61	7,521	○
	FO54	Dust collection system <i>Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction</i>	836 001 95	27,430	●
	FO7	Pneumatic tool teeth <i>Compressor for removal of milling teeth</i>	836 001 62	17,352	●
Milling drum	FO130	Milling box 2200	836 001 96	124,181	●
	FO171	Mill.drum 2200-1070-15	836 001 97	92,842	●
	FO182	Conveying unit	836 001 98	88,570	●
Conveying belt	FO20	Free floating conveyor <i>For free-swing of conveyor during transport</i>	836 001 24	1,738	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FO1	Protection roof	836 012 91	24,635	○
Basic machine	FO7	Pneumatic tool teeth	836 012 88	18,748	○

List price	990,485 USD
Price after discounts	990,485 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,089,534 USD

Customer	
Customer ID	
Quantity	1
Order date	
Terms of payment	
Terms of delivery	Trade 0.00%
Shipping address	Volume 0.00%
Delivery date (requested)	Special 0.00%
Transport organized by	Order Type Please Select
Special options/Agreements	
Comment	
	Freight see zone rate
	Surcharge 10.00%
	Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Standard equipment

- Automatic load-control
- Differential lock
- Levelling, 2 sides + slope
- Hydraulically foldable conveyor belt
- Display of RPM
- Display of engine oil pressure and temperature
- Display of operating hours
- Display of diesel level
- Display of hydraulic oil temperature
- Display of hyd. system pressures
- Ground control panels
- Sound insulated engine hood
- 10 removable headlights
- Adjustable water spraying system
- Tool box for servicing and maintenance
- Back-up-alarm
- Rotary-beacon

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity

Version 5.9 (27/JUNE/2025)

- Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BM 2200/65 *NEW* <i>Emission stage: Stage V / TIER4f</i>	887 000 01	1,001,014	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS40	Vandalism protection <i>The lockable covers for the operator panels highly securing the panel and functionality against vandalism. – 10 kg / 22 lb</i>	887 001 14	5,045	●
	FS42	Foldable seat <i>Comfortable slewable seat increasing the comfort during operation - 20kg / 44 lb</i>	887 001 34	938	●
	FO1	Protection roof <i>Hydraulic foldable weather protection roof with expandable roof shells and slidable window shields - 370 kg / 815 lb</i>	887 001 01	18,384	○
Lighting	FO228	Lighting package LED <i>Advanced light package with additional 19 working LED working lights with 142.500lm in total - 125 kg / 275 lb</i>	887 001 32	28,954	○
Basic machine	FO13	Diesel refilling pump <i>For refueling from external fuel tanks - 15 kg / 33 lb</i>	887 001 05	2,410	○
	FO132	Storage cutter change <i>Storage for up to 6 milling pick buckets at crawlers - 25kg / 55 lbs</i>	887 001 10	961	●
	FO175	Hose reel auto. roll-up, <i>Low-pressure washdown system for end of day cleaning - 60 kg / 144 lbs</i>	887 001 12	2,410	●
	FO193	ION DUST SHIELD <i>Reducing the fine dust exposure min 88% by Ionization -> It is not a filter - FO54 is not needed - 300 kg / 660 lbs</i>	887 001 25	68,819	○
	FO2	High pressure cleaner <i>With hose reel at the loading conveyor - 80 kg / 176 lbs</i>	887 001 02	5,015	●
	FO218	Electric unit <i>Electric hydraulic unit to slew the roof, engine hood or run the drum rotation without the main engine is running - 25 kg / 55 lb</i>	887 001 28	3,040	○
	FO219	Auxiliary unit <i>Compact Diesel engine reducing the Diesel consumption while drum maintainance incl. emergency drive function - 150 kg / 330 lb</i>	887 001 29	25,436	●
	FO230	Crawler system type B3 <i>Bigger tracks in place of FO229 - 1715 (67.5) x 310 (12.2) x 620 (24.4) mm (In) [L x W x H] - 600 kg / 1320 lb</i>	887 001 40	13,578	●
	FO3	Water filling system <i>Water pump for quick filling of the water tank - 80 kg/ 176 lbs</i>	887 001 03	6,259	○
	FO54	Dust collection system <i>Extract dust and fine dust around drum housing and conveyor area by use of low-pressure suction - 160 kg / 350 lb</i>	887 001 06	22,830	●
	FO59	Auxiliary drive <i>Drum turning device for easy pick exchange - 30 kg / 66 lbs --> FO218 or FO219 required</i>	887 001 09	6,812	●
	FO7	Pneumatic tool teeth <i>Electric air compressor for exchange of milling picks - 50 kg / 110 lbs --> FO219 mandatory</i>	887 001 04	9,626	●
	W40	pipe cleaning nozzle <i>FO2 mandatory</i>	887 001 26	1,017	●
	W42	Storz-coupling C	887 001 42	1	○
Compaction accessories	AG40	Dip stick <i>Steering guides for both of the front crawler makes the manoeuvring to the cutting edge easier - 10 kg / 22 lb</i>	887 001 35	1,057	●
Milling drum	FO114	Mill.drum 2200-1020-8 <i>Fine milling drum 2200 mm LA 8 with exchangable tool holder - 298 tools - 2680 kg / 5910 lbs</i>	888 001 61	112,618	○
	FO115	Mill.drum 2200-1020-15 <i>Standard milling drum 2200 mm LA 15 with exchangable tool holder - 174 tools - 2100 kg / 4630 lbs</i>	888 001 37	64,651	○
	FO116	Mill.drum 2200-1020-23 <i>Performance milling drum 2200 mm LA 23 with exchangable tool holder - 135 tools - 1920 kg / 4260 lbs</i>	888 001 38	65,789	○
	FO185	Milling drum 2200-1020-6 <i>Fine milling drum 2200 mm LA 6 with exchangable tool holder - 364 tools- 3050 kg / 6725 lbs</i>	888 001 64	91,321	○
	FO220	Spray nozzle test <i>Test function for the sprayer nozzles while the rear scraper is opened - FO219 mandatory - 10 kg / 22 lb</i>	887 001 30	626	●
	FO253	Mill.drum 2200-1020-18 <i>Performance milling drum 2200 mm LA 18 with exchangable tool holder - 158 tools - 1910 kg / 4210 lbs</i>	850 001 14	62,458	●
Cutting system	FO125	Mill.drum SW 2200 <i>Milling drum quick change system => enables the drum change less than 20 minutes - 240 kg / 530 lbs</i>	887 001 23	23,068	○
Conveying belt	FO20	Free floating conveyor <i>Enables the transport with unfolded conveyor on top of the truck cabin - 15 kg / 33 lbs</i>	887 001 33	1,442	○
Levelling	FO164	Additional display	887 001 56	4,686	●

	FO170	Disp.ext.operat.station <i>Ground display with mounting support for left and right side of the machine - 15 kg / 33 lb</i>	887 001 43	5,373	●
	FO178	Milling drum scanning <i>Levelling sensing in front of drum, left & right side - BM2x00/65 - 130 kg / 285 lbs</i>	887 001 13	7,217	●
Safety standards	E64	Camera monitoring <i>Extension of the existing camera monitoring system with additional two cameras. This enables to monitor the areas in front of the down holder and behind the back scraper. - 10 kg / 22 lb</i>	887 001 15	5,405	●
Special colour	SL1	Special colour <i>Special painting of all yellow parts in one color</i>	887 001 17	14,057	○
Ballast weight	FO53	Ballast 1 <i>Ballast weight in the back of the machine - 975 kg / 2030 lbs</i>	887 001 07	4,491	●
	FO57	Ballast 2 <i>Ballast on top of the milling box - 830 kg / 1830 lbs</i>	887 001 08	3,112	●
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Lighting	E68	Headlight,magnet base <i>Additional work light with magnet base and spiral cable - 1 kg / 2,2 lbs</i>	883 010 28	447	○
Basic machine	W40	pipe cleaning nozzle <i>FO2 mandatory</i>	887 010 01	1,017	○
Milling drum	FO114	Mill.drum 2200-1020-8 <i>Fine milling drum 2200 mm LA 8 withexchangable tool holder - 298 tool - 2680 kg / 5910 lbs</i>	888 011 32	123,899	○
	FO116	Mill.drum 2200-1020-23 <i>Performance milling drum 2200 mm LA 23 with exchangable tool holder - 135 tools - 1920 kg / 4260 lbs</i>	888 010 53	68,250	○
	FO185	Milling drum 2200-1020-6 <i>Fine milling drum 2200 mm LA 6 with echangable tool holder - 364 Tools - 3050 kg / 6725 lbs</i>	888 010 36	113,589	○
	FO186	Milli. drum2200-1020-6SW <i>Fine milling drum 2200 mm LA 6 with exchangable tool holder and drum quick change - 364 tools - 3080 kg / 6790 lbs</i>	888 010 37	128,420	○
	FO223	Mill.drum 2200-1020-8SW <i>Fine milling drum 2200 mm LA 8 with exchangable tool holder and drum quick change - 298 tools - 2710 kg / 5975 lbs</i>	888 011 33	148,750	○
Conveying belt	FO20	Free floating conveyor <i>Enables the transport with unfolded conveyor on top of the truck cabin - 15 kg / 33 lbs</i>	887 010 00	1,588	○
Levelling	FO164	Additional display <i>Additional ground display - FO170 mandatory - 10 kg / 22 lb</i>	887 010 26	4,686	○
	FO170	Disp.ext.operat.station <i>Ground display with mounting support for left and right side of the machine - 15 kg / 33 lb</i>	887 010 25	6,357	○
	FO48	Levelling, extension 2 <i>Multiplex 1 side, 2x sonic skis to be fitted at front and rear end of Mill. - 55 kg / 120 lbs</i>	887 010 04	16,508	○
	FO145	Levelling, extension 3 <i>Multiplex 2.side, FO48 required. 2x sonic skis to be fitted at front and rear end of Mill. - 55 kg / 120 lbs</i>	887 010 06	16,508	○
Service products	SW6	Oil service kit	775 887 00	1,059	○

List price	1,189,107 USD
Price after discounts	1,189,107 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,308,018 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- 3 Milling-Drum-speeds, 100, 112, 130

- Proportional adjustable water injection, 0-12 l/min
- Automatic water saving device
- Levelling, 2 sides + slope
- Wear-free, digital Milling depth display
- Proportional Milling depth adjustment
- Two proportional speeds for Milling depth-adjustment
- Hydraulically operated side-plates with 500 mm (right) and 400 mm (left) stroke
- Hydraulically operated front mouldboard
- Hydraulically rear mouldboard with adjustable preload-pressure
- Right side-plate for fast Drum-exchange
- Automatic load-control
- Automatic distribution of traction
- Hydraulically foldable Conveyor with +65° swivel angle
- Camera system: 1x discharge belt; 1x on the back
- BOMAG Dual Filtration
- BOMAG Easy Cut
- BOMAG Easy Level
- 4 crawler B1 size steerable, front or/and rear
- Crabwalk
- Variable transport speed
- Variable operating speed
- Mechanical Drum-drive
- Fully vibration-isolated operator-platform
- Comfort zones at the standing areas for fatigueless operation
- Adjustable dashboards
- Standardized self-explanatory, well-arranged dashboards
- Large storage at ground level
- Service- and maintenance-points ergonomic concentrated
- Large Storage compartment at the operator platform including 24V plug and flexible layer
- Diesel and AdBlue fill comfortable and safely place at the operator station
- BOMAG Fast Select for a fast machine operation
- Noise optimized design
- Liquid cooled engine following latest emission rules ohne heißen Abgasstrahl nach hinten
- Integrated working lights
- Rotary-beacon
- Mirrors
- CE-conform safety-package with emergency-stop-switches
- Back-up-alarm

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BMP 8500 *NEW* <i>Emission stage: Stage V / TIER4f</i>	720 000 15	52,242	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	VM20	Economizer	720 001 99	3,013	○
Drum	B2	Smooth drum	720 001 84	1,224	○
Electrical equipment	E117	Charger <i>Includes charger, holder & all cables. Charging the accumulators directly on the machine, at home (230V) or in the car/truck (12/24V)</i>	720 002 01	1	●
Scraper	Q4	Adjustable scrapers <i>Scrapers adjustable variable from 650 to 850mm</i>	720 001 85	500	○
Special colour	SL1	Special colour	720 002 04	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Display	AZ18	Fuel level indicator	720 027 14	243	○
Assistance system	E121	Telematics Box int Ant	720 027 16	1,938	○
Drum	B2	Smooth drum	720 032 15	6,167	○
	B49	Heavy duty protector <i>Protects travel drive housing at working on abrasive material</i>	720 032 01	634	○
Remote control	FG8	Cable/Radio control <i>Includes cable/radio remote control and instructions. In the event of service the remote control can be paired to the machine in seconds.</i>	720 028 27	5,174	○
Electrical equipment	E117	Charger <i>Includes charger, holder & all cables. Charging the accumulators directly on the machine, at home (230V) or in the car/truck (12/24V)</i>	720 027 13	724	○
Scraper	Q1	Scrapers <i>850 mm (standard: 610 mm)</i>	720 031 83	623	○
	Q4	Adjustable scrapers <i>Scrapers adjustable variable from 650 to 850mm</i>	720 032 12	846	○
Service products	SW10	Service kit <i>parts for maintenance (1. Service)</i>	775 720 11	124	○

List price	52,243 USD
Price after discounts	52,243 USD
Price + surcharge (will be determined at time of invoicing/shipping)	57,467 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements		Freight	see zone rate
Comment		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 65 *NEW* <i>Emission stage: Stage V / CARB P.3</i> <i>1 unit per pallet – order full pallets only!</i>	834 000 64	21,173	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Basic machine	WE10	Cleaning rod	834 011 74	82	○
Safety standards	E100	Warning lights <i>4 bright, flashing LEDs warn other people</i>	834 011 96	217	○
Service products	SW10	Service kit <i>parts for maintenance (1. Service)</i>	775 834 64	181	○

List price	21,173 USD
Price after discounts	21,173 USD
Price + surcharge (will be determined at time of invoicing/shipping)	23,290 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight 635.19
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2-amplitude oscillator
- Electric starter
- Infinitely variable speed control
- Sprinkler system; Controllable from operator station
- Vibration dampened steering rod
- Height adjustable steering rod
- Vibration and throttle regulation on the steering rod
- 2 scrapers per drum; With lateral cleaning opening
- Automatic shutdown at low oil level
- Single point lifting device
- Automatic decompression
- Recoil starter
- Hour meter
- Safety control
- Back-up drive protection
- 3-2-1 Warranty

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 100 AD-5 <i>Emission stage: Stage V / TIER4f with 24,6 kW DPF engine</i>	880 000 56	64,594	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 003 97	2,623	●
	S48	Sun roof, foldable <i>ROPS included</i>	880 003 98	7,293	○
	S46	Weather protection <i>only with option S48</i>	880 003 99	2,704	○
Operator platform accessories	FS33	Sliding seat plus extras <i>incl. double driving lever</i>	880 008 86	1,972	●
	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	880 006 42	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 006 63	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	880 007 78	3,919	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E138	Edge illumination, F+R <i>Edge lighting at the front and rear for the best view of the drum edge</i>	880 001 55	1,022	○
	E2	Lighting-Stvzo	462 006 32	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	880 006 36	1,103	○
	E76	Auxiliary lighting, roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 005 97	839	○
Basic machine	RA1	Joint with crabwalk (incl.FS33) <i>hydraulic adjustable front drum 50 mm to the right</i>	880 001 60	6,134	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	880 001 42	7,957	○
	AG49	Edge cutter, rh/lh <i>edge cutter right and left incl. FS33</i>	880 001 43	15,908	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	880 006 02	1,047	○
Hydraulic	HY3	Flow divider <i>For improved traction</i>	880 004 89	3,919	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	880 006 54	372	○
	E85	Rotary beacon, roof <i>only with option S48</i>	880 006 57	338	○
	FS3	Burglary protection <i>not in combination with E65/E66</i>	650 008 86	1,927	○
Special colour	SL1	Special colour	880 006 92	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 020 38	2,917	○
	S48	Sun roof, foldable <i>ROPS not included</i>	880 020 41	4,439	○
	S46	Weather protection <i>only with option S48</i>	880 020 44	1,494	○
	FS4	Outside mirror <i>mounted on the stirrup</i>	462 020 33	664	○
Operator platform accessories	K21	Seat heating	462 020 22	1,488	○
	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 020 79	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator, for machines as of 01.11.23</i>	880 020 97	3,818	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 020 70	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!	850 011 45	7,099	○
	VM46	BOMAP GPS Holder For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
	E27	Auxiliary lighting 4 LEDs on the ROPS - detachable	880 020 59	1,213	○
	E93	Edge illumination FR or FL For best view of the drum edge	880 020 61	652	○
	E71	Edge illumination, front For best view of the drum edge	880 020 60	786	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Compaction accessories	AG6	Edge cutter front right, w/o tools	880 020 66	9,759	○
	AG34	Pressing roller 45° Depth 58mm	880 020 36	1,156	○
	AG45	Pressing roller 2° Width 120mm	880 020 35	919	○
	AG32	Pressing roller 60° Depth 70mm	880 020 37	915	○
	AG36	Cutting disc Depth 38.5mm	880 020 27	989	○
	AG36	Cutting disc Depth 70mm	880 020 34	989	○
	AG40	Dip stick	880 035 62	417	○
Engine	E26	Battery disconnec.switch	880 020 69	490	○
Safety standards	E16	Rotary beacon Rotary beacon with bayonet lock	880 020 25	406	○
	E85	Rotary beacon,roof only with option S48	880 020 43	372	○
	FS21	Seat belt 3 Inches (76mm) wide safety belt	586 017 96	419	○

List price	69,189 USD
Price after discounts	69,189 USD
Price + surcharge (will be determined at time of invoicing/shipping)	76,108 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Individual control, vibration
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Adjustable operator's seat
- Lashing eyes, galvanized
- Back-up alarm

- Single point lifting device
- Vandalism protection
- Lockable engine hood made of composite material
- Working lights, front and rear
- 12 V socket
- Seat contact switch

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

- Option included in standard configuration
- Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 120 AC-5 <i>Emission stage: Stage V / TIER4f with 24,6 kW DPF engine</i>	880 000 59	78,608	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 003 97	2,623	●
	S48	Sun roof, foldable <i>ROPS included</i>	880 003 98	7,293	○
	S46	Weather protection <i>only with option S48</i>	880 003 99	2,704	○
Operator platform accessories	FS33	Sliding seat plus extras <i>incl. double driving lever</i>	880 008 86	1,972	●
	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	880 006 42	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 006 63	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	880 007 78	3,919	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E2	Lighting-Stvzo	880 006 35	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	880 006 36	1,103	○
	E76	Auxiliary lighting, roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 005 97	839	○
Basic machine	RA1	Joint with crabwalk (incl.FS33) <i>hydraulic adjustable front drum 50 mm to the right</i>	880 001 60	6,134	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	880 001 42	7,957	○
	AG49	Edge cutter, rh/lh <i>edge cutter right and left incl. FS33</i>	880 001 43	15,908	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	880 006 02	1,047	○
Hydraulic	HY3	Flow divider <i>For improved traction</i>	880 002 90	3,919	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	880 006 54	372	○
	E85	Rotary beacon, roof <i>only with option S48</i>	880 006 57	338	○
	FS3	Burglary protection <i>not in combination with E65/E66</i>	650 008 86	1,927	○
Special colour	SL1	Special colour	880 009 06	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 020 38	2,917	○
	S48	Sun roof, foldable <i>ROPS not included</i>	880 020 41	4,439	○
	S46	Weather protection <i>only with option S48</i>	880 020 44	1,644	○
	FS4	Outside mirror <i>mounted on the stirrup</i>	462 020 33	664	○
Operator platform accessories	K21	Seat heating	462 020 22	1,488	○
	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 020 79	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator, for machines as of 01.11.23</i>	880 020 97	3,818	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 020 70	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!	850 011 45	7,099	○
	VM46	BOMAP GPS Holder For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
	E27	Auxiliary lighting 4 LEDs on the ROPS - detachable	880 020 59	1,213	○
	E93	Edge illumination FR or FL For best view of the drum edge	880 020 61	652	○
	E71	Edge illumination, front For best view of the drum edge	880 020 60	786	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Compaction accessories	AG6	Edge cutter front right, w/o tools	880 020 66	9,759	○
	AG34	Pressing roller 45° Depth 58mm	880 020 36	1,156	○
	AG45	Pressing roller 2° Width 120mm	880 020 35	919	○
	AG32	Pressing roller 60° Depth 70mm	880 020 37	915	○
	AG36	Cutting disc Depth 70mm	880 020 34	989	○
	AG36	Cutting disc Depth 38.5mm	880 020 27	989	○
	AG40	Dip stick	880 035 62	417	○
	E26	Battery disconnect switch	880 020 69	490	○
Engine	E26	Battery disconnect switch	880 020 69	490	○
Safety standards	E16	Rotary beacon Rotary beacon with bayonet lock	880 020 25	406	○
	E85	Rotary beacon, roof only with option S48	880 020 43	372	○
	FS21	Seat belt 3 Inches (76mm) wide safety belt	586 017 96	419	○

List price	83,203 USD
Price after discounts	83,203 USD
Price + surcharge (will be determined at time of invoicing/shipping)	91,523 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Adjustable operator's seat
- Lashing eyes, galvanized
- Back-up alarm
- Single point lifting device

- Vandalism protection
- Lockable engine hood made of composite material
- Working lights, front and rear
- 12 V socket
- Seat contact switch
- Hydrostatic travel and vibration drive

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 120 AD-5 <i>Emission stage: Stage V / TIER4f with 24,6 kW DPF engine</i>	880 000 57	73,826	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 003 97	2,623	●
	S48	Sun roof, foldable <i>ROPS included</i>	880 003 98	7,293	○
	S46	Weather protection <i>only with option S48</i>	880 003 99	2,704	○
Operator platform accessories	FS33	Sliding seat plus extras <i>incl. double driving lever</i>	880 008 86	1,972	●
	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	880 006 42	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 006 63	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	880 007 78	3,919	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E138	Edge illumination, F+R <i>Edge lighting at the front and rear for the best view of the drum edge</i>	880 001 55	1,022	○
	E2	Lighting-Stvzo	880 006 35	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	880 006 36	1,103	○
	E76	Auxiliary lighting, roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 005 97	839	○
Basic machine	RA1	Joint with crabwalk (incl.FS33) <i>hydraulic adjustable front drum 50 mm to the right</i>	880 001 60	6,134	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	880 001 42	7,957	○
	AG49	Edge cutter, rh/lh <i>edge cutter right and left incl. FS33</i>	880 001 43	15,908	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	880 006 02	1,047	○
Hydraulic	HY3	Flow divider <i>For improved traction</i>	880 004 89	3,919	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	880 006 54	372	○
	E85	Rotary beacon, roof <i>only with option S48</i>	880 006 57	338	○
	FS3	Burglary protection <i>not in combination with E65/E66</i>	650 008 86	1,927	○
Special colour	SL1	Special colour	880 006 98	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 020 38	2,917	○
	S48	Sun roof, foldable <i>ROPS not included</i>	880 020 41	4,439	○
	S46	Weather protection <i>only with option S48</i>	880 020 44	1,494	○
	FS4	Outside mirror <i>mounted on the stirrup</i>	462 020 33	664	○
Operator platform accessories	K21	Seat heating	462 020 22	1,488	○
	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 020 79	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator, for machines as of 01.11.23</i>	880 020 97	3,818	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 020 70	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM46	BOMAP GPS Holder <i>For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.</i>	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	880 020 59	1,213	○
	E93	Edge illumination FR or FL <i>For best view of the drum edge</i>	880 020 61	652	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 020 60	786	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	880 020 66	9,759	○
	AG34	Pressing roller 45° <i>Depth 58mm</i>	880 020 36	1,156	○
	AG45	Pressing roller 2° <i>Width 120mm</i>	880 020 35	919	○
	AG32	Pressing roller 60° <i>Depth 70mm</i>	880 020 37	915	○
	AG36	Cutting disc <i>Depth 38.5mm</i>	880 020 27	989	○
	AG36	Cutting disc <i>Depth 70mm</i>	880 020 34	989	○
	AG40	Dip stick	880 035 62	417	○
Engine	E26	Battery disconnec.switch	880 020 69	490	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	880 020 25	406	○
	E85	Rotary beacon,roof <i>only with option S48</i>	880 020 43	372	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	78,421 USD
Price after discounts	78,421 USD
Price + surcharge (will be determined at time of invoicing/shipping)	86,263 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Individual control, vibration
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Adjustable operator's seat
- Lashing eyes, galvanized
- Back-up alarm

- Single point lifting device
- Vandalism protection
- Lockable engine hood made of composite material
- Working lights, front and rear
- 12 V socket
- Seat contact switch

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

• Option included in standard configuration

○ Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 120 SL-5 <i>Emission stage: Stage V / TIER4f only for USA</i>	880 000 93	58,638	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	834 003 56	2,623	●
	S48	Sun roof,foldable <i>ROPS included</i>	834 127 18	7,293	○
Operator platform accessories	FS33	Sliding seat plus extras <i>incl. double driving lever</i>	880 008 86	1,972	●
	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	880 006 42	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 006 63	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	880 007 79	3,919	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E2	Lighting-Stvzo	880 006 35	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	880 006 36	1,103	○
	E76	Auxiliary lighting,roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	880 006 01	1,047	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	880 006 54	372	○
	E85	Rotary beacon,roof <i>only with option S48</i>	880 006 57	338	○
Special colour	SL1	Special colour	834 003 56	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 020 39	2,917	○
	S48	Sun roof,foldable <i>ROPS not included</i>	880 020 41	4,439	○
Operator platform accessories	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 020 79	1,938	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	880 020 71	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM46	BOMAP GPS Holder <i>For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.</i>	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Engine	E26	Battery disconnec.switch	880 020 69	490	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	880 020 25	406	○
	E85	Rotary beacon,roof <i>only with option S48</i>	880 020 43	372	○
	FS21	Seat belt <i>4in seatbelt; needed in California</i>	832 001 03	391	○

List price

63,233 USD

Price after discounts	63,233 USD
Price + surcharge (will be determined at time of invoicing/shipping)	69,556 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Individual control, vibration
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Adjustable operator's seat
- Lashing eyes, galvanized
- Back-up alarm
- Single point lifting device
- Vandalism protection
- Lockable engine cover
- Working lights, front and rear
- 12 V socket
- Seat contact switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- o Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 120 SLC-5 *NEW* <i>Emission stage: Stage V / TIER4f only for USA</i>	880 000 94	64,989	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	834 003 56	2,623	●
	S48	Sun roof,foldable <i>ROPS included</i>	834 127 18	7,293	○
Operator platform accessories	FS33	Sliding seat plus extras <i>incl. double driving lever</i>	880 008 86	1,972	●
	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	880 006 42	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 006 63	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	880 007 79	3,919	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E2	Lighting-Stvzo	880 006 35	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	880 006 36	1,103	○
	E76	Auxiliary lighting,roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	880 001 90	7,957	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	880 006 01	1,047	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	880 006 54	372	○
	E85	Rotary beacon,roof <i>only with option S48</i>	880 006 57	338	○
Special colour	SL1	Special colour	834 003 55	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	880 020 39	2,917	○
	S48	Sun roof,foldable <i>ROPS not included</i>	880 020 41	4,439	○
Operator platform accessories	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	880 020 79	1,938	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	880 020 71	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM46	BOMAP GPS Holder <i>For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.</i>	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 020 60	786	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Compaction accessories	AG34	Pressing roller 45° <i>Depth 58mm</i>	880 020 36	1,156	○
	AG45	Pressing roller 2° <i>Width 120mm</i>	880 020 35	919	○
	AG32	Pressing roller 60° <i>Depth 70mm</i>	880 020 37	915	○

	AG36	Cutting disc Depth 70mm	880 020 34	989	○
Engine	E26	Battery disconnect switch	880 020 69	490	○
Safety standards	E16	Rotary beacon Rotary beacon with bayonet lock	880 020 25	406	○
	E85	Rotary beacon, roof only with option S48	880 020 43	372	○
	FS21	Seat belt 3 inches (76mm) wide safety belt	586 017 96	419	○

List price	69,584 USD
Price after discounts	69,584 USD
Price + surcharge (will be determined at time of invoicing/shipping)	76,542 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Emergency STOP
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Adjustable operator's seat
- Lashing eyes, galvanized
- Back-up alarm
- Single point lifting device
- Vandalism protection
- Lockable engine hood made of composite material
- Working lights, front and rear
- 12 V socket
- Seat contact switch
- Hydrostatic travel and vibration drive

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 124 DH-5 <i>Emission stage: Stage IV / TIER4f</i>	587 000 26	107,343	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S41	Rear window	586 002 55	569	○
Operator platform accessories	FS36	Comfort package <i>Adjustable steering, armrest & seat heating</i>	586 002 50	2,237	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 20	1	●
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 002 56	2,722	○
Lighting	E1	Working lighting	586 002 46	794	○
	E95	LED Work headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
Dozer blade	PS1	Dozer blade	586 002 52	15,316	○
	PS5	Dozer blade-tilt <i>Dozer blade with tilt function.</i>	586 002 54	20,883	○
Safety standards	E16	Rotary beacon	586 002 68	372	○
Special colour	SL1	Special colour	586 003 26	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	FS36	Comfort package <i>Adjustable steering, armrest & seat heating</i>	586 018 52	2,950	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 017 16	2,980	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS-precision antenna with Bluetooth, wiring harness for all BOMAG and other brands, holder with magnetic mount. Not compatible with VM46.</i>	850 011 31	7,099	○
Lighting	E1	Working lighting	586 017 05	871	○
Safety standards	E16	Rotary beacon	586 017 69	372	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	107,344 USD
Price after discounts	107,344 USD
Price + surcharge (will be determined at time of invoicing/shipping)	118,078 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Rear axle with twin spring accumulator brakes
- Differential lock
- Hydrostatic articulated steering
- Contact scrapers
- Operating/Control Equipment:
- - Hour meter

- - Charge control
- - Parking brake
- - Engine oil pressure
- - Engine temperature
- - Air cleaner pollution
- - Fuel level indicator
- Warning horn
- Transport lashing and lifting points front/rear
- Lockable anti vandal dashboard protection
- Back-up alarm
- Emergency stop button
- ROPS/FOPS with safety belt
- Seat contact switch
- Battery disconnect switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 124 PDH-5 <i>Emission stage: Stage IV / TIER4f</i>	587 000 27	113,346	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S41	Rear window	586 002 55	569	○
Operator platform accessories	FS36	Comfort package <i>Adjustable steering, armrest & seat heating</i>	586 002 50	2,237	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 20	1	●
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 002 56	2,722	○
Lighting	E1	Working lighting	586 002 46	794	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
Drum	B46	Smooth shell segment kit *NEW* <i>incl. scrapers</i>	586 003 00	10,444	○
Dozer blade	PS1	Dozer blade	586 002 52	15,316	○
	PS5	Dozer blade-tilt <i>Dozer blade with tilt function.</i>	586 002 54	20,883	○
Safety standards	E16	Rotary beacon	586 002 68	372	○
Special colour	SL1	Special colour	586 003 26	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	FS36	Comfort package <i>Adjustable steering, armrest & seat heating</i>	586 018 52	2,950	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 017 16	2,980	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS-precision antenna with Bluetooth, wiring harness for all BOMAG and other brands, holder with magnetic mount. Not compatible with VM46.</i>	850 011 31	7,099	○
Lighting	E1	Working lighting	586 017 05	871	○
Drum	B46	Smooth shell segment kit *NEW* <i>incl. scrapers</i>	586 010 83	11,620	○
Safety standards	E16	Rotary beacon	586 017 69	372	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	113,347 USD
Price after discounts	113,347 USD
Price + surcharge (will be determined at time of invoicing/shipping)	124,682 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Rear axle with twin spring accumulator brakes
- Differential lock
- Hydrostatic articulated steering

- Contact scrapers
- Operating/Control Equipment:
 - - Hour meter
 - - Charge control
 - - Parking brake
 - - Engine oil pressure
 - - Engine temperature
 - - Air cleaner pollution
 - - Fuel level indicator
- Warning horn
- Transport lashing and lifting points front/rear
- Lockable anti vandal dashboard protection
- Back-up alarm
- Emergency stop button
- ROPS/FOPS with safety belt
- Seat contact switch
- Battery disconnect switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 135 AD-5 <i>Emission stage: Stage V / TIER4f with DPF engine</i>	650 000 48	85,461	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	650 003 91	2,917	●
	S48	Sun roof, foldable <i>ROPS included</i>	650 003 92	7,293	○
	S46	Weather protection <i>only with option S48</i>	650 003 94	2,704	○
Operator platform accessories	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	650 006 40	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	650 006 05	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	650 007 25	3,919	●
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E138	Edge illumination, F+R <i>Edge lighting at the front and rear for the best view of the drum edge</i>	880 001 55	1,022	○
	E2	Lighting-Stvzo	880 006 35	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	650 006 36	1,103	○
	E76	Auxiliary lighting, roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 005 97	839	○
Basic machine	RA1	Joint with crabwalk <i>hydraulic adjustable front drum 50 mm to the right</i>	650 001 60	6,134	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	650 007 18	9,481	○
	AG49	Edge cutter, rh/lh <i>edge cutter right and left incl. FS33</i>	650 007 19	17,735	○
Drum	V2	2 amplitudes <i>additional amplitude of 0,2mm, in combination with AG5/50/AG51 must be booked via XY-request</i>	650 001 36	1,762	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	650 006 04	1,047	○
Hydraulic	HY3	Flow divider <i>For improved traction</i>	650 004 88	3,919	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	650 006 34	372	○
	E85	Rotary beacon, roof <i>only with option S48</i>	650 006 37	338	○
	FS3	Burglary protection <i>not in combination with E65/E66</i>	650 008 86	1,927	○
Special colour	SL1	Special colour	650 006 86	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S48	Sun roof, foldable <i>ROPS not included</i>	650 020 79	4,439	○
	S46	Weather protection <i>only with option S48</i>	650 021 02	3,062	○
	FS4	Outside mirror <i>mounted on the stirrup</i>	462 020 33	664	○
Operator platform accessories	K21	Seat heating	462 020 22	1,488	○
	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	650 021 07	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator, for machines as of 01.11.23</i>	650 021 12	3,818	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 020 70	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!	850 011 45	7,099	○
	VM46	BOMAP GPS Holder For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
	E27	Auxiliary lighting 4 LEDs on the ROPS - detachable	650 021 00	1,213	○
	E93	Edge illumination FR or FL For best view of the drum edge	880 020 61	652	○
	E71	Edge illumination, front For best view of the drum edge	880 020 60	786	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Compaction accessories	AG6	Edge cutter front right, w/o tools	650 020 96	9,974	○
	AG34	Pressing roller 45° Depth 50 mm	650 020 81	1,156	○
	AG45	Pressing roller 2° width 120mm	650 020 72	1,072	○
	AG32	Pressing roller 60° Depth 84 mm	650 020 74	915	○
	AG36	Cutting disc Depth 80 mm	650 020 73	1,225	○
	AG40	Dip stick	650 020 87	417	○
	E26	Battery disconnec.switch	650 020 99	490	○
Engine	E26	Battery disconnec.switch	650 020 99	490	○
Safety standards	E16	Rotary beacon Rotary beacon with bayonet lock	650 020 77	406	○
	E85	Rotary beacon,roof only with option S48	880 020 43	372	○
	FS21	Seat belt 3 Inches (76mm) wide safety belt	586 017 96	419	○

List price	92,297 USD
Price after discounts	92,297 USD
Price + surcharge (will be determined at time of invoicing/shipping)	101,527 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes...	

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Individual control, vibration
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Lashing eyes, galvanized
- Back-up alarm
- Single point lifting device
- Vandalism protection
- Lockable engine hood made of composite material

- Working lights, front and rear
- 12 V socket
- Seat contact switch
- Sliding seat incl. double travel lever

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

- Option included in standard configuration
- Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 138 AC-5 <i>Emission stage: Stage V / TIER4f with DPF engine</i>	650 000 47	95,581	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	650 003 91	2,917	●
	S48	Sun roof, foldable <i>ROPS included</i>	650 003 92	7,293	○
	S46	Weather protection <i>only with option S48</i>	650 003 94	2,704	○
Operator platform accessories	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	650 006 40	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	650 006 05	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	650 007 25	3,919	●
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E2	Lighting-Stvzo	880 006 35	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	650 006 36	1,103	○
	E76	Auxiliary lighting, roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 005 97	839	○
Basic machine	RA1	Joint with crabwalk <i>hydraulic adjustable front drum 50 mm to the right</i>	650 001 60	6,134	○
Compaction accessories	AG49	Edge cutter, rh/lh <i>edge cutter right and left incl. FS33</i>	650 007 20	17,735	○
Drum	V2	2 amplitudes <i>additional amplitude of 0,2mm, in combination with AG5/AG50/AG51 must be booked via XY-request</i>	650 001 35	1,762	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	650 006 04	1,047	○
Hydraulic	HY3	Flow divider <i>For improved traction</i>	650 004 89	3,919	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	650 006 34	372	○
	E85	Rotary beacon, roof <i>only with option S48</i>	650 006 37	338	○
	FS3	Burglary protection <i>not in combination with E65/E66</i>	650 008 86	1,927	○
Wheels/Tyres	T4	Thermal apron	650 006 02	4,473	○
Special colour	SL1	Special colour	650 006 83	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S48	Sun roof, foldable <i>ROPS not included</i>	650 020 79	4,439	○
	S46	Weather protection <i>only with option S48</i>	650 021 02	3,062	○
	FS4	Outside mirror <i>mounted on the stirrup</i>	462 020 33	664	○
Operator platform accessories	K21	Seat heating	462 020 22	1,488	○
	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	650 021 07	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator, for machines as of 01.11.23</i>	650 021 12	3,818	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 020 70	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○

	VM46	BOMAP GPS Holder <i>For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.</i>	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	650 021 00	1,213	○
	E93	Edge illumination FR or FL <i>For best view of the drum edge</i>	880 020 61	652	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 020 60	786	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	650 020 96	9,974	○
	AG34	Pressing roller 45° <i>Depth 50 mm</i>	650 020 81	1,156	○
	AG45	Pressing roller 2° <i>width 120mm</i>	650 020 72	1,072	○
	AG32	Pressing roller 60° <i>Depth 84 mm</i>	650 020 74	915	○
	AG36	Cutting disc <i>Depth 80 mm</i>	650 020 73	1,225	○
	AG40	Dip stick	650 020 87	417	○
Engine	E26	Battery disconnect.switch	650 020 99	490	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	650 020 77	406	○
	E85	Rotary beacon,roof <i>only with option S48</i>	880 020 43	372	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	102,417 USD
Price after discounts	102,417 USD
Price + surcharge (will be determined at time of invoicing/shipping)	112,659 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Pressure sprinkler system with interval switch
- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Lashing eyes, galvanized
- Back-up alarm
- Single point lifting device
- Vandalism protection
- Lockable engine hood made of composite material
- Working lights, front and rear
- 12 V socket
- Seat contact switch

- Sliding seat incl. double travel lever

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

- Option included in standard configuration

- Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 138 AD-5 <i>Emission stage: Stage V / TIER4f with DPF engine</i>	650 000 46	88,321	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	650 003 91	2,917	●
	S48	Sun roof, foldable <i>ROPS included</i>	650 003 92	7,293	○
	S46	Weather protection <i>only with option S48</i>	650 003 94	2,704	○
Operator platform accessories	K21	Seat heating	462 005 50	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	650 006 40	1,626	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	650 006 05	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator</i>	650 007 25	3,919	●
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 007 77	1,398	○
Lighting	E138	Edge illumination, F+R <i>Edge lighting at the front and rear for the best view of the drum edge</i>	880 001 55	1,022	○
	E2	Lighting-Stvzo	880 006 35	1,245	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	650 006 36	1,103	○
	E76	Auxiliary lighting, roof <i>4 LEDs on roof - removable</i>	650 006 38	1,103	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 005 97	839	○
Basic machine	RA1	Joint with crabwalk <i>hydraulic adjustable front drum 50 mm to the right</i>	650 001 60	6,134	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	650 007 18	9,481	○
	AG49	Edge cutter, rh/lh <i>edge cutter right and left incl. FS33</i>	650 007 19	17,735	○
Drum	V2	2 amplitudes <i>additional amplitude of 0,2mm, in combination with AG5/AG50/AG51 must be booked via XY-request</i>	650 001 34	1,762	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-10 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	650 006 04	1,047	○
Hydraulic	HY3	Flow divider <i>For improved traction</i>	650 004 88	3,919	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	650 006 34	372	○
	E85	Rotary beacon, roof <i>only with option S48</i>	650 006 37	338	○
	FS3	Burglary protection <i>not in combination with E65/E66</i>	650 008 86	1,927	○
Special colour	SL1	Special colour	650 006 80	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S48	Sun roof, foldable <i>ROPS not included</i>	650 020 79	4,439	○
	S46	Weather protection <i>only with option S48</i>	650 021 02	3,062	○
	FS4	Outside mirror <i>mounted on the stirrup</i>	462 020 33	664	○
Operator platform accessories	K21	Seat heating	462 020 22	1,488	○
	VM44	BOMAP tablet holder set <i>For Light Tandem Rollers: Holder set for universal use in machines with cabin. For safe assembly of the tablet in the machine. Scope: base plate, extension, suction-cup holder 3-fold, holding shell 9-10"</i>	462 020 38	820	○
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	650 021 07	1,938	○
	VM25	Economizer+°C/°F-display <i>Economizer with temperature indicator, for machines as of 01.11.23</i>	650 021 12	3,818	○
	VM38	Interface measurement <i>CCC Interface for BOMAG and third-party-systems. Only in combination with VM25.</i>	880 020 70	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM46	BOMAP GPS Holder <i>For Light Tandem Rollers: Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.Bracket for VM42 - BOMAP GPS antenna with defined mounting position and quick release coupling. For light tandem rollers with Rops/Fops or Sunroof. Scope of delivery: Baseplate, bracket with connector, wiring harness.</i>	462 020 50	973	○
Lighting	E2	Lighting-Stvzo	462 020 23	1,451	○
	E27	Auxiliary lighting <i>4 LEDs on the ROPS - detachable</i>	650 021 00	1,213	○
	E93	Edge illumination FR or FL <i>For best view of the drum edge</i>	880 020 61	652	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	880 020 60	786	○
Basic machine	W39	Anti-freeze intake	462 020 41	168	○
Compaction accessories	AG6	Edge cutter <i>front right, w/o tools</i>	650 020 96	9,974	○
	AG34	Pressing roller 45° <i>Depth 50 mm</i>	650 020 81	1,156	○
	AG45	Pressing roller 2° <i>width 120mm</i>	650 020 72	1,072	○
	AG32	Pressing roller 60° <i>Depth 84 mm</i>	650 020 74	915	○
	AG36	Cutting disc <i>Depth 80 mm</i>	650 020 73	1,225	○
	AG40	Dip stick	650 020 87	417	○
	E26	Battery disconnec.switch	650 020 99	490	○
Engine	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	650 020 77	406	○
Safety standards	E85	Rotary beacon,roof <i>only with option S48</i>	880 020 43	372	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	95,157 USD
Price after discounts	95,157 USD
Price + surcharge (will be determined at time of invoicing/shipping)	104,673 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes...	

Version 5.9 (27/JUNE/2025)

Standard equipment

- 2 scrapers per drum, spring loaded and tiltable
- Multi function travel lever
- Multi-function display incl. operating hour meter
- Water level
- Electronic fuel gauge
- Emergency STOP
- Individual control, vibration
- Intelligent Vibration Control (IVC)
- Integrated stowage compartment
- Lashing eyes, galvanized
- Back-up alarm
- Single point lifting device
- Vandalism protection
- Lockable engine hood made of composite material

- Working lights, front and rear
- 12 V socket
- Seat contact switch
- Sliding seat incl. double travel lever

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

- Option included in standard configuration
- Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 141 AD-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 65	170,992	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 57	8,053	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 42	31,193	○
	S5	ROPS-FOPS	921 003 40	7,557	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 87	6,426	●
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 005 94	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 93	839	○
Basic machine	RA1	Joint with crabwalk	921 001 60	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 90	7,138	○
Drum	F11	Frequency 70Hz <i>no CE-conformity</i>	921 005 32	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 00	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 54	8,144	○
	FS4	Outside mirror	921 014 98	752	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 28	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 27	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 60	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 88	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	201,720 USD
Price after discounts	201,720 USD
Price + surcharge (will be determined at time of invoicing/shipping)	221,892 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Autom. vibration operation
- Individual vibration control
- Driver's seat, slewable
- laterally slidable with steering wheel
- Emergency stop button
- On-board computer
- - Engine speed
- - Speedometer
- - Fuel consumption
- - Engine temperature
- V-belt protection
- Pressure sprinkling system with 2 pumps
- road traffic lights
- working lights
- Back-up alarm
- Battery disconnect switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 145 D-5 PL <i>Emission stage: Stage IIb / TIER4</i>	580 000 08	120,237	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 31	27,851	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 17	10,493	●
	S24	Sliding window	586 004 32	1,644	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 38	3,332	○
	VM20	Economizer	586 004 36	1,948	○
	VM38	Interface measurement	586 004 37	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 001 38	18,123	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package	586 004 39	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 14	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 86	3,332	○
	VM20	Economizer	586 020 83	2,142	○
	VM38	Interface measurement	586 020 85	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E2	Lighting-Stvzo	586 011 31	4,671	○

Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 010 76	21,946	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	130,731 USD
Price after discounts	130,731 USD
Price + surcharge (will be determined at time of invoicing/shipping)	143,804 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Warning, information and operation displays
- Single lever control for travel and vibration
- Emergency STOP
- Warning horn
- Back-up warning system
- Noise insulation
- Scrapers

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 145 DH-5 PL <i>Emission stage: Stage V / TIER4f</i>	580 000 06	139,457	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 30	27,851	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 17	10,493	●
	S24	Sliding window	586 004 32	1,644	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 38	3,332	○
	VM20	Economizer	586 004 36	1,948	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 001 38	18,123	○
Dozer blade	PS1	Dozer blade	586 004 33	20,701	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 98	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 40	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 13	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 86	3,332	○
	VM20	Economizer	586 020 83	2,142	○
	VM38	Interface measurement	586 020 85	3,905	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 145 PDH-5 PL <i>Emission stage: Stage V / TIER4f</i>	580 000 07	145,021	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 30	27,851	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 17	10,493	●
	S24	Sliding window	586 004 32	1,644	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 38	3,332	○
	VM20	Economizer	586 004 36	1,948	○
	VM38	Interface measurement	586 004 37	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Dozer blade	PS1	Dozer blade	586 004 33	20,701	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 98	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 40	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 13	2,499	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 86	3,332	○
	VM20	Economizer	586 020 83	2,142	○
	VM38	Interface measurement	586 020 85	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○

Engine	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	<input type="radio"/>
	E2	Lighting-Stvzo	586 011 31	4,671	<input type="radio"/>
	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	<input type="radio"/>
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	<input type="radio"/>
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	<input type="radio"/>
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	<input type="radio"/>
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	<input type="radio"/>

List price	155,515 USD
Price after discounts	155,515 USD
Price + surcharge (will be determined at time of invoicing/shipping)	171,067 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade <input type="text"/> 0.00%				
Terms of delivery		Volume <input type="text"/> 0.00%				
Shipping address		Special <input type="text"/> 0.00%				
Delivery date (requested)		Order Type <input type="text"/> Please Select				
Transport organized by						
Special options/Agreements						
Comment		Freight <input type="text"/> see zone rate				
		<table><tr><td>Surcharge</td><td>10.00%</td></tr><tr><td colspan="2">Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td></tr></table>	Surcharge	10.00%	Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Version 5.9 (27/JUNE/2025)

Standard equipment

- Self locking differential
- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Warning, information and operation displays
- Single lever control for travel and vibration
- Emergency STOP
- Warning horn
- Back-up warning system
- Noise insulation
- 2 Scrapers
- Tractor tires

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 151 AC-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 69	199,873	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 42	31,193	○
	S5	ROPS-FOPS	921 003 40	7,557	●
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 93	839	○
Basic machine	RA1	Joint with crabwalk	921 001 60	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 90	7,138	○
Drum	F11	Frequency 70Hz <i>no CE-conformity</i>	921 005 30	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Wheels/Tyres	T4	Thermal apron	921 006 00	4,473	○
Special colour	SL1	Special colour	921 008 02	n.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 54	8,144	○
	FS4	Outside mirror	921 014 98	752	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○

List price	223,679 USD
Price after discounts	223,679 USD
Price + surcharge (will be determined at time of invoicing/shipping)	246,047 USD

Version 5.9 (27/JUNE/2025)

Standard equipment

- Driver's seat, slewable (-15/+75°)
- laterally slidable with steering wheel
- V-belt protection
- Pressure sprinkling system with 3 pumps (Water/Emulsion)
- Back-up alarm
- Battery disconnect switch
- Emergency stop button
- Folding scrapers

#N/A

#N/A

Notes:

- | | |
|------|--|
| X | Machine without CE-conformity |
| CE | Machine/Option includes CE-conformity |
| • | Option included in standard configuration |
| ○ | Option can be ordered additionally/alternatively |
| o.R. | Price on Request |

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 151 AD-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 66	180,559	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 57	8,053	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 42	31,193	○
	S5	ROPS-FOPS	921 003 40	7,557	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 87	6,426	●
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 005 94	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 93	839	○
Basic machine	RA1	Joint with crabwalk	921 001 60	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 90	7,138	○
Drum	F11	Frequency 70Hz <i>no CE-conformity</i>	921 005 30	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 00	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 54	8,144	○
	FS4	Outside mirror	921 014 98	752	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 28	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 27	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 60	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 88	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rates
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 151 AD-5 AM <i>Emission stage: Stage V / TIER4f</i>	921 000 68	248,359	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 42	31,193	●
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 005 94	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 93	839	○
Basic machine	RA1	Joint with crabwalk	921 001 60	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 90	7,138	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 01	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror	921 014 98	752	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 28	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 27	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 60	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 88	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 154 AD-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 67	215,280	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 57	8,053	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 42	31,193	○
	S5	ROPS-FOPS	921 003 40	7,557	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 87	6,426	●
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 005 94	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 93	839	○
Basic machine	RA1	Joint with crabwalk	921 001 60	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 92	7,138	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 00	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 54	8,144	○
	FS4	Outside mirror	921 014 98	752	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 28	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 27	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 60	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 88	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	245,466 USD
Price after discounts	245,466 USD
Price + surcharge (will be determined at time of invoicing/shipping)	270,013 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Autom. vibration operation
- Individual vibration control
- Driver's seat, slewable
- laterally slidable with steering wheel
- Emergency stop button
- On-board computer
- - Engine speed
- - Speedometer
- - Fuel consumption
- - Engine temperature
- V-belt protection
- Pressure sprinkling system with 2 pumps
- road traffic lights
- working lights
- Back-up alarm
- Battery disconnect switch
- Split drums

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 161 AC-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 90	235,251	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 59	31,940	○
	S5	ROPS-FOPS	921 003 43	8,572	●
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED, lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 61	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 91	7,138	○
Drum	F12	Frequency 67Hz	921 002 07	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Wheels/Tyres	T4	Thermal apron	921 006 01	4,473	○
Special colour	SL1	Special colour	921 008 26	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror	921 014 98	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○

List price	260,072 USD
Price after discounts	260,072 USD
Price + surcharge (will be determined at time of invoicing/shipping)	286,079 USD

Version 5.9 (27/JUNE/2025)

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration

- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 161 AD-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 86	210,691	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 56	9,069	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 59	31,940	○
	S5	ROPS-FOPS	921 003 43	8,572	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 88	6,773	●
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 61	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 91	7,138	○
Drum	F12	Frequency 67Hz	921 002 08	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 23	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 56	9,210	○
	FS4	Outside mirror	921 014 98	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 30	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 61	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 86	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rates
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 161 AD-5 AM <i>Emission stage: Stage V / TIER4f</i>	921 000 89	273,326	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53XY	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 56	9,069	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 59	31,940	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34XY	90° Swivel Seat unit <i>Seat heating included. S53 is required</i>	921 008 88	6,773	●
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 61	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 97	7,138	○
Drum	F12XY	Frequency 67Hz	921 002 08	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 23	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror	921 014 98	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53XY	BOMAP Tablet Holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48XY	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○

Compaction accessories	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95XY	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 30	786	○
	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 61	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 86	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	298,666 USD
Price after discounts	298,666 USD
Price + surcharge (will be determined at time of invoicing/shipping)	328,533 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Highly wear resistant AM-drum
- 2 amplitudes / 2 frequencies rear
- BOMAG ECOMODE
- Autom. vibration operation
- Individual vibration control
- Swivel seat with integrated electronic steering wheel
- Emergency stop button
- V-belt protection
- Pressure sprinkling system with 2 pumps
- road traffic lights
- working lights
- Back-up alarm
- Battery disconnect switch
- BOMAG OPERATION PANEL (BOP)
- EVIB-Control panel
- Asphalt temperature display

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 161 ADO-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 91	222,225	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 56	9,069	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 59	31,940	○
	S5	ROPS-FOPS	921 003 43	8,572	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 89	6,773	●
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 61	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 91	7,138	○
Drum	F12	Frequency 67Hz	921 002 07	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 23	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 56	9,210	○
	FS4	Outside mirror	921 014 98	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 30	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 61	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 86	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	470	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	254,316 USD
Price after discounts	254,316 USD
Price + surcharge (will be determined at time of invoicing/shipping)	279,748 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Highly wear resistant oscillation drum
- BOMAG ECOMODE
- Autom. vibration operation
- Vibration and oscillation individually switchable
- Driver's seat, slewable
- laterally slidable with steering wheel
- Emergency stop button
- On-board computer
- - Engine speed
- - Speedometer
- - Fuel consumption
- - Engine temperature
- V-belt protection
- Pressure sprinkling system with 2 pumps
- Indicator and hazard lights
- Back-up alarm
- Battery disconnect switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 177 BVC-5 PL <i>Emission stage: Stage V / TIER4f</i>	580 000 09	216,384	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 30	27,851	●
	S24	Sliding window	586 004 32	1,644	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Remote control	FG12	Remote Control *NEW* <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 62	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 40	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 15	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E2	Lighting-Stvzo	586 011 31	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 010 76	22,405	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	244,236 USD
Price after discounts	244,236 USD
Price + surcharge (will be determined at time of invoicing/shipping)	268,660 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select

Transport organized by		
Special options/Agreements		
Comment		
		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Terrameter
- Oscillation mode
- Double pump system for travel drive
- Self locking differential
- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Warning, information and operation displays
- Single lever control for travel and vibration
- Emergency STOP
- Warning horn
- Back-up warning system
- Noise insulation
- 2 Contact scrapers plastic
- BOMAG Telematic

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 177 BVO-5 PL <i>Emission stage: Stage V / TIER4f</i>	580 000 49	183,961	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 30	27,851	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 17	10,493	●
	S24	Sliding window	586 004 32	1,644	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 68	3,332	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 40	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 15	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM57	Terrameter PLUS	586 021 00	3,332	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E2	Lighting-Stvzo	586 011 31	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 010 76	22,405	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○

	E36	Reversing monitoring Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.	586 018 51	2,949	<input type="radio"/>
	FS21	Seat belt 3 Inches (76mm) wide safety belt	586 017 96	419	<input type="radio"/>

List price	194,455 USD
Price after discounts	194,455 USD
Price + surcharge (will be determined at time of invoicing/shipping)	213,901 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 177 D-5 PL <i>Emission stage: Stage IIb / TIER4</i>	580 000 59	146,088	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 31	27,851	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 17	10,493	●
	S24	Sliding window	586 004 32	1,644	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 38	3,332	○
	VM20	Economizer	586 004 36	1,948	○
	VM38	Interface measurement	586 004 37	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package	586 004 39	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 16	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 86	3,332	○
	VM20	Economizer	586 020 83	2,142	○
	VM38	Interface measurement	586 020 85	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E2	Lighting-Stvzo	586 011 31	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 010 76	22,405	○

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 177 DH-5 PL <i>Emission stage: Stage V / TIER4f</i>	580 000 18	168,299	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 30	27,851	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 17	10,493	●
	S24	Sliding window	586 004 32	1,644	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 38	3,332	○
	VM20	Economizer	586 004 36	1,948	○
	VM38	Interface measurement	586 004 37	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Dozer blade	PS1	Dozer blade	586 004 34	20,701	○
Remote control	FG12	Remote Control *NEW* <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 61	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 40	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 15	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer	586 020 83	2,142	○
	VM38	Interface measurement	586 020 85	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 177 PDH-5 PL <i>Emission stage: Stage V / TIER4f</i>	580 000 19	177,328	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 30	27,851	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 17	10,493	●
	S24	Sliding window	586 004 32	1,644	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 38	3,332	○
	VM20	Economizer	586 004 36	1,948	○
	VM38	Interface measurement	586 004 37	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 02	4,239	○
Dozer blade	PS1	Dozer blade	586 004 34	20,701	○
Remote control	FG12	Remote Control *NEW* <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 61	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 40	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 87	5,049	○
	E36	Reversing monitoring	586 004 13	2,809	○
Special colour	SL1	Special colour	586 003 15	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 86	3,332	○
	VM20	Economizer	586 020 83	2,142	○
	VM38	Interface measurement	586 020 85	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○

Engine	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	<input type="radio"/>
	E2	Lighting-Stvzo	586 011 31	4,671	<input type="radio"/>
	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	<input type="radio"/>
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	<input type="radio"/>
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	<input type="radio"/>
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	<input type="radio"/>
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	<input type="radio"/>

List price	187,822 USD
Price after discounts	187,822 USD
Price + surcharge (will be determined at time of invoicing/shipping)	206,604 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade <input type="text"/> 0.00%				
Terms of delivery		Volume <input type="text"/> 0.00%				
Shipping address		Special <input type="text"/> 0.00%				
Delivery date (requested)		Order Type <input type="text"/> Please Select				
Transport organized by						
Special options/Agreements						
Comment		Freight <input type="text"/> see zone rate				
		<table><tr><td>Surcharge</td><td>10.00%</td></tr><tr><td colspan="2">Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td></tr></table>	Surcharge	10.00%	Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Version 5.9 (27/JUNE/2025)

Standard equipment

- Self locking differential
- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Warning, information and operation displays
- Single lever control for travel and vibration
- Emergency STOP
- Warning horn
- Back-up warning system
- Noise insulation
- 2 Scrapers
- Tractor tires

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 190 AD-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 88	230,345	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 56	9,069	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 59	31,940	○
	S5	ROPS-FOPS	921 003 43	8,572	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 88	6,773	●
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 61	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 91	7,138	○
Drum	F11	Frequency 70Hz <i>no CE-conformity</i>	921 005 30	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 25	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 56	9,210	○
	FS4	Outside mirror	921 014 98	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○

	VM38	Interface measurement CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○
	E82	LED Working headlights Replaces halogen lights, 1500 Lumen, Cab only	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS Replaces halogen lights, 1500 Lumen, for ROPS/FOPS	586 018 03	2,457	○
	E27	Auxiliary lighting Flat Beam LED. lateral at roof. CAB only!	921 012 50	1,348	○
	E71	Edge illumination, front For best view of the drum edge	921 011 30	786	○
Compaction accessories	AG6	Edge cutter for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools	921 013 61	7,976	○
	AG6	Edge cutter for machines with RA1; E73 and one storage bracket for tools included, w/o tools	921 012 86	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet for sun roof (S3) and ROPS (S5)	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt 3 Inches (76mm) wide safety belt	586 017 96	419	○

List price	262,436 USD
Price after discounts	262,436 USD
Price + surcharge (will be determined at time of invoicing/shipping)	288,680 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Autom. vibration operation
- Individual vibration control
- Driver's seat, slewable
- laterally slidable with steering wheel
- Emergency stop button
- On-board computer
- - Engine speed
- - Speedometer
- - Fuel consumption
- - Engine temperature
- V-belt protection

- Pressure sprinkling system with 2 pumps
- road traffic lights
- working lights
- Back-up alarm
- Battery disconnect switch

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

- Option included in standard configuration
- Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 190 ADO-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 93	246,653	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 56	9,069	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 59	31,940	○
	S5	ROPS-FOPS	921 003 43	8,572	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 89	6,773	●
	K21	Seat heating	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 61	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 91	7,138	○
Drum	F11	Frequency 70Hz <i>no CE-conformity</i>	921 005 30	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 25	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 012 56	9,210	○
	FS4	Outside mirror	921 014 98	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 30	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 61	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 012 86	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	470	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	278,744 USD
Price after discounts	278,744 USD
Price + surcharge (will be determined at time of invoicing/shipping)	306,618 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Highly wear resistant oscillation drum
- BOMAG ECOMODE
- Autom. vibration operation
- Vibration and oscillation individually switchable
- Driver's seat, slewable
- laterally slidable with steering wheel
- Emergency stop button
- On-board computer
- - Engine speed
- - Speedometer
- - Fuel consumption
- - Engine temperature
- V-belt protection
- Pressure sprinkling system with 2 pumps
- Indicator and hazard lights
- Back-up alarm
- Battery disconnect switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 206 AD-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 81	257,867	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 60	10,011	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 48	32,438	○
	S5	ROPS-FOPS	921 003 49	10,176	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 98	7,346	●
	K21	Seat heating	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 62	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 95	7,138	○
Drum	F11	Frequency 70Hz	921 002 13	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 08	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 013 66	11,475	○
	FS4	Outside mirror	921 014 98	664	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 30	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 62	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 47	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	291,473 USD
Price after discounts	291,473 USD
Price + surcharge (will be determined at time of invoicing/shipping)	320,620 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Autom. vibration operation
- Individual vibration control
- Driver's seat, slewable
- laterally slidable with steering wheel
- Emergency stop button
- On-board computer
- - Engine speed
- - Speedometer
- - Fuel consumption
- - Engine temperature
- V-belt protection
- Pressure sprinkling system with 2 pumps
- road traffic lights
- working lights
- Back-up alarm
- Battery disconnect switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 206 AD-5 AM <i>Emission stage: Stage V / TIER4f</i>	921 000 83	318,341	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53XY	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 60	10,011	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 48	32,438	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34XY	90° Swivel Seat unit <i>Seat heating included. S53 is required</i>	921 008 98	7,346	●
	K21	Seat heating	870 005 56	1,126	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED, lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 62	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 95	7,138	○
Drum	F11XY	Frequency 70Hz	921 002 13	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 08	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror	921 014 98	664	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53XY	BOMAP Tablet Holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48XY	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○

Compaction accessories	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95XY	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 30	786	○
	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 62	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 47	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	345,196 USD
Price after discounts	345,196 USD
Price + surcharge (will be determined at time of invoicing/shipping)	379,716 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Highly wear resistant AM-drum
- 2 amplitudes / 2 frequencies rear
- BOMAG ECOMODE
- Autom. vibration operation
- Individual vibration control
- Swivel seat with integrated electronic steering wheel
- Emergency stop button
- V-belt protection
- Pressure sprinkling system with 2 pumps
- road traffic lights
- working lights
- Back-up alarm
- Battery disconnect switch
- Compartments for documents and tools
- BOMAG OPERATION PANEL (BOP)
- EVIB-Control panel
- Asphalt temperature display

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 206 ADO-5 <i>Emission stage: Stage V / TIER4f</i>	921 000 85	272,746	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S53	ROPS,90° Swivel seat unit <i>FS34 is required</i>	921 003 60	10,011	●
	S18	Cabin with air cond. <i>FS4 is required (mirrors)</i>	921 003 48	32,438	○
	S5	ROPS-FOPS	921 003 49	10,176	○
	FS4	Outside mirror <i>mounted to front frame</i>	921 002 84	588	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS34	90° Swivel seat unit <i>Seat heating included. S53 is required</i>	921 008 99	7,346	●
	K21	Seat heating	871 002 27	1,126	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 008 51	2,904	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	871 004 60	1	●
	VM20	Economizer	921 007 34	3,847	●
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Precondition: Asphalt Manager or VM20 Economizer mandatory.</i>	876 001 16	1,398	●
Lighting	E72	Edge illumination, rear	921 006 32	839	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 006 36	1,225	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 005 99	839	○
Basic machine	RA1	Joint with crabwalk	921 001 62	7,557	●
Compaction accessories	E73	additional electr. module <i>mandatory with AG6; AG5; AG19; AG38</i>	921 006 35	1,592	○
	AG6	Edge cutter <i>w/o tools. RA1 & E73 mandatory, one storage bracket for roll included</i>	921 001 95	7,138	○
Drum	F11	Frequency 70Hz	921 002 02	542	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
Safety standards	E36	Reversing monitoring <i>Rear view camera and display in the cabin</i>	921 005 51	3,219	○
	FS27	Electr.burglary protect. <i>type Digicode</i>	921 002 80	3,490	○
Special colour	SL1	Special colour	921 008 08	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S5	ROPS-FOPS	921 013 66	11,475	○
	FS4	Outside mirror	921 014 98	664	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	K21	Seat heating <i>only for standard seat, already included in FS2</i>	871 002 33	1,607	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Display	AZ14	Temperature gauge <i>measures asphalt surface temperature</i>	921 012 38	3,221	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM20	Economizer <i>for machines produced from May 2023</i>	921 015 09	3,905	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combine with VM20 ECONOMIZER</i>	876 001 17	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○

	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E72	Edge illumination, rear	921 011 31	786	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E27	Auxiliary lighting <i>Flat Beam LED. lateral at roof. CAB only!</i>	921 012 50	1,348	○
	E71	Edge illumination, front <i>For best view of the drum edge</i>	921 011 30	786	○
Compaction accessories	AG6	Edge cutter <i>for machines w/o RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 62	7,976	○
	AG6	Edge cutter <i>for machines with RA1; E73 and one storage bracket for tools included, w/o tools</i>	921 013 47	7,976	○
	AG22	Pressing roller 100/30	876 010 17	1,156	○
	AG24	Pressing roller 130/30	876 010 16	2,633	○
	AG34	Pressing roller 45°	876 010 14	1,156	○
	AG36	Cutting disc	876 010 15	989	○
Safety standards	E16	Rotary beacon	921 001 54	479	○
	E31	Flashing beacon, magnet <i>for sun roof (S3) and ROPS (S5)</i>	580 028 17	425	○
	FL2	Fire extinguisher	921 013 40	285	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	306,352 USD
Price after discounts	306,352 USD
Price + surcharge (will be determined at time of invoicing/shipping)	336,987 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Highly wear resistant oscillation drum
- BOMAG ECOMODE
- Autom. vibration operation
- Vibration and oscillation individually switchable
- Driver's seat, slewable
- laterally slidable with steering wheel
- Emergency stop button
- On-board computer
- - Engine speed
- - Speedometer
- - Fuel consumption
- - Engine temperature
- V-belt protection
- Pressure sprinkling system with 2 pumps
- Indicator and hazard lights
- Back-up alarm
- Battery disconnect switch

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 211 D-5 PL <i>Emission stage: Stage IV / TIER4f</i>	585 000 65	186,530	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 46	29,432	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 53	11,578	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,645	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 08	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 17	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	2,980	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○

Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 012 15	25,632	<input type="radio"/>
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	<input type="radio"/>
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	<input type="radio"/>
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	<input type="radio"/>
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	<input type="radio"/>
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	<input type="radio"/>

List price	198,109 USD
Price after discounts	198,109 USD
Price + surcharge (will be determined at time of invoicing/shipping)	217,920 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

List price	195,681 USD
Price after discounts	195,681 USD
Price + surcharge (will be determined at time of invoicing/shipping)	215,249 USD

[illegible]

Version 5.9 (27/JUNE/2025)

Standard equipment

- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Emergency STOP
- Back-up alarm
- Warning horn
- Operator seat

• 1 Scraper

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

• Option included in standard configuration

○ Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 211 DH-5 PL <i>Emission stage: Stage IV / TIER4f</i>	585 000 67	217,431	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 46	29,432	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 53	11,578	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,645	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Dozer blade	PS1	Dozer blade	586 004 67	34,763	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 08	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 17	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	2,980	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○

	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 012 15	25,632	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	229,010 USD
Price after discounts	229,010 USD
Price + surcharge (will be determined at time of invoicing/shipping)	251,911 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A
#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 211 PD-5 PL <i>Emission stage: Stage IV / TIER4f</i>	585 000 69	203,008	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 46	29,432	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 53	11,578	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,645	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 08	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 17	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	2,980	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
Lighting	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○

E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	<input type="radio"/>
E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	<input type="radio"/>
FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	<input type="radio"/>

List price	214,587 USD
Price after discounts	214,587 USD
Price + surcharge (will be determined at time of invoicing/shipping)	236,046 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 211 PDH-5 PL <i>Emission stage: Stage IV / TIER4f</i>	585 000 70	230,571	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 46	29,432	○
	S5	ROPS-FOPS <i>incl. working lights</i>	586 001 53	11,578	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,645	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Dozer blade	PS1	Dozer blade	586 004 67	34,081	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 002 08	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 17	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	2,980	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○

	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	242,150 USD
Price after discounts	242,150 USD
Price + surcharge (will be determined at time of invoicing/shipping)	266,365 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements		Freight	see zone rate
Comment			
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 213 BVC-5 PL <i>Emission stage: Stage V / TIER4f</i>	585 000 53	284,358	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 71	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 19	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 012 15	25,632	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	313,791 USD
Price after discounts	313,791 USD
Price + surcharge (will be determined at time of invoicing/shipping)	345,170 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Terrameter
- Oscillation mode
- Warning, information and operation displays with LCD
- Noise insulation
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Rear axle with twin spring accumulator brakes
- Self locking differential
- Warning horn
- Single lever control for travel and vibration
- Seat with arm rest and adj. for position and height
- 2 Scrapers
- Emergency STOP
- Back-up alarm
- Working lights, front and rear
- Double pump system for travel drive
- Loading mode
- Sliding window
- Battery disconnect switch
- BOMAG Telematic

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 213 D-5 SL *NEW* <i>Emission stage: Stage V / TIER4f</i> <i>Cummins engine</i>	584 000 51	207,005	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	584 001 49	29,432	●
	S5	ROPS-FOPS <i>incl. working lights</i>	584 001 03	11,475	○
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package	584 001 47	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	584 001 52	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	584 020 02	25,632	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,949	○

List price	236,438 USD
Price after discounts	236,438 USD
Price + surcharge (will be determined at time of invoicing/shipping)	260,082 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Noise insulation
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Rear axle with twin spring accumulator brakes
- Self locking differential
- Warning horn
- Single lever control for travel and vibration
- Seat with arm rest and adj. for position and height
- 2 Scrapers

- Emergency STOP
- Back-up alarm
- Working lights, front and rear
- Loading mode
- Sliding window
- Battery disconnect switch

#N/A

#N/A

Notes:

X Machine without CE-conformity

CE Machine/Option includes CE-conformity

• Option included in standard configuration

○ Option can be ordered additionally/alternatively

o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE

125 Blue Granite Parkway

Ridgeway, SC 29045

Phone Number: (803) 337-0700

FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 213 DH-5 PL <i>Emission stage: Stage V / TIER4f</i>	585 000 56	244,266	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	27,851	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,847	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Dozer blade	PS1	Dozer blade	586 004 64	20,701	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 82	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 19	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	3,905	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 213 PDH-5 PL <i>Emission stage: Stage V / TIER4f</i>	585 000 57	263,905	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	27,851	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,847	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 82	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 19	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	3,905	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○

	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,949	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	291,757 USD
Price after discounts	291,757 USD
Price + surcharge (will be determined at time of invoicing/shipping)	320,933 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A

#N/A

- Notes:
- X Machine without CE-conformity
 - CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
 - o.R. Price on Request

Important:
 The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 216 D-5 PL <i>Emission stage: Stage V / TIER4f</i>	585 000 59	258,986	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	27,851	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,847	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 96	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 21	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	3,905	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○

	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 016 11	25,632	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,949	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	286,838 USD
Price after discounts	286,838 USD
Price + surcharge (will be determined at time of invoicing/shipping)	315,522 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Seat with arm rest and adj. for position and height
- Sliding window
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Loading mode
- Emergency STOP
- Working lights, front and rear
- Back-up alarm
- Noise insulation
- 2 Scrapers
- Warning horn

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 216 DH-5 PL <i>Emission stage: Stage V / TIER4f</i>	585 000 60	292,772	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	27,851	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,847	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 96	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 21	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	3,905	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○

	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 016 11	25,632	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,949	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	320,624 USD
Price after discounts	320,624 USD
Price + surcharge (will be determined at time of invoicing/shipping)	352,686 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 216 PD-5 PL <i>Emission stage: Stage V / TIER4f</i>	585 000 61	282,454	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	27,851	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,847	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 96	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 21	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	3,905	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○

	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,949	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	310,306 USD
Price after discounts	310,306 USD
Price + surcharge (will be determined at time of invoicing/shipping)	341,337 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 216 PDH-5 PL <i>Emission stage: Stage V / TIER4f</i>	585 000 62	310,824	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	27,851	●
	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5) or fibre glass sun roof (S39)</i>	586 001 91	752	○
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	○
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,847	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 002 72	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 96	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 21	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	FS4	Outside mirror <i>Only in combination with ROPS/FOPS (S5)</i>	586 013 58	839	○
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
	VM53	BOMAP tablet holder ROPS <i>ROPS/FOPS installation only! Tablet-holder for 9-10 inch. Mounts for BOMAG and 3rd party machines</i>	850 011 42	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM48	BOMAP GPS Holder ROPS <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with ROPS/FOPS or sunroof. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 52	973	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	3,905	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E95	LED Work.headlights,ROPS <i>Replaces halogen lights, 1500 Lumen, for ROPS/FOPS</i>	586 018 03	2,457	○

	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E31	Flashing beacon, magnet <i>ROPS unit only</i>	586 015 45	425	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,949	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	338,676 USD
Price after discounts	338,676 USD
Price + surcharge (will be determined at time of invoicing/shipping)	372,544 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 219 BVC-5 <i>Emission stage: Stage V / TIER4f</i>	586 000 99	389,445	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 22	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 016 12	28,124	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	421,115 USD
Price after discounts	421,115 USD
Price + surcharge (will be determined at time of invoicing/shipping)	463,227 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade 0.00%				
Terms of delivery		Volume 0.00%				
Shipping address		Special 0.00%				
Delivery date (requested)		Order Type Please Select				
Transport organized by						
Special options/Agreements		Freight see zone rate				
Comment						
		<table><tr><td>Surcharge</td><td>10.00%</td></tr><tr><td colspan="2">Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td></tr></table>	Surcharge	10.00%	Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Version 5.9 (27/JUNE/2025)

Standard equipment

- Terrameter
- Oscillation mode
- Warning, information and operation displays with LCD
- Noise insulation
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Rear axle with twin spring accumulator brakes
- Self locking differential
- Warning horn
- Single lever control for travel and vibration
- Seat with arm rest and adj. for position and height
- 2 Scrapers
- Emergency STOP
- Back-up alarm
- Working lights, front and rear
- Double pump system for travel drive
- Loading mode
- Sliding window
- Battery disconnect switch
- BOMAG Telematic

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 219 D-5 <i>Emission stage: Stage V / TIER4f</i>	586 000 95	300,764	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 002 27	3,645	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 001 57	4,815	○
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 22	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 016 89	3,919	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 016 15	5,291	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 016 12	28,124	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○

Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	<input type="radio"/>
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	<input type="radio"/>
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	<input type="radio"/>

List price	332,434 USD
Price after discounts	332,434 USD
Price + surcharge (will be determined at time of invoicing/shipping)	365,677 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade 0.00%				
Terms of delivery		Volume 0.00%				
Shipping address		Special 0.00%				
Delivery date (requested)		Order Type Please Select				
Transport organized by						
Special options/Agreements						
Comment		Freight see zone rate				
		<table><tr><td>Surcharge</td><td>10.00%</td></tr><tr><td colspan="2">Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td></tr></table>	Surcharge	10.00%	Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Standard equipment

- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Seat with arm rest and adj. for position and height
- Sliding window
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Loading mode
- Emergency STOP
- Working lights, front and rear
- Back-up alarm
- Noise insulation
- 2 Scrapers
- Warning horn

#N/A
#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- o Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 219 DH-5 PL <i>Emission stage: Stage V / TIER4f</i>	581 000 67	339,708	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,645	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 74	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 22	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	2,980	○
	VM33	BOMAG Terrameter	586 020 92	5,291	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 016 12	28,124	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	371,378 USD
Price after discounts	371,378 USD
Price + surcharge (will be determined at time of invoicing/shipping)	408,516 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Self locking differential
- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Seat with arm rest and adj. for position and height
- Sliding window
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Loading mode
- Emergency STOP
- Working lights, front and rear
- Back-up alarm
- Noise insulation
- 2 Scrapers
- Warning horn

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 219 PD-5 <i>Emission stage: Stage V / TIER4f</i>	586 000 96	327,844	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 002 27	3,645	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 001 57	4,815	○
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 22	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 016 89	3,919	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 016 15	5,291	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○

	E36	Reversing monitoring Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.	586 018 51	2,809	<input type="radio"/>
	FS21	Seat belt 3 Inches (76mm) wide safety belt	586 017 96	419	<input type="radio"/>

List price	359,514 USD
Price after discounts	359,514 USD
Price + surcharge (will be determined at time of invoicing/shipping)	395,465 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Seat with arm rest and adj. for position and height
- Sliding window
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Loading mode
- Emergency STOP
- Working lights, front and rear
- Back-up alarm
- Noise insulation
- 2 Scrapers
- Warning horn

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 219 PDH-5 PL <i>Emission stage: Stage V / TIER4f</i>	581 000 69	360,855	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con.	586 004 50	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM57	Terrameter PLUS	586 004 53	3,332	○
	VM20	Economizer	586 004 51	3,645	○
	VM38	Interface measurement	586 004 52	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Remote control	FG12	Remote Control <i>The operator can stay safely outside the machine, with full functionality in remote mode, up to 100m range.</i>	586 004 74	16,314	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E131	360° camera system <i>360° Birdview monitoring w/o obstacle or person detection; not in combination with E36</i>	586 004 88	5,049	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 22	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	855 010 08	1,938	○
	VM57	Terrameter PLUS	586 020 93	3,332	○
	VM20	Economizer	586 020 91	3,919	○
	VM33	BOMAG Terrameter	586 020 92	5,291	○
	VM38	Interface measurement	586 020 94	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price

392,525 USD

Price after discounts	392,525 USD
Price + surcharge (will be determined at time of invoicing/shipping)	431,778 USD

Customer		
Customer ID		
Quantity	1	
Order date		
Terms of payment		Trade 0.00%
Terms of delivery		Volume 0.00%
Shipping address		Special 0.00%
Delivery date (requested)		Order Type Please Select
Transport organized by		
Special options/Agreements		
Comment		Freight see zone rate
		Surcharge 10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.

Version 5.9 (27/JUNE/2025)

Standard equipment

- Self locking differential
- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Seat with arm rest and adj. for position and height
- Sliding window
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Loading mode
- Emergency STOP
- Working lights, front and rear
- Back-up alarm
- Noise insulation
- 2 Scrapers
- Warning horn

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 226 BVC-5 <i>Emission stage: Stage V / TIER4f</i>	587 000 02	491,091	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 23	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 016 13	28,124	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	522,761 USD
Price after discounts	522,761 USD
Price + surcharge (will be determined at time of invoicing/shipping)	575,037 USD

Customer
Customer ID

Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Terrameter
- Oscillation mode
- Warning, information and operation displays with LCD
- Noise insulation
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Rear axle with twin spring accumulator brakes
- Self locking differential
- Warning horn
- Single lever control for travel and vibration
- Seat with arm rest and adj. for position and height
- 2 Scrapers
- Emergency STOP
- Back-up alarm
- Working lights, front and rear
- Double pump system for travel drive
- Loading mode
- Battery disconnect switch
- Sliding window
- BOMAG Telematic

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 226 DH-5 <i>Emission stage: Stage V / TIER4f</i>	587 000 00	411,402	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 002 27	3,645	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 001 57	4,815	○
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 24	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 016 89	3,919	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 016 15	5,291	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Drum	B5	Pad foot segment kit <i>incl. scrapers</i>	586 016 13	28,124	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○

Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	<input type="radio"/>
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	<input type="radio"/>
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	<input type="radio"/>

List price	443,072 USD
Price after discounts	443,072 USD
Price + surcharge (will be determined at time of invoicing/shipping)	487,379 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade 0.00%				
Terms of delivery		Volume 0.00%				
Shipping address		Special 0.00%				
Delivery date (requested)		Order Type Please Select				
Transport organized by						
Special options/Agreements						
Comment		Freight see zone rate				
		<table><tr><td>Surcharge</td><td>10.00%</td></tr><tr><td colspan="2">Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td></tr></table>	Surcharge	10.00%	Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Version 5.9 (27/JUNE/2025)

Standard equipment

- Self locking differential
- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Seat with arm rest and adj. for position and height
- Sliding window
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Loading mode
- Emergency STOP
- Working lights, front and rear
- Back-up alarm
- Noise insulation
- 2 Scrapers
- Warning horn

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 226 PDH-5 <i>Emission stage: Stage V / TIER4f</i>	587 000 01	436,933	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 002 27	3,645	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 001 57	4,815	○
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 23	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM20	Economizer <i>Compaction measurement system, which enables the operator to continuously monitor the compaction progress</i>	586 016 89	3,919	○
	VM33	BOMAG Terrameter <i>System continuously determines the dynamic soil stiffness and shows it as EVIB-values [MN/m²] for continuous dynamic compaction control (CCC).</i>	586 016 15	5,291	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○

	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

	List price	468,603 USD
	Price after discounts	468,603 USD
	Price + surcharge (will be determined at time of invoicing/shipping)	515,463 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Self locking differential
- Rear axle with twin spring accumulator brakes
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Seat with arm rest and adj. for position and height
- Sliding window
- Battery disconnect switch
- Single lever control for travel and vibration
- Warning, information and operation displays with LCD
- Loading mode
- Emergency STOP
- Working lights, front and rear
- Back-up alarm
- Noise insulation
- 2 Scrapers
- Warning horn
- Tractor tires

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 226 RC-5 <i>Emission stage: Stage V / TIER4f</i>	587 000 04	546,126	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 25	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	577,796 USD
Price after discounts	577,796 USD
Price + surcharge (will be determined at time of invoicing/shipping)	635,576 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade 0.00%				
Terms of delivery		Volume 0.00%				
Shipping address		Special 0.00%				
Delivery date (requested)		Order Type Please Select				
Transport organized by						
Special options/Agreements						
Comment		Freight see zone rate				
		<table><tr><td>Surcharge</td><td>10.00%</td></tr><tr><td colspan="2">Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td></tr></table>	Surcharge	10.00%	Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Version 5.9 (27/JUNE/2025)

Standard equipment

- Terrameter
- Warning, information and operation displays with LCD
- Noise insulation
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Rear axle with twin spring accumulator brakes
- Self locking differential
- Warning horn
- Single lever control for travel and vibration
- Seat with arm rest and adj. for position and height
- Emergency STOP
- Back-up alarm
- Working lights, front and rear
- Double pump system for travel drive
- Rock tyre
- Loading mode
- Battery disconnect switch
- BOMAG Telematic

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 226 DI-5 <i>Emission stage: Stage V / TIER4f</i>	587 000 03	545,248	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S31	Ropscab.w.heating-air con. <i>with heating, air conditioning & working lights (incl. rear mirrors)</i>	586 001 55	29,432	●
Operator platform accessories	E21	Radio <i>E59 included, with USB, Bluetooth, MP3</i>	921 005 90	549	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 001 59	2,237	●
Assistance system	E121	Telematics Box int Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	586 004 21	1	●
	VM38	Interface measurement *NEW* <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 002 09	1,398	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 002 28	2,232	○
	E2	Lighting-Stvzo <i>incl. front and rear and flashlights</i>	586 001 48	4,239	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 001 58	1,047	○
	M35	Winter package <i>To improve the starting ability at low temperatures, includes fuel filter heating.</i>	586 001 56	2,520	○
Safety standards	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating</i>	586 001 07	2,809	○
Special colour	SL1	Special colour	586 003 23	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Operator platform accessories	E21	Radio <i>Radio with Bluetooth</i>	586 016 18	640	○
	FS36	Comfort package <i>Swivel seat and adjustable steering column</i>	586 016 64	2,950	○
	VM52	BOMAP tablet holder Cabin <i>Cabin installation only! Tablet-holder for 9-10 inch. Different mounts for BOMAG and 3rd party machines</i>	850 011 33	820	○
Assistance system	E121	Telematics Box int Ant	586 020 62	1,938	○
	VM38	Interface measurement <i>CCC Interface for BOMAP and third-party-systems. Combines with VM20 ECONOMIZER or VM33 TERRAMETER</i>	586 016 34	1,541	○
	VM41	Joblink Bluetooth adapter <i>Interface for Bluetooth connection of machine data to BOMAP. Wirelessly transmits all measured values from Economizer, AM, BVC or Terrameter to BOMAP. Scope of delivery: Bluetooth adapter and connection cable.</i>	855 010 01	2,323	○
	VM42	BOMAP GPS Aerial set <i>GNSS precision antenna with Bluetooth and slide mount for installation on Pre-fitting. Only in combination with appropriate GPS holder VM46 or VM48 or VM49 or VM50!</i>	850 011 45	7,099	○
	VM49	BOMAP GPS Holder Cabin <i>Bracket for VM42 -BOMAP GPS antenna with defined mounting position and quick release coupling. For single drum rollers and heavy tandem rollers with cabin. Scope of delivery: Bracket with connector, wiring harness.</i>	850 011 46	1,070	○
Lighting	E82	LED Working headlights <i>Replaces halogen lights, 1500 Lumen, Cab only</i>	586 017 01	2,457	○
	E2	Lighting-Stvzo	586 016 14	4,671	○
Engine	E83	ECOSTOP <i>Automatic engine shut down after 5-15 minutes in idle speed. Reduces fuel consumption, operating hours and wear.</i>	586 011 84	1,097	○
Safety standards	E16	Rotary beacon <i>bolted at cabin roof</i>	580 028 16	479	○
	E36	Reversing monitoring <i>Video camera and 5in high quality digital LCD with LED backlight and anti glare coating. Only for machines with cabin.</i>	586 018 51	2,809	○
	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○

List price	576,918 USD
Price after discounts	576,918 USD
Price + surcharge (will be determined at time of invoicing/shipping)	634,610 USD

Customer						
Customer ID						
Quantity	1					
Order date						
Terms of payment		Trade 0.00%				
Terms of delivery		Volume 0.00%				
Shipping address		Special 0.00%				
Delivery date (requested)		Order Type Please Select				
Transport organized by						
Special options/Agreements						
Comment		Freight see zone rate				
		<table><tr><td>Surcharge</td><td>10.00%</td></tr><tr><td colspan="2">Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.</td></tr></table>	Surcharge	10.00%	Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	
Surcharge	10.00%					
Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.						

Version 5.9 (27/JUNE/2025)

Standard equipment

- Terrameter
- Warning, information and operation displays with LCD
- Noise insulation
- Hydrostatic travel and vibration drive
- Hydrostatic articulated steering
- Articulated joint lock
- Rear axle with twin spring accumulator brakes
- Self locking differential
- Warning horn
- Single lever control for travel and vibration
- Seat with arm rest and adj. for position and height
- Emergency STOP
- Back-up alarm
- Working lights, front and rear
- Double pump system for travel drive
- Loading mode
- Battery disconnect switch
- Tractor tires
- BOMAG Telematic

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		BW 900-50 <i>Emission stage: Stage II / CARB Phase III</i>	834 000 82	26,071	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S19	ROPS, hinged	834 083 57	1,333	●
Lighting	E1	Working lighting	834 083 55	669	○
Safety standards	E16	Rotary beacon <i>Rotary beacon with bayonet lock</i>	834 083 56	436	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Lighting	E1	Working lighting	834 001 67	743	○
Safety standards	E16	Rotary beacon	834 011 72	479	○
	FS21	Seat belt <i>3in (76mm) wide safety belt</i>	832 131 14	391	○

List price	27,404 USD
Price after discounts	27,404 USD
Price + surcharge (will be determined at time of invoicing/shipping)	30,144 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Travel drive in series
- Oscillating artic. center joint
- Hydrostatic articulated steering
- Mechanical parking brake
- Vibration control in travel lever
- 2 scrapers per drum
- Plastic water tank under the operator's platform
- Pressure sprinkler system
- Hour meter
- Low fuel level indicator
- Control and warning indicator lights
- Automatic shutdown at low oil level
- Lockable anti vandal dashboard protection
- Single point lifting device
- Lockable engine cover
- Transport lashing and lifting points front/rear
- Emergency engine shut down
- Corrosion and weather protected ignition switch
- Seat belt
- Back-up alarm

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		RS 360 <i>Emission stage: Stage IV / TIER4f</i>	596 000 02	737,601	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Operator platform	S18	Cabin with air cond. and heating	596 001 15	60,521	○
	S5	ROPS-FOPS	596 001 14	15,783	●
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	596 001 22	1	●
Lighting	E12	Working head light <i>4 working lights at the S5-ROPS/FOPS</i>	596 001 10	1,503	○
	E38	Working light/turn signal <i>4 working + 4 trafic + 2 rear lights at the S5-ROPS/FOPS</i>	596 001 11	2,874	○
	E84	Working lighting,cabin <i>Contains only additional bracket on a cabin, E12 or E38 has to be ordered additional</i>	596 001 12	827	○
Injection system	W10	Water injection <i>1600 l/min - 2000 mm</i>	596 001 13	57,598	○
	W45	US tow bar + CamLock *NEW*	590 006 06	2,298	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Lighting	E12	Working head light <i>4 working lights at the S5-ROPS/FOPS</i>	596 020 02	1,561	○
	E38	Working light/turn signal <i>4 working + 4 trafic + 2 rear lights at the S5-ROPS/FOPS</i>	596 020 03	3,159	○
	E84	Working lighting,cabin <i>Contains only additional bracket on a cabin, E12 or E38 has to be ordered additional</i>	596 020 04	911	○
Injection system	W32	Kit,water injection	596 020 06	60,522	○
Safety standards	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○
Tools	WE1	Tool	008 399 20	956	○

List price	753,385 USD
Price after discounts	753,385 USD
Price + surcharge (will be determined at time of invoicing/shipping)	828,724 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surchage currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Anti Slip Control (ASC)
- Rear drive system with Double Reduction
- Planetary Gearbox Drive and SAHR brakes
- Connectible all wheel drive
- Hydraulic power steering
- Single lever control for travel and steer assist braking
- Battery disconnect switch
- Two-stage double air filter system
- Emergency engine shut down
- Vehicle hydraulic system monitoring and warning system
- Warning horn
- Emergency STOP
- Back-up alarm

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
 - Option included in standard configuration
 - Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		RS 460 <i>Emission stage: Stage V / TIER4f</i> <i>Standard rotor, if no other option selected: BMS15 Universal rotor (22mm)</i>	590 000 18	847,921	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	590 001 22	1	●
Basic machine	FO2	High pressure cleaner	590 006 21	5,797	●
	PO57	Central.lubrication sys.	590 006 24	4,084	●
Injection system	AG52	Cement suspension	590 001 04	55,001	○
	BE16	Printer for dosing comp.	590 006 51	1,873	○
	BE17	Bitumen emulsion filter <i>for the use of W31 with emulsion</i>	590 006 90	4,923	○
	BE33	Bitumen emulsion 900l/min <i>Additional to water injection system W31</i>	590 006 98	80,977	○
	W30	Upgr. Kit water 1600l/min <i>W31 + W30 = 1800 l/min</i>	590 005 73	32,115	○
	W31	Water injection 900l/min	590 006 97	76,394	○
	W45	US tow bar + CamLock *NEW*	590 006 06	2,298	○
Engine	M37	Fast refueling system <i>Wiggins System</i>	590 005 62	13,143	○
Rotor and tools	RO41	Rotor,universal BMS15-D20	590 009 04	4,788	○
Special colour	SL1	Special colour <i>only yellow parts. w/o cabin</i>	590 008 94	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Injection system	BE16	Printer for dosing comp.	590 016 51	2,120	○
	BE17	Bitumen emulsion filter	590 016 90	5,561	○
	BE33	Bitumen emulsion 900l/min	590 016 98	89,084	○
	W30	Upgr. Kit water 1600l/min	590 015 73	42,368	○
	W31	Water injection 900l/min	590 016 97	82,362	○
	W37	water prefilter 4" <i>Not compatible with Storz coupling (W38)</i>	590 016 77	1,433	○
	W38	Storz-coupling 75-B <i>Alternative connection for water</i>	590 016 80	239	○
Safety standards	FS21	Seat belt <i>3 Inches (76mm) wide safety belt</i>	586 017 96	419	○
Rotor and tools	RO20	Round-shank cutter BRT01 <i>Premium (Stabilizing/Recycling)-280x</i>	590 020 76	5,143	○
	RO22	Round-shank cutter BRT03 <i>Universal (Stabilizing)-280x</i>	590 020 78	3,979	○
	RO23	Round-shank cutter BRT04 <i>Stony soil -280x</i>	590 020 79	2,814	○
	RO41	Rotor,universal BMS15-D20	590 010 47	121,025	○
	RO43	Rotor,universal BMS15-D22	590 010 19	152,342	○
Tools	WE1	Tool	008 399 20	956	○
Service products	SW17	Starter Kit	777 590 18	4,854	○

List price	857,803 USD
Price after discounts	857,803 USD
Price + surcharge (will be determined at time of invoicing/shipping)	943,583 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Standard equipment

- Hydr./ mech. rotor drive with autom. power control
- Hydr. adjustable rotor inclination, automatic
- Universal rotor with exchange holder BMS15
- Hydr. tailgate with floating position + Load application function
- Hydrostatic articulated steering
- Hydrostatic rear axle steering
- 3 Steering modes
- Height adjustable ROPS cab
- Transport/working position
- Slewable/slidable multi-function work place
- Heating
- Air condition
- Radio
- LED Working head lights
- Rotary beacon
- Camera system Plus
- 4 x Emergency STOP
- Air compressor + Connecting port for compressed air tools
- Lockable stowage compartments
- compressed air system + compressed air set

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
125 Blue Granite Parkway
Ridgeway, SC 29045
Phone Number: (803) 337-0700
FAX: (800) 654-6213

Machine	Option	Description	Mat.No.	Price (USD)	
Basic product		RS 650 <i>Emission stage: TIER 4f</i> <i>Standard rotor, if no other option selected: BMS15 Universal rotor (22mm)</i>	590 000 36	1,127,415	●
Factory kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	590 001 22	1	●
Injection system	BE16	Printer for dosing comp.	590 006 52	1,873	○
	BE17	Bitumen emulsion filter <i>for use of W25/W26 with emulsion</i>	590 006 75	4,923	○
	BE26	Emulsion syst.+water 2.6m <i>option W26 included</i>	590 007 04	133,866	○
	W26	Water inject.,2.6m,800L	590 006 86	72,858	○
	W28	Water inject.,2.6m,1600L	590 005 72	75,828	●
	W45	US tow bar + CamLock *NEW*	590 006 06	2,298	●
Engine	M37	Fast refueling system <i>Wiggins System</i>	590 005 60	13,143	○
Rotor and tools	RO25	Rotor,Chang.holder 2,6m <i>BOMAG BRS 05 - Tool holder</i>	590 009 62	19,352	○
	RO39	Rotor,CMI-Layout	590 009 55	19,352	○
	RO45	Rotor,univ BMS15-D20 2,6m	590 009 37	28,449	●
	RO46	Rotor,univ BMS15-D22 2,6m	590 009 38	28,449	○
Special colour	SL1	Special colour <i>only yellow parts. w/o cabin</i>	590 008 94	o.R.	○
Field installation kit	Option	Description	Mat.No.	Price (USD)	
Assistance system	E122	Telematics Box ext Ant <i>BOMAG Telematics Hardware with external antenna. Please review country approval list before order. For customer access E140 is needed in addition. The Terms & Conditions for BOMAG Telematics apply.</i>	855 010 09	2,080	○
Injection system	BE17	Bitumen emulsion filter <i>only for use with W25/W26</i>	590 016 75	5,561	○
	BE40	Emulsion system 2,6m	590 017 16	77,964	○
	W37	water prefilter 4" <i>Not compatible with Storz coupling (W38)</i>	590 016 79	1,433	○
Rotor and tools	RO41	Rotor,universal BMS15-D20	590 010 48	89,649	○
	RO45	Rotor,univ BMS15-D20 2,6m	590 010 37	152,342	○
	RO46	Rotor,univ BMS15-D22 2,6m	590 010 38	30,710	○
Tools	WE1	Tool	008 399 20	956	○

List price	1,233,991 USD
Price after discounts	1,233,991 USD
Price + surcharge (will be determined at time of invoicing/shipping)	1,357,390 USD

Customer			
Customer ID			
Quantity	1		
Order date			
Terms of payment		Trade	0.00%
Terms of delivery		Volume	0.00%
Shipping address		Special	0.00%
Delivery date (requested)		Order Type	Please Select
Transport organized by			
Special options/Agreements			
Comment		Freight	see zone rate
		Surcharge	10.00%
		Tariff surcharge currently set at 10% (May 13, 2025). Subject to change if tariff changes.	

Version 5.9 (27/JUNE/2025)

Standard equipment

- Hydrostatic articulated steering
- Hydrostatic rear axle steering
- Hydr. adjustable rotor inclination, automatic
- Hydr. tailgate with floating position + Load application function
- Height adjustable ROPS cab
- Transport/working position
- Slewable/slidable multi-function work place
- Working lights

- Holder with push/draw bar
- Air compressor + Connecting port for compressed air tools
- Lockable stowage compartments
- Central lubrication system
- ROPS-cabin with heating
- Air condition
- Compressed air set
- Universal rotor with exchange holder BMS15
- Radio
- BOMAG FLEXMIX Technology
- Rotary beacon
- Rearview camera
- 3 Steering modes

#N/A

#N/A

Notes:

- X Machine without CE-conformity
- CE Machine/Option includes CE-conformity
- Option included in standard configuration
- Option can be ordered additionally/alternatively
- o.R. Price on Request

Important:

The price list is valid from 27 JUNE 2025. All list prices, configurable options, exhaust classifications reflect the current knowledge at the time of publishing the price list. Misprints, technical alterations and price modifications reserved. The pricing is valid for up to 30 days from date of quote. The legally required value added tax (VAT) is not included. **All pricing is subject to potential increase and tariffs. Surcharge applies at time of shipping and invoicing. Tariff charge is subject to change if the tariff changes.**

All sales by BOMAG Americas, Inc. or any affiliate or subsidiary of BOMAG Americas, Inc. of products bearing the "BOMAG" name are subject to the current published "Terms and Conditions of Sale" of BOMAG Americas, Inc. Copies of such terms and conditions of sale may be obtained from the BOMAG Americas, Inc. facility located at 125 Blue Granite Parkway, Ridgeway, SC 29130.

SALES OFFICE
 125 Blue Granite Parkway
 Ridgeway, SC 29045
 Phone Number: (803) 337-0700
 FAX: (800) 654-6213

The company:

BOMAG is the global leader in the field of compaction technology. The company, which has its HQ in Boppard and has belonged to the FAYAT group since 2005, produces machines for soil, asphalt and refuse compaction as well as stabilizers / recyclers, milling machines and pavers.

The company has six branches in Germany and 11 independent subsidiaries. Over 400 dealers in more than 150 countries guarantee the global distribution of BOMAG machines and their maintenance.

- www.bomag.com
- Head Office/Hauptsitz:
BOMAG, Hellerwald, 56154 Boppard, GERMANY, Tel.: +49 6742 100-0,
e-mail: info@bomag.com, www.bomag.com
 - BOMAG Maschinenhandels-gesellschaft m.b.H., Klausenweg 654, 2534 Alland, AUSTRIA,
Tel.: +43 2258 20202, e-mail: austria@bomag.com
 - BOMAG (CANADA), INC., 2233 Argentea Road, East Tower, Suites 302, L5N 2X7,
Mississauga, ON, CANADA, Tel.: +1 800 782 6624, e-mail: canada@bomag.com
 - BOMAG (CHANGZHOU) Construction Machinery Co. Ltd., No. 66 Bopa Road,
Xuejia Town, Xinbei District, Changzhou 213125, CHINA, Tel.: +86 21 33655566, e-mail: china@bomag.com
 - BOMAG India Pvt Ltd, Unit No 614, B Wing, 6th Floor, Kanakia Wall Street,
Chakala Andheri Kurla Road Andheri East, Mumbai 400 093 Maharashtra, INDIA, Tel.: +91 8657492418,
e-mail: india@bomag.com
 - BOMAG FRANCE S.A.S., 2, Avenue du Général de Gaulle, 91170 Viry-Châtillon, FRANCE,
Tel.: +33 1 69578000, e-mail: france@bomag.com
 - BOMAG (GREAT BRITAIN), LTD., Sheldon Way, Larkfield, Aylesford, Kent ME20 6SE, GREAT BRITAIN,
Tel.: +44 1622 716611, e-mail: gb@bomag.com
 - BOMAG Italia, Via Roma 50, 48011 Alfonsine, ITALY,
Tel.: +39 0544 864235, e-mail: italy@bomag.com
 - FAYAT BOMAG Polska Sp. z o.o., Ul. Szyszkowa 52, 02-285 Warszawa, POLAND,
Tel.: +48 22 482 04 00, e-mail: poland@bomag.com
 - BOMAG APAC PTE LTD, 300 Beach Road, The Concourse, #18-06, Singapore 199555, SINGAPORE,
Tel.: +65 294 1277, e-mail: singapore@bomag.com
 - BOMAG Americas, Inc., 125 Blue Granite Parkway, Ridgeway SC 29130, U.S.A., Tel.: +1 803 3370700,
e-mail: usa@bomag.com

ASPHALT MANAGER



Areas of application:
Infinitely adjustable and automatically controlled: These are the properties of the intelligent ASPHALT MANAGER compaction system. The driver only has to select the layer to be compacted (AP/ACP machines) or the layer thickness (AD machines) – the roller does the rest. The amplitude continuously adapts to the compaction already achieved. This prevents over-compaction and drum bounce. The infinitely variable amplitude allows ASPHALT MANAGER to work both more powerfully and gently than conventional systems. This ensures optimal performance with maximum flexibility. Thanks to the integrated measurement of the E_{VB} compaction parameter, the driver is informed about the compaction progress in real time. The result: The optimum number of passes at all times, ensuring maximum efficiency and quality.



Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 151 AD-5 AM	7900	1680	Kubota
BW 161 AD-5 AM	10200	1680	Deutz
BW 191 AD-5 AM	13900	2000	Deutz
BW 206 AD-5 AM	14500	2135	Deutz
BW 161 AD-50 AM	10200	1680	Deutz
BW 154 AP-5 AM	7950	1500	Kubota
BW 174 AP-5 AM	9700	1680	Deutz
BW 174 AP-5 AM Hybrid	9700	1680	Kubota
BW 154 ACP-5 AM	7650	1500	Kubota
BW 174 ACP-5 AM	9300	1680	Deutz
BW 174 ACP-5 AM Hybrid	9300	1680	Kubota

*With cab

BOMAG TanGO oscillation



Areas of application:
TanGO – “tangential oscillation” from BOMAG. The gentle compaction is ideal for work on seams, thin layers and bridges. The drum never loses contact with the surface. This allows the working speed to be increased without the risk of waves. Gentle TanGo compaction avoids grain destruction due to drum bounce – and it is safe to work close to build-ings. TanGO is not only extremely easy to operate, but also requires very little maintenance. BOMAG gives a 6,000-hour warranty on the drum body.



Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 161 AD0-5	9900	1680	Deutz
BW 190 AD0-5	11800	1990	Deutz
BW 191 AD0-5	13300	2000	Deutz
BW 202 AD0-5	11950	2135	Deutz
BW 206 AD0-5	13700	2135	Deutz
BW 161 AD0-50	9800	1680	Deutz
BW 202 AD0-50	11850	2135	Deutz
BW 154 AP0-5	7950	1500	Kubota
BW 174 AP0-5	9700	1680	Deutz

*With cab

Pneumatic tyred rollers



Areas of application:
Compaction of asphalt base, binder and bearing courses, as well as compaction of natural soils and material stabilised with lime or cement. Pneumatic tyred rollers achieve a good surface sealing effect due to their compacting and kneading action.



Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 11 RH-5	5400–11000	1727	Kubota
BW 24 RH	8800–24300	2042	Deutz
BW 27 RH	8800–27000	2042	Deutz
BW 28 RH	8600–28000	2042	Deutz

*With ROPS cab

Pavers / feeders



Areas of application:
BOMAG pavers offer you a wide range (6-23 t) to choose from to find the best paver for your needs. From flexible footpath pavers to high-performance pavers, we offer you a wide range of machines and equipment versions. Through flexible ballasting, the operating weight of the pneumatic tyred roller can be adapted to the respective requirements, resulting in optimum compaction.



Type	Operating weight (CECE) kg	Working width mm	Engine manufacturer
BF 200 C-2	6000	1100–3400	Kubota
BF 300 P	9000	1700–4400	Kubota
BF 300 C	9000	1700–5000	Kubota
BF 300 P-2	10000	1700–4400	Kubota
BF 300 C-2	10000	1700–5000	Kubota
BF 350 P-5	10000	1700–4400	Deutz
BF 350 C-5	10000	1700–5000	Deutz
BF 600 C-3	21000	2500–8000	Deutz
BF 600 P-3	19300	2500–7500	Deutz
BF 700 C-3	21300	2500–9000	Deutz
BF 800 P	20800	2500–9000	Deutz
BF 800 C	22000	2500–10000	Deutz
BF 800 C-3	23000	2500–10000	Deutz
BMF 2500 S	20000	2500	Cummins
BMF 2500 M	21000	2500	Cummins
BMF 2500 S Offset	24500	2500	Cummins
BMF 2500 S Flexmix	20000	2500	Cummins

Planers



Areas of application:
BOMAG cold planers are designed for the selective milling of road and ground surfaces made of the most diverse asphalt and concrete compounds. The different models are particularly suitable for repairing or completely removing motorways and main roads or for rural roads and inner-city work, including roundabouts. With different working widths and a maximum milling depth of 350 mm, large areas can be completely removed quickly in one operation.



Type	Operating weight (CECE) kg	Working width mm	Engine manufacturer
BM 500/15-2	7600	500	Deutz
BM 600/15-2	7700	600	Deutz
BM 1000/20	11800	1000	Cummins
BM 1000/30	19700	1000	CAT
BM 1200/30	20000	1200	CAT
BM 1300/30	20150	1300	CAT
BM 1000/35-2	20400	1000	Mercedes/MTU
BM 1200/35-2	21400	1200	Mercedes/MTU
BM 1300/35-2	21900	1300	Mercedes/MTU
BM 1500/65	27000	1500	Cummins
BM 2000/65	27000	2000	Cummins
BM 2200/65	27350	2200	Cummins
BM 2000/58	27000	2000	Cummins
BM 2000/68	27000	2000	Cummins

NOTES



PRODUCT OVERVIEW

ASPHALT.



Tandem rollers <5 t – articulated –



Areas of application:
new construction and repair work for medium to small construction projects. The series of tandem rollers <5 t offers top visibility and the highest driving comfort. The rollers are also available with side clearance drums for compaction work on side boundaries, e.g. house walls (BW90 SC/100 SC).



Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 900-50	1200	900	Honda
BW 80 AD-5	1550	800	Kubota
BW 90 SL-5	1350	900	Kubota
BW 90 AD-5	1600	900	Kubota
BW 90 SC-5	1650	960	Kubota
BW 100 SC-5	1700	1060	Kubota
BW 100 ADM-5	1700	1000	Kubota
BW 100 SLM	1450	1000	Kubota
BW 100 SL-5	2350	1000	Kubota
BW 120 SL-5	2500	1200	Kubota
BW 100 AD-5	2500	1200	Kubota
BW 100 AD e-5	2500	1000	Electric motor
BW 120 AD-5	2700	1200	Kubota
BW 120 AD e-5	2700	1200	Electric motor
BW 135 AD-5	4000	1300	Kubota
BW 138 AD-5	4450	1380	Kubota

*With ROPS

Combination rollers <5 t – articulated –



Areas of application:
The combination rollers' rubber tyres improve surface closure during asphalt compaction. The adaptability of the rubber tyres improves the results on passes. For compaction work on lateral boundaries (e.g. house walls), the rollers are also available with side-free drums (BW 90 SCC/ BW 100 SCC-5).



Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 90 AC-5	1600	900	Kubota
BW 90 SCC-5	1600	900	Kubota
BW 100 SCC-5	1700	1000	Kubota
BW 100 ACM-5	1700	1000	Kubota
BW 100 AC-5	2300	1000	Kubota
BW 120 AC-5	2450	1200	Kubota
BW 120 SLC-5	2250	1200	Kubota
BW 138 AC-5	4150	1380	Kubota

*With ROPS

Series 5 tandem rollers >5 t – articulated –



Areas of application:
All typical asphalt layers in road construction and farm track construction as well as applications on car parks and access roads, for antifreeze agents and light earthworks. The 5* series¹ is particularly clearly laid out and easy to operate. It features a generously dimensioned driver's platform with the option of a comfortable, spacious cab or ROPS. The optional ECONOMIZER assists with optimal compaction. Unnecessary passes can be avoided.



^{*)} Series 5 machines meet the EU Stage V and EPA Tier 4f emission standards.

Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 141 AD-5	6900	1500	Kubota
BW 151 AD-5	7600	1680	Kubota
BW 151 AD-5 H	8420	1680	Kubota
BW 151 AD-5 SH	9020	1680	Kubota
BW 154 AD-5**	8300	1680	Kubota
BW 154 AD-5 SH**	9120	1680	Kubota
BW 161 AD-5	10000	1680	Deutz
BW 190 AD-5	12050	1990	Deutz
BW 191 AD-5	13500	2000	Deutz
BW 202 AD-5	12300	2135	Deutz
BW 206 AD-5	14100	2135	Deutz

*With cab **Split drums

Series 50 tandem rollers >5 t – articulated –



Areas of application:
All typical asphalt layers in road construction and farm track construction as well as applications on car parks and access roads, for antifreeze agents and light earthworks. The 50* series¹ is particularly clearly laid out and easy to operate. It features a generously dimensioned operator's platform, with the option of a comfortable, spacious cab, ROPS or a sunroof. The optional ECONOMIZER assists with optimal compaction. Unnecessary passes can be avoided.



^{*)} not CE compliant

Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 141 AD-50	6900	1500	Kubota
BW 151 AD-50	7600	1680	Kubota
BW 151 AD-50 H	8420	1680	Kubota
BW 151 AD-50 SH	9020	1680	Kubota
BW 161 AD-50	10000	1680	Deutz
BW 202 AD-50	12300	2135	Deutz
BW 206 AD-50	14100	2135	Deutz

*With cab

Series 5 tandem rollers >5 t – pivot-steered –



Areas of application:
Compaction of asphalt layers, base courses and anti-frost layers on new-build projects and maintenance jobs, for medium and large-scale construction projects, e.g. inner-city development, roads, airports, and car parks. Particularly suitable for thin-layer surfacing, stone mastic and thick asphalt base layers. The split drums fitted as standard and the 5 steering modes make the machines particularly flexible and universally applicable.



Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 154 AP-5	7700	1500	Kubota
BW 174 AP-5	9400	1680	Deutz

*With cab

Combination rollers >5 t – articulated/pivot-steered –



Areas of application:
With their compacting and kneading action, the combination rollers with one set of wheels at the rear ensure optimum surface finishing. This model version achieves uniform compaction, particularly on shear-sensitive mixes. The optional aprons ensure the asphalt temperature is maintained for a longer period of time.



Type	Operating weight* (CECE) kg	Working width mm	Engine manufacturer
BW 151 AC-5	7500	1680	Kubota
BW 161 AC-5	9700	1680	Deutz
BW 151 AC-50	7500	1680	Kubota
BW 161 AC-50	9700	1680	Deutz
BW 154 ACP-5	7400	1500	Kubota
BW 174 ACP-5	9000	1680	Deutz

*With cab

ECONOMIZER

Areas of application:
The unique BOMAG ECONOMIZER tool shows the operator when optimum compaction has been achieved. It makes soil compaction transparent and efficient. The soil stiffness is measured during compaction and displayed on the screen. The driver continues compacting until the display value no longer increases. BOMAG ECONOMIZER saves time and fuel, detects weak points and thus reduces the risk of remedial work. What's more, the ECONOMIZER is easy to understand: no separate activation or calibration is required. In addition, BOMAG Joblink and BOMAG ECONOMIZER ensure seamless integration: the Joblink interface enables the capture of all process-related measured values and makes them available in BOMAP via the Joblink Bluetooth adapter. All the measuring data appears in the app automatically—without the need for additional equipment.



BOMAP Connect

Areas of application:
With BOMAP, the entire earth and asphalt construction fleet works as a team. The system makes it possible to network all compaction machines on a construction site in real time in a particularly intuitive and efficient way. BOMAP shows your site managers and every driver on the job the current compaction status of the entire site and the current positions of the other drivers. This gives all those involved a constant overview of all relevant compaction parameters. These are the ideal conditions for perfect teamwork. We deliberately kept this fleet networking capability in BOMAP compatible. As a result, you can network compaction equipment from any manufacturer, not just BOMAG machines. Even mixed fleets can be controlled jointly without any problems. From initial planning to the fully compacted road – you always have a clear view of all construction sites with BOMAP Connect.



- With BOMAP, data from all machines is stored in the cloud
- Accessible from everywhere
- Detailed analysis options

BOMAP

Areas of application:
BOMAP – your smart helper on construction sites. With BOMAP, you document the results of your soil and asphalt compaction work on the construction site in real time. The app is available for Android tablets and smartphones. Intuitively operable, it documents the passes on all makes of rollers. The optional BOMAP antenna enables even more precise GPS positioning. The universal tablet holder can be mounted quickly and flexibly. All results can be exported as a PDF file. This gives you a clear overview of the compaction performance achieved. Transparency that pays off.



Areas of application:
Road construction made easy. ASPHALT PRO supports paving planning and optimises the paving process. The ASPHALT PRO software solution enables site managers to significantly simplify the planning of an upcoming road construction project, monitor the ongoing paving process in real time and, if necessary, quickly take corrective action.



- What ASPHALT PRO can do:
- Calculate the mix requirements
 - Communicate with the mixing plant
 - Show the way to the job site
 - Calculate the truck scheduling
 - Pass on process changes directly
 - Reduce the coordination effort
 - Document the data for Surface Covering Dynamic Compaction Control



Together, ASPHALT PRO, BOMAP and JOBLINK make a perfect team for a seamlessly digital construction site while guaranteeing maximum efficiency.