ROLL-OFFS

EXPAND YOUR FLEET WITH A ROLL-OFF VX, VLX OR VAC-ONLY MACHINE FROM RING-O-MATIC!

Avaiable Units	VX Line	VLX Line	Vac Only
150	-	-	-
275	-	-	-
350	-	-	-
550	R	R	R
850	R	R	R
1000	R	R	R
1300	R	R	R
1600	R	-	R
2000	R	-	R
2600	R	-	R
3000	R	-	R

All units are given in Spoils Tank Capacity (Gallons) above. Exceptions may be made contact your local dealer or contact the Ring-O-Matic Sales Department for more information. "R" logo indicates availability.

1714 FIFIELD ROAD
PELLA, IOWA 50219

All equipment shown is for illustrative purposes only and may display optional accessories or components. Please contact your local Ring-O-Matic dealer or Corporate sales team for more information about machine specifications. Ring-O-Matic reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation. RING-O-MATIC, RING-O-MATIC Corporate logo, Ring-O-Matic Company R logo, PROVEN PERFORMANCE AND VIPER are trademarks of Ring-O-Matic, INC. in the U.S. and / or other countries.

©2021 RING-O-MATIC, INC. ALL RIGHTS RESERVED

RING-O-MATIC™
PROVEN PERFORMANCE

TRUCK MOUNTS / ROLL-OFFS

from the innovator of vacuum excavation

RING-O-MATIC.COM

TRUCK MOUNTS

2600 Vac Extreme

ABOUT THE TRUCK SERIES

The Ring-O-Matic truck series offers a full line of easy to use, versatile, customizable, and productive line of vacuum excavation equipment. We work with end users to design equipment to fit their unique needs. With many uses of one machine, let Ring-O-Matic's proven performance work for you.

850 Super Vac HiCFM

850 VX HiCFM

Avaiable Units	VX Line	VLX Line	Vac Only
150	R	R	-
275	R	R	-
350	R	R	-
550	R	R	R
850	R	R	R
1000	R	R	R
1300	R	R	R
1600	R	-	R
2000	R	-	R
2600	R	-	R
3000	R	-	R

All units are given in Spoils Tank Capacity (Gallons) above. Exceptions may be made contact your local dealer or contact the Ring-O-Matic Sales Department for more information. "R" logo indicates availability.

FEATURES	TRUCK MOUNTS / ROLL-OFFS
Engine Options	CAT or KUBOTA Tier 4f diesel (Vangaurd gas engine for VLX models)
Blower Options	600 CFM - 3000 CFM (Air injected blowers for higher CFM and Higher Hg)
Air Excavation	150 CFM @ 180 PSI or 70CFM @ 175 PSI
Spoils Tank Capacity (Gallons/Liters)	100 Gallons - 3,000 Gallons 349 Liters - 11,357 Liters
Water Tank Capacity (Gallons/Liters)	100 Gallons - 1,000 Gallons 349 Liters - 3,786 Liters
Water Heater/Boilers	200,000 - 800,000 BTU
Boom Options (Wireless or Tethered Remote)	2 Way or 6 Way Hydraulic Boom or Manual Strong Arm Boom (3", 4" or 6" Diameter)
Jetter Options	10 GPM @ 3,000 PSI or 13 GPM @ 2,900 PSI or 27 GPM @ 2,700 PSI
Subzero Package	Available
Auxiliary Hydraulics	Available
Auxiliary Generators	Available
Ground Fill Water Systems	Available
Towing Packages	Available
Warranty	One Year

1000 VX HiCFM

RING-O-MATIC PROVEN PERFORMANCE

VIPER POTHOLE TOOL

CLEANEST. SAFEST. FASTEST. EASIEST. ONE MAN POTHOLING SOLUTION.

ONLY AVAILABLE FROM RING-O-MATIC, THE PATENTED VIPER POTHOLE TOOL DELIEVERS UNMATCHED PERFORMANCE ON THE JOBSITE. THE VIPER DELIVERS INCREASED PROFITABILITY AND PRODUCTIVITY FOR CONTRACTORS, MUNICIPALITIES, OWNERS/OPERATORS, AND RENTAL OPERATIONS. CONCERNED ABOUT JOB SITE SAFETY? THE VIPER COMES IN BOTH STANDARD AND DIELECTRIC OPTIONS – PROVIDING SAFE EXPOSURE/DAYLIGHTING OF UTILITIES AND IN OPERATOR SAFETY VIA THE DIELECTRIC FITTING. THERE'S NO OTHER TOOL LIKE IT ON THE MARKET.

Standard VIPER

Dielectric VIPER

800.544.2518