

November 26, 2019

TO: CASE Construction Equipment Dealers

RE: Updated CASE Compaction Price Books effective November 26, 2019

To all,

Attached are the updated CASE CE Compaction Price Books **effective November 26, 2019.**


This revision includes the following:

- Introduction of the new DV E series models, features include:
- Ergonomic electronic travel lever with increased functionality
- Machine RPM setting – now integrated into the travel lever
- Parking Brake – Now integrated into the travel level
- Two drive settings – the operator can now select from two settings – soft drive or hard drive

*The Canadian price and data pages are calculated at **1.35** exchange rate.*

The updated Price Books will be available for viewing on the Dealer Portal at <http://my.dlrportal.com>. The Price Books are located under the tab "Wholegoods", "Pricing" and "Compaction".

Regards,

A handwritten signature in black ink, appearing to read 'Jacob Mayrand', with a stylized flourish at the end.

Jacob Mayrand
Pricing and Programming Analyst



(This page intentionally left blank)

CONSTRUCTION EQUIPMENT

U.S. PRICE LIST C082

COMPACTION

PL-200 CM SAP REVISION 32

EFFECTIVE November 26, 2019

THIS IS AN ELECTRONIC COPY ONLY – HARD COPIES WILL NOT BE DISTRIBUTED.

This price list is intended for dealers with the (CM) contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Compaction

DV23E
DV23CE
DV26E
DV26CE
DV36E
DV45E
DV45CE
DV209D
DV209CD
DV210D
DV210CD
SV208D
SV212D
SV216D
PT240D

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2019 By
CNH Industrial America LLC



(This page intentionally left blank)



General Information

Prices shown herein are suggested prices only and in no way are they to be construed as limiting or restricting the dealer in his determination of the ultimate retail selling price. It is understood that the dealers are free to determine their selling price. Subject to any Federal, State or local laws.

Where shown herein liquid capacities are U.S. measure unless otherwise noted.

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE.

Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

Case Construction Equipment Inc issues price lists and revisions covering each Case contract. U.S. Price List is published in U.S. funds. Canadian Price List is published in Canadian funds. Assure that you are using the correct price list. The Canadian price lists are denoted by a Maple Leaf on the price list cover page and the symbol "(CDN)" is printed at the head of the Factory Supplied Attachments List columns.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory" and "Factory Supplied Attachments".

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory", "Factory Supplied Attachments", or "Third Party Supplied Attachments" pages. When ordering and pricing a machine follow the ordering instructions listed for that machine. Attachments listed following the "Factory Supplied Attachments" or "Third Party Supplied Attachments" heading are available for installation in the field.

ATTACHMENTS

Expect Attachments to be shipped within 2 -3 weeks from order entry.



General Information

DISTRIBUTION OF PRICE LISTS / REQUESTS FOR ADDITIONAL COPIES

Price lists will be provided electronically via that Dealer Portal.

Contact information for additional copies of Case Construction Equipment Price Lists

Additional price lists, divider tabs and binders may be ordered at the Document Management Center. From Dealer Portal click on Tools then Document Management Center link. Any questions you can call the Document Management Center at 262-636-7540

You will only receive price lists for contracts covered by your current Dealer Agreement with the Company.

The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



COMPACTION TABLE OF CONTENTS

COMPACTION

DV23E TANDEM VIBRATORY ROLLER	
Standard Features	CM-9
Price List	CM-12
DV26E TANDEM VIBRATORY ROLLER	
Standard Features	CM-15
Price List	CM-18
DV36E TANDEM VIBRATORY ROLLER	
Standard Features	CM-21
Price List	CM-23
DV45E TANDEM VIBRATORY ROLLER	
Standard Features	CM-25
Price List	CM-28
DV209E TANDEM VIBRATORY ROLLER	
Standard Features	CM-31
Price List	CM-34
DV210E TANDEM VIBRATORY ROLLER	
Standard Features	CM-37
Price List	CM-40
SV208E SINGLE DRUM VIBRATORY ROLLER	
Standard Features	CM-43
Price List	CM-45
Factory Supplied Attachments	CM-49
SV212E SINGLE DRUM VIBRATORY ROLLER	
Standard Features	CM-51
Price List	CM-54
SV216E SINGLE DRUM VIBRATORY ROLLER	
Standard Features	CM-57
Price List	CM-60
PT240D	
Standard Features	CM-63
Price List	CM-65



(This page intentionally left blank)

**DV23E TANDEM VIBRATORY ROLLER
US PRICE LIST****Standard Equipment****ENGINE:**

Kubota D1803
Tier 4 Final
Horsepower
- 33.5 Hp (25kW) @ 2400 RPM
Fuel tank capacity: 10.6 gallons (40 L)

-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts

TRANSMISSION:

Variable displacement axial piston
drive pump

OPERATOR STRUCTURE:

Foldable ROPS
Iso-mounted operator's platform
Instrument panel with vandal guard
Lateral shifting suspension seat with
-Vinyl
-3" retractable seatbelt
-Handrails
Human Machine Interface (HMI)
Includes two drive settings
-Soft Drive
-Hard Drive
Single lever control with
-integrated parking brake
-electronic controlled ground speed
-Vibration on/off control
-Sprinkler on/off control
-edge cutter activation
-integrated RPM setting
-activation of sprinkler to rear tires
(Combi version only)

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
Master disconnect switch
Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
Single water tank
- 50 gallon (190 L)
Pressurized sprinkler system
Adjustable sprinkler volume control
Two-stage water filtration
Water tank drain
Sprinkler system on/off switch

OTHER:

Hydrostatic service brake
SAHR parking/emergency brake
Back-up alarm
Lift and tie downs
Horn
Hour meter
Emergency stop button
Spin on fuel, engine oil and hydraulic
filters
Tilt open engine enclosure hood with
gas strut assist (lockable)
Indicator lights:
-Battery
-Engine Oil Pressure
-Intake pre-heater
-Engine temperature
-Parking brake on/off
-Hydraulic oil temperature

DRUM AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
39" wide x 27.5" diameter with
-Chamfered drum edges
Drum drive motors
-Poclain drum drive motors with
fixed displacement
Hydraulic oil cooler
Dual frequency vibration (hi/lo)
Dual drum vibration selections
-Front drum only
-Both drums
-Auto vibration stop in neutral
Adjustable Vulcollon scrapers

**DV23E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Standard Equipment

- Low fuel indicator
- Worklight indicator
- Turn signal indicator
- Fuel gauge
- Operator hours

- 4 Rear rubber tires 8/60-15
- Drive motors
 - Poclain drive motors with fixed displacement
 - Recessed design
- Hydraulic oil cooler
- Dual frequency vibration (hi/low)
- FRONT DRUM ONLY
- Front drum vibration selections
 - Front drum only
 - Auto vibration stop in neutral
- 2 adjustable Vulcollon scrapers (Front Drum)
- Isolated rubber drum mounts (Front Drum)

DV23CECombi

FRONT STEEL DRUM, REAR RUBBER

TIRES, CHASSIS:

- Articulated chassis
- Hydrostatic drive
- 1 Front steel drum
 - 39" wide by 27.5" diameter
 - Chamfered drum edges



DV23E TANDEM VIBRATORY ROLLER
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV23E T4 FINAL TANDEM			\$50,583.00
DV23CE T4 FINAL COMBI			\$52,525.00

**DV23E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	786059	Rotating Beacon		No Charge
--	--------	-----------------	--	-----------

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

	734125	FOLDABLE ROPS		No Charge
	734126	CANVAS CANOPY Not FOPS Certified		\$954.00
	734127	STEEL CANOPY		\$2,478.00

SD_R5405 SEAT BELT

	423460	3" wide retractable seatbelt		No Charge
--	--------	------------------------------	--	-----------

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		No Charge
	423473	Tiltable Drum Scrapers		\$899.00
	449507	Tiltable Drum Scraper - Combi Drum scraper on front roller only		\$450.00

SD_R5408 INFRARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer NOTE: Recommended for use with ACE Force		\$1,184.00

SD_R5417 ADDITIONAL WORKLIGHTS

	XR5417X	No Additional Worklights		No Charge
	423488	Road Lights (2 Front, 1 Rear)		\$296.00
	423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers		\$318.00

SD_R5423 TRACTION ASSIST

	423405	No Traction Assist		No Charge
--	--------	--------------------	--	-----------

**DV23E TANDEM VIBRATORY ROLLER
US PRICE LIST**

		423341	Traction Assist			\$1,754.00
--	--	--------	-----------------	--	--	------------

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 Lights on ROPS Cannot be taken with Weather Canopy			\$504.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			No Charge
		423343	Arm Rests on Seat			\$197.00

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$735.00

SD_R5429 LIFTING HOOK

		XR5429X	NO LIFTING HOXR5429X			No Charge
		423346	Central Lifting Hook			\$592.00

SD_R5430 DRUM ALIGNMENT

		423349	Inline Drum			No Charge
		423348	Offset Drum			No Charge

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$509.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measures compaction stiffness with illuminated display NOTE: Infrared thermometer recommended, but not included			\$4,825.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$48.00



(This page intentionally left blank)

DV26E TANDEM VIBRATORY ROLLER
US PRICE LIST

Standard Equipment

ENGINE:

Kubota D1803
 Tier 4 Final
 Horsepower
 - 33.5 Hp (25kW) @ 2400 RPM
 Fuel tank capacity: 10.6 gallons (40 L)

Isolated rubber drum mounts

TRANSMISSION:

Variable displacement axial piston
 drive pump

OPERATOR STRUCTURE:

Foldable ROPS
 Iso-mounted operator's platform
 Instrument panel with vandal guard
 Lateral shifting suspension seat with
 -Vinyl
 -3" retractable seatbelt
 -Handrails
 Human Machine Interface (HMI)
 Including two drive settings:
 -Soft Drive
 -Hard Drive
 Single lever control with
 -electronic-controlled ground speed
 -Vibration on/off control
 -edge cutter activation
 -integrated RPM setting
 -integrated parking brake
 -activation of sprinkler to rear tires
 (Combi version only)

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
 Master disconnect switch
 Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
 Single water tank
 -50 gallon (190 L)
 Pressurized sprinkler system
 Adjustable sprinkler volume control
 Two-stage water filtration
 Water tank drain
 Sprinkler system on/off switch

DRUM AND CHASSIS:

Articulated chassis
 Hydrostatic drive (both drums)
 47.2" wide x 27.5" diameter with
 -Chamfered drum edges
 Drum drive motors
 -Poclain drum drive motors with
 fixed displacement
 Hydraulic oil cooler
 Dual frequency vibration (hi/lo)
 Dual drum vibration selections
 -Front drum only
 -Both drums
 -Auto vibration stop in neutral
 Adjustable Vulcollon scrapers
 -2 x scrapers per drum
 Recessed drum drive motors

OTHER:

Hydrostatic service brake
 SAHR parking/emergency brake
 Back-up alarm
 Lift and tie downs
 Horn
 Hour meter
 Emergency stop button
 Spin on fuel, engine oil and hydraulic
 filters
 Toolbox
 Tilt open engine enclosure with
 gas strut assist (lockable)
 Indicator lights:
 -Battery
 -Engine Oil Pressure
 -Intake pre-heater
 -Engine temperature
 -Parking brake on/off
 -Hydraulic oil temperature
 -Low fuel indicator



**DV26E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Standard Equipment

-Worklight indicator
-Turn signal indicator
-Fuel guage
-Operator hours

4 Rear rubber tires 9.5/65 - 15 6PR

Drive motors

Poclain drive motors with fixed
displacement

Recessed design

Hydraulic oil cooler

Dual frequency vibration (hi/low)
front drum only

Front drum vibration selections

Front drum only

Auto vibration stop in neutral

2 adjustable Vulcollon scrapers

(Front Drum)

Isolated rubber drum mounts

(Front Drum)

DV26CECombi

FRONT STEEL DRUM, REAR RUBBER

TIRES, CHASSIS:

Articulated chassis

Hydrostatic drive

1 Front steel drum

47.2" wide by 27.5" diameter

Chamfered drum edges



**DV26E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV26E T4 FINAL TANDEM			\$53,318.00
DV26CE T4 FINAL COMBI			\$56,106.00

**DV26E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	786059	Rotating Beacon		No Charge
--	--------	-----------------	--	-----------

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

	734125	FOLDABLE ROPS		No Charge
	734126	CANVAS CANOPY Not FOPS Certified		\$954.00
	734127	STEEL CANOPY		\$2,478.00

SD_R5405 SEAT BELT

	423460	3" wide retractable seatbelt		No Charge
--	--------	------------------------------	--	-----------

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		No Charge
	423473	Tilttable Drum Scrapers		\$899.00
	449507	Tilttable Drum Scraper - Combi Drum scraper on front roller only		\$450.00

SD_R5408 INFRARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer NOTE: Recommended for use with ACE Force		\$1,184.00

SD_R5417 ADDITIONAL WORKLIGHTS

	XR5417X	No Additional Worklights		No Charge
	423488	Road Lights (2 Front, 1 Rear)		\$296.00
	423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers		\$318.00

SD_R5423 TRACTION ASSIST

	423405	No Traction Assist		No Charge
--	--------	--------------------	--	-----------

**DV26E TANDEM VIBRATORY ROLLER
US PRICE LIST**

		423341	Traction Assist			\$1,754.00
--	--	--------	-----------------	--	--	------------

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 Lights on ROPS Cannot be taken with Weather Canopy			\$504.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			No Charge
		423343	Arm Rests on Seat			\$197.00

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$735.00

SD_R5429 LIFTING HOOK

		XR5429X	NO LIFTING HOXR5429X			No Charge
		423346	Central Lifting Hook			\$592.00

SD_R5430 DRUM ALIGNMENT

		423349	Inline Drum			No Charge
		423348	Offset Drum			No Charge

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$509.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measures compaction stiffness with illuminated display NOTE: Infrared thermometer recommended, but not included			\$4,825.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$48.00



(This page intentionally left blank)

DV36E TANDEM VIBRATORY ROLLER
US PRICE LIST

Standard Equipment

ENGINE:

Kubota D1803CRT
 Tier 4 Final (DOC, DPF)
 Horsepower
 - 42 Hp (32 kW)
 Fuel tank capacity: 15.6 gallons (59 L)

Adjustable Vulcollon scrapers
 - 2 x scrapers per drum
 Recessed drum drive motors
 Isolated rubber drum mounts

OPERATOR STRUCTURE:

Foldable ROPS
 Iso-mounted operator's platform
 Instrument panel with vandal guard
 Lateral shifting suspension seat with
 -Vinyl
 -3" retractable seatbelt
 -Handrails
 Human Machine Interface (HMI)
 Including two drive settings:
 -Soft Drive
 -Hard Drive
 Single lever control with
 -integrated RPM setting
 -electronic controlled ground speed
 -Vibration on/off control
 -Sprinkler on/off control
 -edge cutter activation
 -integrated parking brake
 -activation of sprinkler to rear tires
 (combi version only)

TRANSMISSION:

Variable displacement axial piston
 drive pump

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
 Master disconnect switch
 Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
 Single water tank
 - 92.5 gallon (350 L)
 Pressurized sprinkler system
 Adjustable sprinkler volume control
 Two-stage water filtration
 Water tank drain
 Sprinkler system on/off switch

DRUM AND CHASSIS:

Articulated chassis
 Hydrostatic drive (both drums)
 51.2" wide x 33.5" diameter with
 -Chamfered drum edges
 Drum drive motors
 -Poclain drum drive motors with
 fixed displacement
 Hydraulic oil cooler
 Dual frequency vibration (hi/lo)
 Dual amplitude vibration (hi/low)
 Dual drum vibration selections
 -Front drum only
 -Both drums
 -Auto vibration stop in neutral

OTHER:

Hydrostatic service brake
 SAHR parking/emergency brake
 Back-up alarm
 Lift and tie downs
 Horn
 Hour meter
 Emergency stop button
 Spin on fuel, engine oil and hydraulic
 filters
 Tilt open engine enclosure hood with
 gas strut assist (lockable)
 Indicator lights:
 -Battery
 -Engine Oil Pressure
 -Intake pre-heater
 -Engine temperature



**DV36E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Standard Equipment

- | | |
|----------------------------|------------------------|
| -Parking brake on/off | -Turn signal indicator |
| -Hydraulic oil temperature | -Fuel guage |
| -Low fuel indicator | -Operator hours |
| -Worklight indicator | |



**DV36E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV36E T4 FINAL TANDEM			\$71,282.00

**DV36E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	786059	Rotating Beacon		No Charge
--	--------	-----------------	--	-----------

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

	734125	FOLDABLE ROPS		No Charge
	734126	CANVAS CANOPY Not FOPS Certified		\$954.00

SD_R5405 SEAT BELT

	423460	3" wide retractable seatbelt		No Charge
--	--------	------------------------------	--	-----------

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		No Charge
	423473	Tilttable Drum Scrapers		\$899.00

SD_R5408 INFRARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer NOTE: Recommended for use with ACE Force		\$1,184.00

SD_R5417 ADDITIONAL WORKLIGHTS

	XR5417X	No Additional Worklights		No Charge
	423488	Road Lights (2 Front, 1 Rear)		\$296.00
	423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers		\$318.00

SD_R5423 TRACTION ASSIST

	423405	No Traction Assist		No Charge
	423341	Traction Assist		\$1,754.00

**DV36E TANDEM VIBRATORY ROLLER
US PRICE LIST**

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 Lights on ROPS Cannot be taken with Weather Canopy			\$504.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			No Charge
		423343	Arm Rests on Seat			\$197.00

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$735.00

SD_R5430 DRUM ALIGNMENT

		423349	Inline Drum			No Charge
		423348	Offset Drum			No Charge

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$509.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measures compaction stiffness with illuminated display NOTE: Infrared thermometer recommended, but not included			\$4,825.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$48.00



(This page intentionally left blank)

DV45E TANDEM VIBRATORY ROLLER
US PRICE LIST

Standard Equipment

ENGINE:

Kubota D1803CRT
 Tier 4 Final (DOC, DPF)
 Horsepower
 -42 Hp (32kW)
 Fuel tank capacity: 15.6 gallons (59 L)

OPERATOR STRUCTURE:

Foldable ROPS
 Iso-mounted operator's platform
 Instrument panel with vandal guard
 Lateral shifting suspension seat with
 -Vinyl
 -3" retractable seatbelt
 -Handrails
 Single lever control with
 -electronic controlled ground speed
 -Vibration on/off control
 -Sprinkler on/off control
 -edge cutter activation
 -integrated RPM setting
 -integrated parking brake
 -activation of sprinkler to rear tires
 (combi version only)

DRUM AND CHASSIS:

Articulated chassis
 Hydrostatic drive (both drums)
 54.3" wide x 33.5" diameter with
 -Chamfered drum edges
 Drum drive motors
 -Poclain drum drive motors with
 fixed displacement
 Hydraulic oil cooler
 Dual frequency vibration (hi/low)
 Dual amplitude vibration (hi/low)
 Dual drum vibration selections
 -Front drum only
 -Both drums
 -Auto vibration stop in neutral
 Adjustable Vulcollon scrapers
 -2 x scrapers per drum
 Recessed drum drive motors
 Isolated rubber drum mounts

TRANSMISSION:

Variable displacement axial piston
 drive pump

ELECTRICAL:

Batteries - 1 x 12V @ 760 CCA
 Master disconnect switch
 Fuse protection cover

WATER SYSTEM:

Polyethylene water tank
 Single water tank
 - 92.5 gallons (350 L)
 Pressurized sprinkler system
 Adjustable sprinkler volume control
 Two-stage water filtration
 Water tank drains
 Sprinkler system on/off switch

OTHER:

Hydrostatic service brake
 SAHR parking/emergency brake
 Back-up alarm
 Lift and tie downs
 Horn
 Hour meter
 Emergency stop button
 Spin on fuel, engine oil and hydraulic
 filters
 Tilt open engine enclosure hood with
 gas strut assist (lockable)
 Indicator lights:
 -Battery
 -Engine Oil Pressure
 -Intake pre-heater
 -Engine temperature
 -Parking brake on/off
 -Hydraulic oil temperature
 -Low fuel indicator
 -Worklight indicator
 -Turn signal indicator
 -Fuel guage
 -Operator hours

**DV45E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Standard Equipment

DV45CD Combi

FRONT STEEL DRUM, REAR RUBBER

TIRES, CHASSIS:

Articulated chassis

Hydrostatic drive

1 Front steel drum

54.3" wide by 33.5" diameter with

Chamfered drum edges

4 Rear rubber tires 10.5/80-16

Drive motors

Poclain drive motors with fixed

displacement

Recessed design

Hydraulic oil cooler

Dual frequency vibration (hi/low)

FRONT DRUM ONLY

Dual amplitude vibration (hi/low)

FRONT DRUM ONLY

Front drum vibration selections

Front drum only

Auto vibration stop in neutral

2 adjustable Vulcollon scrapers

(Front Drum)

Isolated rubber drum mounts

(Front Drum)



**DV45E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV45E T4 FINAL TANDEM			\$78,407.00
DV45CE T4 FINAL COMBI			\$81,380.00

**DV45E TANDEM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

	786059	Rotating Beacon		No Charge
--	--------	-----------------	--	-----------

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

	734125	FOLDABLE ROPS		No Charge
	734126	CANVAS CANOPY Not FOPS Certified		\$954.00

SD_R5405 SEAT BELT

	423460	3" wide retractable seatbelt		No Charge
--	--------	------------------------------	--	-----------

SD_R5406 DRUM SCRAPERS

	423472	Fixed Drum Scraper		No Charge
	423473	Tilttable Drum Scrapers		\$899.00
	449507	Tilttable Drum Scraper - Combi Drum scraper on front roller only		\$450.00

SD_R5408 INFRARED THERMOMETER

	XR5408X	No Infrared Thermometer		No Charge
	423483	Infrared Thermometer NOTE: Recommended for use with ACE Force		\$1,184.00

SD_R5417 ADDITIONAL WORKLIGHTS

	XR5417X	No Additional Worklights		No Charge
	423488	Road Lights (2 Front, 1 Rear)		\$296.00
	423436	Road Lights/Signals/Flashers 2 Front and 1 Rear Road Light, Turn Signals and Flashers		\$318.00

SD_R5423 TRACTION ASSIST

	423405	No Traction Assist		No Charge
	423341	Traction Assist		\$1,754.00

**DV45E TANDEM VIBRATORY ROLLER
US PRICE LIST**

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		423342	Additional Work Lights (ROPS) 2 Lights on ROPS Cannot be taken with Weather Canopy			\$504.00

SD_R5427 ARM REST

		XR5427X	No Arm Rests on Seat			No Charge
		423343	Arm Rests on Seat			\$197.00

SD_R5428 DRIVE LEVER

		423344	Right Side Drive Lever			No Charge
		423345	Right & Left Side Drive Lever			\$735.00

SD_R5430 DRUM ALIGNMENT

		423349	Inline Drum			No Charge
		423348	Offset Drum			No Charge

SD_R5431 HEATED OPERATOR SEAT

		XR5431X	Standard Operator Seat			No Charge
		423435	Heated Operator Seat			\$509.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Measures compaction stiffness with illuminated display NOTE: Infrared thermometer recommended, but not included			\$4,825.00

SD_R5438 LOCKABLE CAP

		XR5438X	No Lockable Water Tank Cap			No Charge
		449501	Lockable Water Tank Cap			\$48.00



(This page intentionally left blank)

**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST****Standard Equipment****ENGINE:**

Deutz TCD 3.6 L4
Tier 4 Final
Horsepower
-100 Hp (74 kW)
Fuel tank capacity: 55 gallons (210 L)
SCR tank capacity: 5.8 gallons (22 L)

OPERATOR STRUCTURE:

Fixed ROPS/FOPS canopy
Iso-mounted operator's platform
In-steering wheel instrument panel
Adjustable steering column
Multi position suspension seat
-Foldable armrests
-Vinyl
-Handrails
Single lever control
-Ground speed and direction
-Vibration on/off control
-Water system on/off
Anti vandal covers

DRUMS AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
Drum width: 66 in (1680 MM)
Drum diameter: 48 in (1220 MM)
-Machined tapered drum edges
Drum offset 7 in (170 MM)
Drum drive motor
-Variable displacement axial
piston type drum drive pump
Hydraulic oil cooler
Dual frequency vibration (hi/low)
Dual amplitude vibration (hi/low)
Dual drum vibration modes
-Front drum only/both drums
-Auto vibration stop in neutral
-Tapered vibration start and stop
Adjustable Fixed Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts
-Each drum x 6 per side

TRANSMISSION:

Variable displacement axial piston
drive pump

WEIGHT:

Operating Weight 21,080 lbs
(9,560 kg)
Front Drum Weight 10,520 lbs
(4,770 kg)
Rear Drum Weight 10,560 lbs
(4,790 kg)

VIBRATION:

Hydraulic circuit type - closed
Gear type pump
Fixed displacement
Two hydraulic motors
Vibration Eccentric
Frequency - Std
-Low 2520 vpm (42 Hz)
-High 3300 vpm (55 Hz)
Rated amplitude
-Low .013 in (0.33 MM)
-High .028 in (0.7 MM)
Centrifugal force
-Low 15,737 lbs (70 kN)
-High 18,884 lbs (84 kN)
Frequency - High
-Low 2760 vpm (46 Hz)
-High 4020 vpm (67 Hz)
Rated amplitude
-Low .009 in (0.23 MM)
-High .024 in (0.62 MM)
Centrifugal force
-Low 15,737 lbs (70 kN)
-High 21,806 lbs (97 kN)

ELECTRICAL:

Batteries - 1 x 24V @ 420 CCA
Master disconnect switch
Fuse protection cover
Turn signals and four-way flashers

DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST

Standard Equipment

WATER SYSTEM:

Polyethylene water tank
 Water tank
 -222 gallons (840 L) - front
 Pressurized sprinkler system
 Two water pumps
 Adjustable sprinkler volume control
 Three-stage water filtration
 Water tank drain
 Sprinkler system on/off switch
 Corrosion proof tank
 Dual fill port tank

STEERING:

Pump type: gear
 Steering cylinders: 2
 Angle maximum (left and right)
 31 degrees
 Oscillation angle + or - 6 degrees
 Inner turning radius 17.9 ft (5470 mm)

OTHER:

3" Seat Belt
 SAHR service brake
 Multi disc parking/emergency brake
 55 Watt Halogen work lights x4
 (2 on front drum frame and 2 on rear drum frame)
 Turn signal and four way flashers
 Backup alarm
 Lift and tie downs
 Horn
 Hour meter
 Emergency stop button
 Spin on fuel, engine oil and hydraulic filters
 Toolbox
 Anti-Vandal Covers

Indicator lights:

-Battery
 -Engine Oil Pressure
 -Intake pre-heater
 -Engine temperature
 -Parking brake on/off
 -Sprinkler system on/off
 -Water tank level
 -Fuel level
 -Turn signal

DV209CD Combi
FRONT STEEL DRUM, REAR RUBBER
TIRES, CHASSIS:

Articulated chassis
 Hydrostatic drive
 1 Front steel drum
 Width 66" (1680 mm)
 Diameter 48" (1220 mm)
 Offset 7" (170 mm)
 4 Rear rubber tires 11"x20"
 Drive motors
 Variable displacement axial piston type drive
 Recessed design
 Hydraulic oil cooler
 Dual frequency vibration (hi/low)
 FRONT DRUM ONLY
 Dual amplitude vibration (hi)low
 FRONT DRUM ONLY
 Front drum vibration modes
 Front drum only
 Auto vibration stop in neutral
 Tapered vibration start and stop
 2 adjustable Vulcollon scrapers
 (Front Drum)
 Isolated rubber drum mounts
 (Front Drum)
 6 per side



**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV209D T4 FINAL	21,080 LBS		\$168,170.00
DV209D T4 FINAL HF	21,080 LBS		\$173,652.00
Includes the following Equipment			
High Frequency Drum Vibrat (423434)		\$5,482.00	
DV209CD T4 FINAL HF	20,750 LB		\$175,289.00
Includes the following Equipment			
High Freq Drum Vibration C (449511)		\$7,119.00	

**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

		786819	English literature			No Charge
		786829	French Canadian literature			No Charge
		786830	Spanish literature			No Charge

OPERATOR'S PROTECTIVE STRUCTURE

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

		423476	Canopy			No Charge
		449491	Cab with Heat			\$8,793.00

SD_05126 AIR CONDITIONING

		X05126X	No Cab Air Conditioning			No Charge
		423461	Cab Air Conditioning			\$5,944.00
			Requires 449491 Cab with Heat			

SD_R5419 RADIO MOUNTING

		XR5419X	No Radio Mounting			No Charge
		423437	Radio Mounting			\$784.00
			Preinstalled radio mounting group (includes: two speakers, antenna, no radio) Requires 449491 Cab with Heat			

INTELLIGENT COMPACTION

SD_R5416 PRINTER

		XR5416X	No Printer			No Charge
		423486	Printer for Ace Force			\$1,631.00
			Prints the following data: Date, time, load bearing capacity, length of roller pass, number passes, individual pass and roller speed. Requires Cab.			

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
--	--	---------	--------------	--	--	-----------

**DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

		449500	Ace Force Intell. Comp. Meter Evaluates material stiffness in real time indicating: bearing capacity, amplitude, frequency, and speed. Requires CAB.			\$9,659.00
--	--	--------	--	--	--	------------

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

		X30048X	No Rotating Beacon			(\$211.00)
		786059	Rotating Beacon			No Charge

SD_R5408 INFRARED THERMOMETER

		XR5408X	No Infrared Thermometer			No Charge
		423483	Infrared Thermometer Included with ACE Force Intelligent Compaction Meter			\$2,054.00

SD_R5409 EDGE CUTTER

		XR5409X	No Edge Cutter			No Charge
		449492	Edge Cutter Righthand Side 45°			\$7,265.00
		449493	Edge Cutter Righthand Side 60°			\$7,265.00
		449494	Edge Cutter RH & LH Side 45°			\$10,805.00
		449495	Edge Cutter RH & LH Side 60°			\$10,805.00

SD_R5412 MIRROR

		XR5412X	No Mirror			No Charge
		449496	Rear View Mirror			\$537.00

SD_R5417 ADDITIONAL WORKLIGHTS

		XR5417X	No Additional Worklights			No Charge
		449497	360 Degree Night Illumination 8 additional round LED lights total. Includes 4 round LED cab/canopy lights: one on each corner of the cab/canopy and 4 round LED drum lights: one on each side of each drum.			\$1,843.00
		449512	360 Degree Night Illum. Combi 6 additional round LED lights total. Includes 4 round LED cab/canopy lights: one on each corner of the cab/canopy and 2 round LED drum lights: one on each side of the front drum.			\$1,092.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		449498	LED Work Lights 4 additional square LED lights total. 2 on the front cab/canopy and 2 on the rear cab/canopy.			\$3,684.00

SD_R5436 SUN PROTECTIVE FOIL

		XR5436X	No Sun Protective Cab Glass			No Charge
		449499	Sun Protective Cab Glass			\$1,899.00



DV209D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics To order Service Subscription contact Service Parts			\$1,053.00

**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST****Standard Equipment****ENGINE:**

Deutz TCD 3.6 L4
Tier 4 Final
Horsepower
-100 Hp (74 kW)
Fuel tank capacity: 55 gallons (210 L)
SCR tank capacity: 5.8 gallons (22 L)

OPERATOR STRUCTURE:

Fixed ROPS/FOPS canopy
Iso-mounted operator's platform
In-steering wheel instrument panel
Adjustable steering column
Multi position suspension seat
-Foldable armrests
-Vinyl
-Handrails
Single lever control
-Ground speed and direction
-Vibration on/off control
-Water system on/off
Anti vandal covers

DRUMS AND CHASSIS:

Articulated chassis
Hydrostatic drive (both drums)
Drum width: 66 in (1680 MM)
Drum diameter: 48" in (1220 MM)
-Machined tapered drum edges
Drum offset 7 in (170 MM)
Drum drive motor
-Variable displacement axial
piston type drum drive pump
Hydraulic oil cooler
Dual frequency vibration (hi/low)
Dual amplitude vibration (hi/low)
Dual drum vibration modes
-Front drum only/both drums
-Auto vibration stop in neutral
-Tapered vibration start and stop
Adjustable Fixed Vulcollon scrapers
-2 x scrapers per drum
Recessed drum drive motors
Isolated rubber drum mounts
-Each drum x 6 per side

TRANSMISSION:

Variable displacement axial piston
drive pump

WEIGHT:

Operating Weight 22,930 lbs
(10,400 kg)
Front Drum Weight 11,490 lbs
(5,210 kg)
Rear Drum Weight 11,440 lbs
(5,190 kg)

VIBRATION:

Hydraulic circuit type - closed
Gear type pump
Fixed displacement
Two hydraulic motors
Vibration Eccentric
Frequency - Std
-Low 2520 vpm (42 Hz)
-High 3120 vpm (52 Hz)
Rated amplitude
-Low .014 in (0.35 mm)
-High .032 in (0.82 mm)
Centrifugal force
-Low 17,535 lbs (78 kN)
-High 26,977 lbs (120 kN)
Frequency - High
-Low 2760 vpm (46 Hz)
-High 4020 vpm (67 Hz)
Rated amplitude
-Low .009 in (0.22 mm)
-High .024 in (0.60 mm)
Centrifugal force
-Low 18,434 lbs (82 kN)
-High 23,605 lbs (105 kN)

ELECTRICAL:

Batteries - 1 x 24V @ 420 CCA
Master disconnect switch
Fuse protection cover
Turn signals and four-way flashers

DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST

Standard Equipment

WATER SYSTEM:

Polyethylene water tank
 Water tank
 -222 gallons (840 L) - front
 Pressurized sprinkler system
 Two water pumps
 Adjustable sprinkler volume control
 Three-stage water filtration
 Water tank drain
 Sprinkler system on/off switch
 Corrosion proof tank
 Dual fill port tank

STEERING:

Pump type: gear
 Steering cylinders: 2
 Angle maximum (left and right)
 31 degrees
 Oscillation angle + or - 6 degrees
 Inner turning radius 17.9 ft (5470 mm)

OTHER:

3" Seat Belt
 SAHR service brake
 Multi disc parking/emergency brake
 55 Watt Halogen work lights x4
 (2 on front drum frame and 2 on rear drum frame)
 Turn signal and four way flashers
 Backup alarm
 Lift and tie downs
 Horn
 Hour meter
 Emergency stop button
 Spin on fuel, engine oil and hydraulic filters
 Toolbox
 Anti-Vandal Covers

Indicator lights:

-Battery
 -Engine Oil Pressure
 -Intake pre-heater
 -Engine temperature
 -Parking brake on/off
 -Sprinkler system on/off
 -Water tank level
 -Fuel level

DV210CD Combi
FRONT STEEL DRUM, REAR RUBBER
TIRES, CHASSIS:

Articulated chassis
 Hydrostatic drive
 1 Front steel drum
 Width 66" (1680 mm)
 Diameter 48" (1220 mm)
 Offset 7" (170 mm)
 4 Rear rubber tires 11"x20"
 Drive motors
 Variable displacement axial piston type drive pump
 Recessed design
 Hydraulic oil cooler
 Dual frequency vibration (hi/low)
 FRONT DRUM ONLY
 Dual amplitude vibration (hi/low)
 FRONT DRUM ONLY
 Front drum vibration modes
 Front drum only
 Auto vibration stop in neutral
 Tapered vibration start and stop
 2 adjustable Vulcollon scrapers
 (Front Drum)
 Isolated rubber drum mounts
 (Front Drum)
 6 per side



**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
DV210D T4 FINAL	22,930 LBS		\$173,910.00
DV210D T4 FINAL HF	22,930 LBS		\$179,555.00
Includes the following Equipment High Frequency Drum Vibrat (423434) \$5,645.00			
DV210CD T4 FINAL HF	21,080 LB		\$181,029.00
Includes the following Equipment High Freq Drum Vibration C (449511) \$7,119.00			

**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

		786819	English literature			No Charge
		786829	French Canadian literature			No Charge
		786830	Spanish literature			No Charge

OPERATOR'S PROTECTIVE STRUCTURE

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

		423476	Canopy			No Charge
		449491	Cab with Heat			\$8,793.00

SD_05126 AIR CONDITIONING

		X05126X	No Cab Air Conditioning			No Charge
		423461	Cab Air Conditioning			\$5,944.00
			Requires 449491 Cab with Heat			

SD_R5419 RADIO MOUNTING

		XR5419X	No Radio Mounting			No Charge
		423437	Radio Mounting			\$784.00
			Preinstalled radio mounting group (includes: two speakers, antenna, no radio) Requires 449491 Cab with Heat			

INTELLIGENT COMPACTION

SD_R5416 PRINTER

		XR5416X	No Printer			No Charge
		423486	Printer for Ace Force			\$1,631.00
			Prints the following data: Date, time, load bearing capacity, length of roller pass, number passes, individual pass and roller speed. Requires Cab.			

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
--	--	---------	--------------	--	--	-----------

**DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST**

		449500	Ace Force Intell. Comp. Meter Evaluates material stiffness in real time indicating: bearing capacity, amplitude, frequency, and speed. Requires CAB.			\$9,659.00
--	--	--------	--	--	--	------------

ADDITIONAL EQUIPMENT CPC

SD_30048 ROTATING BEACON

		X30048X	No Rotating Beacon			(\$211.00)
		786059	Rotating Beacon			No Charge

SD_R5408 INFRARED THERMOMETER

		XR5408X	No Infrared Thermometer			No Charge
		423483	Infrared Thermometer Included with ACE Force Intelligent Compaction Meter			\$2,054.00

SD_R5409 EDGE CUTTER

		XR5409X	No Edge Cutter			No Charge
		449492	Edge Cutter Righthand Side 45°			\$7,265.00
		449493	Edge Cutter Righthand Side 60°			\$7,265.00
		449494	Edge Cutter RH & LH Side 45°			\$10,805.00
		449495	Edge Cutter RH & LH Side 60°			\$10,805.00

SD_R5412 MIRROR

		XR5412X	No Mirror			No Charge
		449496	Rear View Mirror			\$537.00

SD_R5417 ADDITIONAL WORKLIGHTS

		XR5417X	No Additional Worklights			No Charge
		449497	360 Degree Night Illumination 8 additional round LED lights total. Includes 4 round LED cab/canopy lights: one on each corner of the cab/canopy and 4 round LED drum lights: one on each side of each drum.			\$1,843.00
		449512	360 Degree Night Illum. Combi 6 additional round LED lights total. Includes 4 round LED cab/canopy lights: one on each corner of the cab/canopy and 2 round LED drum lights: one on each side of the front drum.			\$1,092.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		449498	LED Work Lights 4 additional square LED lights total. 2 on the front cab/canopy and 2 on the rear cab/canopy.			\$3,684.00

SD_R5436 SUN PROTECTIVE FOIL

		XR5436X	No Sun Protective Cab Glass			No Charge
		449499	Sun Protective Cab Glass			\$1,899.00



DV210D T4 FINAL DOUBLE DRUM COMPACTOR
US PRICE LIST

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics To order Service Subscription contact Service Parts			\$1,053.00

SV208D SINGLE DRUM VIBRATORY ROLLER US PRICE LIST
--

Standard Equipment

ENGINE:

Deutz TCD 3.6 L4
 Tier 4 Final certified
 Horsepower
 -74.3Hp (55.4 kW) @ 2200 RPM
 -221 cu. in. (3.6 L)/4-cylinder diesel
 -Turbocharged/charge air-cooled
 Fuel tank capacity:
 67.4 gallons (255L)

OPERATOR STRUCTURE:

ROPS/FOPS protection
 Iso-mounted operator's platform
 Electric tilting operator's platform
 Left and right-side access and steps
 Swivel suspension seat (vinyl) with:
 -3" retractable seat-belt
 -Foldable arm rests
 Single lever control - forward/reverse
 with:
 -Ground speed and direction
 -Vibration on/off control
 -Three (3) working speeds
 -One (1) transport speed
 -Park brake
 -ECO mode
 -Auto idle
 Rear-view mirror (left and right)
 Handrails
 Lockable dashboard vandalism
 protection
 Lockable toolbox
 Steering wheel spinner knob

DRUM AND CHASSIS:

66" wide x 51" diameter
 Dual frequency/dual amplitude
 Frame articulation (+/- 36°) with
 -3-point heavy duty hitch
 -Heavy-duty taper roller bearings
 Frame oscillation (+/- 12°) with
 -Heavy-duty ball bearing assembly
 Adjustable drum scrapers (steel)
 4-point lift and tie-down
 Rear hitch

TIRE OPTIONS:

14.9x24" R3 8PR diamond tread
 -Smooth drum only/not ballasted
 14.9x24" R3 8PR traction tread
 -Padfoot drum/ballasted
 -Smooth drum/not ballasted

ELECTRICAL:

Batteries: 2 x 12V/850 CCA
 (24 V system)
 Alternator: 45 amp
 Master disconnect switch
 Worklights - 2 front/2 rear
 Fuse protection cover

INSTRUMENTATION:

Multifunction control panel
 -Connected to CAN BUS
 -Engine hours
 -Engine RPM
 -Fuel usage rate/economy
 -System voltage
 -Coolant temperature
 -Service codes
 -Oil pressure
 Differential lock indicator
 Vibration selector with
 -One-button on/off control
 Engine RPM control
 Emergency stop button

SV208D SINGLE DRUM VIBRATORY ROLLER US PRICE LIST
--

Standard Equipment

TRANSMISSION:

- No-spin hydrostatic driven wheels
 - with interlock control
- Hydraulic actuated wet-disk brakes
- SAHR parking brake (spring applied/hydraulic release)
- Automatic traction control
 - (with ATC version)
- HX Drive control (with HX version)
- Traction Assist Systems:
 - Standard smooth drum (traction assist not included)
 - Standard padfoot drum (ATC traction assist included)

OTHER:

- SAHR service brake
- Multi disc parking/emergency brake
- Backup alarm
- Horn
- Spin-on fuel, engine oil and hydraulic filters
- Telematics ready
- Diagnostic test ports for hydraulics under cab
- Electric hood raise
- Electric cab tilting



**SV208D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
SV208DPF T4 FINAL	15,170 LB		\$134,637.00
SV208DSM T4 FINAL	15,170 LB		\$121,183.00



**SV208D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

TIRES

SD_16057 TIRES

	423129	14.9x24" R3 8PR Diamond Tread - no ballast Note: Not available with padfoot models or smooth drum w/ ATC and HX		No Charge
	462565	14.9X24IN R3 8PR W/B Diamond Tread - ballast included		\$1,158.00
	462492	Tires, 14.9X24IN 8PR Traction Tread - ballast included Note: Only available on Smooth Drum and Smooth Drum with Automatic Traction Control (ATC) drums.		\$1,811.00
	423425	14.9x24" TR1 8PR Traction Tread - ballast included Note: Included on Padfoot drums and Smooth Drum with ATC, HX, and Tractor Tires.		No Charge

SD_R5101 DRUM-DRIVE

	462493	Smooth Drum		No Charge
	462494	Smooth Drum with ATC Smooth Drum with Automatic Traction Control (ATC)		\$4,672.00
	462495	Smooth Drum w ATC, HX, Ballast Smooth Drum with Automatic Traction Control (ATC), HX Drive (HX) propulsion, and Tractor Tires ballasted.		\$12,307.00
	462496	Padfoot w ATC and Ballast Pad Foot Drum with Automatic Traction Control (ATC) and Tractor Tires Ballasted.		No Charge
	462497	Padfoot w ATC, HX, and Ballast Pad Foot Drum with Automatic Traction Control (ATC), HX Drive (HX) propulsion, and Tractor Tires Ballasted.		\$20,324.00

SV208D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST

ADDITIONAL EQUIPMENT CPC

SD_R5100 PADFOOT SHELL KIT

		XR5100X	No Padfoot Shell Kit			No Charge
		423131	Padfoot Shell Kit Three piece Note: Includes scraper bar, scraper teeth, and mounting hardware. Requires Smooth Drum model Recommended ATC or ATC plus HX traction assist			\$9,061.00

SD_R5404 COMPACTION INDICATOR

		XR5404X	No Compaction Indicator			No Charge
		462500	Analog Compaction Indicator Indicates compaction stiffness from 0 to 100%, vibration frequency and double jump.			\$4,789.00

SD_R5424 ADDITIONAL WORK LIGHT

		XR5424X	No Additional Work Lights			No Charge
		462488	Road Lights Not available for Pad Foot drums.			\$1,482.00

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

		423476	Canopy			No Charge
		423426	Cab with heat and ventilation Air Conditioning and Radio Mounting included.			\$14,235.00

SD_02055 AIR PRECLEANER

		X02055X	No Precleaner			No Charge
		787014	Air Precleaner for Engine			\$195.00

SD_30048 ROTATING BEACON

		X30048X	No Rotating Beacon			No Charge
		786059	Rotating Beacon			\$195.00

SD_R5416 PRINTER

		XR5416X	No Printer			No Charge
		423486	Printer for Ace Force Prints the following data: Date, time, load bearing capacity, length of roller pass, number passes, individual pass and roller speed. Requires Cab.			\$2,017.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
--	--	---------	--------------	--	--	-----------



SV208D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST

		449490	Ace Force Evaluates soil stiffness in real time indicating: bearing capacity, amplitude, frequency, and speed. Requires CAB.			\$6,694.00
--	--	--------	--	--	--	------------

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics			\$816.00



SV208D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	ND104268	Padfoot Shell Segment Kit w/scrapers For Smooth Drum (104 Pads) 3 pieces	3,307 LB		\$9,061.00



(This page intentionally left blank)

**SV212D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

**(Ex Port of Entry)
Standard Equipment**

ENGINE:

Deutz TCD 4.1
Tier 4 Final certified
Horsepower
- 154 HP (115 kW) @ 2200 RPM
- 250 cu. in. (4.1 L)/4-cylinder diesel
- Turbocharged

OPERATOR STRUCTURE:

ROPS/FOPS protection
Iso-mounted operator's platform
Electric Tilting operator's platform
Left and right-side access and steps
Swivel suspension seat (vinyl) with:
- 3" retractable seat-belt
- Foldable arm rests
Single lever control - forward/reverse with:
- Ground speed and direction
- Vibration on/off control
- Three (3) working speeds
- One (1) transport speed
Rear-view mirror (left and right)
Handrails
Lockable dashboard vandalism protection
Lockable toolbox
Steering wheel spinner knob

DRUM AND CHASSIS:

84" wide x 59" diameter
Dual frequency/dual amplitude
Frame articulation (+/- 36°) with
- 3-point heavy duty hitch
- Heavy-duty taper roller bearings
Frame oscillation (+/- 10°) with
- Heavy-duty ball bearing assembly
Adjustable drum scrapers (steel)
4-point lift and tie-down
Rear hitch

TIRE OPTIONS:

23.1x26" UK5 10PR diamond tread
- Smooth drum only/not ballasted
23.1x26" UK5 10PR traction tread
- Padfoot drum/ballasted
- Smooth drum/not ballasted

ELECTRICAL:

Batteries: 2 x 12V/850 CCA (24 V system)
Alternator: 45 amp
Master disconnect switch
Worklights - 2 front/2 rear
Fuse protection cover

INSTRUMENTATION:

Multifunction control panel
- Connected to CAN BUS
- Engine hours
- Engine RPM
- Fuel usage rate/economy
- System voltage
- Coolant temperature
- Service codes
- Oil pressure
Differential lock indicator
Vibration selector with
- One-button on/off control
Engine RPM control
Emergency stop button

**SV212D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

Standard Equipment

TRANSMISSION:

- No-spin hydrostatic driven wheels
 - inter-wheel flow divider
- Hydraulic actuated wet-disk brakes
- SAHR parking brake (spring applied/hydraulic release)
- Automatic traction control (with ATC version)
- Traction Assist Systems:
 - Standard smooth drum (traction assist not included)
 - Standard padfoot drum (ATC Automatic Traction Control included)

OTHER:

- SAHR service brake
- Multi disc parking/emergency brake
- Backup alarm
- Horn
- Spin-on fuel, engine oil and hydraulic filters
- Fan and alternator safety screen
- Sitewatch/Telematics ready
- Operators Manual
- Electric tilting engine hood



**SV212D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
SV212DPF T4 FINAL	25,860 LB		\$172,913.00
SV212DSM T4 FINAL	22,440 LB		\$159,526.00



**SV212D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

	786819	English literature			No Charge
	786829	French Canadian literature			No Charge
	786830	Spanish literature			No Charge

TIRES

SD_16057 TIRES

	9420101	23.1x26" UK5 10PR Diamond Tread - no ballast Note: not available with padfoot models or smooth drum w/ ATC and HX			No Charge
	462567	TIRES 23.1X26IN W/BA Diamond Tread - ballast included Note: Only available on smooth drum or smooth drum with ATC			\$1,314.00
	449503	TIRES, 23.1X26IN SD Traction Tread - ballast included Note: Only available on smooth drum or smooth drum with ATC			\$4,879.00
	423433	23.1x26" TR1 10PR Traction Tread - ballast included Note: Included on all padfoot drum drives and smooth drum ATC with HX			No Charge

SD_R5101 DRUM-DRIVE

	462493	Smooth Drum			No Charge
	462494	Smooth Drum with ATC Smooth Drum with Automatic Traction Control (ATC)			\$4,672.00
	462495	Smooth Drum w ATC, HX, Ballast Smooth Drum with Automatic Traction Control (ATC), HX Drive (HX) propulsion, and Tractor Tires Ballasted.			\$12,816.00
	462496	Padfoot w ATC and Ballast Pad Foot Drum with Automatic Traction Control (ATC) and Tractor Tires Ballasted.			No Charge
	462497	Padfoot w ATC, HX, and Ballast Pad Foot Drum with Automatic Traction Control (ATC), (HX) propulsion, and Tractor Tires Ballasted.			\$21,768.00

**SV212D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

ADDITIONAL EQUIPMENT CPC

SD_R5100 PADFOOT SHELL KIT

		XR5100X	No Padfoot Shell Kit			No Charge
		423131	Padfoot Shell Kit Two piece Note: Includes scraper bar, scraper teeth and mounting hardware. Requires Smooth Drum option Recommended ATC or ATC plus HX drive			\$15,627.00

SD_R5404 COMPACTION INDICATOR

		XR5404X	No Compaction Indicator			No Charge
		423428	Analog Compaction Indicator Indicates compaction stiffness from 0 to 100%, vibration frequency and double jump.			\$4,789.00

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

		423476	Canopy			No Charge
		423427	Cab with heat/AC & ventilation Note: Includes Radio mounting (no radio/2-speakers and antenna)			\$17,201.00

SD_02055 AIR PRECLEANER

		X02055X	No Precleaner			No Charge
		787014	Air Precleaner for Engine			\$195.00

SD_30048 ROTATING BEACON

		X30048X	No Rotating Beacon			No Charge
		786059	Rotating Beacon			\$195.00

SD_R5416 PRINTER

		XR5416X	No Printer			No Charge
		423486	Printer for Ace Force Prints the following data: Date, time, load bearing capacity, length of roller pass, number passes, individual pass and roller speed. Requires Cab.			\$2,017.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Evaluates soil stiffness in real time indicating: bearing capacity, amplitude, frequency, and speed. Requires CAB.			\$9,407.00



SV212D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST

(Ex Port of Entry)

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics			\$816.00

**SV216D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

Standard Equipment

ENGINE:

Deutz TCD 4.1
Tier 4 Final certified
Horsepower
- 154 HP (115 kW) @ 2200 RPM
- 250 cu. in. (4.1 L)/4-cylinder diesel
- Turbocharged

OPERATOR STRUCTURE:

ROPS/FOPS protection
Iso-mounted operator's platform
Electric Tilting operator's platform
Left and right-side access and steps
Swivel suspension seat (vinyl) with:
- 3" retractable seat-belt
- Foldable arm rests
Single lever control - forward/reverse with:
- Ground speed and direction
- Vibration on/off control
- Three (3) working speeds
- One (1) transport speed
Rear-view mirror (left and right)
Handrails
Lockable dashboard vandalism protection
Lockable toolbox
Steering wheel spinner knob

DRUM AND CHASSIS:

84" wide x 59" diameter
Dual frequency/dual amplitude
Frame articulation (+/- 36°) with
- 3-point heavy duty hitch
- Heavy-duty taper roller bearings
Frame oscillation (+/- 10°) with
- Heavy-duty ball bearing assembly
Adjustable drum scrapers (steel)
4-point lift and tie-down
Rear hitch

TIRE OPTIONS:

23.1x26" UK5 10PR diamond tread
- Smooth drum only/not ballasted
23.1x26" UK5 10PR traction tread
- Padfoot drum/ballasted
- Smooth drum/not ballasted

ELECTRICAL:

Batteries: 2 x 12V/850 CCA (24 V system)
Alternator: 45 amp
Master disconnect switch
Worklights - 2 front/2 rear
Fuse protection cover

INSTRUMENTATION:

Multifunction control panel
- Connected to CAN BUS
- Engine hours
- Engine RPM
- Fuel usage rate/economy
- System voltage
- Coolant temperature
- Service codes
- Oil pressure
Differential lock indicator
Vibration selector with
- One-button on/off control
Engine RPM control
Emergency stop button

**SV216D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

Standard Equipment

TRANSMISSION:

- No-spin hydrostatic driven wheels
 - inter-wheel flow divider
- Hydraulic actuated wet-disk brakes
- SAHR parking brake (spring applied/hydraulic release)
- Automatic traction control (with ATC version)
- Traction Assist Systems:
 - Standard smooth drum (traction assist not included)
 - Standard padfoot drum (ATC Automatic Traction Control included)

OTHER:

- SAHR service brake
- Multi disc parking/emergency brake
- Backup alarm
- Horn
- Spin-on fuel, engine oil and hydraulic filters
- Fan and alternator safety screen
- Sitewatch/Telematics ready
- Operators Manual
- Electric hood raise



**SV216D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
SV216DPF T4 FINAL	31,440 LB		\$207,977.00
SV216DSM T4 FINAL	28,718 LB		\$194,590.00



**SV216D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR MANUALS

SD_47083 OPERATOR'S MANUAL

	786819	English literature			No Charge
	786829	French Canadian literature			No Charge
	786830	Spanish literature			No Charge

TIRES

SD_16057 TIRES

	9420101	23.1x26" UK5 10PR Diamond Tread - no ballast Note: not available with padfoot models or smooth drum w/ ATC and HX			No Charge
	462567	TIRES 23.1X26IN W/BA Diamond Tread - ballast included Note: Only available on smooth drum or smooth drum with ATC			\$1,314.00
	449503	TIRES, 23.1X26IN SD Traction Tread - ballast included Note: Only available on smooth drum or smooth drum with ATC			\$4,879.00
	423433	23.1x26" TR1 10PR Traction Tread - ballast included Note: Included on all padfoot drum drives and smooth drum ATC with HX			No Charge

SD_R5101 DRUM-DRIVE

	462493	Smooth Drum			No Charge
	462494	Smooth Drum with ATC Smooth Drum with Automatic Traction Control (ATC)			\$4,672.00
	462495	Smooth Drum w ATC, HX, Ballast Smooth Drum with Automatic Traction Control (ATC), HX Drive (HX) propulsion, and Tractor Tires Ballasted.			\$12,816.00
	462496	Padfoot w ATC and Ballast Pad Foot Drum with Automatic Traction Control (ATC) and Tractor Tires Ballasted.			No Charge
	462497	Padfoot w ATC, HX, and Ballast Pad Foot Drum with Automatic Traction Control (ATC), (HX) propulsion, and Tractor Tires Ballasted.			\$21,768.00

**SV216D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST**

(Ex Port of Entry)

ADDITIONAL EQUIPMENT CPC

SD_R5100 PADFOOT SHELL KIT

		XR5100X	No Padfoot Shell Kit			No Charge
		423131	Padfoot Shell Kit Two piece Note: Includes scraper bar, scraper teeth and mounting hardware. Requires Smooth Drum option Recommended ATC or ATC plus HX drive			\$15,627.00

SD_R5404 COMPACTION INDICATOR

		XR5404X	No Compaction Indicator			No Charge
		423428	Analog Compaction Indicator Indicates compaction stiffness from 0 to 100%, vibration frequency and double jump.			\$4,789.00

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

		423476	Canopy			No Charge
		423427	Cab with heat/AC & ventilation Note: Includes Radio mounting (no radio/2-speakers and antenna)			\$17,201.00

SD_02055 AIR PRECLEANER

		X02055X	No Precleaner			No Charge
		787014	Air Precleaner for Engine			\$195.00

SD_30048 ROTATING BEACON

		X30048X	No Rotating Beacon			No Charge
		786059	Rotating Beacon			\$195.00

SD_R5416 PRINTER

		XR5416X	No Printer			No Charge
		423486	Printer for Ace Force Prints the following data: Date, time, load bearing capacity, length of roller pass, number passes, individual pass and roller speed. Requires Cab.			\$2,017.00

SD_R5435 INTELLIGENT COMP

		XR5435X	No Ace Force			No Charge
		449490	Ace Force Evaluates soil stiffness in real time indicating: bearing capacity, amplitude, frequency, and speed. Requires CAB.			\$9,407.00



SV216D SINGLE DRUM VIBRATORY ROLLER
US PRICE LIST

(Ex Port of Entry)

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics			\$816.00

**PT240D PNEUMATIC TIRE ROLLER
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

ENGINE:

Deutz TCD 3.6 L4
Tier 4 Final
Horsepower
-100Hp (74.4 kW) @ 2200 RPM
-221 cu. in (3.6L)/4-cylinder diesel
Selective Catayuic Reduction - SCR
Liquid Cooled
Fuel tank capacity: 66 gallons (250 L)

OPERATOR STRUCTURE:

Fixed ROPS
Instrument panel with vandal guard
Adjustable steering wheel
Dual Operator work stations
-Suspension seats (vinyl)
-Hydrostatic steering
-Foldable armrests
-3" retractable seatbelt
-Handrails
-(AOR) Air-on-the-run
-Tool Box

TRANSMISSION:

Power shift transmission
-Three speed (plus reverse)
Dual independent isolated front axles
-8 inches of travel
-3 degrees of oscillation

OPERATING WEIGHT:

21,380 lbs (9,700 kg) Minimum
52,910 lbs (24,000 kg) Maximum

ELECTRICAL:

Batteries - 2 x 24V @ 420 CCA
Master disconnect switch
Halogen work lights x 4
(55 watts/front and rear)
Turn signal and four way flashers

WATER SYSTEM:

Polyethylene water tank
Water tank
-103 gallons (390 L)
Pressurized sprinkler system
Single-stage water filtration
Water tank drains

WATER SYSTEM (Continued):

Sprinkler system on/off switch
Single fill port

OTHER:

Smooth Tires
-4 Front + 4 Rear (11:00 x 20 18pr)
-Tire overlap: 2" (50 mm)
Central Tire Infflation System
-On-board air compressor
Backup alarm
Front mirrors
Telematics ready
Fluid test/Drain ports



(This page intentionally left blank)



**PT240D PNEUMATIC TIRE ROLLER
US PRICE LIST**

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
PT240D T4 FINAL			\$174,228.00

**PT240D PNEUMATIC TIRE ROLLER
US PRICE LIST**

**(Ex Works Port of Entry)
Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

LANGUAGE

SD_47083 OPERATOR'S MANUAL

	786819	English literature		No Charge
	786829	French Canadian literature		No Charge
	786830	Spanish literature		No Charge

OPERATOR'S PROTECTIVE STRUCTURE

SD_R5400 ROLLOVER PROTECTIVE STRUCTURES

	423476	Canopy		No Charge
	449491	Cab with Heat A/C not included.		\$7,375.00

SD_05126 AIR CONDITIONING

	X05126X	No Cab Air Conditioning		No Charge
	423461	Cab Air Conditioning		\$6,537.00

SD_30048 ROTATING BEACON

	X30048X	No Rotating Beacon		No Charge
	786059	Rotating Beacon		\$335.00

SD_R5419 RADIO MOUNTING

	XR5419X	No Radio Mounting		No Charge
	423437	Radio Mounting Preinstalled radio mounting group (includes: two-speakers, antenna, no radio) Requires 449491 Cab With Heat		\$812.00

TIRES AND ACCESSORIES

SD_16057 TIRES

	423454	8 Mitas Bias Tires		No Charge
--	--------	--------------------	--	-----------

SD_R5406 DRUM SCRAPERS

	423456	Standard Tire Scraper		No Charge
	423457	Cocoa Scraper		\$2,994.00

**PT240D PNEUMATIC TIRE ROLLER
US PRICE LIST**

(Ex Works Port of Entry)

		467000	Tilttable Scraper			\$1,988.00
--	--	--------	-------------------	--	--	------------

SD_R5409 EDGE CUTTER

		XR5409X	No Edge Cutter			No Charge
		423477	Edge Cutter			\$6,747.00

SD_R5413 SPARE TIRE

		XR5413X	No Spare Tire w/rim			No Charge
		462504	Spare Mitas Bias Tire			\$1,285.00
		462505	Spare Mitas Radial Tire			\$2,623.00

SD_R5414 THERMAL APRON

		XR5414X	No Thermal Apron			No Charge
		423482	Thermal Apron			\$2,779.00
		467001	Split Thermal			\$3,854.00

ADDITIONAL EQUIPMENT CPC

SD_R5410 DIFFERENTIAL LOCK

		XR5410X	No Differential Lock			No Charge
		423478	Differential Lock (rear only)			\$1,516.00

SD_R5420 WATER TIGHT FRAME

		XR5420X	No Water Tight Frame			No Charge
		423438	Water Tight Frame Note: No Steel Ballast option may be selected for machines equipped with the Water Tight Frame option; the six (6) MT Ballast Plate may be selected with the Water Tight Frame option. Note: Water Tight Frame equipped machines should utilize fluid ballast only and should be selected when frequent ballast changes are anticipated.			\$2,522.00

SD_R5421 6 TON BALLAST PLATE

		XR5421X	No Six ton ballast plate			(\$8,566.00)
		423492	Six ton ballast plate Mounted under frame.			No Charge

SELECT ONE QUANTITY OF STEEL BALLAST; MAXIMUM STEEL BALLAST LOADED IN BUNKER IS 8 MT

SD_R5422 SCRAP STEEL BALLAST

		XR5422X	No steel ballast			No Charge
		423493	One ton steel ballast Loaded in bunker.			\$1,503.00



PT240D PNEUMATIC TIRE ROLLER
US PRICE LIST

(Ex Works Port of Entry)

TELEMATICS

SD_R5433 TELEMATICS ON BOARD

		XR5433X	No Telematics			No Charge
		449354	CASE SiteWatch Telematics To order Service Subscripiton contact Service Parts.			\$1,123.00